

Financial  
Econometrics  
Research Centre

WORKING PAPERS SERIES

WP07-12

# **True and Apparent Scaling: The Proximity of the Markov- Switching Multifractal Model to Long-Range Dependence**

---

Liu Ruipeng, Di Matteo and Thomas Lux

# True and Apparent Scaling: The Proximity of the Markov-Switching Multifractal Model to Long-Range Dependence

Ruipeng Liu <sup>a,b</sup>, T. Di Matteo <sup>b</sup>, Thomas Lux <sup>a</sup>

<sup>a</sup>*Department of Economics, University of Kiel, 24118 Kiel, Germany*

<sup>b</sup>*Department of Applied Mathematics, Research School of Physical Sciences and Engineering, The Australian National University, 0200 Canberra, Australia*

---

## Abstract

In this paper, we consider daily financial data of a collection of different stock market indices, exchange rates, and interest rates, and we analyze their multi-scaling properties by estimating a simple specification of the Markov-switching multifractal model (MSM). In order to see how well the estimated models capture the temporal dependence of the data, we estimate and compare the scaling exponents  $H(q)$  (for  $q = 1, 2$ ) for both empirical data and simulated data of the estimated MSM models. In most cases the multifractal model appears to generate ‘apparent’ long memory in agreement with the empirical scaling laws.

*Key words:* scaling, generalized Hurst exponent, multifractal model, GMM estimation

---

## 1 Introduction

The scaling concept has its origin in physics but it is increasingly applied outside its traditional domain. In the literature ([1–3]) different methods have been proposed and developed in order to study the multi-scaling properties of financial time series. For more details on scaling analysis see [4].

Going beyond the phenomenological scaling analysis, the multifractal model of asset returns (MMAR) introduced by Mandelbrot et. al [5] provides a theoretical framework that allows to replicate many of the scaling properties of financial data. While the practical applicability of MMAR suffered from its combinatorial nature and its non-stationarity, these drawbacks have been overcome by the introduction of iterative multifractal models (Poisson MF or

Markov-switching multifractal model (MSM) [6–8]) which preserves the hierarchical, multiplicative structure of the earlier MMAR, but is of much more ‘well-behaved’ nature concerning its asymptotic statistical properties. The attractiveness of MF models lies in their ability to mimic the stylized facts of financial markets such as outliers, volatility clustering, and asymptotic power-law behavior of autocovariance functions (long-term dependence). In contrast to other volatility models with long-term dependence [9], MSM models allow for multi-scaling rather than uni-scaling with varying decay exponents for all powers of absolute values of returns. One may note, however, that due to the Markovian nature, the scaling of the Markov-Switching MF model only holds over a limited range of time increments depending on the number of hierarchical components and this ‘apparent’ power-law ends with a cross-over to an exponential cut-off.

With this proximity to true multi-scaling, it seems worthwhile to explore how well the MSM model could reproduce the empirical scaling behaviour of financial data. To this end, we estimate the parameters of a simple specification of the MSM model for various financial data and we assess its ability to replicate empirical scaling behaviour by also computing  $H(q)$  by means of the generalized Hurst exponent approach ([4,10,11]) and  $H$  by means of the modified R/S method [12] for the same data sets. We then proceed by comparing the scaling exponents for empirical data and simulated time series based on our estimated MSM models. As it turns out, the MSM model with a sufficient number of volatility components generates pseudo-empirical scaling laws in good overall agreement with empirical results.

The structure of the paper is as follows: In Section 2 we introduce the multifractal model, the Generalized Hurst exponent (GHE) and the modified R/S approaches. Section 3 reports the empirical and simulation-based results. Concluding remarks and perspectives are given in Section 4.

## 2 Methodology

### 2.1 Markov-switching multifractal model

In this section, we shortly review the building blocks of the Markov-switching multifractal process (MSM). Returns are modeled as [7,8]:

$$r_t = \sigma_t \cdot u_t \tag{1}$$

with innovations  $u_t$  drawn from a standard Normal distribution  $N(0,1)$  and instantaneous volatility being determined by the product of  $k$  volatility com-

ponents or multipliers  $M_t^{(1)}, M_t^{(2)}, \dots, M_t^{(k)}$  and a constant scale factor  $\sigma$ :

$$\sigma_t^2 = \sigma^2 \prod_{i=1}^k M_t^{(i)}, \quad (2)$$

In this paper we choose, for the distribution of volatility components, the binomial distribution:  $M_t^{(i)} \sim [m_0, 2 - m_0]$  with  $1 \leq m_0 < 2$ . Each volatility component is renewed at time  $t$  with probability  $\gamma_i$  depending on its rank within the hierarchy of multipliers and it remains unchanged with probability  $1 - \gamma_i$ . The transition probabilities are specified by Calvet and Fisher [7] as:

$$\gamma_i = 1 - (1 - \gamma_k)^{(b^{i-k})} \quad i = 1, \dots, k, \quad (3)$$

with parameters  $\gamma_k \in [0, 1]$  and  $b \in (1, \infty)$ . Different specifications of Eq. (3) can be arbitrarily imposed (cf. [8] and its earlier versions). By fixing  $b = 2$  and  $\gamma_k = 0.5$ , we arrive a relatively parsimonious specification:

$$\gamma_i = 1 - (1 - \gamma_k)^{(2^{i-k})} \quad i = 1, \dots, k. \quad (4)$$

This specification implies that replacement happens with probability of one half at the highest cascade level. Various approaches have been employed to estimate multifractal models. The parameters of the combinatorial MMAR have been estimated via an adaptation of the scaling estimator and Legendre transformation approach from statistical physics [13]. However, this approach has been shown to yield very unreliable results [14]. A broad range of more rigorous estimation methods have been developed for the MSM model. Calvet and Fisher (2001) ([6]) propose maximum likelihood estimation while Lux ([8]) proposes a Generalized Method of Moments (GMM) approach, which can be applied not only to discrete but also to continuous distributions of the volatility components. In this paper, GMM is used to estimate the two MSM model parameters in Eq. (2), namely:  $\hat{\sigma}$  and  $\hat{m}_0$ .

## 2.2 Estimation of scaling exponents

Our analysis of the scaling behaviour of both empirical and simulated data uses two refined methods for estimating the time-honored Hurst coefficient: the estimation of generalized Hurst exponents from the structure function of various moments [4] and Lo's modified R/S analysis that allows to correct for short-range dependence in the temporal evolution of the range [12].

### 2.2.1 Generalized Hurst exponent approach

The generalized Hurst exponent (GHE) method extends the traditional scaling exponent methodology, and this approach provides a natural, unbiased, statistically and computationally efficient estimator able to capture very well the scaling features of financial fluctuations ([10,11]). It is essentially a tool to study directly the scaling properties of the data via the  $q$ th order moments of the distribution of the increments. The  $q$ th order moments appear to be less sensitive to the outliers than maxima/minima and different exponents  $q$  are associated with different characterizations of the multi-scaling behaviour of the signal  $X(t)$ .

We consider the  $q$ -order moment of the distribution of the increments (with  $t = v, 2v, \dots, T$ ) of a time series  $X(t)$ :

$$K_q(\tau) = \frac{\langle |X(t+\tau) - X(t)|^q \rangle}{\langle |X(t)|^q \rangle}, \quad (5)$$

where the time interval  $\tau$  varies between  $v = 1$  day and  $\tau_{max}$  days. The generalized Hurst exponent  $H(q)$  is then defined from the scaling behavior of  $K_q(\tau)$ , which can be assumed to follow the relation:

$$K_q(\tau) \sim \left(\frac{\tau}{v}\right)^{qH(q)}. \quad (6)$$

Within this framework, for  $q = 1$ ,  $H(1)$  describes the scaling behavior of the absolute values of the increments; for  $q = 2$ ,  $H(2)$  is associated with the scaling of the autocorrelation function.

### 2.2.2 Lo's modified R/S analysis

Lo's modified R/S analysis uses the range of a time series as its starting point: Formally, the range  $R$  of a time series  $\{X_t\}$ ,  $t = 1, \dots, T$  is defined as:

$$R_T = \max_{1 \leq t \leq T} \sum_{t=1}^T (X_t - \bar{X}) - \min_{1 \leq t \leq T} \sum_{t=1}^T (X_t - \bar{X}). \quad (7)$$

Here,  $\bar{X}$  is the standard estimate of the mean. Usually the range is rescaled by the sample standard deviation ( $S$ ), yielding the famous R/S statistic. Though this approach found wide applications in diverse fields, it turned out that no asymptotic distribution theory could be derived for H itself. Hence, no explicit hypothesis testing can be performed and the significance of point estimates  $H > 0.5$  or  $H < 0.5$  rests on subjective assessment. Luckily, the asymptotic distribution of the rescaled range itself under a composite null hypothesis

excluding long-memory could be established by Lo (1991) [12]. Using this distribution function and the critical values reported in his paper, one can test for the significance of apparent traces of long memory as indicated by  $H \neq 0.5$ . However, Lo also showed that the distributional properties of the rescaled range are affected by the presence of short memory and he devised a modified rescaled range  $Q_\tau$  which adjusts for possible short memory effects by applying the Newey-West heteroscedasticity and autocorrelation consistent estimator in place of the sample standard deviation  $S$ :

$$Q_\tau = \frac{1}{S_\tau} \left[ \max_{1 \leq t \leq T} \sum_{t=1}^T (X_t - \bar{X}) - \min_{1 \leq t \leq T} \sum_{t=1}^T (X_t - \bar{X}) \right], \quad (8)$$

$$S_\tau^2 = S^2 + \frac{2}{T} \sum_{j=1}^{\tau} \omega_j(\tau) \left\{ \sum_{i=j+1}^T (X_i - \bar{X})(X_{i-j} - \bar{X}) \right\},$$

$$\omega_j(\tau) = 1 - \frac{j}{\tau + 1}.$$

Under the null of no long term memory the distribution of the random variable  $V_T = T^{-0.5}Q_\tau$  converges to that of the range of a so-called Brownian bridge. Critical values of this distribution are tabulated in Lo (1991, Table II).

### 3 Results

In this paper, we consider daily data for a collection of stock exchange indices: the Dow Jones Composite 65 Average Index (*Dow*) and *NIKKEI* 225 Average Index (*Nik*) over the time period from January 1969 to October 2004, foreign exchange rates: British Pound to US Dollar (*UK*), and Australian Dollar to US Dollar (*AU*) over the period from March 1973 to February 2004, and U.S. 1 year and 2 years treasury constant maturity bond rates (*TB1* and *TB2*, respectively) in the period from June 1976 to October 2004. The daily prices are denoted as  $p_t$ , and returns are calculated as  $r_t = \ln(p_t) - \ln(p_{t-1})$  for stock indices and foreign exchange rates and as  $r_t = p_t - p_{t-1}$  for *TB1* and *TB2*.

We estimate the MSM model parameters introduced in Section 2 with a binomial distribution of volatility components, that is  $M_t^{(\cdot)} \sim [m_0, 2 - m_0]$  and  $1 \leq m_0 < 2$  in Eq 2. This estimation is repeated for various hypothetical numbers of cascade levels ( $k = 5, 10, 15, 20$ ). Table 1 presents these results for parameters  $\hat{m}_0$  and  $\hat{\sigma}$ .<sup>1</sup> Our estimation is based on the GMM approach

<sup>1</sup> Note that the data have been standardized by dividing the sample standard deviation which explains the proximity of the scale parameter estimates to 1.

proposed by Lux [8] using the same analytical moments as in his paper. The numbers within the parentheses are the standard errors. We observe that the results for  $k > 10$  are almost identical. In fact, analytical moment conditions in Lux [8] show that higher cascade levels make a smaller and smaller contribution to the moments so that their numerical values would stay almost constant. If one monitors the development of estimated parameters with increasing  $k$ , one finds strong variations initially with a pronounced decrease of the estimates which become slower and slower until, eventually a constant value is reached somewhere around  $k = 10$  depending on individual time series. Based on the estimated parameters, we proceed with an analysis of simulated data from the pertinent MSM models.

We first calculate the GHE for the empirical time series as well as for 100 simulated time series of each set of estimated parameters for  $q = 1$  and  $q = 2$ . The values of the GHE are averages computed from a set of values corresponding to different  $\tau_{max}$  (between 5 and 19 days). The stochastic variable  $X(t)$  in Eq. (5) is the absolute value of returns,  $X(t) = |r_t|$ . The second and seventh columns in Table 2 report the empirical GHEs, and values in the other columns are the mean values over the corresponding 100 simulations for different  $k$  values: 5, 10, 15, 20, with errors given by their standard deviations. Boldface numbers are those cases which fail to reject the null hypothesis that the mean of the simulation-based Generalized Hurst exponent values equals the empirical Generalized Hurst exponent at the 5% level. We find that the exponents from the simulated time series vary across different cascade levels  $k$ .<sup>2</sup> In particular, we observe considerable jumps from  $k = 5$  to  $k = 10$  for these values. In particular for the stock market indices, we find coincidence between the empirical series and simulation results for the scaling exponents  $H(2)$  for *Dow* and  $H(1)$  for *Nik* when  $k = 5$ ; for the exchange rate data, we observe the simulations successfully replicate the empirical measurements of  $AU$  for  $H(1)$  when  $k = 10, 15, 20$  and  $H(2)$  when  $k = 5$ ; In the case of

---

<sup>2</sup> We have also computed  $H(1)$  and  $H(2)$  with  $X(t) = r_t$  in Eq. (5). For the empirical data, we found that  $H(1)$  and  $H(2)$  are varying across our samples and that they are all different between each other and different from 0.5. These results are consistent with previous studies on high-frequency data [1,11], which report  $H(1) > 0.5$  for all foreign exchange rates, particularly in the study on similar daily data [11], which reports  $H(2) > 0.5$  for UK, and  $H(1) > 0.5$  for *TB1* and *TB2*. The values of  $H(1)$  based on the simulated time series are homogeneous across different  $k$ , but mostly different from 0.5, and they vary among different time series;  $H(2)$  from simulated data are all practically 0.5. We have checked if the generalized Hurst exponents approach is biased by computing  $H(1)$  and  $H(2)$  for random values generated by different random generators [11] with  $T = 9372$  data points. We have found that  $H(1) = 0.4999 \pm 0.009$  and  $H(2) = 0.4995 \pm 0.008$ . Since the MSM model is a martingale process independent of the number of volatility cascades, findings of  $H(1) \neq 0.5$  for the MSM simulations indicate that volatility clustering could also be the source of spurious rejection of IIDness of raw returns in some empirical samples.

U.S. Bond rates, we find a good agreement for  $H(1)$  when  $k = 5$  and for all  $k$  for *TB1*, and  $H(2)$  for *TB2* when  $k = 5$ . Apparently, both the empirical data and the simulated MSM models are characterized by estimates of  $H(1)$  and  $H(2)$  much larger than 0.5 which are indicative of long-term dependence. While the empirical numbers are in nice agreement with previous literature, it is interesting to note that simulated data with  $k \geq 10$  have a tendency towards even higher estimated Hurst coefficients than found in the pertinent empirical records. Since we know that the MSM model only has pre-asymptotic scaling, these results underscore that with a high enough number of volatility cascades, it would be hard to distinguish the MSM model from a ‘true’ long memory process.

We have also performed calculations using the modified Rescaled range (R/S) analysis introduced by Lo [12,15–20]<sup>3</sup>, whose results are reported in Tables 3 to 5. Table 3 presents Lo’s test statistics for both empirical and 1000 simulated time series for different values of  $k$  and for different truncation lags  $\tau = 0, 5, 10, 25, 50, 100$ .<sup>4</sup> We find that the values are varying with different truncation lags, and more specifically, that they are monotonically decreasing for both the empirical and simulation-based statistics. Table 4 reports the number of rejections of the null hypothesis of short-range dependence based on 95% and 99% confidence levels. The rejection numbers for each single  $k$  are decreasing as the truncation lag  $\tau$  increases, but the proportion of rejections remains relatively high for higher cascade levels,  $k = 10, 15, 20$ . The corresponding Hurst exponents are given in Table 5. The empirical values of  $H$  are decreasing when  $\tau$  increases. A similar behaviour is observed for the simulation-based  $H$  for given values of  $k$ . We also observe that the Hurst exponent values are increasing with increasing cascade level  $k$  for given  $\tau$ . Boldface numbers are those cases which fail to reject the null hypothesis that the mean of the simulation-based Hurst exponent equals the empirical Hurst exponent at the 5% level. There are significant jumps between the values for  $k = 5$  and  $k = 10$  as reported in previous tables.

Overall, the following results stand out: (1) There seems to be a good overall agreement between the empirical and simulated data for practically all series for levels  $k \geq 10$ , while with a smaller number of volatility components ( $k = 5$ ) the simulated MSM models have typically smaller estimated  $H$ s than the corresponding empirical data, (2) the modified R/S approach would quite reliably reject the null of long memory for  $k = 5$ , but in most cases it would be unable to do so for higher numbers of volatility components, even if we allow for large truncation lags up to  $\tau = 100$ . Results are also much more uniform than with

<sup>3</sup> We also did a small Monte Carlo study in order to assess the bias of the pertinent estimates of  $H$ : for random numbers with sample size  $T = 9372$  (comparable to our empirical records) we obtained a slight negative bias:  $H = 0.463 \pm 0.024$ .

<sup>4</sup> For  $\tau = 0$  we have the classical R/S approach.



the generalized Hurst technique which had left us with a rather mixed picture of coincidence of Hurst coefficients of empirical and simulated data. The fact, that according to Table 5, MSM model with 15 or more volatility components did always produce 'apparently' scaling in agreement with that of empirical data, is particular encouragingly. It contrasts with the findings reported in [19] on apparent scaling of estimated GARCH models whose estimated exponents did not agree with the empirical ones.

#### 4 Concluding Remarks

We have calculated the scaling exponents of simulated data based on estimates of the Markov-switching multifractal (MSM) model. Comparing the generalized Hurst exponent values as well as Lo's Hurst exponent statistics of both empirical and simulated data, our study shows that the MSM model captures quite satisfactorily the multi-scaling properties of absolute values of returns for specifications with a sufficiently large number of volatility components. Subsequent work will explore whether this encouraging coincidence of the scaling statistics for the empirical and synthetic data also holds for other candidate distributions of volatility components and alternative specifications of the transition probabilities.

#### Acknowledgments

T. Di Matteo acknowledges the partial support by ARC Discovery Projects: DP03440044 (2003) and DP0558183 (2005), COST P10 "Physics of Risk" project and M.I.U.R.-F.I.S.R. Project "Ultra-high frequency dynamics of financial markets", T. Lux acknowledges financial support by the European Commission under STREP contract No. 516446.

#### References

- [1] U. A. Müller, M. M. Dacorogna, R. B. Olsen, O. V. Pictet, M. Schwarz, C. Morgenegg, *Journal of Banking and Finance* **14**, 1189-1208, (1990).
- [2] M. M. Dacorogna, R. Gençay, U. A. Müller, R. B. Olsen, O. V. Pictet, *An Introduction to High Frequency Finance* **Academic Press**, San Diego, (2001).
- [3] M. M. Dacorogna, U. A. Müller, R. B. Olsen, O. V. Pictet, *Quantitative Finance* **1**, 198-201, (2001).
- [4] T. Di Matteo, *Quantitative Finance* **7**, 21-36, No. 1, (2007).
- [5] B. Mandelbrot, A. Fisher, and L. Calvet, *Cowles Foundation for Research and Economics* **Manuscript**, (1997).

- [6] L. Calvet, and A. Fisher, *Journal of Econometrics* **105**, 27–58, (2001).
- [7] L. Calvet, and A. Fisher, *Journal of Financial Econometrics* **84**, 381–406, (2004).
- [8] T. Lux, *Journal of Business and Economic Statistics* **in Press**, (2007).
- [9] R. T. Baillie, T. Bollerslev, and H. Mikkelsen, *Journal of Econometrics* **74**, 3–30, (1996).
- [10] T. Di Matteo, T. Aste, and M. Dacorogna, *Physica A* **324**, 183–188, (2003).
- [11] T. Di Matteo, T. Aste, and M. Dacorogna, *Journal of Banking and Finance* **29**, 827–851, (2005).
- [12] A. W. Lo, *Econometrica* **59**, 1279–1313, (1991).
- [13] L. Calvet, and A. Fisher, *Review of Economics and Statistics* **84**, 381–406, (2002).
- [14] T. Lux, *International Journal of Modern Physics* **15**, 481–491, (2004).
- [15] T. C. Mills, *Applied Financial Economics*, **3**, 303-306, (1993).
- [16] B. Huang and C. Yang, *Applied Economic Letters*, **2**, 67-71, (1995).
- [17] C. Brooks, *Applied Economic Letters*, **2**, 428-431, (1995).
- [18] T. Lux, *Applied Economic Letters*, **3**, 701-706, (1996).
- [19] N. Crato and P. J. F. de Lima, *Economics Letters*, **45**, 281-285, (1996).
- [20] Williger et al., *Finance & Stochastics*, **3**, 1-13, (1999).

Table 1  
GMM estimates of MSM model for different values of k.

	k = 5		k = 10		k = 15		k = 20	
	$\hat{m}_0$	$\hat{\sigma}$	$\hat{m}_0$	$\hat{\sigma}$	$\hat{m}_0$	$\hat{\sigma}$	$\hat{m}_0$	$\hat{\sigma}$
<i>Dow</i>	1.498	0.983	1.484	0.983	1.485	0.983	1.487	0.983
	(0.025)	(0.052)	(0.026)	(0.044)	(0.026)	(0.042)	(0.027)	(0.044)
<i>Nik</i>	1.641	0.991	1.634	0.991	1.635	0.991	1.636	0.991
	(0.017)	(0.036)	(0.013)	(0.028)	(0.017)	(0.036)	(0.017)	(0.037)
<i>UK</i>	1.415	1.053	1.382	1.057	1.381	1.056	1.381	1.058
	(0.033)	(0.026)	(0.029)	(0.027)	(0.036)	(0.027)	(0.038)	(0.026)
<i>AU</i>	1.487	1.011	1.458	1.013	1.457	1.014	1.458	1.014
	(0.034)	(0.066)	(0.034)	(0.061)	(0.034)	(0.066)	(0.034)	(0.065)
<i>TB1</i>	1.627	1.041	1.607	1.064	1.607	1.064	1.606	1.067
	(0.021)	(0.032)	(0.025)	(0.024)	(0.028)	(0.024)	(0.025)	(0.024)
<i>TB2</i>	1.703	1.040	1.679	1.068	1.678	1.079	1.678	1.079
	(0.015)	(0.036)	(0.014)	(0.029)	(0.015)	(0.032)	(0.015)	(0.034)

Note: All data have been standardized before estimation.

Table 2  
H(1) and H(2) for the empirical and simulated data.

	$H(1)$					$H(2)$				
	<i>Emp</i>	<i>sim1</i>	<i>sim2</i>	<i>sim3</i>	<i>sim4</i>	<i>Emp</i>	<i>sim1</i>	<i>sim2</i>	<i>sim3</i>	<i>sim4</i>
<i>Dow</i>	0.684 (0.034)	0.747 (0.008)	0.849 (0.015)	0.868 (0.021)	0.868 (0.024)	0.709 (0.027)	<b>0.705</b> (0.009)	0.797 (0.015)	0.813 (0.019)	0.812 (0.022)
<i>Nik</i>	0.788 (0.023)	<b>0.801</b> (0.008)	0.894 (0.013)	0.908 (0.019)	0.908 (0.028)	0.753 (0.021)	0.736 (0.008)	0.815 (0.013)	0.824 (0.018)	0.824 (0.024)
<i>UK</i>	0.749 (0.023)	0.709 (0.010)	0.799 (0.018)	0.825 (0.025)	0.821 (0.026)	0.735 (0.026)	0.678 (0.010)	0.764 (0.016)	0.785 (0.021)	0.783 (0.022)
<i>AU</i>	0.827 (0.017)	0.746 (0.009)	<b>0.837</b> (0.016)	<b>0.860</b> (0.022)	<b>0.857</b> (0.021)	0.722 (0.024)	<b>0.705</b> (0.009)	0.790 (0.015)	0.808 (0.018)	0.808 (0.018)
<i>TB1</i>	0.853 (0.022)	<b>0.856</b> (0.035)	0.909 (0.023)	0.915 (0.026)	0.911 (0.026)	0.814 (0.027)	<b>0.783</b> (0.028)	<b>0.826</b> (0.020)	<b>0.832</b> (0.020)	<b>0.829</b> (0.020)
<i>TB2</i>	0.791 (0.025)	0.866 (0.029)	0.920 (0.021)	0.924 (0.022)	0.919 (0.026)	0.778 (0.029)	<b>0.781</b> (0.022)	0.823 (0.017)	0.827 (0.022)	0.822 (0.023)

Note: *Emp* refers to the empirical exponent values, *sim1*, *sim2*, *sim3* and *sim4* are the corresponding exponent values based on the simulated data for  $k = 5$ ,  $k = 10$ ,  $k = 15$  and  $k = 20$  respectively. The stochastic variable  $X_t$  is defined as  $|r_t|$ . Bold numbers show those cases for which we cannot reject identity of the Hurst coefficients obtained for empirical and simulated data, i.e. the empirical exponents fall into the range between the 2.5 to 97.5 percent quantile of the simulated data.

Table 3  
Lo's R/S statistic for the empirical and simulated data.

	$\tau = 0$				$\tau = 5$				$\tau = 10$						
	<i>Emp</i>	$k = 5$	$k = 10$	$k = 15$	$k = 20$	<i>Emp</i>	$k = 5$	$k = 10$	$k = 15$	$k = 20$	<i>Emp</i>	$k = 5$	$k = 10$	$k = 15$	$k = 20$
<i>Dow</i>	3.005	1.712	5.079	6.640	6.704	2.661	1.481	4.060	5.211	5.263	2.427	1.376	3.574	4.537	4.582
	(0.381)	(1.300)	(1.769)	(1.839)	(1.839)	(0.329)	(1.017)	(1.333)	(1.387)	(1.387)	(0.305)	(0.884)	(1.133)	(1.179)	(1.179)
<i>Nik</i>	7.698	1.840	4.898	6.154	6.152	6.509	1.540	3.817	4.747	4.742	5.836	1.416	3.343	4.132	4.133
	(0.425)	(1.195)	(1.520)	(1.584)	(1.584)	(0.355)	(0.918)	(1.147)	(1.193)	(1.193)	(0.325)	(0.798)	(0.984)	(1.023)	(1.023)
<i>UK</i>	6.821	1.544	4.599	6.047	6.175	5.912	1.370	3.815	4.918	5.008	5.333	1.286	3.405	4.337	4.408
	(0.350)	(1.200)	(1.748)	(1.848)	(1.848)	(0.310)	(0.972)	(1.352)	(1.417)	(1.417)	(0.290)	(0.854)	(1.157)	(1.207)	(1.207)
<i>AU</i>	7.698	1.687	4.962	6.348	6.434	6.731	1.463	4.001	5.024	5.090	6.103	1.361	3.531	4.387	4.443
	(0.386)	(1.257)	(1.742)	(1.790)	(1.790)	(0.333)	(0.989)	(1.315)	(1.352)	(1.352)	(0.309)	(0.861)	(1.117)	(1.149)	(1.149)
<i>TB1</i>	8.845	1.826	4.644	5.915	6.041	7.109	1.524	3.629	4.564	4.582	6.110	1.400	3.184	4.415	4.530
	(0.398)	(1.141)	(1.425)	(1.380)	(1.380)	(0.330)	(0.875)	(1.074)	(1.040)	(1.040)	(0.302)	(0.759)	(0.921)	(0.891)	(0.891)
<i>TB2</i>	7.295	1.855	4.347	5.853	5.907	6.083	1.531	3.391	4.207	4.349	5.330	1.404	2.985	4.025	4.158
	(0.413)	(1.031)	(1.215)	(1.227)	(1.227)	(0.339)	(0.795)	(0.928)	(0.930)	(0.930)	(0.310)	(0.694)	(0.804)	(0.803)	(0.803)
	$\tau = 25$														
	<i>Emp</i>	$k = 5$	$k = 10$	$k = 15$	$k = 20$	<i>Emp</i>	$k = 5$	$k = 10$	$k = 15$	$k = 20$	<i>Emp</i>	$k = 5$	$k = 10$	$k = 15$	$k = 20$
<i>Dow</i>	2.042	1.237	2.877	3.580	3.616	1.736	1.153	2.385	2.909	2.941	1.464	1.098	1.965	2.338	2.366
	(0.272)	(0.694)	(0.857)	(0.893)	(0.893)	(0.250)	(0.560)	(0.668)	(0.696)	(0.696)	(0.233)	(0.443)	(0.508)	(0.530)	(0.530)
<i>Nik</i>	4.760	1.260	2.692	3.285	3.279	3.941	1.169	2.246	2.701	2.698	3.220	1.113	1.868	2.204	2.203
	(0.286)	(0.631)	(0.761)	(0.788)	(0.788)	(0.263)	(0.514)	(0.604)	(0.623)	(0.623)	(0.245)	(0.412)	(0.468)	(0.482)	(0.482)
<i>UK</i>	4.348	1.170	2.782	3.469	3.515	3.575	1.099	2.322	2.837	2.868	2.871	1.053	1.922	2.289	2.306
	(0.262)	(0.678)	(0.876)	(0.909)	(0.909)	(0.244)	(0.549)	(0.680)	(0.702)	(0.702)	(0.228)	(0.434)	(0.513)	(0.528)	(0.528)
<i>AU</i>	5.035	1.224	2.848	3.474	3.516	4.130	1.142	2.362	2.830	2.861	3.281	1.089	1.947	2.280	2.302
	(0.275)	(0.676)	(0.842)	(0.866)	(0.866)	(0.252)	(0.544)	(0.654)	(0.672)	(0.672)	(0.232)	(0.429)	(0.496)	(0.508)	(0.508)
<i>TB1</i>	4.580	1.245	2.571	2.961	2.971	3.514	1.156	2.148	2.442	2.449	2.649	1.101	1.790	2.004	2.006
	(0.265)	(0.598)	(0.711)	(0.685)	(0.685)	(0.242)	(0.484)	(0.564)	(0.542)	(0.542)	(0.223)	(0.384)	(0.440)	(0.417)	(0.417)
<i>TB2</i>	4.129	1.249	2.432	2.762	2.786	3.250	1.162	2.052	2.305	2.320	2.502	1.109	1.731	1.915	1.921
	(0.272)	(0.554)	(0.632)	(0.630)	(0.630)	(0.249)	(0.456)	(0.511)	(0.507)	(0.507)	(0.230)	(0.369)	(0.403)	(0.398)	(0.398)

Note: Emp stands for the empirical Lo's statistic,  $k = 5$ ,  $k = 10$ ,  $k = 15$  and  $k = 20$  refer to the mean and standard deviation of Lo's statistics based on the corresponding 1000 simulated times series with pertinent  $k$ .

Table 4  
Number of rejections for Lo's R/S statistic test.

	$\tau = 0$						$\tau = 5$						$\tau = 10$												
	$k = 5$		$k = 10$		$k = 15$		$k = 20$		$k = 5$		$k = 10$		$k = 15$		$k = 20$		$k = 5$		$k = 10$		$k = 15$		$k = 20$		
	†	‡	†	‡	†	‡	†	‡	†	‡	†	‡	†	‡	†	‡	†	‡	†	‡	†	‡	†	‡	
<i>Dow</i>	311	151	1000	1000	1000	1000	1000	1000	1000	121	46	999	991	999	998	1000	1000	69	22	990	968	998	997	1000	995
<i>Nik</i>	433	253	1000	999	1000	1000	1000	1000	1000	176	74	993	985	998	997	1000	999	98	36	983	963	997	991	999	993
<i>UK</i>	167	77	998	995	1000	999	999	998	998	74	22	991	976	998	997	998	997	41	7	982	943	996	990	997	992
<i>AU</i>	301	142	1000	999	999	999	1000	1000	1000	116	39	997	990	998	994	1000	999	58	23	990	966	993	989	999	995
<i>TB1</i>	428	227	1000	1000	1000	999	999	999	999	146	55	993	976	997	991	998	996	75	24	976	934	990	970	996	989
<i>TB2</i>	453	256	999	995	998	997	1000	999	999	159	60	987	959	994	982	996	986	86	21	958	899	985	961	985	960
	$\tau = 25$																								
	$k = 5$		$k = 10$		$k = 15$		$k = 20$		$k = 5$		$k = 10$		$k = 15$		$k = 20$		$k = 5$		$k = 10$		$k = 15$		$k = 20$		
	†	‡	†	‡	†	‡	†	‡	†	‡	†	‡	†	‡	†	‡	†	‡	†	‡	†	‡	†	‡	
<i>Dow</i>	24	5	939	858	990	964	985	966	9	3	807	677	940	887	948	872	4	1	566	381	811	669	808	686	
<i>Nik</i>	34	5	920	809	982	848	977	930	11	2	764	581	914	831	897	812	4	1	485	281	750	582	742	575	
<i>UK</i>	11	1	929	843	982	942	979	953	4	1	789	630	919	840	926	843	1	1	541	327	783	632	774	640	
<i>AU</i>	23	5	931	860	983	949	983	956	6	2	816	666	921	852	931	846	4	1	561	353	776	648	786	649	
<i>TB1</i>	25	4	876	765	946	870	965	893	5	1	698	519	822	711	846	712	1	1	418	230	627	415	604	400	
<i>TB2</i>	21	6	844	696	933	851	928	859	10	3	627	446	798	638	807	657	3	1	368	167	534	312	544	336	

Note:  $k = 5$ ,  $k = 10$ ,  $k = 15$  and  $k = 20$  refer to the number of rejections at 95% (†) and 99% (‡) confidence levels (these intervals are given by [0.809, 1.862] and [0.721, 2.098], respectively) for the 1000 simulated times series.

Table 5

Lo's modified R/S Hurst exponent  $H$  values for the empirical and simulated data.

	$\tau = 0$			$\tau = 5$			$\tau = 10$								
	<i>Emp</i>	$k = 5$	$k = 10$	$k = 15$	$k = 20$	<i>Emp</i>	$k = 5$	$k = 10$	$k = 15$	$k = 20$	<i>Emp</i>	$k = 5$	$k = 10$	$k = 15$	$k = 20$
<i>Dow</i>	0.620	0.556 (0.024)	<b>0.674</b> (0.029)	<b>0.703</b> (0.030)	<b>0.704</b> (0.031)	0.607	0.540 (0.024)	<b>0.650</b> (0.028)	<b>0.677</b> (0.029)	<b>0.678</b> (0.030)	0.597	0.532 (0.024)	<b>0.636</b> (0.028)	<b>0.662</b> (0.028)	<b>0.663</b> (0.029)
<i>Nik</i>	0.723	0.564 (0.025)	0.670 (0.027)	<b>0.695</b> (0.028)	<b>0.695</b> (0.029)	0.705	0.544 (0.025)	0.643 (0.027)	<b>0.667</b> (0.028)	<b>0.667</b> (0.029)	0.693	0.535 (0.025)	0.629 (0.027)	<b>0.652</b> (0.027)	<b>0.651</b> (0.028)
<i>UK</i>	0.712	0.545 (0.025)	<b>0.665</b> (0.030)	<b>0.694</b> (0.033)	<b>0.696</b> (0.036)	0.696	0.532 (0.025)	0.644 (0.029)	<b>0.672</b> (0.032)	<b>0.673</b> (0.035)	0.685	0.525 (0.025)	0.632 (0.029)	<b>0.658</b> (0.031)	<b>0.660</b> (0.034)
<i>AU</i>	0.726	0.555 (0.025)	0.673 (0.029)	<b>0.700</b> (0.032)	<b>0.701</b> (0.032)	0.711	0.539 (0.025)	0.650 (0.028)	<b>0.674</b> (0.031)	<b>0.676</b> (0.031)	0.700	0.531 (0.025)	0.636 (0.028)	<b>0.660</b> (0.030)	<b>0.661</b> (0.030)
<i>TB1</i>	0.746	0.565 (0.024)	0.670 (0.028)	<b>0.689</b> (0.031)	<b>0.691</b> (0.029)	0.721	0.547 (0.024)	0.642 (0.028)	<b>0.660</b> (0.030)	<b>0.661</b> (0.028)	0.704	0.535 (0.024)	0.627 (0.028)	<b>0.644</b> (0.029)	<b>0.645</b> (0.028)
<i>TB2</i>	0.724	0.567 (0.025)	0.662 (0.028)	<b>0.679</b> (0.028)	<b>0.680</b> (0.028)	0.704	0.545 (0.025)	0.634 (0.027)	<b>0.650</b> (0.028)	<b>0.652</b> (0.028)	0.689	0.536 (0.024)	0.620 (0.027)	<b>0.636</b> (0.028)	<b>0.637</b> (0.027)
	$\tau = 25$			$\tau = 50$			$\tau = 100$								
	<i>Emp</i>	$k = 5$	$k = 10$	$k = 15$	$k = 20$	<i>Emp</i>	$k = 5$	$k = 10$	$k = 15$	$k = 20$	<i>Emp</i>	$k = 5$	$k = 10$	$k = 15$	$k = 20$
<i>Dow</i>	0.578	0.521 (0.024)	<b>0.612</b> (0.027)	<b>0.636</b> (0.027)	<b>0.637</b> (0.028)	0.560	0.513 (0.023)	<b>0.592</b> (0.026)	<b>0.614</b> (0.026)	<b>0.615</b> (0.027)	0.542	0.508 (0.023)	<b>0.571</b> (0.025)	<b>0.590</b> (0.025)	<b>0.591</b> (0.026)
<i>Nik</i>	0.671	0.522 (0.025)	0.605 (0.026)	<b>0.627</b> (0.027)	<b>0.626</b> (0.027)	0.650	0.514 (0.024)	0.586 (0.026)	<b>0.606</b> (0.026)	<b>0.605</b> (0.026)	0.628	0.509 (0.024)	0.566 (0.025)	<b>0.584</b> (0.024)	<b>0.583</b> (0.025)
<i>UK</i>	0.662	0.515 (0.025)	0.610 (0.028)	<b>0.634</b> (0.029)	<b>0.635</b> (0.032)	0.641	0.508 (0.024)	0.590 (0.027)	<b>0.612</b> (0.028)	<b>0.613</b> (0.030)	0.617	0.503 (0.024)	0.569 (0.026)	<b>0.589</b> (0.026)	<b>0.589</b> (0.028)
<i>AU</i>	0.679	0.520 (0.025)	0.612 (0.027)	<b>0.634</b> (0.029)	<b>0.635</b> (0.029)	0.657	0.512 (0.024)	0.592 (0.026)	<b>0.612</b> (0.027)	<b>0.613</b> (0.027)	0.631	0.507 (0.023)	0.571 (0.025)	<b>0.588</b> (0.026)	<b>0.589</b> (0.026)
<i>TB1</i>	0.672	0.522 (0.024)	0.603 (0.027)	<b>0.619</b> (0.028)	<b>0.621</b> (0.027)	0.642	0.514 (0.024)	0.583 (0.026)	<b>0.597</b> (0.027)	<b>0.598</b> (0.026)	0.610	0.509 (0.023)	0.563 (0.025)	<b>0.575</b> (0.026)	<b>0.576</b> (0.024)
<i>TB2</i>	0.661	0.520 (0.024)	0.597 (0.027)	<b>0.611</b> (0.027)	<b>0.612</b> (0.027)	0.633	0.514 (0.024)	0.578 (0.026)	<b>0.591</b> (0.026)	<b>0.592</b> (0.026)	0.604	0.509 (0.023)	<b>0.559</b> (0.025)	<b>0.571</b> (0.025)	<b>0.571</b> (0.024)

Note: *Emp* stands for the empirical value of Lo's Hurst exponent,  $k = 5$ ,  $k = 10$ ,  $k = 15$  and  $k = 20$  refer to the mean and standard deviation of Lo's Hurst exponent based on the corresponding 1000 simulated times series with different  $k$ . Boldface numbers are those cases in which empirical  $H$ s fall into the corresponding 2.5 to 97.5 percent quantiles of the 1000 simulation-based values of  $H$ .

**List of other working papers:**

**2007**

1. Timur Yusupov and Thomas Lux, The Efficient Market Hypothesis through the Eyes of an Artificial Technical Analyst: An Application of a New Chartist Methodology to High-Frequency Stock Market Data, WP07-13
2. Liu Ruipeng, Di Matteo and Thomas Lux, True and Apparent Scaling: The Proximity of the Markov- Switching Multifractal Model to Long-Range Dependence, WP07-12
3. Thomas Lux, Rational Forecasts or Social Opinion Dynamics? Identification of Interaction Effects in a Business Climate Survey, WP07-11
4. Thomas Lux, Collective Opinion Formation in a Business Climate Survey, WP07-10
5. Thomas Lux, Application of Statistical Physics in Finance and Economics, WP07-09
6. Reiner Franke, A Prototype Model of Speculative Dynamics With Position-Based Trading, WP07-08
7. Reiner Franke, Estimation of a Microfounded Herding Model On German Survey Expectations, WP07-07
8. Cees Diks and Pietro Dindo, Informational differences and learning in an asset market with boundedly rational agents, WP07-06
9. Markus Demary, Who Do Currency Transaction Taxes Harm More: Short-Term Speculators or Long-Term Investors?, WP07-05
10. Markus Demary, A Heterogenous Agents Model Usable for the Analysis of Currency Transaction Taxes, WP07-04
11. Mikhail Anufriev and Pietro Dindo, Equilibrium Return and Agents' Survival in a Multiperiod Asset Market: Analytic Support of a Simulation Model, WP07-03
12. Simone Alfarano and Michael Milakovic, Should Network Structure Matter in Agent-Based Finance?, WP07-02
13. Simone Alfarano and Reiner Franke, A Simple Asymmetric Herding Model to Distinguish Between Stock and Foreign Exchange Markets, WP07-01

**2006**

1. Roman Kozhan, Multiple Priors and No-Transaction Region, WP06-24
2. Martin Ellison, Lucio Sarno and Jouko Vilmunen, Caution and Activism? Monetary Policy Strategies in an Open Economy, WP06-23
3. Matteo Marsili and Giacomo Raffaelli, Risk bubbles and market instability, WP06-22
4. Mark Salmon and Christoph Schleicher, Pricing Multivariate Currency Options with Copulas, WP06-21
5. Thomas Lux and Taisei Kaizoji, Forecasting Volatility and Volume in the Tokyo Stock Market: Long Memory, Fractality and Regime Switching, WP06-20
6. Thomas Lux, The Markov-Switching Multifractal Model of Asset Returns: GMM Estimation and Linear Forecasting of Volatility, WP06-19
7. Peter Heemeijer, Cars Hommes, Joep Sonnemans and Jan Tuinstra, Price Stability and Volatility in Markets with Positive and Negative Expectations Feedback: An Experimental Investigation, WP06-18
8. Giacomo Raffaelli and Matteo Marsili, Dynamic instability in a phenomenological model of correlated assets, WP06-17
9. Ginestra Bianconi and Matteo Marsili, Effects of degree correlations on the loop structure of scale free networks, WP06-16
10. Pietro Dindo and Jan Tuinstra, A Behavioral Model for Participation Games with Negative Feedback, WP06-15
11. Ceek Diks and Florian Wagener, A weak bifucation theory for discrete time stochastic dynamical systems, WP06-14
12. Markus Demary, Transaction Taxes, Traders' Behavior and Exchange Rate Risks, WP06-13



13. Andrea De Martino and Matteo Marsili, Statistical mechanics of socio-economic systems with heterogeneous agents, WP06-12
14. William Brock, Cars Hommes and Florian Wagener, More hedging instruments may destabilize markets, WP06-11
15. Ginwestra Bianconi and Roberto Mulet, On the flexibility of complex systems, WP06-10
16. Ginwestra Bianconi and Matteo Marsili, Effect of degree correlations on the loop structure of scale-free networks, WP06-09
17. Ginwestra Bianconi, Tobias Galla and Matteo Marsili, Effects of Tobin Taxes in Minority Game Markets, WP06-08
18. Ginwestra Bianconi, Andrea De Martino, Felipe Ferreira and Matteo Marsili, Multi-asset minority games, WP06-07
19. Ba Chu, John Knight and Stephen Satchell, Optimal Investment and Asymmetric Risk for a Large Portfolio: A Large Deviations Approach, WP06-06
20. Ba Chu and Soosung Hwang, The Asymptotic Properties of AR(1) Process with the Occasionally Changing AR Coefficient, WP06-05
21. Ba Chu and Soosung Hwang, An Asymptotics of Stationary and Nonstationary AR(1) Processes with Multiple Structural Breaks in Mean, WP06-04
22. Ba Chu, Optimal Long Term Investment in a Jump Diffusion Setting: A Large Deviation Approach, WP06-03
23. Mikhail Anufriev and Gulio Bottazzi, Price and Wealth Dynamics in a Speculative Market with Generic Procedurally Rational Traders, WP06-02
24. Simonae Alfarano, Thomas Lux and Florian Wagner, Empirical Validation of Stochastic Models of Interacting Agents: A "Maximally Skewed" Noise Trader Model?, WP06-01

## **2005**

1. Shaun Bond and Soosung Hwang, Smoothing, Nonsynchronous Appraisal and Cross-Sectional Aggregation in Real Estate Price Indices, WP05-17
2. Mark Salmon, Gordon Gemmill and Soosung Hwang, Performance Measurement with Loss Aversion, WP05-16
3. Philippe Curty and Matteo Marsili, Phase coexistence in a forecasting game, WP05-15
4. Matthew Hurd, Mark Salmon and Christoph Schleicher, Using Copulas to Construct Bivariate Foreign Exchange Distributions with an Application to the Sterling Exchange Rate Index (Revised), WP05-14
5. Lucio Sarno, Daniel Thornton and Giorgio Valente, The Empirical Failure of the Expectations Hypothesis of the Term Structure of Bond Yields, WP05-13
6. Lucio Sarno, Ashoka Mody and Mark Taylor, A Cross-Country Financial Accelerator: Evidence from North America and Europe, WP05-12
7. Lucio Sarno, Towards a Solution to the Puzzles in Exchange Rate Economics: Where Do We Stand?, WP05-11
8. James Hodder and Jens Carsten Jackwerth, Incentive Contracts and Hedge Fund Management, WP05-10
9. James Hodder and Jens Carsten Jackwerth, Employee Stock Options: Much More Valuable Than You Thought, WP05-09
10. Gordon Gemmill, Soosung Hwang and Mark Salmon, Performance Measurement with Loss Aversion, WP05-08
11. George Constantinides, Jens Carsten Jackwerth and Stylianos Perrakis, Mispricing of S&P 500 Index Options, WP05-07
12. Elisa Luciano and Wim Schoutens, A Multivariate Jump-Driven Financial Asset Model, WP05-06
13. Cees Diks and Florian Wagener, Equivalence and bifurcations of finite order stochastic processes, WP05-05
14. Devraj Basu and Alexander Stremme, CAY Revisited: Can Optimal Scaling Resurrect the (C)CAPM?, WP05-04
15. Ginwestra Bianconi and Matteo Marsili, Emergence of large cliques in random scale-free networks, WP05-03
16. Simone Alfarano, Thomas Lux and Friedrich Wagner, Time-Variation of Higher Moments in a Financial Market with Heterogeneous Agents: An Analytical Approach, WP05-02
17. Abhay Abhayankar, Devraj Basu and Alexander Stremme, Portfolio Efficiency and Discount Factor Bounds with Conditioning Information: A Unified Approach, WP05-01

## **2004**

1. Xiaohong Chen, Yanqin Fan and Andrew Patton, Simple Tests for Models of Dependence Between Multiple Financial Time Series, with Applications to U.S. Equity Returns and Exchange Rates, WP04-19
2. Valentina Corradi and Walter Distaso, Testing for One-Factor Models versus Stochastic Volatility Models, WP04-18
3. Valentina Corradi and Walter Distaso, Estimating and Testing Stochastic Volatility Models using Realized Measures, WP04-17
4. Valentina Corradi and Norman Swanson, Predictive Density Accuracy Tests, WP04-16
5. Roel Oomen, Properties of Bias Corrected Realized Variance Under Alternative Sampling Schemes, WP04-15
6. Roel Oomen, Properties of Realized Variance for a Pure Jump Process: Calendar Time Sampling versus Business Time Sampling, WP04-14
7. Richard Clarida, Lucio Sarno, Mark Taylor and Giorgio Valente, The Role of Asymmetries and Regime Shifts in the Term Structure of Interest Rates, WP04-13
8. Lucio Sarno, Daniel Thornton and Giorgio Valente, Federal Funds Rate Prediction, WP04-12
9. Lucio Sarno and Giorgio Valente, Modeling and Forecasting Stock Returns: Exploiting the Futures Market, Regime Shifts and International Spillovers, WP04-11
10. Lucio Sarno and Giorgio Valente, Empirical Exchange Rate Models and Currency Risk: Some Evidence from Density Forecasts, WP04-10
11. Ilias Tsiakas, Periodic Stochastic Volatility and Fat Tails, WP04-09
12. Ilias Tsiakas, Is Seasonal Heteroscedasticity Real? An International Perspective, WP04-08
13. Damin Challet, Andrea De Martino, Matteo Marsili and Isaac Castillo, Minority games with finite score memory, WP04-07
14. Basel Awartani, Valentina Corradi and Walter Distaso, Testing and Modelling Market Microstructure Effects with an Application to the Dow Jones Industrial Average, WP04-06
15. Andrew Patton and Allan Timmermann, Properties of Optimal Forecasts under Asymmetric Loss and Nonlinearity, WP04-05
16. Andrew Patton, Modelling Asymmetric Exchange Rate Dependence, WP04-04
17. Alessio Sancetta, Decoupling and Convergence to Independence with Applications to Functional Limit Theorems, WP04-03
18. Alessio Sancetta, Copula Based Monte Carlo Integration in Financial Problems, WP04-02
19. Abhay Abhayankar, Lucio Sarno and Giorgio Valente, Exchange Rates and Fundamentals: Evidence on the Economic Value of Predictability, WP04-01

## **2002**

1. Paolo Zaffaroni, Gaussian inference on Certain Long-Range Dependent Volatility Models, WP02-12
2. Paolo Zaffaroni, Aggregation and Memory of Models of Changing Volatility, WP02-11
3. Jerry Coakley, Ana-Maria Fuertes and Andrew Wood, Reinterpreting the Real Exchange Rate - Yield Differential Nexus, WP02-10
4. Gordon Gemmill and Dylan Thomas, Noise Training, Costly Arbitrage and Asset Prices: evidence from closed-end funds, WP02-09
5. Gordon Gemmill, Testing Merton's Model for Credit Spreads on Zero-Coupon Bonds, WP02-08
6. George Christodoulakis and Steve Satchell, On the Evolution of Global Style Factors in the MSCI Universe of Assets, WP02-07
7. George Christodoulakis, Sharp Style Analysis in the MSCI Sector Portfolios: A Monte Carlo Integration Approach, WP02-06
8. George Christodoulakis, Generating Composite Volatility Forecasts with Random Factor Betas, WP02-05
9. Claudia Riveiro and Nick Webber, Valuing Path Dependent Options in the Variance-Gamma Model by Monte Carlo with a Gamma Bridge, WP02-04
10. Christian Pedersen and Soosung Hwang, On Empirical Risk Measurement with Asymmetric Returns Data, WP02-03
11. Roy Batchelor and Ismail Orgakcioglu, Event-related GARCH: the impact of stock dividends in Turkey, WP02-02

12. George Albanis and Roy Batchelor, Combining Heterogeneous Classifiers for Stock Selection, WP02-01

### **2001**

1. Soosung Hwang and Steve Satchell , GARCH Model with Cross-sectional Volatility; GARCHX Models, WP01-16
2. Soosung Hwang and Steve Satchell, Tracking Error: Ex-Ante versus Ex-Post Measures, WP01-15
3. Soosung Hwang and Steve Satchell, The Asset Allocation Decision in a Loss Aversion World, WP01-14
4. Soosung Hwang and Mark Salmon, An Analysis of Performance Measures Using Copulae, WP01-13
5. Soosung Hwang and Mark Salmon, A New Measure of Herding and Empirical Evidence, WP01-12
6. Richard Lewin and Steve Satchell, The Derivation of New Model of Equity Duration, WP01-11
7. Massimiliano Marcellino and Mark Salmon, Robust Decision Theory and the Lucas Critique, WP01-10
8. Jerry Coakley, Ana-Maria Fuertes and Maria-Teresa Perez, Numerical Issues in Threshold Autoregressive Modelling of Time Series, WP01-09
9. Jerry Coakley, Ana-Maria Fuertes and Ron Smith, Small Sample Properties of Panel Time-series Estimators with I(1) Errors, WP01-08
10. Jerry Coakley and Ana-Maria Fuertes, The Felsdtein-Horioka Puzzle is Not as Bad as You Think, WP01-07
11. Jerry Coakley and Ana-Maria Fuertes, Rethinking the Forward Premium Puzzle in a Non-linear Framework, WP01-06
12. George Christodoulakis, Co-Volatility and Correlation Clustering: A Multivariate Correlated ARCH Framework, WP01-05
13. Frank Critchley, Paul Marriott and Mark Salmon, On Preferred Point Geometry in Statistics, WP01-04
14. Eric Bouyé and Nicolas Gaussel and Mark Salmon, Investigating Dynamic Dependence Using Copulae, WP01-03
15. Eric Bouyé, Multivariate Extremes at Work for Portfolio Risk Measurement, WP01-02
16. Erick Bouyé, Vado Durrleman, Ashkan Nikeghbali, Gael Riboulet and Thierry Roncalli, Copulas: an Open Field for Risk Management, WP01-01

### **2000**

1. Soosung Hwang and Steve Satchell , Valuing Information Using Utility Functions, WP00-06
2. Soosung Hwang, Properties of Cross-sectional Volatility, WP00-05
3. Soosung Hwang and Steve Satchell, Calculating the Miss-specification in Beta from Using a Proxy for the Market Portfolio, WP00-04
4. Laun Middleton and Stephen Satchell, Deriving the APT when the Number of Factors is Unknown, WP00-03
5. George A. Christodoulakis and Steve Satchell, Evolving Systems of Financial Returns: Auto-Regressive Conditional Beta, WP00-02
6. Christian S. Pedersen and Stephen Satchell, Evaluating the Performance of Nearest Neighbour Algorithms when Forecasting US Industry Returns, WP00-01

### **1999**

1. Yin-Wong Cheung, Menzie Chinn and Ian Marsh, How do UK-Based Foreign Exchange Dealers Think Their Market Operates?, WP99-21
2. Soosung Hwang, John Knight and Stephen Satchell, Forecasting Volatility using LINEX Loss Functions, WP99-20
3. Soosung Hwang and Steve Satchell, Improved Testing for the Efficiency of Asset Pricing Theories in Linear Factor Models, WP99-19
4. Soosung Hwang and Stephen Satchell, The Disappearance of Style in the US Equity Market, WP99-18

5. Soosung Hwang and Stephen Satchell, Modelling Emerging Market Risk Premia Using Higher Moments, WP99-17
6. Soosung Hwang and Stephen Satchell, Market Risk and the Concept of Fundamental Volatility: Measuring Volatility Across Asset and Derivative Markets and Testing for the Impact of Derivatives Markets on Financial Markets, WP99-16
7. Soosung Hwang, The Effects of Systematic Sampling and Temporal Aggregation on Discrete Time Long Memory Processes and their Finite Sample Properties, WP99-15
8. Ronald MacDonald and Ian Marsh, Currency Spillovers and Tri-Polarity: a Simultaneous Model of the US Dollar, German Mark and Japanese Yen, WP99-14
9. Robert Hillman, Forecasting Inflation with a Non-linear Output Gap Model, WP99-13
10. Robert Hillman and Mark Salmon, From Market Micro-structure to Macro Fundamentals: is there Predictability in the Dollar-Deutsche Mark Exchange Rate?, WP99-12
11. Renzo Avesani, Giampiero Gallo and Mark Salmon, On the Evolution of Credibility and Flexible Exchange Rate Target Zones, WP99-11
12. Paul Marriott and Mark Salmon, An Introduction to Differential Geometry in Econometrics, WP99-10
13. Mark Dixon, Anthony Ledford and Paul Marriott, Finite Sample Inference for Extreme Value Distributions, WP99-09
14. Ian Marsh and David Power, A Panel-Based Investigation into the Relationship Between Stock Prices and Dividends, WP99-08
15. Ian Marsh, An Analysis of the Performance of European Foreign Exchange Forecasters, WP99-07
16. Frank Critchley, Paul Marriott and Mark Salmon, An Elementary Account of Amari's Expected Geometry, WP99-06
17. Demos Tambakis and Anne-Sophie Van Royen, Bootstrap Predictability of Daily Exchange Rates in ARMA Models, WP99-05
18. Christopher Neely and Paul Weller, Technical Analysis and Central Bank Intervention, WP99-04
19. Christopher Neely and Paul Weller, Predictability in International Asset Returns: A Re-examination, WP99-03
20. Christopher Neely and Paul Weller, Intraday Technical Trading in the Foreign Exchange Market, WP99-02
21. Anthony Hall, Soosung Hwang and Stephen Satchell, Using Bayesian Variable Selection Methods to Choose Style Factors in Global Stock Return Models, WP99-01

### **1998**

1. Soosung Hwang and Stephen Satchell, Implied Volatility Forecasting: A Comparison of Different Procedures Including Fractionally Integrated Models with Applications to UK Equity Options, WP98-05
2. Roy Batchelor and David Peel, Rationality Testing under Asymmetric Loss, WP98-04
3. Roy Batchelor, Forecasting T-Bill Yields: Accuracy versus Profitability, WP98-03
4. Adam Kurpiel and Thierry Roncalli, Option Hedging with Stochastic Volatility, WP98-02
5. Adam Kurpiel and Thierry Roncalli, Hopscotch Methods for Two State Financial Models, WP98-01