

## **Synthesis of poly (hydroxamic acid) ligand from polymer grafted khaya cellulose for transition metals extraction**

### **ABSTRACT**

A cellulose-graft-poly(methyl acrylate) was synthesized by free radical initiating process and the ester functional groups were converted into the hydroxamic acid ligand. The intermediate and final products are characterized by FT-IR, FE-SEM, HR-TEM and XPS technique. The pH of the solution acts as a key factor in achieving optical color signals of metalcomplexation. The reflectance spectra of the [Cu-ligand] $n^+$  complex was found to be a highest absorbance at 99.8 % at pH 6 and it was increased upon increasing of  $\text{Cu}^{2+}$  ion concentrations and a broad peak at 700 nm was observed which indicated the charge transfer ( $\pi$ - $\pi$  transition) metals-Cu complex. The adsorption capacity of copper was found to be superior ( $336 \text{ mg g}^{-1}$ ) rather than other transition metals such as  $\text{Fe}^{3+}$ ,  $\text{Co}^{3+}$ ,  $\text{Cr}^{3+}$ ,  $\text{Ni}^{2+}$ ,  $\text{Mn}^{2+}$  and  $\text{Zn}^{2+}$  were 310, 295, 288, 250, 248 and  $225 \text{ mg g}^{-1}$ , respectively at pH 6. The experimental data of all metal ions fitted significantly with the pseudo-second-order rate equation. The transition metal ions sorption onto ligand were well fitted with the Langmuir isotherm model ( $R^2 > 0.99$ ), which suggested that the cellulose-based adsorbent known as poly(hydroxamic acid) ligand surface is homogenous and monolayer. The reusability of the poly(hydroxamic acid) ligand was checked by the sorption/desorption process up to ten cycles without any significant loss in its original sensing and removal performances.