Tennessee State University

Digital Scholarship @ Tennessee State University

Agricultural and Environmental Sciences Faculty Research Department of Agricultural and Environmental Sciences

7-13-2017

Draft Genome Sequence of Bacillus altitudinis YNP4-TSU, Isolated from Yellowstone National Park

Joshua A. O'Hair Tennessee State University

Hui Li Tennessee State University

Santosh Thapa Tennessee State University

Matthew Scholz Vanderbilt University

Suping Zhou Tennessee State University

Follow this and additional works at: https://digitalscholarship.tnstate.edu/agricultural-and-environmentalsciences-faculty

Part of the Ecology and Evolutionary Biology Commons, Genetics Commons, and the Microbiology Commons

Recommended Citation

OHair JA, Li H, Thapa S, Scholz M, Zhou S. 2017. Draft genome sequence of Bacillus altitudinis YNP4-TSU, isolated from Yellowstone National Park. Genome Announc 5:e00631-17. https://doi.org/10.1128/genomeA.00631-17.

This Article is brought to you for free and open access by the Department of Agricultural and Environmental Sciences at Digital Scholarship @ Tennessee State University. It has been accepted for inclusion in Agricultural and Environmental Sciences Faculty Research by an authorized administrator of Digital Scholarship @ Tennessee State University. For more information, please contact XGE@Tnstate.edu.

PROKARYOTES



Draft Genome Sequence of *Bacillus altitudinis* YNP4-TSU, Isolated from Yellowstone National Park

AMERICAN SOCIETY FOR MICROBIOLOGY

Joshua A. OHair,^a Hui Li,^a Santosh Thapa,^a Matthew Scholz,^b Suping Zhou^a

Department of Agricultural and Environmental Sciences, Tennessee State University, Nashville, Tennessee, USA^a; Vanderbilt Technologies for Advanced Genetics (VANTAGE), Vanderbilt University Medical Center, Nashville, Tennessee, USA^b

gen@meAnnouncements™

ABSTRACT Undisturbed hot springs inside Yellowstone National Park remain a dynamic biome for novel cellulolytic thermophiles. We report here the draft genome sequence of one of these isolates, *Bacillus altitudinis* YNP4-TSU.

A new strain, *Bacillus altitudinis* YNP4-TSU, was isolated from Whiterock Springs (lat 44.780233, long 110.69805), which is inside Yellowstone National Park, USA. The rather new species *B. altitudinis* was first discovered in 2006 from cryogenic tubes taken at 41 km in the atmosphere (1). Since then, only six other *B. altitudinis* strains, including YNP4-TSU, have been deposited in the NCBI genome database (retrieved May 12, 2017). This species has the ability to produce spores that can withstand some of the most extreme environments, ranging from atmospheric radiation (1) to geothermal heated springs.

B. altitudinis YNP4-TSU was isolated by vacuum filtration in 0.22 μ m Millipore systems from water samples of 59°C and a pH of 2.3. Filters containing unknown amounts of specimens were then cut and transferred to nutrient agar (2). Areas with substantial growth were then re-streaked and incubated at 37°C to produce individual colonies. B. altitudinis YNP4-TSU tested positive for extracellular endoglucanase activity on 10% carboxymethylcellulose (CMC) under the Congo red assay (3). After positive cellulase testing, whole genomic DNA was extracted using the GenElute Sigma Genomic DNA kit for Gram-positive strains (Sigma, USA) (3). For genome sequencing, libraries were prepared with Illumina TruSeg DNA Nano sample kits using indexed adaptors (Illumina). Pooled libraries were subjected to 150-bp paired-end sequencing according to the manufacturer's protocol (Illumina HiSeq3000). Bcl2fastq2 conversion software (Illumina) was used to generate demultiplexed Fastq files. This work was performed at the Vanderbilt Technologies for Advanced Genomics (VANTAGE) at Vanderbilt University (Nashville, TN, USA). Raw reads were then trimmed to remove bases of Q average \leq 3 using Burrows–Wheeler alignment (4). De novo assembly was performed using SPAdes version 3.7.1 (5) with default parameters and the "-careful" flag. The draft genome of YNP4-TSU was assembled into 67 contigs with a total genome size of 3,749,504 bp (N_{50} , 172,320) and a G+C content of 45.0%. Automated annotation was performed with the NCBI Prokaryotic Genome Annotation Pipeline (PGAP) version 3.3 and yielded 3,734 coding genes, 72 tRNAs, and 16 rRNAs. Annotation predicted several endoglucanase, exoglucanase, and cellobiase genes, which upon an NCBI nucleotide BLAST search (retrieved April 25, 2017) revealed many novel gene-encoding sequences (6). These potential enzymes may have an important role on future biomass fermentation, which is why a further examination of the enzymatic rates will help determine the cellulolytic capabilities of B. altitudinis YNP4-TSU.

Accession number(s). The whole-genome shotgun project reported here has been deposited at DDBJ/EMBL/GenBank under the accession number MEDE00000000. The version reported here is the first version, MEDE01000000.

Received 16 May 2017 **Accepted** 18 May 2017 **Published** 13 July 2017

Citation OHair JA, Li H, Thapa S, Scholz M, Zhou S. 2017. Draft genome sequence of *Bacillus altitudinis* YNP4-TSU, isolated from Yellowstone National Park. Genome Announc 5:e00631-17. https://doi.org/10.1128/genomeA .00631-17.

Copyright © 2017 OHair et al. This is an openaccess article distributed under the terms of the Creative Commons Attribution 4.0 International license.

Address correspondence to Suping Zhou, zsuping@tnstate.edu.

ACKNOWLEDGMENTS

We thank the Yellowstone National Park for access to sensitive hydrothermal areas under permit YELL-2015-SCI-6074. We especially thank Stacey Gunther and Sarah Haas for their help in coordinating permits and providing guidance on field sampling at Yellowstone National Park. The Vanderbilt VANTAGE Core provided technical assistance for this work. VANTAGE is supported in part by a CTSA grant (5UL1 RR024975-03), the Vanderbilt Ingram Cancer Center (P30 CA68485), the Vanderbilt Vision Center (P30 EY08126), and NIH/NCRR (G20 RR030956). We also give special thanks to Olivia Koues for her assistance at VANTAGE and to Sarabjit Bhatti for assisting with the lab analysis at Tennessee State University. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the author(s) and do not reflect the views of the U.S. Department of Agriculture or the National Park Service.

REFERENCES

- Shivaji S, Chaturvedi P, Suresh K, Reddy GSN, Dutt CB, Wainwright M, Narlikar JV, Bhargava PM. 2006. *Bacillus aerius* sp. nov., *Bacillus aerophilus* sp. nov., *Bacillus stratosphericus* sp. nov. and *Bacillus altitudinis* sp. nov., isolated from cryogenic tubes used for collecting air samples from high altitudes. Int J Syst Evol Microbiol 56:1465–1473. https://doi.org/10.1099/ ijs.0.64029-0.
- O'Hair JA, Li H, Thapa S, Scholz MB, Zhou S. 2017. Draft genome sequence of *Bacillus licheniformis* strain YNP1-TSU, isolated from Whiterock Springs in Yellowstone National Park. Genome Announc 5(9):e01496-16. https:// doi.org/10.1128/genomeA.01496-16.
- Li H, Zhou S, Johnson T, Vercruysse K, Ropelewski AJ, Thannhauser TW. 2014. Draft genome sequence of new *Bacillus cereus* strain tsu1. Genome Announc 2(6):e01294-14. https://doi.org/10.1128/genomeA.01294-14.
- 4. Li H, Durbin R. 2009. Fast and accurate short read alignment with Burrows–Wheeler transform. Bioinformatics 25:1754–1760. https://doi .org/10.1093/bioinformatics/btp324.
- Bankevich A, Nurk S, Antipov D, Gurevich AA, Dvorkin M, Kulikov AS, Lesin VM, Nikolenko SI, Pham S, Prjibelski AD, Pyshkin AV, Sirotkin AV, Vyahhi N, Tesler G, Alekseyev MA, Pevzner PA. 2012. SPAdes: a new genome assembly algorithm and its applications to single-cell sequencing. J Comput Biol 19:455–477. https://doi.org/10.1089/cmb.2012.0021.
- NCBI Resource Coordinators. 2016. Database resources of the National Center for Biotechnology Information. Nucleic Acids Research 44:D7–D19. https://doi.org/10.1093/nar/gkv1290.