

Concepts of context in music therapy

Randi Rolvsjord^{a*} and Brynjulf Stige^{a,b}

^a*GAMUT, The Grieg Academy – Department of Music, University of Bergen, Norway;*

^b*GAMUT, Uni Health, Uni Research, Bergen, Norway*

(Received 6 February 2013; accepted 22 October 2013)

In contemporary music therapy as well as in related interdisciplinary fields, the importance of context in relation to theory, research, and practice has been emphasized. However, the word context seems to be used in several different ways and conceptualizations of contextual approaches vary too. The objective of this theoretical article is to clarify traditions of language use in relation to context in music therapy. In reviewing and discussing the literature, we focus on the field of mental health care. When discussing issues related to context, this literature partly focuses on the surroundings of music therapy practice, partly on the ecology of reciprocal influences within and between situations or systems. On this basis, three types of context awareness in music therapy are identified: music therapy in context; music therapy as context; and music therapy as interacting contexts. The identified types of context awareness are exemplified through references to music therapy literature and then discussed in relation to two very different metaphors, namely context as frame and context as link. Implications for practice, research, and theory development in music therapy are suggested.

Keywords: contextual model; context-awareness; medical model; music therapy in context; music therapy as context; music therapy as interacting contexts

Introduction

The term *context* is not a typical entry in the index of music therapy books or a frequently used keyword in music therapy articles. For example, it is not included as an entry in the recently published international dictionary of music therapy (Kirkland, 2013). This does not reflect lack of use of the term in the literature, however. Full text searches for the term in the main music therapy journals give hundreds of results. Music therapists write about clinical contexts, community contexts, cultural contexts, everyday contexts, health-care contexts, historical contexts, modern contexts, musical contexts, personal contexts, political contexts, professional contexts, social contexts, theoretical contexts, and so on. On one hand, such varied uses signify a widespread acknowledgement of the

*Corresponding author. Email: randi.rolvsjord@grieg.uib.no

importance of context. On the other hand, the situation reveals that the concept rarely has been given primary attention, which calls for an analysis of the concept of context in the discourse of music therapy.

The term context originates from the study of texts. One dictionary definition of *context* is “The portions of a discourse, treatise, etc., that immediately precedes and follow and are connected with a passage quoted or considered” (Webster’s Dictionary & Thesaurus, 2000). The origin of the word is a Latin compound of *com-* (together) and *texere* (weave). Within hermeneutics – the practice and philosophy of interpretation that grew out of various text-oriented disciplines – the principle of considering the context of any passage is key. In this tradition, non-contextualized interpretations are always considered problematic, and various versions of the hermeneutic circle have been developed, where relationships between part and whole and between pre-understanding and present understanding are considered carefully. These principles of interpretation have been transferred to a range of other disciplines, with the interpretation of culture within anthropology as a notable example (Geertz, 1973). As Aigen (2012, p. 2) recently noted, “In a variety of streams of intellectual thought in the late twentieth and early twenty-first century, the importance of context has been stressed.”

Music therapists were perhaps not among the first to pay attention, but scholars such as Ruud (1980/1995, 1987/1990) and Kenny (1982, 1989) have argued since the 1980s that music therapists must consider the relationships between practice, theory, culture, and context. As the new millennium emerged, two books on the history and cultural context of music therapy – edited by scholars outside the discipline (Gouk, 2000; Horden, 2000) – challenged music therapists to pay more attention to context. We agree with Ruud (2001) who described this criticism as “timely” in his review of the books, but in some ways, Gouk and Horden also knocked down doors that at least were in the process of being opened. The last 10 to 15 years have seen an increasing awareness about the significance of context in music therapy, with the emergence of community music therapy (Ansdell, 2002; Pavlicevic & Ansdell, 2004; Stige, 2002, 2003/2012; Stige & Aarø, 2012; Stige, Ansdell, Elephant, & Pavlicevic, 2010), music-centered music therapy (Aigen, 2005a), feminist perspectives (Baines, 2013; Curtis, 1997, 2012; Hadley, 2006), resource-oriented music therapy (Rolvsjord, 2010; Schwabe, 2005), recovery-oriented perspectives (Chhina, 2004; McCaffrey, Edwards, & Fannon, 2011; Solli, Rolvsjord & Borg, in press), and also various articulations of how music therapy needs to be sensitive to multi-cultural developments (Bradt, 1997; Hadley, 2013; Jones, Baker, & Day, 2004; Moreno, 1988).

These developments do not reflect one shared understanding of context; some contributions elaborate on contextual worldviews, others on theoretical perspectives, and others again on adjustments of practice to specific cultural, social, or political contexts. In this article, we elaborate on relevant conceptualizations of context in music therapy, with the objective to clarify distinctions that

can prevent misunderstandings and thus contribute in making this term more useful in music therapy theory, research, and practice. As we have seen, the notion of context is of relevance whenever we want to understand a human artifact or activity. We will explore how the literature on music therapy practice reflects an awareness of context and how this is related to various ways of understanding the concept of context. Our research questions are therefore: Is it possible to articulate different types of context awareness in the music therapy literature? And: Could similarities and differences in the understanding of context help illuminate other similarities and differences in the discipline and profession of music therapy? As we explain below, we focus on these questions through concentration on examples from the literature on music therapy in the field of mental health.

In working with the research questions, the long-lasting interest that both authors have taken in contextual perspectives – i.e., the first author's elaborations of resource-oriented and feminist perspectives (Rolvsjord, 2006a, 2010; Rolvsjord & Halstead, 2013) and the second author's work on culture-centered music therapy and community music therapy (Stige, 2002; Stige & Aarø, 2012; Stige et al., 2010) did establish a starting point and operate as a resource guiding the process. This previous engagement with the topic could of course also be described as a possible challenge to reasonable treatment of perspectives that differ from our own. Reflexivity in the process – cultivated both as self-reflection, dialogue, and mutual criticism – have been tools in balancing these possibilities (Finlay & Gough, 2003).

The investigation is a philosophical and theoretical one (see, e.g., Aigen, 2005b; Bruscia, 2005). The intention is to distinguish traditions of language use, clarify concepts, discuss links to relevant theories, and suggest implications for discipline and profession. A comprehensive literature review with a systematic content analysis would not be feasible, because the term context pops up in some way or another in virtually every text on music therapy, while it rarely has been given primary attention. So, the method of inquiry has been an interpretive one, where the texts referred to in the following will serve as examples. We used a selective procedure of sampling based in our pre-understanding of the literature, and we worked in a cyclical interpretive process where we carefully read and re-read texts that we expected could exemplify various traditions of language use (i.e., various concepts). This process, which could be described as hermeneutic and reflexive (Alvesson & Sköldberg, 2009), has been repeated until we felt that we had achieved saturation in the sense that a novel, meaningful expression was developed. In order to focus on the article, we have chosen to concentrate on music therapy in the field of mental health. This choice makes the amount of music therapy literature to be reviewed more manageable and it also positions our discussion in a broader discursive context that we think can be fruitful for this exploration.

The current debates in the broader context of psychotherapy research and mental health have made us aware of possible variations of uses of the term context that are also present in the music therapy literature. Therefore, we will

start the article with a detour to the debates within psychotherapy theory on the differences between a medical model and a contextual model of therapy. This detour will direct the subsequent reflections on various concepts of context in the literature on music therapy practice. Given that the concepts of context are usually not discussed explicitly in the music therapy literature, the first step of our analysis is to offer a distinction of types of context awareness in this literature. The exploration is organized through use of the three headings *music therapy in context*, *music therapy as context*, and *music therapy as interacting contexts*. We will then address the second research question and explore two substantially different metaphors that seem to inform the notions of context in the literature, before we bring the reflections together in the final discussion. In other words, we structure our argument by first illuminating traditions of language use in the selected literature and then by reflecting more systematically on the implications of two metaphors that illuminate substantially different ways of understanding context.

The debates on medical and contextual models in psychotherapy

In the field of mental health, contextual perspectives have been articulated as a contrast or alternative to a medical model. The term *medical model* is then used broadly, to denote certain core assumptions that have been characteristic in medicine. In his seminal book, *The Great Psychotherapy Debate*, Wampold (2001a) argued that the medical model represents a specific way of understanding mental health problems and the practices related to them: First, the problem is understood as a disorder or complaint belonging to the patient. Second, the therapist is understood as an expert who is able to provide an explanation of the cause of the problem or disease. Third, it is possible to determine an appropriate mechanism of change. Fourth, a specific intervention could therefore be developed. Fifth, this specific intervention is regarded as the remedy or cure for the patient's problem¹ (Wampold, 2001a, p. 14).

Wampold (2001a, 2001b) argues that the medical model often has been a basis for psychotherapy. Even though psychotherapy is not medical in the sense that it is oriented toward physiochemical processes, it can be based on the same assumptions and take the same form as the medical model in medicine:

To summarize, the medical model presented herein takes the same form as the medical model in medicine, but differs in that (1) disorders, problems or complaints and rationale for change are held to have psychological rather than physiochemical etiology; (2) explanations for disorders, problems, or complaints and rationale for change are psychologically rather than physiochemically based; and (3) specific ingredients are psychotherapeutic rather than medical. Because

¹In the literature, there are several accounts of the medical model. Both critical texts and texts in favor of the model seem to identify similar characteristics (see, e.g., Oates, 1996; Shah & Mountain, 2007).

the medical model of psychotherapy requires neither physiochemical nor mentalistic constructs, strict behavioral interventions would fit into this model. (Wampold, 2001a, p.16)

Thus, the medical model can be understood as a prominent meta-perspective in various health-care practices. The medical model has become a grand narrative or strong discourse (Alvesson, 2002), that is, a dominating way of thinking that often inexplicitly underlies practice. It is well established in music therapy also, for instance, as the central meta-perspective in Unkefer and Thaut's (2005) book *Music Therapy in the Treatment of Adults with Mental Disorders* and in articulations of the treatment process in music therapy in texts by authors such as Cassity and Cassity (2006), Silverman (2003, 2005), and Davis, Gfeller, and Thaut (2008).²

We have chosen to use the term *medical model* in this article referring to this dominating outlook. In the critical literature, several other terms have been used, such as *illness ideology* (Maddux, 2002), *pathogenic model* (Antonovsky, 1979), or *disease model* (Mechanic, 1999). In our interpretation, these conceptualizations refer to related meta-perspectives, but highlight different aspects in relation to various critical views. It is important to note that the critical literature does not necessarily imply that the medical model is inadequate, only that its limitations have not been acknowledged to the degree warranted. In fact, the medical model has many advantages; it reduces complexity and allows for accumulative research on causative agents, mechanisms of change, and curative interventions. For many diseases and disorders, this is very helpful. The problem with the medical model is one that often follows success; it has been transplanted to practices where there is less of a fit between the model and the problems and possibilities that people have.

In the field of mental health, critique of the medical model has been voiced for decades. The critics have been concerned with different dimensions which we will try to summarize in four points: First, many authors have critiqued the extensive focus on pathology and symptom reduction in the medical model and have argued that processes of health promotion and recovery should be highlighted more (Antonovsky, 1979; Davidson & Roe, 2007; Maddux, 2002; Seligman & Csikszentmihalyi, 2000). Second, extensive critique has been raised toward the idea that mental health problems can be understood as diseases or disorders belonging to the individual. The interactions of biological, psychological, social, and cultural processes need to be examined, according to this critique (Elkins, 2009; Engel, 1977; Illich, 1975; Mechanic, 1999; Szasz, 1979). A third point of criticism is concerned with the power-relations that are constituted and maintained by a model where the therapist is the expert providing explanations and interventions (Bohart & Tallman, 1999; Duncan & Miller,

²See Rolvsjord (2010) for a discussion of the medical model in the discourse of music therapy in mental health.

2000; Furedi, 2004; Maddux, 2002). Fourth, critique of the medical model has also been linked to analyses that suggest that there is lack of evidence to support the assumption that change in psychotherapy is mainly due to a specific intervention (Duncan, Miller, Wampold, & Hubble, 2010; Wampold, 2001a, 2007).

Some of the proponents of this critique have argued for the relevance of alternative perspectives. Antonovsky's (1979) salutogenic model is an example well known also in the discipline of music therapy (Bruscia, 1998; Ruud, 1997, 1998). Some of these alternative perspectives have been articulated as social or contextual models. In psychotherapy, Wampold's (2001a) notion of a contextual model is linked to the so-called dodo-bird verdict and the articulations of common factors in psychotherapy that followed.³ Findings from comparative studies and meta-analyses of comparative studies have suggested that specific interventions related to a range of psychotherapy models are equally effective (Lambert & Ogles, 2004; Luborsky et al., 2002; Wampold, 2001a). This evidence in turn resulted in a widened scope in psychotherapy research where common factors, such as hope and placebo, relationship, therapist, and extra-therapeutic factors rather than specific ingredients have been studied (Duncan et al., 2010; Lambert & Ogles, 2004; Norcross, 2002).

When Wampold introduces the term *contextual model*, he does not define it explicitly, only implicitly through descriptions of various key factors. Informed by the common factors tradition of research in psychotherapy, he stresses for instance relationship factors and therapist factors. Further, building on the perspective of therapy as a "culturally situated healing practice" (Frank & Frank, 1991), he advocates the relevance of a holistic approach that encompasses the whole therapeutic situation, including the social-cultural context, as providing potentials for change and development related to the client's health. Thus, according to Wampold (2001a, 2001b, 2007), it is important to distinguish between a common factors model and a contextual model. Wampold emphasizes that the contextual model includes contextual factors that go beyond the common factors. These contextual factors are related to the client and therapist's perceptions and understandings of the healing contexts (Wampold, 2001a, p. 26; Wampold, 2001b, 2007).

Context awareness in music therapy

What someone might mean when using the term "context" depends upon – context. This circularity is often challenging. Consider, for example, Pavlicevic's (1997) book *Music Therapy in Context*. In a critical reflection, Horden (2000, p. 36) writes: "a book by a therapist working in South Africa which, despite its title, largely ignores a promising ethnographic context." Horden focuses on music therapy in historical, social, and cultural contexts,

³The reference to *Alice in wonderland* and the dodo-bird verdict was introduced by Rosenzweig already in 1936 (Luborsky, Singer, & Luborsky, 1976).

while Pavlicevic (1997) seems to focus on music therapy in various theoretical contexts. Horden's critique of Pavlicevic's book is slightly unreasonable then, but hardly irrelevant. In our appraisal, he has a very good point when he argues that historical, social, and cultural contexts should be central to the theory and practice of music therapy. If we relate our professional practices to theories that neglect sociocultural contexts, we are promoting the idea that therapy is a privileged "non-context" for context-free learning (Lave, 1996, p. 27). Pavlicevic's own writings the past decade have contributed to our understanding of the importance of this (e.g., Pavlicevic, 2010; Pavlicevic & Ansdell, 2004).

As highlighted in the Introduction, Ruud's writings have been critical in introducing context awareness in music therapy theory. In his most recent book on music therapy and the humanities, he describes a contextual understanding in music therapy in the following way:

How we experience music and how music will affect us will depend on our musical background, the influence of the music we have chosen, and the particular situation in which we experience the music. In other words, in such a contextual understanding, the music, the person, and the situation work together in a relational or mutual relation where changes in any of these components will change the meaning produced. (Ruud, 2010, p. 57)

Ruud suggests that the influence of music often has been understood as unidirectional influence but that it could also be understood in more ecological terms, as evolving reciprocal influences. He also suggests that a contextual understanding points in the latter direction, and that it includes awareness of the immediate situation, our experience of it, our (inter)actions within it, as well as our history of relationships with other situations and experiences. Kenny's work, not least her introduction of systems theories to music therapy (Kenny, 1985), has been instrumental in the development of this kind of ecological understanding of the field.

According to Ruud, then, a contextual understanding implies an interest in the multidirectional and mutual influences of a music therapy situation. This argument should not mislead us to assume that authors who focus on unidirectional influences of music do not take interest in context. An argument quoted in an American textbook on music therapy illustrates this:

Music is an integral part of most people's life since it has many cultural and societal uses. Culture and society define music and determine how it is used. It is a basic premise in the field of music therapy that music of cultures other than one's own has little or no meaning (Gaston, 1968) and that one will not respond to or participate in it. (Gibbons, 1977, as quoted in Davis, Gfeller, & Thaut, 1999, p. 296)

Gibbon's argument illustrates that there is awareness about context – understood as the sociocultural surroundings of music therapy practice – in music therapy literature that hardly could be described as being congruent with a contextual model or contextual understanding, as these terms have been used here. If we

combine the insights from the detour to Wampold's contextual model with the above arguments about context and contextual understanding in music therapy, our appraisal could be summarized in four points: (1) many therapies and health-care practices, including music therapy, have, to a large degree, been influenced by the medical model, even when they are not oriented toward physiochemical processes, (2) the challenges that clients in music therapy experience are related to the interaction of biological, psychological, social, and cultural processes, and several authors have therefore argued that approaches that encompass the ecology of such processes are warranted, (3) such approaches have often – but not always – been linked to notions such as contextual model or contextual understanding, (4) reflections on the significance of historical, social, and cultural context are found in a range of texts in the music therapy literature, and this range cuts across the distinctions outlined above.

In our appraisal, this reveals that Wampold's idea of a contextual model is helpful as well as potentially confusing. His contribution highlights the relevance of critical reflection on the influence of the medical model in various health-care professions and disciplines. It also highlights the significance of context in therapeutic practice. It does not really clarify the concept of context, however, and the broad range of approaches that are subsumed under the contextual model in Wampold's writings suggests that it is a collection of more or less related perspectives and practices. We do not think that the confusion could be resolved by definition. Given the complexities and contingencies involved, it is probably not possible to give a single and precise definition of context (or of related notions such as *contextual understanding* or *contextual practice*). Clarification of established language use might be of help for future navigation in this complex landscape of theory and practice, however. We have seen that the music therapy literature partly focuses on the surroundings of music therapy practice, partly on the ecology of reciprocal influences within and between situations or systems. We will therefore make a distinction between three types of context awareness that are prominent in the music therapy literature:

- (1) *Music therapy in context*: awareness of the surroundings of music therapy.
- (2) *Music therapy as context*: awareness of the ecology of reciprocal influences within a music therapy situation.
- (3) *Music therapy as interacting contexts*: awareness of the ecology of reciprocal influences between various systems that music therapy is part of and relates to.

Music therapy in context

Context is inescapable in human activities. Obviously, it is possible to pay more or less attention to this fact, but music therapy always happens in a social, cultural, academic, and political context. In this respect, *music therapy in context*

is a basic notion of relevance both for authors focusing on the effect of specific interventions and for authors taking a more ecological perspective. At the very least, all music therapy literature focuses (more or less explicitly) on how change achieved in the context of music therapy transfers to nonmusical contexts, everyday situations, and so on. This is, for instance, clearly articulated in Unkefer and Thaut's (2005) book which exemplifies music therapy literature based on the medical model. Other music therapy authors go further and discuss more explicitly not only how various contexts are relevant for the client but also how these contexts might influence practice.

Obviously, music therapy may be situated in a range of contexts and communities. For example, music therapy practices in mental health are situated in medical and nonmedical institutions or in community contexts. Any health-care system, in turn, is situated in a larger context of society and culture, of social economy and political systems. These broader social, cultural, and political contexts influence a person's health and the practice of therapy in complex ways (e.g., as contributing causes for illness and health, provision of health services, social support, stigmatization, and demoralization). Music therapy, as a therapeutic practice and a discipline, is influenced by the current ideas and philosophies about mental health and mental health care, as well as of music. Thus, music therapy unfolds in contexts where the social and cultural ideas of mental health and the politics of mental health care meet the social, cultural, and political contexts of music (Rolvsjord, 2010, p. 18ff).

There are several texts in music therapy that demonstrate the awareness of the institutional and socio-political contexts concerning music therapy practice in mental health care. An early example is Tyson (1981), who developed a concept of psychiatric music therapy that included practices in a range of institutional and community settings. More recently, music therapy in psychiatric services in Denmark is evaluated in a Danish report by Bonde, Hannibal and Pedersen (2012) in terms of institutional contexts and therapeutic/theoretical approaches, and discussed in relation to current Danish health-care politics. A similar evaluation of current trends in music therapy in non-private service settings in the USA is presented by Silverman (2007). Wilson (2005) discussed the changing service strategies in psychiatric services, and the changing politics of psychiatric hospitals. Procter (2004) discusses potentials for music therapy in nonmedical settings, and Baines explores the contexts of user-led services and anti-oppressive practice (Baines, 2003, 2013; Baines & Danko, 2010). Broader philosophical and political contexts of mental health care are also discussed by Rolvsjord (2010) and Solli (2012).

Similarly, many authors have argued that the musical-cultural context is important for the understanding of music therapy. One prominent aspect of this is that it becomes a part of the client's belief systems related to their thoughts about how music therapy can contribute in their lives. Here Ruud's (1998) emphasis of code competency and musical identity is the key. Further, the cultural or contextual turn in musicology has created greater awareness and

new articulations of the culturally situated meanings of music. This implies also culturally situated values of music and awareness of politics of music. Similar awareness is seen in music therapy: First, the growing interest within the discipline in how music is used in other contexts than music therapy (e.g., Aigen, 2012; Solli, 2008) might be understood as an articulation of this level of context awareness. Second, the musical-cultural context can be related to the goals and aims for music therapy, such as the development of musical skills (Rolvsjord, 2001), improvement of communication and social skills (Gooding, 2011; Grocke, 2009; Hannibal, 2003), or the promotion of enablement and cultural capital (Procter, 2001, 2004, 2011). Third, concerns for music therapy have been articulated in terms of access to music (Aigen, 2005a; Rolvsjord, 2010; Ruud, 1996; Stige & Aarø, 2012).

Clearly, music therapy authors are more or less radical in their treatment of the idea of *music therapy in context*. In discussing the sociology of mental health and illness, Rogers and Pilgrim (2010) clarify a continuum of possible perspectives that we consider relevant here. On one side of this continuum, social causation approaches essentially accept the medical constructs, such as diagnoses, as facts, but investigate social causes as a supplement to biological causes. Other perspectives, such as critical theory or constructivist sociology problematize the notions of mental disorders and criticize and challenge the mental health-care system more extensively (Rogers & Pilgrim, 2010). Thus, there is no direct relationship between this type of context awareness and levels of critique or interest in ecological perspectives. Any practice of music therapy will ultimately be “in context”. The question is to what degree we perceive contexts as significant to the experience and development of music therapy.

Music therapy as context

While awareness of *music therapy in context* could be found implicitly or explicitly in a wide range of music therapy texts, including literature informed by the medical model, the notion of *music therapy as context* is clearly based in assumptions that diverge from this model.

In the music therapy literature, there are several contributions that highlight the interaction in the session as a context for development and change. Kenny's (1989) theory of music therapy as a *field of play* is a prime example. In relation to music therapy for children and adolescents with autistic spectrum disorder, Wigram and Gold (2006) have provided an illustrative description of the reciprocal interaction in a music therapy situation:

The development of musical creativity involves a subtle process of learning patterns within musical structures and frames that then spontaneously develop variability in dynamics, tempo, duration and accentuation. For children with significant impairments in their basic innate skills in communication, this musical interaction provides a context and vehicle for reciprocal interaction and

development that noticeably ameliorates a lack of sharing and turn-taking in play, as well as repetitive, rigid and somewhat unchanging patterns, and a need for sameness. Active music making promotes interest and motivation to a degree that leads to joint attention and tolerance of shared engagement. (Wigram & Gold, 2006, p. 536)

Rolvsjord (2006b, 2010) critiqued the extensive focus on the therapist's intervention and the lack of awareness of the client's contributions in the therapeutic process in music therapy in the field of adult mental health. Outlining a resource-oriented approach, critical to the medical model, she aligns with the common factors approach and the contextual model proposed by Wampold (2001a) that points in the direction of a complexity of personal, relational, and sociocultural factors influencing the process and outcome of psychotherapy.

In the past few years, the idea of therapy as context has also been revitalized by reflections instigated by the demand for evidence-based practice (EBP). The call for EBP is based on medical assumptions and the tradition of studying specific isolated interventions (as explicated in our detour to psychotherapy research). The fit with music therapy practice is not always obvious (Edwards, 2005; Wigram & Gold, 2012). Among music therapy researchers, this has contributed to a renewed awareness about how music therapy is a complex process, with implications for effect studies and randomized controlled trials (RCTs) (Erkkilä et al., 2011; Pedersen, 2013; Rolvsjord, Gold, & Stige, 2005; Talwar et al., 2006). The recent literature often uses the term *complex intervention*:

Complex interventions depend strongly on context variables such as therapist and setting, and it is therefore difficult to develop reliable evaluation strategies without endangering the intervention to lose its very substance.... (Wigram & Gold, 2006, p. 540)

One strategy has been to develop pragmatic trials in order to ensure enough therapeutic flexibility and to capture the complexities of music therapy processes (Gold et al., 2013; Rolvsjord et al., 2005). However, it could still be argued that the term complex interventions points too much in the direction of the therapist, so that the contextual nature of the process becomes veiled. It is also open for discussion whether RCTs – even in their most pragmatic outline – are capable of addressing the complexities of music therapy as context (DeNora, 2006).

Clearly, this level of awareness is in coherence with the contextual model articulated by Wampold (2001a). However, his notion of the contextual model as an “extension of common factors models and cultural healing” (Wampold, 2007, p. 865) suggests a possible continuum of ideas related to the notion of music therapy as context. This continuum includes contexts outside discrete therapy settings. In short, music therapy as context can link to music therapy in context in ways that request examinations of the relationships involved. Stige (2002) introduced the notion of culture-centered music therapy, which he explained as music therapy as culture, stressing, among other aspects, how music therapy is a

situated social–musical process where relationships between contexts are conceived of as reciprocal and potentially constitutive. Obviously, there is need for a conceptualization of how contexts interact. Reflections on the ecological nature of contexts have been prominent in the music therapy literature lately, and this type of context awareness is what we now turn to.

Music therapy as interacting contexts

As we have argued throughout this article, the experiences as well as the outcomes of music therapy are related to broader social, cultural, and political contexts. With this third level of awareness, we point toward music therapy processes where activities are interlinked with and operate in interaction with a broader ecology of contexts, such as the local community of the client and therapist, the institutional context, the musical culture, the health-care politics, and the context of interdisciplinary academic discourse. The awareness of interacting contexts and the engagement with interacting contexts defines this level of awareness.

The possibility of working with relationships between various contexts has been explored quite actively in music therapy the last decades. One theoretical frame frequently referred to has been Bronfenbrenner's (1979) ecological model (e.g., Elefant, 2010; Stige & Aarø, 2012). In his discussion of ecological areas of music therapy practice, Bruscia (1998) described this kind of context awareness in the following way:

The ecological area of practice includes all applications of music and music therapy where the primary focus is on promoting health within and between various layers of the sociocultural community and/or physical environment. This includes all work which focuses on the family, workplace, community, society, culture, or physical environment, either because the health of the ecological unit itself is at risk and therefore in need of intervention, or because the unit in some way causes or contributes to the health problems of its members. Also included are any efforts to form, build, or sustain communities through music therapy. Thus, this area of practice expands the notion of "client" to include a community, environment, ecological context, or individual whose health problem is ecological in nature. (Bruscia, 1998, p. 229)

The recent discourse about community music therapy might help us disentangle the complexities of interacting contexts in music therapy. With the conceptualization of community music therapy, a contextual practice that goes beyond the individual setting of therapy has been articulated (Ansdell, 2002; Stige, 2002, 2003/2012; Stige & Aarø, 2012). The developments in community music therapy illuminate how changes can be explored on a spectrum ranging from individuals to marginalized groups to the community at large. Community music therapy is described in terms of multiple and interacting systems (Stige et al., 2010). Practices described in terms of community music therapy often involve work

with marginalized groups and aim as much toward social change as toward health and development understood in individual terms. Within mental health care, projects have involved possibilities for participation in music where other arenas for music-making have been difficult to access (Ansdell, 2010; Procter, 2004). Music-making is emphasized not only as affording belonging, but also as a possibility to have a voice in the broader social and cultural contexts (Ansdell, 2010; Krüger & Stige, 2013).⁴

If we link these examples to the discussion of complex interventions above, it becomes clear that we also need a notion of *complex systems*. This term makes use of the insights that complexity science affords (Begun, Zimmerman, & Dooley, 2003; Miller, McDaniel, Crabtree, & Stange, 2001).⁵ Complex systems usually include and are part of other complex systems (a clinic is composed of individuals and groups, for instance, and is simultaneously part of a broader community). Complex systems are adaptive to changes in their environment and they often change in nonlinear ways. Therefore, change in outcome is not proportional to change in input; systems self-organize, they might change relatively rapidly once a certain threshold level is achieved (Hawe, Shiell, & Riley, 2009). For music therapists working with mental health, this perspective suggests that a music therapy process could be understood as an event not only in the history of the individual but also in the history of the system. There is not only an interest in how music therapy can change people at the individual level, but also an interest in its capacity to change the relationships that link people, places and evolving events (Shiell, Hawe, & Gold, 2008; Stige & Aarø, 2012).

Such awareness is demonstrated in the BRIGHT projects described by Ansdell and DeNora (2012), focusing on the interaction between music therapy services in medical context and nonmedical contexts. We want to emphasize that awareness of and engagement with interacting contexts is not only a result of the therapist's skilled engagement. The client's active role in linking experiences across contexts must be acknowledged. Rolvsjord (2013) discusses the client's role in pursuing change across various contexts where music therapy is offered in an individual setting but where the client is the active agent in linking experiences across contexts. Similarly, Veltre and Hadley (2012) describe the active engagement of a group of young women negotiating identity in relation to representations of gender and race in their music culture and broader social and political contexts.

Implications for research include but go beyond the development of pragmatic RCTs, to include social network analysis, for instance (Shiell et al., 2008).

⁴Awareness of interacting contexts does not preclude work in individual settings. In individual music therapy, clients and therapists may choose to explore possibilities for musical participation in between sessions, to invite people to sessions, to perform publicly material which has been developed in individual sessions, and so on (Ansdell, 2010; Rolvsjord, 2001, 2010; Stige, 2002, 2011; Turry, 2005).

⁵Crowe (2004) has developed a theory of music therapy based on complexity science, but with limited discussion of the sociocultural aspects of music therapy.

Qualitative research strategies may include ethnographic studies or other qualitative designs that explore cross-contextual experiences (Mackrill, 2007). Awareness of music therapy as interacting contexts also invites examinations of how the field and discourse of music therapy interacts with larger discursive and political fields. In the Norwegian context, Ruud (1996) proposed that music therapy's emphasis on inclusion in relation to music was stimulated by and in turn influenced various reforms in national politics on culture and music education. In a more recent text, Rolvsjord and Halstead (2013) discuss aspects of performance of gender and identity in relation to how music therapy interacts with popular music culture. Thus, the conceptualization of music therapy as interacting contexts implies increased awareness of our discipline as an agent in the ongoing construction of culture.

Two metaphors informing concepts of context

Having established the suggestion that context awareness in music therapy comes in at least three types, it is urgent to revisit the question of how context can be conceptualized and understood. What we have seen, is that context awareness seems to be present in a range of texts, also in literature which is closer to the medical model. Yet – and not surprisingly – there seems to be a broader range of context awareness in the literature that subscribes to cultural, contextual, and ecological perspectives. Across the proposed divide between medical model practice and more contextual practice, authors use the term context. The same term obviously is used for more than one concept, then.

Stige (2002) offers a distinction between context as *concentric circles* and context as *dynamic links*, through reference to a cultural psychology text:

A starting point for this discussion could be to reconsider our concept of context. As Cole (1996) has demonstrated, it is too limited to consider context as “that which surrounds.” True, musicking and other human activities always have an immediate context surrounding the actions themselves, and this context is surrounded by other context. We may, then, conceive of contexts as “concentric circles” surrounding acts and agents. Cole (1996) also underlines, though, that another concept of context sometimes is illuminating: context as “that which connects.” Agents do not restrict themselves to the immediate surroundings when they link events and experiences to other events and experiences. This process of linking constitutes a high degree of flexibility in meaning-making. (Stige, 2002, p. 96)

The notion of context as “that which surrounds” suggests that activities are colored by context, while the notion of “that which connects” implies that contexts and activities arise together, in mutually constitutive processes. The first notion suggests that context is understood as a pre-existing frame with a determinative effect on an activity, while the latter suggests that context is understood as evolving relationships constructed by the parties interacting. In the latter case, context is constitutive of the activity and vice versa (Levine, 1996),

In an attempt of summarizing these discussions, we therefore suggest that it is meaningful to distinguish between context as (given) *frame* and context as (dynamic) *link*. These two metaphors are offered as broad sensitizing notions that point in certain directions of theory development and research. They are *not* offered as exact theoretical categories.⁶ The first notion points at contexts as (relatively) stable surroundings that impact music therapy practice but exist independently of it. The second notion points at contexts as dynamic relationships that constitute and are constituted by music therapy practice. Understood as frames, contexts might restrict as well as augment possibilities of activity, where the impact can be ignored or employed. If we take the idea of constitutive contexts seriously, we are invited to review our interpretations of the dynamics of a music therapeutic interaction more substantially and embrace an ecological systems perspective.

Concluding discussion

In this article, we have identified three types of context awareness in music therapy: music therapy in context; music therapy as context; and music therapy as interacting contexts. The fact that it was possible to identify these in the literature could be taken to indicate that context awareness is relevant in all music therapy practices, not only in those subscribing to contextual theory perspectives. Authors who conceptualize practice in terms of specific interventions are sometimes criticized for thinking of therapy as a privileged “non-context” for context-free individual change (Ansdell, 2002; Stige, 2002). Our reading of the literature shows that awareness of context is not necessarily absent, but usually limited to what we have called *music therapy in context*. Authors who conceptualize practice in terms of complex interventions usually develop perspectives that are compatible with the notion of *music therapy as context*. Finally, authors who conceptualize practice in terms of complex systems focus on *music therapy as interacting contexts*.

Based on the discussion in the previous section, we may ask if the identified types of context awareness that we observe in music therapy are representations of substantially differing notions of context. We propose that if the awareness is restricted to that of music therapy in context, the notion tends to resemble that of context as frame. In contrast, awareness of music therapy as context and/or as interacting contexts tends to implicate a notion of context as link. This makes sense in terms of the various degrees of involvement with context (both in practice and theory) that is characteristic of our distinctions. The notion of context as frame requires context awareness but a low level of interaction with context is characteristic. The two latter levels of awareness imply higher degrees of active involvement with contexts, which makes more sense if contexts are

⁶We do not think of concepts as static and theory-forming, but as dynamic and theory-formed; their meanings evolve through use in theoretical structures and arguments (see, e.g., Risjord, 2010).

conceived in terms of constitutive relationships. However, as we have tried to explicate, there seems to be considerable variation concerning the levels of interaction with context involved in each type of awareness.

We started this article with a detour to the debates on medical and contextual models in psychotherapy. Throughout this article, we have referred to the idea of a medical model versus a contextual model. We pointed out that awareness of music therapy in context does not necessarily involve critique of the medical model, while the two latter levels of awareness would be more in coherence with a contextual model. We also pointed out that the contextual model, as described by Wampold (2001a), is somewhat vague when it comes to how broader socio-cultural contexts are emphasized. To our understanding, a contextual model does not exclude therapy in individual settings but it demands that we move beyond the “treatment” of individuals and include relational, structural, and community levels in our conceptualizations of therapy.

It is important to emphasize, then, that the conceptual and theoretical differences that have been highlighted here do not translate directly to decisions about formats of practice. While music therapy practices integrated in various activities and events of a local community obviously could be supported by a notion of context as link, this could also be the case for practices based in individual sessions. The literature includes many examples of such practices where client and therapist together have been able to establish a range of dynamic links to broader contexts and communities. Format is a choice to be made relative to person and place. With the actual practice of music therapy, there is a continuum of engagement and interaction across contexts. There are good reasons to continue to develop practices in music therapy along a spectrum ranging from individual settings in medical contexts to open projects in a community. Several of the authors discussed in this article support this view and we find it relevant and interesting to notice that similar arguments have been developed within community psychology (Prilleltelsky & Prilleltelsky, 2006).

Our conclusion is therefore not that music therapy practices should be more open across contexts, but that there is a need for research and theory development that can inform music therapists when they encounter practical situations where such choices have to be made. Especially, there seems to be a need for theory development of music therapy both as a complex intervention and as an event within complex systems. Clearly, a critical stance will be needed regarding the socioeconomic and political conditions and implications of music therapy practices, whether they unfold in discrete clinical settings or in open communities (Edwards, 2011). Our awareness of context is crucial to the stories we tell about therapy (Ansdell, 2003); how we perceive the people we work with, how we understand health and illness, how we conceptualize therapy and change, and how we design our research. We have explored these issues in relation to the literature on music therapy and mental health. Broader explorations of implications for music therapy as discipline and profession are warranted.

Notes on contributors

Randi Rolvsjord is Associate Professor in music therapy at the Grieg Academy – Institute of Music, University of Bergen, Norway. She holds a PhD from Aalborg University. Her research and publications include resource-oriented perspectives on music therapy in mental health, user-involvement, and feminist perspectives.

Brynjulf Stige is Professor in Music Therapy at the University of Bergen, Norway and Head of Research at GAMUT – The Grieg Academy Music Therapy Research Centre, UoB and Uni Health, Uni Research. Stige's research evolves around a particular interest in culture-centered music therapy and community music therapy. He was the founding editor of *Nordic Journal of Music Therapy* from 1992 to 2006, and he is co-editor (with Susan Hadley and Katrina McFerran) of *Voices: A World Forum for Music Therapy*.

References

- Aigen, K. (2005a). *Music-centered music therapy*. Gilsum, NH: Barcelona Publishers.
- Aigen, K. (2005b). Philosophical inquiry. In B. Wheeler (Ed.), *Music therapy research* (2nd ed., pp. 526–539). Gilsum, NH: Barcelona Publishers.
- Aigen, K. (2012). Social interaction in jazz: Implications for music therapy. *Nordic Journal of Music Therapy*. doi:10.1080/08098131.2012.736878
- Alvesson, M. (2002). *Postmodernism and social research*. Buckingham, PA: Open University Press.
- Alvesson, M., & Sköldbäck, K. (2009). *Reflexive methodology: New vistas for qualitative research* (2nd ed.). London: Sage publications.
- Ansdell, G. (2002). Community music therapy and the winds of change—A discussion paper. *Voices: A World Forum for Music Therapy*, 2(2). Retrieved from <https://voices.no/index.php/voices/article/view/83/65>
- Ansdell, G. (2003). The stories we tell: Some meta-theoretical reflections on music therapy. *Nordic Journal of Music Therapy*, 12(2), 152–159.
- Ansdell, G. (2010). Belonging through musicking. In B. Stige, G. Ansdell, C. Elefant, & M. Pavlicevic (Eds.), *Where music helps: Community music therapy in action and reflection* (pp. 41–59). Aldershot: Ashgate.
- Ansdell, G., & DeNora, T. (2012). Musical flourishing: Community music therapy, controversy, and the cultivation of wellbeing. In R. MacDonald, G. Kreutz, & L. Mitchell (Eds.), *Music, health and wellbeing* (pp. 197–112). New York, NY: Oxford University Press.
- Antonovsky, A. (1979). *Health, stress, and coping*. London: Jossey-Bass Publishers.
- Baines, S. (2003). A consumer- directed and partnered community mental health music therapy program. *Voices: A World Forum for Music Therapy*, 3(3). Retrieved from <https://voices.no/index.php/voices/article/view/137/113>
- Baines, S. (2013). Music therapy as an anti-oppressive practice. *The Arts in Psychotherapy*, 40, 1–5. doi:10.1016/j.aip.2012.09.003
- Baines, S., & Danko, G. (2010). Community mental health music therapy: A consumer-initiated song-based paradigm. *Canadian Journal of Music Therapy*, 16(1), 148–191.
- Begun, J. W., Zimmerman, B., & Dooley, K. J. (2003). Health care organizations as complex adaptive systems. In S. S. Mick & M. E. Wyttenback (Eds.), *Advances in health care organization theory* (pp. 253–288). San Francisco, CA: Jossey-Bass.
- Bohart, A. C., & Tallman, K. (1999). *How clients make therapy work: The process of active self-healing*. Washington, DC: American Psychological Association.
- Bonde, L. O., Hannibal, N., & Pedersen, I. N. (2012). Musikterapi i psykiatrien – Klinisk praksis, forskning og formidling [Music therapy in psychiatry – Clinical practice,

- research, and communication]. *MIPO. Musikterapi i psykiatrien Online*, 7(1). Retrieved from <http://journals.aau.dk/index.php/MIPO/article/view/110/75>
- Bradt, J. (1997). Ethical issues in multicultural counselling: Implications for the field of music therapy. *The Arts in Psychotherapy*, 24(2), 137–143. doi:10.1016/S0197-4556(97)00017-8
- Bronfenbrenner, U. (1979). *The ecology of human development: Experiments by nature and design*. Cambridge, MA: Harvard University Press.
- Bruscia, K. E. (1998). *Defining music therapy* (2nd ed.). Gilsum, NH: Barcelona Publishers.
- Bruscia, K. E. (2005). Developing theory. In B. Wheeler (Ed.), *Music therapy research* (2nd ed., pp. 540–551). Gilsum, NH: Barcelona Publishers.
- Cassity, M. D., & Cassity, J. E. (2006). *Multimodal psychiatric music therapy for adults, adolescents, and children: A clinical manual*. London: Jessica Kingsley.
- Chhina, C. (2004). Music therapy and psychosocial rehabilitation: Towards a person-centered music therapy model. *Canadian Journal of Music Therapy*, 11(1), 8–30.
- Cole, M. (1996). *Cultural psychology: A once and future discipline*. Cambridge, MA: The Belknap Press of Harvard University Press.
- Crowe, B. (2004). *Music and soulmaking: Toward a new theory of music therapy*. Lanham, MD: The Scarecrow Press.
- Curtis, S. L. (1997). Singing subversion, singing soul: Women's voices in feminist music therapy (Doctoral dissertation). Concordia University, Montreal.
- Curtis, S. L. (2012). Music therapy and social justice: A personal journey. *The Arts in Psychotherapy*, 39(3), 209–213. doi:10.1016/j.aip.2011.12.004
- Davidson, L., & Roe, D. (2007). Recovery from versus recovery in serious mental illness: One strategy for lessening confusion plaguing recovery. *Journal of Mental Health*, 16(4), 459–470. doi:10.1080/09638230701482394
- Davis, W. B., Gfeller, K. E., & Thaut, M. H. (1999). *An introduction to music therapy: Theory and practice* (2nd ed.). Dubuque, IA: WCB/McGraw-Hill.
- Davis, W. B., Gfeller, K. E., & Thaut, M. H. (2008). *An introduction to music therapy: Theory and practice* (3rd ed.). Silver Spring, MA: American Music Therapy Association.
- DeNora, T. (2006). Evidence and effectiveness in music therapy: Problems, power, possibilities and performances in health contexts (A discussion paper). *British Journal of Music Therapy*, 20(2), 81–93.
- Duncan, B. L., & Miller, S. D. (2000). *The heroic client*. San Francisco, CA: Jossey-Bass Publishers, a Wiley Company.
- Duncan, B. L., Miller, S. D., Wampold, B., & Hubble, M. A. (2010). *The heart & soul of change* (2nd ed.). Washington, DC: American Psychological Association.
- Edwards, J. (2005). Possibilities and problems for evidence-based practice in music therapy. *The Arts in Psychotherapy*, 32(4), 293–301. doi:10.1016/j.aip.2005.04.004
- Edwards, J. (2011). A music and health perspective on music's perceived "goodness". *Nordic Journal of Music Therapy*, 20(1), 90–101. doi:10.1080/08098130903305085
- Elefant, C. (2010). Musical inclusion, intergroup relations, and community development. In B. Stige, G. Ansdell, C. Elefant, & M. Pavlicevic (Eds.), *Where music helps: Community music therapy in action and reflection*. London: Ashgate.
- Elkins, D. N. (2009). The medical model in psychotherapy: Its limitations and failures. *Journal of Humanistic Psychology*, 49(1), 66–84. doi:10.1177/0022167807307901
- Engel, G. L. (1977). The need for a new medical model: A challenge to biomedicine. *Science*, 196(4286), 129–136. doi:10.1126/science.847460
- Erkkilä, J., Punkanen, M., Fachner, J., Ala-Ruona, E., Pöntiö, I., Tervaniemi, M., ... Gold, C. (2011). Individual music therapy for depression: Randomised, controlled trial. *The British journal of psychiatry*, 199, 132–139. doi:10.1192/bjp.bp.110.0831

- Finlay, L. & Gough, B. (Eds.). (2003). *Reflexivity: A practical guide for researchers in health and social sciences*. Oxford: Blackwell Publishing.
- Frank, J. D., & Frank, J. B. (1991). *Persuasion and healing: A comparative study of psychotherapy*. Baltimore, MD: The John Hopkins University Press.
- Furedi, F. (2004). *Therapy culture: Cultivating vulnerability in an uncertain age*. London: Routledge.
- Geertz, C. (1973/1993). *The interpretation of cultures*. London: Fontana Press.
- Gold, C., Mössler, K., Grocke, D., Heldal, T. O., Tjemsland, L., Aarre, T., & Rolvsjord, R. (2013). Individual music therapy for mental health care clients with low therapy motivation: Multi-centre randomised controlled trial. *Psychotherapy and Psychosomatics*, 82, 319–333. doi:10.1159/000348452
- Gooding, L. F. (2011). The effect of a music therapy social skills training program on improving social competence in children and adolescents with social skills deficits. *Journal of Music Therapy*, 48(4), 440–462.
- Gouk, P. (Ed.). (2000). *Musical healing in cultural contexts*. Aldershot: Ashgate Publishing Company.
- Grocke, D. (2009). The effect of group music therapy on quality of life for participants living with a severe and enduring mental illness. *Journal of Music Therapy*, 46(2), 90–104.
- Hadley, S. (Ed.). (2006). *Feminist perspectives in music therapy*. Gilsum, NH: Barcelona Publishers.
- Hadley, S. (2013). *Experiencing race as a music therapist: Personal narratives*. Gilsum, NH: Barcelona Publishers.
- Hannibal, N. (2003). A woman's change from being nobody to somebody: Music therapy with a middle-aged, speechless, and self-destructive woman. In S. Hadley (Ed.), *Psychodynamic music therapy: Case studies* (pp. 403–413). Gilsum, NH: Barcelona Publishers.
- Hawe, P., Shiell, A., & Riley, T. (2009). Theorising interventions as events in systems. *American Journal of Community Psychology*, 43(3–4), 267–276. doi:10.1007/s10464-009-9229-9
- Horden, P. (Ed.). (2000). *Music as medicine: The history of music therapy since antiquity*. Aldershot: Ashgate Publishing Limited.
- Illich, I. (1975). *Medical nemesis: The expropriation of health*. London: Calder & Boyars Ltd.
- Jones, C., Baker, F., & Day, T. (2004). From healing rituals to music therapy: Bridging the cultural divide between therapist and young Sudanese refugees. *The Arts in Psychotherapy*, 31(2), 89–100. doi:10.1016/j.aip.2004.02.002
- Kenny, C. (1982). *The mythic artery: The magic of music therapy*. Atascadero, CA: Ridgeview Publishing Company.
- Kenny, C. (1985). Music: A whole systems approach. *Music Therapy*, 5(1), 3–11.
- Kenny, C. (1989). *The field of play: A guide for the theory and practice of music therapy*. Atascadero, CA: Ridgeview Publishing Company.
- Kirkland, K. (Ed.). (2013). *International dictionary of music therapy*. New York, NY: Routledge.
- Krüger, V., & Stige, B. (2013). Music as a structuring resource, perspectives from community music therapy. In H. Klempe (Ed.), *Cultural psychology of music experiences*. Charlotte, NC: Information Age Publications.
- Lambert, M. J., & Ogles, B. M. (2004). The efficacy and effectiveness of psychotherapy. In M. J. Lambert (Ed.), *Bergin and Garfield's handbook of psychotherapy and behavior change* (pp. 139–193). New York, NY: John Wiley & Sons.

- Lave, J. (1996). The practice of learning. In S. Chaiklin & J. Lave (Eds.), *Understanding practice: Perspectives on activity and context* (pp. 3–34). Cambridge: Cambridge University Press.
- Levine, H. G. (1996). Context and scaffolding in developmental studies of mother-child problem-solving dyads. In S. Chaiklin & J. Lave (Eds.), *Understanding practice: Perspectives on activity and context* (pp. 306–326). Cambridge: Cambridge University Press.
- Luborsky, L., Rosenthal, R., Diguier, L., Andrusyna, T. P., Berman, J. S., Levitt, J. T., ... Krause, E. D. (2002). The Dodo bird verdict is alive and well – mostly. *Clinical Psychology: Science and Practice*, 9(1), 2–12. doi:10.1093/clippsy.9.1.2
- Luborsky, L., Singer, B., & Luborsky, L. (1976). Comparative studies of psychotherapies: Is it true that “everybody has won and all must have prizes”? In R. L. Spitzer & D. F. Klein (Eds.), *Evaluation of psychological therapies* (pp. 3–22). Baltimore, MD: Johns Hopkins University Press.
- Mackrill, T. (2007). Using a cross-contextual qualitative diary design to explore client experiences of psychotherapy. *Counselling and Psychotherapy Research*, 7(4), 233–239. doi:10.1080/14733140701722455
- Maddux, J. E. (2002). Stopping the “madness.” Positive psychology and the deconstruction of the illness ideology and the DSM. In C. R. Snyder & S. J. Lopez (Eds.), *Handbook of positive psychology* (pp. 13–25). Oxford: Oxford University Press.
- McCaffrey, T., Edwards, J., & Fannon, D. (2011). Is there a role for music therapy in the recovery approach in mental health? *The Arts in Psychotherapy*, 38(3), 185–189. doi:10.1016/j.aip.2011.04.006
- Mechanic, D. (1999). Mental health and mental illness: Definitions and perspectives. In A. V. Horwitz & T. L. Scheid (Eds.), *A handbook for the study of mental health* (pp. 12–28). Cambridge: Cambridge University Press.
- Miller, W. L., McDaniel, R. R., Crabtree, B. F., & Stange, K. C. (2001). Practice jazz: Understanding variation in family practices using complexity science. *Journal of Family Practice*, 50, 872–879.
- Moreno, J. (1988). Multicultural music therapy: The world music connection. *Journal of Music Therapy*, XXV(1), 17–27.
- Norcross, J. C. (Ed.). (2002). *Psychotherapy relationships that work: Therapist contributions and responsiveness to patients*. Oxford: Oxford University Press.
- Oates, K. R. (1996). It’s time to have another look at the medical model. *Child Abuse and Neglect*, 20, 3–5. doi:10.1016/0145-2134(95)00111-5
- Pavlicevic, M. (1997). *Music therapy in context: Music, meaning, and relationship*. London: Jessica Kingsley Publishers.
- Pavlicevic, M. (2010). Crime, community, and everyday practice: Music therapy as social activism. In B. Stige, G. Ansdell, C. Elefant, & M. Pavlicevic (Eds.), *Where music helps: Community music therapy in action and reflection*. London: Ashgate.
- Pavlicevic, M., & Ansdell, G. (2004). *Community music therapy*. London: Jessica Kingsley Publishers.
- Pedersen, I. N. (2013). Music therapy in psychiatry today – do we need specialization based on the reduction of diagnosis-specific symptoms or on the overall developments of patients’ resources? Or do we need both? *Nordic Journal of Music Therapy*. doi:10.1080/08098131.2013.790917
- Prilleltelsky, I., & Prilleltelsky, O. (2006). *Promoting well-being: Linking personal, organizational and community change*. New York, NY: John Wiley & Sons.
- Procter, S. (2001). Empowering and enabling – Music therapy in non-medical mental health provision. *Voices: A World Forum for Music Therapy*, 1(2). Retrieved from <https://voices.no/index.php/voices/article/view/58/46>.

- Procter, S. (2004). Playing politics: Community music therapy and the therapeutic redistribution of musical capital for mental health. In M. Pavlicevic & G. Ansdell (Eds.), *Community music therapy* (pp. 214–230). London: Jessica Kingsley Publishers.
- Procter, S. (2011). Reparative musicking: Thinking on the usefulness of social capital theory within music therapy. *Nordic Journal of Music Therapy*, 20(3), 242–262. doi:10.1080/08098131.2010.489998
- Risjord, M. (2010). *Nursing knowledge: Science, practice, and philosophy*. Oxford: Wiley-Blackwell.
- Rogers, A., & Pilgrim, D. (2010). *A sociology of mental health and illness*. New York, NY: Open University Press.
- Rolvsjord, R. (2001). Sophie learns to play the piano: A case study exploring the dialectics between didactic and psychotherapeutic music therapy practices. *Nordic Journal of Music Therapy*, 10(1), 11–85. doi:10.1080/08098130109478020
- Rolvsjord, R. (2006a). Gender politics in music therapy discourse. In S. Hadley (Ed.), *Feminist perspectives in music therapy* (pp. 311–327). Gilsum, NH: Barcelona Publishers.
- Rolvsjord, R. (2006b). Whose power of music? A discussion on music and power-relations in music therapy. *British Journal of Music Therapy*, 20(1), 5–12.
- Rolvsjord, R. (2010). *Resource-oriented music therapy in mental health care*. Gilsum, NH: Barcelona Publishers.
- Rolvsjord, R. (2013). Music therapy in everyday life: With the organ as the third therapist. In L. O. Bonde, E. Ruud, M. Skånland, & G. Trondalen (Eds.), *Music and health narratives* (pp. 201–220). Oslo: NMH-publikasjoner 2013. Skriftserie fra Senter for musikk og helse
- Rolvsjord, R., Gold, C., & Stige, B. (2005). Research rigour and therapeutic flexibility: Rationale for a therapy manual developed for a randomized controlled trial. *Nordic Journal of Music Therapy*, 14(1), 15–32. doi:10.1080/08098130509478122
- Rolvsjord, R., & Halstead, J. (2013). A woman's voice: The politics of gender identity in music therapy and everyday life. *The Arts in Psychotherapy*. doi:10.1016/j.aip.2013.05.015
- Ruud, E. (1980/1995). *Music therapy and its relationship to current treatment theories* (Revised ed.). Gilsum, NH: Barcelona Publishers.
- Ruud, E. (1987/1990). *Musikk som kommunikasjon og samhandling. Teoretiske perspektiv på musikkterapien* [Music as communication and interaction. Theoretical perspectives on music therapy]. Oslo: Solum.
- Ruud, E. (1996). *Musikk og verdier*. [Music and values]. Oslo: Universitetsforlaget.
- Ruud, E. (1997). Music and the quality of life. *Nordic Journal of Music Therapy*, 6(2), 86–97. doi:10.1080/08098139709477902
- Ruud, E. (1998). *Music therapy: Improvisation, communication, and culture*. Gilsum, NH: Barcelona Publishers.
- Ruud, E. (2001). Music therapy – History and cultural contexts. *Voices: A World Forum for Music Therapy*, 1(3), Retrieved from <https://voices.no/index.php/voices/article/view/66/53>.
- Ruud, E. (2010). *Music therapy: A perspective from the humanities*. Gilsum, NH: Barcelona Publishers.
- Schwabe, C. (2005). Resource-oriented music therapy – The development of a concept. *Nordic Journal of Music Therapy*, 14(1), 49–56. doi:10.1080/08098130509478125
- Seligman, M., & Csikszentmihalyi, M. (2000). Positive psychology: An introduction. *American Psychologist*, 55(1), 5–14.
- Shah, P., & Mountain, D. (2007). The medical model is dead – Long live the medical model. *British Journal of Psychiatry*, 191, 375–377.

- Shiell, A., Hawe, P., & Gold, L. (2008). Complex interventions or complex systems? Implications for health economic evaluation. *British Medical Journal*, 336(7656), 1281–1283. doi:10.1136/bmj.39569.510521.AD
- Silverman, M. J. (2003). Contingency songwriting to reduce combativeness and non-cooperation in a client with schizophrenia: A case study. *The Arts in Psychotherapy*, 30, 25–33. doi:10.1016/S0197-4556(02)00231-9
- Silverman, M. J. (2005). Using music therapy games with adult psychiatric patients. *The Arts in Psychotherapy*, 32, 121–129. doi:10.1016/j.aip.2005.01.006
- Silverman, M. J. (2007). Evaluating current trends in psychiatric music therapy: A descriptive analysis. *Journal of Music Therapy*, 44(4), 388–413.
- Solli, H. P. (2008). Shut up and play! Improvisational use of popular music for a man with schizophrenia. *Nordic Journal of Music Therapy*, 17(19), 67–77. doi:10.1080/08098130809478197
- Solli, H. P. (2012). Med pasienten i førersetet. Recovery-perspektivets mulige implikasjoner for musikkterapi i psykisk helsearbeid [With the patient in the driver's seat: The possible implications of the recovery perspective for music therapy in mental health care]. *MIPPO. Musikkterapi i psykiatrien Online*, 7(2). doi:10.5278/ojs/mipo/2edleel2
- Solli, H. P., Rolvsjord, R., & Borg, M. (in press). Toward understanding music therapy as a recovery-oriented practice within mental health care: A meta-synthesis of service users' experiences. *Journal of Music Therapy*, 50(4), 244–273.
- Stige, B. (2002). *Culture-centered music therapy*. Gilsum, NH: Barcelona Publishers.
- Stige, B. (2003/2012). *Elaborations toward a notion of community music therapy*. Gilsum, NH: Barcelona Publishers.
- Stige, B. (2011). The doors and windows of the dressing room: Culture-centered music therapy in a mental health setting. In A. Meadows (Ed.), *Developments in music therapy practice: Case study perspectives* (pp. 416–433). Gilsum, NH: Barcelona Publishers.
- Stige, B., & Aarø, L. E. (2012). *Invitation to community music therapy*. New York, NY: Routledge.
- Stige, B., Ansdell, G., Elefant, C., & Pavlicevic, M. (2010). *Where music helps: Community music therapy in action and reflection*. London: Ashgate.
- Szasz, T. (1979). *The myth of psychotherapy: Mental healing as religion, rhetoric, and repression*. Oxford: Oxford University Press.
- Talwar, N., Crawford, M., Maratos, A., Nur, U., McDermott, O., & Procter, S. (2006). Music therapy for in-patients with schizophrenia: Exploratory randomised controlled trial. *The British Journal of Psychiatry*, 189, 405–409. doi:10.1192/bjp.bp.105.015073
- Turry, A. (2005). Music psychotherapy and community music therapy: Questions and considerations. *Voices: A World Forum for Music Therapy*, 5(1). Retrieved from <https://voices.no/index.php/voices/article/view/208/152>.
- Tyson, F. (1981). *Psychiatric music therapy – Origins and development*. New York, NY: Creative Arts Rehabilitation Center.
- Unkefer, R. F. & Thaut, M. H. (Eds.). (2005). *Music therapy in the treatment of adults with mental disorders: Theoretical bases and clinical interventions*. Gilsum, NH: Barcelona Publishers.
- Veltre, V. J., & Hadley, S. (2012). It's bigger than hip-hop: A hip-hop feminist approach to music therapy with adolescent females. In S. Hadley, & G. Yancy (Eds.), *Therapeutic uses of rap and hip-hop* (pp. 79–98). New York, NY: Routledge.
- Wampold, B. (2001a). *The great psychotherapy debate*. Mahwah, NJ: Lawrence Erlbaum Associates Publishers.
- Wampold, B. (2001b). Contextualizing psychotherapy as a healing practice: Culture, history and methods. *Applied and Preventive Psychology*, 10, 69–86. doi:10.1017/S0962-1849(02)01001-6

- Wampold, B. (2007). Psychotherapy: The humanistic (and effective) treatment. *American Psychologist*, 62(8), 857–873. doi:10.1037/0003-066X.62.8.857
- Webster's Dictionary & Thesaurus (2000). New York, NY: Trident Press International.
- Wigram, T., & Gold, C. (2006). Music therapy in the assessment and treatment of autistic spectrum disorder: Clinical application and research evidence. *Child: Care, Health and Development*, 32(5), 535–542. doi:10.1111/j.1365-2214.2006.00615.x
- Wigram, T., & Gold, C. (2012). The religion of evidence-based practice: Helpful or harmful to health and wellbeing. In R. MacDonald, G. Kreutz, & L. Mitchell (Eds.), *Music, health and wellbeing* (pp. 164–182). New York, NY: Oxford University Press.
- Wilson, B. L. (2005). Transitioning from institution to community. In R. F. Unkefer & M. H. Thaut (Eds.), *Music therapy in the treatment of adults with mental disorders: Theoretical bases and clinical interventions* (pp. 104–116). Gilsum, NH: Barcelona Publishers.