
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2020



HHSC REGION 9 AND 10 REPORT

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	3
Tobacco	4
Alcohol	7
Drugs	15
Inhalants	30
Miscellaneous	34
2 Prevalence Tables	40
Table B-1: All Students	41
Table B-2: Male Students	45
Table B-3: Female Students	49
Table B-4: White Non-Hispanic Students	53
Table B-5: African American Non-Hispanic Students	57
Table B-6: Hispanic or Latino Students	60
Table B-7: Students Reporting A Grades on Average	64
Table B-8: Students Reporting Grades Lower Than an A on Average	68
Table B-9: Students Living with 2 Parents	72
Table B-10: Students Not Living with 2 Parents	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	84
3 Margin Tables	88
Appendix: Reporting Methods for Prevalence & Recency of Use	111

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 9 and 10. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

During the 2019-2020 school year, schools across Texas were closed from early March through the end of the school year due to the COVID-19 pandemic. Due to this sudden and unexpected closure, many schools that had registered for the survey were unable to complete it. Please

note that both the drop in participation along with the fact that those that did complete did so before March may have impacted the data.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	16.9%	20.3%	33.7%	66.3%
Grade 7	7.4%	9.1%	18.5%	81.5%
Grade 8	15.2%	18.7%	32.0%	68.0%
Grade 9	18.1%	21.6%	36.5%	63.5%
Grade 10	17.4%	22.6%	38.1%	61.9%
Grade 11	25.4%	28.0%	40.9%	59.1%
Grade 12	19.3%	23.4%	37.5%	62.5%
Cigarettes?				
All	3.8%	5.6%	16.3%	83.7%
Grade 7	1.2%	1.7%	6.4%	93.6%
Grade 8	2.7%	3.7%	13.0%	87.0%
Grade 9	3.1%	4.6%	15.0%	85.0%
Grade 10	4.4%	5.9%	17.7%	82.3%
Grade 11	6.4%	9.4%	25.3%	74.7%
Grade 12	5.5%	9.3%	23.3%	76.7%
Smokeless Tobacco?				
All	2.7%	3.8%	8.0%	92.0%
Grade 7	0.8%	1.1%	3.2%	96.8%
Grade 8	1.7%	2.9%	6.6%	93.4%
Grade 9	3.6%	4.8%	8.0%	92.0%
Grade 10	3.0%	4.3%	8.8%	91.2%
Grade 11	4.0%	5.4%	13.3%	86.7%
Grade 12	3.2%	4.8%	9.1%	90.9%
Electronic Vapor Products?				
All	11.6%	16.6%	30.0%	70.0%
Grade 7	4.0%	6.4%	15.5%	84.5%
Grade 8	9.8%	15.2%	28.1%	71.9%
Grade 9	12.5%	17.5%	31.5%	68.5%
Grade 10	13.2%	19.7%	34.3%	65.7%
Grade 11	17.6%	22.9%	37.4%	62.6%
Grade 12	13.5%	18.7%	34.7%	65.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	86.1%	1.3%	1.4%	1.8%	2.4%	2.2%	4.9%
Grade 7	95.1%	0.0%	0.3%	0.2%	1.4%	1.0%	2.0%
Grade 8	89.3%	0.2%	0.6%	0.9%	1.8%	2.5%	4.6%
Grade 9	87.4%	1.3%	0.9%	1.6%	2.4%	1.8%	4.7%
Grade 10	84.6%	1.1%	1.6%	1.9%	2.3%	3.0%	5.6%
Grade 11	76.1%	3.1%	4.1%	3.5%	3.8%	2.2%	7.1%
Grade 12	81.8%	2.2%	1.0%	2.8%	3.1%	3.1%	5.9%

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	12.9	10.5	11.5	12.2	13.3	13.1	14.5

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	35.5%	21.3%	7.1%	10.4%	12.5%	13.2%
Grade 7	41.3%	32.8%	7.9%	7.4%	5.5%	5.2%
Grade 8	34.7%	25.6%	7.8%	10.6%	12.1%	9.2%
Grade 9	37.2%	18.1%	8.2%	10.3%	12.6%	13.7%
Grade 10	35.6%	18.0%	7.5%	10.5%	15.1%	13.3%
Grade 11	30.1%	16.9%	4.9%	12.9%	15.5%	19.7%
Grade 12	32.5%	14.9%	6.1%	11.4%	15.1%	20.0%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	73.4%	16.5%	5.6%	3.7%	0.9%
Grade 7	89.3%	8.0%	1.7%	0.8%	0.2%
Grade 8	76.7%	16.2%	4.5%	2.4%	0.3%
Grade 9	74.7%	15.9%	5.3%	3.2%	1.0%
Grade 10	72.6%	18.0%	5.4%	3.4%	0.7%
Grade 11	60.6%	21.1%	9.1%	8.1%	1.1%
Grade 12	62.3%	21.4%	8.6%	5.0%	2.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.2%	6.4%	5.4%	0.8%	0.6%	8.5%
Grade 7	81.2%	4.1%	3.1%	0.7%	0.6%	10.2%
Grade 8	84.4%	3.8%	2.5%	0.7%	0.4%	8.3%
Grade 9	76.4%	6.8%	5.8%	0.8%	0.2%	10.0%
Grade 10	79.1%	5.2%	6.5%	0.3%	1.0%	7.9%
Grade 11	75.0%	9.0%	7.6%	0.4%	0.7%	7.2%
Grade 12	71.5%	10.6%	7.6%	2.4%	0.9%	7.0%

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	62.9%	23.3%	7.0%	1.8%	5.0%
Grade 7	72.3%	16.7%	4.8%	0.5%	5.7%
Grade 8	64.9%	23.2%	5.7%	1.2%	4.9%
Grade 9	61.2%	24.8%	7.4%	1.4%	5.2%
Grade 10	64.5%	21.1%	8.4%	1.7%	4.3%
Grade 11	55.7%	26.9%	7.2%	4.2%	5.9%
Grade 12	56.6%	28.7%	8.6%	2.1%	4.1%
Electronic Vapor Products?					
All	63.7%	16.6%	10.3%	4.0%	5.4%
Grade 7	72.1%	13.2%	7.0%	3.0%	4.8%
Grade 8	62.3%	17.0%	10.4%	3.6%	6.7%
Grade 9	60.4%	15.3%	14.0%	4.2%	6.2%
Grade 10	61.4%	17.1%	12.0%	5.1%	4.6%
Grade 11	60.6%	17.5%	10.3%	5.1%	6.5%
Grade 12	65.6%	20.4%	7.5%	3.3%	3.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	31.6%	36.4%	53.4%	46.6%
Grade 7	19.2%	21.9%	38.0%	62.0%
Grade 8	30.3%	33.9%	52.9%	47.1%
Grade 9	31.4%	36.0%	54.2%	45.8%
Grade 10	34.3%	39.6%	57.2%	42.8%
Grade 11	39.4%	44.9%	57.2%	42.8%
Grade 12	37.2%	45.5%	63.4%	36.6%
Beer?				
All	14.1%	19.9%	44.0%	56.0%
Grade 7	5.4%	8.3%	30.3%	69.7%
Grade 8	11.7%	16.0%	43.2%	56.8%
Grade 9	14.2%	19.2%	44.4%	55.6%
Grade 10	15.6%	22.7%	47.3%	52.7%
Grade 11	20.0%	27.5%	49.5%	50.5%
Grade 12	19.6%	28.6%	51.6%	48.4%
Wine Coolers?				
All	9.8%	14.3%	30.6%	69.4%
Grade 7	3.5%	5.4%	16.0%	84.0%
Grade 8	6.2%	9.3%	26.1%	73.9%
Grade 9	10.5%	14.1%	27.5%	72.5%
Grade 10	11.8%	15.5%	33.5%	66.5%
Grade 11	14.9%	22.0%	41.0%	59.0%
Grade 12	13.2%	21.6%	43.6%	56.4%
Wine?				
All	7.7%	11.0%	32.1%	67.9%
Grade 7	4.0%	5.2%	20.1%	79.9%
Grade 8	6.2%	8.9%	31.6%	68.4%
Grade 9	9.5%	12.8%	31.8%	68.2%
Grade 10	7.3%	10.4%	34.2%	65.8%
Grade 11	9.3%	13.9%	37.2%	62.8%
Grade 12	10.5%	16.1%	40.3%	59.7%
Liquor?				
All	11.5%	16.4%	35.9%	64.1%
Grade 7	3.9%	5.8%	17.3%	82.7%
Grade 8	7.9%	11.6%	32.7%	67.3%
Grade 9	12.2%	16.4%	36.5%	63.5%
Grade 10	14.1%	20.8%	41.0%	59.0%
Grade 11	16.4%	22.4%	41.9%	58.1%
Grade 12	15.8%	23.2%	49.6%	50.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 7 of 126

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	61.2%	0.4%	2.1%	6.1%	11.9%	9.3%	8.9%
Grade 7	78.4%	0.1%	0.4%	1.8%	6.3%	5.6%	7.4%
Grade 8	63.4%	0.2%	1.9%	4.8%	9.7%	8.6%	11.5%
Grade 9	60.6%	0.5%	1.9%	5.3%	13.1%	9.1%	9.5%
Grade 10	58.8%	0.2%	2.4%	6.3%	13.6%	10.3%	8.3%
Grade 11	54.3%	1.2%	3.4%	9.8%	13.6%	10.0%	7.6%
Grade 12	48.5%	0.2%	3.1%	10.0%	15.9%	13.1%	9.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer	All	60.4%	39.6%	9.5%	19.5%	10.6%
	Grade 7	73.3%	26.7%	3.7%	12.0%	11.1%
	Grade 8	61.4%	38.6%	6.4%	17.8%	14.4%
	Grade 9	60.4%	39.6%	7.6%	19.8%	12.2%
	Grade 10	58.0%	42.0%	11.8%	22.2%	8.0%
	Grade 11	55.4%	44.6%	14.6%	22.5%	7.5%
	Grade 12	51.6%	48.4%	14.7%	23.6%	10.0%
Wine Coolers	All	73.3%	26.7%	6.1%	15.0%	5.7%
	Grade 7	87.7%	12.3%	1.2%	5.8%	5.3%
	Grade 8	76.8%	23.2%	3.9%	12.5%	6.7%
	Grade 9	75.4%	24.6%	5.3%	14.8%	4.5%
	Grade 10	68.9%	31.1%	6.3%	18.6%	6.1%
	Grade 11	65.6%	34.4%	11.9%	18.3%	4.1%
	Grade 12	62.2%	37.8%	9.1%	21.2%	7.5%
Wine	All	72.9%	27.1%	2.1%	14.0%	11.0%
	Grade 7	84.1%	15.9%	0.9%	6.9%	8.1%
	Grade 8	72.4%	27.6%	2.3%	11.9%	13.5%
	Grade 9	73.1%	26.9%	2.5%	13.5%	10.9%
	Grade 10	70.3%	29.7%	1.6%	15.3%	12.7%
	Grade 11	68.9%	31.1%	2.7%	17.9%	10.5%
	Grade 12	66.8%	33.2%	2.5%	20.3%	10.4%
Liquor	All	66.9%	33.1%	8.1%	16.2%	8.8%
	Grade 7	85.2%	14.8%	2.1%	6.6%	6.1%
	Grade 8	70.0%	30.0%	6.1%	13.1%	10.8%
	Grade 9	66.7%	33.3%	9.0%	14.2%	10.0%
	Grade 10	62.2%	37.8%	9.9%	18.8%	9.2%
	Grade 11	60.3%	39.7%	11.8%	20.7%	7.2%
	Grade 12	53.5%	46.5%	10.4%	26.7%	9.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	88.3%	4.1%	2.4%	2.6%	0.7%	1.8%
Grade 7	96.0%	1.9%	0.5%	0.8%	0.4%	0.5%
Grade 8	90.4%	3.3%	2.6%	2.1%	0.7%	1.0%
Grade 9	88.0%	5.6%	2.0%	2.4%	0.6%	1.3%
Grade 10	86.9%	5.2%	2.2%	2.4%	1.0%	2.3%
Grade 11	81.9%	4.2%	3.9%	5.6%	0.7%	3.6%
Grade 12	85.4%	4.6%	3.4%	2.8%	1.2%	2.5%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.9	10.5	11.3	12.5	13.5	13.7	14.9

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	26.8%	13.9%	6.3%	12.8%	18.3%	22.0%
Grade 7	34.4%	23.1%	7.2%	10.8%	12.5%	12.1%
Grade 8	25.0%	15.6%	7.9%	13.9%	17.7%	19.9%
Grade 9	26.0%	13.7%	6.0%	13.4%	18.1%	22.9%
Grade 10	27.1%	9.8%	5.6%	11.9%	20.9%	24.6%
Grade 11	23.2%	13.3%	4.8%	11.3%	19.7%	27.7%
Grade 12	24.1%	5.8%	5.9%	15.8%	22.2%	26.2%

Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	94.6%	4.4%	0.4%	0.7%
Grade 7	96.2%	3.6%	0.2%	0.0%
Grade 8	93.1%	6.3%	0.4%	0.3%
Grade 9	94.5%	4.4%	0.4%	0.7%
Grade 10	94.5%	4.7%	0.5%	0.3%
Grade 11	94.2%	3.0%	0.5%	2.3%
Grade 12	95.0%	4.2%	0.3%	0.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 10 of 126

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	3.9
Alcohol Non-Users	2.7
Average Days Conduct Problems Reported	
Alcohol Users	2.0
Alcohol Non-Users	0.6

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	95.3%	3.5%	0.7%	0.5%
Grade 9	97.5%	2.2%	0.1%	0.3%
Grade 10	97.3%	2.3%	0.1%	0.3%
Grade 11	92.6%	5.2%	2.2%	0.0%
Grade 12	93.0%	4.8%	0.6%	1.7%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	96.4%	2.9%	0.5%	0.2%
Grade 7	98.2%	1.4%	0.3%	0.2%
Grade 8	95.4%	3.8%	0.7%	0.1%
Grade 9	95.5%	3.4%	0.9%	0.2%
Grade 10	97.2%	2.5%	0.1%	0.2%
Grade 11	96.0%	3.5%	0.5%	0.0%
Grade 12	96.0%	3.0%	0.6%	0.3%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	48.5%	24.7%	12.9%	10.4%	3.5%
Grade 7	71.8%	19.6%	5.3%	2.5%	0.8%
Grade 8	49.9%	28.2%	13.0%	6.5%	2.4%
Grade 9	46.0%	25.9%	14.7%	10.3%	3.0%
Grade 10	42.6%	28.4%	11.1%	13.8%	4.1%
Grade 11	42.1%	20.5%	18.0%	15.4%	4.0%
Grade 12	34.5%	25.7%	16.3%	15.5%	8.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	52.1%	7.7%	5.5%	8.9%	9.5%	2.4%	13.8%
Grade 7	68.8%	7.2%	4.7%	4.4%	2.4%	2.3%	10.2%
Grade 8	57.1%	10.1%	7.3%	7.3%	4.6%	3.1%	10.5%
Grade 9	50.4%	8.5%	6.6%	9.9%	7.4%	1.1%	16.1%
Grade 10	48.5%	8.0%	4.6%	10.6%	12.3%	1.3%	14.7%
Grade 11	45.4%	5.3%	5.1%	10.2%	15.7%	4.7%	13.6%
Grade 12	38.8%	6.9%	4.7%	11.6%	17.2%	2.4%	18.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	60.2%	19.7%	12.7%	5.1%	2.3%
	Grade 7	69.1%	18.7%	7.7%	3.7%	0.8%
	Grade 8	59.0%	21.8%	13.2%	4.4%	1.6%
	Grade 9	58.0%	21.8%	11.2%	6.5%	2.6%
	Grade 10	59.6%	17.1%	15.3%	4.8%	3.2%
	Grade 11	59.6%	20.3%	12.7%	5.2%	2.2%
	Grade 12	54.6%	18.3%	17.4%	6.1%	3.5%
Friends?						
	All	56.5%	18.5%	12.5%	9.8%	2.8%
	Grade 7	68.7%	23.7%	4.9%	1.8%	0.9%
	Grade 8	58.7%	20.1%	10.3%	9.4%	1.5%
	Grade 9	56.5%	19.3%	12.5%	8.0%	3.6%
	Grade 10	52.8%	16.3%	15.3%	13.0%	2.5%
	Grade 11	53.3%	14.0%	13.6%	15.2%	4.0%
	Grade 12	46.4%	16.8%	19.5%	12.4%	4.9%
A Store?						
	All	61.3%	31.5%	3.5%	2.2%	1.5%
	Grade 7	70.5%	27.4%	1.0%	0.8%	0.3%
	Grade 8	61.9%	33.2%	2.7%	1.9%	0.3%
	Grade 9	60.7%	31.9%	3.6%	2.3%	1.5%
	Grade 10	59.3%	33.0%	3.0%	2.5%	2.2%
	Grade 11	60.2%	28.3%	6.8%	2.3%	2.4%
	Grade 12	53.5%	35.7%	4.4%	3.6%	2.8%
Parties?						
	All	54.2%	14.9%	11.8%	11.3%	7.8%
	Grade 7	66.1%	19.0%	8.1%	5.3%	1.5%
	Grade 8	55.2%	18.2%	11.5%	9.7%	5.3%
	Grade 9	53.7%	14.3%	13.1%	11.4%	7.6%
	Grade 10	51.1%	13.2%	11.4%	14.6%	9.6%
	Grade 11	52.3%	10.1%	12.6%	13.0%	12.1%
	Grade 12	44.6%	14.0%	14.4%	14.8%	12.0%
Other Sources?						
	All	61.4%	22.2%	7.2%	5.5%	3.7%
	Grade 7	69.7%	22.8%	3.6%	3.0%	1.0%
	Grade 8	61.3%	22.0%	7.9%	5.7%	3.0%
	Grade 9	60.5%	22.6%	7.6%	5.4%	3.9%
	Grade 10	60.5%	21.9%	7.6%	5.7%	4.3%
	Grade 11	60.8%	19.2%	8.7%	5.1%	6.2%
	Grade 12	54.2%	25.2%	8.0%	8.6%	4.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	61.1%	14.1%	12.1%	3.6%	1.0%	8.0%
Grade 7	70.7%	10.7%	6.1%	1.1%	0.7%	10.7%
Grade 8	68.3%	12.1%	7.6%	2.8%	0.9%	8.3%
Grade 9	57.7%	18.2%	11.7%	3.2%	0.1%	9.2%
Grade 10	61.6%	11.6%	14.5%	3.8%	1.1%	7.4%
Grade 11	56.8%	14.8%	15.8%	5.0%	1.0%	6.7%
Grade 12	49.1%	17.9%	18.3%	6.7%	2.6%	5.3%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	47.5%	30.8%	14.1%	3.3%	4.4%
Grade 7	56.0%	26.7%	10.5%	2.5%	4.3%
Grade 8	46.8%	28.8%	16.6%	2.9%	5.0%
Grade 9	45.3%	31.5%	14.9%	4.0%	4.3%
Grade 10	44.3%	31.7%	17.6%	2.7%	3.7%
Grade 11	45.5%	32.9%	12.8%	2.9%	5.9%
Grade 12	46.3%	33.8%	11.4%	5.2%	3.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 14 of 126

Drugs

Table D-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	14.7%	18.6%	24.8%	75.2%
Grade 7	6.0%	8.2%	11.2%	88.8%
Grade 8	13.1%	17.8%	20.1%	79.9%
Grade 9	16.6%	19.3%	26.1%	73.9%
Grade 10	14.4%	19.3%	28.5%	71.5%
Grade 11	22.2%	26.7%	33.4%	66.6%
Grade 12	17.5%	21.8%	31.8%	68.2%
Marijuana?				
All	14.0%	16.3%	22.5%	77.5%
Grade 7	5.3%	6.1%	7.8%	92.2%
Grade 8	12.4%	15.0%	17.3%	82.7%
Grade 9	15.9%	17.5%	24.2%	75.8%
Grade 10	13.6%	16.3%	26.2%	73.8%
Grade 11	21.5%	24.1%	31.4%	68.6%
Grade 12	16.6%	20.6%	30.9%	69.1%
Cocaine?				
All	2.0%	2.2%	3.6%	96.4%
Grade 7	0.9%	0.9%	1.3%	98.7%
Grade 8	1.5%	1.7%	2.6%	97.4%
Grade 9	0.8%	0.9%	1.8%	98.2%
Grade 10	1.6%	1.7%	4.6%	95.4%
Grade 11	5.1%	5.3%	7.4%	92.6%
Grade 12	2.9%	3.7%	4.9%	95.1%
Crack?				
All	0.7%	0.8%	1.0%	99.0%
Grade 7	0.4%	0.7%	0.7%	99.3%
Grade 8	0.8%	1.0%	1.2%	98.8%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	1.4%	1.6%	1.9%	98.1%
Grade 12	0.7%	0.9%	1.3%	98.7%
Hallucinogens?				
All	1.0%	1.4%	2.9%	97.1%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.6%	0.8%	2.4%	97.6%
Grade 9	1.1%	2.2%	3.2%	96.8%
Grade 10	1.9%	2.0%	3.2%	96.8%
Grade 11	1.3%	2.0%	5.0%	95.0%
Grade 12	1.0%	1.1%	2.6%	97.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.8%	0.9%	1.4%	98.6%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids?				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.4%	0.7%	1.1%	98.9%
Grade 8	0.5%	0.7%	1.6%	98.4%
Grade 9	0.6%	0.9%	2.0%	98.0%
Grade 10	0.3%	0.3%	0.6%	99.4%
Grade 11	0.1%	0.7%	1.0%	99.0%
Grade 12	0.3%	0.3%	0.9%	99.1%
Ecstasy?				
All	0.9%	1.4%	2.5%	97.5%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.6%	1.1%	1.4%	98.6%
Grade 9	0.9%	1.0%	1.5%	98.5%
Grade 10	1.4%	2.4%	3.3%	96.7%
Grade 11	1.4%	2.0%	4.9%	95.1%
Grade 12	0.8%	1.5%	3.9%	96.1%
Heroin?				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.3%	0.4%	1.0%	99.0%
Grade 8	0.4%	0.6%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	0.8%	1.0%	2.2%	97.8%
Grade 12	0.1%	0.1%	0.7%	99.3%
Methamphetamine?				
All	0.6%	0.6%	1.1%	98.9%
Grade 7	0.2%	0.3%	1.0%	99.0%
Grade 8	0.7%	0.8%	1.4%	98.6%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.6%	0.7%	0.9%	99.1%
Grade 11	1.6%	1.8%	2.1%	97.9%
Grade 12	0.0%	0.0%	0.7%	99.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.4%	2.2%	4.5%	95.5%
Grade 7	0.7%	1.0%	2.5%	97.5%
Grade 8	1.9%	3.0%	6.0%	94.0%
Grade 9	1.2%	2.3%	4.7%	95.3%
Grade 10	1.5%	2.5%	4.6%	95.4%
Grade 11	2.5%	3.1%	6.2%	93.8%
Grade 12	0.9%	1.3%	3.1%	96.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	82.1%	2.0%	1.8%	3.3%	3.5%	3.6%	3.7%
	Grade 7	94.1%	0.1%	0.6%	0.8%	1.2%	2.0%	1.3%
	Grade 8	85.3%	0.9%	1.7%	2.7%	4.5%	3.4%	1.5%
	Grade 9	80.2%	2.4%	1.9%	5.2%	3.0%	2.8%	4.5%
	Grade 10	79.7%	2.9%	1.6%	2.8%	3.6%	3.9%	5.5%
	Grade 11	73.8%	3.6%	2.3%	5.6%	5.3%	5.7%	3.7%
	Grade 12	78.2%	2.6%	2.8%	2.5%	4.0%	4.1%	5.9%
Cocaine?								
	All	97.6%	0.1%	0.2%	0.3%	0.5%	0.5%	0.7%
	Grade 7	99.3%	0.0%	0.0%	0.1%	0.2%	0.2%	0.2%
	Grade 8	98.5%	0.0%	0.0%	0.0%	0.6%	0.8%	0.0%
	Grade 9	99.0%	0.1%	0.0%	0.1%	0.2%	0.3%	0.3%
	Grade 10	97.2%	0.3%	0.2%	0.2%	0.4%	0.6%	1.1%
	Grade 11	93.7%	0.2%	0.9%	1.1%	0.6%	1.1%	2.4%
	Grade 12	97.5%	0.0%	0.5%	0.2%	1.0%	0.2%	0.6%
Crack?								
	All	99.5%	0.0%	0.0%	0.2%	0.1%	0.1%	0.1%
	Grade 7	99.3%	0.0%	0.0%	0.1%	0.2%	0.4%	0.0%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%
	Grade 9	99.7%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%
	Grade 10	99.8%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%
	Grade 11	98.9%	0.0%	0.0%	0.7%	0.4%	0.0%	0.0%
	Grade 12	99.1%	0.0%	0.0%	0.1%	0.2%	0.1%	0.5%
Steroids?								
	All	99.3%	0.1%	0.0%	0.0%	0.2%	0.1%	0.3%
	Grade 7	99.4%	0.0%	0.0%	0.0%	0.3%	0.1%	0.2%
	Grade 8	99.2%	0.0%	0.0%	0.0%	0.4%	0.2%	0.2%
	Grade 9	98.5%	0.3%	0.0%	0.0%	0.1%	0.1%	1.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.3%	0.0%	0.0%	0.0%	0.4%	0.0%	0.3%
	Grade 12	99.7%	0.1%	0.0%	0.2%	0.0%	0.0%	0.0%
Ecstasy?								
	All	98.2%	0.1%	0.0%	0.1%	0.5%	0.5%	0.6%
	Grade 7	99.6%	0.1%	0.0%	0.0%	0.0%	0.2%	0.1%
	Grade 8	99.0%	0.0%	0.1%	0.2%	0.4%	0.2%	0.1%
	Grade 9	98.8%	0.3%	0.0%	0.1%	0.2%	0.3%	0.2%
	Grade 10	97.1%	0.0%	0.1%	0.1%	1.2%	0.9%	0.6%
	Grade 11	96.5%	0.0%	0.0%	0.2%	0.6%	0.9%	1.8%
	Grade 12	97.5%	0.0%	0.0%	0.0%	0.5%	0.7%	1.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.6%	0.0%	0.0%	0.1%	0.1%	0.1%	0.1%
	Grade 7	99.4%	0.1%	0.1%	0.0%	0.0%	0.0%	0.3%
	Grade 8	99.5%	0.0%	0.0%	0.0%	0.1%	0.1%	0.3%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.7%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%
	Grade 11	99.1%	0.0%	0.0%	0.7%	0.2%	0.0%	0.0%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
Methamphetamine?								
	All	99.2%	0.1%	0.0%	0.1%	0.2%	0.2%	0.2%
	Grade 7	99.3%	0.0%	0.0%	0.1%	0.1%	0.0%	0.5%
	Grade 8	99.3%	0.0%	0.0%	0.1%	0.2%	0.4%	0.0%
	Grade 9	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
	Grade 10	99.4%	0.1%	0.1%	0.3%	0.0%	0.1%	0.0%
	Grade 11	98.2%	0.7%	0.0%	0.0%	0.9%	0.0%	0.2%
	Grade 12	99.4%	0.0%	0.0%	0.0%	0.0%	0.2%	0.4%
Synthetic Marijuana?								
	All	96.9%	0.1%	0.2%	0.3%	0.6%	0.8%	1.1%
	Grade 7	98.2%	0.0%	0.1%	0.1%	0.2%	0.5%	0.9%
	Grade 8	96.0%	0.1%	0.4%	0.6%	0.7%	1.1%	1.0%
	Grade 9	97.3%	0.2%	0.1%	0.3%	0.8%	0.7%	0.6%
	Grade 10	97.3%	0.1%	0.4%	0.5%	0.4%	0.6%	0.8%
	Grade 11	94.7%	0.1%	0.0%	0.3%	1.3%	1.4%	2.2%
	Grade 12	98.2%	0.0%	0.0%	0.0%	0.2%	0.5%	1.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.5	11.4	12.2	12.7	13.9	14.2	14.6
Cocaine	13.9	11.2	11.9	13.9	14.2	14.1	15.2
Crack	12.4	12.1	11.7	11.9	14.1	12.2	13.0
Steroids	12.1	9.7	11.0	12.1	17.0	13.1	16.1
Ecstasy	14.5	11.6	12.3	13.2	13.9	15.7	15.3
Heroin	11.6	9.3	10.7	12.0	12.6	12.0	12.7
Methamphetamine	12.1	10.5	11.9	13.4	13.6	9.9	13.9
Synthetic Marijuana	13.5	11.8	12.1	12.6	13.8	15.0	15.6

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 20 of 126

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	33.2%	22.6%	7.3%	9.3%	11.6%	16.1%
	Grade 7	41.9%	36.7%	7.1%	6.3%	3.3%	4.8%
	Grade 8	32.0%	28.4%	8.8%	9.2%	9.8%	12.0%
	Grade 9	32.7%	20.6%	7.7%	10.4%	11.7%	16.8%
	Grade 10	32.7%	17.4%	6.5%	11.8%	14.1%	17.6%
	Grade 11	26.3%	15.7%	6.6%	8.8%	15.1%	27.5%
	Grade 12	32.3%	14.1%	7.1%	9.3%	17.2%	20.0%
Cocaine?							
	All	45.2%	30.6%	9.6%	6.0%	3.8%	4.8%
	Grade 7	47.3%	41.4%	6.7%	2.9%	0.7%	1.1%
	Grade 8	42.3%	35.7%	11.0%	5.2%	2.6%	3.2%
	Grade 9	44.9%	31.8%	8.2%	7.4%	3.2%	4.4%
	Grade 10	47.7%	25.3%	9.7%	6.0%	5.2%	6.1%
	Grade 11	41.6%	24.2%	12.1%	6.6%	6.4%	9.2%
	Grade 12	47.5%	22.8%	10.8%	8.3%	5.2%	5.5%
Crack?							
	All	48.4%	31.3%	9.9%	5.2%	2.2%	3.0%
	Grade 7	49.1%	40.3%	6.2%	2.8%	0.8%	0.8%
	Grade 8	43.9%	37.7%	10.2%	4.3%	1.6%	2.2%
	Grade 9	47.3%	32.4%	8.0%	6.4%	2.4%	3.5%
	Grade 10	51.2%	26.4%	10.7%	4.9%	3.1%	3.7%
	Grade 11	46.4%	25.8%	13.9%	6.4%	2.5%	5.0%
	Grade 12	53.0%	22.7%	11.6%	6.6%	3.0%	3.0%
Steroids?							
	All	50.6%	29.9%	9.0%	6.0%	1.9%	2.6%
	Grade 7	53.0%	35.8%	6.2%	4.0%	0.5%	0.6%
	Grade 8	46.9%	35.1%	8.3%	5.4%	2.6%	1.7%
	Grade 9	48.1%	31.2%	9.3%	5.5%	2.0%	3.9%
	Grade 10	52.9%	26.8%	9.3%	6.1%	1.5%	3.4%
	Grade 11	48.3%	24.5%	12.5%	7.4%	3.4%	3.8%
	Grade 12	55.2%	24.1%	8.5%	8.5%	1.4%	2.3%
Ecstasy?							
	All	57.1%	25.4%	6.8%	4.6%	3.0%	3.0%
	Grade 7	66.1%	27.1%	3.9%	1.5%	0.7%	0.6%
	Grade 8	56.7%	30.0%	6.3%	3.0%	1.9%	2.2%
	Grade 9	55.6%	27.5%	6.0%	5.0%	2.6%	3.2%
	Grade 10	54.2%	24.6%	7.9%	6.0%	3.9%	3.4%
	Grade 11	52.9%	21.0%	8.3%	7.1%	5.7%	5.0%
	Grade 12	56.4%	21.0%	9.0%	5.6%	3.9%	4.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?							
	All	53.8%	30.8%	7.8%	3.5%	1.8%	2.2%
	Grade 7	57.9%	33.6%	4.8%	1.6%	1.2%	0.9%
	Grade 8	49.8%	35.4%	8.4%	3.2%	1.6%	1.6%
	Grade 9	51.6%	32.2%	7.2%	4.4%	1.8%	2.7%
	Grade 10	55.8%	29.9%	6.8%	2.5%	2.7%	2.2%
	Grade 11	50.6%	26.6%	11.6%	5.6%	1.5%	4.0%
	Grade 12	57.6%	25.5%	8.6%	4.1%	2.0%	2.2%
Methamphetamine?							
	All	54.6%	29.6%	8.2%	3.7%	1.6%	2.4%
	Grade 7	59.6%	32.2%	5.6%	1.5%	0.8%	0.3%
	Grade 8	52.8%	32.6%	8.3%	3.1%	1.7%	1.6%
	Grade 9	52.5%	30.8%	7.6%	4.7%	1.5%	3.1%
	Grade 10	55.9%	27.8%	8.1%	3.5%	1.8%	2.8%
	Grade 11	50.4%	26.6%	11.0%	6.0%	1.7%	4.3%
	Grade 12	56.4%	26.4%	8.9%	3.7%	2.0%	2.6%
Synthetic Marijuana?							
	All	55.3%	25.1%	6.4%	5.2%	3.9%	4.2%
	Grade 7	61.6%	29.0%	4.6%	2.5%	1.4%	0.9%
	Grade 8	51.5%	29.4%	6.4%	4.9%	4.1%	3.8%
	Grade 9	54.2%	24.8%	7.9%	4.9%	3.4%	4.8%
	Grade 10	56.6%	23.7%	4.5%	5.6%	4.5%	5.0%
	Grade 11	49.1%	23.0%	7.8%	6.8%	6.5%	6.8%
	Grade 12	58.9%	19.0%	7.6%	7.1%	3.6%	3.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

	None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?				
All	91.5%	5.3%	1.3%	1.9%
Grade 7	97.6%	2.3%	0.0%	0.2%
Grade 8	92.6%	5.1%	1.2%	1.1%
Grade 9	88.6%	6.9%	2.5%	2.0%
Grade 10	90.8%	5.5%	1.8%	1.9%
Grade 11	86.8%	7.5%	1.5%	4.3%
Grade 12	92.9%	4.3%	0.7%	2.1%
Attended Class While High from Use of Some Other Drug?				
All	96.5%	2.3%	0.6%	0.6%
Grade 7	97.9%	1.5%	0.4%	0.2%
Grade 8	96.4%	2.6%	0.6%	0.5%
Grade 9	96.9%	2.0%	0.5%	0.6%
Grade 10	95.6%	2.9%	0.7%	0.8%
Grade 11	94.0%	3.9%	1.1%	1.0%
Grade 12	98.3%	1.1%	0.0%	0.6%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.3
Marijuana Non-Users	3.0
Average Days Conduct Problems Reported	
Marijuana Users	2.8
Marijuana Non-Users	0.9

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	94.8%	3.3%	1.1%	0.8%
Grade 9	97.2%	2.0%	0.4%	0.4%
Grade 10	96.3%	2.0%	1.4%	0.3%
Grade 11	92.1%	5.2%	2.0%	0.7%
Grade 12	93.1%	4.2%	0.8%	1.9%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.4%	3.0%	0.2%	0.4%
Grade 7	98.8%	1.0%	0.1%	0.1%
Grade 8	95.2%	4.1%	0.4%	0.3%
Grade 9	95.8%	3.3%	0.1%	0.8%
Grade 10	96.1%	3.5%	0.2%	0.1%
Grade 11	94.8%	4.3%	0.2%	0.7%
Grade 12	97.8%	1.7%	0.2%	0.3%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	62.4%	17.2%	9.3%	7.9%	3.2%
Grade 7	83.3%	9.7%	3.9%	2.3%	0.8%
Grade 8	64.8%	18.6%	8.2%	5.8%	2.6%
Grade 9	60.5%	19.1%	7.6%	8.4%	4.4%
Grade 10	61.0%	17.3%	8.6%	8.9%	4.2%
Grade 11	50.2%	19.8%	14.4%	12.6%	3.0%
Grade 12	50.4%	19.5%	15.3%	10.2%	4.6%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	62.9%	6.0%	4.2%	5.3%	5.0%	2.8%	13.8%
Grade 7	81.5%	3.6%	2.1%	1.1%	0.7%	1.6%	9.5%
Grade 8	71.1%	5.4%	3.8%	3.1%	2.8%	3.4%	10.4%
Grade 9	61.1%	5.4%	5.6%	6.0%	3.2%	2.4%	16.3%
Grade 10	58.6%	7.5%	4.6%	6.7%	6.5%	1.7%	14.5%
Grade 11	52.6%	8.4%	4.5%	7.4%	8.6%	3.9%	14.6%
Grade 12	48.3%	6.3%	4.7%	8.6%	9.3%	4.2%	18.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.3%	5.5%	5.4%	1.6%	1.1%	8.2%
Grade 7	81.9%	3.6%	2.8%	0.9%	0.9%	10.0%
Grade 8	83.5%	3.2%	2.8%	1.8%	0.9%	7.8%
Grade 9	75.7%	6.0%	5.4%	1.8%	0.8%	10.3%
Grade 10	77.5%	5.8%	6.7%	1.0%	1.5%	7.5%
Grade 11	75.4%	8.0%	6.3%	2.4%	1.2%	6.8%
Grade 12	75.2%	6.6%	9.0%	1.9%	1.2%	6.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	58.8%	15.7%	10.8%	9.7%	5.0%
	Grade 7	76.4%	11.8%	4.3%	3.2%	4.3%
	Grade 8	64.0%	15.6%	8.9%	6.9%	4.7%
	Grade 9	56.1%	14.5%	10.9%	11.8%	6.8%
	Grade 10	53.0%	17.9%	15.0%	9.8%	4.4%
	Grade 11	47.2%	18.1%	14.5%	14.0%	6.3%
	Grade 12	54.0%	17.1%	11.9%	13.8%	3.4%
Cocaine?						
	All	86.4%	6.5%	1.1%	0.8%	5.2%
	Grade 7	88.2%	5.5%	1.3%	0.2%	4.8%
	Grade 8	85.1%	6.9%	1.1%	0.7%	6.3%
	Grade 9	84.4%	6.9%	1.0%	0.9%	6.7%
	Grade 10	87.2%	6.9%	1.3%	0.8%	3.8%
	Grade 11	84.2%	7.5%	1.0%	1.8%	5.5%
	Grade 12	89.4%	5.2%	1.2%	0.4%	3.8%
Crack?						
	All	87.3%	5.5%	0.7%	0.7%	5.9%
	Grade 7	86.4%	6.7%	1.0%	0.3%	5.7%
	Grade 8	85.9%	6.2%	0.5%	0.6%	6.8%
	Grade 9	85.4%	6.3%	0.7%	0.7%	6.9%
	Grade 10	88.7%	5.4%	0.5%	0.5%	4.9%
	Grade 11	86.6%	4.3%	0.5%	1.8%	6.8%
	Grade 12	91.7%	3.5%	0.7%	0.1%	4.0%
Ecstasy?						
	All	82.0%	7.1%	1.6%	0.8%	8.4%
	Grade 7	83.7%	5.5%	0.9%	0.2%	9.7%
	Grade 8	79.1%	6.9%	1.9%	0.6%	11.6%
	Grade 9	80.8%	6.5%	1.4%	0.7%	10.6%
	Grade 10	81.7%	8.4%	2.5%	0.7%	6.7%
	Grade 11	81.9%	8.1%	1.6%	1.8%	6.6%
	Grade 12	85.7%	7.7%	1.6%	0.7%	4.2%
Steroids?						
	All	78.2%	10.5%	2.9%	1.2%	7.2%
	Grade 7	81.5%	7.8%	2.8%	0.5%	7.4%
	Grade 8	74.9%	11.7%	2.6%	0.9%	9.8%
	Grade 9	78.0%	8.7%	3.3%	1.3%	8.7%
	Grade 10	80.0%	10.1%	3.6%	1.1%	5.2%
	Grade 11	76.0%	12.0%	2.6%	2.4%	7.0%
	Grade 12	78.5%	14.0%	2.4%	0.9%	4.2%

Percentages have been weighted to reflect proportions within the population.

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	86.8%	4.9%	0.8%	0.7%	6.8%
	Grade 7	85.7%	5.3%	1.0%	0.2%	7.8%
	Grade 8	84.7%	5.1%	0.6%	0.6%	8.9%
	Grade 9	84.6%	5.6%	0.5%	0.7%	8.6%
	Grade 10	87.9%	5.7%	1.4%	0.5%	4.5%
	Grade 11	87.3%	3.6%	0.7%	1.8%	6.6%
	Grade 12	91.9%	4.1%	0.4%	0.1%	3.5%
Methamphetamine?						
	All	87.2%	4.5%	0.8%	0.6%	7.0%
	Grade 7	86.3%	5.4%	1.2%	0.2%	6.9%
	Grade 8	83.8%	5.0%	0.7%	0.7%	9.9%
	Grade 9	85.2%	4.7%	0.6%	0.7%	8.8%
	Grade 10	89.5%	5.0%	0.3%	0.5%	4.7%
	Grade 11	87.7%	3.1%	1.4%	1.1%	6.7%
	Grade 12	91.8%	3.7%	0.4%	0.1%	4.0%
Synthetic Marijuana?						
	All	80.6%	8.1%	2.2%	1.3%	7.8%
	Grade 7	83.1%	6.1%	2.1%	0.8%	7.9%
	Grade 8	75.9%	9.3%	2.6%	1.2%	11.0%
	Grade 9	77.2%	9.0%	2.3%	2.0%	9.5%
	Grade 10	82.9%	8.1%	2.5%	1.6%	4.9%
	Grade 11	80.1%	8.4%	2.4%	1.2%	7.9%
	Grade 12	85.6%	7.6%	1.0%	0.8%	5.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	7.1%	10.0%	18.7%	81.3%
Grade 7	5.1%	7.2%	15.2%	84.8%
Grade 8	7.7%	11.1%	21.0%	79.0%
Grade 9	8.4%	11.7%	18.6%	81.4%
Grade 10	7.0%	9.9%	18.1%	81.9%
Grade 11	8.8%	12.5%	21.4%	78.6%
Grade 12	5.0%	7.5%	18.2%	81.8%
Codeine Cough Syrup?				
All	4.3%	6.3%	13.6%	86.4%
Grade 7	3.6%	5.2%	10.6%	89.4%
Grade 8	4.8%	7.5%	15.5%	84.5%
Grade 9	4.0%	7.1%	13.9%	86.1%
Grade 10	4.0%	5.9%	12.9%	87.1%
Grade 11	5.5%	6.8%	15.6%	84.4%
Grade 12	3.6%	5.3%	13.6%	86.4%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.2%	1.4%	2.9%	97.1%
Grade 7	0.7%	0.7%	1.2%	98.8%
Grade 8	1.0%	1.3%	2.1%	97.9%
Grade 9	1.1%	1.2%	3.0%	97.0%
Grade 10	0.9%	1.2%	3.0%	97.0%
Grade 11	2.5%	2.9%	4.8%	95.2%
Grade 12	1.0%	1.5%	4.0%	96.0%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.2%	2.3%	4.6%	95.4%
Grade 7	0.8%	1.2%	1.9%	98.1%
Grade 8	1.4%	2.5%	5.0%	95.0%
Grade 9	1.5%	3.3%	5.8%	94.2%
Grade 10	1.2%	2.4%	4.6%	95.4%
Grade 11	1.5%	2.8%	6.1%	93.9%
Grade 12	0.8%	1.2%	4.2%	95.8%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.5%	2.0%	3.8%	96.2%
Grade 7	0.6%	0.8%	1.6%	98.4%
Grade 8	1.5%	1.9%	3.4%	96.6%
Grade 9	2.1%	3.1%	6.0%	94.0%
Grade 10	0.9%	1.1%	2.2%	97.8%
Grade 11	3.4%	4.5%	6.7%	93.3%
Grade 12	0.3%	0.5%	2.9%	97.1%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 28 of 126

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	2.9%	4.1%	8.3%	91.7%
Grade 7	3.1%	3.9%	9.4%	90.6%
Grade 8	3.2%	4.7%	8.8%	91.2%
Grade 9	3.6%	4.8%	8.2%	91.8%
Grade 10	3.0%	4.7%	8.4%	91.6%
Grade 11	2.8%	3.9%	8.2%	91.8%
Grade 12	1.5%	2.0%	6.6%	93.4%

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.2%	1.7%	3.9%	96.1%
Grade 7	1.6%	1.7%	4.7%	95.3%
Grade 8	2.7%	3.6%	5.5%	94.5%
Grade 9	0.9%	1.4%	3.7%	96.3%
Grade 10	0.5%	1.9%	3.9%	96.1%
Grade 11	0.9%	0.9%	2.6%	97.4%
Grade 12	0.3%	0.5%	2.4%	97.6%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.7%	12.1%	3.4%	1.8%	7.0%
Grade 7	77.2%	12.0%	3.4%	0.9%	6.5%
Grade 8	73.5%	11.3%	3.2%	2.7%	9.3%
Grade 9	73.7%	12.9%	3.2%	2.6%	7.5%
Grade 10	75.6%	12.9%	3.2%	1.7%	6.6%
Grade 11	76.4%	10.5%	3.7%	1.9%	7.5%
Grade 12	78.5%	13.2%	3.7%	0.5%	4.2%

Percentages have been weighted to reflect proportions within the population.

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.9%	6.6%	14.4%	85.6%
Grade 7	6.6%	7.7%	16.1%	83.9%
Grade 8	6.8%	9.2%	19.4%	80.6%
Grade 9	3.6%	5.7%	13.5%	86.5%
Grade 10	4.5%	6.3%	13.2%	86.8%
Grade 11	5.3%	6.6%	12.2%	87.8%
Grade 12	2.1%	3.3%	11.2%	88.8%
Spray Paint?				
All	0.3%	0.4%	2.3%	97.7%
Grade 7	0.7%	0.8%	2.0%	98.0%
Grade 8	0.5%	0.8%	2.8%	97.2%
Grade 9	0.0%	0.1%	2.6%	97.4%
Grade 10	0.1%	0.3%	2.4%	97.6%
Grade 11	0.4%	0.4%	2.1%	97.9%
Grade 12	0.0%	0.0%	1.6%	98.4%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.1%	1.6%	5.4%	94.6%
Grade 7	1.3%	1.7%	6.0%	94.0%
Grade 8	1.9%	2.9%	8.1%	91.9%
Grade 9	0.9%	1.4%	4.4%	95.6%
Grade 10	0.5%	0.9%	4.4%	95.6%
Grade 11	1.6%	1.7%	5.6%	94.4%
Grade 12	0.5%	0.7%	3.4%	96.6%
Computer Dusting Sprays?				
All	0.1%	0.2%	0.8%	99.2%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.0%	0.1%	0.3%	99.7%
Grade 10	0.3%	0.4%	0.5%	99.5%
Grade 11	0.1%	0.1%	1.7%	98.3%
Grade 12	0.0%	0.0%	1.3%	98.7%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.3%	2.0%	6.7%	93.3%
Grade 7	1.6%	2.3%	7.7%	92.3%
Grade 8	2.0%	3.1%	9.4%	90.6%
Grade 9	1.1%	1.2%	6.7%	93.3%
Grade 10	1.6%	2.5%	6.1%	93.9%
Grade 11	1.4%	1.9%	5.0%	95.0%
Grade 12	0.3%	0.4%	4.9%	95.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 30 of 126

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.4%	1.3%	98.7%
Grade 7	0.4%	1.0%	1.8%	98.2%
Grade 8	0.5%	0.8%	2.4%	97.6%
Grade 9	0.1%	0.2%	1.3%	98.7%
Grade 10	0.2%	0.4%	0.8%	99.2%
Grade 11	0.3%	0.3%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.7%	99.3%
Toluene, Paint Thinner, or Other Solvents?				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.5%	0.6%	0.9%	99.1%
Grade 9	0.1%	0.1%	0.9%	99.1%
Grade 10	0.0%	0.1%	0.5%	99.5%
Grade 11	0.6%	0.8%	2.6%	97.4%
Grade 12	0.5%	0.7%	1.3%	98.7%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.6%	0.8%	2.3%	97.7%
Grade 7	1.0%	1.1%	2.6%	97.4%
Grade 8	0.9%	1.2%	3.5%	96.5%
Grade 9	0.2%	0.3%	1.5%	98.5%
Grade 10	0.4%	0.7%	1.0%	99.0%
Grade 11	0.6%	0.6%	3.8%	96.2%
Grade 12	0.5%	0.6%	1.5%	98.5%
Other Aerosols/Sprays?				
All	0.5%	0.7%	1.9%	98.1%
Grade 7	0.6%	0.7%	2.3%	97.7%
Grade 8	1.0%	1.3%	3.5%	96.5%
Grade 9	0.1%	0.2%	1.0%	99.0%
Grade 10	1.1%	1.2%	1.6%	98.4%
Grade 11	0.3%	0.4%	2.9%	97.1%
Grade 12	0.1%	0.1%	0.3%	99.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.6%	0.1%	0.3%	0.2%	0.5%	0.7%	1.6%
Grade 7	95.8%	0.4%	0.4%	0.3%	0.7%	0.6%	1.8%
Grade 8	94.8%	0.1%	0.4%	0.6%	0.5%	1.7%	1.9%
Grade 9	96.8%	0.1%	0.2%	0.2%	1.3%	0.3%	1.1%
Grade 10	98.5%	0.0%	0.2%	0.1%	0.1%	0.1%	1.1%
Grade 11	95.6%	0.0%	0.5%	0.0%	0.0%	0.6%	3.3%
Grade 12	98.1%	0.1%	0.0%	0.2%	0.1%	0.9%	0.7%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	87.8%	7.8%	3.0%	1.4%
Grade 7	86.3%	8.8%	3.7%	1.2%
Grade 8	83.0%	9.4%	5.7%	1.9%
Grade 9	89.3%	7.5%	2.3%	1.0%
Grade 10	88.6%	8.2%	2.6%	0.7%
Grade 11	90.0%	5.6%	1.3%	3.1%
Grade 12	90.2%	6.8%	2.6%	0.4%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	12.2	10.5	11.0	11.9	12.3	14.4	13.8

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	98.9%	0.7%	0.1%	0.3%
Grade 7	98.9%	0.9%	0.1%	0.0%
Grade 8	97.8%	1.5%	0.4%	0.3%
Grade 9	99.3%	0.2%	0.1%	0.3%
Grade 10	99.3%	0.6%	0.1%	0.0%
Grade 11	98.8%	0.4%	0.0%	0.7%
Grade 12	99.2%	0.5%	0.0%	0.3%

Percentages have been weighted to reflect proportions within the population.

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	3.9
Inhalant Non-Users	3.2
Average Days Conduct Problems Reported	
Inhalant Users	2.6
Inhalant Non-Users	1.1

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	92.8%	4.8%	1.5%	0.5%	0.4%
Grade 7	93.1%	5.0%	1.4%	0.4%	0.2%
Grade 8	90.5%	6.8%	1.9%	0.4%	0.5%
Grade 9	90.6%	5.6%	1.9%	1.2%	0.6%
Grade 10	93.7%	4.6%	1.5%	0.3%	0.0%
Grade 11	95.4%	3.1%	1.2%	0.1%	0.2%
Grade 12	94.4%	3.5%	1.0%	0.4%	0.8%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	73.8%	14.0%	3.9%	1.4%	6.9%
Grade 7	76.6%	12.1%	4.4%	0.9%	6.1%
Grade 8	69.6%	14.8%	5.6%	1.8%	8.2%
Grade 9	71.8%	14.8%	3.4%	1.5%	8.5%
Grade 10	71.4%	17.2%	3.8%	1.0%	6.5%
Grade 11	76.2%	12.0%	2.8%	2.6%	6.3%
Grade 12	78.5%	12.9%	2.9%	0.4%	5.3%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	48.8%	17.5%	3.6%	5.3%	7.7%	17.2%
Grade 7	51.6%	22.3%	2.9%	3.1%	5.9%	14.2%
Grade 8	45.0%	19.9%	4.2%	5.9%	6.3%	18.8%
Grade 9	49.7%	18.6%	4.4%	6.1%	6.8%	14.4%
Grade 10	46.0%	15.8%	3.1%	6.0%	9.2%	19.9%
Grade 11	46.5%	15.4%	3.8%	4.5%	9.4%	20.4%
Grade 12	54.6%	11.3%	3.2%	6.1%	9.1%	15.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 33 of 126

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

		Yes
A School Health Class		
	All	47.1%
	Grade 7	50.7%
	Grade 8	50.8%
	Grade 9	43.1%
	Grade 10	45.6%
	Grade 11	46.6%
	Grade 12	45.6%
An Assembly Program		
	All	49.7%
	Grade 7	49.7%
	Grade 8	54.8%
	Grade 9	45.1%
	Grade 10	50.3%
	Grade 11	46.5%
	Grade 12	51.9%
Guidance Counselor		
	All	34.2%
	Grade 7	34.5%
	Grade 8	41.7%
	Grade 9	30.7%
	Grade 10	35.2%
	Grade 11	30.8%
	Grade 12	31.7%
School Nurse		
	All	21.7%
	Grade 7	23.1%
	Grade 8	26.1%
	Grade 9	19.2%
	Grade 10	17.2%
	Grade 11	23.1%
	Grade 12	22.2%
Science or Social Studies Class		
	All	32.2%
	Grade 7	28.8%
	Grade 8	31.2%
	Grade 9	33.7%
	Grade 10	30.2%
	Grade 11	32.5%
	Grade 12	37.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 34 of 126

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

	Yes
Student Group or Club Meeting at School	
All	17.6%
Grade 7	13.7%
Grade 8	16.4%
Grade 9	16.8%
Grade 10	15.6%
Grade 11	21.2%
Grade 12	23.5%
An Invited School Guest	
All	37.1%
Grade 7	37.2%
Grade 8	45.1%
Grade 9	29.8%
Grade 10	36.7%
Grade 11	35.4%
Grade 12	39.4%
Another Source at School	
All	32.7%
Grade 7	29.3%
Grade 8	36.1%
Grade 9	32.7%
Grade 10	31.1%
Grade 11	32.8%
Grade 12	34.4%
Any School Source	
All	71.1%
Grade 7	73.3%
Grade 8	76.1%
Grade 9	68.0%
Grade 10	71.8%
Grade 11	66.7%
Grade 12	70.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

		Yes
Counselor/Program In-School		
	All	40.4%
	Grade 7	50.6%
	Grade 8	41.8%
	Grade 9	38.8%
	Grade 10	39.3%
	Grade 11	34.3%
	Grade 12	35.9%
School Nurse		
	All	26.2%
	Grade 7	32.6%
	Grade 8	27.7%
	Grade 9	24.1%
	Grade 10	25.8%
	Grade 11	24.5%
	Grade 12	21.8%
Another Adult In School		
	All	46.3%
	Grade 7	50.6%
	Grade 8	45.9%
	Grade 9	44.5%
	Grade 10	45.8%
	Grade 11	44.3%
	Grade 12	46.8%
Counselor/Program Outside-School		
	All	40.1%
	Grade 7	45.4%
	Grade 8	40.1%
	Grade 9	38.8%
	Grade 10	43.3%
	Grade 11	35.9%
	Grade 12	36.0%
Your Parents		
	All	69.7%
	Grade 7	76.1%
	Grade 8	71.7%
	Grade 9	68.1%
	Grade 10	70.6%
	Grade 11	64.8%
	Grade 12	65.7%

Percentages have been weighted to reflect proportions within the population.

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
A Medical Doctor		
	All	56.9%
	Grade 7	66.9%
	Grade 8	59.5%
	Grade 9	55.1%
	Grade 10	53.2%
	Grade 11	53.2%
	Grade 12	52.0%
Your Friends		
	All	61.4%
	Grade 7	52.1%
	Grade 8	62.2%
	Grade 9	61.2%
	Grade 10	66.6%
	Grade 11	58.7%
	Grade 12	68.5%
Another Adult		
	All	61.5%
	Grade 7	66.9%
	Grade 8	63.6%
	Grade 9	59.0%
	Grade 10	59.7%
	Grade 11	58.4%
	Grade 12	61.3%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	8.6%
	Grade 7	6.8%
	Grade 8	9.5%
	Grade 9	12.3%
	Grade 10	8.0%
	Grade 11	7.9%
	Grade 12	6.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	6.4%	22.8%	24.9%	32.1%	13.8%
Grade 7	8.6%	21.1%	23.3%	28.5%	18.6%
Grade 8	6.2%	23.4%	26.1%	30.9%	13.3%
Grade 9	8.0%	23.4%	25.8%	31.0%	11.7%
Grade 10	4.7%	23.1%	22.6%	37.0%	12.6%
Grade 11	6.0%	24.2%	25.1%	31.7%	13.1%
Grade 12	4.4%	21.4%	26.7%	33.7%	13.8%
Sometimes Carry Weapons?					
All	78.9%	14.1%	4.5%	1.9%	0.6%
Grade 7	87.0%	8.4%	3.5%	0.7%	0.5%
Grade 8	80.8%	13.0%	4.2%	1.4%	0.6%
Grade 9	79.7%	13.7%	4.4%	1.2%	1.0%
Grade 10	78.5%	15.8%	3.7%	1.4%	0.6%
Grade 11	70.4%	17.8%	7.2%	4.5%	0.1%
Grade 12	75.1%	16.7%	4.4%	2.8%	1.0%
Care About Making Good Grades?					
All	2.9%	14.3%	24.6%	39.3%	18.8%
Grade 7	3.3%	14.3%	23.8%	34.7%	24.0%
Grade 8	3.0%	17.2%	28.4%	35.8%	15.5%
Grade 9	3.8%	10.2%	23.1%	44.1%	18.8%
Grade 10	1.5%	13.0%	25.2%	41.9%	18.4%
Grade 11	3.9%	17.8%	23.8%	37.4%	17.1%
Grade 12	1.7%	14.4%	23.5%	41.4%	18.9%
Belong/Want to Belong to a Gang?					
All	82.7%	12.1%	3.2%	1.3%	0.7%
Grade 7	84.6%	10.8%	2.3%	1.5%	0.8%
Grade 8	75.9%	16.4%	4.9%	1.9%	1.0%
Grade 9	81.2%	14.2%	2.3%	1.5%	0.8%
Grade 10	84.8%	9.9%	3.3%	1.5%	0.5%
Grade 11	81.9%	12.1%	4.9%	0.7%	0.5%
Grade 12	88.9%	8.1%	1.6%	0.8%	0.5%
Wish They Could Drop Out of School?					
All	43.8%	31.5%	14.8%	6.6%	3.3%
Grade 7	55.7%	27.5%	8.3%	5.8%	2.7%
Grade 8	42.8%	34.9%	12.9%	6.0%	3.5%
Grade 9	43.7%	33.8%	15.3%	4.2%	3.0%
Grade 10	39.9%	32.3%	18.3%	7.3%	2.2%
Grade 11	36.9%	30.5%	18.7%	9.9%	3.9%
Grade 12	42.8%	28.9%	16.0%	7.4%	4.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-5: How Safe Do You Feel When You Are...

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	86.2%	12.0%	0.6%	0.3%	1.0%
Grade 7	83.2%	14.6%	1.3%	0.0%	0.9%
Grade 8	83.2%	14.0%	1.2%	0.5%	1.1%
Grade 9	87.1%	10.8%	0.5%	0.2%	1.4%
Grade 10	88.5%	10.1%	0.3%	0.3%	0.9%
Grade 11	88.5%	10.8%	0.1%	0.3%	0.3%
Grade 12	87.0%	11.4%	0.0%	0.4%	1.2%
Out In Your Neighborhood?					
All	42.6%	47.5%	6.3%	1.5%	2.0%
Grade 7	37.0%	51.1%	7.3%	1.5%	3.1%
Grade 8	36.1%	51.3%	8.0%	2.5%	2.1%
Grade 9	46.1%	45.1%	4.4%	1.7%	2.6%
Grade 10	41.2%	48.5%	7.6%	0.9%	1.7%
Grade 11	49.1%	42.4%	6.2%	1.6%	0.7%
Grade 12	47.7%	46.3%	4.1%	0.8%	1.1%
At School?					
All	38.3%	45.6%	8.8%	3.6%	3.7%
Grade 7	42.5%	40.5%	10.4%	2.8%	3.7%
Grade 8	34.7%	47.6%	9.2%	4.9%	3.7%
Grade 9	31.9%	49.2%	10.7%	3.1%	5.0%
Grade 10	37.0%	50.1%	7.7%	2.4%	2.7%
Grade 11	42.2%	40.3%	8.7%	5.5%	3.3%
Grade 12	43.9%	44.4%	5.2%	3.2%	3.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.9%	20.3%	33.7%	66.3%
Grade 7	7.4%	9.1%	18.5%	81.5%
Grade 8	15.2%	18.7%	32.0%	68.0%
Grade 9	18.1%	21.6%	36.5%	63.5%
Grade 10	17.4%	22.6%	38.1%	61.9%
Grade 11	25.4%	28.0%	40.9%	59.1%
Grade 12	19.3%	23.4%	37.5%	62.5%
Any Alcohol Product				
All	31.6%	36.4%	53.4%	46.6%
Grade 7	19.2%	21.9%	38.0%	62.0%
Grade 8	30.3%	33.9%	52.9%	47.1%
Grade 9	31.4%	36.0%	54.2%	45.8%
Grade 10	34.3%	39.6%	57.2%	42.8%
Grade 11	39.4%	44.9%	57.2%	42.8%
Grade 12	37.2%	45.5%	63.4%	36.6%
Any Illicit Drug				
All	14.7%	18.6%	24.8%	75.2%
Grade 7	6.0%	8.2%	11.2%	88.8%
Grade 8	13.1%	17.8%	20.1%	79.9%
Grade 9	16.6%	19.3%	26.1%	73.9%
Grade 10	14.4%	19.3%	28.5%	71.5%
Grade 11	22.2%	26.7%	33.4%	66.6%
Grade 12	17.5%	21.8%	31.8%	68.2%
Any Prescription Drug				
All	7.1%	10.0%	18.7%	81.3%
Grade 7	5.1%	7.2%	15.2%	84.8%
Grade 8	7.7%	11.1%	21.0%	79.0%
Grade 9	8.4%	11.7%	18.6%	81.4%
Grade 10	7.0%	9.9%	18.1%	81.9%
Grade 11	8.8%	12.5%	21.4%	78.6%
Grade 12	5.0%	7.5%	18.2%	81.8%
Any Inhalant				
All	4.9%	6.6%	14.4%	85.6%
Grade 7	6.6%	7.7%	16.1%	83.9%
Grade 8	6.8%	9.2%	19.4%	80.6%
Grade 9	3.6%	5.7%	13.5%	86.5%
Grade 10	4.5%	6.3%	13.2%	86.8%
Grade 11	5.3%	6.6%	12.2%	87.8%
Grade 12	2.1%	3.3%	11.2%	88.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.6%	16.6%	30.0%	70.0%
Grade 7	4.0%	6.4%	15.5%	84.5%
Grade 8	9.8%	15.2%	28.1%	71.9%
Grade 9	12.5%	17.5%	31.5%	68.5%
Grade 10	13.2%	19.7%	34.3%	65.7%
Grade 11	17.6%	22.9%	37.4%	62.6%
Grade 12	13.5%	18.7%	34.7%	65.3%
Marijuana				
All	14.0%	16.3%	22.5%	77.5%
Grade 7	5.3%	6.1%	7.8%	92.2%
Grade 8	12.4%	15.0%	17.3%	82.7%
Grade 9	15.9%	17.5%	24.2%	75.8%
Grade 10	13.6%	16.3%	26.2%	73.8%
Grade 11	21.5%	24.1%	31.4%	68.6%
Grade 12	16.6%	20.6%	30.9%	69.1%
Marijuana Only				
All	7.3%	8.9%	14.2%	85.8%
Grade 7	3.4%	4.0%	5.6%	94.4%
Grade 8	5.7%	7.0%	8.9%	91.1%
Grade 9	9.0%	10.4%	16.1%	83.9%
Grade 10	6.5%	7.7%	16.0%	84.0%
Grade 11	10.0%	12.4%	18.8%	81.2%
Grade 12	9.9%	13.0%	21.7%	78.3%
Cocaine or Crack				
All	2.2%	2.5%	3.9%	96.1%
Grade 7	0.9%	1.2%	1.6%	98.4%
Grade 8	1.6%	1.8%	2.8%	97.2%
Grade 9	1.2%	1.2%	2.1%	97.9%
Grade 10	1.6%	1.7%	4.6%	95.4%
Grade 11	5.3%	5.6%	7.7%	92.3%
Grade 12	3.1%	3.9%	5.2%	94.8%
Cocaine				
All	2.0%	2.2%	3.6%	96.4%
Grade 7	0.9%	0.9%	1.3%	98.7%
Grade 8	1.5%	1.7%	2.6%	97.4%
Grade 9	0.8%	0.9%	1.8%	98.2%
Grade 10	1.6%	1.7%	4.6%	95.4%
Grade 11	5.1%	5.3%	7.4%	92.6%
Grade 12	2.9%	3.7%	4.9%	95.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.7%	0.8%	1.0%	99.0%
	Grade 7	0.4%	0.7%	0.7%	99.3%
	Grade 8	0.8%	1.0%	1.2%	98.8%
	Grade 9	0.4%	0.4%	0.6%	99.4%
	Grade 10	0.2%	0.2%	0.3%	99.7%
	Grade 11	1.4%	1.6%	1.9%	98.1%
	Grade 12	0.7%	0.9%	1.3%	98.7%
Hallucinogens	All	1.0%	1.4%	2.9%	97.1%
	Grade 7	0.1%	0.1%	0.8%	99.2%
	Grade 8	0.6%	0.8%	2.4%	97.6%
	Grade 9	1.1%	2.2%	3.2%	96.8%
	Grade 10	1.9%	2.0%	3.2%	96.8%
	Grade 11	1.3%	2.0%	5.0%	95.0%
	Grade 12	1.0%	1.1%	2.6%	97.4%
Synthetic Cathinones	All	0.3%	0.3%	0.5%	99.5%
	Grade 7	0.2%	0.2%	0.5%	99.5%
	Grade 8	0.8%	0.9%	1.4%	98.6%
	Grade 9	0.2%	0.2%	0.4%	99.6%
	Grade 10	0.1%	0.1%	0.1%	99.9%
	Grade 11	0.5%	0.5%	0.5%	99.5%
	Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids	All	0.4%	0.6%	1.2%	98.8%
	Grade 7	0.4%	0.7%	1.1%	98.9%
	Grade 8	0.5%	0.7%	1.6%	98.4%
	Grade 9	0.6%	0.9%	2.0%	98.0%
	Grade 10	0.3%	0.3%	0.6%	99.4%
	Grade 11	0.1%	0.7%	1.0%	99.0%
	Grade 12	0.3%	0.3%	0.9%	99.1%
Ecstasy	All	0.9%	1.4%	2.5%	97.5%
	Grade 7	0.3%	0.3%	0.7%	99.3%
	Grade 8	0.6%	1.1%	1.4%	98.6%
	Grade 9	0.9%	1.0%	1.5%	98.5%
	Grade 10	1.4%	2.4%	3.3%	96.7%
	Grade 11	1.4%	2.0%	4.9%	95.1%
	Grade 12	0.8%	1.5%	3.9%	96.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.3%	0.4%	1.0%	99.0%
Grade 8	0.4%	0.6%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.4%	99.6%
Grade 11	0.8%	1.0%	2.2%	97.8%
Grade 12	0.1%	0.1%	0.7%	99.3%
Synthetic Marijuana				
All	1.4%	2.2%	4.5%	95.5%
Grade 7	0.7%	1.0%	2.5%	97.5%
Grade 8	1.9%	3.0%	6.0%	94.0%
Grade 9	1.2%	2.3%	4.7%	95.3%
Grade 10	1.5%	2.5%	4.6%	95.4%
Grade 11	2.5%	3.1%	6.2%	93.8%
Grade 12	0.9%	1.3%	3.1%	96.9%
Methamphetamine				
All	0.6%	0.6%	1.1%	98.9%
Grade 7	0.2%	0.3%	1.0%	99.0%
Grade 8	0.7%	0.8%	1.4%	98.6%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.6%	0.7%	0.9%	99.1%
Grade 11	1.6%	1.8%	2.1%	97.9%
Grade 12	0.0%	0.0%	0.7%	99.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.6%	21.4%	33.7%	66.3%
Grade 7	8.8%	10.5%	19.9%	80.1%
Grade 8	13.1%	16.5%	29.5%	70.5%
Grade 9	18.7%	20.8%	34.8%	65.2%
Grade 10	19.2%	23.1%	39.1%	60.9%
Grade 11	28.0%	30.1%	39.9%	60.1%
Grade 12	26.2%	30.1%	41.9%	58.1%
Any Alcohol Product				
All	28.9%	33.6%	50.4%	49.6%
Grade 7	19.0%	21.8%	36.9%	63.1%
Grade 8	24.9%	28.6%	48.6%	51.4%
Grade 9	28.4%	31.4%	47.8%	52.2%
Grade 10	28.4%	36.2%	56.0%	44.0%
Grade 11	37.5%	42.9%	55.4%	44.6%
Grade 12	38.2%	44.6%	62.2%	37.8%
Any Illicit Drug				
All	14.8%	18.0%	24.1%	75.9%
Grade 7	7.4%	9.4%	12.8%	87.2%
Grade 8	11.1%	14.4%	16.3%	83.7%
Grade 9	15.6%	17.8%	24.8%	75.2%
Grade 10	13.9%	16.8%	28.5%	71.5%
Grade 11	21.6%	26.6%	31.4%	68.6%
Grade 12	21.1%	24.8%	34.4%	65.6%
Any Prescription Drug				
All	7.5%	10.5%	20.2%	79.8%
Grade 7	4.7%	6.9%	15.3%	84.7%
Grade 8	5.4%	8.9%	21.4%	78.6%
Grade 9	9.0%	12.3%	20.3%	79.7%
Grade 10	8.0%	10.1%	19.2%	80.8%
Grade 11	11.7%	14.4%	22.0%	78.0%
Grade 12	5.4%	9.7%	23.8%	76.2%
Any Inhalant				
All	4.3%	6.1%	13.1%	86.9%
Grade 7	8.3%	9.3%	15.7%	84.3%
Grade 8	5.0%	7.4%	15.9%	84.1%
Grade 9	2.5%	4.5%	11.7%	88.3%
Grade 10	2.3%	5.5%	10.0%	90.0%
Grade 11	4.4%	5.7%	11.3%	88.7%
Grade 12	2.5%	3.5%	14.6%	85.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.1%	16.8%	29.5%	70.5%
Grade 7	3.6%	6.6%	16.1%	83.9%
Grade 8	7.8%	13.0%	24.6%	75.4%
Grade 9	12.4%	17.2%	29.1%	70.9%
Grade 10	15.5%	19.9%	34.9%	65.1%
Grade 11	17.7%	22.8%	36.8%	63.2%
Grade 12	17.7%	23.4%	39.2%	60.8%
Marijuana				
All	13.8%	15.4%	21.9%	78.1%
Grade 7	6.5%	7.1%	9.5%	90.5%
Grade 8	9.8%	11.2%	13.5%	86.5%
Grade 9	14.4%	15.8%	23.3%	76.7%
Grade 10	13.4%	14.1%	26.7%	73.3%
Grade 11	21.0%	23.2%	28.8%	71.2%
Grade 12	19.2%	23.0%	33.2%	66.8%
Marijuana Only				
All	7.1%	8.3%	13.3%	86.7%
Grade 7	4.1%	4.6%	6.7%	93.3%
Grade 8	5.2%	6.2%	8.0%	92.0%
Grade 9	9.5%	10.7%	16.5%	83.5%
Grade 10	7.0%	7.3%	16.6%	83.4%
Grade 11	7.6%	9.6%	14.1%	85.9%
Grade 12	9.5%	12.2%	19.9%	80.1%
Cocaine or Crack				
All	2.8%	3.2%	4.8%	95.2%
Grade 7	1.2%	1.6%	2.0%	98.0%
Grade 8	0.8%	1.1%	1.6%	98.4%
Grade 9	1.3%	1.5%	2.1%	97.9%
Grade 10	2.1%	2.4%	6.9%	93.1%
Grade 11	7.4%	7.4%	9.9%	90.1%
Grade 12	4.7%	6.4%	8.0%	92.0%
Cocaine				
All	2.6%	2.9%	4.5%	95.5%
Grade 7	1.1%	1.1%	1.5%	98.5%
Grade 8	0.7%	0.8%	1.3%	98.7%
Grade 9	0.8%	1.0%	1.7%	98.3%
Grade 10	2.1%	2.4%	6.9%	93.1%
Grade 11	7.1%	7.1%	9.6%	90.4%
Grade 12	4.7%	6.0%	7.8%	92.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Crack	All	0.6%	0.8%	0.9%	99.1%
	Grade 7	0.6%	1.1%	1.1%	98.9%
	Grade 8	0.0%	0.3%	0.3%	99.7%
	Grade 9	0.5%	0.5%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.3%	99.7%
	Grade 11	2.2%	2.2%	2.2%	97.8%
	Grade 12	0.0%	0.3%	1.2%	98.8%
Hallucinogens	All	1.0%	1.6%	3.3%	96.7%
	Grade 7	0.2%	0.2%	1.2%	98.8%
	Grade 8	0.8%	1.1%	2.2%	97.8%
	Grade 9	1.0%	2.9%	3.4%	96.6%
	Grade 10	2.0%	2.2%	3.8%	96.2%
	Grade 11	1.0%	1.6%	5.8%	94.2%
	Grade 12	1.5%	1.5%	3.9%	96.1%
Synthetic Cathinones	All	0.4%	0.4%	0.4%	99.6%
	Grade 7	0.2%	0.2%	0.2%	99.8%
	Grade 8	1.1%	1.3%	1.3%	98.7%
	Grade 9	0.3%	0.3%	0.3%	99.7%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.6%	0.6%	0.6%	99.4%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.5%	0.7%	1.2%	98.8%
	Grade 7	0.8%	1.3%	1.6%	98.4%
	Grade 8	0.8%	0.8%	1.3%	98.7%
	Grade 9	0.7%	0.9%	1.8%	98.2%
	Grade 10	0.2%	0.4%	0.4%	99.6%
	Grade 11	0.2%	0.5%	1.0%	99.0%
	Grade 12	0.4%	0.4%	1.0%	99.0%
Ecstasy	All	1.0%	1.3%	2.4%	97.6%
	Grade 7	0.5%	0.5%	1.1%	98.9%
	Grade 8	0.6%	1.0%	1.3%	98.7%
	Grade 9	1.4%	1.4%	1.5%	98.5%
	Grade 10	1.4%	1.7%	2.2%	97.8%
	Grade 11	1.5%	2.2%	4.4%	95.6%
	Grade 12	0.3%	0.9%	4.9%	95.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 47 of 126

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.4%	0.6%	0.8%	99.2%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	1.2%	1.6%	3.1%	96.9%
Grade 12	0.0%	0.0%	0.3%	99.7%
Synthetic Marijuana				
All	1.3%	1.7%	4.0%	96.0%
Grade 7	1.2%	1.6%	3.7%	96.3%
Grade 8	1.0%	1.4%	3.7%	96.3%
Grade 9	0.6%	1.3%	3.1%	96.9%
Grade 10	1.5%	1.8%	2.8%	97.2%
Grade 11	2.4%	3.0%	7.5%	92.5%
Grade 12	0.9%	1.3%	3.1%	96.9%
Methamphetamine				
All	0.7%	0.8%	1.2%	98.8%
Grade 7	0.3%	0.3%	1.4%	98.6%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.6%	99.4%
Grade 11	2.8%	3.1%	3.1%	96.9%
Grade 12	0.0%	0.0%	0.9%	99.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.1%	19.3%	33.8%	66.2%
Grade 7	5.5%	7.2%	16.7%	83.3%
Grade 8	17.4%	21.1%	34.8%	65.2%
Grade 9	17.5%	22.4%	38.4%	61.6%
Grade 10	15.9%	22.3%	37.4%	62.6%
Grade 11	21.8%	25.2%	42.4%	57.6%
Grade 12	14.0%	18.5%	34.7%	65.3%
Any Alcohol Product				
All	34.2%	39.3%	56.2%	43.8%
Grade 7	19.0%	21.6%	38.7%	61.3%
Grade 8	35.9%	39.5%	57.5%	42.5%
Grade 9	34.6%	41.0%	61.2%	38.8%
Grade 10	39.3%	42.6%	58.5%	41.5%
Grade 11	42.1%	47.7%	59.9%	40.1%
Grade 12	36.1%	46.2%	63.2%	36.8%
Any Illicit Drug				
All	14.8%	19.3%	25.7%	74.3%
Grade 7	4.7%	7.0%	9.5%	90.5%
Grade 8	15.4%	21.5%	24.3%	75.7%
Grade 9	17.8%	20.9%	27.5%	72.5%
Grade 10	14.8%	21.4%	28.7%	71.3%
Grade 11	22.9%	27.1%	36.2%	63.8%
Grade 12	15.0%	19.9%	30.6%	69.4%
Any Prescription Drug				
All	6.6%	9.6%	17.0%	83.0%
Grade 7	5.5%	7.5%	14.9%	85.1%
Grade 8	10.0%	13.2%	20.4%	79.6%
Grade 9	7.9%	11.1%	16.8%	83.2%
Grade 10	6.1%	9.7%	17.3%	82.7%
Grade 11	5.0%	10.0%	20.7%	79.3%
Grade 12	4.7%	5.7%	12.2%	87.8%
Any Inhalant				
All	5.5%	7.0%	15.7%	84.3%
Grade 7	5.0%	6.1%	16.2%	83.8%
Grade 8	8.5%	11.0%	23.1%	76.9%
Grade 9	4.8%	7.1%	15.6%	84.4%
Grade 10	6.3%	6.9%	16.0%	84.0%
Grade 11	6.5%	7.9%	13.4%	86.6%
Grade 12	1.9%	3.2%	8.8%	91.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.1%	16.4%	30.5%	69.5%
Grade 7	4.1%	5.9%	14.6%	85.4%
Grade 8	11.7%	17.5%	31.9%	68.1%
Grade 9	12.6%	17.9%	34.2%	65.8%
Grade 10	11.4%	19.7%	34.0%	66.0%
Grade 11	17.5%	23.0%	38.4%	61.6%
Grade 12	10.5%	15.4%	31.9%	68.1%
Marijuana				
All	14.3%	17.4%	23.4%	76.6%
Grade 7	4.1%	5.1%	6.0%	94.0%
Grade 8	15.2%	19.2%	21.5%	78.5%
Grade 9	17.6%	19.4%	25.1%	74.9%
Grade 10	13.8%	18.2%	25.9%	74.1%
Grade 11	22.3%	25.4%	35.1%	64.9%
Grade 12	15.0%	19.3%	30.0%	70.0%
Marijuana Only				
All	7.6%	9.6%	15.3%	84.7%
Grade 7	2.7%	3.5%	4.4%	95.6%
Grade 8	6.3%	8.0%	10.1%	89.9%
Grade 9	8.5%	10.1%	15.7%	84.3%
Grade 10	6.2%	8.0%	15.6%	84.4%
Grade 11	13.3%	16.1%	25.1%	74.9%
Grade 12	10.5%	14.1%	24.0%	76.0%
Cocaine or Crack				
All	1.5%	1.7%	2.9%	97.1%
Grade 7	0.7%	0.7%	1.2%	98.8%
Grade 8	2.3%	2.5%	4.0%	96.0%
Grade 9	1.0%	1.0%	2.2%	97.8%
Grade 10	1.1%	1.1%	2.7%	97.3%
Grade 11	2.5%	3.2%	4.7%	95.3%
Grade 12	1.8%	2.0%	2.9%	97.1%
Cocaine				
All	1.4%	1.6%	2.7%	97.3%
Grade 7	0.7%	0.7%	1.2%	98.8%
Grade 8	2.2%	2.5%	4.0%	96.0%
Grade 9	0.8%	0.8%	2.0%	98.0%
Grade 10	1.1%	1.1%	2.7%	97.3%
Grade 11	2.5%	2.9%	4.4%	95.6%
Grade 12	1.5%	1.8%	2.7%	97.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.8%	1.0%	99.0%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	1.7%	1.8%	2.2%	97.8%
Grade 9	0.4%	0.4%	0.8%	99.2%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.4%	0.7%	1.4%	98.6%
Grade 12	1.4%	1.4%	1.4%	98.6%
Hallucinogens				
All	0.9%	1.2%	2.4%	97.6%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.4%	0.5%	2.6%	97.4%
Grade 9	1.2%	1.4%	3.0%	97.0%
Grade 10	1.8%	1.9%	2.8%	97.2%
Grade 11	1.7%	2.5%	3.9%	96.1%
Grade 12	0.5%	0.7%	1.6%	98.4%
Synthetic Cathinones				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.6%	0.6%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids				
All	0.2%	0.5%	1.3%	98.7%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.1%	0.6%	1.9%	98.1%
Grade 9	0.6%	0.9%	2.3%	97.7%
Grade 10	0.3%	0.3%	0.8%	99.2%
Grade 11	0.0%	0.8%	1.1%	98.9%
Grade 12	0.2%	0.2%	0.8%	99.2%
Ecstasy				
All	0.8%	1.4%	2.6%	97.4%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.4%	1.0%	1.3%	98.7%
Grade 9	0.4%	0.6%	1.6%	98.4%
Grade 10	1.4%	3.0%	4.2%	95.8%
Grade 11	1.3%	1.7%	5.5%	94.5%
Grade 12	1.2%	2.0%	3.2%	96.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	1.0%	99.0%
Grade 7	0.2%	0.2%	1.1%	98.9%
Grade 8	0.5%	0.7%	2.2%	97.8%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.2%	0.3%	0.5%	99.5%
Grade 11	0.3%	0.3%	1.1%	98.9%
Grade 12	0.2%	0.2%	1.1%	98.9%
Synthetic Marijuana				
All	1.6%	2.7%	5.1%	94.9%
Grade 7	0.3%	0.5%	1.2%	98.8%
Grade 8	3.0%	4.7%	8.6%	91.4%
Grade 9	1.8%	3.4%	6.4%	93.6%
Grade 10	1.5%	3.1%	6.1%	93.9%
Grade 11	2.6%	3.1%	4.6%	95.4%
Grade 12	0.8%	1.4%	3.3%	96.7%
Methamphetamine				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.0%	0.2%	0.5%	99.5%
Grade 8	0.7%	0.9%	2.0%	98.0%
Grade 9	0.5%	0.5%	1.0%	99.0%
Grade 10	0.8%	1.0%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.6%	99.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	17.0%	19.9%	33.6%	66.4%
Grade 7	7.9%	8.3%	19.8%	80.2%
Grade 8	12.0%	13.2%	30.0%	70.0%
Grade 9	21.2%	21.7%	34.9%	65.1%
Grade 10	16.1%	22.5%	35.8%	64.2%
Grade 11	27.1%	30.0%	38.9%	61.1%
Grade 12	19.8%	27.3%	46.2%	53.8%
Any Alcohol Product				
All	24.3%	31.2%	49.9%	50.1%
Grade 7	13.7%	14.9%	31.3%	68.7%
Grade 8	22.2%	28.2%	52.0%	48.0%
Grade 9	30.0%	36.3%	54.7%	45.3%
Grade 10	21.7%	30.4%	55.3%	44.7%
Grade 11	33.9%	35.9%	46.1%	53.9%
Grade 12	26.1%	46.2%	63.7%	36.3%
Any Illicit Drug				
All	7.1%	10.4%	18.1%	81.9%
Grade 7	4.0%	5.6%	10.7%	89.3%
Grade 8	7.7%	9.9%	12.0%	88.0%
Grade 9	8.3%	16.7%	22.2%	77.8%
Grade 10	10.2%	11.4%	17.1%	82.9%
Grade 11	5.8%	7.1%	17.3%	82.7%
Grade 12	6.6%	11.0%	32.4%	67.6%
Any Prescription Drug				
All	7.7%	11.5%	20.8%	79.2%
Grade 7	6.1%	8.4%	17.7%	82.3%
Grade 8	5.8%	9.9%	17.9%	82.1%
Grade 9	13.3%	19.3%	24.4%	75.6%
Grade 10	4.8%	10.0%	16.3%	83.7%
Grade 11	9.5%	10.7%	24.2%	75.8%
Grade 12	5.7%	9.9%	25.8%	74.2%
Any Inhalant				
All	3.0%	4.0%	12.8%	87.2%
Grade 7	6.6%	7.7%	18.2%	81.8%
Grade 8	7.0%	10.6%	22.3%	77.7%
Grade 9	2.2%	2.7%	10.7%	89.3%
Grade 10	0.3%	1.0%	1.5%	98.5%
Grade 11	0.0%	0.0%	10.9%	89.1%
Grade 12	0.6%	0.6%	12.0%	88.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.5%	16.2%	28.9%	71.1%
Grade 7	3.2%	4.3%	16.2%	83.8%
Grade 8	10.0%	12.2%	26.8%	73.2%
Grade 9	12.5%	13.3%	26.2%	73.8%
Grade 10	14.1%	20.2%	31.9%	68.1%
Grade 11	21.5%	28.7%	32.4%	67.6%
Grade 12	16.3%	22.4%	44.5%	55.5%
Marijuana				
All	6.3%	8.6%	15.7%	84.3%
Grade 7	2.8%	3.8%	5.1%	94.9%
Grade 8	6.9%	8.3%	9.1%	90.9%
Grade 9	6.2%	11.5%	18.7%	81.3%
Grade 10	10.2%	11.4%	17.1%	82.9%
Grade 11	5.8%	5.8%	16.0%	84.0%
Grade 12	6.6%	11.0%	32.4%	67.6%
Marijuana Only				
All	2.6%	4.7%	10.9%	89.1%
Grade 7	1.5%	2.2%	3.5%	96.5%
Grade 8	4.3%	5.4%	6.2%	93.8%
Grade 9	1.3%	6.6%	11.5%	88.5%
Grade 10	1.6%	2.9%	8.6%	91.4%
Grade 11	3.1%	3.1%	13.1%	86.9%
Grade 12	4.2%	8.6%	26.1%	73.9%
Cocaine or Crack				
All	0.6%	0.7%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.8%	1.2%	1.8%	98.2%
Grade 9	2.5%	2.5%	2.9%	97.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.6%	99.4%
Cocaine				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.8%	1.2%	1.8%	98.2%
Grade 9	2.2%	2.2%	2.9%	97.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.6%	99.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.7%	0.9%	2.0%	98.0%
Grade 7	0.4%	0.4%	3.0%	97.0%
Grade 8	0.4%	0.4%	1.3%	98.7%
Grade 9	0.5%	0.5%	1.3%	98.7%
Grade 10	2.3%	2.9%	2.9%	97.1%
Grade 11	0.0%	0.7%	1.4%	98.6%
Grade 12	0.7%	0.7%	1.8%	98.2%
Synthetic Cathinones				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.7%	0.7%	2.0%	98.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.2%	0.3%	1.3%	98.7%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	4.4%	95.6%
Grade 10	0.0%	0.6%	0.6%	99.4%
Grade 11	0.7%	0.7%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.6%	99.4%
Ecstasy				
All	0.8%	1.5%	2.5%	97.5%
Grade 7	0.9%	0.9%	0.9%	99.1%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	1.8%	1.8%	2.2%	97.8%
Grade 10	1.2%	5.5%	5.8%	94.2%
Grade 11	0.0%	0.0%	1.3%	98.7%
Grade 12	0.0%	0.0%	4.4%	95.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.9%	1.4%	2.4%	97.6%
Grade 7	0.3%	0.3%	3.9%	96.1%
Grade 8	0.0%	0.4%	1.2%	98.8%
Grade 9	4.1%	5.8%	6.2%	93.8%
Grade 10	0.5%	0.9%	1.3%	98.7%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.4%	0.4%	1.0%	99.0%
Grade 7	0.3%	0.3%	2.9%	97.1%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	1.8%	1.8%	1.8%	98.2%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.6%	99.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.7%	19.0%	22.9%	77.1%
Grade 7	23.3%	26.1%	29.4%	70.6%
Grade 8	12.3%	16.1%	19.9%	80.1%
Grades 9-10	19.0%	24.8%	31.7%	68.3%
Grades 11-12	7.8%	7.8%	7.8%	92.2%
Any Alcohol Product				
All	37.2%	37.2%	45.6%	54.4%
Grade 7	16.9%	16.9%	32.6%	67.4%
Grade 8	14.9%	14.9%	33.9%	66.1%
Grades 9-10	42.0%	42.0%	47.2%	52.8%
Grades 11-12	61.5%	61.5%	61.5%	38.5%
Any Illicit Drug				
All	18.3%	24.4%	27.5%	72.5%
Grade 7	23.4%	23.4%	26.8%	73.2%
Grade 8	15.0%	15.0%	15.0%	85.0%
Grades 9-10	23.8%	23.8%	30.5%	69.5%
Grades 11-12	8.5%	33.3%	33.3%	66.7%
Any Prescription Drug				
All	6.7%	9.1%	14.1%	85.9%
Grade 7	7.8%	11.2%	20.5%	79.5%
Grade 8	3.3%	12.8%	20.6%	79.4%
Grades 9-10	7.1%	7.1%	12.3%	87.7%
Grades 11-12	7.8%	7.8%	7.8%	92.2%
Any Inhalant				
All	3.7%	3.7%	11.5%	88.5%
Grade 7	13.6%	13.6%	23.7%	76.3%
Grade 8	2.8%	2.8%	13.6%	86.4%
Grades 9-10	1.4%	1.4%	11.6%	88.4%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
Electronic Vapor Products				
All	11.3%	15.9%	23.1%	76.9%
Grade 7	14.4%	17.2%	23.3%	76.7%
Grade 8	3.2%	12.3%	19.9%	80.1%
Grades 9-10	15.4%	21.8%	34.0%	66.0%
Grades 11-12	9.2%	9.2%	9.2%	90.8%
Marijuana				
All	17.7%	19.8%	23.0%	77.0%
Grade 7	23.4%	23.4%	26.8%	73.2%
Grade 8	15.0%	15.0%	15.0%	85.0%
Grades 9-10	22.4%	22.4%	29.1%	70.9%
Grades 11-12	8.5%	16.9%	16.9%	83.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	9.2%	11.2%	14.3%	85.7%
Grade 7	19.3%	19.3%	22.5%	77.5%
Grade 8	8.2%	8.2%	8.2%	91.8%
Grades 9-10	5.7%	5.7%	12.3%	87.7%
Grades 11-12	7.8%	15.6%	15.6%	84.4%
Cocaine or Crack				
All	0.5%	0.5%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	1.4%	1.4%	1.4%	98.6%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
Cocaine				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
Crack				
All	0.5%	0.5%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	1.4%	1.4%	1.4%	98.6%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	0.5%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	1.5%	1.5%	1.5%	98.5%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
Synthetic Cathinones				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	1.9%	1.9%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	5.2%	5.2%	5.2%	94.8%
Grades 11-12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Ecstasy				
All	0.5%	0.5%	2.5%	97.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	1.4%	1.4%	6.5%	93.5%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
Heroin				
All	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	0.0%	0.0%	0.0%	100.0%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
All	0.6%	2.8%	6.2%	93.8%
Grade 7	3.4%	3.4%	3.4%	96.6%
Grade 8	0.0%	0.0%	6.6%	93.4%
Grades 9-10	0.0%	5.7%	11.5%	88.5%
Grades 11-12	0.0%	0.0%	0.0%	100.0%
Methamphetamine				
All	0.5%	0.5%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grades 9-10	1.4%	1.4%	1.4%	98.6%
Grades 11-12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.9%	20.4%	34.0%	66.0%
Grade 7	6.7%	8.5%	17.8%	82.2%
Grade 8	15.8%	19.8%	32.9%	67.1%
Grade 9	17.6%	21.0%	36.5%	63.5%
Grade 10	17.9%	23.1%	39.6%	60.4%
Grade 11	25.1%	27.9%	41.7%	58.3%
Grade 12	19.4%	23.2%	36.3%	63.7%
Any Alcohol Product				
All	32.8%	37.5%	54.3%	45.7%
Grade 7	20.4%	23.5%	39.4%	60.6%
Grade 8	32.3%	35.7%	53.9%	46.1%
Grade 9	31.2%	35.6%	53.7%	46.3%
Grade 10	37.0%	42.0%	59.1%	40.9%
Grade 11	39.3%	45.5%	58.6%	41.4%
Grade 12	38.6%	45.3%	63.4%	36.6%
Any Illicit Drug				
All	15.8%	19.7%	25.8%	74.2%
Grade 7	5.8%	8.2%	10.8%	89.2%
Grade 8	13.9%	19.2%	21.6%	78.4%
Grade 9	17.0%	18.7%	25.8%	74.2%
Grade 10	15.7%	21.4%	31.2%	68.8%
Grade 11	24.7%	29.2%	35.5%	64.5%
Grade 12	19.5%	23.3%	32.0%	68.0%
Any Prescription Drug				
All	7.1%	9.9%	18.5%	81.5%
Grade 7	4.8%	6.9%	14.7%	85.3%
Grade 8	8.1%	11.2%	21.3%	78.7%
Grade 9	7.6%	10.7%	17.7%	82.3%
Grade 10	7.6%	10.3%	19.2%	80.8%
Grade 11	9.2%	13.4%	21.2%	78.8%
Grade 12	4.7%	6.7%	17.1%	82.9%
Any Inhalant				
All	5.2%	7.1%	14.8%	85.2%
Grade 7	6.4%	7.5%	15.4%	84.6%
Grade 8	6.9%	9.2%	19.1%	80.9%
Grade 9	3.9%	6.4%	14.2%	85.8%
Grade 10	5.3%	7.3%	15.0%	85.0%
Grade 11	6.4%	7.9%	12.9%	87.1%
Grade 12	2.3%	3.6%	11.3%	88.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 60 of 126

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.4%	16.6%	30.3%	69.7%
Grade 7	3.9%	6.4%	15.2%	84.8%
Grade 8	10.0%	16.0%	28.8%	71.2%
Grade 9	12.7%	17.9%	31.9%	68.1%
Grade 10	13.1%	19.9%	35.5%	64.5%
Grade 11	16.6%	21.9%	38.7%	61.3%
Grade 12	12.9%	18.2%	33.0%	67.0%
Marijuana				
All	15.1%	17.4%	23.7%	76.3%
Grade 7	5.2%	5.9%	7.7%	92.3%
Grade 8	13.3%	16.2%	18.8%	81.2%
Grade 9	16.6%	17.6%	24.3%	75.7%
Grade 10	14.7%	17.7%	28.4%	71.6%
Grade 11	23.9%	27.1%	34.2%	65.8%
Grade 12	18.4%	21.9%	30.9%	69.1%
Marijuana Only				
All	7.9%	9.4%	14.7%	85.3%
Grade 7	3.2%	3.9%	5.5%	94.5%
Grade 8	5.8%	7.2%	9.4%	90.6%
Grade 9	10.2%	11.0%	16.9%	83.1%
Grade 10	7.6%	8.7%	17.4%	82.6%
Grade 11	10.5%	13.3%	19.3%	80.7%
Grade 12	10.7%	13.2%	21.0%	79.0%
Cocaine or Crack				
All	2.5%	2.9%	4.5%	95.5%
Grade 7	1.1%	1.4%	1.9%	98.1%
Grade 8	1.7%	2.0%	3.1%	96.9%
Grade 9	0.9%	1.0%	2.1%	97.9%
Grade 10	1.9%	2.1%	5.6%	94.4%
Grade 11	6.4%	6.8%	9.3%	90.7%
Grade 12	3.7%	4.8%	6.1%	93.9%
Cocaine				
All	2.4%	2.6%	4.3%	95.7%
Grade 7	1.1%	1.1%	1.6%	98.4%
Grade 8	1.7%	1.8%	2.9%	97.1%
Grade 9	0.6%	0.7%	1.8%	98.2%
Grade 10	1.9%	2.1%	5.6%	94.4%
Grade 11	6.2%	6.4%	8.9%	91.1%
Grade 12	3.6%	4.5%	5.8%	94.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.9%	1.1%	98.9%
Grade 7	0.5%	0.8%	0.8%	99.2%
Grade 8	1.0%	1.2%	1.4%	98.6%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	1.8%	1.9%	2.3%	97.7%
Grade 12	0.9%	1.1%	1.6%	98.4%
Hallucinogens				
All	1.1%	1.5%	3.1%	96.9%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.7%	0.9%	2.7%	97.3%
Grade 9	1.2%	2.5%	3.6%	96.4%
Grade 10	1.9%	1.9%	3.4%	96.6%
Grade 11	1.5%	2.3%	5.8%	94.2%
Grade 12	0.9%	1.1%	2.8%	97.2%
Synthetic Cathinones				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.9%	1.0%	1.4%	98.6%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.6%	0.6%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.4%	0.8%	1.2%	98.8%
Grade 8	0.6%	0.9%	1.8%	98.2%
Grade 9	0.4%	0.8%	1.3%	98.7%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.0%	0.7%	1.2%	98.8%
Grade 12	0.4%	0.4%	1.0%	99.0%
Ecstasy				
All	0.9%	1.4%	2.6%	97.4%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.6%	1.3%	1.5%	98.5%
Grade 9	0.7%	0.8%	1.1%	98.9%
Grade 10	1.5%	2.1%	3.1%	96.9%
Grade 11	1.7%	2.4%	5.7%	94.3%
Grade 12	1.0%	1.8%	4.0%	96.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.5%	0.7%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	1.0%	1.3%	2.7%	97.3%
Grade 12	0.2%	0.2%	0.9%	99.1%
Synthetic Marijuana				
All	1.6%	2.3%	4.9%	95.1%
Grade 7	0.7%	1.0%	2.2%	97.8%
Grade 8	2.3%	3.5%	6.9%	93.1%
Grade 9	0.8%	1.5%	3.8%	96.2%
Grade 10	1.7%	2.9%	5.3%	94.7%
Grade 11	3.0%	3.7%	7.4%	92.6%
Grade 12	1.0%	1.6%	3.8%	96.2%
Methamphetamine				
All	0.6%	0.7%	1.2%	98.8%
Grade 7	0.1%	0.3%	0.6%	99.4%
Grade 8	0.7%	0.9%	1.6%	98.4%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.7%	0.9%	1.1%	98.9%
Grade 11	1.9%	2.2%	2.6%	97.4%
Grade 12	0.0%	0.0%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 63 of 126

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	10.3%	14.2%	27.7%	72.3%
Grade 7	4.0%	5.7%	15.0%	85.0%
Grade 8	8.9%	10.1%	23.6%	76.4%
Grade 9	11.6%	14.4%	29.0%	71.0%
Grade 10	11.9%	19.2%	33.5%	66.5%
Grade 11	11.7%	14.7%	30.9%	69.1%
Grade 12	12.8%	18.9%	31.8%	68.2%
Any Alcohol Product				
All	22.8%	28.6%	47.3%	52.7%
Grade 7	12.9%	16.1%	32.2%	67.8%
Grade 8	21.1%	24.4%	43.6%	56.4%
Grade 9	20.8%	27.1%	50.9%	49.1%
Grade 10	28.4%	33.7%	55.0%	45.0%
Grade 11	23.2%	29.9%	43.4%	56.6%
Grade 12	28.3%	37.5%	54.7%	45.3%
Any Illicit Drug				
All	8.3%	11.4%	15.8%	84.2%
Grade 7	3.7%	5.2%	6.2%	93.8%
Grade 8	5.9%	8.2%	10.7%	89.3%
Grade 9	9.1%	10.6%	14.7%	85.3%
Grade 10	8.5%	13.0%	17.1%	82.9%
Grade 11	9.8%	12.5%	19.8%	80.2%
Grade 12	11.9%	17.3%	23.7%	76.3%
Any Prescription Drug				
All	4.6%	7.8%	15.3%	84.7%
Grade 7	3.5%	6.8%	15.0%	85.0%
Grade 8	4.1%	8.1%	14.8%	85.2%
Grade 9	3.5%	8.9%	15.6%	84.4%
Grade 10	6.4%	9.5%	15.9%	84.1%
Grade 11	6.2%	7.9%	16.3%	83.7%
Grade 12	4.0%	5.8%	14.3%	85.7%
Any Inhalant				
All	3.8%	5.8%	12.7%	87.3%
Grade 7	5.6%	6.8%	14.6%	85.4%
Grade 8	8.5%	11.7%	19.9%	80.1%
Grade 9	0.5%	4.3%	10.9%	89.1%
Grade 10	5.5%	7.4%	12.8%	87.2%
Grade 11	2.3%	3.4%	10.0%	90.0%
Grade 12	1.7%	2.4%	9.6%	90.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.5%	12.5%	24.5%	75.5%
Grade 7	3.1%	4.8%	12.7%	87.3%
Grade 8	6.5%	8.3%	20.2%	79.8%
Grade 9	11.1%	12.1%	23.4%	76.6%
Grade 10	8.5%	18.2%	30.4%	69.6%
Grade 11	10.3%	13.8%	27.5%	72.5%
Grade 12	10.3%	15.7%	30.5%	69.5%
Marijuana				
All	7.9%	9.9%	14.2%	85.8%
Grade 7	2.7%	2.9%	3.7%	96.3%
Grade 8	5.7%	6.8%	8.7%	91.3%
Grade 9	8.6%	9.0%	12.9%	87.1%
Grade 10	8.2%	11.6%	15.7%	84.3%
Grade 11	9.3%	10.9%	18.7%	81.3%
Grade 12	11.5%	16.1%	22.8%	77.2%
Marijuana Only				
All	4.4%	5.9%	9.7%	90.3%
Grade 7	2.2%	2.2%	2.9%	97.1%
Grade 8	3.4%	4.5%	6.0%	94.0%
Grade 9	3.2%	3.5%	7.1%	92.9%
Grade 10	3.5%	4.3%	8.0%	92.0%
Grade 11	5.2%	6.3%	13.3%	86.7%
Grade 12	8.4%	13.0%	18.9%	81.1%
Cocaine or Crack				
All	0.7%	1.1%	2.0%	98.0%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.7%	0.7%	1.1%	98.9%
Grade 9	0.6%	1.0%	1.6%	98.4%
Grade 10	0.5%	0.9%	3.8%	96.2%
Grade 11	0.4%	0.9%	2.5%	97.5%
Grade 12	1.1%	2.2%	2.2%	97.8%
Cocaine				
All	0.6%	0.9%	1.8%	98.2%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.7%	0.7%	1.1%	98.9%
Grade 9	0.3%	0.7%	1.3%	98.7%
Grade 10	0.5%	0.9%	3.8%	96.2%
Grade 11	0.4%	0.4%	2.0%	98.0%
Grade 12	0.8%	1.8%	1.8%	98.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.3%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.5%	0.9%	99.1%
Grade 12	0.7%	0.7%	1.0%	99.0%
Hallucinogens				
All	0.4%	0.6%	1.6%	98.4%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.9%	1.3%	3.3%	96.7%
Grade 10	0.7%	0.7%	1.3%	98.7%
Grade 11	0.4%	0.9%	2.4%	97.6%
Grade 12	0.4%	0.4%	1.7%	98.3%
Synthetic Cathinones				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.2%	1.3%	98.7%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.1%	0.2%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.7%	2.4%	97.6%
Grade 10	0.3%	0.3%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.3%	99.7%
Ecstasy				
All	0.7%	1.0%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.6%	0.7%	0.7%	99.3%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	1.4%	1.7%	2.1%	97.9%
Grade 11	0.6%	1.1%	2.6%	97.4%
Grade 12	0.7%	1.4%	1.8%	98.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.3%	0.3%	0.7%	99.3%
Synthetic Marijuana				
All	0.9%	1.4%	2.5%	97.5%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.9%	1.1%	1.1%	98.9%
Grade 9	2.1%	2.1%	3.1%	96.9%
Grade 10	0.7%	3.3%	5.7%	94.3%
Grade 11	0.4%	0.4%	2.1%	97.9%
Grade 12	0.7%	0.7%	1.9%	98.1%
Methamphetamine				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.5%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.8%	0.8%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.4%	99.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	19.1%	22.6%	35.6%	64.4%
Grade 7	7.9%	9.7%	18.3%	81.7%
Grade 8	17.3%	21.3%	34.6%	65.4%
Grade 9	20.6%	24.6%	38.6%	61.4%
Grade 10	20.1%	25.1%	40.3%	59.7%
Grade 11	28.4%	31.3%	43.6%	56.4%
Grade 12	23.3%	26.3%	41.2%	58.8%
Any Alcohol Product				
All	34.7%	38.9%	54.9%	45.1%
Grade 7	20.6%	23.0%	38.9%	61.1%
Grade 8	32.4%	36.4%	56.2%	43.8%
Grade 9	34.6%	37.9%	53.9%	46.1%
Grade 10	37.1%	41.9%	56.5%	43.5%
Grade 11	44.5%	50.0%	62.3%	37.7%
Grade 12	44.3%	51.0%	67.8%	32.2%
Any Illicit Drug				
All	17.7%	21.6%	28.6%	71.4%
Grade 7	7.1%	9.3%	12.5%	87.5%
Grade 8	14.7%	20.2%	22.5%	77.5%
Grade 9	19.6%	22.2%	29.8%	70.2%
Grade 10	19.3%	24.0%	35.5%	64.5%
Grade 11	25.4%	31.0%	37.9%	62.1%
Grade 12	23.2%	26.6%	39.4%	60.6%
Any Prescription Drug				
All	7.5%	10.6%	19.9%	80.1%
Grade 7	4.5%	6.4%	15.0%	85.0%
Grade 8	8.6%	11.8%	22.4%	77.6%
Grade 9	10.5%	13.2%	20.4%	79.6%
Grade 10	8.0%	11.4%	20.0%	80.0%
Grade 11	6.9%	11.9%	22.8%	77.2%
Grade 12	5.0%	8.3%	19.3%	80.7%
Any Inhalant				
All	5.3%	6.7%	14.6%	85.4%
Grade 7	6.6%	7.8%	15.3%	84.7%
Grade 8	6.2%	8.1%	19.1%	80.9%
Grade 9	4.7%	6.3%	14.4%	85.6%
Grade 10	4.4%	5.4%	13.5%	86.5%
Grade 11	6.3%	7.6%	13.1%	86.9%
Grade 12	2.8%	4.2%	11.0%	89.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	12.3%	17.9%	31.6%	68.4%
Grade 7	3.2%	6.1%	14.6%	85.4%
Grade 8	10.6%	16.9%	30.2%	69.8%
Grade 9	13.0%	19.9%	34.4%	65.6%
Grade 10	15.1%	20.9%	36.8%	63.2%
Grade 11	19.2%	25.2%	40.3%	59.7%
Grade 12	15.4%	20.9%	36.9%	63.1%
Marijuana				
All	16.9%	19.4%	26.2%	73.8%
Grade 7	6.3%	7.3%	9.1%	90.9%
Grade 8	13.8%	17.1%	19.4%	80.6%
Grade 9	19.0%	20.8%	27.8%	72.2%
Grade 10	18.3%	21.2%	32.8%	67.2%
Grade 11	24.8%	28.1%	35.8%	64.2%
Grade 12	21.9%	25.3%	38.3%	61.7%
Marijuana Only				
All	8.8%	10.5%	16.3%	83.7%
Grade 7	4.1%	4.9%	6.5%	93.5%
Grade 8	6.3%	7.7%	9.7%	90.3%
Grade 9	11.4%	13.0%	19.7%	80.3%
Grade 10	8.9%	10.5%	19.9%	80.1%
Grade 11	11.2%	14.2%	20.8%	79.2%
Grade 12	12.2%	14.2%	24.7%	75.3%
Cocaine or Crack				
All	2.6%	2.8%	4.4%	95.6%
Grade 7	1.0%	1.0%	1.6%	98.4%
Grade 8	1.8%	2.1%	3.3%	96.7%
Grade 9	1.1%	1.1%	2.0%	98.0%
Grade 10	2.2%	2.2%	5.5%	94.5%
Grade 11	7.1%	7.4%	8.5%	91.5%
Grade 12	4.3%	5.2%	7.6%	92.4%
Cocaine				
All	2.5%	2.7%	4.2%	95.8%
Grade 7	1.0%	1.0%	1.6%	98.4%
Grade 8	1.8%	2.0%	3.2%	96.8%
Grade 9	0.7%	0.7%	1.7%	98.3%
Grade 10	2.2%	2.2%	5.5%	94.5%
Grade 11	6.8%	7.1%	8.2%	91.8%
Grade 12	4.3%	4.9%	7.4%	92.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.8%	0.8%	1.1%	98.9%
Grade 7	0.7%	0.7%	0.7%	99.3%
Grade 8	1.1%	1.2%	1.6%	98.4%
Grade 9	0.5%	0.5%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	1.2%	1.2%	1.5%	98.5%
Grade 12	0.9%	1.2%	1.7%	98.3%
Hallucinogens				
All	1.3%	1.9%	3.3%	96.7%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.7%	0.9%	2.7%	97.3%
Grade 9	1.1%	2.6%	3.2%	96.8%
Grade 10	2.8%	3.0%	4.3%	95.7%
Grade 11	1.9%	2.8%	5.9%	94.1%
Grade 12	1.5%	1.8%	3.1%	96.9%
Synthetic Cathinones				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	1.0%	1.0%	1.4%	98.6%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.4%	0.4%	0.4%	99.6%
Steroids				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.5%	0.5%	1.1%	98.9%
Grade 8	0.4%	0.6%	1.7%	98.3%
Grade 9	0.9%	1.1%	1.8%	98.2%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	0.1%	1.1%	1.7%	98.3%
Grade 12	0.6%	0.6%	1.4%	98.6%
Ecstasy				
All	0.9%	1.5%	3.1%	96.9%
Grade 7	0.4%	0.4%	1.1%	98.9%
Grade 8	0.5%	1.3%	1.6%	98.4%
Grade 9	0.6%	0.8%	1.6%	98.4%
Grade 10	1.7%	3.3%	4.6%	95.4%
Grade 11	1.3%	2.1%	6.1%	93.9%
Grade 12	0.6%	1.4%	5.5%	94.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.4%	0.6%	0.9%	99.1%
Grade 8	0.6%	0.9%	1.7%	98.3%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.2%	0.3%	0.6%	99.4%
Grade 11	0.2%	0.6%	2.3%	97.7%
Grade 12	0.0%	0.0%	0.8%	99.2%
Synthetic Marijuana				
All	1.7%	2.6%	5.2%	94.8%
Grade 7	0.9%	1.2%	2.6%	97.4%
Grade 8	1.7%	2.8%	6.9%	93.1%
Grade 9	0.9%	2.5%	4.9%	95.1%
Grade 10	1.9%	2.4%	4.7%	95.3%
Grade 11	3.9%	4.8%	8.2%	91.8%
Grade 12	1.1%	2.0%	4.2%	95.8%
Methamphetamine				
All	0.6%	0.7%	1.3%	98.7%
Grade 7	0.2%	0.2%	1.3%	98.7%
Grade 8	0.7%	0.8%	1.7%	98.3%
Grade 9	0.5%	0.5%	0.7%	99.3%
Grade 10	0.6%	0.8%	1.2%	98.8%
Grade 11	1.5%	1.8%	2.1%	97.9%
Grade 12	0.0%	0.0%	1.1%	98.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.9%	17.1%	28.7%	71.3%
Grade 7	4.2%	5.3%	14.2%	85.8%
Grade 8	10.7%	13.5%	24.6%	75.4%
Grade 9	20.4%	23.6%	35.0%	65.0%
Grade 10	12.7%	18.5%	34.3%	65.7%
Grade 11	20.2%	22.1%	33.6%	66.4%
Grade 12	17.5%	22.4%	33.8%	66.2%
Any Alcohol Product				
All	27.9%	31.6%	48.4%	51.6%
Grade 7	16.2%	18.3%	35.0%	65.0%
Grade 8	27.0%	30.2%	48.7%	51.3%
Grade 9	30.9%	34.1%	51.5%	48.5%
Grade 10	28.2%	33.7%	53.5%	46.5%
Grade 11	32.1%	36.2%	48.3%	51.7%
Grade 12	37.1%	41.4%	57.2%	42.8%
Any Illicit Drug				
All	11.3%	14.2%	19.3%	80.7%
Grade 7	3.8%	5.1%	7.4%	92.6%
Grade 8	9.2%	12.2%	14.0%	86.0%
Grade 9	15.3%	17.7%	24.9%	75.1%
Grade 10	9.5%	13.6%	21.5%	78.5%
Grade 11	18.2%	21.5%	26.4%	73.6%
Grade 12	13.9%	17.6%	25.5%	74.5%
Any Prescription Drug				
All	6.0%	8.3%	15.9%	84.1%
Grade 7	3.6%	6.0%	12.4%	87.6%
Grade 8	6.1%	8.7%	17.3%	82.7%
Grade 9	8.0%	11.4%	18.6%	81.4%
Grade 10	5.7%	6.4%	15.1%	84.9%
Grade 11	7.7%	10.8%	16.2%	83.8%
Grade 12	4.7%	6.5%	16.0%	84.0%
Any Inhalant				
All	4.2%	5.7%	13.1%	86.9%
Grade 7	5.4%	6.2%	14.5%	85.5%
Grade 8	5.9%	8.3%	17.6%	82.4%
Grade 9	3.6%	4.4%	12.4%	87.6%
Grade 10	2.3%	5.2%	13.6%	86.4%
Grade 11	5.0%	5.7%	10.3%	89.7%
Grade 12	2.7%	3.7%	8.4%	91.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 72 of 126

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.0%	13.8%	25.8%	74.2%
Grade 7	1.4%	3.5%	11.8%	88.2%
Grade 8	6.7%	11.1%	21.7%	78.3%
Grade 9	12.9%	19.7%	32.1%	67.9%
Grade 10	9.5%	15.8%	30.8%	69.2%
Grade 11	12.2%	16.0%	30.2%	69.8%
Grade 12	13.1%	18.8%	31.7%	68.3%
Marijuana				
All	10.6%	12.2%	17.1%	82.9%
Grade 7	3.1%	3.6%	4.9%	95.1%
Grade 8	8.4%	9.7%	11.2%	88.8%
Grade 9	14.9%	16.1%	22.6%	77.4%
Grade 10	8.1%	10.2%	18.3%	81.7%
Grade 11	18.0%	19.8%	25.0%	75.0%
Grade 12	13.1%	16.2%	24.4%	75.6%
Marijuana Only				
All	6.3%	7.4%	11.7%	88.3%
Grade 7	2.0%	2.5%	3.8%	96.2%
Grade 8	4.0%	5.0%	6.2%	93.8%
Grade 9	9.3%	10.5%	16.2%	83.8%
Grade 10	5.2%	5.9%	12.4%	87.6%
Grade 11	9.4%	11.1%	15.6%	84.4%
Grade 12	8.9%	11.1%	18.7%	81.3%
Cocaine or Crack				
All	1.3%	1.5%	2.4%	97.6%
Grade 7	0.8%	0.8%	1.0%	99.0%
Grade 8	0.6%	0.8%	1.3%	98.7%
Grade 9	1.1%	1.1%	1.5%	98.5%
Grade 10	1.1%	1.2%	3.2%	96.8%
Grade 11	2.7%	2.9%	5.3%	94.7%
Grade 12	2.0%	2.9%	3.1%	96.9%
Cocaine				
All	1.2%	1.3%	2.3%	97.7%
Grade 7	0.8%	0.8%	1.0%	99.0%
Grade 8	0.6%	0.8%	1.2%	98.8%
Grade 9	0.9%	0.9%	1.2%	98.8%
Grade 10	1.1%	1.2%	3.2%	96.8%
Grade 11	2.4%	2.4%	4.8%	95.2%
Grade 12	1.8%	2.4%	2.9%	97.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.9%	1.2%	1.4%	98.6%
Grade 12	0.6%	0.8%	0.8%	99.2%
Hallucinogens				
All	0.8%	1.1%	2.0%	98.0%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.1%	0.3%	0.5%	99.5%
Grade 9	1.1%	2.1%	2.6%	97.4%
Grade 10	1.3%	1.3%	2.2%	97.8%
Grade 11	1.9%	2.7%	5.1%	94.9%
Grade 12	0.4%	0.4%	1.3%	98.7%
Synthetic Cathinones				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.9%	0.9%	1.4%	98.6%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	0.3%	0.7%	1.3%	98.7%
Grade 9	1.1%	1.5%	3.1%	96.9%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.3%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.4%	99.6%
Ecstasy				
All	0.5%	0.6%	1.3%	98.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.3%	0.3%	99.7%
Grade 9	0.4%	0.6%	1.2%	98.8%
Grade 10	0.9%	0.9%	1.7%	98.3%
Grade 11	0.9%	1.2%	2.9%	97.1%
Grade 12	0.6%	0.8%	2.3%	97.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.3%	0.4%	1.0%	99.0%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.2%	0.2%	1.1%	98.9%
Grade 12	0.2%	0.2%	0.2%	99.8%
Synthetic Marijuana				
All	0.9%	1.4%	3.0%	97.0%
Grade 7	0.5%	0.7%	1.2%	98.8%
Grade 8	1.6%	2.5%	3.8%	96.2%
Grade 9	0.7%	1.7%	4.0%	96.0%
Grade 10	0.3%	0.3%	2.2%	97.8%
Grade 11	2.0%	2.6%	5.4%	94.6%
Grade 12	0.2%	0.5%	1.3%	98.7%
Methamphetamine				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.7%	0.7%	0.8%	99.2%
Grade 10	0.4%	0.4%	0.8%	99.2%
Grade 11	0.3%	0.3%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.3%	99.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	21.4%	25.3%	41.0%	59.0%
Grade 7	12.8%	15.7%	26.6%	73.4%
Grade 8	21.6%	26.8%	43.5%	56.5%
Grade 9	15.3%	19.1%	39.0%	61.0%
Grade 10	24.6%	29.4%	43.5%	56.5%
Grade 11	32.8%	36.5%	50.9%	49.1%
Grade 12	21.5%	24.9%	41.8%	58.2%
Any Alcohol Product				
All	37.0%	43.7%	60.6%	39.4%
Grade 7	25.5%	29.5%	44.8%	55.2%
Grade 8	34.7%	39.2%	59.1%	40.9%
Grade 9	32.5%	39.2%	58.6%	41.4%
Grade 10	41.5%	46.6%	61.6%	38.4%
Grade 11	49.5%	56.9%	69.5%	30.5%
Grade 12	38.2%	50.8%	69.9%	30.1%
Any Illicit Drug				
All	20.3%	25.0%	33.0%	67.0%
Grade 7	10.7%	14.2%	18.8%	81.2%
Grade 8	20.6%	26.5%	29.8%	70.2%
Grade 9	18.7%	21.8%	28.0%	72.0%
Grade 10	21.9%	26.4%	37.7%	62.3%
Grade 11	27.6%	34.0%	43.2%	56.8%
Grade 12	22.0%	27.2%	40.5%	59.5%
Any Prescription Drug				
All	8.7%	12.7%	22.6%	77.4%
Grade 7	7.9%	9.6%	21.1%	78.9%
Grade 8	10.0%	14.8%	25.1%	74.9%
Grade 9	9.2%	12.3%	18.9%	81.1%
Grade 10	8.9%	15.0%	21.1%	78.9%
Grade 11	10.6%	15.0%	28.8%	71.2%
Grade 12	5.5%	8.8%	21.5%	78.5%
Any Inhalant				
All	6.0%	8.1%	16.8%	83.2%
Grade 7	9.4%	11.1%	19.7%	80.3%
Grade 8	8.5%	11.1%	23.4%	76.6%
Grade 9	3.6%	7.6%	15.2%	84.8%
Grade 10	7.8%	8.2%	13.3%	86.7%
Grade 11	5.8%	8.0%	15.1%	84.9%
Grade 12	1.6%	2.9%	15.4%	84.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	15.6%	21.0%	36.3%	63.7%
Grade 7	8.6%	11.7%	22.6%	77.4%
Grade 8	13.7%	21.4%	38.3%	61.7%
Grade 9	12.3%	14.9%	31.1%	68.9%
Grade 10	18.7%	25.9%	40.4%	59.6%
Grade 11	25.1%	32.6%	47.2%	52.8%
Grade 12	14.7%	19.5%	38.1%	61.9%
Marijuana				
All	19.4%	22.6%	30.7%	69.3%
Grade 7	9.8%	10.7%	13.3%	86.7%
Grade 8	19.9%	23.2%	26.9%	73.1%
Grade 9	17.5%	19.8%	26.6%	73.4%
Grade 10	21.8%	25.5%	36.7%	63.3%
Grade 11	26.3%	30.0%	40.5%	59.5%
Grade 12	21.1%	26.3%	39.7%	60.3%
Marijuana Only				
All	9.0%	11.3%	18.1%	81.9%
Grade 7	6.0%	6.5%	8.9%	91.1%
Grade 8	8.9%	10.9%	14.2%	85.8%
Grade 9	8.7%	10.5%	16.2%	83.8%
Grade 10	8.8%	10.6%	20.2%	79.8%
Grade 11	10.9%	14.2%	23.3%	76.7%
Grade 12	10.7%	15.1%	25.7%	74.3%
Cocaine or Crack				
All	3.4%	3.9%	6.1%	93.9%
Grade 7	1.3%	2.0%	2.8%	97.2%
Grade 8	2.9%	3.3%	5.3%	94.7%
Grade 9	1.2%	1.4%	3.1%	96.9%
Grade 10	2.3%	2.6%	6.9%	93.1%
Grade 11	8.8%	9.2%	10.8%	89.2%
Grade 12	4.5%	5.4%	8.0%	92.0%
Cocaine				
All	3.3%	3.6%	5.8%	94.2%
Grade 7	1.3%	1.3%	2.0%	98.0%
Grade 8	2.8%	3.0%	5.0%	95.0%
Grade 9	0.7%	0.9%	2.8%	97.2%
Grade 10	2.3%	2.6%	6.9%	93.1%
Grade 11	8.8%	9.2%	10.8%	89.2%
Grade 12	4.5%	5.4%	7.8%	92.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 77 of 126

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	1.1%	1.3%	1.6%	98.4%
Grade 7	0.9%	1.7%	1.7%	98.3%
Grade 8	1.8%	2.1%	2.5%	97.5%
Grade 9	0.5%	0.5%	0.7%	99.3%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	2.2%	2.2%	2.6%	97.4%
Grade 12	1.0%	1.0%	1.9%	98.1%
Hallucinogens				
All	1.3%	1.8%	3.9%	96.1%
Grade 7	0.2%	0.2%	1.3%	98.7%
Grade 8	1.5%	1.8%	3.9%	96.1%
Grade 9	1.2%	2.4%	4.1%	95.9%
Grade 10	2.7%	3.0%	4.6%	95.4%
Grade 11	0.3%	1.0%	4.8%	95.2%
Grade 12	1.7%	2.0%	4.4%	95.6%
Synthetic Cathinones				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.7%	0.7%	1.3%	98.7%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.8%	0.8%	0.8%	99.2%
Grade 12	0.4%	0.4%	0.4%	99.6%
Steroids				
All	0.4%	0.7%	1.5%	98.5%
Grade 7	0.6%	1.3%	1.9%	98.1%
Grade 8	0.5%	0.5%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.7%	99.3%
Grade 10	0.4%	0.6%	1.3%	98.7%
Grade 11	0.2%	1.1%	1.8%	98.2%
Grade 12	0.7%	0.7%	1.5%	98.5%
Ecstasy				
All	1.5%	2.5%	4.4%	95.6%
Grade 7	0.7%	0.7%	1.7%	98.3%
Grade 8	1.3%	2.7%	3.3%	96.7%
Grade 9	1.5%	1.5%	2.0%	98.0%
Grade 10	2.2%	4.8%	5.8%	94.2%
Grade 11	2.2%	3.1%	7.6%	92.4%
Grade 12	1.1%	2.4%	6.2%	93.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.3%	0.4%	1.0%	99.0%
Grade 8	0.4%	0.8%	2.1%	97.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.5%	0.9%	99.1%
Grade 11	1.7%	2.2%	3.9%	96.1%
Grade 12	0.0%	0.0%	1.4%	98.6%
Synthetic Marijuana				
All	2.3%	3.5%	6.7%	93.3%
Grade 7	1.2%	1.7%	5.1%	94.9%
Grade 8	2.7%	4.1%	8.6%	91.4%
Grade 9	1.9%	3.1%	5.7%	94.3%
Grade 10	3.0%	5.4%	7.9%	92.1%
Grade 11	3.2%	3.7%	7.5%	92.5%
Grade 12	1.7%	2.4%	5.6%	94.4%
Methamphetamine				
All	0.9%	1.1%	1.8%	98.2%
Grade 7	0.3%	0.7%	2.3%	97.7%
Grade 8	0.7%	1.0%	2.3%	97.7%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	1.0%	1.2%	1.2%	98.8%
Grade 11	3.4%	3.9%	3.9%	96.1%
Grade 12	0.0%	0.0%	1.3%	98.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.9%	18.0%	31.7%	68.3%
Grade 7	6.3%	7.6%	16.3%	83.7%
Grade 8	13.0%	15.8%	29.5%	70.5%
Grade 9	16.6%	19.8%	34.2%	65.8%
Grade 10	15.3%	19.6%	36.8%	63.2%
Grade 11	23.9%	26.4%	39.2%	60.8%
Grade 12	16.4%	21.2%	37.0%	63.0%
Any Alcohol Product				
All	29.4%	33.9%	51.8%	48.2%
Grade 7	16.8%	19.6%	35.3%	64.7%
Grade 8	27.5%	31.1%	51.6%	48.4%
Grade 9	29.9%	33.2%	50.9%	49.1%
Grade 10	30.9%	36.9%	57.3%	42.7%
Grade 11	38.7%	42.3%	55.7%	44.3%
Grade 12	35.6%	44.5%	63.8%	36.2%
Any Illicit Drug				
All	12.1%	15.7%	22.1%	77.9%
Grade 7	4.1%	6.4%	9.4%	90.6%
Grade 8	11.7%	15.7%	18.0%	82.0%
Grade 9	14.8%	16.8%	23.0%	77.0%
Grade 10	10.3%	15.0%	25.2%	74.8%
Grade 11	19.5%	23.4%	31.3%	68.7%
Grade 12	14.4%	18.9%	29.1%	70.9%
Any Prescription Drug				
All	6.3%	9.2%	17.6%	82.4%
Grade 7	4.3%	6.7%	14.6%	85.4%
Grade 8	6.9%	10.7%	20.4%	79.6%
Grade 9	8.1%	11.3%	17.6%	82.4%
Grade 10	6.1%	8.3%	15.6%	84.4%
Grade 11	7.5%	11.1%	20.1%	79.9%
Grade 12	4.8%	7.1%	18.3%	81.7%
Any Inhalant				
All	4.5%	5.8%	13.4%	86.6%
Grade 7	5.7%	6.7%	14.8%	85.2%
Grade 8	6.6%	8.5%	18.1%	81.9%
Grade 9	4.1%	5.7%	12.4%	87.6%
Grade 10	3.0%	4.7%	11.5%	88.5%
Grade 11	5.2%	6.4%	12.2%	87.8%
Grade 12	1.9%	2.4%	10.6%	89.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.7%	15.0%	28.1%	71.9%
Grade 7	4.0%	5.4%	13.5%	86.5%
Grade 8	8.6%	12.9%	25.3%	74.7%
Grade 9	11.7%	16.9%	29.9%	70.1%
Grade 10	12.2%	17.5%	33.4%	66.6%
Grade 11	16.6%	21.9%	35.7%	64.3%
Grade 12	12.5%	17.5%	33.9%	66.1%
Marijuana				
All	11.7%	13.7%	20.1%	79.9%
Grade 7	3.6%	4.5%	6.3%	93.7%
Grade 8	11.4%	13.9%	16.1%	83.9%
Grade 9	14.3%	15.2%	21.0%	79.0%
Grade 10	10.0%	12.4%	23.4%	76.6%
Grade 11	18.9%	20.8%	29.1%	70.9%
Grade 12	13.5%	17.6%	28.4%	71.6%
Marijuana Only				
All	6.4%	7.8%	13.6%	86.4%
Grade 7	2.5%	3.3%	5.0%	95.0%
Grade 8	5.5%	6.6%	8.7%	91.3%
Grade 9	8.3%	9.1%	14.8%	85.2%
Grade 10	5.1%	6.3%	16.2%	83.8%
Grade 11	10.0%	11.7%	19.4%	80.6%
Grade 12	7.8%	11.3%	20.2%	79.8%
Cocaine or Crack				
All	1.6%	1.9%	2.9%	97.1%
Grade 7	0.6%	0.9%	1.4%	98.6%
Grade 8	1.0%	1.2%	1.9%	98.1%
Grade 9	0.6%	0.7%	1.8%	98.2%
Grade 10	1.1%	1.3%	2.9%	97.1%
Grade 11	4.3%	4.5%	5.8%	94.2%
Grade 12	2.8%	3.6%	4.3%	95.7%
Cocaine				
All	1.6%	1.8%	2.8%	97.2%
Grade 7	0.6%	0.6%	1.1%	98.9%
Grade 8	1.0%	1.2%	1.9%	98.1%
Grade 9	0.3%	0.4%	1.4%	98.6%
Grade 10	1.1%	1.3%	2.9%	97.1%
Grade 11	4.3%	4.5%	5.8%	94.2%
Grade 12	2.8%	3.4%	4.3%	95.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.3%	0.6%	0.6%	99.4%
Grade 8	0.7%	0.7%	1.0%	99.0%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.7%	0.7%	1.1%	98.9%
Grade 12	0.6%	0.8%	1.1%	98.9%
Hallucinogens				
All	0.8%	1.1%	2.1%	97.9%
Grade 7	0.1%	0.1%	1.0%	99.0%
Grade 8	0.4%	0.6%	2.2%	97.8%
Grade 9	1.2%	2.1%	3.1%	96.9%
Grade 10	0.8%	0.9%	1.8%	98.2%
Grade 11	1.5%	2.1%	3.0%	97.0%
Grade 12	0.8%	1.0%	1.6%	98.4%
Synthetic Cathinones				
All	0.2%	0.2%	0.3%	99.7%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.2%	99.8%
Steroids				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.3%	0.6%	0.8%	99.2%
Grade 8	0.3%	0.3%	1.3%	98.7%
Grade 9	0.9%	1.2%	2.4%	97.6%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.6%	1.1%	98.9%
Grade 12	0.0%	0.0%	0.3%	99.7%
Ecstasy				
All	0.6%	1.0%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.7%	1.1%	1.4%	98.6%
Grade 9	0.6%	0.7%	1.2%	98.8%
Grade 10	0.7%	1.5%	2.3%	97.7%
Grade 11	1.1%	1.5%	3.6%	96.4%
Grade 12	0.8%	1.5%	3.6%	96.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.2%	0.4%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.4%	99.6%
Synthetic Marijuana				
All	1.3%	1.7%	3.5%	96.5%
Grade 7	0.5%	0.5%	2.0%	98.0%
Grade 8	1.9%	2.5%	5.2%	94.8%
Grade 9	0.5%	1.4%	3.5%	96.5%
Grade 10	0.9%	1.2%	2.8%	97.2%
Grade 11	3.0%	3.6%	4.8%	95.2%
Grade 12	0.9%	1.1%	2.6%	97.4%
Methamphetamine				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.7%	0.7%	1.2%	98.8%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.5%	0.5%	0.6%	99.4%
Grade 11	0.2%	0.5%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.6%	99.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	27.9%	33.1%	43.4%	56.6%
Grade 7	19.0%	22.8%	31.7%	68.3%
Grade 8	26.6%	33.4%	43.4%	56.6%
Grade 9	26.0%	31.0%	41.6%	58.4%
Grade 10	26.4%	36.5%	44.3%	55.7%
Grade 11	35.0%	38.9%	52.7%	47.3%
Grade 12	32.4%	33.2%	42.6%	57.4%
Any Alcohol Product				
All	46.6%	52.2%	61.2%	38.8%
Grade 7	41.4%	44.5%	58.3%	41.7%
Grade 8	46.6%	51.0%	61.3%	38.7%
Grade 9	43.6%	49.3%	61.4%	38.6%
Grade 10	51.4%	54.9%	58.5%	41.5%
Grade 11	47.3%	56.7%	63.3%	36.7%
Grade 12	48.5%	54.6%	63.9%	36.1%
Any Illicit Drug				
All	28.0%	34.4%	39.1%	60.9%
Grade 7	22.7%	24.9%	27.9%	72.1%
Grade 8	19.0%	28.1%	30.6%	69.4%
Grade 9	24.7%	32.3%	41.7%	58.3%
Grade 10	33.7%	40.3%	43.3%	56.7%
Grade 11	33.6%	41.1%	42.4%	57.6%
Grade 12	30.9%	35.3%	44.0%	56.0%
Any Prescription Drug				
All	11.0%	14.6%	24.8%	75.2%
Grade 7	12.2%	13.0%	23.7%	76.3%
Grade 8	12.6%	14.4%	24.6%	75.4%
Grade 9	9.5%	12.8%	22.6%	77.4%
Grade 10	11.4%	18.6%	28.5%	71.5%
Grade 11	14.5%	18.2%	28.4%	71.6%
Grade 12	5.0%	8.9%	19.7%	80.3%
Any Inhalant				
All	7.6%	10.3%	19.6%	80.4%
Grade 7	13.0%	14.6%	25.7%	74.3%
Grade 8	7.2%	12.7%	26.8%	73.2%
Grade 9	4.5%	6.0%	20.0%	80.0%
Grade 10	12.8%	15.3%	21.9%	78.1%
Grade 11	6.4%	8.1%	13.0%	87.0%
Grade 12	2.2%	6.3%	12.4%	87.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	16.9%	25.0%	39.8%	60.2%
Grade 7	6.1%	16.2%	27.5%	72.5%
Grade 8	17.3%	26.8%	41.4%	58.6%
Grade 9	16.9%	20.8%	38.8%	61.2%
Grade 10	16.4%	29.8%	38.5%	61.5%
Grade 11	23.5%	30.0%	48.1%	51.9%
Grade 12	18.2%	23.9%	41.3%	58.7%
Marijuana				
All	26.3%	30.7%	35.3%	64.7%
Grade 7	20.2%	21.0%	21.3%	78.7%
Grade 8	15.7%	19.1%	22.2%	77.8%
Grade 9	24.2%	30.5%	39.1%	60.9%
Grade 10	30.1%	35.2%	38.2%	61.8%
Grade 11	33.6%	38.4%	41.5%	58.5%
Grade 12	30.0%	34.3%	43.0%	57.0%
Marijuana Only				
All	12.2%	15.1%	18.7%	81.3%
Grade 7	11.3%	11.6%	11.9%	88.1%
Grade 8	7.2%	9.7%	11.2%	88.8%
Grade 9	11.9%	17.7%	24.0%	76.0%
Grade 10	13.0%	14.2%	17.2%	82.8%
Grade 11	11.5%	15.7%	17.0%	83.0%
Grade 12	18.0%	20.6%	29.3%	70.7%
Cocaine or Crack				
All	5.3%	5.6%	8.6%	91.4%
Grade 7	3.6%	3.6%	3.6%	96.4%
Grade 8	3.5%	3.7%	5.4%	94.6%
Grade 9	3.7%	3.7%	4.2%	95.8%
Grade 10	4.4%	4.4%	10.3%	89.7%
Grade 11	10.6%	11.3%	16.7%	83.3%
Grade 12	4.5%	5.7%	9.1%	90.9%
Cocaine				
All	5.0%	5.1%	8.2%	91.8%
Grade 7	3.6%	3.6%	3.6%	96.4%
Grade 8	3.3%	3.5%	5.2%	94.8%
Grade 9	3.2%	3.2%	3.7%	96.3%
Grade 10	4.4%	4.4%	10.3%	89.7%
Grade 11	9.6%	9.6%	15.0%	85.0%
Grade 12	4.5%	5.7%	9.1%	90.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	1.8%	2.0%	2.0%	98.0%
Grade 7	1.7%	1.7%	1.7%	98.3%
Grade 8	1.8%	1.9%	1.9%	98.1%
Grade 9	0.5%	0.5%	0.5%	99.5%
Grade 10	1.2%	1.2%	1.2%	98.8%
Grade 11	4.6%	5.3%	5.3%	94.7%
Grade 12	0.9%	0.9%	0.9%	99.1%
Hallucinogens				
All	2.1%	2.6%	6.5%	93.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.6%	1.6%	2.8%	97.2%
Grade 9	1.0%	1.6%	3.4%	96.6%
Grade 10	7.5%	8.0%	9.5%	90.5%
Grade 11	0.0%	1.4%	12.1%	87.9%
Grade 12	1.8%	1.8%	8.2%	91.8%
Synthetic Cathinones				
All	0.6%	0.6%	1.1%	98.9%
Grade 7	0.0%	0.0%	1.2%	98.8%
Grade 8	3.0%	3.0%	3.5%	96.5%
Grade 9	0.6%	0.6%	2.0%	98.0%
Grade 10	0.4%	0.4%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids				
All	0.5%	0.9%	1.8%	98.2%
Grade 7	1.7%	1.7%	2.6%	97.4%
Grade 8	0.8%	1.9%	1.9%	98.1%
Grade 9	0.0%	0.0%	2.1%	97.9%
Grade 10	0.0%	0.5%	1.4%	98.6%
Grade 11	0.0%	0.9%	0.9%	99.1%
Grade 12	1.2%	1.2%	2.3%	97.7%
Ecstasy				
All	2.2%	3.1%	5.5%	94.5%
Grade 7	1.6%	1.6%	2.7%	97.3%
Grade 8	0.0%	1.7%	2.2%	97.8%
Grade 9	1.6%	1.6%	2.1%	97.9%
Grade 10	5.5%	7.1%	8.6%	91.4%
Grade 11	3.1%	4.5%	11.0%	89.0%
Grade 12	0.0%	0.9%	4.7%	95.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	1.0%	1.1%	2.7%	97.3%
Grade 7	1.0%	1.0%	3.7%	96.3%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.6%	1.2%	1.6%	98.4%
Grade 11	3.7%	3.7%	8.1%	91.9%
Grade 12	0.0%	0.0%	1.9%	98.1%
Synthetic Marijuana				
All	2.2%	5.0%	10.4%	89.6%
Grade 7	2.5%	4.9%	7.1%	92.9%
Grade 8	1.8%	4.9%	9.1%	90.9%
Grade 9	4.9%	7.6%	12.3%	87.7%
Grade 10	3.0%	8.2%	12.4%	87.6%
Grade 11	0.0%	0.9%	12.5%	87.5%
Grade 12	0.9%	2.7%	6.4%	93.6%
Methamphetamine				
All	2.2%	2.6%	3.1%	96.9%
Grade 7	0.4%	1.5%	2.2%	97.8%
Grade 8	0.0%	0.8%	1.7%	98.3%
Grade 9	2.0%	2.0%	2.0%	98.0%
Grade 10	1.5%	2.1%	2.1%	97.9%
Grade 11	7.4%	7.4%	8.1%	91.9%
Grade 12	0.0%	0.0%	0.9%	99.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	67,123	50.8%
Female	65,081	49.2%
Frequency Missing	661	

Hispanic or Latino

Q5a	Frequency	Percent
No	22,685	17.3%
Yes	108,204	82.7%
Frequency Missing	1,976	

Grade

Q2	Frequency	Percent
Grade 7	23,221	17.6%
Grade 8	22,283	16.8%
Grade 9	25,600	19.4%
Grade 10	22,946	17.3%
Grade 11	20,208	15.3%
Grade 12	18,013	13.6%
Frequency Missing	594	

Ethnicity

Q5b	Frequency	Percent
American Indian	3,640	3.1%
Asian American	799	0.7%
African American	6,079	5.2%
Pacific Islander	359	0.3%
White	50,784	43.1%
Other	37,826	32.1%
More Than One Race	18,412	15.6%
Frequency Missing	14,965	

Live with Both Parents

Q3	Frequency	Percent
No	51,875	39.8%
Yes	78,552	60.2%
Frequency Missing	2,439	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	628	0.5%
Mostly D's	1,552	1.3%
Mostly C's	17,506	14.7%
Mostly B's	63,076	53.0%
Mostly A's	36,300	30.5%
Frequency Missing	13,802	

Age

Q4	Frequency	Percent
11 or younger	133	0.1%
12	12,985	9.9%
13	21,280	16.2%
14	21,341	16.2%
15	24,237	18.4%
16	23,114	17.6%
17	18,932	14.4%
18	8,727	6.6%
19 or older	905	0.7%
Frequency Missing	1,212	

Do You Have a Job

Q7	Frequency	Percent
No	102,145	84.3%
Yes	18,968	15.7%
Frequency Missing	11,752	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	20,477	17.0%
Yes	62,317	51.7%
Don't Know	37,705	31.3%
Frequency Missing	12,365	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	91,614	86.5%
Yes	14,341	13.5%
Frequency Missing	26,910	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	47,498	40.7%
Yes	69,116	59.3%
Frequency Missing	16,252	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	79,492	73.1%
Yes	29,308	26.9%
Frequency Missing	24,065	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	85,787	80.3%
Yes	21,076	19.7%
Frequency Missing	26,002	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	82,351	78.0%
Yes	23,254	22.0%
Frequency Missing	27,261	

Participate in School Choir

Q9c	Frequency	Percent
No	97,041	92.9%
Yes	7,426	7.1%
Frequency Missing	28,398	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	74,015	68.8%
Yes	33,604	31.2%
Frequency Missing	25,246	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	95,321	90.4%
Yes	10,134	9.6%
Frequency Missing	27,410	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	86,580	82.0%
Yes	18,961	18.0%
Frequency Missing	27,324	

Percentages and frequencies have been weighted to reflect proportions within the population.

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	111,604	86.2%
Somewhat Safe	15,480	12.0%
Not Very Safe	772	0.6%
Not Safe At All	350	0.3%
Don't Know	1,271	1.0%
Frequency Missing	3,388	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	12,420	10.0%
Some High School	18,814	15.2%
Finished High School	27,550	22.3%
Some College	18,719	15.1%
Finished College	20,910	16.9%
Post-Secondary	10,714	8.7%
Don't Know or N/A	14,553	11.8%
Frequency Missing	9,186	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	54,888	42.6%
Somewhat Safe	61,190	47.5%
Not Very Safe	8,115	6.3%
Not Safe At All	1,988	1.5%
Don't Know	2,544	2.0%
Frequency Missing	4,141	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	67,552	59.4%
Yes	46,143	40.6%
Frequency Missing	19,170	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	49,221	38.3%
Somewhat Safe	58,485	45.6%
Not Very Safe	11,344	8.8%
Not Safe At All	4,657	3.6%
Don't Know	4,688	3.7%
Frequency Missing	4,470	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	8,393	6.4%
A Few	29,670	22.8%
Some	32,358	24.9%
Most	41,737	32.1%
All	17,998	13.8%
Frequency Missing	2,709	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	13,157	10.7%
Some High School	17,771	14.4%
Finished High School	31,754	25.8%
Some College	13,928	11.3%
Finished College	15,208	12.4%
Post-Secondary	7,443	6.1%
Don't Know or N/A	23,752	19.3%
Frequency Missing	9,852	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	3,787	2.9%
A Few	18,697	14.3%
Some	32,136	24.6%
Most	51,282	39.3%
All	24,587	18.8%
Frequency Missing	2,375	

Percentages and frequencies have been weighted to reflect proportions within the population.

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	56,208	43.8%
A Few	40,393	31.5%
Some	19,026	14.8%
Most	8,530	6.6%
All	4,198	3.3%
Frequency Missing	4,510	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	123,322	94.6%
In Your Lifetime	4,945	3.8%
Since School Began	607	0.5%
In the Past Month	1,444	1.1%
Frequency Missing	2,547	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	101,849	78.9%
A Few	18,167	14.1%
Some	5,816	4.5%
Most	2,433	1.9%
All	828	0.6%
Frequency Missing	3,771	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	128,255	99.2%
In Your Lifetime	787	0.6%
Since School Began	100	0.1%
In the Past Month	184	0.1%
Frequency Missing	3,538	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	107,383	82.7%
A Few	15,681	12.1%
Some	4,161	3.2%
Most	1,737	1.3%
All	884	0.7%
Frequency Missing	3,020	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	121,458	93.3%
In Your Lifetime	6,182	4.7%
Since School Began	808	0.6%
In the Past Month	1,749	1.3%
Frequency Missing	2,669	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	127,707	97.7%
In Your Lifetime	2,491	1.9%
Since School Began	115	0.1%
In the Past Month	399	0.3%
Frequency Missing	2,153	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	128,465	98.7%
In Your Lifetime	1,163	0.9%
Since School Began	252	0.2%
In the Past Month	331	0.3%
Frequency Missing	2,655	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

Q14f	Frequency	Percent
Never Heard/Used	128,630	98.9%
In Your Lifetime	884	0.7%
Since School Began	147	0.1%
In the Past Month	364	0.3%
Frequency Missing	2,841	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	119,276	92.0%
In Your Lifetime	5,437	4.2%
Since School Began	1,483	1.1%
In the Past Month	3,473	2.7%
Frequency Missing	3,195	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Q14g	Frequency	Percent
Never Heard/Used	127,000	97.7%
In Your Lifetime	1,999	1.5%
Since School Began	209	0.2%
In the Past Month	773	0.6%
Frequency Missing	2,884	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	77,647	60.6%
In Your Lifetime	24,286	19.0%
Since School Began	7,657	6.0%
In the Past Month	18,471	14.4%
Frequency Missing	4,804	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	127,678	98.1%
In Your Lifetime	1,638	1.3%
Since School Began	183	0.1%
In the Past Month	705	0.5%
Frequency Missing	2,661	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	96,071	74.1%
In Your Lifetime	14,875	11.5%
Since School Began	5,806	4.5%
In the Past Month	12,874	9.9%
Frequency Missing	3,239	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	109,153	83.7%
In Your Lifetime	14,081	10.8%
Since School Began	2,345	1.8%
In the Past Month	4,903	3.8%
Frequency Missing	2,383	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	92,204	72.3%
In Your Lifetime	20,919	16.4%
Since School Began	4,310	3.4%
In the Past Month	10,094	7.9%
Frequency Missing	5,338	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	89,151	68.7%
In Your Lifetime	19,134	14.7%
Since School Began	6,391	4.9%
In the Past Month	15,058	11.6%
Frequency Missing	3,131	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	126,195	96.9%
In Your Lifetime	2,355	1.8%
Since School Began	454	0.3%
In the Past Month	1,221	0.9%
Frequency Missing	2,640	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	124,662	95.9%
In Your Lifetime	3,453	2.7%
Since School Began	503	0.4%
In the Past Month	1,334	1.0%
Frequency Missing	2,913	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	128,965	99.3%
In Your Lifetime	194	0.1%
Since School Began	168	0.1%
In the Past Month	520	0.4%
Frequency Missing	3,018	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	91,327	70.0%
In Your Lifetime	17,471	13.4%
Since School Began	6,465	5.0%
In the Past Month	15,125	11.6%
Frequency Missing	2,478	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	126,139	97.1%
In Your Lifetime	1,906	1.5%
Since School Began	513	0.4%
In the Past Month	1,283	1.0%
Frequency Missing	3,024	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	102,947	79.1%
In Your Lifetime	12,572	9.7%
Since School Began	4,002	3.1%
In the Past Month	10,682	8.2%
Frequency Missing	2,663	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	129,426	99.5%
In Your Lifetime	236	0.2%
Since School Began	21	0.0%
In the Past Month	415	0.3%
Frequency Missing	2,766	

Percentages and frequencies have been weighted to reflect proportions within the population.

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	128,778	99.0%
In Your Lifetime	719	0.6%
Since School Began	176	0.1%
In the Past Month	392	0.3%
Frequency Missing	2,800	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	124,754	96.0%
In Your Lifetime	2,921	2.2%
Since School Began	741	0.6%
In the Past Month	1,502	1.2%
Frequency Missing	2,947	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	127,184	98.0%
In Your Lifetime	1,138	0.9%
Since School Began	503	0.4%
In the Past Month	981	0.8%
Frequency Missing	3,059	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	109,790	86.4%
In Your Lifetime	9,275	7.3%
Since School Began	2,635	2.1%
In the Past Month	5,419	4.3%
Frequency Missing	5,747	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	129,179	99.3%
In Your Lifetime	452	0.3%
Since School Began	123	0.1%
In the Past Month	323	0.2%
Frequency Missing	2,789	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	122,242	97.1%
In Your Lifetime	1,907	1.5%
Since School Began	309	0.2%
In the Past Month	1,484	1.2%
Frequency Missing	6,923	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	128,970	99.2%
In Your Lifetime	407	0.3%
Since School Began	67	0.1%
In the Past Month	568	0.4%
Frequency Missing	2,852	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	119,776	95.4%
In Your Lifetime	2,928	2.3%
Since School Began	1,297	1.0%
In the Past Month	1,540	1.2%
Frequency Missing	7,324	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	120,750	96.2%
In Your Lifetime	2,310	1.8%
Since School Began	634	0.5%
In the Past Month	1,872	1.5%
Frequency Missing	7,299	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	92,953	72.7%
1-2 times	22,661	17.7%
3-10 times	7,702	6.0%
11+ times	4,466	3.5%
Frequency Missing	5,084	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	114,795	91.7%
In Your Lifetime	5,332	4.3%
Since School Began	1,421	1.1%
In the Past Month	3,675	2.9%
Frequency Missing	7,643	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	125,695	98.2%
1-2 times	1,475	1.2%
3-10 times	511	0.4%
11+ times	327	0.3%
Frequency Missing	4,857	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	121,932	96.1%
In Your Lifetime	2,731	2.2%
Since School Began	642	0.5%
In the Past Month	1,515	1.2%
Frequency Missing	6,045	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	110,924	86.8%
1-2 times	7,576	5.9%
3-10 times	4,578	3.6%
11+ times	4,786	3.7%
Frequency Missing	5,002	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	116,850	90.7%
1-2 times	7,027	5.5%
3-10 times	1,958	1.5%
11+ times	3,010	2.3%
Frequency Missing	4,020	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	126,238	98.2%
1-2 times	1,672	1.3%
3-10 times	259	0.2%
11+ times	403	0.3%
Frequency Missing	4,291	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	127,706	99.5%
1-2 times	458	0.4%
3-10 times	66	0.1%
11+ times	182	0.1%
Frequency Missing	4,453	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	79,269	62.4%
A few	21,842	17.2%
Some	11,841	9.3%
Most	10,000	7.9%
All	4,116	3.2%
Frequency Missing	5,797	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	93,426	73.4%
A few	20,941	16.5%
Some	7,096	5.6%
Most	4,674	3.7%
All	1,162	0.9%
Frequency Missing	5,565	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	103,486	84.4%
8 or younger	1,872	1.5%
9 years old	677	0.6%
10 years old	1,004	0.8%
11 years old	1,581	1.3%
12 years old	2,343	1.9%
13 years old	2,893	2.4%
14 years old	3,132	2.6%
15 years old	2,852	2.3%
16 years old	1,797	1.5%
17 years old	778	0.6%
18 or older	225	0.2%
Frequency Missing	10,226	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	61,363	48.5%
A few	31,316	24.7%
Some	16,270	12.9%
Most	13,122	10.4%
All	4,461	3.5%
Frequency Missing	6,333	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	68,899	56.6%
8 or younger	5,764	4.7%
9 years old	2,053	1.7%
10 years old	2,849	2.3%
11 years old	3,805	3.1%
12 years old	5,789	4.8%
13 years old	8,055	6.6%
14 years old	8,290	6.8%
15 years old	8,502	7.0%
16 years old	4,650	3.8%
17 years old	2,157	1.8%
18 or older	830	0.7%
Frequency Missing	11,223	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	117,343	92.8%
A few	6,125	4.8%
Some	1,900	1.5%
Most	613	0.5%
All	463	0.4%
Frequency Missing	6,421	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	117,517	96.5%
8 or younger	611	0.5%
9 years old	183	0.2%
10 years old	215	0.2%
11 years old	300	0.2%
12 years old	928	0.8%
13 years old	547	0.4%
14 years old	812	0.7%
15 years old	328	0.3%
16 years old	203	0.2%
17 years old	133	0.1%
18 or older	0	0.0%
Frequency Missing	11,089	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	118,433	97.1%
8 or younger	233	0.2%
9 years old	116	0.1%
10 years old	4	0.0%
11 years old	140	0.1%
12 years old	194	0.2%
13 years old	488	0.4%
14 years old	468	0.4%
15 years old	1,092	0.9%
16 years old	414	0.3%
17 years old	255	0.2%
18 or older	78	0.1%
Frequency Missing	10,950	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	96,950	79.4%
8 or younger	997	0.8%
9 years old	492	0.4%
10 years old	752	0.6%
11 years old	1,097	0.9%
12 years old	3,303	2.7%
13 years old	5,209	4.3%
14 years old	5,393	4.4%
15 years old	4,407	3.6%
16 years old	2,219	1.8%
17 years old	1,131	0.9%
18 or older	201	0.2%
Frequency Missing	10,713	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	120,951	99.3%
8 or younger	67	0.1%
9 years old	22	0.0%
10 years old	0	0.0%
11 years old	179	0.1%
12 years old	165	0.1%
13 years old	134	0.1%
14 years old	99	0.1%
15 years old	63	0.1%
16 years old	33	0.0%
17 years old	36	0.0%
Frequency Missing	11,116	

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	121,168	99.1%
8 or younger	211	0.2%
9 years old	42	0.0%
10 years old	38	0.0%
11 years old	176	0.1%
12 years old	41	0.0%
13 years old	150	0.1%
14 years old	225	0.2%
15 years old	123	0.1%
16 years old	33	0.0%
17 years old	55	0.0%
18 or older	0	0.0%
Frequency Missing	10,603	

Percentages and frequencies have been weighted to reflect proportions within the population.

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	119,182	98.0%
8 or younger	80	0.1%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	105	0.1%
12 years old	194	0.2%
13 years old	317	0.3%
14 years old	284	0.2%
15 years old	456	0.4%
16 years old	540	0.4%
17 years old	420	0.3%
18 or older	0	0.0%
Frequency Missing	11,288	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	121,244	99.3%
8 or younger	99	0.1%
9 years old	141	0.1%
10 years old	4	0.0%
11 years old	28	0.0%
12 years old	103	0.1%
13 years old	214	0.2%
14 years old	175	0.1%
15 years old	43	0.0%
16 years old	33	0.0%
17 years old	16	0.0%
18 or older	0	0.0%
Frequency Missing	10,764	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	121,601	99.5%
8 or younger	121	0.1%
9 years old	27	0.0%
10 years old	21	0.0%
11 years old	160	0.1%
12 years old	111	0.1%
13 years old	48	0.0%
14 years old	26	0.0%
15 years old	44	0.0%
16 years old	36	0.0%
17 years old	24	0.0%
Frequency Missing	10,648	

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	118,199	96.9%
8 or younger	84	0.1%
9 years old	26	0.0%
10 years old	276	0.2%
11 years old	140	0.1%
12 years old	449	0.4%
13 years old	894	0.7%
14 years old	804	0.7%
15 years old	464	0.4%
16 years old	513	0.4%
17 years old	129	0.1%
18 or older	52	0.0%
Frequency Missing	10,834	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	45,174	35.5%
Impossible	27,146	21.3%
Very Difficult	9,104	7.1%
Somewhat diff	13,245	10.4%
Somewhat easy	15,926	12.5%
Very easy	16,791	13.2%
Frequency Missing	5,480	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	34,050	26.8%
Impossible	17,624	13.9%
Very Difficult	7,968	6.3%
Somewhat diff	16,243	12.8%
Somewhat easy	23,331	18.3%
Very easy	27,965	22.0%
Frequency Missing	5,684	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	61,551	48.4%
Impossible	39,827	31.3%
Very Difficult	12,627	9.9%
Somewhat diff	6,595	5.2%
Somewhat easy	2,807	2.2%
Very easy	3,838	3.0%
Frequency Missing	5,619	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	61,855	48.8%
Impossible	22,149	17.5%
Very Difficult	4,599	3.6%
Somewhat diff	6,707	5.3%
Somewhat easy	9,716	7.7%
Very easy	21,761	17.2%
Frequency Missing	6,078	

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	64,119	50.6%
Impossible	37,916	29.9%
Very Difficult	11,365	9.0%
Somewhat diff	7,636	6.0%
Somewhat easy	2,372	1.9%
Very easy	3,322	2.6%
Frequency Missing	6,135	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	42,064	33.2%
Impossible	28,648	22.6%
Very Difficult	9,303	7.3%
Somewhat diff	11,800	9.3%
Somewhat easy	14,660	11.6%
Very easy	20,396	16.1%
Frequency Missing	5,995	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	72,017	57.1%
Impossible	32,082	25.4%
Very Difficult	8,556	6.8%
Somewhat diff	5,830	4.6%
Somewhat easy	3,808	3.0%
Very easy	3,803	3.0%
Frequency Missing	6,770	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	57,589	45.2%
Impossible	39,009	30.6%
Very Difficult	12,247	9.6%
Somewhat diff	7,607	6.0%
Somewhat easy	4,829	3.8%
Very easy	6,098	4.8%
Frequency Missing	5,486	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	68,392	53.8%
Impossible	39,188	30.8%
Very Difficult	9,902	7.8%
Somewhat diff	4,476	3.5%
Somewhat easy	2,277	1.8%
Very easy	2,845	2.2%
Frequency Missing	5,784	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	69,284	54.6%
Impossible	37,557	29.6%
Very Difficult	10,355	8.2%
Somewhat diff	4,707	3.7%
Somewhat easy	1,976	1.6%
Very easy	3,079	2.4%
Frequency Missing	5,907	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	483	0.4%
Several times/wk	2,703	2.1%
Several times/mo	7,746	6.1%
About once/month	15,036	11.9%
About once/year	11,796	9.3%
Less than once/year	11,293	8.9%
Never used	77,409	61.2%
Frequency Missing	6,400	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	70,040	55.3%
Impossible	31,728	25.1%
Very Difficult	8,110	6.4%
Somewhat diff	6,579	5.2%
Somewhat easy	4,883	3.9%
Very easy	5,266	4.2%
Frequency Missing	6,259	

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	129	0.1%
Several times/wk	365	0.3%
Several times/mo	302	0.2%
About once/month	617	0.5%
About once/year	877	0.7%
Less than once/year	2,060	1.6%
Never used	122,374	96.6%
Frequency Missing	6,140	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	1,601	1.3%
Several times/wk	1,740	1.4%
Several times/mo	2,231	1.8%
About once/month	3,076	2.4%
About once/year	2,847	2.2%
Less than once/year	6,243	4.9%
Never used	109,411	86.1%
Frequency Missing	5,717	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	2,592	2.0%
Several times/wk	2,245	1.8%
Several times/mo	4,172	3.3%
About once/month	4,476	3.5%
About once/year	4,535	3.6%
Less than once/year	4,658	3.7%
Never used	104,276	82.1%
Frequency Missing	5,912	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	132	0.1%
Several times/wk	304	0.2%
Several times/mo	356	0.3%
About once/month	615	0.5%
About once/year	660	0.5%
Less than once/year	934	0.7%
Never used	123,949	97.6%
Frequency Missing	5,916	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	103	0.1%
Several times/wk	42	0.0%
Several times/mo	152	0.1%
About once/month	589	0.5%
About once/year	659	0.5%
Less than once/year	792	0.6%
Never used	124,358	98.2%
Frequency Missing	6,171	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	206	0.2%
About once/month	185	0.1%
About once/year	167	0.1%
Less than once/year	140	0.1%
Never used	126,381	99.5%
Frequency Missing	5,786	

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	31	0.0%
Several times/wk	14	0.0%
Several times/mo	146	0.1%
About once/month	67	0.1%
About once/year	92	0.1%
Less than once/year	178	0.1%
Never used	126,508	99.6%
Frequency Missing	5,829	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	99	0.1%
Several times/wk	10	0.0%
Several times/mo	33	0.0%
About once/month	262	0.2%
About once/year	70	0.1%
Less than once/year	388	0.3%
Never used	126,034	99.3%
Frequency Missing	5,969	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	158	0.1%
Several times/wk	20	0.0%
Several times/mo	111	0.1%
About once/month	255	0.2%
About once/year	194	0.2%
Less than once/year	264	0.2%
Never used	126,075	99.2%
Frequency Missing	5,789	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	112	0.1%
Several times/wk	223	0.2%
Several times/mo	406	0.3%
About once/month	770	0.6%
About once/year	994	0.8%
Less than once/year	1,375	1.1%
Never used	122,741	96.9%
Frequency Missing	6,245	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	91,901	72.9%
12+ drinks	978	0.8%
9-11 drinks	464	0.4%
5-8 drinks	1,176	0.9%
3-4 drinks	3,389	2.7%
2 drinks	4,883	3.9%
1 drink	9,386	7.4%
Less than 1 drink	13,916	11.0%
Frequency Missing	6,773	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	76,756	60.4%
12+ drinks	4,118	3.2%
9-11 drinks	2,369	1.9%
5-8 drinks	5,572	4.4%
3-4 drinks	6,817	5.4%
2 drinks	8,785	6.9%
1 drink	9,112	7.2%
Less than 1 drink	13,495	10.6%
Frequency Missing	5,840	

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	84,725	66.9%
12+ drinks	3,418	2.7%
9-11 drinks	1,820	1.4%
5-8 drinks	5,037	4.0%
3-4 drinks	7,442	5.9%
2 drinks	5,928	4.7%
1 drink	7,182	5.7%
Less than 1 drink	11,133	8.8%
Frequency Missing	6,180	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	92,721	73.3%
12+ drinks	1,768	1.4%
9-11 drinks	1,437	1.1%
5-8 drinks	4,508	3.6%
3-4 drinks	6,045	4.8%
2 drinks	6,915	5.5%
1 drink	5,960	4.7%
Less than 1 drink	7,163	5.7%
Frequency Missing	6,348	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	70,700	56.4%
0 days	39,943	31.9%
1 day	5,199	4.1%
2 days	2,969	2.4%
3 to 5 days	3,279	2.6%
6 to 9 days	925	0.7%
10 or more days	2,275	1.8%
Frequency Missing	7,576	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	76,112	60.2%
Never	24,967	19.7%
Seldom	16,108	12.7%
Most of the Time	6,453	5.1%
Always	2,882	2.3%
Frequency Missing	6,343	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	76,733	61.4%
Never	27,791	22.2%
Seldom	8,964	7.2%
Most of the Time	6,844	5.5%
Always	4,590	3.7%
Frequency Missing	7,943	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	71,227	56.5%
Never	23,349	18.5%
Seldom	15,711	12.5%
Most of the Time	12,306	9.8%
Always	3,567	2.8%
Frequency Missing	6,705	

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	77,671	62.9%
Somewhat	28,841	23.3%
Not very	8,596	7.0%
Not at all	2,228	1.8%
Don't know	6,237	5.0%
Frequency Missing	9,293	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	77,095	61.3%
Never	39,654	31.5%
Seldom	4,418	3.5%
Most of the Time	2,746	2.2%
Always	1,913	1.5%
Frequency Missing	7,040	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	58,405	47.5%
Somewhat	37,872	30.8%
Not very	17,301	14.1%
Not at all	4,096	3.3%
Don't know	5,411	4.4%
Frequency Missing	9,781	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	68,381	54.2%
Never	18,800	14.9%
Seldom	14,850	11.8%
Most of the Time	14,315	11.3%
Always	9,853	7.8%
Frequency Missing	6,665	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	89,427	73.8%
Somewhat	17,014	14.0%
Not very	4,672	3.9%
Not at all	1,667	1.4%
Don't know	8,336	6.9%
Frequency Missing	11,749	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	71,452	58.8%
Somewhat	19,054	15.7%
Not very	13,086	10.8%
Not at all	11,815	9.7%
Don't know	6,104	5.0%
Frequency Missing	11,353	

Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	94,582	78.2%
Somewhat	12,741	10.5%
Not very	3,536	2.9%
Not at all	1,428	1.2%
Don't know	8,652	7.2%
Frequency Missing	11,927	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	104,781	86.4%
Somewhat	7,886	6.5%
Not very	1,387	1.1%
Not at all	974	0.8%
Don't know	6,306	5.2%
Frequency Missing	11,530	

Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	105,117	86.8%
Somewhat	5,988	4.9%
Not very	940	0.8%
Not at all	804	0.7%
Don't know	8,198	6.8%
Frequency Missing	11,819	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	105,559	87.3%
Somewhat	6,639	5.5%
Not very	797	0.7%
Not at all	825	0.7%
Don't know	7,125	5.9%
Frequency Missing	11,922	

Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	105,310	87.2%
Somewhat	5,486	4.5%
Not very	924	0.8%
Not at all	684	0.6%
Don't know	8,398	7.0%
Frequency Missing	12,063	

Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	98,947	82.0%
Somewhat	8,613	7.1%
Not very	1,979	1.6%
Not at all	943	0.8%
Don't know	10,149	8.4%
Frequency Missing	12,234	

Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	97,535	80.6%
Somewhat	9,791	8.1%
Not very	2,635	2.2%
Not at all	1,557	1.3%
Don't know	9,471	7.8%
Frequency Missing	11,876	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Dangerous for Kids to Use Any Prescription

Q27l	Frequency	Percent
Very	91,459	75.7%
Somewhat	14,678	12.1%
Not very	4,079	3.4%
Not at all	2,134	1.8%
Don't know	8,492	7.0%
Frequency Missing	12,024	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	51,924	43.0%
1-3 days	57,879	47.9%
4-9 days	8,404	7.0%
10+ days	2,577	2.1%
Frequency Missing	12,082	

Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	77,373	63.7%
Somewhat	20,103	16.6%
Not very	12,510	10.3%
Not at all	4,890	4.0%
Don't know	6,556	5.4%
Frequency Missing	11,432	

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	108,565	88.4%
1-3 days	11,427	9.3%
4-9 days	1,651	1.3%
10+ days	1,193	1.0%
Frequency Missing	10,028	

Days Skipped Since September

Q28a	Frequency	Percent
None	104,593	84.8%
1-3 days	14,654	11.9%
4-9 days	2,767	2.2%
10+ days	1,346	1.1%
Frequency Missing	9,504	

Someone Called Home Since September

Q28e	Frequency	Percent
None	110,108	89.6%
1-3 days	10,460	8.5%
4-9 days	1,197	1.0%
10+ days	1,119	0.9%
Frequency Missing	9,981	

Days Ill Since September

Q28b	Frequency	Percent
None	48,653	39.8%
1-3 days	59,315	48.5%
4-9 days	11,697	9.6%
10+ days	2,620	2.1%
Frequency Missing	10,581	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	118,955	96.4%
1-3 times	3,617	2.9%
4-9 times	618	0.5%
10+ times	196	0.2%
Frequency Missing	9,478	

Percentages and frequencies have been weighted to reflect proportions within the population.

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	117,822	96.4%
1-3 times	3,278	2.7%
4-9 times	595	0.5%
10+ times	522	0.4%
Frequency Missing	10,648	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	110,672	91.5%
1-3 days	6,370	5.3%
4-9 days	1,566	1.3%
10+ days	2,279	1.9%
Frequency Missing	11,978	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	117,789	96.4%
1-3 times	3,671	3.0%
4-9 times	252	0.2%
10+ times	457	0.4%
Frequency Missing	10,697	

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	118,895	98.9%
1-3 days	840	0.7%
4-9 days	168	0.1%
10+ days	316	0.3%
Frequency Missing	12,646	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	117,119	96.0%
1-3 times	3,207	2.6%
4-9 times	981	0.8%
10+ times	720	0.6%
Frequency Missing	10,838	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	115,723	96.5%
1-3 days	2,781	2.3%
4-9 days	683	0.6%
10+ days	705	0.6%
Frequency Missing	12,972	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	115,357	94.6%
1-3 days	5,333	4.4%
4-9 days	442	0.4%
10+ days	819	0.7%
Frequency Missing	10,914	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	62,846	52.1%
Seldom	9,325	7.7%
Half the time	6,673	5.5%
Most of the Time	10,707	8.9%
Always	11,517	9.5%
Don't Know	2,949	2.4%
Didn't attend	16,628	13.8%
Frequency Missing	12,220	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 107 of 126

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	75,800	62.9%
Seldom	7,265	6.0%
Half the time	5,018	4.2%
Most of the Time	6,437	5.3%
Always	5,980	5.0%
Don't Know	3,377	2.8%
Didn't attend	16,667	13.8%
Frequency Missing	12,320	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	104,173	91.4%
Yes	9,861	8.6%
Frequency Missing	18,831	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	72,774	59.6%
Yes	49,266	40.4%
Frequency Missing	10,825	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	89,289	73.8%
Yes	31,748	26.2%
Frequency Missing	11,828	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	64,999	53.7%
Yes	56,139	46.3%
Frequency Missing	11,727	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	36,904	30.3%
Yes	84,961	69.7%
Frequency Missing	11,000	

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	52,369	43.1%
Yes	69,019	56.9%
Frequency Missing	11,476	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	46,716	38.6%
Yes	74,207	61.4%
Frequency Missing	11,942	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	46,648	38.5%
Yes	74,611	61.5%
Frequency Missing	11,606	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	72,496	59.9%
Yes	48,583	40.1%
Frequency Missing	11,786	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Would Not Seek Help

Q33i	Frequency	Percent
No	92,825	78.4%
Yes	25,642	21.6%
Frequency Missing	14,398	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	79,656	67.8%
Yes	37,904	32.2%
Frequency Missing	15,305	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	63,049	52.9%
Yes	56,087	47.1%
Frequency Missing	13,729	

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	96,402	82.4%
Yes	20,657	17.6%
Frequency Missing	15,805	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	59,637	50.3%
Yes	58,811	49.7%
Frequency Missing	14,417	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	74,274	62.9%
Yes	43,849	37.1%
Frequency Missing	14,742	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	77,701	65.8%
Yes	40,373	34.2%
Frequency Missing	14,790	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	79,160	67.3%
Yes	38,382	32.7%
Frequency Missing	15,323	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	92,096	78.3%
Yes	25,569	21.7%
Frequency Missing	15,200	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	96,300	78.2%
Mild disapprove	7,891	6.4%
Neither	6,689	5.4%
Mildly approve	1,024	0.8%
Strongly approve	768	0.6%
Don't know	10,491	8.5%
Frequency Missing	9,702	

Percentages and frequencies have been weighted to reflect proportions within the population.

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	75,141	61.1%
Mild disapprove	17,322	14.1%
Neither	14,855	12.1%
Mildly approve	4,475	3.6%
Strongly approve	1,238	1.0%
Don't know	9,881	8.0%
Frequency Missing	9,953	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	96,253	78.3%
Mild disapprove	6,702	5.5%
Neither	6,595	5.4%
Mildly approve	1,964	1.6%
Strongly approve	1,317	1.1%
Don't know	10,095	8.2%
Frequency Missing	9,940	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Appendix:
Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine.r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

