#### View metadata, citation and similar papers at $\underline{core.ac.uk}$





# STATE REPORT

Prepared by

## The Public Policy Research Institute Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Stacy Rhodes

Aaron Williams

# Table of Contents

In	ntroduction	1
1	General Substance Use Tables   Tobacco   Alcohol   Drugs   Inhalants   Miscellaneous	$7 \\ 15 \\ 30$
2	Prevalence TablesTable B-1: All StudentsTable B-2: Male StudentsTable B-2: Male StudentsTable B-3: Female StudentsTable B-4: White Non-Hispanic StudentsTable B-5: African American Non-Hispanic StudentsTable B-6: Hispanic or Latino StudentsTable B-7: Students Reporting A Grades on AverageTable B-8: Students Reporting Grades Lower Than an A on AverageTable B-9: Students Not Living with 2 ParentsTable B-10: Students Not Living with 2 ParentsTable B-11: Students Who Would Seek Help from Adults for Substance Abuse ProblemsTable B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	$\begin{array}{c} 45 \\ 49 \\ 53 \\ 57 \\ 61 \\ 65 \\ 69 \\ 73 \\ 77 \\ 81 \end{array}$
3	Margin Tables	89
A	ppendix: Reporting Methods for Prevalence & Recency of Use	112

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data for the entire state of Texas. It is divided into three major sections. The first section, titled "General Substance Use Tables", focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students' likelihood to use. The second section, titled "Prevalence Tables", provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, "Margin Tables", details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students' answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students' answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was "Since School Began in the Fall", but also reported on Q19d that they had used marijuana "1-2 Times" in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

During the 2019-2020 school year, schools across Texas were closed from early March through the end of the school year due to the COVID-19 pandemic. Due to this sudden and unexpected closure, many schools that had registered for the survey were unable to complete it. Please note that both the drop in participation along with the fact that those that did complete did so before March may have impacted the data.

## 1 General Substance Use Tables

Jump to Table of Contents Page 3 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

## Tobacco

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	14.2%	17.9%	30.2%	69.8%
Grade 7	4.4%	5.8%	13.2%	86.8%
Grade 8	9.6%	12.1%	23.1%	76.9%
Grade 9	13.7%	16.5%	27.7%	72.3%
Grade 10	16.8%	22.0%	37.3%	62.7%
Grade 11	19.1%	24.1%	38.9%	61.1%
Grade 12	24.7%	30.9%	45.7%	54.3%
Cigarettes?				
All	2.9%	4.3%	11.7%	88.3%
Grade 7	0.8%	1.2%	4.8%	95.2%
Grade 8	1.8%	2.4%	9.0%	91.0%
Grade 9	2.2%	3.1%	9.0%	91.0%
Grade 10	3.9%	5.4%	13.8%	86.2%
Grade 11	3.9%	6.6%	15.2%	84.8%
Grade 12	5.6%	8.5%	21.3%	78.7%
Smokeless Tobacco?				
All	2.3%	3.2%	6.6%	93.4%
Grade 7	0.6%	0.8%	2.5%	97.5%
Grade 8	1.6%	2.0%	4.6%	95.4%
Grade 9	1.9%	2.9%	5.8%	94.2%
Grade 10	2.6%	4.0%	8.7%	91.3%
Grade 11	3.2%	4.2%	8.9%	91.1%
Grade 12	4.4%	5.9%	10.5%	89.5%
Electronic Vapor Products?				
All	10.9%	15.1%	27.0%	73.0%
Grade 7	2.6%	4.1%	10.5%	89.5%
Grade 8	6.9%	9.7%	20.2%	79.8%
Grade 9	10.2%	13.8%	25.1%	74.9%
Grade 10	12.7%	18.7%	33.3%	66.7%
Grade 11	15.3%	20.7%	35.5%	64.5%
Grade 12	20.4%	27.2%	41.8%	58.2%

### Table T-1: How Recently, If Ever, Have You Used...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 4 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once Month	About Once a Year	Less Than Once a Year
All	87.7%	1.8%	1.2%	1.5%	2.0%	1.9%	3.9%
Grade 7	95.8%	0.0%	0.2%	0.5%	0.8%	0.7%	1.9%
Grade 8	92.3%	0.4%	0.4%	1.0%	1.2%	1.8%	2.9%
Grade 9	89.8%	1.1%	1.0%	1.6%	2.0%	1.2%	3.3%
Grade 10	85.6%	1.7%	1.5%	1.5%	2.7%	2.3%	4.6%
Grade 11	82.5%	3.4%	1.8%	2.0%	2.8%	2.1%	5.4%
Grade 12	77.5%	4.8%	2.9%	2.5%	2.7%	4.0%	5.6%

Table T-2: How Often Do You Normally Use Tobacco?

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.2	10.6	11.3	12.3	13.3	13.8	14.7

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	31.9%	21.4%	8.0%	10.4%	13.3%	15.0%
Grade 7	41.8%	33.3%	8.2%	6.5%	5.8%	4.4%
Grade 8	33.7%	30.1%	8.7%	9.3%	10.5%	7.7%
Grade 9	30.4%	22.4%	9.3%	11.0%	13.6%	13.3%
Grade 10	27.9%	14.7%	8.9%	13.3%	17.0%	18.2%
Grade 11	27.4%	14.4%	6.9%	12.4%	16.9%	22.0%
Grade 12	28.7%	10.0%	5.2%	10.2%	17.5%	28.4%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	74.2%	15.2%	6.0%	3.6%	1.1%
Grade 7	89.4%	8.0%	1.7%	0.6%	0.3%
Grade 8	83.0%	11.3%	4.0%	1.3%	0.4%
Grade 9	75.4%	16.1%	4.4%	3.2%	1.0%
Grade 10	69.0%	18.2%	7.9%	3.3%	1.6%
Grade 11	64.7%	18.8%	9.4%	5.5%	1.5%
Grade 12	59.0%	20.3%	9.9%	8.9%	2.0%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 5 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.4%	7.2%	4.8%	1.0%	0.6%	7.9%
Grade 7	83.1%	4.1%	1.9%	0.4%	0.3%	10.2%
Grade 8	83.1%	4.5%	2.9%	0.7%	0.9%	7.8%
Grade 9	80.7%	6.9%	4.1%	1.0%	0.5%	6.9%
Grade 10	76.9%	7.7%	5.3%	0.9%	0.8%	8.3%
Grade 11	75.1%	9.9%	5.7%	1.1%	0.6%	7.6%
Grade 12	69.8%	11.2%	9.7%	2.3%	0.6%	6.5%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?					
All	61.5%	24.7%	6.7%	1.6%	5.5%
Grade 7	74.4%	16.3%	3.5%	0.6%	5.2%
Grade 8	68.5%	20.7%	4.8%	1.2%	4.8%
Grade 9	62.5%	24.4%	7.0%	1.3%	4.7%
Grade 10	56.3%	26.9%	7.8%	2.0%	7.0%
Grade 11	53.1%	31.3%	7.8%	2.0%	5.8%
Grade 12	50.7%	30.7%	10.2%	2.6%	5.8%
Electronic Vapor Products?					
All	62.0%	18.9%	9.9%	3.4%	5.7%
Grade 7	75.5%	12.9%	4.2%	1.6%	5.8%
Grade 8	66.9%	15.8%	8.1%	3.6%	5.5%
Grade 9	61.7%	19.5%	10.1%	2.9%	5.8%
Grade 10	57.1%	21.2%	11.7%	4.2%	5.9%
Grade 11	55.0%	21.7%	13.2%	4.4%	5.7%
Grade 12	53.1%	23.5%	13.4%	4.2%	5.8%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 6 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

## Alcohol

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	27.4%	32.4%	50.5%	49.5%
Grade 7	16.5%	18.8%	35.9%	64.1%
Grade 8	21.5%	24.8%	43.5%	56.5%
Grade 9	26.0%	31.0%	50.8%	49.2%
Grade 10	30.8%	36.5%	55.8%	44.2%
Grade 11	31.9%	39.0%	57.1%	42.9%
Grade 12	41.6%	48.7%	63.9%	36.1%
Beer?				
All	9.9%	15.5%	37.7%	62.3%
Grade 7	4.2%	6.6%	26.9%	73.1%
Grade 8	6.7%	9.4%	32.8%	67.2%
Grade 9	8.4%	14.1%	35.7%	64.3%
Grade 10	11.9%	19.1%	41.9%	58.1%
Grade 11	13.2%	20.6%	43.2%	56.8%
Grade 12	17.0%	26.7%	49.2%	50.8%
Wine Coolers?				
All	8.5%	13.7%	29.7%	70.3%
Grade 7	2.7%	4.3%	15.2%	84.8%
Grade 8	4.8%	7.3%	21.4%	78.6%
Grade 9	7.5%	12.7%	28.7%	71.3%
Grade 10	9.9%	16.2%	34.6%	65.4%
Grade 11	11.5%	18.7%	37.3%	62.7%
Grade 12	16.8%	26.4%	45.5%	54.5%
Wine?				
All	6.9%	11.8%	32.0%	68.0%
Grade 7	3.1%	5.2%	20.8%	79.2%
Grade 8	5.0%	7.8%	26.4%	73.6%
Grade 9	6.7%	11.5%	31.2%	68.8%
Grade 10	7.6%	13.4%	36.0%	64.0%
Grade 11	7.5%	14.3%	36.9%	63.1%
Grade 12	12.7%	21.0%	44.3%	55.7%
Liquor?				
All	10.7%	17.0%	34.6%	65.4%
Grade 7	2.8%	4.8%	16.7%	83.3%
Grade 8	5.9%	8.8%	24.7%	75.3%
Grade 9	9.9%	15.1%	33.8%	66.2%
Grade 10	12.8%	20.4%	41.1%	58.9%
Grade 11	14.6%	23.7%	42.7%	57.3%
Grade 12	21.1%	33.4%	54.3%	45.7%

#### Table A-1: How Recently, If Ever, Have You Used...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 7 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	63.0%	0.3%	1.4%	5.8%	10.5%	10.0%	9.1%
Grade 7	80.1%	0.2%	0.5%	1.7%	4.0%	5.6%	7.9%
Grade 8	72.0%	0.2%	0.6%	3.7%	6.1%	8.2%	9.2%
Grade 9	64.8%	0.2%	1.1%	3.8%	11.1%	9.7%	9.3%
Grade 10	57.4%	0.4%	1.8%	6.3%	12.7%	11.9%	9.6%
Grade 11	53.3%	0.3%	2.3%	8.8%	13.2%	12.4%	9.6%
Grade 12	45.1%	0.7%	2.2%	12.2%	17.5%	13.2%	9.1%

Table A-2: How Often Do You Normally Use Alcohol?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less That 1
Beer						
	All	66.0%	34.0%	5.9%	16.1%	12.0%
	Grade 7	76.2%	23.8%	1.2%	9.9%	12.6%
	Grade 8	70.7%	29.3%	2.9%	12.1%	14.3%
	Grade 9	68.1%	31.9%	4.2%	14.9%	12.8%
	Grade 10	62.7%	37.3%	7.0%	18.5%	11.9%
	Grade 11	60.6%	39.4%	10.1%	19.2%	10.1%
	Grade 12	54.5%	45.5%	11.6%	24.3%	9.6%
Wine Coolers						
	All	73.5%	26.5%	5.1%	15.0%	6.5%
	Grade 7	87.1%	12.9%	1.0%	6.0%	5.9%
	Grade 8	81.6%	18.4%	2.1%	9.1%	7.1%
	Grade 9	74.6%	25.4%	3.9%	14.8%	6.7%
	Grade 10	69.5%	30.5%	5.4%	18.4%	6.7%
	Grade 11	66.1%	33.9%	7.4%	19.7%	6.9%
	Grade 12	57.7%	42.3%	12.4%	24.5%	5.4%
Wine						
	All	72.2%	27.8%	1.9%	13.5%	12.4%
	Grade 7	82.6%	17.4%	0.6%	7.0%	9.7%
	Grade 8	77.5%	22.5%	1.2%	9.0%	12.4%
	Grade 9	72.9%	27.1%	1.5%	13.2%	12.4%
	Grade 10	68.5%	31.5%	2.1%	15.3%	14.1%
	Grade 11	68.0%	32.0%	2.9%	16.2%	13.0%
	Grade 12	60.6%	39.4%	3.8%	22.3%	13.2%
Liquor						
	All	67.7%	32.3%	7.5%	15.5%	9.3%
	Grade 7	84.9%	15.1%	1.3%	6.2%	7.6%
	Grade 8	78.2%	21.8%	3.3%	8.3%	10.2%
	Grade 9	68.9%	31.1%	5.7%	15.3%	10.1%
	Grade 10	62.0%	38.0%	8.5%	20.1%	9.4%
	Grade 11	59.6%	40.4%	11.9%	19.1%	9.4%
	Grade 12	47.4%	52.6%	16.8%	26.7%	9.2%

#### Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 9 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never/None	1 Day	2 Days	$3 \ {\rm to} \ 5 \ {\rm Days}$	$6 \mbox{ to } 9 \mbox{ Days}$	10+ Days
All	89.4%	4.0%	2.3%	2.3%	0.7%	1.3%
Grade 7	96.1%	1.9%	0.6%	0.4%	0.2%	0.9%
Grade 8	94.7%	1.9%	1.2%	1.3%	0.3%	0.6%
Grade 9	91.1%	3.8%	1.7%	1.8%	0.6%	1.1%
Grade 10	87.9%	5.2%	2.2%	2.2%	1.0%	1.6%
Grade 11	85.0%	4.9%	4.1%	3.4%	0.9%	1.8%
Grade 12	79.3%	6.9%	5.0%	5.1%	1.4%	2.3%

#### Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	12.8	10.3	11.2	12.2	13.0	13.9	14.7

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	25.1%	13.7%	6.2%	10.8%	18.1%	26.2%
Grade 7	35.1%	23.3%	8.0%	9.8%	12.3%	11.7%
Grade 8	27.3%	19.0%	7.9%	12.5%	15.7%	17.6%
Grade 9	24.1%	13.4%	6.5%	11.6%	17.9%	26.5%
Grade 10	21.0%	7.9%	5.1%	11.8%	21.1%	33.2%
Grade 11	20.3%	9.4%	4.4%	10.4%	20.9%	34.6%
Grade 12	21.0%	6.9%	4.6%	8.5%	21.8%	37.3%

#### Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1  to  3  Days	4 to $9$ Days	10+ Days
All	96.1%	3.1%	0.5%	0.3%
Grade 7	97.8%	2.0%	0.1%	0.1%
Grade 8	96.4%	3.0%	0.4%	0.2%
Grade 9	95.9%	3.3%	0.5%	0.2%
Grade 10	95.1%	3.9%	0.7%	0.4%
Grade 11	95.4%	3.1%	1.0%	0.5%
Grade 12	95.7%	3.4%	0.5%	0.4%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 10 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Average Days Absent Due to Illness or Other Reasons
Alcohol Users	4.0
Alcohol Non-Users	2.9
	Average Days Conduct Problems Reported
Alcohol Users	2.0
Alcohol Non-Users	0.7

#### Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have				
Had a Good Bit to Drink?				
High School	96.4%	2.6%	0.6%	0.4%
Grade 9	98.8%	1.0%	0.1%	0.1%
Grade 10	97.1%	2.2%	0.5%	0.2%
Grade 11	96.3%	2.7%	0.6%	0.5%
Grade 12	92.7%	5.2%	1.2%	0.9%
Had Difficulties of Any Kind				
with Your Friends Because of				
Your Drinking?				
All	96.4%	3.2%	0.3%	0.2%
Grade 7	97.8%	1.9%	0.2%	0.2%
Grade 8	97.5%	1.9%	0.4%	0.1%
Grade 9	95.9%	3.7%	0.2%	0.2%
Grade 10	95.5%	4.1%	0.3%	0.1%
Grade 11	95.9%	3.6%	0.3%	0.2%
	95.3%	4.0%	0.5%	0.1%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	52.8%	22.2%	12.7%	9.4%	3.0%
Grade 7	77.1%	16.0%	4.6%	1.6%	0.7%
Grade 8	64.2%	22.1%	8.8%	3.9%	1.0%
Grade 9	52.8%	24.6%	13.0%	7.9%	1.7%
Grade 10	42.9%	25.0%	16.7%	11.7%	3.7%
Grade 11	39.3%	23.5%	17.7%	14.7%	4.7%
Grade 12	34.0%	22.6%	17.0%	19.3%	7.2%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 11 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	52.0%	7.1%	5.1%	8.2%	8.7%	2.2%	16.8%
Grade 7	72.7%	6.3%	3.2%	3.5%	1.5%	2.1%	10.8%
Grade 8	63.4%	6.6%	5.4%	4.9%	3.9%	2.2%	13.7%
Grade 9	51.4%	7.8%	5.9%	7.2%	5.6%	3.0%	19.2%
Grade 10	42.3%	7.8%	6.2%	11.7%	10.1%	2.2%	19.7%
Grade 11	40.8%	6.4%	5.1%	10.9%	14.4%	2.0%	20.4%
Grade 12	36.6%	7.5%	4.9%	12.4%	19.8%	1.2%	17.7%

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	60.8%	16.2%	15.0%	5.2%	2.8%
	Grade 7	70.4%	15.0%	10.6%	3.0%	1.0%
	Grade 8	66.7%	15.8%	12.5%	3.6%	1.4%
	Grade 9	63.1%	15.2%	14.4%	4.8%	2.4%
	Grade 10	58.0%	14.7%	17.2%	6.0%	4.0%
	Grade 11	54.9%	19.0%	16.9%	5.9%	3.4%
	Grade 12	48.3%	18.0%	19.7%	8.8%	5.2%
Friends?						
	All	61.7%	17.1%	10.4%	8.1%	2.7%
	Grade 7	75.7%	19.4%	3.1%	1.5%	0.4%
	Grade 8	70.3%	17.4%	6.7%	4.6%	1.0%
	Grade 9	64.0%	16.9%	10.4%	6.7%	2.0%
	Grade 10	56.8%	16.7%	13.5%	10.1%	2.9%
	Grade 11	52.8%	17.4%	13.1%	11.8%	4.9%
	Grade 12	45.8%	14.3%	17.4%	16.4%	6.2%
A Store?						
	All	64.7%	28.9%	3.1%	2.1%	1.2%
	Grade 7	76.2%	21.7%	1.1%	0.8%	0.3%
	Grade 8	71.5%	25.6%	1.5%	0.8%	0.6%
	Grade 9	67.0%	28.4%	2.3%	1.6%	0.7%
	Grade 10	60.4%	32.7%	3.2%	2.1%	1.6%
	Grade 11	58.3%	31.6%	5.2%	2.9%	1.9%
	Grade 12	50.9%	35.3%	6.3%	4.9%	2.6%
Parties?						
	All	60.1%	15.1%	9.5%	9.1%	6.2%
	Grade 7	72.6%	16.0%	6.6%	3.6%	1.2%
	Grade 8	67.3%	15.8%	8.8%	5.4%	2.6%
	Grade 9	62.0%	14.9%	9.5%	8.3%	5.3%
	Grade 10	55.9%	15.5%	9.5%	11.3%	7.8%
	Grade 11	53.3%	15.5%	10.8%	11.9%	8.6%
	Grade 12	45.7%	12.6%	12.5%	15.8%	13.4%
Other Sources?						
	All	65.0%	21.3%	6.9%	3.9%	3.0%
	Grade 7	75.5%	17.8%	4.1%	1.7%	0.8%
	Grade 8	71.0%	18.6%	5.9%	2.6%	1.9%
	Grade 9	66.2%	21.5%	6.4%	3.5%	2.3%
	Grade 10	61.1%	22.9%	7.5%	4.5%	4.1%
	Grade 11	59.4%	23.6%	7.7%	5.0%	4.3%
	Grade 12	53.0%	24.2%	10.4%	6.8%	5.5%

## Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 13 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	60.9%	14.4%	11.8%	4.4%	0.9%	7.6%
Grade 7	72.6%	9.7%	5.6%	1.5%	0.3%	10.2%
Grade 8	69.8%	11.2%	7.5%	2.9%	0.8%	7.7%
Grade 9	62.4%	16.4%	10.0%	3.4%	0.8%	7.1%
Grade 10	55.5%	17.5%	13.4%	4.3%	1.4%	7.9%
Grade 11	54.5%	16.5%	16.3%	5.4%	1.1%	6.2%
Grade 12	47.7%	15.5%	19.9%	9.9%	1.3%	5.7%

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	47.8%	30.5%	14.5%	2.7%	4.5%
Grade 7	58.5%	24.6%	10.1%	2.0%	4.8%
Grade 8	51.6%	28.1%	13.1%	2.4%	4.8%
Grade 9	47.4%	31.0%	15.0%	2.8%	3.8%
Grade 10	42.6%	32.0%	17.3%	3.0%	5.1%
Grade 11	42.4%	34.0%	15.6%	3.3%	4.8%
Grade 12	42.4%	34.5%	16.6%	2.8%	3.7%

# Drugs

	Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?				
All	13.0%	17.1%	22.7%	77.3%
Grade 7	4.4%	6.0%	7.7%	92.3%
Grade 8	7.8%	10.9%	14.7%	85.3%
Grade 9	12.1%	15.7%	18.9%	81.1%
Grade 10	15.1%	20.2%	27.7%	72.3%
Grade 11	18.8%	24.2%	31.5%	68.5%
Grade 12	22.4%	29.4%	41.0%	59.0%
Marijuana?				
All	12.4%	15.1%	20.8%	79.2%
Grade 7		3.9%	5.3%	94.7%
Grade 8		8.3%	11.7%	88.3%
Grade 9		13.8%	17.4%	82.6%
Grade 10		18.5%	25.9%	74.1%
Grade 11		22.6%	30.6%	69.4%
Grade 12	/ *	27.4%	39.9%	60.1%
Cocaine?				
All	1.2%	1.4%	2.3%	97.7%
Grade 7		0.6%	1.0%	99.0%
Grade 8		0.8%	1.3%	98.7%
Grade 9		1.1%	1.7%	98.3%
Grade 10		1.8%	2.9%	97.1%
Grade 11		2.1%	3.2%	96.8%
Grade 12		2.4%	4.7%	95.3%
Crack?				
All	0.5%	0.6%	0.9%	99.1%
Grade 7		0.7%	1.0%	99.0%
Grade 8		0.5%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10		0.9%	1.1%	98.9%
Grade 11		0.5%	0.9%	99.1%
Grade 12		0.6%	1.1%	98.9%
Hallucinogens?				
All	1.2%	1.7%	3.4%	96.6%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8		0.6%	1.5%	98.5%
Grade 9	1.1%	1.6%	2.7%	97.3%
Grade 10		1.9%	3.8%	96.2%
Grade 11		2.6%	5.1%	94.9%
Grade 12		3.8%	7.3%	92.7%

### Table D-1: How Recently, If Ever, Have You Used...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 15 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.2%	0.3%	0.4%	99.6%
Grade 12	0.1%	0.2%	0.4%	99.6%
Steroids?				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.2%	0.4%	1.3%	98.7%
Grade 8	0.4%	0.6%	1.3%	98.7%
Grade 9	0.3%	0.4%	1.3%	98.7%
Grade 10	0.3%	0.7%	1.9%	98.1%
Grade 11	0.2%	0.3%	1.0%	99.0%
Grade 12	0.2%	0.5%	1.3%	98.7%
Ecstasy?				
All	0.6%	0.9%	2.1%	97.9%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.4%	0.6%	1.2%	98.8%
Grade 10	0.7%	1.0%	2.6%	97.4%
Grade 11	0.9%	1.5%	3.2%	96.8%
Grade 12	1.6%	2.2%	4.6%	95.4%
Heroin?				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.1%	0.1%	0.4%	99.6%
Methamphetamine?				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.3%	0.4%	0.9%	99.1%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	0.2%	0.5%	0.7%	99.3%
Grade 12	0.3%	0.5%	1.2%	98.8%

## Table D-1: How Recently, If Ever, Have You Used...

(Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 16 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.2%	1.8%	3.5%	96.5%
Grade 7	0.5%	0.7%	1.3%	98.7%
Grade 8	1.1%	1.5%	2.9%	97.1%
Grade 9	1.3%	2.1%	3.6%	96.4%
Grade 10	1.8%	2.6%	5.2%	94.8%
Grade 11	1.7%	2.3%	4.8%	95.2%
Grade 12	0.9%	1.4%	3.8%	96.2%

# Table D-1: How Recently, If Ever, Have You Used... (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 17 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
Ū.	All	82.2%	1.8%	1.9%	2.8%	3.5%	3.7%	4.0%
	Grade 7	96.4%	0.1%	0.5%	0.5%	0.5%	1.2%	0.8%
	Grade 8	90.7%	0.5%	1.0%	1.5%	1.7%	2.2%	2.5%
	Grade 9	85.3%	1.5%	1.8%	2.4%	3.1%	3.2%	2.7%
	Grade 10	76.6%	2.1%	1.8%	4.4%	4.1%	4.8%	6.1%
	Grade 11	74.0%	3.5%	3.3%	3.6%	6.0%	4.2%	5.4%
	Grade 12	65.6%	3.5%	3.8%	5.0%	6.7%	7.8%	7.6%
Cocaine?								
	All	98.3%	0.0%	0.1%	0.2%	0.2%	0.4%	0.7%
	Grade 7	99.4%	0.1%	0.0%	0.0%	0.2%	0.1%	0.2%
	Grade 8	99.3%	0.0%	0.0%	0.1%	0.2%	0.2%	0.3%
	Grade 9	98.6%	0.0%	0.2%	0.2%	0.1%	0.6%	0.3%
	Grade 10	97.8%	0.0%	0.1%	0.3%	0.3%	0.6%	0.9%
	Grade 11	97.2%	0.0%	0.2%	0.5%	0.4%	0.5%	1.0%
	Grade 12	97.0%	0.0%	0.1%	0.2%	0.2%	0.8%	1.8%
Crack?								
	All	99.4%	0.0%	0.1%	0.1%	0.0%	0.2%	0.2%
	Grade 7	99.5%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%
	Grade 8	99.4%	0.0%	0.1%	0.1%	0.0%	0.2%	0.3%
	Grade 9	99.5%	0.0%	0.1%	0.1%	0.0%	0.1%	0.1%
	Grade 10	99.3%	0.0%	0.2%	0.1%	0.0%	0.3%	0.1%
	Grade 11	99.6%	0.0%	0.0%	0.1%	0.1%	0.0%	0.2%
	Grade 12	99.2%	0.0%	0.1%	0.0%	0.0%	0.2%	0.4%
Steroids?								
	All	99.3%	0.1%	0.0%	0.0%	0.1%	0.1%	0.3%
	Grade 7	99.4%	0.0%	0.0%	0.1%	0.1%	0.1%	0.2%
	Grade 8	99.4%	0.0%	0.1%	0.0%	0.1%	0.1%	0.3%
	Grade 9	99.4%	0.1%	0.0%	0.0%	0.2%	0.1%	0.3%
	Grade 10	99.0%	0.2%	0.0%	0.0%	0.0%	0.1%	0.5%
	Grade 11	99.5%	0.0%	0.0%	0.0%	0.0%	0.2%	0.3%
	Grade 12	99.1%	0.0%	0.0%	0.1%	0.3%	0.0%	0.4%
Ecstasy?								
-	All	98.3%	0.0%	0.1%	0.1%	0.3%	0.5%	0.7%
	Grade 7	99.7%	0.0%	0.1%	0.0%	0.1%	0.1%	0.0%
	Grade 8	99.2%	0.0%	0.0%	0.1%	0.1%	0.2%	0.3%
	Grade 9	99.0%	0.0%	0.0%	0.1%	0.2%	0.1%	0.5%
	Grade 10	98.1%	0.1%	0.1%	0.2%	0.3%	0.4%	0.8%
	Grade 11	97.2%	0.0%	0.2%	0.1%	0.3%	1.0%	1.2%
	Grade 12	96.2%	0.1%	0.1%	0.2%	0.7%	1.5%	1.3%

## Table D-2: How Often Do You Normally Use...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 18 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never Used	Every Day	Several Times	Several Times	About Once a	About Once a	Less Than
		, i	a Week	a	Month	Year	Once a
				Month			Year
Heroin?							
All	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
Grade 7	99.6%	0.1%	0.0%	0.0%	0.0%	0.1%	0.1%
Grade 8	99.7%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%
Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 10	99.5%	0.1%	0.2%	0.1%	0.0%	0.1%	0.1%
Grade 11	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
Grade 12	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
Methamphetamine?							
All	99.5%	0.1%	0.1%	0.0%	0.1%	0.2%	0.2%
Grade 7	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
Grade 8	99.6%	0.1%	0.0%	0.0%	0.1%	0.1%	0.1%
Grade 9	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
Grade 10	99.2%	0.2%	0.1%	0.1%	0.1%	0.2%	0.0%
Grade 11	99.4%	0.1%	0.0%	0.0%	0.2%	0.1%	0.3%
Grade 12	99.3%	0.0%	0.1%	0.1%	0.0%	0.4%	0.2%
Synthetic Marijuana?							
All	97.4%	0.1%	0.2%	0.3%	0.5%	0.6%	0.9%
Grade 7	99.1%	0.1%	0.1%	0.1%	0.1%	0.1%	0.3%
Grade 8	98.0%	0.1%	0.3%	0.4%	0.5%	0.2%	0.5%
Grade 9	97.3%	0.0%	0.2%	0.5%	0.6%	0.7%	0.7%
Grade 10	96.4%	0.2%	0.4%	0.4%	0.6%	1.0%	1.0%
Grade 11	96.0%	0.1%	0.3%	0.3%	0.8%	1.0%	1.4%
Grade 12	97.3%	0.1%	0.1%	0.0%	0.3%	0.7%	1.5%

# Table D-2: How Often Do You Normally Use...

(Continued)

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	13.9	11.3	12.1	13.1	13.8	14.4	15.2
Cocaine	14.3	11.2	12.1	13.0	14.4	14.6	15.8
Crack	13.4	11.6	12.3	13.8	14.3	13.8	14.3
Steroids	12.4	9.8	10.7	12.0	13.7	12.9	13.8
Ecstasy	14.6	11.5	12.3	13.6	13.9	15.2	15.8
Heroin	12.7	9.8	10.5	13.7	13.9	13.5	15.3
Metham- phetamine	13.6	10.5	11.9	12.5	13.6	15.3	16.2
Synthetic Marijuana	13.8	11.0	11.9	13.6	13.7	14.7	15.4

## Table D-3: Average Age of First Use of...

		Never	Impossible	Very		Somewhat	Very
		Heard of It		Difficult	Difficult	Easy	Easy
Marijuana?							
	All	30.7%	23.3%	7.6%	8.9%	12.0%	17.5%
	Grade 7	43.7%	38.2%	7.2%	4.6%	3.3%	3.0%
	Grade 8	33.9%	33.8%	9.1%	7.3%	7.2%	8.8%
	Grade 9	28.9%	23.8%	9.2%	10.9%	13.5%	13.7%
	Grade 10	25.3%	16.5%	7.7%	11.4%	15.5%	23.5%
	Grade 11	25.0%	13.1%	7.5%	10.1%	16.5%	27.8%
	Grade 12	25.3%	9.6%	4.4%	9.3%	17.8%	33.6%
Cocaine?							
	All	40.2%	34.1%	11.7%	6.9%	3.2%	3.8%
	Grade 7	46.5%	43.1%	6.1%	2.3%	1.1%	0.9%
	Grade 8	39.9%	42.1%	9.5%	4.4%	1.7%	2.4%
	Grade 9	37.6%	36.7%	12.8%	7.3%	3.0%	2.6%
	Grade 10	36.9%	29.7%	14.3%	8.9%	4.6%	5.5%
	Grade 11	38.2%	26.7%	14.7%	9.6%	4.9%	5.9%
	Grade 12	42.1%	22.5%	14.0%	9.8%	4.7%	6.8%
Crack?							
	All	42.4%	35.0%	11.8%	5.6%	2.2%	3.0%
	Grade 7	48.0%	42.0%	6.0%	2.1%	1.0%	0.9%
	Grade 8	41.7%	42.2%	8.9%	3.6%	1.3%	2.2%
	Grade 9	39.6%	37.3%	12.7%	5.8%	2.3%	2.3%
	Grade 10	39.3%	31.5%	14.0%	7.5%	2.9%	4.7%
	Grade 11	40.8%	28.6%	15.9%	7.4%	3.0%	4.3%
	Grade 12	45.2%	25.5%	14.4%	7.8%	3.2%	4.0%
Steroids?							
	All	44.5%	32.4%	11.3%	6.1%	2.7%	3.0%
	Grade 7	50.4%	38.4%	6.5%	2.9%	0.9%	1.0%
	Grade 8	44.5%	38.1%	9.4%	4.5%	1.4%	2.1%
	Grade 9	41.5%	35.4%	11.7%	6.5%	2.6%	2.3%
	Grade 10	40.8%	29.3%	13.7%	7.2%	4.1%	4.9%
	Grade 11	43.0%	26.3%	14.4%	7.6%	4.1%	4.6%
	Grade 12	47.0%	24.4%	13.0%	8.3%	3.8%	3.6%
Ecstasy?		<b>F A B A</b>		0.1~		2.20	0.00
	All	51.1%	27.7%	9.1%	5.1%	3.3%	3.8%
	Grade 7	62.1%	30.7%	4.4%	1.4%	0.6%	0.7%
	Grade 8	55.5%	31.5%	7.0%	2.9%	1.2%	1.9%
	Grade 9	48.9%	30.6%	9.1%	5.1%	3.4%	2.9%
	Grade 10	45.8%	25.8%	11.7%	6.4%	4.6%	5.6%
	Grade 11	45.9%	24.2%	11.6%	8.5%	4.6%	5.2%
	Grade 12	46.6%	21.7%	11.4%	7.4%	5.7%	7.1%

## Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 21 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Heroin?						
All	46.7%	35.6%	10.1%	3.8%	1.4%	2.3%
Grade 7	53.7%	37.7%	5.1%	1.7%	0.6%	1.1%
Grade 8	47.6%	38.8%	8.3%	2.6%	1.1%	1.6%
Grade 9	44.1%	38.4%	10.4%	3.7%	1.5%	1.8%
Grade 10	42.1%	35.2%	11.8%	5.8%	1.7%	3.4%
Grade 11	44.5%	31.9%	13.7%	4.9%	1.8%	3.3%
Grade 12	48.1%	30.2%	12.2%	4.6%	1.7%	3.1%
Methamphetamine?						
All	48.6%	33.4%	9.6%	3.9%	1.9%	2.7%
Grade 7	57.3%	34.9%	4.6%	1.7%	0.6%	0.8%
Grade 8	51.3%	35.6%	7.5%	2.9%	0.8%	1.8%
Grade 9	45.9%	35.4%	10.6%	4.2%	1.8%	2.2%
Grade 10	43.0%	33.4%	11.4%	5.5%	3.0%	3.8%
Grade 11	45.8%	30.4%	13.0%	4.3%	2.6%	4.0%
Grade 12	47.3%	29.3%	11.3%	5.2%	2.8%	4.1%
Synthetic Marijuana?						
All	49.5%	27.1%	7.7%	5.6%	4.6%	5.4%
Grade 7	59.0%	32.3%	4.4%	2.1%	1.0%	1.2%
Grade 8	52.3%	31.9%	6.5%	3.5%	2.3%	3.5%
Grade 9	47.7%	29.1%	7.8%	5.5%	5.0%	4.8%
Grade 10	43.7%	24.5%	8.6%	7.9%	7.3%	8.0%
Grade 11	45.1%	21.7%	10.3%	7.7%	6.3%	8.8%
Grade 12	48.2%	21.2%	9.4%	7.8%	6.2%	7.2%

# Table D-4: If You Wanted Some, How Difficult Would It Be to Get... (Continued)

	None	1  to  3  Days	$4$ to $9~\mathrm{Days}$	10+ Days
Attended Class While High				
from Marijuana Use?				
All	92.4%	4.1%	1.3%	2.2%
Grade 7	98.5%	1.1%	0.3%	0.1%
Grade 8	95.6%	2.6%	0.9%	0.9%
Grade 9	92.0%	3.6%	1.6%	2.9%
Grade 10	91.4%	5.3%	1.7%	1.7%
Grade 11	88.2%	6.1%	1.8%	3.9%
Grade 12	87.2%	6.9%	1.5%	4.4%
Attended Class While High				
from Use of Some Other				
Drug?				
All	96.9%	2.0%	0.5%	0.6%
Grade 7	98.5%	1.2%	0.2%	0.1%
Grade 8	97.0%	2.2%	0.4%	0.4%
Grade 9	96.2%	2.1%	0.8%	0.9%
Grade 10	96.7%	2.1%	0.4%	0.8%
Grade 11	95.8%	2.6%	0.7%	0.8%
	96.8%	1.8%	0.5%	0.9%

### Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

#### Table D-6: School Year Absences and Conduct Problems by Marijuana Use

	Average Days Absent Due to Illness or Other Reasons
Marijuana Users	4.3
Marijuana Non-Users	3.2
	Average Days Conduct Problems Reported
Marijuana Users	2.9
Marijuana Non-Users	0.9

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have				
Felt High from Drugs?				
High School	94.1%	3.4%	1.0%	1.5%
Grade 9	98.2%	1.1%	0.3%	0.4%
Grade 10	96.2%	2.3%	0.6%	0.9%
Grade 11	92.5%	4.4%	1.1%	2.0%
Grade 12	88.2%	6.4%	2.1%	3.2%
Had Difficulties of Any Kind				
with Your Friends Because of				
Your Drug Use?				
All	96.7%	2.7%	0.3%	0.3%
Grade 7	98.4%	1.4%	0.1%	0.1%
Grade 8	96.9%	2.4%	0.5%	0.2%
Grade 9	96.6%	2.5%	0.3%	0.6%
Grade 10	95.5%	3.8%	0.5%	0.3%
Grade 11	96.1%	3.2%	0.5%	0.2%
Grade 12	96.5%	3.2%	0.1%	0.2%

#### Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	61.6%	16.9%	9.9%	8.9%	2.7%
Grade 7	86.7%	9.3%	2.1%	1.3%	0.6%
Grade 8	74.9%	14.2%	5.6%	3.9%	1.3%
Grade 9	62.6%	17.4%	9.1%	7.7%	3.2%
Grade 10	51.1%	20.5%	12.8%	11.6%	4.1%
Grade 11	47.2%	20.3%	15.1%	14.3%	3.2%
Grade 12	40.3%	21.1%	17.0%	17.1%	4.5%

# Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	60.9%	5.7%	3.7%	5.1%	5.3%	2.6%	16.7%
Grade 7	83.3%	2.4%	0.8%	0.9%	0.5%	1.6%	10.6%
Grade 8	73.5%	4.4%	2.2%	2.1%	2.2%	2.1%	13.5%
Grade 9	60.3%	5.0%	3.7%	4.4%	3.7%	3.8%	19.1%
Grade 10	51.2%	8.3%	5.0%	6.7%	5.8%	3.2%	19.6%
Grade 11	48.4%	6.2%	5.0%	9.0%	8.8%	2.4%	20.1%
Grade 12	43.4%	8.5%	6.2%	9.0%	12.7%	2.1%	18.1%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 24 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	75.3%	7.1%	7.0%	1.9%	1.3%	7.5%
Grade 7	83.9%	2.9%	2.2%	0.7%	0.3%	9.9%
Grade 8	82.2%	4.2%	3.6%	1.5%	1.0%	7.5%
Grade 9	77.2%	7.3%	5.4%	1.8%	1.3%	7.1%
Grade 10	70.9%	9.4%	8.3%	1.7%	1.9%	7.8%
Grade 11	70.2%	8.7%	10.4%	2.3%	2.1%	6.4%
Grade 12	65.2%	10.9%	13.4%	3.4%	1.1%	5.9%

## Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

		Very	Somewhat	Not Very	Not at All	Do Not
		Dangerous	Dangerous	Dangerous	Dangerous	Know
Marijuana?						
	All	56.9%	14.3%	12.9%	10.5%	5.3%
	Grade 7	78.3%	10.4%	3.5%	2.6%	5.2%
	Grade 8	68.2%	12.7%	8.2%	5.6%	5.3%
	Grade 9	59.8%	15.4%	11.6%	7.9%	5.3%
	Grade 10	47.4%	16.1%	16.5%	14.1%	5.8%
	Grade 11	43.5%	15.4%	19.2%	16.4%	5.5%
	Grade 12	38.7%	16.2%	21.4%	19.0%	4.7%
Cocaine?						
Cocame:	All	86.4%	6.7%	0.9%	0.4%	5.6%
	Grade 7	88.1%	5.7%	0.9% 0.6%	0.478	5.0%
	Grade 7 Grade 8	86.2%	5.7% 7.1%	$0.0\% \\ 0.7\%$	0.3% 0.4%	5.2% 5.5%
	Grade 9	86.1%	7.0%	0.8%	0.4%	5.7%
	Grade 10	85.0%	7.6%	1.1%	0.5%	5.9%
	Grade 11	85.8%	6.8%	1.2%	0.7%	5.4%
	Grade 12	86.9%	6.2%	0.8%	0.3%	5.8%
Crack?						
	All	87.1%	5.9%	0.7%	0.4%	5.9%
	Grade 7	87.2%	6.2%	0.6%	0.3%	5.7%
	Grade 8	86.3%	6.3%	1.0%	0.4%	5.9%
	Grade 9	87.0%	6.1%	0.8%	0.4%	5.8%
	Grade 10	86.2%	6.3%	0.9%	0.3%	6.2%
	Grade 11	87.1%	5.8%	0.4%	0.7%	6.0%
	Grade 12	89.0%	4.2%	0.6%	0.3%	5.9%
Ecstasy?						
Ecstasy!	All	80.6%	7.8%	1.9%	0.7%	9.0%
	Grade 7					
		83.3% 80.7%	5.0%	0.8%	0.4%	10.5%
	Grade 8	80.7%	6.8%	1.2%	0.6%	10.7%
	Grade 9	80.2%	8.5%	1.7%	0.5%	9.0%
	Grade 10	79.1%	9.1%	2.0%	1.2%	8.6%
	Grade 11	78.9%	9.8%	2.8%	0.8%	7.7%
	Grade 12	81.1%	8.0%	3.1%	0.8%	6.9%
Steroids?						
	All	76.5%	11.7%	3.3%	0.9%	7.5%
	Grade 7	81.2%	9.2%	1.9%	0.5%	7.2%
	Grade 8	78.2%	10.3%	2.6%	0.8%	8.0%
	Grade 9	76.0%	12.2%	3.8%	1.1%	6.9%
	Grade 10	74.8%	12.2% 12.7%	3.5%	1.1% 1.1%	7.9%
	Grade 10 Grade 11	73.0%	12.7% 14.0%	4.2%	1.1% 1.2%	7.5%
	Grade 11 Grade 12	75.3%	14.0% 12.1%	4.2% 4.3%	0.7%	7.5% 7.5%

## Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 26 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Very	Somewhat	Not Very	Not at All	Do Not
	Dangerous	Dangerous	Dangerous	Dangerous	Know
Heroin?					
All	87.9%	4.5%	0.6%	0.4%	6.6%
Grade 7	86.9%	4.7%	0.5%	0.4%	7.5%
Grade 8	86.5%	5.2%	0.8%	0.5%	6.9%
Grade 9	87.8%	4.9%	0.6%	0.3%	6.3%
Grade 10	88.2%	4.4%	0.8%	0.3%	6.3%
Grade 11	88.5%	4.2%	0.3%	0.7%	6.2%
Grade 12	89.7%	3.3%	0.2%	0.4%	6.5%
Methamphetamine?					
All	87.5%	4.6%	0.7%	0.5%	6.9%
Grade 7	87.2%	4.2%	0.6%	0.4%	7.6%
Grade 8	85.9%	5.1%	0.9%	0.4%	7.6%
Grade 9	87.2%	5.0%	0.6%	0.4%	6.8%
Grade 10	87.0%	5.1%	1.1%	0.4%	6.4%
Grade 11	88.9%	4.0%	0.4%	0.9%	5.9%
Grade 12	89.2%	3.6%	0.2%	0.4%	6.6%
Synthetic Marijuana?					
All	80.0%	7.9%	2.6%	1.1%	8.4%
Grade 7	83.8%	5.5%	1.2%	0.8%	8.7%
Grade 8	80.8%	7.0%	2.4%	1.0%	8.9%
Grade 9	79.3%	8.6%	2.9%	1.0%	8.3%
Grade 10	78.5%	8.9%	3.5%	1.3%	7.9%
Grade 11	78.4%	8.6%	3.1%	1.4%	8.5%
Grade 12	78.9%	8.8%	2.8%	1.2%	8.2%

# Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use... $({\rm Continued})$

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	6.1%	8.9%	17.2%	82.8%
Grade 7	5.3%	7.7%	13.7%	86.3%
Grade 8	6.9%	10.0%	18.3%	81.7%
Grade 9	7.0%	9.2%	17.3%	82.7%
Grade 10	5.5%	8.9%	16.9%	83.1%
Grade 11	6.0%	8.8%	17.2%	82.8%
Grade 12	5.7%	8.6%	20.3%	79.7%
Codeine Cough Syrup?				
All	2.8%	4.7%	10.9%	89.1%
Grade 7	3.0%	4.9%	9.5%	90.5%
Grade 8	3.5%	5.8%	12.1%	87.9%
Grade 9	3.5%	5.2%	12.0%	88.0%
Grade 10	2.1%	4.3%	10.0%	90.0%
Grade 11	2.3%	3.9%	9.8%	90.2%
Grade 12	2.3%	4.0%	11.7%	88.3%
OxyContin, Percodan, Per-				
cocet, Oxycodone, Vicodin,				
Lortab, Lorcet, or Hy- drocodone?				
All	0.7%	1.2%	2.9%	97.1%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 7 Grade 8	0.1% 0.6%	0.8%	1.5%	98.5%
Grade 9	1.0%	1.2%	2.5%	97.5%
Grade 10	0.7%	1.2%	2.5% 2.6%	97.5% 97.4%
Grade 10 Grade 11	1.1%	1.2% 1.8%	4.6%	97.4% 95.4%
Grade 11 Grade 12	1.1% 1.0%	2.0%	6.6%	93.4% 93.4%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.2%	2.0%	4.6%	95.4%
Grade 7	0.4%	0.9%	1.9%	98.1%
Grade 8	0.9%	1.7%	3.6%	96.4%
Grade 9	1.7%	2.7%	4.6%	95.4%
Grade 10	1.1%	2.1%	4.9%	95.1%
Grade 11	1.8%	2.7%	6.4%	93.6%
Grade 12	1.2%	2.3%	7.1%	92.9%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	1.8%	2.7%	5.1%	94.9%
Grade 7	0.8%	1.2%	2.6%	97.4%
Grade 8	1.3%	1.2% 1.9%	3.4%	96.6%
Grade 8 Grade 9	2.1%	2.8%	5.0%	95.0%
Grade 9 Grade 10	1.9%	3.1%	5.0% 5.2%	93.0% 94.8%
Grade 10 Grade 11	1.9% 2.6%	3.1% 3.6%	6.3%	94.8% 93.7%
Grade 11 Grade 12				
Grade 12	2.3%	3.9%	9.0%	91.0%

### Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 28 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug				
Not Listed Above?				
All	2.9%	4.3%	8.3%	91.7%
Grade 7	2.6%	4.4%	8.6%	91.4%
Grade 8	3.6%	5.0%	9.5%	90.5%
Grade 9	3.3%	4.6%	8.5%	91.5%
Grade 10	3.2%	4.2%	8.2%	91.8%
Grade 11	2.6%	4.0%	7.1%	92.9%
Grade 12	2.0%	3.2%	7.4%	92.6%

#### Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You... (Continued)

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.3%	1.6%	3.1%	96.9%
Grade 7	1.3%	1.8%	3.2%	96.8%
Grade 8	1.8%	2.1%	3.7%	96.3%
Grade 9	1.2%	1.6%	3.3%	96.7%
Grade 10	1.0%	1.3%	3.2%	96.8%
Grade 11	1.1%	1.6%	2.6%	97.4%
Grade 12	1.0%	1.1%	2.7%	97.3%

#### Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	73.6%	13.8%	4.0%	1.3%	7.2%
Grade 7	79.5%	8.9%	2.8%	0.8%	7.9%
Grade 8	74.7%	12.6%	4.1%	1.7%	6.8%
Grade 9	72.6%	15.0%	4.4%	1.5%	6.6%
Grade 10	71.8%	15.4%	4.6%	1.6%	6.7%
Grade 11	70.5%	15.7%	5.1%	1.3%	7.4%
Grade 12	71.8%	16.1%	3.4%	0.9%	7.8%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 29 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

## Inhalants

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.4%	6.0%	12.5%	87.5%
Grade 7	5.5%	6.8%	14.6%	85.4%
Grade 8	6.2%	8.0%	15.4%	84.6%
Grade 9	4.1%	6.0%	12.4%	87.6%
Grade 10	3.8%	6.0%	12.2%	87.8%
Grade 11	2.9%	3.9%	10.1%	89.9%
Grade 12	3.3%	4.4%	9.6%	90.4%
Spray Paint?				
All	0.4%	0.7%	2.2%	97.8%
Grade 7	0.6%	0.7%	2.2%	97.8%
Grade 8	0.7%	1.0%	2.8%	97.2%
Grade 9	0.2%	0.4%	1.6%	98.4%
Grade 10	0.4%	0.7%	2.7%	97.3%
Grade 11	0.4%	0.6%	1.5%	98.5%
Grade 12	0.4%	0.6%	2.2%	97.8%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.1%	1.8%	5.4%	94.6%
Grade 7	1.4%	2.3%	6.9%	93.1%
Grade 8	1.8%	2.9%	7.1%	92.9%
Grade 9	1.1%	2.1%	5.6%	94.4%
Grade 10	1.0%	1.8%	5.5%	94.5%
Grade 11	0.4%	0.5%	3.3%	96.7%
Grade 12	0.7%	1.1%	3.4%	96.6%
Computer Dusting Sprays?				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.1%	0.4%	0.8%	99.2%
Grade 9	0.2%	0.4%	0.7%	99.3%
Grade 10	0.6%	0.8%	1.7%	98.3%
Grade 11	0.2%	0.4%	1.1%	98.9%
Grade 12	0.4%	0.5%	1.1%	98.9%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.2%	1.8%	5.9%	94.1%
Grade 7	1.5%	2.3%	6.6%	93.4%
Grade 8	1.9%	2.6%	7.5%	92.5%
Grade 9	0.8%	1.4%	5.4%	94.6%
Grade 10	0.9%	1.9%	6.5%	93.5%
Grade 11	0.9%	1.3%	4.4%	95.6%
Grade 12	0.8%	1.2%	4.8%	95.2%

#### Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 30 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Glue?				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.4%	0.6%	1.6%	98.4%
Grade 8	0.3%	0.7%	1.6%	98.4%
Grade 9	0.5%	0.5%	1.0%	99.0%
Grade 10	0.2%	0.3%	1.1%	98.9%
Grade 11	0.2%	0.2%	0.9%	99.1%
Grade 12	0.3%	0.5%	1.2%	98.8%
Toluene, Paint Thinner, or Other Solvents?				
All	0.2%	0.4%	1.1%	98.9%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	0.2%	0.4%	0.9%	99.1%
Grade 9	0.2%	0.4%	0.8%	99.2%
Grade 10	0.1%	0.3%	1.4%	98.6%
Grade 11	0.3%	0.4%	1.0%	99.0%
Grade 12	0.5%	0.7%	1.2%	98.8%
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.7%	0.9%	2.3%	97.7%
Grade 7	0.7%	0.9%	2.5%	97.5%
Grade 8	0.9%	1.3%	2.9%	97.1%
Grade 9	0.5%	0.7%	1.9%	98.1%
Grade 10	0.5%	0.9%	2.2%	97.8%
Grade 11	0.6%	1.1%	2.0%	98.0%
Grade 12	0.8%	0.8%	2.0%	98.0%
Other Aerosols/Sprays?				
All	0.4%	0.7%	1.7%	98.3%
Grade 7	0.5%	0.8%	2.3%	97.7%
Grade 8	0.5%	0.8%	2.1%	97.9%
Grade 9	0.7%	0.7%	1.3%	98.7%
Grade 10	0.3%	0.6%	1.6%	98.4%
Grade 11	0.2%	0.5%	1.3%	98.7%
Grade 12	0.4%	0.5%	1.2%	98.8%

# Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High... (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 31 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.9%	0.1%	0.3%	0.2%	0.6%	0.5%	1.5%
Grade 7	96.1%	0.1%	0.6%	0.2%	0.8%	0.6%	1.5%
Grade 8	96.4%	0.1%	0.2%	0.4%	0.9%	0.7%	1.3%
Grade 9	97.0%	0.1%	0.3%	0.2%	0.4%	0.5%	1.4%
Grade 10	96.5%	0.0%	0.2%	0.3%	0.4%	0.5%	2.1%
Grade 11	97.5%	0.0%	0.1%	0.2%	0.4%	0.4%	1.4%
Grade 12	97.8%	0.0%	0.2%	0.0%	0.5%	0.3%	1.2%

Table I-2: How Often Do You Normally Use Inhalants?

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2  or  3  Kinds	4+ Kinds
All	89.4%	6.1%	3.3%	1.3%
Grade 7	87.8%	6.7%	4.0%	1.5%
Grade 8	86.5%	7.9%	4.0%	1.6%
Grade 9	89.4%	6.7%	3.1%	0.8%
Grade 10	89.3%	5.6%	3.3%	1.8%
Grade 11	91.8%	4.8%	2.7%	0.8%
Grade 12	92.2%	4.2%	2.4%	1.3%

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.8	10.5	11.1	11.7	12.6	12.6	13.9

# Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1  to  3  Days	4 to $9$ Days	10+ Days
All	98.7%	0.9%	0.2%	0.2%
Grade 7	98.8%	0.8%	0.1%	0.3%
Grade 8	98.4%	1.3%	0.1%	0.1%
Grade 9	98.4%	1.0%	0.4%	0.2%
Grade 10	98.4%	1.1%	0.0%	0.4%
Grade 11	99.1%	0.6%	0.1%	0.2%
Grade 12	99.3%	0.3%	0.3%	0.1%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 32 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Average Days Absent Due to Illness or Other Reasons		
Inhalant Users	4.3		
Inhalant Non-Users	3.3		
	Average Days Conduct Problems Reported		
Inhalant Users	3.8		
Inhalant Non-Users	1.1		

#### Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	93.1%	4.5%	1.5%	0.5%	0.4%
Grade 7	92.7%	4.8%	1.4%	0.7%	0.5%
Grade 8	92.1%	5.3%	1.9%	0.5%	0.2%
Grade 9	92.0%	5.3%	1.9%	0.4%	0.4%
Grade 10	93.5%	4.1%	1.4%	0.6%	0.5%
Grade 11	94.0%	4.0%	1.4%	0.3%	0.3%
Grade 12	95.0%	3.3%	1.0%	0.6%	0.2%

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	70.3%	15.1%	5.0%	1.5%	8.1%
Grade 7	73.8%	13.4%	4.2%	1.3%	7.3%
Grade 8	70.1%	14.2%	5.9%	1.7%	8.2%
Grade 9	69.4%	17.5%	5.1%	1.2%	6.9%
Grade 10	67.5%	15.4%	5.8%	1.9%	9.5%
Grade 11	69.4%	16.0%	5.3%	1.1%	8.2%
Grade 12	72.0%	14.0%	3.7%	1.6%	8.7%

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	43.3%	16.5%	4.4%	5.2%	8.5%	22.1%
Grade 7	48.8%	24.1%	4.4%	4.4%	6.6%	11.6%
Grade 8	43.5%	22.0%	4.7%	5.8%	7.4%	16.7%
Grade 9	40.3%	17.3%	5.6%	5.8%	9.3%	21.8%
Grade 10	38.9%	11.9%	4.3%	6.2%	10.1%	28.6%
Grade 11	41.7%	11.5%	3.7%	5.0%	9.0%	29.1%
Grade 12	46.7%	9.8%	3.4%	3.7%	9.1%	27.3%

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 33 of 127

©Copyright 2020 Texas A&M University

All Rights Reserved

### Miscellaneous

	Yes
A School Health Class	
All	39.7%
Grade 7	35.7%
Grade 8	46.3%
Grade 9	40.0%
Grade 10	41.3%
Grade 11	36.9%
Grade 12	37.7%
An Assembly Program	
All	41.4%
Grade 7	42.5%
Grade 8	48.3%
Grade 9	41.2%
Grade 10	40.6%
Grade 11	34.8%
Grade 12	39.9%
Guidance Counselor	
All	24.3%
Grade 7	28.0%
Grade 8	31.4%
Grade 9	22.1%
Grade 10	20.8%
Grade 11	20.6%
Grade 12	22.2%
School Nurse	
All	15.2%
Grade 7	18.3%
Grade 8	19.3%
Grade 9	13.0%
Grade 10	13.8%
Grade 11	12.3%
Grade 12	14.0%
Science or Social Studies Class	
All	28.3%
Grade 7	29.4%
Grade 8	28.6%
Grade 9	32.4%
Grade 10	27.0%
Grade 11	22.9%
Grade 12	29.0%

### Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 34 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Yes
Student Group or Club Meeting at	
School	
All	13.5%
Grade 7	11.5%
Grade 8	14.5%
Grade 9	13.5%
Grade 10	12.5%
Grade 11	14.0%
Grade 12	15.0%
An Invited School Guest	
All	29.4%
Grade 7	27.2%
Grade 8	31.2%
Grade 9	29.2%
Grade 10	30.3%
Grade 11	27.5%
Grade 12	31.6%
Another Source at School	
All	28.4%
Grade 7	26.6%
Grade 8	32.2%
Grade 9	28.7%
Grade 10	27.7%
Grade 11	27.3%
Grade 12	27.7%
Any School Source	
All	66.9%
Grade 7	66.1%
Grade 8	70.8%
Grade 9	68.7%
Grade 10	68.2%
Grade 11	61.7%
Grade 12	64.8%

## Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

(Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 35 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Yes
Counselor/Program In-School	
All	37.1%
Grade 7	50.1%
Grade 8	43.1%
Grade 9	37.1%
Grade 10	30.2%
Grade 11	30.2%
Grade 12	29.4%
School Nurse	
All	22.3%
Grade 7	33.0%
Grade 8	26.2%
Grade 9	21.6%
Grade 10	16.9%
Grade 11	17.9%
Grade 12	16.3%
Another Adult In School	
All	42.6%
Grade 7	51.0%
Grade 8	46.3%
Grade 9	40.1%
Grade 10	37.4%
Grade 11	39.3%
Grade 12	40.6%
Counselor/Program Outside-School	
All	40.1%
Grade 7	47.4%
Grade 8	43.3%
Grade 9	38.6%
Grade 10	35.5%
Grade 11	36.7%
Grade 12	38.5%
Your Parents	
All	69.0%
Grade 7	76.7%
Grade 8	72.5%
Grade 9	67.9%
Grade 10	62.7%
Grade 11	66.0%
Grade 12	67.2%

### Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 36 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

		Yes
A Medical Doctor		
	All	56.7%
	Grade 7	69.0%
	Grade 8	64.1%
	Grade 9	54.6%
	Grade 10	47.6%
	Grade 11	51.3%
	Grade 12	52.1%
Your Friends		
	All	63.7%
	Grade 7	52.5%
	Grade 8	60.1%
	Grade 9	63.2%
	Grade 10	68.5%
	Grade 11	68.9%
	Grade 12	71.1%
Another Adult		
	All	58.7%
	Grade 7	63.6%
	Grade 8	61.9%
	Grade 9	56.9%
	Grade 10	54.9%
	Grade 11	56.3%
	Grade 12	58.1%

### Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To? (Continued)

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

	Yes	
All	6.2%	
Grade 7	5.5%	
Grade 8	6.0%	
Grade 9	8.6%	
Grade 10	6.4%	
Grade 11	5.0%	
Grade 12	5.6%	

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 37 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	5.3%	20.6%	23.2%	36.3%	14.6%
Grade 7	6.7%	18.3%	18.5%	35.3%	21.2%
Grade 8	5.9%	19.9%	21.4%	36.6%	16.2%
Grade 9	4.0%	20.2%	26.6%	35.7%	13.5%
Grade 10	4.9%	22.6%	24.3%	37.3%	10.9%
Grade 11	4.9%	20.7%	24.1%	36.7%	13.6%
Grade 12	5.2%	22.7%	24.7%	36.1%	11.3%
Sometimes Carry Weapons?					
All	79.8%	12.8%	4.4%	2.0%	0.9%
Grade 7	87.6%	8.5%	2.2%	1.2%	0.6%
Grade 8	83.7%	11.3%	3.1%	1.2%	0.7%
Grade 9	80.6%	13.7%	3.5%	1.2%	1.0%
Grade 10	76.4%	14.7%	5.1%	2.5%	1.3%
Grade 11	75.5%	14.5%	6.3%	2.8%	0.9%
Grade 12	72.7%	15.2%	7.3%	3.8%	1.1%
Care About Making Good Grades?					
All	1.9%	11.2%	23.6%	43.1%	20.2%
Grade 7	2.5%	11.3%	23.8%	38.1%	24.2%
Grade 8	2.0%	11.4%	24.8%	40.6%	21.2%
Grade 9	1.7%	10.9%	22.8%	45.4%	19.2%
Grade 10	1.8%	11.4%	24.8%	45.5%	16.6%
Grade 11	1.4%	9.9%	23.5%	45.1%	20.2%
Grade 12	2.1%	12.6%	21.5%	44.4%	19.4%
Belong/Want to Belong to a Gang?					
All	85.2%	9.8%	3.0%	1.1%	0.8%
Grade 7	86.2%	9.0%	2.8%	1.2%	0.8%
Grade 8	83.6%	11.0%	3.4%	1.0%	1.0%
Grade 9	84.1%	10.7%	3.3%	1.3%	0.6%
Grade 10	84.1%	10.4%	3.0%	1.5%	0.9%
Grade 11	85.7%	9.9%	2.7%	0.9%	0.8%
Grade 12	88.3%	7.1%	2.9%	1.0%	0.7%
Wish They Could Drop Out of School?					
All	46.6%	30.1%	13.3%	6.2%	3.8%
Grade 7	55.2%	25.4%	10.5%	5.9%	3.0%
Grade 8	49.4%	31.6%	11.7%	4.6%	2.7%
Grade 9	44.6%	30.8%	14.0%	6.6%	4.1%
Grade 10	40.5%	33.0%	15.2%	7.3%	4.0%
Grade 10 Grade 11	43.7%	30.4%	15.2% 15.0%	6.2%	4.6%
Grade 12	45.0%	29.8%	13.7%	7.0%	4.6%

### Table X-4: About How Many of Your Close Friends...

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 38 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?					
All	86.0%	11.9%	0.9%	0.3%	1.0%
Grade 7	85.5%	12.7%	1.0%	0.1%	0.7%
Grade 8	84.3%	13.0%	0.8%	0.3%	1.6%
Grade 9	85.6%	12.3%	0.8%	0.5%	0.8%
Grade 10	84.8%	12.8%	1.0%	0.5%	0.8%
Grade 11	87.9%	10.1%	0.6%	0.4%	1.0%
Grade 12	88.4%	9.6%	1.0%	0.1%	0.8%
Out In Your Neighborhood?					
All	47.4%	43.0%	5.5%	1.4%	2.7%
Grade 7	43.0%	44.6%	6.6%	1.8%	3.9%
Grade 8	42.2%	47.7%	5.9%	1.3%	2.8%
Grade 9	46.4%	44.2%	5.6%	1.2%	2.5%
Grade 10	49.0%	41.9%	5.2%	1.4%	2.5%
Grade 11	52.3%	39.7%	4.4%	0.8%	2.7%
Grade 12	53.0%	38.7%	5.0%	1.6%	1.7%
At School?					
All	37.2%	46.8%	8.6%	3.7%	3.8%
Grade 7	41.7%	44.7%	7.5%	3.1%	2.9%
Grade 8	38.8%	44.2%	9.2%	4.0%	3.8%
Grade 9	34.2%	50.1%	8.2%	3.5%	4.0%
Grade 10	33.1%	50.4%	8.9%	3.5%	4.1%
Grade 11	36.9%	44.5%	9.7%	4.7%	4.3%
Grade 12	38.2%	46.8%	7.9%	3.6%	3.5%

### Table X-5: How Safe Do You Feel When You Are...

### 2 Prevalence Tables

Jump to Table of Contents Page 40 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.2%	17.9%	30.2%	69.8%
Grade 7	4.4%	5.8%	13.2%	86.8%
Grade 8	9.6%	12.1%	23.1%	76.9%
Grade 9	13.7%	16.5%	27.7%	72.3%
Grade 10	16.8%	22.0%	37.3%	62.7%
Grade 11	19.1%	24.1%	38.9%	61.1%
Grade 12	24.7%	30.9%	45.7%	54.3%
Any Alcohol Product	07 407	22.407		
All	27.4%	32.4%	50.5%	49.5%
Grade 7	16.5%	18.8%	35.9%	64.1%
Grade 8	21.5%	24.8%	43.5%	56.5%
Grade 9	26.0%	31.0%	50.8%	49.2%
Grade 10	30.8%	36.5%	55.8%	44.2%
Grade 11	31.9%	39.0%	57.1%	42.9%
Grade 12	41.6%	48.7%	63.9%	36.1%
Any Illicit Drug				
All	13.0%	17.1%	22.7%	77.3%
Grade 7	4.4%	6.0%	7.7%	92.3%
Grade 8	7.8%	10.9%	14.7%	85.3%
Grade 9	12.1%	15.7%	18.9%	81.1%
Grade 10	15.1%	20.2%	27.7%	72.3%
Grade 11	18.8%	24.2%	31.5%	68.5%
Grade 12	22.4%	29.4%	41.0%	59.0%
Any Prescription Drug				
All	6.1%	8.9%	17.2%	82.8%
Grade 7	5.3%	7.7%	13.7%	86.3%
Grade 8	6.9%	10.0%	18.3%	81.7%
Grade 9	7.0%	9.2%	17.3%	82.7%
Grade 10	5.5%	8.9%	16.9%	83.1%
Grade 11	6.0%	8.8%	17.2%	82.8%
Grade 12	5.7%	8.6%	20.3%	79.7%
A <b>T</b> 1 1 .				
Any Inhalant	4 407	0.001	10 507	
All	4.4%	6.0%	12.5%	87.5%
Grade 7	5.5%	6.8%	14.6%	85.4%
Grade 8	6.2%	8.0%	15.4%	84.6%
Grade 9	4.1%	6.0%	12.4%	87.6%
Grade 10	3.8%	6.0%	12.2%	87.8%
Grade 11	2.9%	3.9%	10.1%	89.9%
Grade 12	3.3%	4.4%	9.6%	90.4%

### Table B-1: Prevalence and Recency of Use of Selected Substances by Grade All Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 41 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.9%	15.1%	27.0%	73.0%
Grade 7	2.6%	4.1%	10.5%	89.5%
Grade 8	6.9%	9.7%	20.2%	79.8%
Grade 9	10.2%	13.8%	25.1%	74.9%
Grade 10	12.7%	18.7%	33.3%	66.7%
Grade 11	15.3%	20.7%	35.5%	64.5%
Grade 12	20.4%	27.2%	41.8%	58.2%
Marijuana				
All	12.4%	15.1%	20.8%	79.2%
Grade 7	3.4%	3.9%	5.3%	94.7%
Grade 8	7.1%	8.3%	11.7%	88.3%
Grade 9	11.6%	13.8%	17.4%	82.6%
Grade 10	14.9%	18.5%	25.9%	74.1%
Grade 11	18.3%	22.6%	30.6%	69.4%
Grade 12	22.0%	27.4%	39.9%	60.1%
Marijuana Only				
All	7.0%	9.0%	13.8%	86.2%
Grade 7	1.7%	2.1%	3.1%	96.9%
Grade 8	3.9%	4.8%	7.5%	92.5%
Grade 9	6.2%	7.9%	10.9%	89.1%
Grade 10	8.5%	11.4%	17.4%	82.6%
Grade 11	10.3%	13.4%	20.0%	80.0%
Grade 12	12.9%	17.0%	27.6%	72.4%
Cocaine or Crack				
All	1.4%	1.6%	2.6%	97.4%
Grade 7	1.0%	1.0%	1.5%	98.5%
Grade 8	1.0%	1.1%	1.5%	98.5%
Grade 9	1.1%	1.2%	1.8%	98.2%
Grade 10	1.6%	2.1%	3.2%	96.8%
Grade 11	2.0%	2.2%	3.5%	96.5%
Grade 12	2.1%	2.5%	4.8%	95.2%
Cocaine				
All	1.2%	1.4%	2.3%	97.7%
Grade 7	0.6%	0.6%	1.0%	99.0%
Grade 8	0.7%	0.8%	1.3%	98.7%
Grade 9	1.1%	1.1%	1.7%	98.3%
Grade 10	1.4%	1.8%	2.9%	97.1%
Grade 11	1.9%	2.1%	3.2%	96.8%
Grade 12	2.0%	2.4%	4.7%	95.3%

### Table B-1: Prevalence and Recency of Use of Selected Substances by Grade All Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 42 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	0.5%	0.5%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.6%	0.9%	1.1%	98.9%
Grade 11	0.4%	0.5%	0.9%	99.1%
Grade 12	0.5%	0.6%	1.1%	98.9%
Hallucinogens				
All	1.2%	1.7%	3.4%	96.6%
Grade 7	0.2%	0.2%	0.8%	99.2%
Grade 8	0.5%	0.6%	1.5%	98.5%
Grade 9	1.1%	1.6%	2.7%	97.3%
Grade 10	1.5%	1.9%	3.8%	96.2%
Grade 11	1.8%	2.6%	5.1%	94.9%
Grade 12	2.2%	3.8%	7.3%	92.7%
Synthetic Cathinones				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.2%	0.3%	0.4%	99.6%
Grade 12	0.1%	0.2%	0.4%	99.6%
Steroids				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.2%	0.4%	1.3%	98.7%
Grade 8	0.4%	0.6%	1.3%	98.7%
Grade 9	0.3%	0.4%	1.3%	98.7%
Grade 10	0.3%	0.7%	1.9%	98.1%
Grade 11	0.2%	0.3%	1.0%	99.0%
Grade 12	0.2%	0.5%	1.3%	98.7%
Ecstasy				
All	0.6%	0.9%	2.1%	97.9%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.3%	1.1%	98.9%
Grade 9	0.4%	0.6%	1.2%	98.8%
Grade 10	0.7%	1.0%	2.6%	97.4%
Grade 11	0.9%	1.5%	3.2%	96.8%
Grade 12	1.6%	2.2%	4.6%	95.4%

### Table B-1: Prevalence and Recency of Use of Selected Substances by Grade All Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 43 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.2%	0.2%	0.4%	99.6%
Grade 12	0.1%	0.1%	0.4%	99.6%
Synthetic Marijuana				
All	1.2%	1.8%	3.5%	96.5%
Grade 7	0.5%	0.7%	1.3%	98.7%
Grade 8	1.1%	1.5%	2.9%	97.1%
Grade 9	1.3%	2.1%	3.6%	96.4%
Grade 10	1.8%	2.6%	5.2%	94.8%
Grade 11	1.7%	2.3%	4.8%	95.2%
Grade 12	0.9%	1.4%	3.8%	96.2%
Methamphetamine				
All	0.4%	0.5%	0.9%	99.1%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.3%	0.4%	0.9%	99.1%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	0.2%	0.5%	0.7%	99.3%
Grade 12	0.3%	0.5%	1.2%	98.8%

### Table B-1: Prevalence and Recency of Use of Selected Substances by Grade All Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.4%	17.2%	29.1%	70.9%
Grade 7	5.0%	6.3%	14.2%	85.8%
Grade 8	9.2%	11.2%	22.4%	77.6%
Grade 9	13.4%	15.5%	25.2%	74.8%
Grade 10	15.9%	19.6%	34.2%	65.8%
Grade 11	20.5%	23.9%	38.2%	61.8%
Grade 12	27.0%	32.1%	46.9%	53.1%
Any Alcohol Product				
All	25.2%	29.7%	48.0%	52.0%
Grade 7	16.8%	19.7%	37.8%	62.2%
Grade 8	19.9%	22.8%	41.2%	58.8%
Grade 9	22.3%	22.0% 27.1%	47.3%	52.7%
Grade 10	27.7%	32.3%	51.1%	48.9%
Grade 11	28.8%	35.5%	53.9%	46.1%
Grade 12	40.3%	46.4%	61.9%	38.1%
Any Illicit Drug				
All	13.1%	16.8%	22.4%	77.6%
Grade 7	5.0%	6.6%	8.5%	91.5%
Grade 8	8.0%	10.8%	14.2%	85.8%
Grade 9	11.3%	14.6%	14.2% 17.9%	82.1%
Grade 10	13.9%	14.0% 18.1%	25.7%	74.3%
Grade 10 Grade 11	13.9% 19.8%	25.2%	32.7%	67.3%
Grade 12	24.5%	30.8%	42.8%	57.2%
Any Prescription Drug				
Any Frescription Drug All	6.2%	8.9%	17.4%	82.6%
Grade 7	5.9%	8.9% 8.2%	17.4% 14.5%	85.5%
Grade 7 Grade 8	6.8%	8.2% 8.9%	14.5% 17.0%	83.0%
Grade 8 Grade 9	6.8%	9.2%	17.6%	83.0% 82.4%
Grade 10	5.3%	9.2% 9.0%	17.0% 15.2%	84.8%
Grade 10 Grade 11	5.3% 6.0%	9.0% 8.6%	15.2% 18.2%	84.8% 81.8%
Grade 11 Grade 12	6.0% 6.7%	8.6% 9.8%	18.2% 23.6%	81.8% 76.4%
Grade 12	0.770	9.070	20.070	10.470
Any Inhalant				00.00
All	4.2%	5.7%	11.7%	88.3%
Grade 7	4.8%	5.9%	13.0%	87.0%
Grade 8	4.8%	6.6%	12.1%	87.9%
Grade 9	3.7%	5.5%	11.3%	88.7%
Grade 10	3.9%	5.8%	11.0%	89.0%
Grade 11	3.9%	5.0%	11.4%	88.6%
Grade 12	4.1%	5.5%	10.7%	89.3%

## Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 45 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.5%	13.9%	25.4%	74.6%
Grade 7	2.7%	4.1%	10.9%	89.1%
Grade 8	5.8%	8.0%	18.9%	81.1%
Grade 9	9.8%	12.7%	22.0%	78.0%
Grade 10	11.3%	15.8%	30.1%	69.9%
Grade 11	16.0%	20.3%	34.8%	65.2%
Grade 12	21.2%	27.6%	42.1%	57.9%
Marijuana				
All	12.3%	14.8%	20.4%	79.6%
Grade 7	3.5%	4.0%	5.6%	94.4%
Grade 8	7.3%	8.5%	11.1%	88.9%
Grade 9	10.7%	13.1%	16.7%	83.3%
Grade 10	13.4%	16.7%	24.0%	76.0%
Grade 11	19.0%	23.3%	31.5%	68.5%
Grade 12	24.2%	28.7%	41.4%	58.6%
Marijuana Only				
All	6.6%	8.4%	12.9%	87.1%
Grade 7	1.9%	2.2%	3.3%	96.7%
Grade 8	4.2%	5.1%	7.2%	92.8%
Grade 9	5.3%	7.1%	9.8%	90.2%
Grade 10	7.5%	9.6%	15.5%	84.5%
Grade 10 Grade 11	10.4%	13.3%	20.1%	79.9%
Grade 12	12.9%	16.1%	26.0%	73.3% 74.0%
Cocaine or Crack				
All	1.7%	1.9%	3.0%	97.0%
Grade 7	1.7% 1.3%	1.4%	1.8%	98.2%
Grade 8	1.3% 1.1%	1.4% $1.2%$	1.870	98.2% 98.6%
Grade 9	1.1% 1.3%	1.2% 1.4%	2.0%	98.0%
Grade 9 Grade 10	1.6%	2.1%	3.0%	97.0%
Grade 10 Grade 11	2.4%	2.1% 2.6%	3.9%	96.1%
Grade 12	2.4% 2.6%	3.1%	6.6%	93.4%
Cocaine				
All	1.3%	1.5%	2.6%	97.4%
Grade 7	0.5%	0.6%	1.0%	99.0%
Grade 8	0.8%	0.9%	1.3%	98.7%
Grade 9	1.2%	1.3%	1.9%	98.1%
Grade 10	1.3%	1.6%	2.4%	97.6%
Grade 11	2.3%	2.6%	3.8%	96.2%
Grade 12	2.4%	2.8%	6.3%	93.7%

# Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 46 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.8%	1.1%	98.9%
Grade 7	1.0%	1.0%	1.4%	98.6%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	0.5%	0.5%	0.8%	99.2%
Grade 10	0.6%	1.1%	1.2%	98.8%
Grade 11	0.6%	0.6%	0.8%	99.2%
Grade 12	0.7%	1.0%	1.9%	98.1%
Hallucinogens				
All	1.4%	1.9%	4.0%	96.0%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.6%	0.7%	1.5%	98.5%
Grade 9	1.1%	1.6%	3.3%	96.7%
Grade 10	1.9%	2.2%	4.7%	95.3%
Grade 11	1.7%	2.7%	5.3%	94.7%
Grade 12	3.1%	4.9%	10.3%	89.7%
Synthetic Cathinones				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.1%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.6%	99.4%
Grade 11	0.3%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.5%	99.5%
Steroids				
All	0.3%	0.4%	1.5%	98.5%
Grade 7	0.2%	0.3%	1.5%	98.5%
Grade 8	0.5%	0.5%	1.6%	98.4%
Grade 9	0.2%	0.3%	1.4%	98.6%
Grade 10	0.6%	0.9%	2.4%	97.6%
Grade 11	0.1%	0.2%	0.9%	99.1%
Grade 12	0.2%	0.4%	1.3%	98.7%
Ecstasy				
All	0.8%	1.0%	2.3%	97.7%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.5%	1.4%	98.6%
Grade 9	0.4%	0.6%	1.2%	98.8%
Grade 10	0.8%	0.9%	3.2%	96.8%
Grade 11	1.3%	1.5%	2.9%	97.1%
Grade 12	2.3%	3.0%	5.7%	94.3%

# Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 47 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.2%	0.2%	0.8%	99.2%
Grade 10	0.6%	0.6%	1.2%	98.8%
Grade 11	0.2%	0.4%	0.5%	99.5%
Grade 12	0.0%	0.1%	0.6%	99.4%
Synthetic Marijuana				
All	1.1%	1.6%	3.3%	96.7%
Grade 7	0.4%	0.6%	1.6%	98.4%
Grade 8	0.9%	1.5%	2.7%	97.3%
Grade 9	1.0%	1.5%	2.5%	97.5%
Grade 10	1.7%	2.4%	4.8%	95.2%
Grade 11	1.8%	2.3%	4.9%	95.1%
Grade 12	0.9%	1.5%	4.1%	95.9%
Methamphetamine				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.5%	0.6%	1.2%	98.8%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.8%	0.8%	1.2%	98.8%
Grade 11	0.4%	0.6%	0.7%	99.3%
Grade 12	0.4%	0.5%	1.9%	98.1%

# Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	14.0%	18.6%	31.3%	68.7%
Grade 7	3.5%	5.1%	12.0%	88.0%
Grade 8	10.0%	13.1%	23.9%	76.1%
Grade 9	13.7%	17.3%	29.8%	70.2%
Grade 10	17.9%	24.6%	40.7%	59.3%
Grade 11	18.1%	24.7%	40.3%	59.7%
Grade 12	22.4%	29.7%	44.4%	55.6%
Any Alcohol Product				
All	29.7%	35.0%	53.0%	47.0%
Grade 7	16.0%	17.7%	33.7%	66.3%
Grade 8	23.1%	26.8%	45.9%	54.1%
Grade 9	29.3%	34.3%	53.5%	46.5%
Grade 10	34.1%	41.0%	61.1%	38.9%
Grade 10 Grade 11	34.1% 35.4%	41.0% 42.8%	61.0%	39.0%
Grade 11 Grade 12	42.8%	42.8% 50.9%	65.8%	34.2%
Grade 12	42.070	50.970	05.870	34.270
Any Illicit Drug				
All	12.8%	17.4%	22.9%	77.1%
Grade 7	3.8%	5.3%	6.7%	93.3%
Grade 8	7.4%	10.9%	15.1%	84.9%
Grade 9	12.5%	16.4%	19.6%	80.4%
Grade 10	16.4%	22.4%	29.8%	70.2%
Grade 11	18.1%	23.7%	30.7%	69.3%
Grade 12	20.3%	28.0%	39.1%	60.9%
Any Prescription Drug				
All	5.9%	8.8%	16.9%	83.1%
Grade 7	4.7%	7.2%	12.7%	87.3%
Grade 8	6.9%	11.1%	19.5%	80.5%
Grade 9	6.9%	9.1%	16.8%	83.2%
Grade 10	5.7%	8.9%	18.7%	81.3%
Grade 11	6.1%	9.2%	16.4%	83.6%
Grade 12	4.7%	7.5%	17.1%	82.9%
Any Inhalant				
All	4.5%	6.1%	13.3%	86.7%
Grade 7	6.3%	7.9%	16.2%	83.8%
Grade 8	7.5%	9.3%	18.6%	81.4%
Grade 9	4.6%	6.6%	13.5%	86.5%
Grade 10	3.8%	6.2%	13.3%	86.7%
Grade 10 Grade 11	2.1%	2.9%	8.7%	91.3%
Grade 11 Grade 12	2.1% 2.4%	3.2%	8.5%	91.5%

## Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 49 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.3%	16.2%	28.5%	71.5%
Grade 7	2.3%	4.0%	10.1%	89.9%
Grade 8	7.9%	11.3%	21.5%	78.5%
Grade 9	10.4%	14.6%	27.6%	72.4%
Grade 10	14.2%	21.6%	36.7%	63.3%
Grade 11	14.9%	21.4%	36.8%	63.2%
Grade 12	19.5%	26.6%	41.4%	58.6%
Marijuana				
All	12.4%	15.3%	21.2%	78.8%
Grade 7	3.3%	3.6%	4.9%	95.1%
Grade 8	6.9%	8.1%	12.3%	87.7%
Grade 9	12.1%	14.1%	17.7%	82.3%
Grade 10	16.4%	20.4%	28.1%	71.9%
Grade 11	18.0%	22.3%	30.0%	70.0%
Grade 12	19.8%	25.9%	38.3%	61.7%
Marijuana Only				
All	7.3%	9.7%	14.7%	85.3%
Grade 7	1.6%	1.9%	2.9%	97.1%
Grade 8	3.6%	4.5%	7.8%	92.2%
Grade 9	7.1%	8.8%	11.9%	88.1%
Grade 10	9.7%	13.4%	19.6%	80.4%
Grade 11	10.5%	13.7%	20.1%	79.9%
Grade 12	12.9%	17.8%	29.1%	70.9%
Cocaine or Crack				
All	1.2%	1.3%	2.3%	97.7%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	0.8%	0.9%	1.4%	98.6%
Grade 9	1.0%	1.0%	1.6%	98.4%
Grade 10	1.6%	2.1%	3.5%	96.5%
Grade 10 Grade 11	1.6%	1.8%	3.2%	96.8%
Grade 12	1.4%	1.8%	3.0%	97.0%
Cocaine				
All	1.1%	1.3%	2.1%	97.9%
Grade 7	0.6%	0.7%	0.9%	99.1%
Grade 8	0.6%	0.6%	1.2%	98.8%
Grade 9	0.9%	1.0%	1.2% 1.6%	98.4%
Grade 9 Grade 10	1.6%	1.0% 1.9%	3.4%	96.6%
Grade 11	1.5%	1.9% 1.7%	2.7%	97.3%
Grade 11 Grade 12	1.5% 1.4%	1.7% 1.8%	3.0%	97.3% 97.0%

### Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 50 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.5%	0.7%	99.3%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.5%	0.7%	1.0%	99.0%
Grade 11	0.3%	0.5%	1.0%	99.0%
Grade 12	0.1%	0.1%	0.2%	99.8%
Hallucinogens				
All	1.0%	1.5%	2.7%	97.3%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.5%	0.6%	1.5%	98.5%
Grade 9	1.1%	1.6%	2.2%	97.8%
Grade 10	1.1%	1.6%	3.0%	97.0%
Grade 11	1.9%	2.6%	5.0%	95.0%
Grade 12	1.3%	2.6%	4.3%	95.7%
Synthetic Cathinones				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.1%	0.2%	0.5%	99.5%
Grade 12	0.1%	0.2%	0.2%	99.8%
Steroids				
All	0.2%	0.5%	1.1%	98.9%
Grade 7	0.2%	0.4%	1.0%	99.0%
Grade 8	0.3%	0.6%	1.0%	99.0%
Grade 9	0.3%	0.6%	1.3%	98.7%
Grade 10	0.0%	0.6%	1.2%	98.8%
Grade 11	0.4%	0.4%	1.2%	98.8%
Grade 12	0.1%	0.3%	1.0%	99.0%
Ecstasy				
All	0.5%	0.8%	1.8%	98.2%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.7%	99.3%
Grade 9	0.5%	0.6%	1.1%	98.9%
Grade 10	0.6%	1.1%	2.1%	97.9%
Grade 11	0.5%	1.4%	3.6%	96.4%
Grade 12	1.1%	1.4%	3.4%	96.6%

### Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 51 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.1%	99.9%
Synthetic Marijuana				
All	1.3%	1.9%	3.7%	96.3%
Grade 7	0.5%	0.6%	0.9%	99.1%
Grade 8	1.3%	1.6%	3.2%	96.8%
Grade 9	1.5%	2.6%	4.2%	95.8%
Grade 10	1.9%	2.7%	5.5%	94.5%
Grade 11	1.6%	2.4%	4.8%	95.2%
Grade 12	0.8%	1.1%	3.5%	96.5%
Methamphetamine				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.4%	0.5%	0.8%	99.2%
Grade 10	0.7%	0.9%	1.5%	98.5%
Grade 11	0.0%	0.3%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.5%	99.5%

# Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	16.9%	20.9%	32.0%	68.0%
Grade 7	2.9%	4.3%	11.0%	89.0%
Grade 8	7.9%	10.7%	19.2%	80.8%
Grade 9	14.4%	18.0%	28.0%	72.0%
Grade 10	19.2%	24.3%	37.3%	62.7%
Grade 11	23.9%	29.2%	44.8%	55.2%
Grade 12	36.5%	42.9%	56.7%	43.3%
Any Alcohol Product				
All	28.7%	34.3%	52.6%	47.4%
Grade 7	13.2%	15.1%	33.8%	66.2%
Grade 8	17.9%	22.2%	40.9%	59.1%
Grade 9	26.2%	32.6%	51.0%	49.0%
Grade 10	33.1%	39.0%	59.3%	40.7%
Grade 11	36.7%	45.3%	62.5%	37.5%
Grade 12	48.9%	55.8%	72.3%	27.7%
Any Illicit Drug				
All	11.1%	14.8%	20.5%	79.5%
Grade 7	2.3%	2.9%	3.6%	96.4%
Grade 7 Grade 8	5.4%	7.5%	10.0%	90.0%
Grade 9	8.4%	11.5%	16.5%	83.5%
Grade 9 Grade 10	12.8%	11.5% 16.5%	22.8%	77.2%
Grade 10 Grade 11	12.8% 16.7%	22.5%	30.7%	69.3%
Grade 11 Grade 12	23.7%	31.0%	43.6%	56.4%
Any Prescription Drug				
Any Prescription Drug All	5.9%	9.2%	18.1%	81.9%
Grade 7	3.9%	6.9%	15.2%	84.8%
Grade 8	6.1%	8.8%	15.2% 16.9%	84.8% 83.1%
Grade 9	6.4%	8.9%	16.1%	83.9%
Grade 9 Grade 10	5.9%	10.1%	10.1% 17.4%	83.9% 82.6%
Grade 11 Grade 12	$5.8\% \ 7.3\%$	$9.1\% \\ 11.9\%$	$16.3\% \\ 28.2\%$	$83.7\% \\ 71.8\%$
Grade 12	1.3%	11.9%	28.2%	/1.8%
Any Inhalant	0.614	1.004	11 004	00.10
All	3.6%	4.9%	11.6%	88.4%
Grade 7	4.0%	5.3%	11.1%	88.9%
Grade 8	5.2%	6.2%	14.4%	85.6%
Grade 9	3.8%	5.0%	12.3%	87.7%
Grade 10	1.7%	3.9%	10.5%	89.5%
Grade 11	3.0%	4.3%	9.9%	90.1%
Grade 12	3.8%	4.7%	11.3%	88.7%

## Table B-4: Prevalence and Recency of Use of Selected Substances by Grade White Non-Hispanic Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 53 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	13.5%	18.3%	29.0%	71.0%
Grade 7	1.9%	3.4%	8.1%	91.9%
Grade 8	5.8%	9.0%	16.5%	83.5%
Grade 9	11.6%	15.9%	25.1%	74.9%
Grade 10	14.6%	21.1%	34.1%	65.9%
Grade 10 Grade 11	20.3%	25.9%	41.7%	58.3%
Grade 11 Grade 12	29.8%	38.0%	53.4%	46.6%
Marijuana				
All	10.6%	13.0%	18.9%	81.1%
Grade 7	1.5%	1.9%	2.5%	97.5%
Grade 8	4.4%	5.3%	7.4%	92.6%
Grade 9	7.7%	9.8%	15.0%	85.0%
Grade 10	12.3%	15.0%	20.8%	79.2%
Grade 11	16.5%	20.3%	29.0%	71.0%
Grade 12	23.5%	29.0%	43.1%	56.9%
Marijuana Only				
All	5.7%	7.7%	12.6%	87.4%
Grade 7	0.8%	1.2%	1.7%	98.3%
Grade 8	2.2%	3.1%	5.0%	95.0%
Grade 9	3.6%	5.1%	9.3%	90.7%
Grade 10	6.5%	9.0%	13.7%	86.3%
Grade 10 Grade 11	9.9%	13.0%	20.3%	79.7%
Grade 12	12.6%	16.6%	29.0%	71.0%
Cocaine or Crack				
All	0.9%	1.1%	2.0%	98.0%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.5%	0.6%	0.7%	99.3%
Grade 9	0.8%	0.8%	1.5%	98.5%
Grade 10	0.6%	0.07%	1.7%	98.3%
Grade 10 Grade 11	0.6%	0.7%	2.1%	97.9%
Grade 12	3.1%	3.6%	6.4%	93.6%
Cocaine				
All	0.9%	1.0%	2.0%	98.0%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.5%	0.6%	0.7%	99.3%
Grade 9	0.7%	0.8%	1.5%	98.5%
Grade 10	0.6%	0.3% 0.7%	1.7%	98.3%
Grade 11	0.6%	0.7%	1.9%	98.1%
Grade 12	2.9%	3.4%	6.2%	93.8%

# Table B-4: Prevalence and Recency of Use of Selected Substances by Grade White Non-Hispanic Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 54 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.3%	0.4%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.3%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	1.0%	1.3%	1.5%	98.5%
Hallucinogens				
All	1.3%	1.8%	3.8%	96.2%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.3%	0.3%	1.3%	98.7%
Grade 9	1.4%	1.9%	3.0%	97.0%
Grade 10	2.1%	2.8%	5.5%	94.5%
Grade 11	1.2%	2.1%	5.5%	94.5%
Grade 12	2.7%	4.0%	7.8%	92.2%
Synthetic Cathinones				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.5%	0.5%	0.7%	99.3%
Grade 10	0.6%	0.7%	0.9%	99.1%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.0%	0.4%	0.6%	99.4%
Steroids				
All	0.2%	0.5%	1.6%	98.4%
Grade 7	0.1%	0.5%	1.8%	98.2%
Grade 8	0.4%	0.5%	1.2%	98.8%
Grade 9	0.2%	0.3%	1.6%	98.4%
Grade 10	0.3%	0.6%	1.8%	98.2%
Grade 11	0.2%	0.2%	1.3%	98.7%
Grade 12	0.0%	0.8%	2.1%	97.9%
Ecstasy				
All	0.7%	1.0%	2.1%	97.9%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.3%	0.7%	99.3%
Grade 9	0.8%	1.3%	1.8%	98.2%
Grade 10	1.1%	1.4%	2.5%	97.5%
Grade 11	0.5%	1.0%	3.1%	96.9%
Grade 12	1.8%	2.2%	4.9%	95.1%

# Table B-4: Prevalence and Recency of Use of Selected Substances by Grade White Non-Hispanic Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 55 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.2%	0.2%	0.3%	99.7%
Grade 12	0.3%	0.4%	0.4%	99.6%
Synthetic Marijuana				
All	0.9%	1.4%	2.6%	97.4%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.8%	1.1%	2.0%	98.0%
Grade 9	1.6%	1.9%	3.1%	96.9%
Grade 10	1.4%	2.3%	3.4%	96.6%
Grade 11	0.8%	1.3%	2.8%	97.2%
Grade 12	1.0%	1.8%	4.0%	96.0%
Methamphetamine				
All	0.3%	0.4%	0.9%	99.1%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.5%	0.6%	1.2%	98.8%
Grade 9	0.6%	0.6%	1.0%	99.0%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	0.1%	0.4%	0.8%	99.2%
Grade 12	0.1%	0.4%	1.1%	98.9%

# Table B-4: Prevalence and Recency of Use of Selected Substances by Grade White Non-Hispanic Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.6%	13.4%	25.2%	74.8%
Grade 7	2.6%	3.6%	9.4%	90.6%
Grade 8	11.9%	14.7%	25.6%	74.4%
Grade 9	9.6%	11.8%	23.2%	76.8%
Grade 10	12.9%	19.9%	35.0%	65.0%
Grade 11	5.9%	11.2%	24.4%	75.6%
Grade 12	15.1%	20.2%	35.6%	64.4%
Any Alcohol Product				
All	19.5%	24.5%	41.4%	58.6%
Grade 7	9.3%	10.4%	26.5%	73.5%
Grade 8	22.8%	25.0%	43.2%	56.8%
Grade 9	18.4%	20.070 21.4%	36.7%	63.3%
Grade 10	22.2%	29.9%	48.0%	52.0%
Grade 11	14.8%	24.8%	46.6%	53.4%
Grade 12	31.6%	38.8%	49.8%	50.2%
Any Illicit Drug				
All	12.4%	16.4%	21.8%	78.2%
Grade 7	3.9%	5.3%	6.5%	93.5%
Grade 8	8.1%	12.5%	18.3%	81.7%
Grade 9	12.0%	14.8%	15.7%	84.3%
Grade 10	14.6%	18.0%	27.7%	72.3%
Grade 11	15.1%	18.3%	25.2%	74.8%
Grade 12	24.2%	34.8%	43.6%	56.4%
Any Prescription Drug				
All	6.8%	9.4%	15.3%	84.7%
Grade 7	5.9%	7.8%	12.2%	87.8%
Grade 8	12.5%	15.3%	23.0%	77.0%
Grade 9	5.9%	7.6%	12.7%	87.3%
Grade 10	5.1%	10.8%	15.6%	84.4%
Grade 11	4.9%	5.9%	13.5%	86.5%
Grade 12	6.0%	8.2%	13.9%	86.1%
Any Inhalant				
All	3.9%	5.3%	11.2%	88.8%
Grade 7	5.3%	6.3%	13.5%	86.5%
Grade 8	6.1%	9.0%	16.4%	83.6%
Grade 9	2.0%	3.1%	7.2%	92.8%
Grade 10	5.0%	7.2%	10.4%	89.6%
Grade 10 Grade 11	0.0%	0.0%	9.4%	90.6%
Grade 11 Grade 12	4.9%	5.3%	9.8%	90.2%

## Table B-5: Prevalence and Recency of Use of Selected Substances by Grade African American Non-Hispanic Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 57 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	7.6%	11.1%	22.5%	77.5%
Grade 7	0.8%	1.8%	6.9%	93.1%
Grade 8	6.9%	9.9%	22.9%	77.1%
Grade 9	7.8%	9.0%	22.3%	77.7%
Grade 10	11.6%	18.4%	29.1%	70.9%
Grade 11	5.7%	11.1%	24.1%	75.9%
Grade 12	13.8%	18.2%	31.8%	68.2%
Marijuana				
All	11.6%	14.2%	19.8%	80.2%
Grade 7	2.2%	2.5%	3.5%	96.5%
Grade 8	7.7%	9.0%	13.8%	86.2%
Grade 9	11.9%	13.0%	13.9%	86.1%
Grade 10	14.3%	17.1%	26.8%	73.2%
Grade 11	13.7%	18.1%	25.0%	75.0%
Grade 12	23.4%	29.9%	42.1%	57.9%
Marijuana Only				
All	7.2%	8.9%	14.0%	86.0%
Grade 7	0.8%	1.2%	2.2%	97.8%
Grade 8	3.4%	3.6%	8.1%	91.9%
Grade 9	6.0%	7.1%	7.9%	92.1%
Grade 10	10.2%	12.4%	20.8%	79.2%
Grade 10 Grade 11	8.2%	12.170 11.2%	18.0%	82.0%
Grade 12	17.2%	21.5%	32.4%	67.6%
Cocaine or Crack				
All	1.2%	1.2%	1.3%	98.7%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	2.0%	2.3%	2.5%	97.5%
Grade 9	2.0%	2.0%	2.0%	98.0%
Grade 10	1.1%	1.1%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	1.1%	1.1%	1.1%	98.9%
Cocaine				
All	0.7%	0.7%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	0.0%
Grade 8	1.0%	1.4%	2.3%	97.7%
Grade 9	1.9%	1.9%	1.9%	98.1%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	1.1%	1.1%	1.1%	98.9%

## Table B-5: Prevalence and Recency of Use of Selected Substances by Grade African American Non-Hispanic Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 58 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.7%	1.0%	99.0%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	1.0%	1.0%	1.6%	98.4%
Grade 9	1.1%	1.1%	1.9%	98.1%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	0.0%	0.0%	0.0%	0.0%
Hallucinogens				
All	0.7%	0.8%	1.9%	98.1%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	1.4%	1.4%	2.5%	97.5%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	1.1%	1.1%	2.4%	97.6%
Grade 11	0.0%	0.9%	1.0%	99.0%
Grade 12	1.6%	1.7%	4.6%	95.4%
Synthetic Cathinones				
All	0.0%	0.1%	0.4%	99.6%
Grade 7	0.0%	0.0%	1.5%	98.5%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.0%	0.0%	0.0%	0.0%
Grade 10	0.0%	0.0%	0.0%	0.0%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	0.0%	0.0%	0.0%	0.0%
Steroids				
All	0.4%	0.7%	1.3%	98.7%
Grade 7	0.1%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	0.1%	1.2%	1.7%	98.3%
Grade 10	1.4%	1.4%	2.4%	97.6%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	0.0%	0.8%	1.8%	98.2%
Ecstasy				
All	0.3%	0.3%	1.6%	98.4%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	1.0%	1.1%	2.5%	97.5%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	0.0%	0.0%	2.3%	97.7%
Grade 11	0.4%	0.4%	1.6%	98.4%
Grade 12	0.0%	0.0%	1.9%	98.1%

## Table B-5: Prevalence and Recency of Use of Selected Substances by Grade African American Non-Hispanic Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 59 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.4%	0.4%	99.6%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	1.5%	1.5%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	0.0%	0.0%	0.0%	0.0%
Synthetic Marijuana				
All	1.7%	1.9%	3.2%	96.8%
Grade 7	1.7%	1.7%	1.9%	98.1%
Grade 8	1.5%	1.6%	3.2%	96.8%
Grade 9	1.1%	1.2%	2.7%	97.3%
Grade 10	2.0%	2.1%	3.8%	96.2%
Grade 11	3.3%	3.3%	4.2%	95.8%
Grade 12	0.8%	1.6%	3.5%	96.5%
Methamphetamine				
All	0.4%	0.5%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.4%	0.8%	0.9%	99.1%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	1.1%	1.1%	1.1%	98.9%
Grade 11	0.0%	0.0%	0.0%	0.0%
Grade 12	0.8%	1.3%	1.3%	98.7%

## Table B-5: Prevalence and Recency of Use of Selected Substances by Grade African American Non-Hispanic Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	13.9%	17.6%	30.5%	69.5%
Grade 7	5.2%	6.7%	14.5%	85.5%
Grade 8	10.0%	12.2%	23.7%	76.3%
Grade 9	14.6%	17.2%	29.1%	70.9%
Grade 10	17.1%	21.9%	39.0%	61.0%
Grade 11	19.4%	24.1%	38.8%	61.2%
Grade 12	20.0%	27.0%	42.9%	57.1%
Any Alcohol Product				
All	28.8%	33.5%	52.1%	47.9%
Grade 7	19.4%	22.2%	39.2%	60.8%
Grade 8	22.7%	25.8%	44.6%	55.4%
Grade 9	28.1%	32.6%	54.2%	45.8%
Grade 10	32.2%	37.5%	57.3%	42.7%
Grade 11	33.8%	39.3%	56.9%	43.1%
Grade 12	40.5%	48.0%	64.1%	35.9%
Any Illicit Drug				
All	14.1%	18.6%	24.3%	75.7%
Grade 7	5.1%	7.2%	9.4%	90.6%
Grade 8	8.5%	12.0%	15.7%	84.3%
Grade 9	14.4%	18.5%	21.3%	78.7%
Grade 10	17.4%	23.3%	$\frac{21.070}{31.2\%}$	68.8%
Grade 11	20.9%	27.0%	34.0%	66.0%
Grade 12	21.4%	27.6%	40.0%	60.0%
Any Prescription Drug				
All	6.0%	8.5%	16.9%	83.1%
Grade 7	5.6%	7.7%	12.9%	87.1%
Grade 8	6.2%	9.6%	16.9%	83.1%
Grade 9	7.5%	9.6%	19.1%	80.9%
Grade 10	5.5%	8.0%	17.5%	82.5%
Grade 11	6.2%	9.1%	18.4%	81.6%
Grade 12	4.7%	7.0%	17.4%	82.6%
Any Inhalant				
All	4.9%	6.7%	13.4%	86.6%
Grade 7	5.9%	7.2%	16.0%	84.0%
Grade 8	7.0%	9.0%	15.8%	84.2%
Grade 9	4.8%	7.4%	13.4%	86.6%
Grade 10	4.9%	7.0%	14.1%	85.9%
Grade 10 Grade 11	3.2%	4.3%	10.3%	89.7%
Grade 12	2.9%	4.3%	9.2%	90.8%

### Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 61 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	10.3%	14.4%	27.0%	73.0%
Grade 7	3.1%	4.8%	11.9%	88.1%
Grade 8	7.3%	9.6%	20.5%	79.5%
Grade 9	10.2%	14.2%	26.3%	73.7%
Grade 10	12.2%	18.0%	34.7%	65.3%
Grade 11	14.8%	19.7%	34.1%	65.9%
Grade 12	16.3%	23.4%	38.9%	61.1%
Marijuana				
All	13.6%	16.5%	22.3%	77.7%
Grade 7	4.1%	4.5%	6.6%	93.4%
Grade 8	8.0%	9.5%	12.8%	87.2%
Grade 9	13.9%	16.3%	19.7%	80.3%
Grade 10	17.2%	21.5%	29.6%	70.4%
Grade 11	20.5%	25.2%	33.2%	66.8%
Grade 12	20.9%	25.9%	38.6%	61.4%
Marijuana Only				
All	7.6%	9.8%	14.4%	85.6%
Grade 7	2.0%	2.2%	3.6%	96.4%
Grade 8	4.8%	5.9%	8.4%	91.6%
Grade 9	7.7%	9.7%	12.7%	87.3%
Grade 10	9.7%	13.1%	19.4%	80.6%
Grade 11	11.0%	14.1%	20.5%	79.5%
Grade 12	12.3%	16.1%	26.4%	73.6%
Cocaine or Crack				
All	1.7%	2.0%	3.2%	96.8%
Grade 7	1.4%	1.5%	2.0%	98.0%
Grade 8	0.8%	0.8%	1.2%	98.8%
Grade 9	1.1%	1.1%	1.9%	98.1%
Grade 10	2.4%	3.3%	4.7%	95.3%
Grade 11	3.2%	3.5%	5.1%	94.9%
Grade 12	1.9%	2.4%	4.9%	95.1%
Cocaine				
All	1.5%	1.8%	2.8%	97.2%
Grade 7	0.9%	1.0%	1.3%	98.7%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	1.0%	1.1%	1.9%	98.1%
Grade 10	2.4%	3.0%	4.4%	95.6%
Grade 11	3.1%	3.4%	4.7%	95.3%
Grade 12	1.8%	2.3%	4.7%	95.3%

### Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 62 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.6%	0.8%	1.2%	98.8%
Grade 7	0.9%	1.0%	1.5%	98.5%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.7%	1.3%	1.6%	98.4%
Grade 11	0.6%	0.9%	1.3%	98.7%
Grade 12	0.4%	0.4%	1.2%	98.8%
Hallucinogens				
All	1.2%	1.8%	3.4%	96.6%
Grade 7	0.3%	0.3%	0.9%	99.1%
Grade 8	0.4%	0.6%	1.2%	98.8%
Grade 9	1.3%	1.7%	2.9%	97.1%
Grade 10	1.4%	1.8%	3.3%	96.7%
Grade 11	2.6%	3.2%	5.8%	94.2%
Grade 12	1.9%	4.0%	7.9%	92.1%
Synthetic Cathinones				
All	0.1%	0.1%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.5%	99.5%
Grade 11	0.2%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.2%	0.4%	1.3%	98.7%
Grade 8	0.3%	0.6%	1.3%	98.7%
Grade 9	0.4%	0.4%	1.2%	98.8%
Grade 10	0.1%	0.7%	2.0%	98.0%
Grade 11	0.4%	0.4%	1.3%	98.7%
Grade 12	0.3%	0.3%	0.6%	99.4%
Ecstasy				
All	0.7%	1.0%	2.1%	97.9%
Grade 7	0.2%	0.4%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.3%	0.4%	0.8%	99.2%
Grade 10	0.8%	1.0%	3.0%	97.0%
Grade 11	1.2%	1.9%	3.6%	96.4%
Grade 12	1.9%	2.8%	4.8%	95.2%

### Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 63 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.8%	99.2%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.5%	0.6%	1.1%	98.9%
Grade 11	0.1%	0.3%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.5%	99.5%
Synthetic Marijuana				
All	1.3%	2.0%	4.2%	95.8%
Grade 7	0.5%	0.8%	1.8%	98.2%
Grade 8	1.3%	1.7%	3.0%	97.0%
Grade 9	1.3%	2.5%	4.2%	95.8%
Grade 10	2.3%	2.9%	6.7%	93.3%
Grade 11	1.9%	2.8%	6.1%	93.9%
Grade 12	0.8%	1.2%	4.2%	95.8%
Methamphetamine				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.7%	99.3%
Grade 10	1.0%	1.1%	1.8%	98.2%
Grade 11	0.3%	0.6%	0.8%	99.2%
Grade 12	0.4%	0.4%	1.4%	98.6%

### Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	9.8%	13.1%	23.5%	76.5%
Grade 7	1.7%	2.7%	7.7%	92.3%
Grade 8	5.1%	7.0%	15.6%	84.4%
Grade 9	7.3%	9.6%	19.1%	80.9%
Grade 10	10.9%	16.7%	30.6%	69.4%
Grade 11	13.7%	17.7%	34.1%	65.9%
Grade 12	23.6%	29.9%	40.2%	59.8%
Any Alcohol Product				
All	22.5%	27.6%	45.8%	54.2%
Grade 7	12.3%	14.3%	30.2%	69.8%
Grade 8	16.2%	19.5%	38.9%	61.1%
Grade 9	19.7%	25.1%	44.9%	55.1%
Grade 10	24.7%	31.7%	51.7%	48.3%
Grade 10 Grade 11	28.8%	35.5%	54.9%	45.1%
Grade 12	38.2%	45.0%	59.7%	40.3%
Any Illicit Drug				
All	7.2%	10.8%	15.1%	84.9%
Grade 7	1.9%	3.0%	4.3%	95.7%
Grade 8	3.6%	6.1%	8.3%	91.7%
Grade 9	5.5%	7.6%	10.1%	89.9%
Grade 10	7.5%	13.5%	19.2%	80.8%
Grade 11	11.8%	15.5%	22.1%	77.9%
Grade 12	15.7%	22.9%	32.2%	67.8%
Any Prescription Drug				
All	4.8%	7.0%	14.2%	85.8%
Grade 7	4.8%	7.5%	13.0%	87.0%
Grade 8	5.4%	8.3%	15.7%	84.3%
Grade 9	6.0%	7.5%	14.0%	86.0%
Grade 10	2.7%	4.6%	12.0%	88.0%
Grade 11	5.0%	7.0%	13.0%	87.0%
Grade 12	4.9%	7.1%	17.7%	82.3%
Any Inhalant				
All	2.6%	3.9%	10.4%	89.6%
Grade 7	4.0%	5.4%	12.4%	87.6%
Grade 8	4.1%	5.2%	11.7%	88.3%
Grade 9	2.8%	4.0%	12.1%	87.9%
Grade 10	1.8%	3.5%	8.7%	91.3%
Grade 11	1.2%	2.5%	8.0%	92.0%
Grade 12	1.2%	2.2%	8.1%	91.9%

## Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 65 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.1%	11.6%	21.3%	78.7%
Grade 7	1.3%	2.3%	6.1%	93.9%
Grade 8	4.0%	5.9%	14.0%	86.0%
Grade 9	5.8%	8.2%	16.9%	83.1%
Grade 10	9.0%	15.3%	28.3%	71.7%
Grade 11	12.1%	16.1%	31.3%	68.7%
Grade 12	19.9%	26.4%	37.3%	62.7%
Marijuana				
All	6.8%	9.0%	13.7%	86.3%
Grade 7	1.4%	1.6%	2.8%	97.2%
Grade 8	3.0%	3.8%	5.9%	94.1%
Grade 9	5.0%	5.7%	8.6%	91.4%
Grade 10	7.3%	11.5%	17.3%	82.7%
Grade 11	11.5%	14.2%	21.3%	78.7%
Grade 12	15.6%	21.1%	32.1%	67.9%
Marijuana Only				
All	4.1%	5.9%	9.6%	90.4%
Grade 7	0.5%	0.7%	1.4%	98.6%
Grade 8	1.8%	2.5%	4.2%	95.8%
Grade 9	2.7%	3.3%	5.6%	94.4%
Grade 10	4.5%	8.1%	12.9%	87.1%
Grade 11	6.8%	8.8%	15.0%	85.0%
Grade 12	10.2%	14.4%	22.9%	77.1%
Cocaine or Crack				
All	0.6%	0.7%	1.4%	98.6%
Grade 7	0.5%	0.6%	1.3%	98.7%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.7%	0.8%	1.3%	98.7%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	0.3%	1.0%	1.6%	98.4%
Grade 12	1.2%	1.3%	2.7%	97.3%
Cocaine				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	0.5%	0.6%	0.9%	99.1%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.7%	0.7%	1.1%	98.9%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	0.2%	0.9%	1.6%	98.4%
Grade 12	1.1%	1.3%	2.6%	97.4%

# Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 66 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.2%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.4%	99.6%
Hallucinogens				
All	0.7%	1.1%	1.9%	98.1%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.3%	0.9%	99.1%
Grade 9	0.7%	1.0%	1.3%	98.7%
Grade 10	0.5%	0.5%	1.0% 1.2%	98.8%
Grade 10 Grade 11	1.1%	2.2%	3.5%	96.5%
Grade 12	1.1% 1.8%	2.5%	4.9%	95.1%
Synthetic Cathinones				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.1%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 10 Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.0%	0.0%
Steroids				
All	0.2%	0.3%	0.9%	99.1%
Grade 7	0.2%	0.6%	0.8%	99.2%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.3%	0.2% 0.4%	1.3%	98.7%
Grade 11	0.1%	0.1%	0.5%	99.5%
Grade 12	0.0%	0.4%	1.6%	98.4%
Ecstasy				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.1%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.5%	0.8%	1.2%	98.8%
Grade 10	0.2%	0.2%	0.8%	99.2%
Grade 10 Grade 11	0.4%	0.6%	1.4%	98.6%
Grade 12	0.6%	0.8%	3.2%	96.8%

## Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 67 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.2%	0.3%	99.7%
Grade 9	0.0%	0.1%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.0%	0.0%	0.3%	99.7%
Synthetic Marijuana				
All	0.5%	0.8%	2.1%	97.9%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.5%	0.7%	1.3%	98.7%
Grade 9	0.9%	0.9%	2.2%	97.8%
Grade 10	0.8%	1.5%	3.2%	96.8%
Grade 11	0.3%	0.8%	2.8%	97.2%
Grade 12	0.3%	0.4%	2.9%	97.1%
Methamphetamine				
All	0.2%	0.4%	0.7%	99.3%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.2%	0.3%	0.9%	99.1%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.5%	0.6%	99.4%
Grade 12	0.3%	0.4%	1.2%	98.8%

## Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	15.2%	18.8%	32.1%	67.9%
Grade 7	6.1%	7.9%	16.7%	83.3%
Grade 8	12.3%	14.7%	27.3%	72.7%
Grade 9	16.3%	19.3%	31.9%	68.1%
Grade 10	17.8%	22.4%	39.1%	60.9%
Grade 11	19.3%	24.3%	38.6%	61.4%
Grade 12	22.7%	28.6%	44.9%	55.1%
Any Alcohol Product				
All	29.0%	33.5%	51.6%	48.4%
Grade 7	19.2%	21.7%	39.7%	60.3%
Grade 8	24.5%	27.8%	46.7%	53.3%
Grade 9	29.6%	34.1%	53.8%	46.2%
Grade 10	32.9%	37.3%	56.4%	43.6%
Grade 11	31.1%	37.7%	54.8%	45.2%
Grade 12	41.4%	48.1%	62.9%	37.1%
Any Illicit Drug				
All	15.0%	19.4%	25.5%	74.5%
Grade 7	5.9%	8.0%	9.9%	90.1%
Grade 8	9.9%	13.3%	18.3%	81.7%
Grade 9	15.8%	20.8%	24.2%	75.8%
Grade 10	17.1%	21.6%	29.7%	70.3%
Grade 11	21.0%	26.9%	34.6%	65.4%
Grade 12	24.3%	31.0%	43.2%	56.8%
Any Prescription Drug				
All	6.5%	9.3%	18.1%	81.9%
Grade 7	5.5%	8.0%	14.3%	85.7%
Grade 8	7.5%	10.5%	19.2%	80.8%
Grade 9	7.4%	10.0%	19.1%	80.9%
Grade 10	6.9%	10.1%	18.3%	81.7%
Grade 11	6.3%	9.0%	19.0%	81.0%
Grade 12	4.9%	8.2%	19.4%	80.6%
Any Inhalant				
All	5.1%	6.9%	13.8%	86.2%
Grade 7	6.6%	8.0%	16.2%	83.8%
Grade 8	7.5%	9.7%	17.5%	82.5%
Grade 9	5.2%	7.7%	13.8%	86.2%
Grade 10	3.9%	6.3%	12.6%	87.4%
Grade 11	3.0%	4.0%	11.0%	89.0%
Grade 12	3.8%	4.8%	9.8%	90.2%

## Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 69 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	11.2%	15.3%	28.4%	71.6%
Grade 7	3.4%	5.3%	13.4%	86.6%
Grade 8	8.6%	11.4%	23.7%	76.3%
Grade 9	11.3%	15.7%	28.5%	71.5%
Grade 10	12.8%	18.1%	34.3%	65.7%
Grade 11	15.5%	20.6%	35.2%	64.8%
Grade 12	18.5%	24.8%	40.8%	59.2%
Marijuana				
All	14.4%	17.2%	23.3%	76.7%
Grade 7	4.8%	5.5%	7.1%	92.9%
Grade 8	9.1%	10.8%	15.0%	85.0%
Grade 9	15.2%	18.4%	22.1%	77.9%
Grade 10	16.8%	19.9%	27.9%	72.1%
Grade 11	20.7%	25.2%	33.7%	66.3%
Grade 12	23.7%	28.6%	41.6%	58.4%
Marijuana Only				
All	8.1%	10.1%	15.1%	84.9%
Grade 7	2.5%	3.0%	4.3%	95.7%
Grade 8	4.9%	6.0%	9.4%	90.6%
Grade 9	8.1%	10.5%	13.6%	86.4%
Grade 10	9.4%	11.7%	18.0%	82.0%
Grade 11	11.9%	14.9%	21.8%	78.2%
Grade 12	14.1%	17.6%	29.2%	70.8%
Cocaine or Crack				
All	1.8%	2.1%	3.0%	97.0%
Grade 7	1.1%	1.1%	1.5%	98.5%
Grade 8	1.4%	1.6%	2.0%	98.0%
Grade 9	1.5%	1.6%	2.4%	97.6%
Grade 10	2.0%	2.6%	3.6%	96.4%
Grade 11	3.0%	3.0%	4.7%	95.3%
Grade 12	2.3%	2.9%	5.0%	95.0%
Cocaine				
All	1.6%	1.8%	2.8%	97.2%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	1.0%	1.1%	1.6%	98.4%
Grade 9	1.5%	1.5%	2.3%	97.7%
Grade 10	1.9%	2.3%	3.3%	96.7%
Grade 11	2.9%	3.0%	4.4%	95.6%
Grade 12	2.1%	2.7%	4.8%	95.2%

# Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 70 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.9%	1.2%	98.8%
Grade 7	0.7%	0.7%	0.9%	99.1%
Grade 8	0.8%	0.8%	1.2%	98.8%
Grade 9	0.6%	0.8%	1.1%	98.9%
Grade 10	0.7%	1.3%	1.6%	98.4%
Grade 11	0.6%	0.7%	1.1%	98.9%
Grade 12	0.7%	1.0%	1.6%	98.4%
Hallucinogens				
All	1.3%	1.8%	3.7%	96.3%
Grade 7	0.2%	0.2%	1.1%	98.9%
Grade 8	0.8%	0.9%	1.9%	98.1%
Grade 9	1.5%	1.9%	3.9%	96.1%
Grade 10	1.5%	2.2%	4.2%	95.8%
Grade 11	1.9%	2.5%	5.5%	94.5%
Grade 12	2.2%	4.2%	7.3%	92.7%
Synthetic Cathinones				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.4%	99.6%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.1%	0.2%	0.6%	99.4%
Steroids				
All	0.3%	0.5%	1.5%	98.5%
Grade 7	0.2%	0.2%	1.5%	98.5%
Grade 8	0.3%	0.6%	1.4%	98.6%
Grade 9	0.4%	0.7%	1.9%	98.1%
Grade 10	0.1%	0.8%	2.1%	97.9%
Grade 11	0.3%	0.3%	0.9%	99.1%
Grade 12	0.3%	0.5%	0.9%	99.1%
Ecstasy				
All	0.7%	1.1%	2.1%	97.9%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.5%	1.5%	98.5%
Grade 9	0.4%	0.6%	1.2%	98.8%
Grade 10	0.8%	1.3%	2.5%	97.5%
Grade 11	1.1%	1.9%	3.9%	96.1%
Grade 12	2.0%	2.6%	4.0%	96.0%

### Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 71 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.7%	99.3%
Grade 10	0.5%	0.5%	0.9%	99.1%
Grade 11	0.2%	0.4%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.3%	99.7%
Synthetic Marijuana				
All	1.5%	2.2%	4.1%	95.9%
Grade 7	0.7%	1.0%	1.8%	98.2%
Grade 8	1.3%	2.0%	3.8%	96.2%
Grade 9	1.5%	2.7%	4.2%	95.8%
Grade 10	2.4%	3.0%	6.0%	94.0%
Grade 11	2.0%	2.9%	5.4%	94.6%
Grade 12	1.2%	1.7%	3.8%	96.2%
Methamphetamine				
All	0.4%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.3%	0.5%	1.2%	98.8%
Grade 9	0.5%	0.5%	1.1%	98.9%
Grade 10	0.9%	1.0%	1.6%	98.4%
Grade 11	0.3%	0.5%	0.8%	99.2%
Grade 12	0.4%	0.5%	0.9%	99.1%

# Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	11.6%	14.8%	25.9%	74.1%
Grade 7	2.8%	4.0%	9.9%	90.1%
Grade 8	7.3%	9.1%	18.2%	81.8%
Grade 9	10.3%	12.6%	22.3%	77.7%
Grade 10	14.3%	18.7%	34.2%	65.8%
Grade 11	16.8%	21.0%	35.1%	64.9%
Grade 12	22.1%	28.6%	43.0%	57.0%
Any Alcohol Product				
All	24.8%	29.4%	46.8%	53.2%
Grade 7	16.1%	17.7%	31.9%	68.1%
Grade 7 Grade 8	18.9%	21.8%	39.6%	60.4%
Grade 9	22.1%	21.8% 26.7%	39.0% 45.4%	54.6%
Grade 9 Grade 10	22.1% 28.1%	34.2%		
			53.3%	46.7%
Grade 11	29.7%	36.4%	55.2%	44.8%
Grade 12	39.3%	45.9%	61.6%	38.4%
Any Illicit Drug				
All	10.1%	13.7%	18.4%	81.6%
Grade 7	3.3%	4.6%	6.2%	93.8%
Grade 8	5.3%	7.4%	10.1%	89.9%
Grade 9	9.1%	12.2%	14.9%	85.1%
Grade 10	12.4%	17.3%	23.3%	76.7%
Grade 11	13.8%	19.5%	26.1%	73.9%
Grade 12	20.3%	26.3%	37.1%	62.9%
Any Prescription Drug				
All	5.3%	7.9%	15.0%	85.0%
Grade 7	4.5%	7.3%	12.5%	87.5%
Grade 8	6.0%	8.5%	15.2%	84.8%
Grade 9	6.3%	8.5%	15.9%	84.1%
Grade 10	4.7%	7.7%	14.7%	85.3%
Grade 11	4.9%	7.3%	14.1%	85.9%
Grade 12	5.4%	7.8%	18.4%	81.6%
Any Inhalant				
Any minarant All	4.2%	5.4%	11.5%	88.5%
Grade 7	5.3%	6.2%	13.6%	86.4%
Grade 7 Grade 8	5.3%	6.6%	13.0% 12.9%	80.4% 87.1%
Grade 9	4.2%	5.7%	12.9% 11.6%	87.1% 88.4%
		5.4%	- , .	
Grade 10 Grade 11	4.1%		11.6%	88.4%
Grade 11	2.5%	3.5%	9.1%	90.9%
Grade 12	3.2%	4.4%	8.9%	91.1%

# Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 73 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	8.9%	12.6%	23.0%	77.0%
Grade 7	1.5%	2.9%	7.8%	92.2%
Grade 8	5.0%	7.1%	15.2%	84.8%
Grade 9	7.5%	10.7%	20.1%	79.9%
Grade 10	11.5%	16.5%	30.8%	69.2%
Grade 11	13.7%	18.4%	32.3%	67.7%
Grade 12	17.8%	24.6%	39.0%	61.0%
	11.070	21.070	00.070	01.070
Marijuana				
All	9.6%	11.8%	16.5%	83.5%
Grade 7	2.4%	2.7%	4.0%	96.0%
Grade 8	4.6%	5.4%	7.4%	92.6%
Grade 9	8.7%	10.2%	13.1%	86.9%
Grade 10	12.0%	15.8%	21.5%	78.5%
Grade 11	13.5%	17.6%	24.9%	75.1%
Grade 12	20.0%	24.2%	35.7%	64.3%
Marijuana Only				
All	5.4%	7.2%	11.2%	88.8%
Grade 7	1.0%	1.2%	2.1%	97.9%
Grade 8	2.6%	3.2%	4.8%	95.2%
Grade 9	4.6%	5.2% 5.7%	8.2%	91.8%
Grade 10	6.8%	9.9%	14.8%	85.2%
Grade 11	8.0%	10.8%	14.8% 17.1%	82.9%
Grade 12	12.2%	15.7%	25.5%	74.5%
Glaue 12	12.270	15.770	20.070	14.070
Cocaine or Crack				
All	1.0%	1.2%	2.0%	98.0%
Grade 7	0.6%	0.7%	1.1%	98.9%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	1.0%	1.0%	1.4%	98.6%
Grade 10	1.2%	1.9%	2.5%	97.5%
Grade 11	1.5%	1.6%	2.8%	97.2%
Grade 12	1.5%	1.9%	3.9%	96.1%
Cocaine				
All	0.9%	1.1%	1.8%	98.2%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	1.0%	1.0%	1.4%	98.6%
Grade 10	1.2%	1.7%	2.4%	97.6%
Grade 11	1.4%	1.5%	2.7%	97.3%
Grade 12	1.3%	1.6%	3.7%	96.3%

#### Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 74 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.3%	0.7%	0.7%	99.3%
Grade 11	0.3%	0.4%	0.7%	99.3%
Grade 12	0.5%	0.5%	0.9%	99.1%
Hallucinogens				
All	0.9%	1.3%	2.6%	97.4%
Grade 7	0.3%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.7%	1.0%	2.2%	97.8%
Grade 10	1.1%	1.5%	3.1%	96.9%
Grade 10 Grade 11	1.5%	1.8%	3.9%	96.1%
Grade 12	2.1%	3.5%	6.2%	93.8%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 10 Grade 11	0.0%	0.2%	0.3%	99.7%
Grade 12	0.0%	0.2%	0.5%	99.5%
Steroids				
All	0.2%	0.4%	1.2%	98.8%
Grade 7	0.1%	0.3%	1.2%	98.8%
Grade 8	0.4%	0.4%	1.1%	98.9%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.2%	0.8%	1.8%	98.2%
Grade 10 Grade 11	0.2% 0.1%	0.0%	0.9%	99.1%
Grade 12	0.2%	0.4%	0.9%	99.1%
Ecstasy				
All	0.5%	0.6%	1.4%	98.6%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.1%	0.3%	0.6%	99.4%
Grade 10	0.5%	0.7%	1.8%	98.2%
Grade 10 Grade 11	0.6%	0.9%	1.9%	98.1%
01000 11	1.8%	2.2%	4.4%	95.6%

# Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 75 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.5%	99.5%
Synthetic Marijuana				
All	0.9%	1.3%	2.7%	97.3%
Grade 7	0.5%	0.6%	1.2%	98.8%
Grade 8	0.8%	1.1%	2.1%	97.9%
Grade 9	0.9%	1.6%	2.7%	97.3%
Grade 10	1.2%	2.1%	3.9%	96.1%
Grade 11	1.5%	1.6%	3.7%	96.3%
Grade 12	0.4%	1.0%	2.8%	97.2%
Methamphetamine				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.2%	0.3%	0.6%	99.4%
Grade 10	0.3%	0.4%	0.7%	99.3%
Grade 11	0.2%	0.5%	0.6%	99.4%
Grade 12	0.3%	0.4%	1.0%	99.0%

# Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.7%	23.3%	37.5%	62.5%
Grade 7	7.0%	8.7%	18.9%	81.1%
Grade 8	13.8%	17.2%	31.9%	68.1%
Grade 9	20.4%	24.5%	39.1%	60.9%
Grade 10	21.0%	27.3%	42.3%	57.7%
Grade 11	22.8%	29.1%	45.0%	55.0%
Grade 12	28.5%	34.2%	49.3%	50.7%
Any Alcohol Product				
All	32.0%	37.6%	57.0%	43.0%
Grade 7	17.2%	20.9%	42.8%	57.2%
Grade 8	26.0%	30.2%	50.4%	49.6%
Grade 9	34.4%	40.0%	62.4%	37.6%
Grade 10	34.8%	40.0%	60.0%	40.0%
Grade 11	35.6%	43.3%	60.8%	39.2%
Grade 12	45.3%	53.2%	67.1%	32.9%
Any Illicit Drug				
All	17.8%	22.9%	30.1%	69.9%
Grade 7	6.3%	8.4%	10.3%	89.7%
Grade 8	12.2%	16.9%	22.8%	77.2%
Grade 9	12.2% 18.2%	22.7%	27.4%	72.6%
Grade 10	19.7%	25.0%	35.1%	64.9%
Grade 11	26.5%	31.6%	40.0%	60.0%
Grade 12	25.5%	34.0%	46.9%	53.1%
Any Prescription Drug				
All	7.3%	10.6%	20.7%	79.3%
Grade 7	6.2%	8.2%	15.1%	84.9%
Grade 8	8.6%	12.5%	23.3%	76.7%
Grade 9	8.7%	11.1%	20.8%	79.2%
Grade 10	6.6%	10.7%	20.0% 20.2%	79.8%
Grade 11	7.6%	11.1%	20.2% 22.2%	75.8%
Grade 12	6.2%	9.8%	23.2%	76.8%
Any Inhalant				
All	4.7%	6.8%	14.3%	85.7%
Grade 7	5.9%	7.8%	14.5% 16.1%	83.9%
Grade 8	7.7%	10.4%	10.1% 19.7%	80.3%
Grade 9	3.9%	6.4%	13.9%	86.1%
Grade 9 Grade 10	3.5%	6.9%	13.3% 13.3%	86.7%
Grade 10 Grade 11	3.6%	4.5%	13.3% 11.7%	88.3%
Grade 11 Grade 12	3.6%	4.0% 4.6%	11.7% 10.9%	89.1%

# Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 77 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	14.3%	19.4%	33.8%	66.2%
Grade 7	4.2%	6.0%	15.3%	84.7%
Grade 8	10.2%	13.9%	29.2%	70.8%
Grade 9	15.7%	20.2%	35.7%	64.3%
Grade 10	14.7%	22.1%	37.5%	62.5%
Grade 11	17.8%	24.4%	40.8%	59.2%
Grade 12	24.2%	30.9%	45.5%	54.5%
Marijuana				
All	17.1%	20.6%	28.3%	71.7%
Grade 7	5.1%	5.8%	7.5%	92.5%
Grade 8	11.4%	13.3%	19.1%	80.9%
Grade 9	17.4%	21.0%	26.1%	73.9%
Grade 10	19.6%	23.1%	33.4%	66.6%
Grade 11	25.7%	30.2%	39.5%	60.5%
Grade 12	24.8%	31.9%	46.2%	53.8%
Marijuana Only				
All	9.5%	12.1%	18.3%	81.7%
Grade 7	3.1%	3.6%	5.0%	95.0%
Grade 8	6.1%	7.4%	12.1%	87.9%
Grade 9	9.1%	12.1%	16.1%	83.9%
Grade 10	11.6%	14.1%	22.0%	78.0%
Grade 11	14.1%	17.4%	24.9%	75.1%
Grade 12	14.0%	18.9%	31.0%	69.0%
Cocaine or Crack				
All	2.1%	2.3%	3.7%	96.3%
Grade 7	1.4%	1.4%	2.0%	98.0%
Grade 8	1.9%	1.9%	2.7%	97.3%
Grade 9	1.5%	1.6%	2.6%	97.4%
Grade 10	2.1%	2.5%	4.2%	95.8%
Grade 11	2.7%	3.2%	4.6%	95.4%
Grade 12	2.9%	3.5%	6.1%	93.9%
Cocaine				
All	1.8%	2.0%	3.3%	96.7%
Grade 7	0.8%	0.8%	1.4%	98.6%
Grade 8	1.5%	1.5%	2.5%	97.5%
Grade 9	1.3%	1.4%	2.5%	97.5%
Grade 10	1.8%	1.9%	3.6%	96.4%
Grade 11	2.6%	3.1%	4.2%	95.8%
Grade 12	2.9%	3.5%	6.1%	93.9%

### Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 78 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.7%	0.8%	1.3%	98.7%
Grade 7	0.7%	0.8%	1.2%	98.8%
Grade 8	0.8%	0.8%	1.4%	98.6%
Grade 9	0.6%	0.7%	0.9%	99.1%
Grade 10	1.0%	1.3%	1.7%	98.3%
Grade 11	0.5%	0.7%	1.1%	98.9%
Grade 12	0.5%	0.7%	1.4%	98.6%
Hallucinogens				
All	1.6%	2.4%	4.7%	95.3%
Grade 7	0.0%	0.1%	1.0%	99.0%
Grade 8	0.7%	0.9%	2.8%	97.2%
Grade 9	2.0%	2.8%	4.1%	95.9%
Grade 10	2.2%	2.6%	4.9%	95.1%
Grade 10 Grade 11	2.4%	3.8%	6.9%	93.1%
Grade 12	2.5%	4.3%	8.8%	91.2%
Synthetic Cathinones				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.4%	0.4%	0.6%	99.4%
Grade 12	0.2%	0.2%	0.3%	99.7%
Steroids				
All	0.3%	0.6%	1.6%	98.4%
Grade 7	0.3%	0.4%	1.3%	98.7%
Grade 8	0.3%	0.7%	1.5%	98.5%
Grade 9	0.1%	0.5%	1.8%	98.2%
Grade 10	0.5%	0.7%	2.0%	98.0%
Grade 11	0.5%	0.5%	1.1%	98.9%
Grade 12	0.1%	0.7%	1.8%	98.2%
Ecstasy				
All	1.0%	1.4%	3.2%	96.8%
Grade 7	0.3%	0.4%	0.5%	99.5%
Grade 8	0.5%	0.6%	2.4%	97.6%
Grade 9	1.1%	1.4%	2.4%	97.6%
Grade 10	1.1%	1.5%	3.8%	96.2%
Grade 11	1.5%	2.5%	5.2%	94.8%
Grade 12	1.5%	2.3%	5.0%	95.0%

### Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 79 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.6%	0.6%	0.9%	99.1%
Grade 10	0.8%	0.9%	1.2%	98.8%
Grade 11	0.2%	0.4%	0.5%	99.5%
Grade 12	0.0%	0.1%	0.3%	99.7%
Synthetic Marijuana				
All	1.7%	2.5%	5.0%	95.0%
Grade 7	0.4%	0.7%	1.6%	98.4%
Grade 8	1.5%	2.3%	4.3%	95.7%
Grade 9	2.2%	3.2%	5.5%	94.5%
Grade 10	2.8%	3.5%	7.1%	92.9%
Grade 11	1.8%	3.2%	6.3%	93.7%
Grade 12	1.5%	1.9%	5.3%	94.7%
Methamphetamine				
All	0.5%	0.6%	1.3%	98.7%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.5%	1.2%	98.8%
Grade 9	0.6%	0.7%	1.3%	98.7%
Grade 10	1.4%	1.5%	2.2%	97.8%
Grade 11	0.3%	0.5%	0.8%	99.2%
Grade 12	0.4%	0.5%	1.7%	98.3%

### Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	12.6%	16.1%	28.1%	71.9%
Grade 7	3.1%	4.2%	10.9%	89.1%
Grade 8	8.1%	9.9%	20.4%	79.6%
Grade 9	11.5%	14.4%	25.9%	74.1%
Grade 10	14.7%	20.1%	34.9%	65.1%
Grade 11	17.4%	22.1%	37.6%	62.4%
Grade 12	24.1%	30.3%	44.8%	55.2%
Any Alcohol Product				
All	25.4%	30.1%	49.2%	50.8%
Grade 7	13.9%	16.1%	32.9%	67.1%
Grade 7 Grade 8	13.5% 18.5%	21.6%	41.0%	59.0%
Grade 9	23.9%	28.6%	50.1%	49.9%
Grade 10	23.5% 28.5%	34.1%	54.9%	45.1%
Grade 10 Grade 11	30.2%	36.4%	56.3%	43.7%
Grade 12	41.8%	48.9%	64.9%	35.1%
Glade 12	41.070	40.370	04.370	33.170
Any Illicit Drug				
All	11.4%	15.3%	20.7%	79.3%
Grade 7	3.1%	4.4%	5.7%	94.3%
Grade 8	6.3%	9.1%	12.3%	87.7%
Grade 9	9.5%	12.8%	16.0%	84.0%
Grade 10	13.2%	18.1%	25.8%	74.2%
Grade 11	17.2%	22.2%	29.8%	70.2%
Grade 12	22.4%	29.5%	40.9%	59.1%
Any Prescription Drug				
All	5.5%	8.1%	15.8%	84.2%
Grade 7	4.9%	6.9%	12.4%	87.6%
Grade 8	6.6%	9.4%	17.1%	82.9%
Grade 9	5.8%	8.1%	15.4%	84.6%
Grade 10	4.9%	8.0%	15.2%	84.8%
Grade 11	4.9%	7.6%	15.8%	84.2%
Grade 12	5.7%	8.7%	20.0%	80.0%
Any Inhalant				
All	3.5%	4.9%	11.1%	88.9%
Grade 7	4.0%	5.0%	12.0%	88.0%
Grade 8	5.5%	7.2%	14.4%	85.6%
Grade 9	3.0%	5.0%	11.3%	88.7%
Grade 10	3.0%	4.8%	11.5% 10.1%	89.9%
Grade 10 Grade 11	3.0%	3.6%	9.7%	90.3%
Grade 12	2.3%	3.4%	8.4%	90.3% 91.6%

# Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 81 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	9.8%	13.8%	25.1%	74.9%
Grade 7	2.0%	3.2%	8.5%	91.5%
Grade 8	5.8%	7.9%	17.6%	82.4%
Grade 9	8.8%	12.5%	23.4%	76.6%
Grade 10	10.8%	16.9%	31.3%	68.7%
Grade 11	13.8%	18.9%	34.1%	65.9%
Grade 12	20.2%	27.0%	40.9%	59.1%
Marijuana				
All	10.8%	13.5%	19.1%	80.9%
Grade 7	2.1%	2.4%	3.7%	96.3%
Grade 8	5.5%	6.7%	9.6%	90.4%
Grade 9	9.2%	11.1%	14.7%	85.3%
Grade 10	12.9%	16.9%	24.5%	75.5%
Grade 11	12.5% 16.7%	20.5%	24.5% 28.7%	71.3%
Grade 12	22.0%	27.5%	39.9%	60.1%
Marijuana Only				
All	6.6%	8.6%	13.6%	86.4%
Grade 7	1.4%	1.8%	2.7%	97.3%
Grade 8	3.2%	4.0%	6.4%	93.6%
Grade 9	5.5%	7.2%	10.2%	89.8%
Grade 10	8.1%	11.3%	17.8%	82.2%
Grade 10 Grade 11	9.8%	12.8%	20.2%	79.8%
Grade 12	13.6%	17.6%	28.7%	71.3%
Cocaine or Crack				
All	1.1%	1.2%	2.0%	98.0%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.8%	0.9%	1.3%	98.7%
Grade 9	0.8%	0.9%	1.4%	98.6%
Grade 10	1.2%	1.4%	2.3%	97.7%
Grade 10 Grade 11	1.5%	1.7%	2.6%	97.4%
Grade 12	1.8%	2.3%	4.0%	96.0%
Cocaine				
All	0.9%	1.1%	1.8%	98.2%
Grade 7	0.3%	0.3%	0.4%	99.6%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.8%	0.8%	1.3%	98.7%
Grade 10	1.2%	1.3%	2.2%	97.8%
Grade 11	1.5%	1.7%	2.4%	97.6%
Grade 12	1.7%	2.2%	3.9%	96.1%

# Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 82 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.4%	0.4%	0.5%	99.5%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.7%	99.3%
Grade 12	0.1%	0.1%	0.6%	99.4%
Hallucinogens				
All	1.0%	1.4%	2.7%	97.3%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.5%	0.6%	1.4%	98.6%
Grade 9	0.9%	1.3%	1.8%	98.2%
Grade 10	1.0%	1.4%	2.7%	97.3%
Grade 11	1.7%	2.4%	4.0%	96.0%
Grade 12	2.0%	3.3%	6.4%	93.6%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.2%	99.8%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.3%	99.7%
Steroids				
All	0.2%	0.3%	1.1%	98.9%
Grade 7	0.1%	0.2%	1.1%	98.9%
Grade 8	0.3%	0.4%	1.1%	98.9%
Grade 9	0.2%	0.3%	1.0%	99.0%
Grade 10	0.2%	0.4%	1.2%	98.8%
Grade 11	0.2%	0.3%	1.1%	98.9%
Grade 12	0.2%	0.2%	1.0%	99.0%
Ecstasy				
All	0.6%	0.8%	1.7%	98.3%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.4%	0.5%	1.0%	99.0%
Grade 10	0.5%	0.6%	1.8%	98.2%
Grade 11	0.9%	1.5%	3.0%	97.0%
Grade 12	1.5%	2.1%	4.4%	95.6%

# Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems (Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 83 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.2%	0.2%	0.4%	99.6%
Grade 11	0.1%	0.3%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.2%	99.8%
Synthetic Marijuana				
All	0.9%	1.3%	2.8%	97.2%
Grade 7	0.3%	0.5%	0.7%	99.3%
Grade 8	1.1%	1.4%	2.4%	97.6%
Grade 9	0.8%	1.3%	2.5%	97.5%
Grade 10	1.3%	1.9%	4.2%	95.8%
Grade 11	1.3%	1.8%	3.8%	96.2%
Grade 12	0.8%	1.2%	3.9%	96.1%
Methamphetamine				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.4%	0.8%	99.2%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	0.2%	0.3%	0.5%	99.5%
Grade 12	0.4%	0.4%	1.0%	99.0%

# Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems (Continued)

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	23.4%	27.9%	41.2%	58.8%
Grade 7	10.1%	13.2%	24.1%	75.9%
Grade 8	17.0%	23.1%	35.8%	64.2%
Grade 9	24.2%	26.8%	36.8%	63.2%
Grade 10	25.8%	30.7%	47.6%	52.4%
Grade 11	29.9%	35.5%	48.8%	51.2%
Grade 12	30.7%	35.8%	52.1%	47.9%
Any Alcohol Product				
All	39.0%	45.4%	59.4%	40.6%
Grade 7	31.2%	34.3%	52.0%	48.0%
Grade 8	36.5%	40.5%	57.2%	42.8%
Grade 9	38.4%	44.2%	58.2%	41.8%
Grade 10	40.1%	48.2%	61.7%	38.3%
Grade 11	42.4%	52.2%	63.4%	36.6%
Grade 12	44.3%	51.5%	63.1%	36.9%
Any Illicit Drug				
All	21.3%	28.1%	33.6%	66.4%
Grade 7	11.5%	15.3%	17.0%	83.0%
Grade 8	15.1%	21.9%	27.5%	72.5%
Grade 9	23.0%	29.5%	32.0%	68.0%
Grade 10	23.070 24.4%	30.7%	36.2%	63.8%
Grade 10 Grade 11	24.470 27.6%	36.6%	42.0%	58.0%
Grade 12	23.8%	31.8%	45.0%	55.0%
Any Prescription Drug				
All	9.3%	13.1%	24.4%	75.6%
Grade 7	7.4%	12.4%	20.2%	79.8%
Grade 8	9.5%	12.4% 14.4%	25.8%	74.2%
Grade 9	11.8%	13.1%	26.0%	74.0%
Grade 9 Grade 10	8.9%	14.1%	25.2%	74.8%
Grade 10 Grade 11	11.7%	14.1% 15.2%	25.2% 25.1%	74.9%
Grade 12	6.0%	8.9%	23.5%	74.9% 76.5%
Any Inhalant				
Any milaiant All	7.0%	9.8%	18.0%	82.0%
Grade 7	11.4%	14.3%	24.3%	75.7%
Grade 8	8.1%	14.3% 12.0%	24.3% 21.1%	78.9%
Grade 8 Grade 9	7.9%	12.0% 10.0%	17.3%	82.7%
Grade 9 Grade 10	6.6%	10.0% 10.3%	17.3% 19.9%	82.7% 80.1%
	$\frac{6.6\%}{2.8\%}$	10.3% 5.6%	19.9% 13.3%	$80.1\% \\ 86.7\%$
Grade 11 Grade 12				
Grade 12	5.9%	7.1%	12.4%	87.6%

# Table B-12: Prevalence and Recency of Use of Selected Substances by GradeStudents Who Would Not Seek Help from Adults for Substance Abuse Problems

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 85 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Electronic Vapor Products				
All	17.8%	23.1%	37.5%	62.5%
Grade 7	5.8%	9.0%	20.1%	79.9%
Grade 8	13.0%	19.2%	33.3%	66.7%
Grade 9	16.2%	20.1%	33.4%	66.6%
Grade 10	21.1%	27.2%	43.5%	56.5%
Grade 11	24.7%	30.8%	45.3%	54.7%
Grade 12	24.0%	30.6%	47.5%	52.5%
Marijuana				
All	20.5%	24.6%	30.1%	69.9%
Grade 7	9.9%	11.1%	11.8%	88.2%
Grade 8	14.1%	16.6%	20.7%	79.3%
Grade 9	21.9%	26.3%	28.9%	71.1%
Grade 10	24.1%	27.3%	32.6%	67.4%
Grade 11	27.4%	34.7%	41.1%	58.9%
Grade 12	22.9%	28.5%	42.7%	57.3%
Marijuana Only				
All	10.1%	12.9%	17.1%	82.9%
Grade 7	3.7%	3.9%	4.5%	95.5%
Grade 8	7.9%	9.5%	13.3%	86.7%
Grade 9	11.3%	14.4%	16.6%	83.4%
Grade 10	11.6%	14.0%	18.6%	81.4%
Grade 11	14.2%	18.4%	22.7%	77.3%
Grade 12	10.3%	15.3%	25.2%	74.8%
Cocaine or Crack				
All	3.3%	3.6%	5.9%	94.1%
Grade 7	3.6%	3.7%	5.1%	94.9%
Grade 8	1.3%	1.4%	1.7%	98.3%
Grade 9	2.4%	2.4%	3.8%	96.2%
Grade 10	3.4%	4.5%	6.9%	93.1%
Grade 11	4.7%	5.2%	8.4%	91.6%
Grade 12	4.7% 4.3%	4.4%	9.6%	90.4%
Cocaine				
All	2.8%	3.1%	5.4%	94.6%
Grade 7	2.6%	2.6%	4.1%	95.9%
Grade 8	1.3%	1.4%	1.7%	98.3%
Grade 9	2.3%	2.3%	3.6%	96.4%
Grade 10	2.6%	3.1%	5.5%	94.5%
Grade 10 Grade 11	4.3%	4.7%	7.9%	92.1%
Grade 12	3.9%	4.1%	9.3%	92.1% 90.7%

# Table B-12: Prevalence and Recency of Use of Selected Substances by GradeStudents Who Would Not Seek Help from Adults for Substance Abuse Problems(Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 86 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Crack				
All	1.2%	1.8%	2.3%	97.7%
Grade 7	2.3%	2.3%	3.2%	96.8%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.3%	0.4%	1.4%	98.6%
Grade 10	1.1%	2.7%	3.1%	96.9%
Grade 11	1.0%	1.9%	2.1%	97.9%
Grade 12	2.6%	3.2%	4.0%	96.0%
Hallucinogens				
All	2.5%	3.6%	7.3%	92.7%
Grade 7	0.7%	0.8%	2.3%	97.7%
Grade 8	0.7%	0.9%	2.7%	97.3%
Grade 9	2.4%	3.2%	6.8%	93.2%
Grade 10	4.0%	4.6%	8.4%	91.6%
Grade 10 Grade 11	2.7%	4.2%	9.8%	90.2%
Grade 12	3.7%	7.2%	13.1%	86.9%
Synthetic Cathinones				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.2%	0.2%	1.5%	98.5%
Grade 8	0.6%	0.6%	1.1%	98.9%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.9%	0.9%	1.9%	98.1%
Grade 10 Grade 11	0.1%	0.5% 0.1%	0.2%	99.8%
Grade 12	0.0%	0.5%	1.1%	98.9%
Steroids				
All	0.6%	1.3%	2.6%	97.4%
Grade 7	0.6%	1.0%	2.6%	97.4%
Grade 8	0.9%	1.3%	2.3%	97.7%
Grade 9	0.7%	0.7%	2.2%	97.8%
Grade 10	1.1%	2.2%	4.3%	95.7%
Grade 10 Grade 11	0.3%	0.4%	1.0%	99.0%
Grade 12	0.2%	1.9%	3.0%	97.0%
Ecstasy				
All	1.3%	1.8%	4.0%	96.0%
Grade 7	0.7%	1.1%	1.4%	98.6%
Grade 8	0.2%	0.4%	3.4%	96.6%
Grade 9	0.4%	1.1%	1.9%	98.1%
Grade 10	2.1%	2.9%	6.5%	93.5%
Grade 11	1.4%	1.7%	4.1%	95.9%
Grade 12	2.8%	3.7%	6.5%	93.5%

# Table B-12: Prevalence and Recency of Use of Selected Substances by GradeStudents Who Would Not Seek Help from Adults for Substance Abuse Problems(Continued)

Percentages have been weighted to reflect proportions within the population. Jump to Table of Contents Page 87 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

	Past Month	School Year	Ever Used	Never Used
Heroin				
All	0.5%	0.6%	1.5%	98.5%
Grade 7	0.3%	0.4%	1.4%	98.6%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.0%	0.0%	1.2%	98.8%
Grade 10	1.8%	1.9%	3.1%	96.9%
Grade 11	0.3%	0.3%	0.8%	99.2%
Grade 12	0.6%	0.6%	1.3%	98.7%
Synthetic Marijuana				
All	2.7%	4.2%	6.7%	93.3%
Grade 7	2.0%	2.5%	4.1%	95.9%
Grade 8	1.3%	3.2%	5.0%	95.0%
Grade 9	3.5%	5.5%	8.3%	91.7%
Grade 10	4.1%	5.8%	7.8%	92.2%
Grade 11	3.1%	4.7%	9.7%	90.3%
Grade 12	1.2%	2.3%	4.5%	95.5%
Methamphetamine				
All	0.7%	1.2%	2.1%	97.9%
Grade 7	0.0%	0.7%	1.1%	98.9%
Grade 8	0.1%	0.6%	1.6%	98.4%
Grade 9	0.4%	0.5%	1.8%	98.2%
Grade 10	2.6%	3.0%	3.0%	97.0%
Grade 11	0.3%	1.4%	1.6%	98.4%
Grade 12	0.1%	0.7%	3.0%	97.0%

# Table B-12: Prevalence and Recency of Use of Selected Substances by GradeStudents Who Would Not Seek Help from Adults for Substance Abuse Problems(Continued)

# 3 Margin Tables

Jump to Table of Contents Page 89 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q1	Frequency	Percent
Male	1,137,708	49.9%
Female	$1,\!144,\!401$	50.1%
Frequency Missing	14,508	

Gender

### Hispanic or Latino

Q5a	Frequency	Percent
No	1,045,058	46.4%
Yes	1,207,380	53.6%
Frequency Missing	44,179	

#### Grade

Q2	Frequency	Percent
Grade 7	408,856	17.9%
Grade 8	400,311	17.6%
Grade 9	421,265	18.5%
Grade 10	$379,\!667$	16.7%
Grade 11	$344,\!903$	15.1%
Grade 12	$324,\!097$	14.2%
Frequency Missing	17,519	

# Ethnicity

Q5b	Frequency	Percent
American Indian	$51,\!547$	2.5%
Asian American	61,106	2.9%
African American	284,793	13.7%
Pacific Islander	9,364	0.4%
White	989,463	47.5%
Other	$375,\!050$	18.0%
More Than One Race	$312,\!128$	15.0%
Frequency Missing	$213,\!167$	

### Live with Both Parents

Q3	Frequency	Percent
No Yes Frequency Missing	848,919 1,414,032 33,666	$37.5\% \\ 62.5\%$

### $\mathbf{Age}$

Q4	Frequency	Percent
11 or younger	4,033	0.2%
12	201,065	8.8%
13	380,903	16.7%
14	401,068	17.6%
15	396,422	17.4%
16	369,860	16.2%
17	$338,\!827$	14.9%
18	$172,\!130$	7.6%
19 or older	12,824	0.6%
Frequency Missing	$19,\!485$	

#### On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	8,399	0.4%
Mostly D's	20,778	1.1%
Mostly C's	$255,\!124$	12.9%
Mostly B's	$972,\!676$	49.3%
Mostly A's	$715,\!099$	36.3%
Frequency Missing	$324{,}541$	

### Do You Have a Job

Q7	Frequency	Percent
No	$1,\!631,\!733$	81.8%
Yes	363,796	18.2%
Frequency Missing	$301,\!089$	

 $Percentages \ and \ frequencies \ have \ been \ weighted \ to \ reflect \ proportions \ within \ the \ population.$ 

Jump to Table of Contents Page 90 of 127

©Copyright 2020 Texas A&M University

Q8	Frequency	Percent
No	670,949	33.9%
Yes	$765,\!988$	38.7%
Don't Know	$543,\!290$	27.4%
Frequency Missing	$316,\!390$	

# Qualify for Free/Reduced Lunch

#### Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	$1,\!552,\!425$	91.9%
Yes	136,758	8.1%
Frequency Missing	$607,\!435$	

#### Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	865,253	46.0%
Yes	1,014,437	54.0%
Frequency Missing	$416,\!927$	

### Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	1,301,299	75.3%
Yes	426,461	24.7%
Frequency Missing	$568,\!858$	

#### Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	1,344,182	76.7%
Yes	408,295	23.3%
Frequency Missing	$544,\!140$	

#### Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	1,283,536	74.9%
Yes	431,093	25.1%
Frequency Missing	$581,\!988$	

#### Participate in School Choir

Q9c	Frequency	Percent
No	1,546,246	91.3%
Yes	146,751	8.7%
Frequency Missing	$603,\!621$	

# Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No Yes Frequency Missing	$\begin{array}{c} 1,192,847 \\ 557,099 \\ 546,671 \end{array}$	68.2% 31.8%

#### Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	$1,\!570,\!596$	92.6%
Yes	124,659	7.4%
Frequency Missing	601,362	

#### Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	$1,\!349,\!981$	78.6%
Yes	$367,\!602$	21.4%
Frequency Missing	$579,\!034$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 91 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q10a	Frequency	Percent
Very Safe	$1,\!942,\!803$	86.0%
Somewhat Safe	268,106	11.9%
Not Very Safe	19,558	0.9%
Not Safe At All	$7,\!449$	0.3%
Don't Know	21,870	1.0%
Frequency Missing	36,831	

### Do You Feel Safe in Your Home

# Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	$175,\!441$	8.2%
Some High School	204,719	9.6%
Finished High School	374,325	17.5%
Some College	299,427	14.0%
Finished College	$497,\!679$	23.2%
Post-Secondary	330,047	15.4%
Don't Know or N/A	$259,\!359$	12.1%
Frequency Missing	$155,\!622$	

#### Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	1,062,238	47.4%
Somewhat Safe	$965,\!195$	43.0%
Not Very Safe	$123,\!424$	5.5%
Not Safe At All	30,726	1.4%
Don't Know	$61,\!474$	2.7%
Frequency Missing	$53,\!560$	

#### Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	1,264,891	63.4%
Yes	730,238	36.6%
Frequency Missing	$301,\!488$	

#### Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	832,486	37.2%
Somewhat Safe	1,048,991	46.8%
Not Very Safe	$191,\!835$	8.6%
Not Safe At All	82,778	3.7%
Don't Know	$84,\!557$	3.8%
Frequency Missing	$55,\!970$	

#### Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	119,074	5.3%
A Few	$465,\!275$	20.6%
Some	$523,\!091$	23.2%
Most	$817,\!597$	36.3%
All	$329,\!440$	14.6%
Frequency Missing	42,141	

# Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	172,633	8.1%
Some High School	$239,\!628$	11.2%
Finished High School	$437,\!589$	20.5%
Some College	231,958	10.9%
Finished College	364,499	17.1%
Post-Secondary	$295,\!695$	13.8%
Don't Know or N/A	$394,\!144$	18.5%
Frequency Missing	160,471	

#### How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	43,269	1.9%
A Few	$253,\!528$	11.2%
Some	$532,\!129$	23.6%
Most	$971,\!311$	43.1%
All	455,733	20.2%
Frequency Missing	40,648	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 92 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q13c	Frequency	Percent
None	1,029,799	46.6%
A Few	665,913	30.1%
Some	293,736	13.3%
Most	138,045	6.2%
All	$83,\!459$	3.8%
Frequency Missing	85,665	

#### Friends Wishing to Drop Out of School

#### Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	2,129,971	94.6%
In Your Lifetime	80,609	3.6%
Since School Began	16,558	0.7%
In the Past Month	24,500	1.1%
Frequency Missing	44,980	

#### How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	1,784,019	79.8%
A Few	287,051	12.8%
Some	$98,\!597$	4.4%
Most	45,541	2.0%
All	20,737	0.9%
Frequency Missing	$60,\!673$	

## Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	2,211,708	99.0%
In Your Lifetime	12,009	0.5%
Since School Began	4,728	0.2%
In the Past Month	$6,\!448$	0.3%
Frequency Missing	61,724	

#### How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	1,912,892	85.2%
A Few	$218,\!877$	9.8%
Some	68,280	3.0%
Most	25,729	1.1%
All	18,377	0.8%
Frequency Missing	52,462	

#### Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	2,117,988	94.1%
In Your Lifetime	92,145	4.1%
Since School Began	14,841	0.7%
In the Past Month	25,915	1.2%
Frequency Missing	45,728	

### Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	2,212,649	97.8%
In Your Lifetime	33,928	1.5%
Since School Began	$5,\!300$	0.2%
In the Past Month	10,065	0.4%
Frequency Missing	$34,\!675$	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	2,218,847	98.7%
In Your Lifetime	17,702	0.8%
Since School Began	$3,\!607$	0.2%
In the Past Month	$7,\!107$	0.3%
Frequency Missing	49,355	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 93 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q14f	Frequency	Percent
Never Heard/Used	$2,\!225,\!047$	98.9%
In Your Lifetime	14,424	0.6%
Since School Began	4,380	0.2%
In the Past Month	5,101	0.2%
Frequency Missing	47,666	

Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner

Frequency

2,193,303

29,548

6,131

15,137

52,499

Percent

97.7%

1.3%

0.3%

0.7%

Q14g

Never Heard/Used

Since School Began

In the Past Month

Frequency Missing

In Your Lifetime

#### Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents

#### **Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	2,087,994	93.4%
In Your Lifetime	76,259	3.4%
Since School Began	20,560	0.9%
In the Past Month	50,872	2.3%
Frequency Missing	60,933	

#### Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	$1,\!470,\!051$	66.6%
In Your Lifetime	$384,\!848$	17.4%
Since School Began	127,723	5.8%
In the Past Month	$224,\!051$	10.2%
Frequency Missing	89,945	

### Recent Wine Cooler Use

# Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	2,210,657	98.3%
In Your Lifetime	$22,\!614$	1.0%
Since School Began	4,764	0.2%
In the Past Month	10,104	0.4%
Frequency Missing	48,478	

Q15d	Frequency	Percent
Never Heard/Used	$1,\!668,\!655$	74.9%
In Your Lifetime	$248,\!541$	11.2%
Since School Began	$116,\!914$	5.3%
In the Past Month	$192,\!272$	8.6%
Frequency Missing	70,236	

#### **Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	1,589,807	72.0%
In Your Lifetime	$351,\!132$	15.9%
Since School Began	111,051	5.0%
In the Past Month	155,201	7.0%
Frequency Missing	89,426	

#### Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	1,987,230	88.3%
In Your Lifetime	$167,\!117$	7.4%
Since School Began	32,447	1.4%
In the Past Month	64,804	2.9%
Frequency Missing	45,019	

 $Percentages \ and \ frequencies \ have \ been \ weighted \ to \ reflect \ proportions \ within \ the \ population.$ 

\_

Jump to Table of Contents Page 94 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q15f	Frequency	Percent
Never Heard/Used	$1,\!540,\!128$	69.0%
In Your Lifetime	309,104	13.8%
Since School Began	$141,\!264$	6.3%
In the Past Month	$242,\!438$	10.9%
Frequency Missing	$63,\!683$	

#### **Recent Liquor Use**

### **Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	2,194,150	97.9%
In Your Lifetime	28,194	1.3%
Since School Began	6,285	0.3%
In the Past Month	13,258	0.6%
Frequency Missing	54,729	

# **Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	$2,\!154,\!805$	96.1%
In Your Lifetime	53,928	2.4%
Since School Began	11,780	0.5%
In the Past Month	20,948	0.9%
Frequency Missing	55,157	

# **Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	2,217,010	99.3%
In Your Lifetime	$7,\!428$	0.3%
Since School Began	$3,\!801$	0.2%
In the Past Month	4,552	0.2%
Frequency Missing	63,826	

### Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	1,639,234	73.0%
In Your Lifetime	266,209	11.9%
Since School Began	$94,\!627$	4.2%
In the Past Month	$244,\!488$	10.9%
Frequency Missing	52,059	

#### **Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	2,156,018	96.6%
In Your Lifetime	37,156	1.7%
Since School Began	$11,\!628$	0.5%
In the Past Month	26,130	1.2%
Frequency Missing	$65,\!686$	

### Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	1,806,779	80.4%
In Your Lifetime	196,742	8.8%
Since School Began	74,394	3.3%
In the Past Month	168,718	7.5%
Frequency Missing	49,984	

#### Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	2,224,911	99.5%
In Your Lifetime	$6,\!419$	0.3%
Since School Began	1,107	0.0%
In the Past Month	$3,\!494$	0.2%
Frequency Missing	60,686	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 95 of 127©Copyright 2020 Texas A&M University All Rights Reserved

Q16gFrequency Percent Never Heard/Used 2,209,340 98.9%In Your Lifetime  $16,\!612$ 0.7%0.2%Since School Began 3,5690.2%In the Past Month 4,608 Frequency Missing 62,489

# Recent Steroid Use

#### Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	2,163,193	96.9%
In Your Lifetime	39,274	1.8%
Since School Began	8,496	0.4%
In the Past Month	22,152	1.0%
Frequency Missing	63,502	

#### **Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	$2,\!192,\!519$	98.2%
In Your Lifetime	22,377	1.0%
Since School Began	$5,\!609$	0.3%
In the Past Month	12,337	0.6%
Frequency Missing	63,776	

#### **Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	1,962,743	89.1%
In Your Lifetime	$135{,}509$	6.2%
Since School Began	41,718	1.9%
In the Past Month	62,084	2.8%
Frequency Missing	$94,\!564$	

#### **Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	$2,\!227,\!860$	99.6%
In Your Lifetime	5,179	0.2%
Since School Began	1,013	0.0%
In the Past Month	3,434	0.2%
Frequency Missing	59,132	

#### **Recent Prescription Drug Use - Percocet Etc**

Q17b	Frequency	Percent
Never Heard/Used	$2,\!128,\!077$	97.1%
In Your Lifetime	38,845	1.8%
Since School Began	9,770	0.4%
In the Past Month	$15,\!870$	0.7%
Frequency Missing	$104,\!055$	

#### **Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	2,221,544	99.3%
In Your Lifetime	7,838	0.4%
Since School Began	3,257	0.1%
In the Past Month	5,500	0.2%
Frequency Missing	$58,\!479$	

#### Recent Prescription Drug Use -Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	2,083,442	95.4%
In Your Lifetime	55,813	2.6%
Since School Began	19,077	0.9%
In the Past Month	$25,\!682$	1.2%
Frequency Missing	112,604	

 $Percentages \ and \ frequencies \ have \ been \ weighted \ to \ reflect \ proportions \ within \ the \ population.$ 

Jump to Table of Contents Page 96 of 127

©Copyright 2020 Texas A&M University

Q17d	Frequency	Percent
Never Heard/Used	2,066,439	94.9%
In Your Lifetime	$53,\!086$	2.4%
Since School Began	19,305	0.9%
In the Past Month	38,726	1.8%
Frequency Missing	119,062	

### Recent Prescription Drug Use - Adderall Etc

#### Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	$1,\!679,\!961$	76.3%
1-2 times	333,460	15.2%
3-10 times	$140,\!352$	6.4%
11 + times	$46,\!659$	2.1%
Frequency Missing	96,185	

#### Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	1,990,732	91.7%
In Your Lifetime	86,758	4.0%
Since School Began	29,176	1.3%
In the Past Month	$63,\!541$	2.9%
Frequency Missing	$126,\!412$	

#### Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	2,166,791	98.1%
1-2 times	28,321	1.3%
3-10 times	9,081	0.4%
11 + times	$4,\!686$	0.2%
Frequency Missing	87,739	

#### Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	$2,\!123,\!325$	96.9%
In Your Lifetime	33,161	1.5%
Since School Began	8,006	0.4%
In the Past Month	$27,\!697$	1.3%
Frequency Missing	$104,\!429$	

# Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	1,951,145	88.3%
1-2 times	119,957	5.4%
3-10 times	59,256	2.7%
11 + times	79,180	3.6%
Frequency Missing	87,079	

#### **Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	2,045,915	92.5%
1-2 times	78,235	3.5%
3-10 times	34,276	1.6%
11 + times	$52,\!432$	2.4%
Frequency Missing	85,760	

#### Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	2,187,267	99.0%
1-2 times	16,761	0.8%
3-10 times	3,916	0.2%
11 + times	$2,\!447$	0.1%
Frequency Missing	86,226	

 $Percentages \ and \ frequencies \ have \ been \ weighted \ to \ reflect \ proportions \ within \ the \ population.$ 

Jump to Table of Contents Page 97 of 127

©Copyright 2020 Texas A&M University

Q19f	Frequency	Percent
Never Heard/Used	2,196,885	99.6%
1-2 times	5,741	0.3%
3-10 times	2,055	0.1%
11 + times	1,232	0.1%
Frequency Missing	90,705	

# Crack Use in Past Month

#### **Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never heard/None	1,349,796	61.6%
A few	369,831	16.9%
Some	$216,\!947$	9.9%
Most	194,163	8.9%
All	59,863	2.7%
Frequency Missing	$106,\!017$	

# Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	$1,\!633,\!863$	74.2%
A few	$333,\!698$	15.2%
Some	$131,\!652$	6.0%
Most	78,322	3.6%
All	24,141	1.1%
Frequency Missing	$94,\!941$	

# **Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never heard/None	1,154,300	52.8%
A few	486,029	22.2%
Some	277,362	12.7%
Most	$205,\!467$	9.4%
All	65,060	3.0%
Frequency Missing	$108,\!400$	

#### **Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never heard/None	2,036,997	93.1%
A few	98,710	4.5%
Some	$33,\!136$	1.5%
Most	11,118	0.5%
All	$7,\!673$	0.4%
Frequency Missing	$108,\!983$	

# Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	1,838,570	86.6%
8 or younger	17,835	0.8%
9 years old	9,766	0.5%
10 years old	18,162	0.9%
11 years old	18,860	0.9%
12 years old	33,274	1.6%
13 years old	39,580	1.9%
14 years old	46,286	2.2%
15 years old	48,485	2.3%
16 years old	34,067	1.6%
17 years old	13,917	0.7%
18 or older	$3,\!662$	0.2%
Frequency Missing	$174,\!154$	

#### Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	1,247,302	59.2%
8 or younger	102,353	4.9%
9 years old	33,497	1.6%
10 years old	58,064	2.8%
11 years old	48,326	2.3%
12 years old	97,300	4.6%
13 years old	122,761	5.8%
14 years old	$125,\!331$	5.9%
15 years old	$131,\!894$	6.3%
16 years old	88,152	4.2%
17 years old	37,493	1.8%
18 or older	14,294	0.7%
Frequency Missing	$189,\!851$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 98 of 127

©Copyright 2020 Texas A&M University

Q21c	Frequency	Percent
Never used it	2,027,870	96.4%
8 or younger	10,013	0.5%
9 years old	4,943	0.2%
10 years old	8,046	0.4%
11 years old	$10,\!694$	0.5%
12 years old	12,163	0.6%
13 years old	12,103	0.6%
14 years old	8,092	0.4%
15 years old	4,993	0.2%
16 years old	2,303	0.1%
17 years old	$2,\!105$	0.1%
18 or older	348	0.0%
Frequency Missing	192,943	

Age When First Used Inhalants

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	2,071,224	98.2%
8 or younger	924	0.0%
9 years old	1,022	0.0%
10 years old	1,045	0.0%
11 years old	$1,\!484$	0.1%
12 years old	2,104	0.1%
13 years old	4,930	0.2%
14 years old	6,507	0.3%
15 years old	7,928	0.4%
16 years old	$7,\!402$	0.4%
17 years old	4,481	0.2%
18 or older	681	0.0%
Frequency Missing	$186,\!885$	

### Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	1,696,443	80.6%
8 or younger	11,014	0.5%
9 years old	4,413	0.2%
10 years old	10,493	0.5%
11 years old	$17,\!370$	0.8%
12 years old	40,580	1.9%
13 years old	66,810	3.2%
14 years old	85,783	4.1%
15 years old	79,085	3.8%
16 years old	$59,\!655$	2.8%
17 years old	28,438	1.4%
18 or older	4,973	0.2%
Frequency Missing	191,561	

#### Age When First Used Crack

Q21f	Frequency	Percent
Never used it	2,093,125	99.4%
8 or younger	458	0.0%
9 years old	209	0.0%
10 years old	449	0.0%
11 years old	1,218	0.1%
12 years old	1,530	0.1%
13 years old	2,163	0.1%
14 years old	$2,\!615$	0.1%
15 years old	2,095	0.1%
16 years old	$1,\!646$	0.1%
17 years old	468	0.0%
Frequency Missing	$190,\!640$	

#### Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	2,081,374	99.0%
8 or younger	$3,\!510$	0.2%
9 years old	756	0.0%
10 years old	964	0.0%
11 years old	1,785	0.1%
12 years old	$3,\!634$	0.2%
13 years old	2,756	0.1%
14 years old	3,263	0.2%
15 years old	2,576	0.1%
16 years old	$1,\!421$	0.1%
17 years old	893	0.0%
18 or older	107	0.0%
Frequency Missing	$193,\!578$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 99 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q21i	Frequency	Percent
Never used it	2,062,216	98.3%
8 or younger	724	0.0%
9 years old	395	0.0%
10 years old	233	0.0%
11 years old	1,502	0.1%
12 years old	2,712	0.1%
13 years old	3,713	0.2%
14 years old	5,851	0.3%
15 years old	6,145	0.3%
16 years old	9,821	0.5%
17 years old	4,289	0.2%
18 or older	701	0.0%
Frequency Missing	198,316	

Age When First Used Ecstasy

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	2,095,486	99.4%
8 or younger	693	0.0%
9 years old	958	0.0%
10 years old	154	0.0%
11 years old	188	0.0%
12 years old	1,561	0.1%
13 years old	2,205	0.1%
14 years old	2,296	0.1%
15 years old	1,792	0.1%
16 years old	1,742	0.1%
17 years old	1,349	0.1%
18 or older	277	0.0%
Frequency Missing	187,917	

### Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	$2,\!101,\!564$	99.6%
8 or younger	1,387	0.1%
9 years old	613	0.0%
10 years old	156	0.0%
11 years old	353	0.0%
12 years old	755	0.0%
13 years old	1,520	0.1%
14 years old	1,319	0.1%
15 years old	1,111	0.1%
16 years old	850	0.0%
17 years old	575	0.0%
Frequency Missing	186,414	

## Age When First Used Synthetic Marijuana

Q211	Frequency	Percent
Never used it	2,047,225	97.2%
8 or younger	1,287	0.1%
9 years old	1,160	0.1%
10 years old	1,889	0.1%
11 years old	1,742	0.1%
12 years old	6,826	0.3%
13 years old	8,360	0.4%
14 years old	14,329	0.7%
15 years old	12,874	0.6%
16 years old	$5,\!612$	0.3%
17 years old	3,986	0.2%
18 or older	658	0.0%
Frequency Missing	$190,\!671$	

#### Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	698,575	31.9%
Impossible	469,132	21.4%
Very Difficult	174,985	8.0%
Somewhat diff	227,092	10.4%
Somewhat easy	$290,\!692$	13.3%
Very easy	328,717	15.0%
Frequency Missing	$107,\!425$	

 $Percentages \ and \ frequencies \ have \ been \ weighted \ to \ reflect \ proportions \ within \ the \ population.$ 

Jump to Table of Contents Page 100 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q22b	Frequency	Percent
Never heard of	548,609	25.1%
Impossible	$298,\!630$	13.7%
Very Difficult	134,795	6.2%
Somewhat diff	$236{,}558$	10.8%
Somewhat easy	394,729	18.1%
Very easy	$572,\!444$	26.2%
Frequency Missing	$110,\!853$	

# Difficult to Get Alcohol

# Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	922,989	42.4%
Impossible	762, 117	35.0%
Very Difficult	$256{,}503$	11.8%
Somewhat diff	121,023	5.6%
Somewhat easy	48,945	2.2%
Very easy	64,727	3.0%
Frequency Missing	$120,\!312$	

#### Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	941,282	43.3%
Impossible	$358,\!595$	16.5%
Very Difficult	95,418	4.4%
Somewhat diff	$112,\!674$	5.2%
Somewhat easy	185,532	8.5%
Very easy	480,799	22.1%
Frequency Missing	122,318	

# Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	967,061	44.5%
Impossible	$703,\!577$	32.4%
Very Difficult	244,931	11.3%
Somewhat diff	$131,\!440$	6.1%
Somewhat easy	59,225	2.7%
Very easy	64,994	3.0%
Frequency Missing	$125,\!391$	

# Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	669,326	30.7%
Impossible	507,082	23.3%
Very Difficult	$166,\!144$	7.6%
Somewhat diff	$192,\!922$	8.9%
Somewhat easy	$260,\!455$	12.0%
Very easy	382,227	17.5%
Frequency Missing	$118,\!461$	

### Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	$1,\!106,\!554$	51.1%
Impossible	600, 155	27.7%
Very Difficult	196,063	9.1%
Somewhat diff	$110,\!624$	5.1%
Somewhat easy	$70,\!433$	3.3%
Very easy	81,282	3.8%
Frequency Missing	$131,\!507$	

#### Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	876,080	40.2%
Impossible	742,276	34.1%
Very Difficult	$255,\!368$	11.7%
Somewhat diff	149,900	6.9%
Somewhat easy	70,472	3.2%
Very easy	$83,\!541$	3.8%
Frequency Missing	$118,\!982$	

#### Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	1,018,732	46.7%
Impossible	776,951	35.6%
Very Difficult	$220,\!122$	10.1%
Somewhat diff	83,322	3.8%
Somewhat easy	30,198	1.4%
Very easy	50,519	2.3%
Frequency Missing	116,774	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 101 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q22k	Frequency	Percent
Never heard of	1,057,292	48.6%
Impossible	$726,\!355$	33.4%
Very Difficult	208,779	9.6%
Somewhat diff	84,821	3.9%
Somewhat easy	40,790	1.9%
Very easy	58,126	2.7%
Frequency Missing	$120,\!454$	

### Difficult to Get Methamphetamine

#### How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	6,866	0.3%
Several times/wk	29,814	1.4%
Several times/mo	125,080	5.8%
About once/month	$225,\!997$	10.5%
About once/year	216,044	10.0%
Less than once/year	$196,\!254$	9.1%
Never used	$1,\!359,\!851$	63.0%
Frequency Missing	136,711	

## Difficult to Get Synthetic Marijuana

Q221	Frequency	Percent
Never heard of	1,075,330	49.5%
Impossible	588,763	27.1%
Very Difficult	168,112	7.7%
Somewhat diff	121,752	5.6%
Somewhat easy	99,223	4.6%
Very easy	117,844	5.4%
Frequency Missing	125,593	

#### How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	1,365	0.1%
Several times/wk	$5,\!487$	0.3%
Several times/mo	5,298	0.2%
About once/month	12,550	0.6%
About once/year	11,348	0.5%
Less than once/year	31,980	1.5%
Never used	2,093,659	96.9%
Frequency Missing	$134,\!930$	

#### How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	38,435	1.8%
Several times/wk	26,512	1.2%
Several times/mo	32,129	1.5%
About once/month	43,543	2.0%
About once/year	42,262	1.9%
Less than once/year	$83,\!635$	3.9%
Never used	$1,\!904,\!314$	87.7%
Frequency Missing	125,788	

#### How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	38,475	1.8%
Several times/wk	41,987	1.9%
Several times/mo	60,005	2.8%
About once/month	76,279	3.5%
About once/year	81,092	3.7%
Less than once/year	87,000	4.0%
Never used	1,779,945	82.2%
Frequency Missing	$131,\!835$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 102 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q23e	Frequency	Percent
Every day	402	0.0%
Several times/wk	2,201	0.1%
Several times/mo	4,947	0.2%
About once/month	4,676	0.2%
About once/year	9,704	0.4%
Less than once/year	14,923	0.7%
Never used	$2,\!124,\!444$	98.3%
Frequency Missing	$135,\!320$	

# How Often Normally Use Cocaine

#### How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	805	0.0%
Several times/wk	1,522	0.1%
Several times/mo	2,454	0.1%
About once/month	5,883	0.3%
About once/year	11,112	0.5%
Less than once/year	$14,\!352$	0.7%
Never used	$2,\!118,\!838$	98.3%
Frequency Missing	$141,\!652$	

#### How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	93	0.0%
Several times/wk	1,850	0.1%
Several times/mo	1,348	0.1%
About once/month	901	0.0%
About once/year	3,258	0.2%
Less than once/year	4,967	0.2%
Never used	$2,\!153,\!915$	99.4%
Frequency Missing	$130,\!286$	

#### How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	798	0.0%
Several times/wk	902	0.0%
Several times/mo	639	0.0%
About once/month	408	0.0%
About once/year	1,705	0.1%
Less than once/year	2,100	0.1%
Never used	$2,\!157,\!848$	99.7%
Frequency Missing	132,218	

#### How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	1,739	0.1%
Several times/wk	428	0.0%
Several times/mo	748	0.0%
About once/month	$2,\!453$	0.1%
About once/year	2,278	0.1%
Less than once/year	$7,\!371$	0.3%
Never used	$2,\!148,\!905$	99.3%
Frequency Missing	$132,\!695$	

#### How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	1,361	0.1%
Several times/wk	1,118	0.1%
Several times/mo	969	0.0%
About once/month	1,406	0.1%
About once/year	3,344	0.2%
Less than once/year	3,527	0.2%
Never used	$2,\!150,\!277$	99.5%
Frequency Missing	$134,\!616$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 103 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

\_

Q231	Frequency	Percent
Every day	2,210	0.1%
Several times/wk	4,825	0.2%
Several times/mo	6,372	0.3%
About once/month	10,724	0.5%
About once/year	13,026	0.6%
Less than once/year	18,818	0.9%
Never used	$2,\!095,\!565$	97.4%
Frequency Missing	$145,\!077$	

#### How Often Normally Use Synthetic Marijuana

#### Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	1,560,143	72.2%
12+ drinks	14,472	0.7%
9-11 drinks	8,282	0.4%
5-8 drinks	18,997	0.9%
3-4 drinks	58,875	2.7%
2 drinks	79,852	3.7%
1 drink	$152,\!546$	7.1%
Less than 1 drink	$268,\!298$	12.4%
Frequency Missing	$135,\!153$	

#### Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	1,437,468	66.0%
12+ drinks	43,791	2.0%
9-11 drinks	25,138	1.2%
5-8 drinks	$58,\!439$	2.7%
3-4 drinks	$97,\!382$	4.5%
2 drinks	107,962	5.0%
1 drink	$145,\!373$	6.7%
Less than 1 drink	$261,\!349$	12.0%
Frequency Missing	119,715	

# Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	1,467,705	67.7%
12+ drinks	44,804	2.1%
9-11 drinks	34,138	1.6%
5-8 drinks	84,105	3.9%
3-4 drinks	119,368	5.5%
2 drinks	94,037	4.3%
1 drink	$121,\!997$	5.6%
Less than 1 drink	201,745	9.3%
Frequency Missing	128,717	

#### Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	$1,\!595,\!484$	73.5%
12+ drinks	28,020	1.3%
9-11 drinks	22,322	1.0%
5-8 drinks	59,342	2.7%
3-4 drinks	$108,\!896$	5.0%
2 drinks	106,213	4.9%
1 drink	$110,\!243$	5.1%
Less than 1 drink	$140,\!481$	6.5%
Frequency Missing	$125,\!618$	

#### How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	$1,\!278,\!923$	59.5%
0 days	642,169	29.9%
1 day	85,256	4.0%
2 days	50,076	2.3%
3 to 5 days	48,433	2.3%
6 to 9 days	$14,\!471$	0.7%
10 or more days	28,969	1.3%
Frequency Missing	$148,\!321$	

 $Percentages \ and \ frequencies \ have \ been \ weighted \ to \ reflect \ proportions \ within \ the \ population.$ 

Jump to Table of Contents Page 104 of 127

©Copyright 2020 Texas A&M University

Q26a	Frequency	Percent
Do not Drink	1,315,282	60.8%
Never	349,927	16.2%
Seldom	$324,\!619$	15.0%
Most of the Time	$113,\!193$	5.2%
Always	$60,\!542$	2.8%
Frequency Missing	$133,\!055$	

#### Get Alcoholic Beverages from Home

#### Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	1,390,374	65.0%
Never	$455,\!249$	21.3%
Seldom	$146,\!970$	6.9%
Most of the Time	82,965	3.9%
Always	64,997	3.0%
Frequency Missing	$156,\!061$	

#### Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	1,330,000	61.7%
Never	369,083	17.1%
Seldom	$223,\!648$	10.4%
Most of the Time	175,227	8.1%
Always	58,878	2.7%
Frequency Missing	139,782	

# Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	1,295,724	61.5%
Somewhat	$520,\!455$	24.7%
Not very	$141,\!539$	6.7%
Not at all	33,077	1.6%
Don't know	$116,\!456$	5.5%
Frequency Missing	189,366	

#### Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	$1,\!391,\!441$	64.7%
Never	620,975	28.9%
Seldom	66,823	3.1%
Most of the Time	44,781	2.1%
Always	26,309	1.2%
Frequency Missing	$146,\!288$	

#### Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	1,004,667	47.8%
Somewhat	$640,\!902$	30.5%
Not very	305,222	14.5%
Not at all	$56,\!546$	2.7%
Don't know	$94,\!531$	4.5%
Frequency Missing	$194,\!749$	

#### Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	$1,\!295,\!478$	60.1%
Never	$325,\!876$	15.1%
Seldom	204,266	9.5%
Most of the Time	$195,\!699$	9.1%
Always	132,869	6.2%
Frequency Missing	$142,\!429$	

#### Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	1,461,279	70.3%
Somewhat	$313,\!841$	15.1%
Not very	104,319	5.0%
Not at all	30,317	1.5%
Don't know	$167,\!628$	8.1%
Frequency Missing	$219,\!235$	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 105 of 127©Copyright 2020 Texas A&M University All Rights Reserved

\_

Q27d	Frequency	Percent
Very	$1,\!183,\!551$	56.9%
Somewhat	296,797	14.3%
Not very	268,980	12.9%
Not at all	$218,\!519$	10.5%
Don't know	$110,\!514$	5.3%
Frequency Missing	$218,\!256$	

## Dangerous for Kids to Use Marijuana

#### Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	1,584,389	76.5%
Somewhat	242,063	11.7%
Not very	69,147	3.3%
Not at all	19,214	0.9%
Don't know	$155,\!347$	7.5%
Frequency Missing	$226,\!457$	

## Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	1,790,324	86.4%
Somewhat	$139,\!689$	6.7%
Not very	$17,\!935$	0.9%
Not at all	9,134	0.4%
Don't know	$115,\!845$	5.6%
Frequency Missing	$223,\!690$	

## Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	1,823,190	87.9%
Somewhat	$93,\!051$	4.5%
Not very	12,024	0.6%
Not at all	8,934	0.4%
Don't know	$137,\!664$	6.6%
Frequency Missing	221,755	

## Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	1,805,811	87.1%
Somewhat	$121,\!686$	5.9%
Not very	$15,\!153$	0.7%
Not at all	$8,\!105$	0.4%
Don't know	$122,\!661$	5.9%
Frequency Missing	223,201	

## Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	$1,\!813,\!479$	87.5%
Somewhat	94,343	4.6%
Not very	$13,\!682$	0.7%
Not at all	9,504	0.5%
Don't know	$142,\!190$	6.9%
Frequency Missing	$223,\!419$	

#### Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	$1,\!670,\!413$	80.6%
Somewhat	162,421	7.8%
Not very	38,869	1.9%
Not at all	14,578	0.7%
Don't know	186,704	9.0%
Frequency Missing	$223,\!632$	

## Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	$1,\!655,\!505$	80.0%
Somewhat	162,756	7.9%
Not very	$54,\!058$	2.6%
Not at all	22,711	1.1%
Don't know	174,025	8.4%
Frequency Missing	$227,\!562$	

Percentages and frequencies have been weighted to reflect proportions within the population.

.

Jump to Table of Contents Page 106 of 127©Copyright 2020 Texas A&M University All Rights Reserved

Q271	Frequency	Percent
Very	1,520,639	73.6%
Somewhat	$285,\!690$	13.8%
Not very	$83,\!557$	4.0%
Not at all	26,941	1.3%
Don't know	$148,\!843$	7.2%
Frequency Missing	$230,\!948$	

## Dangerous for Kids to Use Any Prescription

#### Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	901,449	43.8%
1-3 days	$961,\!906$	46.7%
4-9 days	145,097	7.1%
10+ days	49,320	2.4%
Frequency Missing	$238,\!846$	

#### Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	1,286,893	62.0%
Somewhat	$392,\!135$	18.9%
Not very	$205,\!938$	9.9%
Not at all	71,289	3.4%
Don't know	$119,\!156$	5.7%
Frequency Missing	$221,\!207$	

## Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	1,850,815	88.1%
1-3 days	198,092	9.4%
4-9 days	28,292	1.3%
10+ days	$23,\!484$	1.1%
Frequency Missing	$195,\!935$	

## Someone Called Home Since September

Q28e	Frequency	Percent
None	1,903,964	90.9%
1-3 days	$148,\!271$	7.1%
4-9 days	23,773	1.1%
10+ days	19,375	0.9%
Frequency Missing	$201,\!235$	

## Days Skipped Since September

Q28a	Frequency	Percent
None	1,764,702	83.8%
1-3 days	266,036	12.6%
4-9 days	47,994	2.3%
10+ days	26,958	1.3%
Frequency Missing	190,927	

## Days Ill Since September

Q28b	Frequency	Percent
None	789,973	37.9%
1-3 days	1,005,312	48.2%
4-9 days	233,774	11.2%
10+ days	54,903	2.6%
Frequency Missing	$212,\!656$	

#### Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	2,022,476	96.4%
1-3 times	66,585	3.2%
4-9 times	$6,\!554$	0.3%
10+ times	$3,\!357$	0.2%
Frequency Missing	$197,\!645$	

Percentages and frequencies have been weighted to reflect proportions within the population.

-

Jump to Table of Contents Page 107 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

\_

-

Q29b	Frequency	Percent
None	2,034,315	97.4%
1-3 times	40,302	1.9%
4-9 times	8,071	0.4%
10+ times	6,083	0.3%
Frequency Missing	$207,\!846$	

## Driven a Car After a Good Bit to Drink

#### Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	1,903,003	92.4%
1-3 days	85,123	4.1%
4-9 days	25,800	1.3%
10+ days	45,811	2.2%
Frequency Missing	$236,\!881$	

### Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	2,015,345	96.7%
1-3 times	56,803	2.7%
4-9 times	6,982	0.3%
10+ times	$5,\!419$	0.3%
Frequency Missing	212,069	

#### **Class Days High on Inhalants Since Sept**

Q30c	Frequency	Percent
None	2,026,337	98.7%
1-3 days	$18,\!451$	0.9%
4-9 days	3,226	0.2%
10+ days	4,660	0.2%
Frequency Missing	$243,\!944$	

### Driven a Car While High from Drugs

\_

Q29d	Frequency	Percent
None	1,990,531	95.9%
1-3 times	50,479	2.4%
4-9 times	13,926	0.7%
10+ times	21,558	1.0%
Frequency Missing	220,124	

#### Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	$1,\!982,\!166$	96.9%
1-3 days	41,147	2.0%
4-9 days	9,974	0.5%
10+ days	13,023	0.6%
Frequency Missing	$250,\!307$	

#### **Class Days Drunk on Alcohol Since Sept**

Q30a	Frequency	Percent
None	1,991,928	96.1%
1-3 days	$64,\!417$	3.1%
4-9 days	11,109	0.5%
10+ days	6,009	0.3%
Frequency Missing	$223,\!155$	

#### Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	1,070,848	52.0%
Seldom	$145,\!307$	7.1%
Half the time	104,935	5.1%
Most of the Time	169,319	8.2%
Always	180,016	8.7%
Don't Know	44,588	2.2%
Didn't attend	$345,\!880$	16.8%
Frequency Missing	235,725	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 108 of 127©Copyright 2020 Texas A&M University All Rights Reserved

Q31b	Frequency	Percent
Never	1,252,385	60.9%
Seldom	$117,\!273$	5.7%
Half the time	76,470	3.7%
Most of the Time	$105,\!877$	5.1%
Always	109,563	5.3%
Don't Know	$52,\!511$	2.6%
Didn't attend	$343,\!923$	16.7%
Frequency Missing	$238,\!616$	

Sought Help for Drug/Alcohol Problem

Frequency

1,796,636

 $119,\!398$ 

380,584

Percent

93.8%

6.2%

Q32

No

Yes

Frequency Missing

### Drug Use at Parties This School Year

#### Would Seek Help from Parents

Q33d	Frequency	Percent
No Yes Frequency Missing	$\begin{array}{c} 639,\!648 \\ 1,\!422,\!749 \\ 234,\!220 \end{array}$	31.0% 69.0%

#### Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No Yes Frequency Missing	$885,378 \\ 1,160,770 \\ 250,469$	$43.3\%\ 56.7\%$

#### Would Seek Help from Friends

Q33f	Frequency	Percent
No Yes Frequency Missing	$743,961 \\ 1,304,955 \\ 247,702$	$36.3\%\ 63.7\%$

#### Would Seek Help from School Counselor

Q33a	Frequency	Percent
No Yes Frequency Missing	1,296,966 764,633 235,019	$62.9\%\ 37.1\%$

Would	Seek	Help	from	School	Nurse
-------	------	------	------	--------	-------

Q33b	Frequency	Percent
No Yes Frequency Missing	$1,592,000 \\ 456,211 \\ 248,407$	77.7% 22.3%

### Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No Yes	1,177,081 873,253	$57.4\%\ 42.6\%$
Frequency Missing	246,284	42.070

#### Would Seek Help from Another Adult

Q33g	Frequency	Percent
No Yes	848,222 1,205,388	41.3% 58.7%
Frequency Missing	243,008	

## Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No Yes Frequency Missing	1,225,870 822,096 248,651	$59.9\%\ 40.1\%$

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 109 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q33i	Frequency	Percent
No	1,639,378	81.8%
Yes	$365,\!689$	18.2%
Frequency Missing	$291,\!551$	

## Would Not Seek Help

## Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No Yes Frequency Missing	1,422,478 562,190 311,950	71.7% 28.3%

#### Drug/Alcohol Info-School Health Class

Q34a	Frequency	Percent
No	1,212,914	60.3%
Yes	799,515	39.7%
Frequency Missing	$284,\!188$	

## Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	1,718,452	86.5%
Yes	267,081	13.5%
Frequency Missing	$311,\!085$	

## Drug/Alcohol Info-School Assembly Program

Q34b	Frequency	Percent
No	$1,\!176,\!501$	58.6%
Yes	$829,\!649$	41.4%
Frequency Missing	290,468	

#### Drug/Alcohol Info-Invited School Guest

Q34g	Frequency	Percent
No Yes Frequency Missing	1,407,847 587,531 301,239	70.6% 29.4%

### Drug/Alcohol Info-School Guidance Counselor

Q34c	Frequency	Percent
No Yes Frequency Missing	1,513,130 485,315 298,173	75.7% 24.3%

## Drug/Alcohol Info-Another School Source

Q34h	Frequency	Percent
No Yes Frequency Missing	1,425,107 565,431 306,079	$71.6\% \\ 28.4\%$

#### Drug/Alcohol Info-School Nurse

Frequency	Percent
1,686,340	84.8%
,	15.2%
	1 0

#### Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Q35a	riequency	1 ercent
Strongly disapprove	$1,\!644,\!473$	78.4%
Mild disapprove	$151,\!679$	7.2%
Neither	$99,\!638$	4.8%
Mildly approve	$21,\!634$	1.0%
Strongly approve	13,066	0.6%
Don't know	$166,\!159$	7.9%
Frequency Missing	199,969	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents Page 110 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

Q35b	Frequency	Percent
Strongly disapprove	1,275,772	60.9%
Mild disapprove	301,555	14.4%
Neither	246,727	11.8%
Mildly approve	91,513	4.4%
Strongly approve	19,771	0.9%
Don't know	158, 191	7.6%
Frequency Missing	$203,\!088$	

## Parents Feel About Kids Drinking Alcohol

## Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	1,577,280	75.3%
Mild disapprove	$148,\!299$	7.1%
Neither	$145,\!809$	7.0%
Mildly approve	38,748	1.9%
Strongly approve	26,575	1.3%
Don't know	$156,\!943$	7.5%
Frequency Missing	202,964	

Percentages and frequencies have been weighted to reflect proportions within the population. Jump to Table of Contents Page 111 of 127 ©Copyright 2020 Texas A&M University All Rights Reserved

# Appendix: Reporting Methods for Prevalence & Recency of Use

# Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and receny of use tables.

# Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall "Any Tobacco Product" category is updated as described below.

Any Toba	cco Product
tobacco, & electronic vapor products. The initi reported usage from among those substances. T	individual tobacco products; cigarettes, smokeless tal values for this category will be the most recent he questions below are used to update these initial lues.
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

# Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall "Any Alcohol Product" category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Drink This".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Drink This".

Any Alcohol Product	
This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
$\mathbf{Question}$	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Alcohol	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
$(Q21b: alc_1)$	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
How Often Normally Use Alcohol (Q23b : alc_u)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
How Many 5+ Drinks in 2 Hours During Past 30 Days $(Q25 : binge_30)$	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for all responses to this question other than "Never 5+ at Time" or "0 Days".
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marij	uana
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

C	Cocaine
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year" "About Once/Year".
	If an initial value is "Never Used", "Ever Used" o missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

	Crack
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Crack (Q21f : crack_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year" "About Once/Year".
	If an initial value is "Never Used", "Ever Used" of missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

St	eroids
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

E	cstasy
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
$\mathbf{Question}$	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

Synthetic	Marijuana
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q211 : synmar_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".

## Any Illicit Drug

This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.

Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".

#### Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used "Marijuana Only". Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

#### **Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

#### Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey ("Codeine", "Percocets etc", "Benzodiazepines etc", "Adderall etc", and "Other Prescriptions"). However, the category of "DXM, Triple Cs etc" is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall "Any Inhalant" category is updated as described below.

Any Inhalant	
This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for any response to this question other than "Never Heard/Used".
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is "Never Used" or missing, update it to "Ever Used" for any response to this question other than "Never Used It".
	If an initial values is missing, update it to "Never Used" for the response to this question; "Never Used It".
	If an initial value is "Never Used" or missing, update it to "Ever Used" for the following responses to this question; "Less than Once/Year", "About Once/Year".
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for the response to this question; "About Once/Month".
	If an initial value is "Never Used", "Ever Used", "School Year" or missing, update it to "Past Month" for the following responses to this question; "Several Times/Month", "Several Times/Wk", "Everyday".
	If an initial value is missing, update it to "Never Used" for the response to this question; "Never Used".
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is "Never Used", "Ever Used" or missing, update it to "School Year" for any response to this question other than "None".