

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2016



**STATE REPORT**

---

---

Prepared by

The Public Policy Research Institute  
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	28
Miscellaneous . . . . .	32
<b>2 Prevalence Tables</b>	<b>38</b>
Table B-1: All Students . . . . .	39
Table B-2: Male Students . . . . .	43
Table B-3: Female Students . . . . .	47
Table B-4: White Non-Hispanic Students . . . . .	51
Table B-5: African American Non-Hispanic Students . . . . .	55
Table B-6: Hispanic or Latino Students . . . . .	59
Table B-7: Students Reporting A Grades on Average . . . . .	63
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	67
Table B-9: Students Living with 2 Parents . . . . .	71
Table B-10: Students Not Living with 2 Parents . . . . .	75
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	79
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	83
<b>3 Margin Tables</b>	<b>87</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>107</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data for the entire state of Texas. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

**Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning this year, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in this years’ survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in previous years. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior years - please use caution when making such comparisons.**

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	14.5%	18.6%	30.5%	69.5%
Grade 7	5.3%	6.8%	13.5%	86.5%
Grade 8	8.6%	11.1%	21.2%	78.8%
Grade 9	13.3%	17.3%	29.7%	70.3%
Grade 10	16.1%	21.1%	35.0%	65.0%
Grade 11	21.4%	27.6%	42.5%	57.5%
Grade 12	27.3%	34.3%	48.5%	51.5%
<b>Cigarettes?</b>				
All	5.1%	7.5%	16.4%	83.6%
Grade 7	1.5%	2.2%	6.2%	93.8%
Grade 8	2.4%	3.6%	11.0%	89.0%
Grade 9	3.9%	5.8%	14.2%	85.8%
Grade 10	5.9%	8.1%	18.2%	81.8%
Grade 11	7.8%	12.0%	24.4%	75.6%
Grade 12	11.1%	16.7%	30.0%	70.0%
<b>Smokeless Tobacco?</b>				
All	2.9%	4.1%	7.9%	92.1%
Grade 7	0.7%	1.1%	3.0%	97.0%
Grade 8	1.5%	2.3%	4.6%	95.4%
Grade 9	2.6%	3.5%	7.0%	93.0%
Grade 10	3.0%	4.3%	8.5%	91.5%
Grade 11	4.6%	6.5%	11.8%	88.2%
Grade 12	6.2%	9.1%	15.2%	84.8%
<b>Electronic Vapor Products?</b>				
All	8.9%	13.7%	24.9%	75.1%
Grade 7	3.1%	4.7%	10.4%	89.6%
Grade 8	4.8%	7.8%	17.0%	83.0%
Grade 9	8.8%	13.2%	25.0%	75.0%
Grade 10	9.7%	15.2%	29.1%	70.9%
Grade 11	14.0%	21.1%	35.7%	64.3%
Grade 12	15.9%	24.8%	38.7%	61.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 3 of 120

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	86.1%	1.6%	1.2%	1.7%	2.7%	2.5%	4.2%
Grade 7	96.0%	0.2%	0.3%	0.4%	0.8%	0.8%	1.5%
Grade 8	92.1%	0.4%	0.6%	0.9%	1.4%	1.6%	3.1%
Grade 9	87.6%	0.8%	0.9%	1.9%	2.3%	2.5%	4.0%
Grade 10	84.0%	1.6%	1.3%	2.0%	3.3%	3.0%	4.8%
Grade 11	79.2%	3.1%	1.7%	2.4%	3.8%	3.6%	6.2%
Grade 12	72.7%	4.2%	3.1%	3.0%	5.5%	4.5%	7.0%

**Table T-3: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	26.2%	21.8%	7.4%	9.8%	14.1%	20.7%
Grade 7	34.9%	36.3%	8.9%	6.8%	7.0%	6.1%
Grade 8	30.9%	28.4%	9.0%	10.4%	11.2%	10.1%
Grade 9	28.2%	20.9%	7.8%	11.9%	15.6%	15.7%
Grade 10	23.6%	17.4%	7.4%	12.2%	17.7%	21.7%
Grade 11	19.0%	13.4%	5.7%	10.4%	20.2%	31.1%
Grade 12	16.0%	8.9%	4.2%	7.0%	14.8%	49.1%

**Table T-4: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	68.4%	19.1%	7.8%	3.7%	1.0%
Grade 7	88.1%	8.6%	2.2%	0.7%	0.4%
Grade 8	79.3%	14.3%	4.2%	1.6%	0.6%
Grade 9	69.5%	19.4%	7.4%	3.2%	0.5%
Grade 10	62.7%	22.5%	9.6%	4.2%	1.0%
Grade 11	55.2%	25.7%	11.9%	6.0%	1.2%
Grade 12	46.9%	28.1%	14.2%	8.5%	2.3%

*Percentages have been weighted to reflect proportions within the population.*

**Table T-5: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.4%	7.4%	5.9%	1.0%	0.8%	6.5%
Grade 7	85.5%	3.0%	2.2%	0.4%	0.7%	8.2%
Grade 8	83.5%	5.0%	3.1%	0.6%	0.9%	6.9%
Grade 9	79.6%	7.3%	4.7%	0.7%	0.5%	7.2%
Grade 10	78.0%	7.8%	6.3%	1.1%	0.9%	5.9%
Grade 11	74.1%	10.3%	8.4%	1.5%	0.8%	4.9%
Grade 12	65.3%	13.4%	12.9%	2.1%	1.3%	5.0%

**Table T-6: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	63.3%	22.5%	8.0%	1.9%	4.3%
	Grade 7	78.6%	13.7%	3.3%	0.7%	3.7%
	Grade 8	70.1%	19.0%	5.7%	1.2%	4.0%
	Grade 9	61.4%	24.2%	8.1%	1.5%	4.8%
	Grade 10	58.9%	25.5%	8.6%	2.2%	4.8%
	Grade 11	54.8%	27.0%	11.0%	2.6%	4.6%
	Grade 12	50.1%	28.8%	13.4%	4.0%	3.8%
Electronic Vapor Products?						
	All	52.1%	13.4%	15.2%	13.5%	5.8%
	Grade 7	70.8%	12.0%	6.7%	5.5%	5.0%
	Grade 8	60.7%	13.3%	11.8%	8.9%	5.3%
	Grade 9	49.5%	13.6%	16.6%	13.9%	6.4%
	Grade 10	44.6%	13.6%	18.8%	17.2%	5.8%
	Grade 11	40.7%	14.4%	19.4%	18.8%	6.6%
	Grade 12	39.8%	13.7%	20.9%	19.6%	6.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 5 of 120



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Alcohol Product?</b>				
All	28.6%	34.0%	53.0%	47.0%
Grade 7	13.3%	15.9%	34.6%	65.4%
Grade 8	20.3%	23.9%	43.3%	56.7%
Grade 9	28.3%	33.4%	52.9%	47.1%
Grade 10	31.8%	38.0%	58.6%	41.4%
Grade 11	38.0%	46.0%	64.8%	35.2%
Grade 12	47.1%	55.5%	71.8%	28.2%
<b>Beer?</b>				
All	11.7%	17.9%	40.3%	59.7%
Grade 7	3.8%	5.6%	23.8%	76.2%
Grade 8	6.5%	9.9%	31.6%	68.4%
Grade 9	10.6%	16.8%	39.8%	60.2%
Grade 10	12.5%	19.6%	44.6%	55.4%
Grade 11	17.6%	26.4%	50.7%	49.3%
Grade 12	23.9%	35.6%	58.9%	41.1%
<b>Wine Coolers?</b>				
All	10.3%	15.8%	33.9%	66.1%
Grade 7	3.5%	4.9%	16.6%	83.4%
Grade 8	5.6%	8.1%	23.8%	76.2%
Grade 9	9.4%	14.9%	33.7%	66.3%
Grade 10	11.8%	18.0%	38.5%	61.5%
Grade 11	15.0%	24.5%	46.2%	53.8%
Grade 12	19.9%	30.2%	52.7%	47.3%
<b>Wine?</b>				
All	8.1%	12.8%	34.6%	65.4%
Grade 7	3.7%	5.4%	20.7%	79.3%
Grade 8	5.3%	7.9%	27.4%	72.6%
Grade 9	7.3%	11.7%	33.9%	66.1%
Grade 10	8.6%	14.0%	38.2%	61.8%
Grade 11	11.0%	18.3%	44.1%	55.9%
Grade 12	15.1%	23.9%	50.1%	49.9%
<b>Liquor?</b>				
All	11.7%	18.1%	36.1%	63.9%
Grade 7	2.8%	4.2%	14.5%	85.5%
Grade 8	5.8%	9.0%	24.3%	75.7%
Grade 9	10.2%	15.8%	34.4%	65.6%
Grade 10	13.4%	21.2%	42.6%	57.4%
Grade 11	18.3%	28.4%	50.8%	49.2%
Grade 12	24.5%	37.2%	59.9%	40.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 6 of 120

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	62.7%	0.3%	1.8%	6.6%	10.5%	10.1%	8.1%
Grade 7	84.4%	0.2%	0.7%	1.4%	3.1%	4.6%	5.6%
Grade 8	74.5%	0.2%	1.0%	3.3%	5.4%	7.5%	8.2%
Grade 9	63.3%	0.3%	1.5%	5.7%	10.6%	9.4%	9.2%
Grade 10	55.6%	0.3%	2.1%	7.4%	12.0%	13.3%	9.2%
Grade 11	49.3%	0.5%	1.9%	11.1%	14.6%	14.2%	8.4%
Grade 12	39.5%	0.4%	3.9%	13.5%	20.8%	13.9%	8.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	64.3%	35.7%	7.0%	16.7%	12.0%
	Grade 7	80.4%	19.6%	1.7%	7.5%	10.4%
	Grade 8	72.7%	27.3%	2.9%	11.4%	13.0%
	Grade 9	64.2%	35.8%	6.0%	16.2%	13.6%
	Grade 10	59.9%	40.1%	7.7%	19.3%	13.1%
	Grade 11	54.6%	45.4%	11.7%	23.2%	10.6%
	Grade 12	47.2%	52.8%	15.1%	26.7%	11.1%
<b>Wine Coolers</b>						
	All	69.5%	30.5%	5.6%	17.1%	7.7%
	Grade 7	86.2%	13.8%	1.5%	6.0%	6.2%
	Grade 8	79.4%	20.6%	2.6%	9.9%	8.1%
	Grade 9	69.9%	30.1%	4.6%	17.2%	8.2%
	Grade 10	65.0%	35.0%	6.4%	20.1%	8.6%
	Grade 11	57.7%	42.3%	9.1%	25.0%	8.2%
	Grade 12	51.2%	48.8%	11.9%	29.7%	7.1%
<b>Wine</b>						
	All	69.9%	30.1%	2.3%	14.6%	13.2%
	Grade 7	83.0%	17.0%	0.9%	6.0%	10.0%
	Grade 8	76.2%	23.8%	1.6%	9.3%	12.9%
	Grade 9	69.9%	30.1%	2.3%	14.0%	13.9%
	Grade 10	66.8%	33.2%	2.4%	16.6%	14.2%
	Grade 11	61.9%	38.1%	3.1%	20.7%	14.3%
	Grade 12	56.1%	43.9%	4.3%	24.8%	14.8%
<b>Liquor</b>						
	All	66.8%	33.2%	7.9%	16.6%	8.8%
	Grade 7	87.6%	12.4%	1.3%	5.0%	6.1%
	Grade 8	78.9%	21.1%	3.3%	9.3%	8.5%
	Grade 9	68.0%	32.0%	6.9%	15.0%	10.1%
	Grade 10	60.6%	39.4%	9.5%	19.8%	10.1%
	Grade 11	52.4%	47.6%	13.0%	25.2%	9.3%
	Grade 12	43.5%	56.5%	16.9%	30.8%	8.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 8 of 120

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	88.5%	4.3%	2.6%	2.2%	0.8%	1.5%
Grade 7	96.0%	1.9%	0.8%	0.5%	0.2%	0.6%
Grade 8	93.7%	2.4%	1.7%	1.0%	0.4%	0.8%
Grade 9	90.0%	4.0%	2.0%	2.1%	0.5%	1.4%
Grade 10	87.0%	4.6%	2.8%	2.6%	1.2%	1.8%
Grade 11	83.2%	6.0%	4.0%	3.6%	1.3%	1.9%
Grade 12	77.1%	8.2%	5.6%	4.3%	1.8%	3.0%

**Table A-5: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	21.4%	14.5%	6.1%	11.1%	18.3%	28.6%
Grade 7	30.7%	26.8%	9.0%	9.8%	10.4%	13.3%
Grade 8	26.7%	19.0%	7.6%	11.6%	14.9%	20.2%
Grade 9	22.5%	12.9%	5.9%	12.0%	19.2%	27.4%
Grade 10	17.7%	10.9%	5.0%	10.7%	21.6%	34.1%
Grade 11	14.3%	7.8%	4.3%	10.8%	23.3%	39.6%
Grade 12	12.4%	5.6%	3.6%	11.8%	22.7%	43.8%

**Table A-6: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	96.2%	2.9%	0.5%	0.4%
Grade 7	97.7%	1.9%	0.2%	0.2%
Grade 8	96.9%	2.5%	0.2%	0.4%
Grade 9	96.3%	2.8%	0.4%	0.5%
Grade 10	95.9%	3.2%	0.5%	0.3%
Grade 11	95.6%	3.4%	0.5%	0.5%
Grade 12	94.2%	3.8%	1.4%	0.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 9 of 120

**Table A-7: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.5
Alcohol Non-Users	3.5
Average Days Conduct Problems Reported	
Alcohol Users	2.4
Alcohol Non-Users	0.8

**Table A-8: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
<b>Driven a Car When You Have Had a Good Bit to Drink?</b>				
High School	95.6%	3.5%	0.4%	0.4%
Grade 9	98.2%	1.5%	0.1%	0.2%
Grade 10	97.0%	2.6%	0.2%	0.3%
Grade 11	95.2%	3.8%	0.6%	0.4%
Grade 12	90.8%	7.1%	1.0%	1.0%
<b>Had Difficulties of Any Kind with Your Friends Because of Your Drinking?</b>				
All	96.5%	3.0%	0.3%	0.2%
Grade 7	98.0%	1.6%	0.2%	0.2%
Grade 8	97.7%	2.0%	0.3%	0.1%
Grade 9	96.3%	3.3%	0.3%	0.1%
Grade 10	95.9%	3.4%	0.3%	0.3%
Grade 11	95.3%	4.0%	0.3%	0.3%
Grade 12	94.8%	4.3%	0.7%	0.2%

**Table A-9: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	49.5%	23.3%	13.8%	10.3%	3.1%
Grade 7	78.6%	14.3%	4.7%	1.9%	0.4%
Grade 8	66.1%	19.9%	8.9%	3.8%	1.3%
Grade 9	47.6%	26.1%	15.1%	9.3%	1.8%
Grade 10	38.2%	27.2%	18.1%	13.0%	3.5%
Grade 11	30.6%	27.5%	19.6%	17.3%	5.0%
Grade 12	24.3%	27.1%	19.6%	20.9%	8.1%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 10 of 120

**Table A-10: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	51.0%	7.5%	5.4%	8.1%	10.3%	2.0%	15.7%
Grade 7	74.1%	6.1%	3.1%	2.8%	1.5%	2.3%	10.0%
Grade 8	67.3%	7.8%	4.7%	4.4%	3.0%	2.0%	10.7%
Grade 9	47.9%	9.2%	6.9%	8.5%	7.3%	2.4%	17.7%
Grade 10	42.2%	8.5%	6.7%	10.6%	11.5%	2.1%	18.4%
Grade 11	35.2%	7.0%	6.3%	11.4%	18.6%	1.1%	20.6%
Grade 12	29.9%	6.1%	5.1%	13.0%	25.9%	1.6%	18.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 11 of 120

©Copyright 2016 Texas A&M University  
All Rights Reserved

**Table A-11: How Often, If Ever, Do You Get Alcoholic Beverages From...**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>Home?</b>						
	All	58.9%	18.7%	15.3%	4.9%	2.2%
	Grade 7	71.7%	17.3%	8.0%	1.9%	1.0%
	Grade 8	66.5%	17.0%	11.8%	3.4%	1.4%
	Grade 9	59.2%	18.0%	15.6%	5.0%	2.2%
	Grade 10	54.7%	18.4%	18.5%	5.7%	2.7%
	Grade 11	50.8%	20.3%	19.9%	6.4%	2.6%
	Grade 12	44.6%	22.5%	20.9%	7.9%	4.2%
<b>Friends?</b>						
	All	57.7%	18.0%	11.7%	9.2%	3.3%
	Grade 7	74.2%	19.3%	3.8%	2.1%	0.5%
	Grade 8	68.8%	19.1%	7.4%	3.5%	1.2%
	Grade 9	58.6%	19.0%	12.5%	7.7%	2.2%
	Grade 10	52.2%	18.5%	14.5%	10.7%	4.1%
	Grade 11	46.1%	16.5%	16.8%	15.0%	5.7%
	Grade 12	38.8%	14.8%	18.3%	20.2%	7.8%
<b>A Store?</b>						
	All	60.0%	32.2%	3.8%	2.6%	1.4%
	Grade 7	74.4%	23.5%	1.1%	0.7%	0.3%
	Grade 8	70.0%	27.2%	1.5%	0.9%	0.4%
	Grade 9	60.7%	33.2%	3.2%	2.1%	0.8%
	Grade 10	55.3%	35.8%	4.3%	2.9%	1.7%
	Grade 11	50.2%	38.2%	5.9%	3.7%	2.0%
	Grade 12	42.7%	38.3%	8.7%	6.3%	4.1%
<b>Parties?</b>						
	All	55.7%	16.6%	9.9%	9.4%	8.5%
	Grade 7	71.1%	18.6%	5.3%	3.4%	1.6%
	Grade 8	66.4%	17.4%	8.0%	5.1%	3.1%
	Grade 9	55.7%	16.7%	10.5%	9.5%	7.5%
	Grade 10	50.6%	16.5%	11.3%	11.2%	10.4%
	Grade 11	44.8%	15.7%	11.2%	14.4%	13.9%
	Grade 12	38.2%	13.4%	14.4%	15.7%	18.3%
<b>Other Sources?</b>						
	All	61.0%	23.3%	7.9%	4.3%	3.6%
	Grade 7	73.4%	19.9%	3.6%	2.2%	0.9%
	Grade 8	69.7%	19.9%	5.3%	2.8%	2.3%
	Grade 9	62.1%	22.5%	8.0%	4.3%	3.1%
	Grade 10	56.3%	25.3%	9.2%	4.9%	4.3%
	Grade 11	52.1%	25.7%	11.2%	5.6%	5.4%
	Grade 12	45.7%	28.3%	11.9%	7.2%	6.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-12: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	64.9%	13.7%	10.7%	3.3%	1.1%	6.3%
Grade 7	78.4%	7.1%	4.2%	1.3%	0.7%	8.2%
Grade 8	72.7%	10.7%	6.6%	1.9%	1.0%	7.2%
Grade 9	64.5%	14.6%	10.2%	3.1%	0.8%	6.8%
Grade 10	60.2%	16.5%	12.3%	4.4%	1.2%	5.4%
Grade 11	57.4%	17.1%	15.1%	4.9%	1.1%	4.4%
Grade 12	50.7%	18.7%	19.0%	5.4%	1.6%	4.7%

**Table A-13: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	53.3%	29.1%	11.8%	2.4%	3.3%
Grade 7	66.9%	20.6%	7.4%	1.9%	3.2%
Grade 8	57.9%	25.4%	11.1%	2.4%	3.2%
Grade 9	50.2%	30.5%	12.9%	2.2%	4.2%
Grade 10	49.2%	31.8%	12.6%	2.8%	3.5%
Grade 11	47.0%	34.8%	12.6%	2.4%	3.2%
Grade 12	44.9%	34.4%	15.6%	2.5%	2.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	12.8%	16.9%	22.6%	77.4%
Grade 7	4.1%	5.9%	7.6%	92.4%
Grade 8	7.4%	10.2%	13.2%	86.8%
Grade 9	11.3%	15.0%	19.5%	80.5%
Grade 10	15.2%	19.9%	27.0%	73.0%
Grade 11	19.8%	26.0%	35.0%	65.0%
Grade 12	23.7%	30.4%	41.8%	58.2%
<b>Marijuana?</b>				
All	12.2%	15.0%	21.0%	79.0%
Grade 7	3.6%	4.3%	5.9%	94.1%
Grade 8	6.7%	8.3%	11.4%	88.6%
Grade 9	10.9%	13.1%	17.8%	82.2%
Grade 10	14.4%	17.8%	25.2%	74.8%
Grade 11	19.4%	23.8%	33.7%	66.3%
Grade 12	23.0%	28.1%	40.2%	59.8%
<b>Cocaine?</b>				
All	1.4%	1.7%	2.8%	97.2%
Grade 7	0.6%	0.7%	0.9%	99.1%
Grade 8	1.1%	1.2%	1.6%	98.4%
Grade 9	1.1%	1.3%	2.2%	97.8%
Grade 10	1.5%	1.9%	3.0%	97.0%
Grade 11	1.9%	2.4%	4.5%	95.5%
Grade 12	2.6%	3.2%	5.7%	94.3%
<b>Crack?</b>				
All	0.5%	0.5%	1.0%	99.0%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.6%	0.7%	1.0%	99.0%
Grade 9	0.4%	0.5%	0.8%	99.2%
Grade 10	0.4%	0.6%	1.0%	99.0%
Grade 11	0.3%	0.4%	1.0%	99.0%
Grade 12	0.7%	0.7%	1.6%	98.4%
<b>Hallucinogens?</b>				
All	0.9%	1.5%	3.1%	96.9%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.5%	1.3%	98.7%
Grade 9	0.7%	1.1%	2.3%	97.7%
Grade 10	1.1%	1.8%	3.2%	96.8%
Grade 11	1.2%	2.5%	5.6%	94.4%
Grade 12	2.2%	3.5%	7.2%	92.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 14 of 120

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.2%	0.4%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.4%	0.4%	0.8%	99.2%
Steroids?				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.4%	0.5%	1.2%	98.8%
Grade 8	0.4%	0.6%	1.6%	98.4%
Grade 9	0.5%	0.6%	1.0%	99.0%
Grade 10	0.3%	0.5%	1.5%	98.5%
Grade 11	0.2%	0.4%	1.3%	98.7%
Grade 12	0.7%	0.9%	2.0%	98.0%
Ecstasy?				
All	0.7%	1.2%	2.5%	97.5%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.6%	1.4%	98.6%
Grade 9	0.7%	1.0%	2.2%	97.8%
Grade 10	0.7%	1.3%	2.6%	97.4%
Grade 11	0.9%	1.8%	3.9%	96.1%
Grade 12	1.8%	2.7%	5.2%	94.8%
Heroin?				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.8%	99.2%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.4%	0.5%	1.0%	99.0%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.3%	0.4%	0.9%	99.1%
Methamphetamine?				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	0.4%	0.5%	1.2%	98.8%
Grade 10	0.3%	0.6%	1.2%	98.8%
Grade 11	0.2%	0.6%	1.2%	98.8%
Grade 12	0.7%	1.1%	2.0%	98.0%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 15 of 120

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.1%	1.8%	4.7%	95.3%
Grade 7	0.7%	0.9%	1.5%	98.5%
Grade 8	1.0%	1.7%	3.5%	96.5%
Grade 9	1.1%	1.8%	4.4%	95.6%
Grade 10	1.4%	2.2%	5.6%	94.4%
Grade 11	1.2%	2.2%	7.0%	93.0%
Grade 12	1.3%	2.1%	7.7%	92.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Table D-2: How Often Do You Normally Use...

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?							
All	82.4%	1.6%	1.9%	2.9%	3.5%	3.9%	3.9%
Grade 7	95.3%	0.3%	0.5%	0.7%	0.9%	1.0%	1.3%
Grade 8	91.0%	0.7%	0.9%	1.3%	1.7%	2.2%	2.2%
Grade 9	85.0%	1.1%	1.3%	2.8%	3.3%	3.0%	3.4%
Grade 10	79.1%	2.0%	2.4%	3.5%	4.2%	4.4%	4.4%
Grade 11	71.6%	2.6%	2.8%	4.7%	5.8%	6.3%	6.3%
Grade 12	65.6%	3.8%	4.1%	5.5%	6.1%	7.9%	7.1%
Cocaine?							
All	98.1%	0.1%	0.1%	0.2%	0.4%	0.5%	0.7%
Grade 7	99.3%	0.0%	0.0%	0.1%	0.1%	0.0%	0.4%
Grade 8	99.0%	0.1%	0.1%	0.1%	0.2%	0.2%	0.3%
Grade 9	98.7%	0.0%	0.0%	0.1%	0.3%	0.4%	0.5%
Grade 10	98.0%	0.1%	0.2%	0.3%	0.4%	0.3%	0.8%
Grade 11	96.9%	0.1%	0.1%	0.2%	0.5%	1.0%	1.2%
Grade 12	95.8%	0.1%	0.2%	0.7%	0.7%	1.1%	1.4%
Crack?							
All	99.4%	0.0%	0.0%	0.0%	0.1%	0.1%	0.3%
Grade 7	99.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Grade 8	99.5%	0.1%	0.0%	0.0%	0.1%	0.1%	0.2%
Grade 9	99.3%	0.0%	0.0%	0.0%	0.1%	0.1%	0.4%
Grade 10	99.4%	0.0%	0.0%	0.0%	0.2%	0.1%	0.3%
Grade 11	99.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
Grade 12	99.1%	0.0%	0.2%	0.0%	0.0%	0.2%	0.4%
Steroids?							
All	99.2%	0.1%	0.0%	0.1%	0.1%	0.1%	0.4%
Grade 7	99.2%	0.1%	0.1%	0.1%	0.1%	0.1%	0.4%
Grade 8	99.1%	0.0%	0.1%	0.0%	0.1%	0.2%	0.5%
Grade 9	99.5%	0.1%	0.0%	0.1%	0.1%	0.1%	0.1%
Grade 10	99.1%	0.1%	0.0%	0.0%	0.0%	0.1%	0.6%
Grade 11	99.3%	0.0%	0.0%	0.1%	0.1%	0.2%	0.3%
Grade 12	99.0%	0.1%	0.0%	0.0%	0.1%	0.1%	0.6%
Ecstasy?							
All	98.1%	0.1%	0.1%	0.1%	0.3%	0.6%	0.7%
Grade 7	99.7%	0.1%	0.0%	0.0%	0.1%	0.0%	0.1%
Grade 8	99.1%	0.1%	0.0%	0.0%	0.2%	0.3%	0.3%
Grade 9	98.4%	0.1%	0.0%	0.1%	0.2%	0.6%	0.5%
Grade 10	98.0%	0.0%	0.0%	0.2%	0.5%	0.5%	0.8%
Grade 11	96.7%	0.0%	0.1%	0.3%	0.5%	1.1%	1.4%
Grade 12	95.8%	0.1%	0.3%	0.2%	0.7%	1.4%	1.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table D-2: How Often Do You Normally Use...**  
(Continued)

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?							
All	99.6%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Grade 8	99.5%	0.0%	0.1%	0.1%	0.1%	0.2%	0.1%
Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
Grade 10	99.4%	0.1%	0.0%	0.1%	0.1%	0.1%	0.2%
Grade 11	99.6%	0.1%	0.0%	0.1%	0.0%	0.0%	0.2%
Grade 12	99.5%	0.0%	0.2%	0.0%	0.0%	0.0%	0.3%
Methamphetamine?							
All	99.3%	0.1%	0.1%	0.1%	0.1%	0.1%	0.3%
Grade 7	99.6%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%
Grade 8	99.1%	0.1%	0.0%	0.1%	0.1%	0.1%	0.3%
Grade 9	99.4%	0.0%	0.0%	0.0%	0.1%	0.2%	0.2%
Grade 10	99.2%	0.1%	0.1%	0.0%	0.1%	0.1%	0.4%
Grade 11	99.4%	0.0%	0.0%	0.0%	0.1%	0.1%	0.4%
Grade 12	98.8%	0.0%	0.2%	0.1%	0.1%	0.3%	0.5%
Synthetic Marijuana?							
All	96.9%	0.1%	0.1%	0.3%	0.5%	0.6%	1.5%
Grade 7	98.9%	0.1%	0.1%	0.2%	0.2%	0.1%	0.4%
Grade 8	97.7%	0.1%	0.2%	0.2%	0.5%	0.4%	0.9%
Grade 9	97.0%	0.1%	0.1%	0.3%	0.5%	0.6%	1.3%
Grade 10	96.3%	0.2%	0.1%	0.4%	0.5%	0.9%	1.6%
Grade 11	95.5%	0.1%	0.2%	0.2%	0.6%	0.9%	2.5%
Grade 12	95.1%	0.1%	0.1%	0.2%	0.4%	0.9%	3.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-3: If You Wanted Some, How Difficult Would It Be to Get...**

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Marijuana?</b>							
	All	25.4%	24.1%	7.7%	9.4%	12.6%	20.7%
	Grade 7	36.2%	41.1%	8.4%	5.5%	4.5%	4.4%
	Grade 8	31.0%	32.3%	8.9%	8.4%	8.5%	10.8%
	Grade 9	26.1%	22.4%	9.2%	10.6%	13.3%	18.4%
	Grade 10	21.1%	19.0%	6.8%	11.1%	15.4%	26.5%
	Grade 11	17.6%	13.6%	6.3%	10.7%	17.4%	34.3%
	Grade 12	16.2%	9.9%	6.0%	11.0%	19.1%	37.8%
<b>Cocaine?</b>							
	All	33.7%	35.0%	12.8%	8.9%	4.5%	5.0%
	Grade 7	39.4%	44.9%	8.9%	3.9%	1.3%	1.5%
	Grade 8	37.3%	40.6%	10.9%	5.9%	2.7%	2.6%
	Grade 9	34.7%	34.9%	13.2%	8.6%	4.2%	4.3%
	Grade 10	31.9%	31.9%	13.5%	10.9%	6.0%	5.8%
	Grade 11	28.8%	29.3%	15.1%	12.5%	6.8%	7.5%
	Grade 12	27.5%	24.2%	16.6%	13.8%	7.5%	10.4%
<b>Crack?</b>							
	All	35.7%	36.1%	13.4%	7.7%	3.3%	3.8%
	Grade 7	41.2%	43.9%	8.5%	3.7%	1.3%	1.5%
	Grade 8	38.5%	40.8%	10.9%	5.1%	2.2%	2.5%
	Grade 9	36.3%	36.0%	13.5%	7.8%	2.8%	3.6%
	Grade 10	33.7%	33.8%	14.5%	9.3%	4.4%	4.2%
	Grade 11	31.7%	31.8%	16.2%	11.2%	4.6%	4.5%
	Grade 12	30.5%	26.5%	19.3%	11.0%	5.2%	7.5%
<b>Steroids?</b>							
	All	37.3%	34.6%	12.5%	7.9%	3.8%	3.8%
	Grade 7	42.6%	41.1%	8.5%	4.6%	1.7%	1.6%
	Grade 8	40.8%	38.7%	10.3%	5.2%	2.6%	2.4%
	Grade 9	37.4%	34.9%	12.8%	7.4%	3.7%	3.8%
	Grade 10	35.6%	32.9%	12.8%	9.5%	4.7%	4.5%
	Grade 11	33.2%	30.1%	15.5%	10.7%	5.6%	4.9%
	Grade 12	32.1%	27.1%	16.5%	12.1%	5.2%	7.0%
<b>Ecstasy?</b>							
	All	45.0%	29.1%	10.4%	6.7%	4.3%	4.4%
	Grade 7	57.9%	32.0%	6.3%	2.2%	0.7%	1.0%
	Grade 8	53.2%	31.6%	7.8%	3.8%	1.7%	1.9%
	Grade 9	46.2%	29.9%	10.4%	5.9%	3.7%	3.9%
	Grade 10	40.5%	28.7%	11.8%	8.3%	5.1%	5.6%
	Grade 11	34.4%	27.0%	13.3%	10.6%	8.1%	6.5%
	Grade 12	32.0%	23.7%	14.5%	11.4%	8.7%	9.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 19 of 120

**Table D-3: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	42.1%	36.2%	11.7%	4.9%	2.2%	2.8%
	Grade 7	50.9%	37.6%	6.8%	2.6%	0.9%	1.2%
	Grade 8	46.7%	37.7%	9.1%	3.1%	1.5%	2.0%
	Grade 9	42.4%	36.9%	11.2%	4.8%	2.1%	2.6%
	Grade 10	38.3%	36.7%	13.1%	6.0%	2.6%	3.3%
	Grade 11	36.2%	35.5%	14.6%	6.7%	3.5%	3.5%
	Grade 12	34.8%	31.4%	17.8%	7.5%	3.4%	5.2%
<b>Methamphetamine?</b>							
	All	43.7%	34.6%	10.9%	5.0%	2.6%	3.2%
	Grade 7	53.1%	36.0%	6.5%	2.3%	0.9%	1.2%
	Grade 8	49.0%	35.8%	8.6%	3.0%	1.6%	2.0%
	Grade 9	43.8%	35.9%	10.1%	4.8%	2.6%	2.8%
	Grade 10	40.6%	34.8%	11.7%	6.0%	3.3%	3.7%
	Grade 11	36.8%	33.8%	14.1%	7.5%	3.5%	4.3%
	Grade 12	35.0%	30.2%	16.7%	7.5%	4.6%	6.1%
<b>Synthetic Marijuana?</b>							
	All	42.7%	27.7%	9.1%	6.8%	5.9%	7.8%
	Grade 7	53.9%	33.2%	6.2%	2.8%	1.6%	2.2%
	Grade 8	48.9%	31.3%	7.9%	4.4%	3.3%	4.3%
	Grade 9	42.8%	28.1%	9.4%	7.1%	5.4%	7.2%
	Grade 10	38.2%	25.9%	9.3%	8.1%	7.8%	10.6%
	Grade 11	34.4%	24.0%	11.7%	9.5%	9.2%	11.2%
	Grade 12	33.1%	21.1%	11.4%	10.6%	10.3%	13.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 20 of 120

**Table D-4: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	93.6%	3.6%	1.2%	1.7%
Grade 7	97.8%	1.5%	0.3%	0.4%
Grade 8	95.9%	2.7%	0.6%	0.9%
Grade 9	94.0%	3.4%	1.2%	1.4%
Grade 10	92.6%	4.0%	1.5%	1.9%
Grade 11	90.4%	5.0%	2.0%	2.7%
Grade 12	88.6%	5.8%	1.8%	3.8%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	96.9%	1.9%	0.6%	0.6%
Grade 7	98.3%	1.2%	0.2%	0.3%
Grade 8	97.9%	1.4%	0.3%	0.4%
Grade 9	96.4%	2.5%	0.5%	0.6%
Grade 10	96.9%	1.7%	0.7%	0.7%
Grade 11	95.6%	2.7%	1.0%	0.8%
Grade 12	95.7%	2.0%	1.2%	1.1%

**Table D-5: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.9
Marijuana Non-Users	3.7
Average Days Conduct Problems Reported	
Marijuana Users	3.7
Marijuana Non-Users	1.1

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table D-6: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	94.0%	3.6%	0.8%	1.5%
Grade 9	98.0%	1.5%	0.2%	0.3%
Grade 10	96.0%	2.9%	0.4%	0.6%
Grade 11	91.9%	5.0%	1.1%	2.1%
Grade 12	88.5%	5.8%	2.0%	3.7%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.8%	2.7%	0.3%	0.2%
Grade 7	98.2%	1.4%	0.2%	0.2%
Grade 8	97.5%	2.1%	0.2%	0.1%
Grade 9	96.6%	2.8%	0.4%	0.2%
Grade 10	96.4%	2.9%	0.3%	0.3%
Grade 11	95.8%	3.6%	0.4%	0.3%
Grade 12	95.6%	3.7%	0.5%	0.2%

**Table D-7: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	58.6%	19.0%	10.9%	8.5%	3.0%
Grade 7	84.2%	10.0%	3.6%	1.5%	0.7%
Grade 8	72.1%	15.0%	7.0%	4.3%	1.7%
Grade 9	58.3%	20.7%	11.5%	7.3%	2.3%
Grade 10	49.5%	21.9%	13.8%	11.0%	3.7%
Grade 11	40.6%	23.9%	16.5%	14.7%	4.3%
Grade 12	36.7%	25.2%	15.9%	15.3%	7.0%

**Table D-8: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	60.9%	5.8%	4.2%	5.4%	5.9%	2.1%	15.7%
Grade 7	83.1%	2.7%	1.1%	0.8%	1.0%	1.4%	9.9%
Grade 8	77.4%	3.6%	2.3%	2.3%	1.6%	2.1%	10.6%
Grade 9	60.3%	7.2%	4.2%	4.3%	3.6%	2.5%	18.0%
Grade 10	52.7%	7.2%	4.7%	7.3%	6.8%	2.6%	18.7%
Grade 11	43.0%	7.3%	6.5%	9.3%	11.4%	1.8%	20.7%
Grade 12	38.7%	7.8%	7.5%	10.6%	14.8%	2.3%	18.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 22 of 120

**Table D-9: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	79.0%	6.1%	5.9%	1.4%	1.5%	6.2%
Grade 7	85.9%	2.3%	2.2%	0.6%	0.9%	8.1%
Grade 8	82.8%	4.1%	4.0%	0.9%	1.3%	6.9%
Grade 9	79.8%	6.3%	4.8%	1.2%	1.2%	6.7%
Grade 10	76.6%	7.6%	6.8%	1.8%	1.9%	5.3%
Grade 11	74.6%	8.2%	8.9%	2.0%	1.7%	4.7%
Grade 12	70.8%	9.5%	10.2%	2.7%	2.1%	4.7%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 23 of 120

**Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	58.3%	13.3%	12.2%	12.2%	3.9%
	Grade 7	81.6%	7.6%	4.2%	3.1%	3.4%
	Grade 8	69.7%	11.9%	7.6%	6.8%	4.0%
	Grade 9	58.2%	14.9%	11.7%	10.5%	4.7%
	Grade 10	48.5%	16.6%	15.8%	15.3%	3.8%
	Grade 11	43.6%	15.5%	16.9%	19.4%	4.6%
	Grade 12	39.3%	14.5%	20.2%	23.0%	3.1%
Cocaine?						
	All	88.2%	6.0%	0.9%	0.5%	4.3%
	Grade 7	91.1%	4.1%	0.7%	0.4%	3.6%
	Grade 8	88.7%	5.8%	1.0%	0.3%	4.2%
	Grade 9	87.0%	6.7%	0.8%	0.6%	4.9%
	Grade 10	87.0%	6.6%	1.0%	0.5%	4.8%
	Grade 11	87.7%	6.1%	0.9%	0.6%	4.7%
	Grade 12	87.2%	7.1%	1.2%	0.7%	3.7%
Crack?						
	All	89.4%	5.0%	0.6%	0.4%	4.6%
	Grade 7	90.9%	4.1%	0.6%	0.3%	4.0%
	Grade 8	88.9%	5.5%	0.8%	0.3%	4.4%
	Grade 9	88.2%	5.8%	0.5%	0.4%	5.2%
	Grade 10	88.4%	5.4%	0.7%	0.5%	5.1%
	Grade 11	90.0%	4.2%	0.5%	0.4%	4.9%
	Grade 12	90.5%	4.7%	0.4%	0.5%	3.9%
Ecstasy?						
	All	82.4%	7.3%	2.0%	0.7%	7.5%
	Grade 7	86.4%	3.7%	0.8%	0.4%	8.7%
	Grade 8	84.0%	5.6%	1.4%	0.5%	8.5%
	Grade 9	81.8%	7.6%	1.8%	0.8%	8.0%
	Grade 10	81.4%	8.7%	2.0%	0.8%	7.1%
	Grade 11	80.2%	9.2%	2.9%	0.9%	6.8%
	Grade 12	79.6%	10.4%	3.6%	1.1%	5.3%
Steroids?						
	All	76.9%	12.2%	3.7%	1.0%	6.2%
	Grade 7	81.9%	8.7%	2.7%	0.7%	6.0%
	Grade 8	78.3%	11.4%	3.3%	0.9%	6.1%
	Grade 9	76.3%	12.8%	3.5%	1.0%	6.4%
	Grade 10	74.2%	14.0%	4.0%	1.3%	6.5%
	Grade 11	75.3%	12.7%	4.6%	1.0%	6.4%
	Grade 12	74.3%	14.7%	4.2%	1.3%	5.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Heroin?						
	All	89.6%	3.8%	0.5%	0.4%	5.7%
	Grade 7	88.9%	3.5%	0.7%	0.3%	6.5%
	Grade 8	88.2%	4.7%	0.7%	0.4%	6.0%
	Grade 9	88.6%	4.4%	0.3%	0.4%	6.3%
	Grade 10	89.6%	3.6%	0.6%	0.6%	5.6%
	Grade 11	91.3%	3.1%	0.4%	0.5%	4.7%
	Grade 12	91.7%	3.5%	0.4%	0.3%	4.2%
Methamphetamine?						
	All	89.6%	3.6%	0.5%	0.4%	5.9%
	Grade 7	89.1%	3.3%	0.5%	0.4%	6.8%
	Grade 8	88.4%	4.2%	0.7%	0.4%	6.3%
	Grade 9	88.9%	4.0%	0.4%	0.4%	6.3%
	Grade 10	89.5%	3.6%	0.6%	0.5%	5.9%
	Grade 11	91.3%	2.8%	0.5%	0.4%	4.9%
	Grade 12	91.3%	3.6%	0.4%	0.3%	4.4%
Synthetic Marijuana?						
	All	82.1%	7.3%	2.4%	1.2%	7.0%
	Grade 7	87.1%	4.2%	1.2%	0.7%	6.8%
	Grade 8	83.5%	6.3%	1.9%	1.0%	7.3%
	Grade 9	79.9%	8.4%	2.5%	1.5%	7.6%
	Grade 10	79.2%	8.9%	2.9%	1.6%	7.5%
	Grade 11	80.8%	8.1%	3.1%	1.3%	6.7%
	Grade 12	81.1%	8.6%	3.4%	0.8%	6.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 25 of 120

**Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	10.3%	13.7%	18.5%	81.5%
Grade 7	7.5%	9.8%	13.8%	86.2%
Grade 8	8.4%	10.8%	14.9%	85.1%
Grade 9	10.0%	13.3%	18.4%	81.6%
Grade 10	11.2%	14.8%	19.9%	80.1%
Grade 11	12.5%	17.3%	22.1%	77.9%
Grade 12	13.6%	18.5%	24.4%	75.6%
<b>Codeine Cough Syrup?</b>				
All	6.0%	8.6%	12.8%	87.2%
Grade 7	4.6%	6.6%	9.9%	90.1%
Grade 8	5.2%	7.2%	10.9%	89.1%
Grade 9	5.9%	8.7%	13.0%	87.0%
Grade 10	6.6%	9.0%	13.4%	86.6%
Grade 11	6.6%	10.0%	14.4%	85.6%
Grade 12	7.6%	11.4%	16.6%	83.4%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	2.4%	3.6%	5.0%	95.0%
Grade 7	0.8%	0.9%	1.3%	98.7%
Grade 8	1.0%	1.4%	2.0%	98.0%
Grade 9	1.6%	2.4%	3.7%	96.3%
Grade 10	3.0%	4.5%	5.9%	94.1%
Grade 11	3.8%	5.9%	8.7%	91.3%
Grade 12	5.4%	8.4%	11.0%	89.0%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	1.9%	2.8%	4.0%	96.0%
Grade 7	0.5%	0.8%	1.1%	98.9%
Grade 8	1.0%	1.4%	1.8%	98.2%
Grade 9	1.5%	2.3%	3.3%	96.7%
Grade 10	2.5%	3.5%	5.4%	94.6%
Grade 11	3.1%	4.8%	6.8%	93.2%
Grade 12	3.3%	5.1%	7.3%	92.7%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	1.8%	2.6%	4.0%	96.0%
Grade 7	0.4%	0.6%	1.1%	98.9%
Grade 8	1.1%	1.4%	2.0%	98.0%
Grade 9	1.3%	1.9%	3.1%	96.9%
Grade 10	2.2%	3.1%	4.7%	95.3%
Grade 11	3.2%	4.5%	6.9%	93.1%
Grade 12	3.5%	5.4%	8.0%	92.0%

*Percentages have been weighted to reflect proportions within the population.*

**Table D-11: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	4.0%	5.4%	8.5%	91.5%
Grade 7	3.8%	4.9%	7.8%	92.2%
Grade 8	4.0%	5.6%	8.2%	91.8%
Grade 9	4.2%	5.9%	9.3%	90.7%
Grade 10	4.0%	5.2%	8.9%	91.1%
Grade 11	4.0%	5.5%	8.2%	91.8%
Grade 12	4.1%	5.5%	8.4%	91.6%

**Table D-12: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.6%	2.1%	3.6%	96.4%
Grade 7	1.2%	1.6%	2.7%	97.3%
Grade 8	1.6%	2.0%	4.0%	96.0%
Grade 9	1.8%	2.4%	4.1%	95.9%
Grade 10	1.6%	2.1%	3.5%	96.5%
Grade 11	1.7%	2.4%	3.8%	96.2%
Grade 12	1.9%	2.6%	3.4%	96.6%

**Table D-13: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	74.0%	14.2%	4.2%	1.2%	6.3%
Grade 7	80.4%	9.2%	2.9%	1.0%	6.4%
Grade 8	75.9%	12.5%	4.0%	1.3%	6.3%
Grade 9	72.5%	14.9%	4.5%	1.1%	7.0%
Grade 10	72.0%	15.6%	4.5%	1.6%	6.3%
Grade 11	70.3%	16.7%	5.3%	1.4%	6.4%
Grade 12	71.3%	17.7%	4.5%	1.1%	5.4%

*Percentages have been weighted to reflect proportions within the population.*

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.3%	5.8%	11.9%	88.1%
Grade 7	5.2%	6.7%	12.3%	87.7%
Grade 8	5.6%	7.1%	13.8%	86.2%
Grade 9	5.1%	6.4%	12.6%	87.4%
Grade 10	3.7%	4.9%	11.3%	88.7%
Grade 11	3.0%	5.0%	10.5%	89.5%
Grade 12	2.5%	4.1%	9.7%	90.3%
Spray Paint?				
All	0.4%	0.6%	2.2%	97.8%
Grade 7	0.3%	0.5%	1.7%	98.3%
Grade 8	0.6%	0.8%	2.7%	97.3%
Grade 9	0.5%	0.8%	2.7%	97.3%
Grade 10	0.4%	0.5%	2.0%	98.0%
Grade 11	0.3%	0.5%	2.1%	97.9%
Grade 12	0.2%	0.5%	1.6%	98.4%
Whiteout, Correction Fluid, or Magic Markers?				
All	0.9%	1.4%	4.9%	95.1%
Grade 7	1.3%	1.9%	5.5%	94.5%
Grade 8	1.3%	1.9%	6.2%	93.8%
Grade 9	1.2%	1.7%	5.8%	94.2%
Grade 10	0.6%	1.0%	4.5%	95.5%
Grade 11	0.6%	1.0%	4.4%	95.6%
Grade 12	0.3%	0.5%	2.5%	97.5%
Computer Dusting Sprays?				
All	0.3%	0.5%	1.2%	98.8%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.5%	1.0%	99.0%
Grade 9	0.4%	0.5%	1.1%	98.9%
Grade 10	0.2%	0.3%	1.5%	98.5%
Grade 11	0.4%	0.6%	1.6%	98.4%
Grade 12	0.2%	0.3%	1.5%	98.5%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.5%	2.3%	6.0%	94.0%
Grade 7	1.8%	2.4%	6.0%	94.0%
Grade 8	2.0%	2.9%	6.6%	93.4%
Grade 9	1.6%	2.3%	6.7%	93.3%
Grade 10	1.2%	2.0%	5.9%	94.1%
Grade 11	1.0%	2.1%	5.6%	94.4%
Grade 12	1.0%	1.8%	5.0%	95.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 28 of 120

**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Glue?</b>				
All	0.3%	0.4%	1.1%	98.9%
Grade 7	0.6%	0.7%	1.5%	98.5%
Grade 8	0.4%	0.6%	1.3%	98.7%
Grade 9	0.2%	0.4%	1.0%	99.0%
Grade 10	0.1%	0.2%	0.9%	99.1%
Grade 11	0.2%	0.4%	1.2%	98.8%
Grade 12	0.1%	0.2%	0.7%	99.3%
<b>Toluene, Paint Thinner, or Other Solvents?</b>				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.3%	0.4%	0.9%	99.1%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.4%	0.5%	1.2%	98.8%
Grade 10	0.2%	0.3%	1.0%	99.0%
Grade 11	0.2%	0.5%	1.2%	98.8%
Grade 12	0.2%	0.3%	0.7%	99.3%
<b>Gasoline, Octane Booster, or Carburetor Cleaner?</b>				
All	0.5%	0.7%	1.9%	98.1%
Grade 7	0.6%	0.8%	1.9%	98.1%
Grade 8	0.6%	0.8%	2.2%	97.8%
Grade 9	0.5%	0.9%	2.4%	97.6%
Grade 10	0.4%	0.5%	1.8%	98.2%
Grade 11	0.5%	0.9%	2.0%	98.0%
Grade 12	0.2%	0.4%	1.1%	98.9%
<b>Other Aerosols/Sprays?</b>				
All	0.5%	0.7%	1.7%	98.3%
Grade 7	0.6%	0.9%	2.2%	97.8%
Grade 8	0.7%	0.9%	2.1%	97.9%
Grade 9	0.6%	0.9%	1.8%	98.2%
Grade 10	0.3%	0.5%	1.5%	98.5%
Grade 11	0.3%	0.5%	1.3%	98.7%
Grade 12	0.2%	0.3%	1.0%	99.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 29 of 120



**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.1%	0.1%	0.1%	0.2%	0.5%	0.5%	1.4%
Grade 7	96.6%	0.1%	0.2%	0.3%	0.7%	0.7%	1.4%
Grade 8	96.7%	0.2%	0.2%	0.4%	0.6%	0.5%	1.4%
Grade 9	97.1%	0.1%	0.1%	0.2%	0.4%	0.7%	1.4%
Grade 10	96.9%	0.1%	0.1%	0.3%	0.5%	0.5%	1.7%
Grade 11	97.6%	0.0%	0.1%	0.2%	0.4%	0.4%	1.3%
Grade 12	98.0%	0.0%	0.1%	0.1%	0.3%	0.3%	1.2%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	89.6%	6.1%	3.1%	1.2%
Grade 7	89.2%	6.2%	3.5%	1.1%
Grade 8	87.8%	7.3%	3.4%	1.4%
Grade 9	88.8%	6.2%	3.7%	1.4%
Grade 10	89.9%	6.2%	2.8%	1.2%
Grade 11	90.7%	5.3%	2.7%	1.3%
Grade 12	92.0%	4.9%	2.4%	0.7%

**Table I-4: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.1%	0.6%	0.1%	0.1%
Grade 7	98.8%	1.0%	0.0%	0.2%
Grade 8	99.1%	0.7%	0.1%	0.2%
Grade 9	99.2%	0.6%	0.1%	0.1%
Grade 10	99.2%	0.4%	0.2%	0.1%
Grade 11	99.2%	0.6%	0.0%	0.1%
Grade 12	99.3%	0.5%	0.1%	0.1%

*Percentages have been weighted to reflect proportions within the population.*

**Table I-5: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.8
Inhalant Non-Users	3.8
Average Days Conduct Problems Reported	
Inhalant Users	4.7
Inhalant Non-Users	1.3

**Table I-6: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	92.9%	4.9%	1.4%	0.5%	0.3%
Grade 7	92.8%	5.4%	1.3%	0.4%	0.2%
Grade 8	91.8%	5.7%	1.6%	0.7%	0.2%
Grade 9	92.3%	5.2%	1.5%	0.8%	0.2%
Grade 10	92.5%	5.1%	1.6%	0.3%	0.5%
Grade 11	94.2%	4.1%	1.0%	0.5%	0.2%
Grade 12	94.7%	3.7%	1.0%	0.3%	0.3%

**Table I-7: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	75.8%	12.8%	3.6%	1.1%	6.7%
Grade 7	79.2%	11.0%	3.8%	0.9%	5.0%
Grade 8	74.9%	13.8%	4.1%	1.3%	5.9%
Grade 9	74.5%	13.3%	3.8%	0.9%	7.5%
Grade 10	73.0%	14.5%	3.6%	1.4%	7.5%
Grade 11	76.3%	11.7%	3.4%	1.1%	7.5%
Grade 12	76.9%	12.4%	2.7%	1.1%	6.9%

**Table I-8: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	37.7%	17.0%	4.9%	6.5%	9.6%	24.4%
Grade 7	42.1%	25.8%	5.7%	5.1%	7.1%	14.2%
Grade 8	39.4%	20.6%	4.6%	6.4%	9.4%	19.7%
Grade 9	38.7%	16.4%	5.0%	7.2%	9.2%	23.5%
Grade 10	36.3%	13.9%	5.2%	6.7%	10.2%	27.7%
Grade 11	34.0%	13.0%	4.4%	7.2%	11.4%	29.9%
Grade 12	33.5%	9.4%	4.0%	6.4%	11.0%	35.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 31 of 120

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	43.9%
	Grade 7	47.1%
	Grade 8	46.0%
	Grade 9	43.9%
	Grade 10	42.7%
	Grade 11	42.4%
	Grade 12	39.6%
An Assembly Program		
	All	44.7%
	Grade 7	49.7%
	Grade 8	51.3%
	Grade 9	43.4%
	Grade 10	41.7%
	Grade 11	40.8%
	Grade 12	39.1%
Guidance Counselor		
	All	27.9%
	Grade 7	36.1%
	Grade 8	35.1%
	Grade 9	25.9%
	Grade 10	23.5%
	Grade 11	21.5%
	Grade 12	22.3%
School Nurse		
	All	17.2%
	Grade 7	24.9%
	Grade 8	22.3%
	Grade 9	15.3%
	Grade 10	13.8%
	Grade 11	12.1%
	Grade 12	11.9%
Science or Social Studies Class		
	All	27.3%
	Grade 7	30.3%
	Grade 8	27.2%
	Grade 9	28.5%
	Grade 10	26.8%
	Grade 11	24.1%
	Grade 12	26.2%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 32 of 120

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

	Yes
Student Group or Club Meeting at School	
All	14.4%
Grade 7	14.2%
Grade 8	14.4%
Grade 9	14.3%
Grade 10	14.3%
Grade 11	15.0%
Grade 12	13.9%
An Invited School Guest	
All	31.6%
Grade 7	35.1%
Grade 8	36.0%
Grade 9	31.3%
Grade 10	29.7%
Grade 11	27.9%
Grade 12	27.8%
Another Source at School	
All	28.9%
Grade 7	31.0%
Grade 8	29.7%
Grade 9	29.7%
Grade 10	28.0%
Grade 11	27.8%
Grade 12	26.4%
Any School Source	
All	68.9%
Grade 7	72.2%
Grade 8	71.8%
Grade 9	69.4%
Grade 10	67.2%
Grade 11	66.3%
Grade 12	64.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 33 of 120

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<hr/>		
Counselor/Program In-School		
	All	40.3%
	Grade 7	54.8%
	Grade 8	45.4%
	Grade 9	38.3%
	Grade 10	35.2%
	Grade 11	32.7%
	Grade 12	31.0%
School Nurse		
	All	24.0%
	Grade 7	35.8%
	Grade 8	29.5%
	Grade 9	21.3%
	Grade 10	20.2%
	Grade 11	17.2%
	Grade 12	16.2%
Another Adult In School		
	All	42.9%
	Grade 7	50.8%
	Grade 8	45.7%
	Grade 9	41.5%
	Grade 10	39.7%
	Grade 11	39.8%
	Grade 12	37.8%
Counselor/Program Outside-School		
	All	40.9%
	Grade 7	48.8%
	Grade 8	44.2%
	Grade 9	39.8%
	Grade 10	37.8%
	Grade 11	36.4%
	Grade 12	36.0%
Your Parents		
	All	70.7%
	Grade 7	79.5%
	Grade 8	73.0%
	Grade 9	69.7%
	Grade 10	68.6%
	Grade 11	66.4%
	Grade 12	63.9%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 34 of 120

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**  
(Continued)

		Yes
<b>A Medical Doctor</b>		
	All	57.2%
	Grade 7	69.0%
	Grade 8	61.2%
	Grade 9	54.4%
	Grade 10	53.3%
	Grade 11	51.0%
	Grade 12	51.0%
<b>Your Friends</b>		
	All	64.2%
	Grade 7	54.0%
	Grade 8	61.4%
	Grade 9	65.4%
	Grade 10	66.5%
	Grade 11	70.0%
	Grade 12	71.2%
<b>Another Adult</b>		
	All	62.1%
	Grade 7	65.6%
	Grade 8	62.6%
	Grade 9	63.7%
	Grade 10	61.1%
	Grade 11	60.2%
	Grade 12	58.0%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	6.2%
	Grade 7	5.5%
	Grade 8	6.4%
	Grade 9	6.3%
	Grade 10	7.4%
	Grade 11	6.3%
	Grade 12	5.5%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 35 of 120

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	4.8%	20.3%	23.3%	37.8%	13.7%
Grade 7	5.2%	16.5%	19.8%	38.9%	19.7%
Grade 8	5.0%	19.6%	21.4%	37.7%	16.2%
Grade 9	5.1%	21.3%	23.6%	37.8%	12.2%
Grade 10	5.0%	20.4%	24.6%	38.3%	11.7%
Grade 11	3.9%	21.7%	25.9%	37.8%	10.7%
Grade 12	4.2%	23.4%	26.0%	36.0%	10.3%
<b>Sometimes Carry Weapons?</b>					
All	76.0%	14.6%	5.5%	2.6%	1.4%
Grade 7	86.6%	9.9%	2.0%	0.9%	0.6%
Grade 8	79.4%	13.9%	4.2%	1.6%	0.9%
Grade 9	75.7%	14.8%	5.6%	2.8%	1.1%
Grade 10	72.6%	16.2%	6.6%	3.1%	1.5%
Grade 11	70.0%	16.8%	7.5%	3.6%	2.1%
Grade 12	67.9%	17.3%	8.1%	4.2%	2.5%
<b>Care About Making Good Grades?</b>					
All	1.9%	10.6%	22.9%	43.7%	20.9%
Grade 7	1.6%	10.7%	21.6%	40.2%	25.9%
Grade 8	2.0%	10.9%	23.0%	42.8%	21.2%
Grade 9	2.2%	11.0%	23.3%	43.0%	20.5%
Grade 10	1.9%	10.9%	23.8%	44.8%	18.6%
Grade 11	1.8%	9.1%	23.0%	47.0%	19.3%
Grade 12	1.8%	11.0%	22.7%	46.1%	18.5%
<b>Belong/Want to Belong to a Gang?</b>					
All	85.0%	9.6%	3.3%	1.2%	1.0%
Grade 7	87.2%	8.8%	2.4%	1.1%	0.5%
Grade 8	82.3%	11.6%	3.8%	1.3%	1.1%
Grade 9	83.3%	11.0%	3.5%	1.3%	0.9%
Grade 10	85.0%	9.2%	3.7%	1.2%	0.9%
Grade 11	86.7%	7.6%	3.6%	1.0%	1.2%
Grade 12	86.7%	8.4%	2.6%	1.0%	1.3%
<b>Wish They Could Drop Out of School?</b>					
All	56.5%	27.1%	10.4%	4.0%	2.0%
Grade 7	65.9%	22.4%	6.9%	3.4%	1.4%
Grade 8	59.7%	25.8%	9.2%	3.7%	1.6%
Grade 9	53.5%	29.1%	11.6%	4.0%	1.9%
Grade 10	51.9%	29.2%	11.7%	4.8%	2.4%
Grade 11	52.1%	28.4%	12.3%	4.4%	2.8%
Grade 12	53.5%	28.1%	11.6%	4.2%	2.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 36 of 120

**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	86.9%	11.3%	0.7%	0.3%	0.8%
Grade 7	86.3%	11.9%	0.7%	0.3%	0.7%
Grade 8	84.6%	13.1%	1.2%	0.3%	0.8%
Grade 9	87.0%	11.2%	0.7%	0.2%	1.0%
Grade 10	87.5%	10.8%	0.6%	0.3%	0.8%
Grade 11	88.3%	10.1%	0.7%	0.2%	0.6%
Grade 12	88.3%	10.1%	0.5%	0.3%	0.8%
<b>Out In Your Neighborhood?</b>					
All	46.5%	44.0%	6.1%	1.3%	2.1%
Grade 7	40.5%	47.2%	7.6%	1.6%	3.1%
Grade 8	42.3%	47.0%	6.9%	1.6%	2.2%
Grade 9	45.5%	45.2%	5.7%	1.1%	2.5%
Grade 10	47.9%	44.0%	5.2%	1.0%	1.8%
Grade 11	52.5%	39.8%	5.4%	1.2%	1.2%
Grade 12	53.8%	38.7%	4.9%	1.1%	1.5%
<b>At School?</b>					
All	41.9%	44.3%	7.3%	3.3%	3.1%
Grade 7	47.7%	39.9%	6.4%	3.1%	2.8%
Grade 8	42.6%	43.2%	7.5%	3.7%	3.0%
Grade 9	36.2%	47.8%	8.2%	3.5%	4.2%
Grade 10	38.3%	47.4%	8.0%	3.2%	3.1%
Grade 11	42.9%	44.3%	6.8%	3.0%	2.9%
Grade 12	44.4%	42.8%	6.7%	3.4%	2.6%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 37 of 120



## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.5%	18.6%	30.5%	69.5%
Grade 7	5.3%	6.8%	13.5%	86.5%
Grade 8	8.6%	11.1%	21.2%	78.8%
Grade 9	13.3%	17.3%	29.7%	70.3%
Grade 10	16.1%	21.1%	35.0%	65.0%
Grade 11	21.4%	27.6%	42.5%	57.5%
Grade 12	27.3%	34.3%	48.5%	51.5%
<b>Any Alcohol Product</b>				
All	28.6%	34.0%	53.0%	47.0%
Grade 7	13.3%	15.9%	34.6%	65.4%
Grade 8	20.3%	23.9%	43.3%	56.7%
Grade 9	28.3%	33.4%	52.9%	47.1%
Grade 10	31.8%	38.0%	58.6%	41.4%
Grade 11	38.0%	46.0%	64.8%	35.2%
Grade 12	47.1%	55.5%	71.8%	28.2%
<b>Any Illicit Drug</b>				
All	12.8%	16.9%	22.6%	77.4%
Grade 7	4.1%	5.9%	7.6%	92.4%
Grade 8	7.4%	10.2%	13.2%	86.8%
Grade 9	11.3%	15.0%	19.5%	80.5%
Grade 10	15.2%	19.9%	27.0%	73.0%
Grade 11	19.8%	26.0%	35.0%	65.0%
Grade 12	23.7%	30.4%	41.8%	58.2%
<b>Any Prescription Drug</b>				
All	10.3%	13.7%	18.5%	81.5%
Grade 7	7.5%	9.8%	13.8%	86.2%
Grade 8	8.4%	10.8%	14.9%	85.1%
Grade 9	10.0%	13.3%	18.4%	81.6%
Grade 10	11.2%	14.8%	19.9%	80.1%
Grade 11	12.5%	17.3%	22.1%	77.9%
Grade 12	13.6%	18.5%	24.4%	75.6%
<b>Any Inhalant</b>				
All	4.3%	5.8%	11.9%	88.1%
Grade 7	5.2%	6.7%	12.3%	87.7%
Grade 8	5.6%	7.1%	13.8%	86.2%
Grade 9	5.1%	6.4%	12.6%	87.4%
Grade 10	3.7%	4.9%	11.3%	88.7%
Grade 11	3.0%	5.0%	10.5%	89.5%
Grade 12	2.5%	4.1%	9.7%	90.3%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 39 of 120

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.9%	13.7%	24.9%	75.1%
Grade 7	3.1%	4.7%	10.4%	89.6%
Grade 8	4.8%	7.8%	17.0%	83.0%
Grade 9	8.8%	13.2%	25.0%	75.0%
Grade 10	9.7%	15.2%	29.1%	70.9%
Grade 11	14.0%	21.1%	35.7%	64.3%
Grade 12	15.9%	24.8%	38.7%	61.3%
<b>Marijuana</b>				
All	12.2%	15.0%	21.0%	79.0%
Grade 7	3.6%	4.3%	5.9%	94.1%
Grade 8	6.7%	8.3%	11.4%	88.6%
Grade 9	10.9%	13.1%	17.8%	82.2%
Grade 10	14.4%	17.8%	25.2%	74.8%
Grade 11	19.4%	23.8%	33.7%	66.3%
Grade 12	23.0%	28.1%	40.2%	59.8%
<b>Marijuana Only</b>				
All	6.6%	8.5%	13.3%	86.7%
Grade 7	1.8%	2.4%	3.8%	96.2%
Grade 8	3.2%	4.3%	6.8%	93.2%
Grade 9	6.0%	7.4%	11.0%	89.0%
Grade 10	8.2%	10.8%	16.7%	83.3%
Grade 11	10.5%	13.5%	21.4%	78.6%
Grade 12	12.3%	16.0%	25.3%	74.7%
<b>Cocaine or Crack</b>				
All	1.5%	1.8%	3.0%	97.0%
Grade 7	0.7%	0.8%	1.1%	98.9%
Grade 8	1.4%	1.5%	1.9%	98.1%
Grade 9	1.2%	1.4%	2.3%	97.7%
Grade 10	1.7%	2.0%	3.2%	96.8%
Grade 11	2.0%	2.6%	4.7%	95.3%
Grade 12	2.7%	3.3%	5.9%	94.1%
<b>Cocaine</b>				
All	1.4%	1.7%	2.8%	97.2%
Grade 7	0.6%	0.7%	0.9%	99.1%
Grade 8	1.1%	1.2%	1.6%	98.4%
Grade 9	1.1%	1.3%	2.2%	97.8%
Grade 10	1.5%	1.9%	3.0%	97.0%
Grade 11	1.9%	2.4%	4.5%	95.5%
Grade 12	2.6%	3.2%	5.7%	94.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 40 of 120

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.5%	1.0%	99.0%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.6%	0.7%	1.0%	99.0%
Grade 9	0.4%	0.5%	0.8%	99.2%
Grade 10	0.4%	0.6%	1.0%	99.0%
Grade 11	0.3%	0.4%	1.0%	99.0%
Grade 12	0.7%	0.7%	1.6%	98.4%
<b>Hallucinogens</b>				
All	0.9%	1.5%	3.1%	96.9%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.5%	1.3%	98.7%
Grade 9	0.7%	1.1%	2.3%	97.7%
Grade 10	1.1%	1.8%	3.2%	96.8%
Grade 11	1.2%	2.5%	5.6%	94.4%
Grade 12	2.2%	3.5%	7.2%	92.8%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.2%	0.4%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.4%	0.4%	0.8%	99.2%
<b>Steroids</b>				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.4%	0.5%	1.2%	98.8%
Grade 8	0.4%	0.6%	1.6%	98.4%
Grade 9	0.5%	0.6%	1.0%	99.0%
Grade 10	0.3%	0.5%	1.5%	98.5%
Grade 11	0.2%	0.4%	1.3%	98.7%
Grade 12	0.7%	0.9%	2.0%	98.0%
<b>Ecstasy</b>				
All	0.7%	1.2%	2.5%	97.5%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.6%	1.4%	98.6%
Grade 9	0.7%	1.0%	2.2%	97.8%
Grade 10	0.7%	1.3%	2.6%	97.4%
Grade 11	0.9%	1.8%	3.9%	96.1%
Grade 12	1.8%	2.7%	5.2%	94.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 41 of 120

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.8%	99.2%
Grade 9	0.2%	0.3%	0.7%	99.3%
Grade 10	0.4%	0.5%	1.0%	99.0%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.3%	0.4%	0.9%	99.1%
<b>Synthetic Marijuana</b>				
All	1.1%	1.8%	4.7%	95.3%
Grade 7	0.7%	0.9%	1.5%	98.5%
Grade 8	1.0%	1.7%	3.5%	96.5%
Grade 9	1.1%	1.8%	4.4%	95.6%
Grade 10	1.4%	2.2%	5.6%	94.4%
Grade 11	1.2%	2.2%	7.0%	93.0%
Grade 12	1.3%	2.1%	7.7%	92.3%
<b>Methamphetamine</b>				
All	0.4%	0.6%	1.2%	98.8%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	0.4%	0.5%	1.2%	98.8%
Grade 10	0.3%	0.6%	1.2%	98.8%
Grade 11	0.2%	0.6%	1.2%	98.8%
Grade 12	0.7%	1.1%	2.0%	98.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 42 of 120

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.9%	20.8%	32.2%	67.8%
Grade 7	6.6%	8.4%	15.5%	84.5%
Grade 8	8.8%	11.7%	22.1%	77.9%
Grade 9	15.1%	18.7%	31.0%	69.0%
Grade 10	18.0%	22.5%	35.7%	64.3%
Grade 11	25.5%	31.2%	44.6%	55.4%
Grade 12	33.6%	39.2%	52.8%	47.2%
<b>Any Alcohol Product</b>				
All	28.0%	32.9%	51.6%	48.4%
Grade 7	14.4%	16.9%	36.5%	63.5%
Grade 8	19.1%	22.2%	42.3%	57.7%
Grade 9	27.4%	31.5%	50.4%	49.6%
Grade 10	29.8%	35.8%	55.4%	44.6%
Grade 11	36.4%	43.0%	61.4%	38.6%
Grade 12	48.5%	56.3%	71.2%	28.8%
<b>Any Illicit Drug</b>				
All	13.4%	17.4%	23.3%	76.7%
Grade 7	4.6%	6.3%	8.2%	91.8%
Grade 8	7.9%	10.3%	13.5%	86.5%
Grade 9	10.5%	14.2%	18.5%	81.5%
Grade 10	15.8%	20.5%	27.8%	72.2%
Grade 11	20.2%	26.2%	36.4%	63.6%
Grade 12	26.2%	33.4%	44.5%	55.5%
<b>Any Prescription Drug</b>				
All	10.5%	14.1%	19.0%	81.0%
Grade 7	6.5%	9.1%	12.8%	87.2%
Grade 8	8.2%	10.7%	14.6%	85.4%
Grade 9	10.2%	13.4%	18.4%	81.6%
Grade 10	10.7%	14.1%	19.8%	80.2%
Grade 11	13.5%	18.5%	23.6%	76.4%
Grade 12	15.9%	21.4%	28.2%	71.8%
<b>Any Inhalant</b>				
All	3.9%	5.4%	11.0%	89.0%
Grade 7	4.4%	6.1%	11.2%	88.8%
Grade 8	4.4%	5.7%	11.9%	88.1%
Grade 9	4.3%	5.5%	11.0%	89.0%
Grade 10	3.6%	4.8%	11.0%	89.0%
Grade 11	3.0%	5.0%	10.3%	89.7%
Grade 12	2.9%	5.0%	10.5%	89.5%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 43 of 120

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.2%	15.0%	26.0%	74.0%
Grade 7	3.8%	5.5%	11.8%	88.2%
Grade 8	4.4%	8.0%	17.2%	82.8%
Grade 9	9.9%	14.2%	25.7%	74.3%
Grade 10	10.8%	16.4%	29.6%	70.4%
Grade 11	16.5%	23.6%	37.2%	62.8%
Grade 12	19.2%	27.5%	41.1%	58.9%
<b>Marijuana</b>				
All	12.6%	15.2%	21.6%	78.4%
Grade 7	3.9%	4.8%	6.6%	93.4%
Grade 8	6.9%	8.2%	11.4%	88.6%
Grade 9	10.1%	12.3%	17.0%	83.0%
Grade 10	14.8%	17.9%	25.7%	74.3%
Grade 11	19.6%	23.8%	35.1%	64.9%
Grade 12	25.0%	29.9%	42.1%	57.9%
<b>Marijuana Only</b>				
All	6.7%	8.4%	13.4%	86.6%
Grade 7	1.9%	2.6%	4.1%	95.9%
Grade 8	3.6%	4.4%	6.9%	93.1%
Grade 9	5.5%	6.7%	10.3%	89.7%
Grade 10	8.9%	11.2%	17.5%	82.5%
Grade 11	10.2%	13.2%	22.0%	78.0%
Grade 12	12.3%	15.6%	25.0%	75.0%
<b>Cocaine or Crack</b>				
All	2.0%	2.3%	3.5%	96.5%
Grade 7	0.6%	0.7%	1.1%	98.9%
Grade 8	1.5%	1.6%	2.1%	97.9%
Grade 9	1.3%	1.5%	2.3%	97.7%
Grade 10	2.3%	2.6%	3.8%	96.2%
Grade 11	2.7%	3.3%	5.4%	94.6%
Grade 12	4.0%	4.9%	8.3%	91.7%
<b>Cocaine</b>				
All	1.8%	2.1%	3.3%	96.7%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	1.3%	1.4%	1.6%	98.4%
Grade 9	1.2%	1.4%	2.2%	97.8%
Grade 10	2.2%	2.5%	3.6%	96.4%
Grade 11	2.5%	3.1%	5.2%	94.8%
Grade 12	3.8%	4.8%	7.9%	92.1%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 44 of 120

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.7%	1.1%	98.9%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.7%	0.8%	1.1%	98.9%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.5%	0.9%	1.3%	98.7%
Grade 11	0.5%	0.6%	1.3%	98.7%
Grade 12	1.1%	1.2%	2.1%	97.9%
<b>Hallucinogens</b>				
All	1.1%	1.8%	3.5%	96.5%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	0.4%	0.6%	1.4%	98.6%
Grade 9	0.8%	1.1%	2.4%	97.6%
Grade 10	1.2%	1.8%	3.2%	96.8%
Grade 11	1.4%	2.9%	6.2%	93.8%
Grade 12	3.2%	4.9%	8.9%	91.1%
<b>Synthetic Cathinones</b>				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.3%	0.6%	0.8%	99.2%
Grade 11	0.1%	0.2%	0.4%	99.6%
Grade 12	0.5%	0.5%	1.2%	98.8%
<b>Steroids</b>				
All	0.5%	0.7%	1.5%	98.5%
Grade 7	0.4%	0.5%	1.1%	98.9%
Grade 8	0.5%	0.6%	1.5%	98.5%
Grade 9	0.5%	0.5%	0.7%	99.3%
Grade 10	0.4%	0.7%	1.7%	98.3%
Grade 11	0.4%	0.5%	1.5%	98.5%
Grade 12	1.1%	1.4%	2.8%	97.2%
<b>Ecstasy</b>				
All	0.9%	1.3%	2.7%	97.3%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.4%	0.7%	1.5%	98.5%
Grade 9	0.4%	0.7%	1.9%	98.1%
Grade 10	0.6%	1.4%	2.6%	97.4%
Grade 11	1.3%	1.9%	4.3%	95.7%
Grade 12	2.7%	3.6%	6.2%	93.8%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 45 of 120



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade  
Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.6%	1.0%	99.0%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.4%	0.6%	1.1%	98.9%
Grade 11	0.3%	0.4%	0.7%	99.3%
Grade 12	0.6%	0.6%	1.0%	99.0%
<b>Synthetic Marijuana</b>				
All	1.2%	1.9%	4.8%	95.2%
Grade 7	0.5%	0.9%	1.6%	98.4%
Grade 8	1.0%	1.8%	3.3%	96.7%
Grade 9	1.0%	1.7%	4.2%	95.8%
Grade 10	1.7%	2.3%	5.2%	94.8%
Grade 11	1.4%	2.3%	7.3%	92.7%
Grade 12	1.5%	2.8%	8.9%	91.1%
<b>Methamphetamine</b>				
All	0.5%	0.7%	1.2%	98.8%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.6%	0.9%	1.3%	98.7%
Grade 9	0.5%	0.5%	1.0%	99.0%
Grade 10	0.2%	0.4%	0.9%	99.1%
Grade 11	0.3%	0.8%	1.4%	98.6%
Grade 12	0.9%	1.4%	2.4%	97.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 46 of 120

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.1%	16.4%	28.6%	71.4%
Grade 7	3.9%	5.0%	11.4%	88.6%
Grade 8	8.5%	10.5%	20.4%	79.6%
Grade 9	11.3%	15.6%	28.3%	71.7%
Grade 10	14.2%	19.6%	34.3%	65.7%
Grade 11	17.1%	23.7%	40.2%	59.8%
Grade 12	21.2%	29.6%	44.4%	55.6%
<b>Any Alcohol Product</b>				
All	29.2%	35.1%	54.4%	45.6%
Grade 7	12.3%	14.9%	32.6%	67.4%
Grade 8	21.6%	25.6%	44.5%	55.5%
Grade 9	29.1%	35.2%	55.4%	44.6%
Grade 10	33.9%	40.1%	61.7%	38.3%
Grade 11	39.6%	49.0%	68.3%	31.7%
Grade 12	45.7%	54.7%	72.5%	27.5%
<b>Any Illicit Drug</b>				
All	12.3%	16.5%	21.9%	78.1%
Grade 7	3.7%	5.5%	6.9%	93.1%
Grade 8	7.0%	10.2%	12.9%	87.1%
Grade 9	11.9%	15.6%	20.2%	79.8%
Grade 10	14.6%	19.3%	26.2%	73.8%
Grade 11	19.4%	25.7%	33.5%	66.5%
Grade 12	21.5%	27.7%	39.3%	60.7%
<b>Any Prescription Drug</b>				
All	10.1%	13.4%	18.0%	82.0%
Grade 7	8.5%	10.5%	14.8%	85.2%
Grade 8	8.6%	11.0%	15.3%	84.7%
Grade 9	9.6%	13.1%	18.3%	81.7%
Grade 10	11.6%	15.4%	20.0%	80.0%
Grade 11	11.5%	16.0%	20.5%	79.5%
Grade 12	11.5%	15.7%	20.9%	79.1%
<b>Any Inhalant</b>				
All	4.7%	6.1%	12.6%	87.4%
Grade 7	5.8%	7.1%	13.3%	86.7%
Grade 8	6.8%	8.5%	15.8%	84.2%
Grade 9	5.8%	7.1%	13.9%	86.1%
Grade 10	3.7%	5.0%	11.6%	88.4%
Grade 11	3.1%	4.8%	10.7%	89.3%
Grade 12	2.0%	3.1%	9.0%	91.0%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 47 of 120

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.6%	12.3%	23.8%	76.2%
Grade 7	2.5%	3.7%	8.9%	91.1%
Grade 8	5.3%	7.5%	16.8%	83.2%
Grade 9	7.8%	12.2%	24.0%	76.0%
Grade 10	8.4%	14.0%	28.5%	71.5%
Grade 11	11.2%	18.2%	34.0%	66.0%
Grade 12	12.9%	22.2%	36.5%	63.5%
<b>Marijuana</b>				
All	11.9%	14.7%	20.4%	79.6%
Grade 7	3.1%	3.7%	5.2%	94.8%
Grade 8	6.6%	8.5%	11.5%	88.5%
Grade 9	11.6%	13.7%	18.4%	81.6%
Grade 10	14.2%	17.7%	24.6%	75.4%
Grade 11	19.2%	23.7%	32.3%	67.7%
Grade 12	21.1%	26.4%	38.5%	61.5%
<b>Marijuana Only</b>				
All	6.6%	8.6%	13.1%	86.9%
Grade 7	1.6%	2.1%	3.3%	96.7%
Grade 8	2.8%	4.3%	6.8%	93.2%
Grade 9	6.5%	8.0%	11.7%	88.3%
Grade 10	7.6%	10.3%	15.9%	84.1%
Grade 11	11.0%	13.8%	20.7%	79.3%
Grade 12	12.4%	16.3%	25.7%	74.3%
<b>Cocaine or Crack</b>				
All	1.1%	1.3%	2.4%	97.6%
Grade 7	0.8%	0.9%	1.1%	98.9%
Grade 8	1.2%	1.3%	1.8%	98.2%
Grade 9	1.1%	1.2%	2.2%	97.8%
Grade 10	1.0%	1.4%	2.6%	97.4%
Grade 11	1.3%	1.7%	4.0%	96.0%
Grade 12	1.4%	1.7%	3.7%	96.3%
<b>Cocaine</b>				
All	1.0%	1.2%	2.3%	97.7%
Grade 7	0.7%	0.8%	1.0%	99.0%
Grade 8	1.0%	1.1%	1.5%	98.5%
Grade 9	0.9%	1.1%	2.0%	98.0%
Grade 10	0.9%	1.3%	2.4%	97.6%
Grade 11	1.3%	1.7%	3.9%	96.1%
Grade 12	1.3%	1.6%	3.5%	96.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.5%	0.5%	1.0%	99.0%
Grade 10	0.2%	0.4%	0.7%	99.3%
Grade 11	0.1%	0.2%	0.8%	99.2%
Grade 12	0.2%	0.2%	1.0%	99.0%
<b>Hallucinogens</b>				
All	0.7%	1.2%	2.7%	97.3%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.3%	0.4%	1.2%	98.8%
Grade 9	0.5%	1.0%	2.0%	98.0%
Grade 10	1.0%	1.8%	3.3%	96.7%
Grade 11	1.0%	2.1%	5.0%	95.0%
Grade 12	1.3%	2.1%	5.6%	94.4%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.0%	0.1%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.2%	0.2%	0.5%	99.5%
<b>Steroids</b>				
All	0.3%	0.5%	1.4%	98.6%
Grade 7	0.3%	0.4%	1.3%	98.7%
Grade 8	0.4%	0.6%	1.8%	98.2%
Grade 9	0.5%	0.8%	1.2%	98.8%
Grade 10	0.2%	0.3%	1.3%	98.7%
Grade 11	0.1%	0.2%	1.1%	98.9%
Grade 12	0.4%	0.5%	1.2%	98.8%
<b>Ecstasy</b>				
All	0.6%	1.1%	2.3%	97.7%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.4%	0.6%	1.2%	98.8%
Grade 9	0.9%	1.4%	2.6%	97.4%
Grade 10	0.8%	1.2%	2.6%	97.4%
Grade 11	0.6%	1.7%	3.6%	96.4%
Grade 12	0.9%	1.8%	4.3%	95.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.3%	0.4%	0.8%	99.2%
Grade 10	0.4%	0.5%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.8%	99.2%
<b>Synthetic Marijuana</b>				
All	1.1%	1.6%	4.6%	95.4%
Grade 7	0.8%	0.9%	1.4%	98.6%
Grade 8	1.1%	1.6%	3.7%	96.3%
Grade 9	1.2%	1.9%	4.4%	95.6%
Grade 10	1.2%	2.0%	6.0%	94.0%
Grade 11	1.0%	2.1%	6.8%	93.2%
Grade 12	1.1%	1.4%	6.6%	93.4%
<b>Methamphetamine</b>				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.4%	0.6%	1.3%	98.7%
Grade 10	0.5%	0.7%	1.4%	98.6%
Grade 11	0.1%	0.3%	1.0%	99.0%
Grade 12	0.5%	0.8%	1.5%	98.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 50 of 120

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.1%	20.5%	31.3%	68.7%
Grade 7	4.3%	5.6%	10.9%	89.1%
Grade 8	7.6%	10.1%	19.1%	80.9%
Grade 9	14.1%	18.2%	29.6%	70.4%
Grade 10	17.2%	22.8%	36.2%	63.8%
Grade 11	26.1%	32.3%	45.5%	54.5%
Grade 12	31.2%	39.0%	52.0%	48.0%
<b>Any Alcohol Product</b>				
All	28.5%	34.8%	54.2%	45.8%
Grade 7	10.9%	13.3%	32.4%	67.6%
Grade 8	17.7%	21.0%	42.2%	57.8%
Grade 9	27.0%	32.6%	52.7%	47.3%
Grade 10	31.2%	39.2%	60.7%	39.3%
Grade 11	40.5%	49.9%	68.7%	31.3%
Grade 12	49.2%	58.9%	74.2%	25.8%
<b>Any Illicit Drug</b>				
All	10.4%	14.5%	19.7%	80.3%
Grade 7	2.6%	3.9%	5.2%	94.8%
Grade 8	4.7%	6.8%	9.1%	90.9%
Grade 9	7.8%	11.5%	15.3%	84.7%
Grade 10	12.3%	17.2%	23.5%	76.5%
Grade 11	17.3%	23.6%	31.6%	68.4%
Grade 12	20.2%	27.5%	38.5%	61.5%
<b>Any Prescription Drug</b>				
All	10.8%	14.9%	18.9%	81.1%
Grade 7	8.0%	10.8%	15.2%	84.8%
Grade 8	8.1%	11.1%	14.8%	85.2%
Grade 9	9.7%	13.3%	17.5%	82.5%
Grade 10	12.2%	16.9%	20.6%	79.4%
Grade 11	12.7%	17.6%	21.9%	78.1%
Grade 12	15.2%	21.0%	25.2%	74.8%
<b>Any Inhalant</b>				
All	3.1%	4.5%	10.4%	89.6%
Grade 7	3.2%	4.2%	9.3%	90.7%
Grade 8	4.1%	5.9%	12.1%	87.9%
Grade 9	3.5%	4.7%	10.4%	89.6%
Grade 10	3.2%	4.8%	11.9%	88.1%
Grade 11	2.6%	3.8%	9.7%	90.3%
Grade 12	2.0%	3.4%	9.0%	91.0%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 51 of 120

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.2%	15.3%	25.5%	74.5%
Grade 7	2.5%	3.7%	8.0%	92.0%
Grade 8	4.0%	6.9%	14.9%	85.1%
Grade 9	9.0%	13.9%	24.1%	75.9%
Grade 10	11.1%	17.3%	29.6%	70.4%
Grade 11	18.0%	25.4%	38.6%	61.4%
Grade 12	19.3%	28.3%	42.6%	57.4%
<b>Marijuana</b>				
All	9.9%	12.7%	18.2%	81.8%
Grade 7	2.1%	2.6%	3.8%	96.2%
Grade 8	4.0%	5.0%	7.5%	92.5%
Grade 9	7.6%	9.8%	13.8%	86.2%
Grade 10	11.9%	15.0%	21.4%	78.6%
Grade 11	16.9%	21.5%	30.3%	69.7%
Grade 12	19.8%	25.5%	37.3%	62.7%
<b>Marijuana Only</b>				
All	5.1%	7.0%	11.5%	88.5%
Grade 7	1.1%	1.6%	2.6%	97.4%
Grade 8	2.1%	2.8%	4.7%	95.3%
Grade 9	4.4%	5.8%	9.1%	90.9%
Grade 10	6.0%	8.3%	13.4%	86.6%
Grade 11	8.9%	12.1%	19.2%	80.8%
Grade 12	9.4%	13.5%	23.3%	76.7%
<b>Cocaine or Crack</b>				
All	0.8%	1.0%	1.9%	98.1%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	0.6%	0.7%	1.0%	99.0%
Grade 9	0.3%	0.4%	1.0%	99.0%
Grade 10	0.7%	1.0%	2.0%	98.0%
Grade 11	1.0%	1.7%	3.3%	96.7%
Grade 12	1.7%	2.1%	4.0%	96.0%
<b>Cocaine</b>				
All	0.7%	0.9%	1.7%	98.3%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.3%	0.4%	1.0%	99.0%
Grade 10	0.7%	0.9%	1.8%	98.2%
Grade 11	1.0%	1.6%	3.3%	96.7%
Grade 12	1.7%	2.1%	3.7%	96.3%

*Percentages have been weighted to reflect proportions within the population.*

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.1%	0.3%	0.5%	99.5%
Grade 11	0.1%	0.2%	0.5%	99.5%
Grade 12	0.3%	0.4%	1.1%	98.9%
<b>Hallucinogens</b>				
All	0.9%	1.6%	3.4%	96.6%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.5%	0.9%	99.1%
Grade 9	0.5%	1.0%	1.9%	98.1%
Grade 10	1.2%	1.9%	3.9%	96.1%
Grade 11	1.5%	2.9%	6.1%	93.9%
Grade 12	2.0%	4.0%	8.3%	91.7%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.3%	0.3%	0.4%	99.6%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.1%	0.1%	0.5%	99.5%
<b>Steroids</b>				
All	0.3%	0.5%	1.4%	98.6%
Grade 7	0.3%	0.3%	1.1%	98.9%
Grade 8	0.4%	0.6%	1.4%	98.6%
Grade 9	0.3%	0.4%	0.7%	99.3%
Grade 10	0.2%	0.4%	1.6%	98.4%
Grade 11	0.4%	0.6%	1.9%	98.1%
Grade 12	0.5%	0.7%	2.1%	97.9%
<b>Ecstasy</b>				
All	0.6%	1.1%	2.2%	97.8%
Grade 7	0.1%	0.3%	0.4%	99.6%
Grade 8	0.2%	0.4%	0.9%	99.1%
Grade 9	0.4%	0.6%	1.0%	99.0%
Grade 10	0.7%	1.4%	2.8%	97.2%
Grade 11	0.6%	1.5%	4.0%	96.0%
Grade 12	1.4%	2.6%	4.8%	95.2%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 53 of 120



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.6%	99.4%
Grade 11	0.1%	0.2%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.5%	99.5%
<b>Synthetic Marijuana</b>				
All	0.8%	1.3%	4.0%	96.0%
Grade 7	0.4%	0.5%	0.9%	99.1%
Grade 8	0.7%	1.0%	2.1%	97.9%
Grade 9	0.7%	1.0%	3.2%	96.8%
Grade 10	0.9%	1.8%	5.6%	94.4%
Grade 11	1.1%	1.9%	5.7%	94.3%
Grade 12	0.9%	1.6%	7.5%	92.5%
<b>Methamphetamine</b>				
All	0.3%	0.5%	1.1%	98.9%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.4%	0.6%	1.0%	99.0%
Grade 9	0.4%	0.4%	0.9%	99.1%
Grade 10	0.2%	0.5%	1.3%	98.7%
Grade 11	0.2%	0.5%	1.3%	98.7%
Grade 12	0.5%	0.9%	2.1%	97.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 54 of 120

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.0%	15.1%	27.2%	72.8%
Grade 7	5.9%	6.7%	12.9%	87.1%
Grade 8	6.4%	7.8%	16.1%	83.9%
Grade 9	6.9%	11.6%	22.8%	77.2%
Grade 10	14.4%	17.0%	31.5%	68.5%
Grade 11	15.6%	21.5%	40.3%	59.7%
Grade 12	27.5%	31.1%	47.2%	52.8%
<b>Any Alcohol Product</b>				
All	25.5%	31.1%	48.9%	51.1%
Grade 7	11.5%	16.1%	33.2%	66.8%
Grade 8	14.2%	16.5%	32.2%	67.8%
Grade 9	25.0%	30.2%	48.0%	52.0%
Grade 10	31.0%	36.8%	57.7%	42.3%
Grade 11	28.9%	38.7%	60.8%	39.2%
Grade 12	50.0%	56.5%	69.7%	30.3%
<b>Any Illicit Drug</b>				
All	14.6%	19.5%	25.2%	74.8%
Grade 7	5.1%	6.2%	8.3%	91.7%
Grade 8	6.8%	10.8%	13.2%	86.8%
Grade 9	11.5%	15.6%	19.6%	80.4%
Grade 10	17.2%	22.5%	29.8%	70.2%
Grade 11	20.2%	28.8%	36.7%	63.3%
Grade 12	32.6%	40.5%	53.3%	46.7%
<b>Any Prescription Drug</b>				
All	10.2%	13.7%	20.7%	79.3%
Grade 7	5.6%	7.8%	13.3%	86.7%
Grade 8	5.7%	7.5%	11.5%	88.5%
Grade 9	9.1%	14.0%	20.4%	79.6%
Grade 10	14.5%	17.0%	24.9%	75.1%
Grade 11	16.1%	20.8%	27.9%	72.1%
Grade 12	11.9%	18.1%	30.6%	69.4%
<b>Any Inhalant</b>				
All	4.3%	5.4%	9.4%	90.6%
Grade 7	5.5%	6.8%	11.4%	88.6%
Grade 8	5.1%	5.9%	10.2%	89.8%
Grade 9	5.2%	5.4%	9.8%	90.2%
Grade 10	4.1%	4.5%	8.5%	91.5%
Grade 11	3.6%	6.7%	9.6%	90.4%
Grade 12	1.5%	2.2%	6.1%	93.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.6%	11.7%	22.8%	77.2%
Grade 7	3.7%	4.8%	9.9%	90.1%
Grade 8	2.6%	4.6%	12.7%	87.3%
Grade 9	5.1%	9.0%	18.2%	81.8%
Grade 10	9.0%	13.2%	27.3%	72.7%
Grade 11	11.3%	17.9%	35.8%	64.2%
Grade 12	17.1%	25.1%	39.7%	60.3%
<b>Marijuana</b>				
All	14.1%	17.2%	23.4%	76.6%
Grade 7	4.1%	4.6%	6.6%	93.4%
Grade 8	6.3%	8.5%	10.6%	89.4%
Grade 9	11.1%	13.6%	18.2%	81.8%
Grade 10	15.9%	19.7%	27.7%	72.3%
Grade 11	20.3%	24.6%	34.4%	65.6%
Grade 12	32.8%	39.8%	52.6%	47.4%
<b>Marijuana Only</b>				
All	11.0%	13.4%	19.0%	81.0%
Grade 7	2.6%	2.9%	4.9%	95.1%
Grade 8	4.1%	5.4%	7.3%	92.7%
Grade 9	9.0%	10.8%	14.1%	85.9%
Grade 10	13.4%	17.0%	24.7%	75.3%
Grade 11	17.1%	20.6%	29.0%	71.0%
Grade 12	24.4%	30.0%	42.3%	57.7%
<b>Cocaine or Crack</b>				
All	1.0%	1.1%	1.4%	98.6%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	1.3%	1.3%	1.7%	98.3%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	2.0%	2.0%	2.3%	97.7%
Grade 11	0.2%	0.5%	1.2%	98.8%
Grade 12	1.3%	1.6%	2.1%	97.9%
<b>Cocaine</b>				
All	0.9%	1.0%	1.3%	98.7%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	1.2%	1.3%	1.3%	98.7%
Grade 9	0.9%	0.9%	0.9%	99.1%
Grade 10	1.6%	1.6%	1.9%	98.1%
Grade 11	0.2%	0.5%	1.2%	98.8%
Grade 12	1.4%	1.6%	2.2%	97.8%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 56 of 120

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.2%	0.4%	0.7%	99.3%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.4%	1.4%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.3%	0.3%	0.8%	99.2%
Hallucinogens				
All	0.7%	0.8%	1.8%	98.2%
Grade 7	1.0%	1.0%	1.4%	98.6%
Grade 8	0.0%	0.1%	1.3%	98.7%
Grade 9	0.5%	0.6%	1.3%	98.7%
Grade 10	1.3%	1.3%	2.0%	98.0%
Grade 11	0.4%	0.6%	1.1%	98.9%
Grade 12	0.9%	1.7%	3.9%	96.1%
Synthetic Cathinones				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	1.1%	1.2%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.1%	99.9%
Steroids				
All	0.3%	0.6%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.0%	0.3%	2.2%	97.8%
Grade 9	0.7%	0.7%	0.8%	99.2%
Grade 10	0.2%	1.3%	3.5%	96.5%
Grade 11	0.5%	0.5%	2.5%	97.5%
Grade 12	0.9%	1.1%	1.6%	98.4%
Ecstasy				
All	0.5%	1.0%	2.0%	98.0%
Grade 7	1.0%	1.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.5%	1.2%	2.1%	97.9%
Grade 10	0.0%	0.2%	0.7%	99.3%
Grade 11	0.2%	2.0%	3.7%	96.3%
Grade 12	1.5%	2.1%	3.7%	96.3%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 57 of 120

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.6%	0.7%	1.1%	98.9%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.7%	99.3%
<b>Synthetic Marijuana</b>				
All	0.9%	1.4%	2.7%	97.3%
Grade 7	0.8%	1.0%	1.1%	98.9%
Grade 8	0.9%	1.8%	2.5%	97.5%
Grade 9	0.8%	0.8%	2.3%	97.7%
Grade 10	1.1%	1.1%	1.8%	98.2%
Grade 11	0.2%	1.6%	2.8%	97.2%
Grade 12	1.8%	2.2%	6.3%	93.7%
<b>Methamphetamine</b>				
All	0.5%	0.6%	0.7%	99.3%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.2%	0.7%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.0%	0.5%	0.6%	99.4%
Grade 12	1.4%	1.4%	1.4%	98.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 58 of 120

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.9%	18.2%	30.6%	69.4%
Grade 7	5.8%	7.5%	15.0%	85.0%
Grade 8	9.7%	12.5%	23.3%	76.7%
Grade 9	14.1%	17.9%	31.1%	68.9%
Grade 10	15.1%	20.3%	34.7%	65.3%
Grade 11	19.1%	25.4%	40.5%	59.5%
Grade 12	24.6%	32.2%	47.2%	52.8%
<b>Any Alcohol Product</b>				
All	29.4%	34.2%	53.1%	46.9%
Grade 7	15.1%	17.1%	36.2%	63.8%
Grade 8	23.2%	26.9%	46.1%	53.9%
Grade 9	29.6%	34.1%	53.3%	46.7%
Grade 10	32.4%	37.7%	57.7%	42.3%
Grade 11	38.6%	45.3%	63.1%	36.9%
Grade 12	45.3%	53.6%	71.4%	28.6%
<b>Any Illicit Drug</b>				
All	14.0%	17.9%	23.8%	76.2%
Grade 7	5.0%	6.9%	8.6%	91.4%
Grade 8	9.3%	12.0%	15.2%	84.8%
Grade 9	13.7%	17.2%	22.1%	77.9%
Grade 10	16.0%	20.5%	28.2%	71.8%
Grade 11	21.3%	27.1%	36.7%	63.3%
Grade 12	24.2%	30.5%	41.9%	58.1%
<b>Any Prescription Drug</b>				
All	9.8%	12.7%	17.5%	82.5%
Grade 7	7.2%	9.1%	12.5%	87.5%
Grade 8	9.2%	11.4%	15.7%	84.3%
Grade 9	10.1%	12.9%	17.9%	82.1%
Grade 10	9.7%	12.7%	18.1%	81.9%
Grade 11	11.1%	15.5%	20.2%	79.8%
Grade 12	12.9%	16.8%	22.7%	77.3%
<b>Any Inhalant</b>				
All	5.0%	6.6%	12.9%	87.1%
Grade 7	6.1%	7.8%	13.9%	86.1%
Grade 8	6.3%	7.8%	14.9%	85.1%
Grade 9	6.0%	7.5%	13.9%	86.1%
Grade 10	4.0%	5.2%	11.3%	88.7%
Grade 11	3.2%	5.1%	11.0%	89.0%
Grade 12	3.1%	5.0%	10.8%	89.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.2%	13.1%	24.8%	75.2%
Grade 7	3.6%	5.1%	11.4%	88.6%
Grade 8	5.7%	8.9%	18.8%	81.2%
Grade 9	9.2%	13.6%	26.5%	73.5%
Grade 10	8.4%	14.3%	28.7%	71.3%
Grade 11	11.4%	18.7%	33.5%	66.5%
Grade 12	13.2%	22.6%	36.3%	63.7%
<b>Marijuana</b>				
All	13.3%	16.0%	22.3%	77.7%
Grade 7	4.4%	5.2%	7.0%	93.0%
Grade 8	8.6%	10.3%	13.8%	86.2%
Grade 9	13.2%	15.4%	20.5%	79.5%
Grade 10	15.4%	18.8%	26.5%	73.5%
Grade 11	20.7%	25.2%	35.6%	64.4%
Grade 12	23.0%	27.7%	40.1%	59.9%
<b>Marijuana Only</b>				
All	6.7%	8.5%	13.3%	86.7%
Grade 7	2.1%	2.7%	4.2%	95.8%
Grade 8	3.8%	4.9%	7.6%	92.4%
Grade 9	6.5%	7.9%	11.8%	88.2%
Grade 10	8.1%	10.6%	17.0%	83.0%
Grade 11	10.5%	13.3%	21.3%	78.7%
Grade 12	11.9%	15.1%	23.8%	76.2%
<b>Cocaine or Crack</b>				
All	2.1%	2.5%	3.9%	96.1%
Grade 7	1.0%	1.1%	1.4%	98.6%
Grade 8	1.8%	2.0%	2.5%	97.5%
Grade 9	1.9%	2.1%	3.4%	96.6%
Grade 10	2.1%	2.7%	4.2%	95.8%
Grade 11	3.0%	3.5%	6.1%	93.9%
Grade 12	3.8%	4.6%	8.0%	92.0%
<b>Cocaine</b>				
All	2.0%	2.3%	3.7%	96.3%
Grade 7	0.9%	0.9%	1.3%	98.7%
Grade 8	1.7%	1.8%	2.3%	97.7%
Grade 9	1.7%	1.9%	3.2%	96.8%
Grade 10	2.0%	2.6%	4.0%	96.0%
Grade 11	2.8%	3.3%	5.9%	94.1%
Grade 12	3.6%	4.5%	7.7%	92.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 60 of 120

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.7%	1.2%	98.8%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.8%	0.9%	1.3%	98.7%
Grade 9	0.7%	0.8%	1.3%	98.7%
Grade 10	0.5%	0.7%	1.2%	98.8%
Grade 11	0.5%	0.6%	1.3%	98.7%
Grade 12	0.9%	0.9%	1.9%	98.1%
<b>Hallucinogens</b>				
All	0.9%	1.5%	3.0%	97.0%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.5%	0.6%	1.5%	98.5%
Grade 9	0.8%	1.3%	2.7%	97.3%
Grade 10	1.1%	1.8%	2.9%	97.1%
Grade 11	0.9%	2.2%	5.5%	94.5%
Grade 12	2.6%	3.6%	7.0%	93.0%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.1%	0.3%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.6%	0.6%	1.0%	99.0%
<b>Steroids</b>				
All	0.5%	0.6%	1.3%	98.7%
Grade 7	0.5%	0.7%	1.5%	98.5%
Grade 8	0.5%	0.6%	1.8%	98.2%
Grade 9	0.6%	0.8%	1.2%	98.8%
Grade 10	0.2%	0.3%	0.9%	99.1%
Grade 11	0.1%	0.2%	0.7%	99.3%
Grade 12	0.8%	1.0%	1.8%	98.2%
<b>Ecstasy</b>				
All	0.9%	1.3%	2.6%	97.4%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.6%	0.9%	1.7%	98.3%
Grade 9	0.8%	1.3%	2.8%	97.2%
Grade 10	0.8%	1.6%	2.9%	97.1%
Grade 11	1.2%	1.7%	3.8%	96.2%
Grade 12	2.0%	2.8%	5.4%	94.6%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 61 of 120



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.5%	0.9%	99.1%
Grade 9	0.3%	0.5%	0.8%	99.2%
Grade 10	0.4%	0.6%	1.0%	99.0%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.5%	0.6%	1.2%	98.8%
<b>Synthetic Marijuana</b>				
All	1.4%	2.2%	5.6%	94.4%
Grade 7	0.8%	1.1%	1.9%	98.1%
Grade 8	1.3%	2.1%	4.7%	95.3%
Grade 9	1.4%	2.5%	5.7%	94.3%
Grade 10	1.8%	2.7%	6.3%	93.7%
Grade 11	1.5%	2.5%	8.8%	91.2%
Grade 12	1.4%	2.6%	8.1%	91.9%
<b>Methamphetamine</b>				
All	0.5%	0.7%	1.3%	98.7%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.6%	0.8%	1.4%	98.6%
Grade 9	0.5%	0.6%	1.5%	98.5%
Grade 10	0.4%	0.6%	1.2%	98.8%
Grade 11	0.2%	0.4%	1.0%	99.0%
Grade 12	0.8%	1.3%	2.1%	97.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 62 of 120

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	9.5%	13.1%	22.4%	77.6%
Grade 7	2.2%	3.1%	7.8%	92.2%
Grade 8	4.2%	5.9%	12.2%	87.8%
Grade 9	7.9%	10.9%	18.8%	81.2%
Grade 10	9.8%	14.9%	27.0%	73.0%
Grade 11	14.5%	21.5%	35.6%	64.4%
Grade 12	22.6%	28.6%	41.6%	58.4%
<b>Any Alcohol Product</b>				
All	22.4%	27.9%	48.0%	52.0%
Grade 7	8.6%	10.6%	28.1%	71.9%
Grade 8	13.8%	16.8%	37.8%	62.2%
Grade 9	20.5%	25.5%	46.5%	53.5%
Grade 10	23.9%	30.0%	54.0%	46.0%
Grade 11	33.3%	42.3%	62.4%	37.6%
Grade 12	41.9%	51.6%	69.2%	30.8%
<b>Any Illicit Drug</b>				
All	7.7%	11.1%	15.2%	84.8%
Grade 7	1.9%	3.2%	4.0%	96.0%
Grade 8	2.7%	4.7%	6.6%	93.4%
Grade 9	5.5%	8.2%	10.7%	89.3%
Grade 10	8.4%	11.9%	17.3%	82.7%
Grade 11	13.7%	19.7%	26.5%	73.5%
Grade 12	17.9%	23.9%	33.0%	67.0%
<b>Any Prescription Drug</b>				
All	9.0%	12.1%	15.5%	84.5%
Grade 7	7.5%	10.5%	13.9%	86.1%
Grade 8	8.1%	10.3%	12.9%	87.1%
Grade 9	8.4%	11.7%	14.9%	85.1%
Grade 10	8.3%	11.4%	15.3%	84.7%
Grade 11	10.6%	14.5%	18.1%	81.9%
Grade 12	11.7%	15.3%	19.2%	80.8%
<b>Any Inhalant</b>				
All	3.0%	4.2%	8.9%	91.1%
Grade 7	3.4%	4.3%	8.4%	91.6%
Grade 8	4.2%	5.8%	11.0%	89.0%
Grade 9	3.3%	4.0%	8.9%	91.1%
Grade 10	3.2%	4.3%	10.0%	90.0%
Grade 11	1.6%	2.8%	7.4%	92.6%
Grade 12	1.9%	3.4%	7.3%	92.7%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 63 of 120

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	5.8%	9.9%	18.3%	81.7%
Grade 7	1.2%	2.1%	5.5%	94.5%
Grade 8	2.3%	4.1%	9.4%	90.6%
Grade 9	5.4%	8.7%	16.3%	83.7%
Grade 10	6.1%	11.3%	22.0%	78.0%
Grade 11	9.9%	17.1%	30.6%	69.4%
Grade 12	12.5%	20.6%	33.3%	66.7%
<b>Marijuana</b>				
All	7.2%	9.4%	13.8%	86.2%
Grade 7	1.5%	1.9%	2.8%	97.2%
Grade 8	2.4%	3.4%	5.2%	94.8%
Grade 9	5.2%	6.6%	9.4%	90.6%
Grade 10	7.8%	9.9%	15.7%	84.3%
Grade 11	13.4%	17.4%	25.0%	75.0%
Grade 12	17.0%	21.7%	31.4%	68.6%
<b>Marijuana Only</b>				
All	4.1%	5.6%	9.2%	90.8%
Grade 7	1.0%	1.3%	2.1%	97.9%
Grade 8	0.9%	1.7%	3.1%	96.9%
Grade 9	2.7%	3.7%	5.8%	94.2%
Grade 10	4.2%	6.0%	10.7%	89.3%
Grade 11	7.7%	10.3%	16.4%	83.6%
Grade 12	10.2%	13.6%	21.6%	78.4%
<b>Cocaine or Crack</b>				
All	0.8%	0.9%	1.7%	98.3%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.5%	0.7%	1.0%	99.0%
Grade 9	0.7%	0.7%	1.1%	98.9%
Grade 10	0.8%	1.0%	1.5%	98.5%
Grade 11	1.2%	1.5%	3.1%	96.9%
Grade 12	1.6%	1.8%	3.7%	96.3%
<b>Cocaine</b>				
All	0.7%	0.9%	1.5%	98.5%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.7%	0.9%	99.1%
Grade 9	0.6%	0.7%	1.0%	99.0%
Grade 10	0.8%	1.0%	1.5%	98.5%
Grade 11	1.1%	1.5%	2.9%	97.1%
Grade 12	1.5%	1.7%	3.5%	96.5%

*Percentages have been weighted to reflect proportions within the population.*

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.7%	99.3%
Grade 9	0.3%	0.3%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.5%	0.6%	1.2%	98.8%
<b>Hallucinogens</b>				
All	0.6%	0.9%	2.0%	98.0%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.2%	0.4%	99.6%
Grade 9	0.5%	0.6%	1.2%	98.8%
Grade 10	0.7%	1.2%	2.2%	97.8%
Grade 11	0.7%	1.9%	4.5%	95.5%
Grade 12	1.6%	2.3%	4.4%	95.6%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.0%	0.1%	0.2%	99.8%
Grade 12	0.7%	0.7%	1.2%	98.8%
<b>Steroids</b>				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.1%	0.1%	0.8%	99.2%
Grade 8	0.3%	0.5%	1.4%	98.6%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.2%	0.4%	1.7%	98.3%
Grade 11	0.2%	0.3%	1.2%	98.8%
Grade 12	1.0%	1.0%	1.8%	98.2%
<b>Ecstasy</b>				
All	0.4%	0.7%	1.5%	98.5%
Grade 7	0.0%	0.1%	0.2%	99.8%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.2%	0.5%	1.3%	98.7%
Grade 10	0.6%	1.0%	1.8%	98.2%
Grade 11	0.4%	1.2%	2.5%	97.5%
Grade 12	1.2%	1.8%	3.6%	96.4%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 65 of 120

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.5%	0.6%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.5%	0.5%	0.9%	99.1%
<b>Synthetic Marijuana</b>				
All	0.4%	0.8%	2.7%	97.3%
Grade 7	0.1%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.6%	1.6%	98.4%
Grade 9	0.4%	0.9%	2.2%	97.8%
Grade 10	0.5%	1.2%	3.1%	96.9%
Grade 11	0.5%	1.0%	4.1%	95.9%
Grade 12	0.5%	1.2%	6.0%	94.0%
<b>Methamphetamine</b>				
All	0.3%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.4%	0.8%	1.1%	98.9%
Grade 11	0.1%	0.2%	0.2%	99.8%
Grade 12	0.6%	0.8%	1.6%	98.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 66 of 120

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.7%	20.9%	33.5%	66.5%
Grade 7	6.7%	8.4%	16.1%	83.9%
Grade 8	10.8%	13.4%	24.9%	75.1%
Grade 9	15.3%	19.4%	33.1%	66.9%
Grade 10	19.3%	24.0%	38.7%	61.3%
Grade 11	24.7%	30.8%	46.1%	53.9%
Grade 12	30.5%	38.7%	52.6%	47.4%
<b>Any Alcohol Product</b>				
All	31.0%	36.2%	54.4%	45.6%
Grade 7	15.8%	18.7%	37.9%	62.1%
Grade 8	23.0%	26.7%	45.2%	54.8%
Grade 9	31.6%	36.5%	55.3%	44.7%
Grade 10	35.9%	42.0%	60.2%	39.8%
Grade 11	40.0%	47.5%	65.5%	34.5%
Grade 12	49.3%	56.5%	72.2%	27.8%
<b>Any Illicit Drug</b>				
All	15.2%	19.5%	25.8%	74.2%
Grade 7	5.2%	7.3%	9.5%	90.5%
Grade 8	9.5%	12.5%	16.0%	84.0%
Grade 9	13.9%	17.8%	22.9%	77.1%
Grade 10	19.2%	24.5%	32.4%	67.6%
Grade 11	23.2%	29.4%	39.6%	60.4%
Grade 12	27.3%	33.9%	45.9%	54.1%
<b>Any Prescription Drug</b>				
All	10.9%	14.3%	19.7%	80.3%
Grade 7	7.4%	9.4%	13.8%	86.2%
Grade 8	8.4%	10.8%	15.6%	84.4%
Grade 9	10.7%	13.9%	19.6%	80.4%
Grade 10	12.5%	16.6%	22.3%	77.7%
Grade 11	13.8%	18.8%	24.3%	75.7%
Grade 12	14.7%	20.0%	26.8%	73.2%
<b>Any Inhalant</b>				
All	5.0%	6.7%	13.3%	86.7%
Grade 7	6.1%	7.9%	14.3%	85.7%
Grade 8	6.1%	7.5%	14.7%	85.3%
Grade 9	6.0%	7.3%	13.7%	86.3%
Grade 10	3.8%	5.3%	12.1%	87.9%
Grade 11	3.9%	6.1%	12.5%	87.5%
Grade 12	2.9%	4.8%	11.1%	88.9%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 67 of 120

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	10.2%	15.2%	27.4%	72.6%
Grade 7	3.9%	5.8%	12.5%	87.5%
Grade 8	6.0%	9.2%	20.1%	79.9%
Grade 9	9.8%	14.5%	27.5%	72.5%
Grade 10	11.5%	17.2%	32.4%	67.6%
Grade 11	16.1%	23.1%	38.2%	61.8%
Grade 12	18.4%	28.1%	42.5%	57.5%
<b>Marijuana</b>				
All	14.6%	17.5%	24.1%	75.9%
Grade 7	4.5%	5.5%	7.6%	92.4%
Grade 8	8.7%	10.4%	14.2%	85.8%
Grade 9	13.3%	15.7%	21.1%	78.9%
Grade 10	18.2%	22.4%	30.6%	69.4%
Grade 11	22.8%	27.4%	38.5%	61.5%
Grade 12	26.8%	31.8%	44.7%	55.3%
<b>Marijuana Only</b>				
All	7.8%	9.9%	15.1%	84.9%
Grade 7	2.2%	3.0%	4.7%	95.3%
Grade 8	4.2%	5.5%	8.6%	91.4%
Grade 9	7.6%	9.1%	13.2%	86.8%
Grade 10	10.5%	13.4%	20.1%	79.9%
Grade 11	12.4%	15.5%	24.0%	76.0%
Grade 12	13.9%	17.4%	27.4%	72.6%
<b>Cocaine or Crack</b>				
All	1.9%	2.2%	3.5%	96.5%
Grade 7	0.9%	0.9%	1.3%	98.7%
Grade 8	1.7%	1.8%	2.2%	97.8%
Grade 9	1.4%	1.6%	2.8%	97.2%
Grade 10	2.4%	2.7%	4.2%	95.8%
Grade 11	2.5%	3.1%	5.4%	94.6%
Grade 12	3.0%	3.9%	6.4%	93.6%
<b>Cocaine</b>				
All	1.7%	2.0%	3.2%	96.8%
Grade 7	0.8%	0.8%	1.1%	98.9%
Grade 8	1.5%	1.5%	1.9%	98.1%
Grade 9	1.3%	1.5%	2.6%	97.4%
Grade 10	2.1%	2.5%	3.9%	96.1%
Grade 11	2.3%	2.9%	5.3%	94.7%
Grade 12	2.9%	3.7%	6.2%	93.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade  
Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.6%	1.1%	98.9%
Grade 7	0.4%	0.4%	0.6%	99.4%
Grade 8	0.6%	0.7%	1.1%	98.9%
Grade 9	0.5%	0.5%	0.9%	99.1%
Grade 10	0.6%	0.9%	1.3%	98.7%
Grade 11	0.5%	0.6%	1.4%	98.6%
Grade 12	0.7%	0.8%	1.5%	98.5%
<b>Hallucinogens</b>				
All	1.1%	1.7%	3.5%	96.5%
Grade 7	0.4%	0.5%	0.8%	99.2%
Grade 8	0.5%	0.6%	1.6%	98.4%
Grade 9	0.6%	1.1%	2.5%	97.5%
Grade 10	1.4%	2.1%	3.9%	96.1%
Grade 11	1.4%	2.6%	5.8%	94.2%
Grade 12	2.7%	4.4%	8.5%	91.5%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.2%	0.3%	99.7%
Grade 9	0.3%	0.3%	0.6%	99.4%
Grade 10	0.3%	0.5%	0.8%	99.2%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.7%	99.3%
<b>Steroids</b>				
All	0.4%	0.6%	1.5%	98.5%
Grade 7	0.4%	0.5%	1.3%	98.7%
Grade 8	0.4%	0.5%	1.7%	98.3%
Grade 9	0.6%	0.7%	1.0%	99.0%
Grade 10	0.4%	0.7%	1.7%	98.3%
Grade 11	0.2%	0.4%	1.4%	98.6%
Grade 12	0.7%	0.9%	1.8%	98.2%
<b>Ecstasy</b>				
All	0.9%	1.4%	2.8%	97.2%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.5%	0.8%	1.7%	98.3%
Grade 9	0.8%	1.2%	2.5%	97.5%
Grade 10	0.8%	1.6%	3.2%	96.8%
Grade 11	1.4%	2.2%	4.7%	95.3%
Grade 12	1.7%	2.9%	5.8%	94.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	1.0%	99.0%
Grade 9	0.3%	0.4%	0.8%	99.2%
Grade 10	0.3%	0.5%	1.0%	99.0%
Grade 11	0.3%	0.4%	0.7%	99.3%
Grade 12	0.3%	0.4%	0.7%	99.3%
<b>Synthetic Marijuana</b>				
All	1.4%	2.1%	5.6%	94.4%
Grade 7	1.1%	1.2%	2.1%	97.9%
Grade 8	1.1%	1.9%	4.1%	95.9%
Grade 9	1.4%	2.1%	5.1%	94.9%
Grade 10	1.9%	2.7%	6.9%	93.1%
Grade 11	1.4%	2.5%	8.7%	91.3%
Grade 12	1.8%	2.9%	9.1%	90.9%
<b>Methamphetamine</b>				
All	0.5%	0.7%	1.4%	98.6%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.7%	0.9%	1.6%	98.4%
Grade 9	0.5%	0.6%	1.4%	98.6%
Grade 10	0.3%	0.4%	1.0%	99.0%
Grade 11	0.3%	0.5%	1.5%	98.5%
Grade 12	0.8%	1.4%	2.1%	97.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	12.0%	15.7%	25.6%	74.4%
Grade 7	4.2%	5.5%	10.4%	89.6%
Grade 8	7.0%	9.0%	16.8%	83.2%
Grade 9	11.5%	14.6%	25.1%	74.9%
Grade 10	13.0%	17.8%	30.2%	69.8%
Grade 11	18.5%	23.9%	37.9%	62.1%
Grade 12	24.1%	30.8%	43.7%	56.3%
<b>Any Alcohol Product</b>				
All	25.7%	30.7%	48.5%	51.5%
Grade 7	12.4%	14.5%	31.2%	68.8%
Grade 8	17.5%	20.8%	39.4%	60.6%
Grade 9	25.7%	30.3%	48.9%	51.1%
Grade 10	28.6%	34.0%	53.6%	46.4%
Grade 11	35.6%	43.5%	61.0%	39.0%
Grade 12	43.7%	52.3%	67.9%	32.1%
<b>Any Illicit Drug</b>				
All	9.6%	13.1%	17.6%	82.4%
Grade 7	2.8%	4.2%	5.6%	94.4%
Grade 8	5.0%	7.5%	9.7%	90.3%
Grade 9	8.4%	11.3%	14.4%	85.6%
Grade 10	11.0%	15.8%	21.7%	78.3%
Grade 11	16.0%	21.3%	28.8%	71.2%
Grade 12	19.5%	25.5%	34.7%	65.3%
<b>Any Prescription Drug</b>				
All	8.6%	11.8%	15.8%	84.2%
Grade 7	6.3%	8.6%	11.9%	88.1%
Grade 8	7.3%	9.7%	13.0%	87.0%
Grade 9	8.4%	11.5%	16.2%	83.8%
Grade 10	9.1%	12.1%	16.3%	83.7%
Grade 11	10.7%	15.1%	19.0%	81.0%
Grade 12	11.3%	16.0%	21.0%	79.0%
<b>Any Inhalant</b>				
All	3.8%	5.1%	11.0%	89.0%
Grade 7	4.4%	5.7%	11.2%	88.8%
Grade 8	4.9%	6.2%	12.5%	87.5%
Grade 9	4.7%	5.8%	11.7%	88.3%
Grade 10	3.2%	4.4%	10.5%	89.5%
Grade 11	2.4%	3.7%	9.5%	90.5%
Grade 12	2.6%	4.3%	9.4%	90.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 71 of 120

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	7.5%	11.7%	21.3%	78.7%
Grade 7	2.5%	3.7%	7.8%	92.2%
Grade 8	3.6%	6.2%	13.7%	86.3%
Grade 9	7.8%	11.6%	21.8%	78.2%
Grade 10	7.5%	12.8%	25.3%	74.7%
Grade 11	12.6%	19.1%	32.1%	67.9%
Grade 12	14.6%	22.2%	35.4%	64.6%
<b>Marijuana</b>				
All	9.1%	11.3%	16.0%	84.0%
Grade 7	2.2%	2.8%	4.0%	96.0%
Grade 8	4.5%	6.0%	8.2%	91.8%
Grade 9	8.2%	9.7%	13.0%	87.0%
Grade 10	10.4%	13.6%	19.6%	80.4%
Grade 11	15.5%	19.2%	27.6%	72.4%
Grade 12	18.7%	23.2%	33.2%	66.8%
<b>Marijuana Only</b>				
All	4.7%	6.3%	10.0%	90.0%
Grade 7	1.1%	1.5%	2.5%	97.5%
Grade 8	2.1%	3.3%	5.0%	95.0%
Grade 9	4.3%	5.2%	7.7%	92.3%
Grade 10	5.8%	8.3%	13.2%	86.8%
Grade 11	7.9%	10.4%	17.2%	82.8%
Grade 12	9.8%	13.0%	20.6%	79.4%
<b>Cocaine or Crack</b>				
All	1.3%	1.5%	2.5%	97.5%
Grade 7	0.7%	0.7%	1.0%	99.0%
Grade 8	1.0%	1.1%	1.5%	98.5%
Grade 9	1.0%	1.1%	1.9%	98.1%
Grade 10	1.3%	1.6%	2.4%	97.6%
Grade 11	1.7%	2.0%	3.8%	96.2%
Grade 12	2.5%	3.1%	5.6%	94.4%
<b>Cocaine</b>				
All	1.2%	1.4%	2.3%	97.7%
Grade 7	0.6%	0.6%	0.9%	99.1%
Grade 8	0.9%	0.9%	1.2%	98.8%
Grade 9	0.8%	1.0%	1.7%	98.3%
Grade 10	1.1%	1.4%	2.2%	97.8%
Grade 11	1.6%	1.9%	3.7%	96.3%
Grade 12	2.5%	3.0%	5.3%	94.7%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 72 of 120

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade  
Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.6%	0.8%	99.2%
Grade 9	0.4%	0.4%	0.7%	99.3%
Grade 10	0.5%	0.5%	0.8%	99.2%
Grade 11	0.3%	0.3%	0.8%	99.2%
Grade 12	0.5%	0.5%	1.0%	99.0%
Hallucinogens				
All	0.7%	1.2%	2.3%	97.7%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.7%	99.3%
Grade 9	0.5%	0.8%	1.6%	98.4%
Grade 10	0.9%	1.4%	2.5%	97.5%
Grade 11	1.2%	2.6%	4.9%	95.1%
Grade 12	2.0%	2.7%	5.6%	94.4%
Synthetic Cathinones				
All	0.1%	0.2%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.1%	0.2%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.2%	0.2%	0.6%	99.4%
Steroids				
All	0.3%	0.5%	1.3%	98.7%
Grade 7	0.3%	0.4%	1.1%	98.9%
Grade 8	0.4%	0.5%	1.7%	98.3%
Grade 9	0.3%	0.4%	0.7%	99.3%
Grade 10	0.3%	0.3%	1.3%	98.7%
Grade 11	0.2%	0.4%	1.3%	98.7%
Grade 12	0.5%	0.7%	1.5%	98.5%
Ecstasy				
All	0.6%	1.0%	1.9%	98.1%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.6%	1.2%	98.8%
Grade 9	0.4%	0.6%	1.7%	98.3%
Grade 10	0.7%	1.4%	2.2%	97.8%
Grade 11	0.9%	1.5%	3.2%	96.8%
Grade 12	1.4%	2.2%	3.9%	96.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 73 of 120

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.2%	0.4%	0.6%	99.4%
Grade 9	0.2%	0.4%	0.8%	99.2%
Grade 10	0.6%	0.7%	1.0%	99.0%
Grade 11	0.1%	0.2%	0.6%	99.4%
Grade 12	0.1%	0.2%	0.4%	99.6%
<b>Synthetic Marijuana</b>				
All	0.9%	1.4%	3.5%	96.5%
Grade 7	0.5%	0.7%	1.0%	99.0%
Grade 8	0.7%	1.2%	2.5%	97.5%
Grade 9	0.7%	1.2%	3.2%	96.8%
Grade 10	1.2%	1.8%	3.9%	96.1%
Grade 11	1.2%	1.9%	5.6%	94.4%
Grade 12	1.1%	1.8%	6.4%	93.6%
<b>Methamphetamine</b>				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.3%	0.4%	1.0%	99.0%
Grade 10	0.5%	0.7%	1.1%	98.9%
Grade 11	0.2%	0.6%	1.1%	98.9%
Grade 12	0.4%	0.6%	1.4%	98.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 74 of 120

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	18.6%	23.6%	38.5%	61.5%
Grade 7	7.2%	9.2%	19.7%	80.3%
Grade 8	11.5%	14.6%	28.8%	71.2%
Grade 9	16.4%	21.8%	37.4%	62.6%
Grade 10	21.2%	26.3%	42.8%	57.2%
Grade 11	25.9%	33.3%	49.8%	50.2%
Grade 12	32.0%	39.4%	55.4%	44.6%
<b>Any Alcohol Product</b>				
All	33.4%	39.6%	60.5%	39.5%
Grade 7	15.0%	18.5%	41.3%	58.7%
Grade 8	25.2%	29.2%	50.4%	49.6%
Grade 9	32.7%	38.7%	59.6%	40.4%
Grade 10	36.8%	44.2%	66.4%	33.6%
Grade 11	41.8%	50.1%	70.8%	29.2%
Grade 12	51.8%	60.0%	77.5%	22.5%
<b>Any Illicit Drug</b>				
All	18.3%	23.4%	31.1%	68.9%
Grade 7	6.9%	9.4%	11.4%	88.6%
Grade 8	11.6%	14.9%	19.3%	80.7%
Grade 9	16.0%	21.2%	27.6%	72.4%
Grade 10	21.8%	26.4%	35.5%	64.5%
Grade 11	25.8%	33.3%	44.8%	55.2%
Grade 12	29.9%	37.7%	52.0%	48.0%
<b>Any Prescription Drug</b>				
All	13.1%	17.0%	23.1%	76.9%
Grade 7	9.8%	12.3%	17.7%	82.3%
Grade 8	10.1%	12.9%	18.3%	81.7%
Grade 9	12.4%	16.2%	22.1%	77.9%
Grade 10	14.4%	18.9%	25.5%	74.5%
Grade 11	15.4%	20.8%	26.9%	73.1%
Grade 12	17.0%	22.0%	29.3%	70.7%
<b>Any Inhalant</b>				
All	5.1%	6.9%	13.4%	86.6%
Grade 7	6.7%	8.5%	14.6%	85.4%
Grade 8	6.8%	8.6%	16.2%	83.8%
Grade 9	6.0%	7.5%	14.2%	85.8%
Grade 10	4.4%	5.7%	12.4%	87.6%
Grade 11	3.9%	6.8%	12.1%	87.9%
Grade 12	2.2%	3.7%	10.1%	89.9%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 75 of 120

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.3%	17.1%	31.1%	68.9%
Grade 7	4.4%	6.5%	15.5%	84.5%
Grade 8	7.2%	10.5%	22.9%	77.1%
Grade 9	10.5%	16.1%	30.3%	69.7%
Grade 10	13.0%	19.0%	35.4%	64.6%
Grade 11	16.2%	24.2%	41.6%	58.4%
Grade 12	17.8%	28.5%	43.3%	56.7%
<b>Marijuana</b>				
All	17.6%	21.0%	29.3%	70.7%
Grade 7	6.3%	7.4%	9.8%	90.2%
Grade 8	10.7%	12.5%	17.2%	82.8%
Grade 9	15.5%	18.8%	25.5%	74.5%
Grade 10	20.8%	24.3%	33.9%	66.1%
Grade 11	25.5%	31.0%	43.3%	56.7%
Grade 12	29.1%	35.1%	50.3%	49.7%
<b>Marijuana Only</b>				
All	9.8%	12.2%	18.8%	81.2%
Grade 7	3.3%	4.2%	6.2%	93.8%
Grade 8	5.2%	6.3%	10.2%	89.8%
Grade 9	8.8%	10.9%	16.4%	83.6%
Grade 10	12.1%	14.7%	22.3%	77.7%
Grade 11	14.7%	18.3%	27.9%	72.1%
Grade 12	16.1%	20.5%	32.1%	67.9%
<b>Cocaine or Crack</b>				
All	1.9%	2.3%	3.9%	96.1%
Grade 7	0.8%	0.8%	1.3%	98.7%
Grade 8	1.8%	2.1%	2.6%	97.4%
Grade 9	1.6%	1.8%	3.0%	97.0%
Grade 10	2.2%	2.8%	4.4%	95.6%
Grade 11	2.6%	3.4%	6.0%	94.0%
Grade 12	2.9%	3.5%	6.4%	93.6%
<b>Cocaine</b>				
All	1.8%	2.2%	3.6%	96.4%
Grade 7	0.7%	0.7%	1.1%	98.9%
Grade 8	1.5%	1.7%	2.2%	97.8%
Grade 9	1.6%	1.7%	2.9%	97.1%
Grade 10	2.1%	2.7%	4.2%	95.8%
Grade 11	2.4%	3.2%	5.8%	94.2%
Grade 12	2.7%	3.3%	6.2%	93.8%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 76 of 120

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.6%	0.7%	1.3%	98.7%
Grade 7	0.5%	0.5%	0.7%	99.3%
Grade 8	0.8%	0.9%	1.3%	98.7%
Grade 9	0.6%	0.7%	1.0%	99.0%
Grade 10	0.2%	0.8%	1.2%	98.8%
Grade 11	0.4%	0.5%	1.4%	98.6%
Grade 12	0.9%	0.9%	2.3%	97.7%
<b>Hallucinogens</b>				
All	1.1%	2.0%	4.3%	95.7%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.7%	0.9%	2.3%	97.7%
Grade 9	0.9%	1.6%	3.3%	96.7%
Grade 10	1.4%	2.3%	4.3%	95.7%
Grade 11	1.2%	2.4%	6.6%	93.4%
Grade 12	2.5%	4.5%	9.5%	90.5%
<b>Synthetic Cathinones</b>				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.3%	0.3%	0.7%	99.3%
Grade 10	0.4%	0.5%	0.9%	99.1%
Grade 11	0.1%	0.2%	0.3%	99.7%
Grade 12	0.6%	0.6%	1.2%	98.8%
<b>Steroids</b>				
All	0.6%	0.8%	1.7%	98.3%
Grade 7	0.5%	0.6%	1.6%	98.4%
Grade 8	0.5%	0.6%	1.4%	98.6%
Grade 9	0.9%	1.0%	1.4%	98.6%
Grade 10	0.4%	0.8%	1.9%	98.1%
Grade 11	0.3%	0.3%	1.4%	98.6%
Grade 12	1.1%	1.3%	2.5%	97.5%
<b>Ecstasy</b>				
All	1.0%	1.6%	3.4%	96.6%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.5%	0.8%	1.7%	98.3%
Grade 9	1.1%	1.6%	3.1%	96.9%
Grade 10	0.7%	1.3%	3.3%	96.7%
Grade 11	1.0%	2.3%	5.0%	95.0%
Grade 12	2.3%	3.4%	7.2%	92.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 77 of 120



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.3%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.5%	1.1%	98.9%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.9%	99.1%
Grade 11	0.2%	0.2%	0.6%	99.4%
Grade 12	0.6%	0.6%	1.6%	98.4%
<b>Synthetic Marijuana</b>				
All	1.5%	2.4%	6.7%	93.3%
Grade 7	1.0%	1.3%	2.4%	97.6%
Grade 8	1.6%	2.6%	5.3%	94.7%
Grade 9	1.7%	2.9%	6.3%	93.7%
Grade 10	1.9%	2.7%	8.0%	92.0%
Grade 11	1.3%	2.6%	9.2%	90.8%
Grade 12	1.5%	2.5%	9.6%	90.4%
<b>Methamphetamine</b>				
All	0.5%	0.8%	1.5%	98.5%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.6%	0.9%	1.7%	98.3%
Grade 9	0.6%	0.7%	1.4%	98.6%
Grade 10	0.2%	0.4%	1.2%	98.8%
Grade 11	0.3%	0.6%	1.5%	98.5%
Grade 12	1.1%	1.7%	2.7%	97.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 78 of 120

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	13.0%	16.9%	28.6%	71.4%
Grade 7	4.3%	5.6%	11.5%	88.5%
Grade 8	7.0%	9.3%	18.8%	81.2%
Grade 9	12.2%	16.3%	28.9%	71.1%
Grade 10	14.4%	19.0%	33.1%	66.9%
Grade 11	19.8%	25.6%	41.2%	58.8%
Grade 12	25.6%	32.5%	46.8%	53.2%
<b>Any Alcohol Product</b>				
All	26.8%	32.1%	51.9%	48.1%
Grade 7	11.4%	13.7%	32.4%	67.6%
Grade 8	17.6%	21.1%	41.0%	59.0%
Grade 9	27.0%	32.1%	53.1%	46.9%
Grade 10	29.6%	35.9%	57.7%	42.3%
Grade 11	37.5%	45.7%	65.1%	34.9%
Grade 12	46.0%	54.4%	71.8%	28.2%
<b>Any Illicit Drug</b>				
All	11.1%	14.9%	20.4%	79.6%
Grade 7	3.0%	4.4%	5.9%	94.1%
Grade 8	5.9%	8.2%	10.9%	89.1%
Grade 9	9.7%	13.0%	17.1%	82.9%
Grade 10	12.8%	17.3%	24.4%	75.6%
Grade 11	18.5%	24.4%	33.6%	66.4%
Grade 12	21.5%	28.2%	39.6%	60.4%
<b>Any Prescription Drug</b>				
All	9.9%	13.1%	17.4%	82.6%
Grade 7	7.4%	9.6%	13.4%	86.6%
Grade 8	7.8%	10.2%	13.7%	86.3%
Grade 9	9.8%	13.1%	17.6%	82.4%
Grade 10	10.5%	13.5%	18.0%	82.0%
Grade 11	12.3%	16.9%	20.9%	79.1%
Grade 12	13.4%	17.9%	23.1%	76.9%
<b>Any Inhalant</b>				
All	3.7%	5.0%	10.7%	89.3%
Grade 7	4.4%	5.6%	11.1%	88.9%
Grade 8	4.9%	6.3%	12.4%	87.6%
Grade 9	4.6%	5.6%	11.6%	88.4%
Grade 10	3.1%	4.1%	10.2%	89.8%
Grade 11	2.5%	4.0%	9.4%	90.6%
Grade 12	2.2%	3.7%	8.8%	91.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 79 of 120

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	8.0%	12.4%	23.4%	76.6%
Grade 7	2.5%	3.8%	8.8%	91.2%
Grade 8	4.1%	6.7%	15.1%	84.9%
Grade 9	7.9%	12.3%	24.1%	75.9%
Grade 10	8.5%	13.7%	27.5%	72.5%
Grade 11	13.0%	19.7%	34.7%	65.3%
Grade 12	15.1%	23.4%	37.2%	62.8%
<b>Marijuana</b>				
All	10.5%	13.1%	18.9%	81.1%
Grade 7	2.4%	3.1%	4.4%	95.6%
Grade 8	5.3%	6.7%	9.4%	90.6%
Grade 9	9.3%	11.2%	15.6%	84.4%
Grade 10	12.3%	15.4%	22.9%	77.1%
Grade 11	18.1%	22.3%	32.2%	67.8%
Grade 12	20.6%	25.8%	38.1%	61.9%
<b>Marijuana Only</b>				
All	6.0%	7.8%	12.6%	87.4%
Grade 7	1.3%	1.9%	3.0%	97.0%
Grade 8	2.8%	3.9%	6.1%	93.9%
Grade 9	5.5%	6.7%	10.2%	89.8%
Grade 10	7.4%	9.8%	16.0%	84.0%
Grade 11	10.6%	13.4%	21.6%	78.4%
Grade 12	11.3%	15.0%	24.6%	75.4%
<b>Cocaine or Crack</b>				
All	1.2%	1.4%	2.4%	97.6%
Grade 7	0.5%	0.5%	0.8%	99.2%
Grade 8	0.9%	1.0%	1.2%	98.8%
Grade 9	0.9%	1.1%	1.9%	98.1%
Grade 10	1.0%	1.3%	2.2%	97.8%
Grade 11	1.8%	2.2%	4.0%	96.0%
Grade 12	2.4%	2.8%	5.1%	94.9%
<b>Cocaine</b>				
All	1.1%	1.3%	2.2%	97.8%
Grade 7	0.4%	0.4%	0.7%	99.3%
Grade 8	0.8%	0.9%	1.0%	99.0%
Grade 9	0.8%	1.0%	1.8%	98.2%
Grade 10	0.9%	1.1%	2.0%	98.0%
Grade 11	1.7%	2.1%	3.9%	96.1%
Grade 12	2.3%	2.7%	4.9%	95.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.7%	99.3%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.5%	0.6%	99.4%
Grade 9	0.5%	0.5%	0.7%	99.3%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	0.2%	0.3%	0.8%	99.2%
Grade 12	0.6%	0.6%	1.1%	98.9%
<b>Hallucinogens</b>				
All	0.7%	1.2%	2.5%	97.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.4%	0.9%	99.1%
Grade 9	0.6%	0.9%	1.7%	98.3%
Grade 10	0.8%	1.3%	2.6%	97.4%
Grade 11	0.9%	2.0%	4.8%	95.2%
Grade 12	1.7%	2.9%	6.3%	93.7%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.1%	0.1%	0.2%	99.8%
Grade 12	0.3%	0.3%	0.7%	99.3%
<b>Steroids</b>				
All	0.4%	0.5%	1.3%	98.7%
Grade 7	0.4%	0.5%	1.2%	98.8%
Grade 8	0.4%	0.5%	1.4%	98.6%
Grade 9	0.5%	0.7%	1.0%	99.0%
Grade 10	0.2%	0.3%	1.2%	98.8%
Grade 11	0.2%	0.4%	1.1%	98.9%
Grade 12	0.6%	0.7%	1.9%	98.1%
<b>Ecstasy</b>				
All	0.6%	1.0%	2.0%	98.0%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.5%	1.0%	99.0%
Grade 9	0.5%	0.8%	1.8%	98.2%
Grade 10	0.6%	0.9%	2.0%	98.0%
Grade 11	0.8%	1.4%	3.2%	96.8%
Grade 12	1.5%	2.4%	4.6%	95.4%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 81 of 120

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.2%	0.3%	0.6%	99.4%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.2%	0.4%	0.6%	99.4%
Grade 11	0.1%	0.2%	0.5%	99.5%
Grade 12	0.3%	0.3%	0.7%	99.3%
<b>Synthetic Marijuana</b>				
All	0.8%	1.3%	3.8%	96.2%
Grade 7	0.4%	0.6%	1.0%	99.0%
Grade 8	0.7%	1.2%	2.5%	97.5%
Grade 9	0.8%	1.3%	3.4%	96.6%
Grade 10	0.9%	1.6%	4.4%	95.6%
Grade 11	1.0%	1.5%	6.1%	93.9%
Grade 12	1.0%	1.7%	7.0%	93.0%
<b>Methamphetamine</b>				
All	0.3%	0.5%	0.9%	99.1%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.3%	0.4%	0.9%	99.1%
Grade 10	0.3%	0.4%	0.8%	99.2%
Grade 11	0.1%	0.4%	0.9%	99.1%
Grade 12	0.6%	0.9%	1.7%	98.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 82 of 120

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	23.7%	28.6%	41.3%	58.7%
Grade 7	11.7%	14.1%	25.3%	74.7%
Grade 8	17.7%	20.6%	32.5%	67.5%
Grade 9	21.0%	24.0%	37.1%	62.9%
Grade 10	24.6%	31.8%	45.4%	54.6%
Grade 11	30.6%	38.9%	51.6%	48.4%
Grade 12	37.5%	43.1%	56.8%	43.2%
<b>Any Alcohol Product</b>				
All	39.2%	45.4%	60.7%	39.3%
Grade 7	26.0%	30.6%	49.0%	51.0%
Grade 8	33.5%	36.9%	55.0%	45.0%
Grade 9	36.9%	42.7%	56.7%	43.3%
Grade 10	42.8%	49.6%	64.6%	35.4%
Grade 11	43.0%	51.3%	66.6%	33.4%
Grade 12	53.6%	62.0%	73.2%	26.8%
<b>Any Illicit Drug</b>				
All	22.5%	28.9%	35.3%	64.7%
Grade 7	11.4%	15.6%	18.6%	81.4%
Grade 8	15.0%	19.6%	23.7%	76.3%
Grade 9	21.5%	28.6%	33.3%	66.7%
Grade 10	27.2%	34.1%	41.3%	58.7%
Grade 11	27.1%	34.9%	43.0%	57.0%
Grade 12	32.9%	40.4%	52.1%	47.9%
<b>Any Prescription Drug</b>				
All	12.3%	16.9%	24.7%	75.3%
Grade 7	8.4%	11.7%	17.0%	83.0%
Grade 8	11.3%	14.2%	20.6%	79.4%
Grade 9	12.0%	15.8%	24.6%	75.4%
Grade 10	13.9%	20.8%	28.8%	71.2%
Grade 11	13.2%	18.8%	28.0%	72.0%
Grade 12	14.7%	20.1%	28.9%	71.1%
<b>Any Inhalant</b>				
All	7.3%	10.1%	17.7%	82.3%
Grade 7	9.5%	12.5%	20.5%	79.5%
Grade 8	9.2%	11.5%	19.9%	80.1%
Grade 9	8.9%	11.4%	19.2%	80.8%
Grade 10	6.9%	9.1%	16.5%	83.5%
Grade 11	5.7%	10.1%	16.9%	83.1%
Grade 12	3.2%	5.8%	13.0%	87.0%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 83 of 120

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	14.7%	20.6%	33.9%	66.1%
Grade 7	6.7%	9.0%	18.8%	81.2%
Grade 8	10.0%	14.1%	25.6%	74.4%
Grade 9	15.0%	19.1%	32.0%	68.0%
Grade 10	15.8%	23.5%	38.1%	61.9%
Grade 11	20.4%	29.1%	43.5%	56.5%
Grade 12	20.4%	29.3%	45.7%	54.3%
<b>Marijuana</b>				
All	21.6%	25.5%	32.6%	67.4%
Grade 7	10.7%	12.2%	16.3%	83.7%
Grade 8	13.8%	16.0%	20.5%	79.5%
Grade 9	20.8%	25.1%	30.3%	69.7%
Grade 10	25.4%	30.1%	37.2%	62.8%
Grade 11	26.6%	32.3%	42.1%	57.9%
Grade 12	32.3%	37.5%	49.8%	50.2%
<b>Marijuana Only</b>				
All	10.0%	12.6%	17.8%	82.2%
Grade 7	4.9%	5.9%	9.3%	90.7%
Grade 8	5.8%	7.1%	10.7%	89.3%
Grade 9	9.9%	12.3%	15.8%	84.2%
Grade 10	13.1%	16.8%	21.5%	78.5%
Grade 11	10.9%	14.4%	21.4%	78.6%
Grade 12	15.6%	19.1%	28.9%	71.1%
<b>Cocaine or Crack</b>				
All	3.4%	3.9%	6.0%	94.0%
Grade 7	1.7%	1.9%	2.4%	97.6%
Grade 8	3.2%	3.5%	5.0%	95.0%
Grade 9	3.1%	3.2%	4.7%	95.3%
Grade 10	4.1%	4.7%	7.0%	93.0%
Grade 11	3.8%	4.8%	8.1%	91.9%
Grade 12	4.7%	5.4%	9.0%	91.0%
<b>Cocaine</b>				
All	3.1%	3.6%	5.7%	94.3%
Grade 7	1.4%	1.6%	2.2%	97.8%
Grade 8	2.5%	2.7%	4.1%	95.9%
Grade 9	3.0%	3.0%	4.5%	95.5%
Grade 10	3.9%	4.5%	6.7%	93.3%
Grade 11	3.4%	4.5%	8.1%	91.9%
Grade 12	4.5%	5.2%	8.5%	91.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 84 of 120

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.1%	1.4%	2.5%	97.5%
Grade 7	1.2%	1.3%	1.6%	98.4%
Grade 8	2.0%	2.4%	3.1%	96.9%
Grade 9	0.2%	0.4%	1.5%	98.5%
Grade 10	1.2%	2.3%	3.5%	96.5%
Grade 11	0.9%	0.9%	2.2%	97.8%
Grade 12	1.2%	1.3%	3.4%	96.6%
<b>Hallucinogens</b>				
All	2.2%	3.4%	6.3%	93.7%
Grade 7	1.0%	1.2%	1.5%	98.5%
Grade 8	0.7%	1.2%	3.0%	97.0%
Grade 9	1.5%	2.5%	5.2%	94.8%
Grade 10	2.8%	4.2%	6.5%	93.5%
Grade 11	2.9%	5.1%	9.9%	90.1%
Grade 12	4.5%	6.8%	12.2%	87.8%
<b>Synthetic Cathinones</b>				
All	0.4%	0.5%	1.1%	98.9%
Grade 7	0.1%	0.1%	0.6%	99.4%
Grade 8	0.1%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.9%	1.6%	2.2%	97.8%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.8%	0.9%	1.9%	98.1%
<b>Steroids</b>				
All	0.7%	1.1%	2.3%	97.7%
Grade 7	0.5%	0.7%	1.8%	98.2%
Grade 8	0.5%	0.8%	3.0%	97.0%
Grade 9	0.4%	0.5%	0.7%	99.3%
Grade 10	1.0%	1.9%	3.1%	96.9%
Grade 11	0.3%	0.4%	2.3%	97.7%
Grade 12	1.7%	2.1%	2.8%	97.2%
<b>Ecstasy</b>				
All	1.6%	2.7%	5.3%	94.7%
Grade 7	0.7%	0.9%	1.4%	98.6%
Grade 8	0.5%	1.3%	3.0%	97.0%
Grade 9	1.7%	2.4%	5.0%	95.0%
Grade 10	1.4%	3.5%	5.9%	94.1%
Grade 11	1.6%	3.8%	8.0%	92.0%
Grade 12	3.6%	4.8%	8.6%	91.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

		Past Month	School Year	Ever Used	Never Used
Heroin					
	All	0.7%	0.8%	1.5%	98.5%
	Grade 7	0.2%	0.4%	1.1%	98.9%
	Grade 8	0.7%	1.1%	1.8%	98.2%
	Grade 9	0.9%	1.1%	1.5%	98.5%
	Grade 10	1.2%	1.3%	2.5%	97.5%
	Grade 11	0.3%	0.3%	0.6%	99.4%
	Grade 12	0.5%	0.5%	1.4%	98.6%
Synthetic Marijuana					
	All	2.7%	4.4%	9.7%	90.3%
	Grade 7	2.1%	2.7%	4.5%	95.5%
	Grade 8	2.4%	3.8%	7.2%	92.8%
	Grade 9	2.7%	5.0%	10.2%	89.8%
	Grade 10	3.8%	5.5%	12.0%	88.0%
	Grade 11	2.5%	5.5%	12.5%	87.5%
	Grade 12	2.9%	3.6%	11.6%	88.4%
Methamphetamine					
	All	0.8%	1.3%	2.5%	97.5%
	Grade 7	0.5%	0.7%	1.5%	98.5%
	Grade 8	0.8%	1.6%	2.6%	97.4%
	Grade 9	1.0%	1.3%	2.7%	97.3%
	Grade 10	0.4%	1.0%	2.3%	97.7%
	Grade 11	0.6%	1.0%	2.4%	97.6%
	Grade 12	1.3%	2.3%	3.4%	96.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 86 of 120

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	1,019,520	50.2%
Female	1,013,140	49.8%
Frequency Missing	11,989	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	939,798	47.1%
Yes	1,054,035	52.9%
Frequency Missing	50,816	

**Grade**

Q2	Frequency	Percent
Grade 7	375,293	18.4%
Grade 8	372,296	18.3%
Grade 9	384,636	18.9%
Grade 10	329,587	16.2%
Grade 11	301,466	14.8%
Grade 12	273,081	13.4%
Frequency Missing	8,289	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	36,882	2.1%
Asian American	34,387	1.9%
African American	222,542	12.4%
Pacific Islander	5,671	0.3%
White	914,786	50.9%
Other	335,517	18.7%
More Than One Race	247,092	13.8%
Frequency Missing	247,771	

**Live with Both Parents**

Q3	Frequency	Percent
No	762,473	37.7%
Yes	1,260,127	62.3%
Frequency Missing	22,048	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	6,983	0.4%
Mostly D's	22,480	1.3%
Mostly C's	224,029	12.8%
Mostly B's	862,638	49.4%
Mostly A's	629,362	36.1%
Frequency Missing	299,156	

**Age**

Q4	Frequency	Percent
11 Or Younger	2,419	0.1%
12	137,408	6.7%
13	346,020	17.0%
14	360,651	17.7%
15	362,264	17.8%
16	332,327	16.3%
17	301,469	14.8%
18	174,648	8.6%
19 Or Older	18,882	0.9%
Frequency Missing	8,562	

**Do You Have a Job**

Q7	Frequency	Percent
No	1,412,766	80.4%
Yes	345,281	19.6%
Frequency Missing	286,602	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	624,525	35.9%
Yes	721,507	41.4%
Don't Know	395,848	22.7%
Frequency Missing	302,768	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	1,391,769	92.1%
Yes	119,059	7.9%
Frequency Missing	533,820	

**Participate in School Athletics (UTL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	764,484	46.0%
Yes	897,446	54.0%
Frequency Missing	382,718	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	1,167,004	76.0%
Yes	367,877	24.0%
Frequency Missing	509,767	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	1,203,044	77.5%
Yes	349,770	22.5%
Frequency Missing	491,834	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	1,110,072	72.6%
Yes	418,741	27.4%
Frequency Missing	515,835	

**Participate in School Choir**

Q9c	Frequency	Percent
No	1,358,477	89.9%
Yes	151,864	10.1%
Frequency Missing	534,307	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	1,018,366	65.1%
Yes	545,671	34.9%
Frequency Missing	480,611	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	1,386,304	91.3%
Yes	131,890	8.7%
Frequency Missing	526,454	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	1,160,393	75.8%
Yes	370,786	24.2%
Frequency Missing	513,469	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	1,766,016	86.9%
Somewhat Safe	229,891	11.3%
Not Very Safe	15,171	0.7%
Not Safe At All	5,301	0.3%
Don't Know	15,969	0.8%
Frequency Missing	12,300	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School Or Less	167,508	8.7%
Some High School	215,210	11.2%
Finished High School	358,880	18.6%
Some College	292,333	15.2%
Finished College	444,240	23.1%
Post-Secondary	237,540	12.3%
Don't Know Or N/A	210,420	10.9%
Frequency Missing	118,517	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	940,044	46.5%
Somewhat Safe	889,167	44.0%
Not Very Safe	122,342	6.1%
Not Safe At All	25,844	1.3%
Don't Know	42,516	2.1%
Frequency Missing	24,735	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	1,104,968	63.3%
Yes	639,706	36.7%
Frequency Missing	299,974	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	848,112	41.9%
Somewhat Safe	895,013	44.3%
Not Very Safe	147,960	7.3%
Not Safe At All	67,411	3.3%
Don't Know	63,619	3.1%
Frequency Missing	22,534	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	95,754	4.8%
A Few	408,119	20.3%
Some	468,715	23.3%
Most	760,090	37.8%
All	276,082	13.7%
Frequency Missing	35,888	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School Or Less	171,077	8.9%
Some High School	232,567	12.1%
Finished High School	409,225	21.3%
Some College	243,677	12.7%
Finished College	349,392	18.2%
Post-Secondary	210,106	11.0%
Don't Know Or N/A	300,836	15.7%
Frequency Missing	127,767	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	37,950	1.9%
A Few	213,669	10.6%
Some	460,048	22.9%
Most	879,229	43.7%
All	419,525	20.9%
Frequency Missing	34,228	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	1,114,366	56.5%
A Few	533,884	27.1%
Some	205,192	10.4%
Most	79,920	4.0%
All	40,265	2.0%
Frequency Missing	71,022	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	1,913,149	95.1%
In Your Lifetime	71,200	3.5%
Since School Began	9,367	0.5%
In The Past Month	18,749	0.9%
Frequency Missing	32,183	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	1,513,995	76.0%
A Few	290,748	14.6%
Some	109,030	5.5%
Most	51,627	2.6%
All	27,715	1.4%
Frequency Missing	51,533	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	1,972,259	98.8%
In Your Lifetime	14,857	0.7%
Since School Began	3,126	0.2%
In The Past Month	5,881	0.3%
Frequency Missing	48,526	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	1,704,776	85.0%
A Few	191,851	9.6%
Some	65,567	3.3%
Most	23,160	1.2%
All	19,244	1.0%
Frequency Missing	40,051	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	1,890,615	94.0%
In Your Lifetime	75,420	3.7%
Since School Began	16,557	0.8%
In The Past Month	29,256	1.5%
Frequency Missing	32,800	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	1,973,082	97.8%
In Your Lifetime	31,268	1.6%
Since School Began	3,938	0.2%
In The Past Month	8,194	0.4%
Frequency Missing	28,167	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	1,979,194	98.9%
In Your Lifetime	13,970	0.7%
Since School Began	2,619	0.1%
In The Past Month	6,000	0.3%
Frequency Missing	42,866	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 91 of 120

**Recent Inhalant Use - Toluene, Paint  
Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	1,984,870	99.0%
In Your Lifetime	11,315	0.6%
Since School Began	2,686	0.1%
In The Past Month	5,554	0.3%
Frequency Missing	40,223	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	1,835,867	92.1%
In Your Lifetime	74,286	3.7%
Since School Began	25,121	1.3%
In The Past Month	57,271	2.9%
Frequency Missing	52,103	

**Recent Inhalant Use - Gasoline, Octane  
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	1,966,280	98.1%
In Your Lifetime	23,914	1.2%
Since School Began	4,836	0.2%
In The Past Month	9,766	0.5%
Frequency Missing	39,853	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	1,263,494	64.2%
In Your Lifetime	342,097	17.4%
Since School Began	124,194	6.3%
In The Past Month	237,661	12.1%
Frequency Missing	77,202	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	1,974,771	98.3%
In Your Lifetime	19,893	1.0%
Since School Began	4,276	0.2%
In The Past Month	9,719	0.5%
Frequency Missing	35,988	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	1,424,903	71.5%
In Your Lifetime	248,547	12.5%
Since School Began	111,884	5.6%
In The Past Month	207,487	10.4%
Frequency Missing	51,827	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	1,678,562	83.6%
In Your Lifetime	179,573	8.9%
Since School Began	48,467	2.4%
In The Past Month	101,696	5.1%
Frequency Missing	36,349	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	1,374,284	70.1%
In Your Lifetime	327,510	16.7%
Since School Began	96,072	4.9%
In The Past Month	163,252	8.3%
Frequency Missing	83,531	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 92 of 120

**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	1,350,952	67.8%
In Your Lifetime	275,706	13.8%
Since School Began	128,933	6.5%
In The Past Month	236,238	11.9%
Frequency Missing	52,819	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	1,957,231	97.6%
In Your Lifetime	27,553	1.4%
Since School Began	8,148	0.4%
In The Past Month	13,379	0.7%
Frequency Missing	38,337	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	1,935,427	96.5%
In Your Lifetime	45,885	2.3%
Since School Began	9,080	0.5%
In The Past Month	14,347	0.7%
Frequency Missing	39,910	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	1,984,430	99.3%
In Your Lifetime	8,414	0.4%
Since School Began	1,830	0.1%
In The Past Month	3,172	0.2%
Frequency Missing	46,803	

**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	1,507,035	75.1%
In Your Lifetime	225,811	11.2%
Since School Began	96,234	4.8%
In The Past Month	178,522	8.9%
Frequency Missing	37,047	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	1,940,718	96.9%
In Your Lifetime	31,860	1.6%
Since School Began	11,573	0.6%
In The Past Month	18,056	0.9%
Frequency Missing	42,442	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	1,607,414	80.1%
In Your Lifetime	177,128	8.8%
Since School Began	74,159	3.7%
In The Past Month	148,347	7.4%
Frequency Missing	37,600	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	1,995,101	99.6%
In Your Lifetime	4,426	0.2%
Since School Began	925	0.0%
In The Past Month	3,178	0.2%
Frequency Missing	41,018	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	1,978,591	98.8%
In Your Lifetime	13,834	0.7%
Since School Began	3,020	0.2%
In The Past Month	7,017	0.4%
Frequency Missing	42,186	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	1,918,834	95.7%
In Your Lifetime	56,832	2.8%
Since School Began	10,588	0.5%
In The Past Month	17,870	0.9%
Frequency Missing	40,524	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	1,952,588	97.8%
In Your Lifetime	23,203	1.2%
Since School Began	7,515	0.4%
In The Past Month	12,611	0.6%
Frequency Missing	48,732	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	1,737,092	87.2%
In Your Lifetime	83,236	4.2%
Since School Began	52,600	2.6%
In The Past Month	119,269	6.0%
Frequency Missing	52,451	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	1,992,348	99.4%
In Your Lifetime	6,388	0.3%
Since School Began	911	0.0%
In The Past Month	3,920	0.2%
Frequency Missing	41,082	

**Recent Prescription Drug Use - Percocets  
Etc**

Q17b	Frequency	Percent
Never Heard/Used	1,889,977	95.0%
In Your Lifetime	28,553	1.4%
Since School Began	24,097	1.2%
In The Past Month	47,685	2.4%
Frequency Missing	54,336	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	1,986,331	99.1%
In Your Lifetime	9,633	0.5%
Since School Began	3,460	0.2%
In The Past Month	5,726	0.3%
Frequency Missing	39,498	

**Recent Prescription Drug Use -  
Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	1,906,205	96.0%
In Your Lifetime	24,614	1.2%
Since School Began	18,423	0.9%
In The Past Month	36,982	1.9%
Frequency Missing	58,424	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	1,906,125	96.0%
In Your Lifetime	27,755	1.4%
Since School Began	15,937	0.8%
In The Past Month	36,105	1.8%
Frequency Missing	58,726	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	1,501,731	76.1%
1-2 Times	294,003	14.9%
3-10 Times	127,408	6.5%
11+ Times	50,256	2.5%
Frequency Missing	71,250	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	1,813,467	91.5%
In Your Lifetime	60,427	3.0%
Since School Began	27,919	1.4%
In The Past Month	79,716	4.0%
Frequency Missing	63,120	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	1,955,488	98.4%
1-2 Times	23,281	1.2%
3-10 Times	6,763	0.3%
11+ Times	2,075	0.1%
Frequency Missing	57,041	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	1,910,308	96.4%
In Your Lifetime	28,407	1.4%
Since School Began	10,688	0.5%
In The Past Month	31,874	1.6%
Frequency Missing	63,371	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	1,758,543	88.5%
1-2 Times	106,440	5.4%
3-10 Times	53,030	2.7%
11+ Times	68,490	3.4%
Frequency Missing	58,144	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	1,815,390	91.5%
1-2 Times	85,380	4.3%
3-10 Times	37,984	1.9%
11+ Times	46,039	2.3%
Frequency Missing	59,855	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	1,967,042	98.8%
1-2 Times	16,080	0.8%
3-10 Times	4,118	0.2%
11+ Times	3,547	0.2%
Frequency Missing	53,861	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 95 of 120

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	1,978,448	99.6%
1-2 Times	5,318	0.3%
3-10 Times	723	0.0%
11+ Times	1,576	0.1%
Frequency Missing	58,583	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never Heard/None	1,157,105	58.6%
A Few	374,265	19.0%
Some	215,790	10.9%
Most	166,860	8.5%
All	59,995	3.0%
Frequency Missing	70,633	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never Heard/None	1,354,443	68.4%
A Few	378,249	19.1%
Some	154,495	7.8%
Most	74,134	3.7%
All	18,847	1.0%
Frequency Missing	64,480	

**Difficult to Get Tobacco**

Q21a	Frequency	Percent
Never Heard Of	510,216	26.2%
Impossible	424,961	21.8%
Very Difficult	143,698	7.4%
Somewhat Diff	191,814	9.8%
Somewhat Easy	275,508	14.1%
Very Easy	403,185	20.7%
Frequency Missing	95,266	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never Heard/None	978,308	49.5%
A Few	461,547	23.3%
Some	273,687	13.8%
Most	203,596	10.3%
All	60,569	3.1%
Frequency Missing	66,941	

**Difficult to Get Alcohol**

Q21b	Frequency	Percent
Never Heard Of	416,346	21.4%
Impossible	282,002	14.5%
Very Difficult	118,366	6.1%
Somewhat Diff	216,245	11.1%
Somewhat Easy	355,972	18.3%
Very Easy	556,727	28.6%
Frequency Missing	98,990	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never Heard/None	1,835,296	92.9%
A Few	97,653	4.9%
Some	26,890	1.4%
Most	9,811	0.5%
All	4,971	0.3%
Frequency Missing	70,027	

**Difficult to Get Inhalants**

Q21c	Frequency	Percent
Never Heard Of	729,227	37.7%
Impossible	329,899	17.0%
Very Difficult	94,210	4.9%
Somewhat Diff	125,247	6.5%
Somewhat Easy	185,361	9.6%
Very Easy	472,284	24.4%
Frequency Missing	108,420	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Difficult to Get Marijuana**

Q21d	Frequency	Percent
Never Heard Of	494,383	25.4%
Impossible	468,454	24.1%
Very Difficult	150,525	7.7%
Somewhat Diff	183,019	9.4%
Somewhat Easy	243,860	12.6%
Very Easy	402,791	20.7%
Frequency Missing	101,616	

**Difficult to Get Ecstasy**

Q21i	Frequency	Percent
Never Heard Of	870,395	45.0%
Impossible	563,425	29.1%
Very Difficult	200,459	10.4%
Somewhat Diff	129,074	6.7%
Somewhat Easy	83,952	4.3%
Very Easy	85,973	4.4%
Frequency Missing	111,370	

**Difficult to Get Cocaine**

Q21e	Frequency	Percent
Never Heard Of	655,248	33.7%
Impossible	679,994	35.0%
Very Difficult	248,456	12.8%
Somewhat Diff	172,980	8.9%
Somewhat Easy	88,100	4.5%
Very Easy	97,602	5.0%
Frequency Missing	102,268	

**Difficult to Get Heroin**

Q21j	Frequency	Percent
Never Heard Of	820,140	42.1%
Impossible	703,985	36.2%
Very Difficult	227,909	11.7%
Somewhat Diff	95,994	4.9%
Somewhat Easy	43,140	2.2%
Very Easy	54,884	2.8%
Frequency Missing	98,596	

**Difficult to Get Crack**

Q21f	Frequency	Percent
Never Heard Of	692,561	35.7%
Impossible	699,274	36.1%
Very Difficult	260,608	13.4%
Somewhat Diff	150,194	7.7%
Somewhat Easy	63,363	3.3%
Very Easy	73,207	3.8%
Frequency Missing	105,441	

**Difficult to Get Methamphetamine**

Q21k	Frequency	Percent
Never Heard Of	851,082	43.7%
Impossible	674,615	34.6%
Very Difficult	212,309	10.9%
Somewhat Diff	96,514	5.0%
Somewhat Easy	51,129	2.6%
Very Easy	61,782	3.2%
Frequency Missing	97,218	

**Difficult to Get Steroids**

Q21h	Frequency	Percent
Never Heard Of	722,117	37.3%
Impossible	669,843	34.6%
Very Difficult	241,249	12.5%
Somewhat Diff	153,535	7.9%
Somewhat Easy	73,060	3.8%
Very Easy	74,278	3.8%
Frequency Missing	110,566	

**Difficult to Get Synthetic Marijuana**

Q21l	Frequency	Percent
Never Heard Of	830,491	42.7%
Impossible	539,373	27.7%
Very Difficult	177,869	9.1%
Somewhat Diff	132,523	6.8%
Somewhat Easy	115,367	5.9%
Very Easy	151,111	7.8%
Frequency Missing	97,914	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 97 of 120

**How Often Normally Use Tobacco**

Q22a	Frequency	Percent
Every Day	30,548	1.6%
Several Times/Wk	23,732	1.2%
Several Times/Mo	33,264	1.7%
About Once/Month	52,713	2.7%
About Once/Year	49,433	2.5%
Less than Once/Year	83,552	4.2%
Never Used	1,695,384	86.1%
Frequency Missing	76,022	

**How Often Normally Use Marijuana**

Q22d	Frequency	Percent
Every Day	31,254	1.6%
Several Times/Wk	36,715	1.9%
Several Times/Mo	56,914	2.9%
About Once/Month	68,654	3.5%
About Once/Year	75,722	3.9%
Less than Once/Year	76,227	3.9%
Never Used	1,621,232	82.4%
Frequency Missing	77,932	

**How Often Normally Use Alcohol**

Q22b	Frequency	Percent
Every Day	5,865	0.3%
Several Times/Wk	34,393	1.8%
Several Times/Mo	129,365	6.6%
About Once/Month	204,770	10.5%
About Once/Year	198,424	10.1%
Less than Once/Year	157,833	8.1%
Never Used	1,228,338	62.7%
Frequency Missing	85,661	

**How Often Normally Use Cocaine**

Q22e	Frequency	Percent
Every Day	1,064	0.1%
Several Times/Wk	1,909	0.1%
Several Times/Mo	4,390	0.2%
About Once/Month	6,977	0.4%
About Once/Year	9,101	0.5%
Less than Once/Year	13,806	0.7%
Never Used	1,933,905	98.1%
Frequency Missing	73,497	

**How Often Normally Use Inhalants**

Q22c	Frequency	Percent
Every Day	2,195	0.1%
Several Times/Wk	2,873	0.1%
Several Times/Mo	4,666	0.2%
About Once/Month	9,495	0.5%
About Once/Year	10,737	0.5%
Less than Once/Year	27,618	1.4%
Never Used	1,908,545	97.1%
Frequency Missing	78,519	

**How Often Normally Use Crack**

Q22f	Frequency	Percent
Every Day	590	0.0%
Several Times/Wk	915	0.0%
Several Times/Mo	649	0.0%
About Once/Month	1,407	0.1%
About Once/Year	1,995	0.1%
Less than Once/Year	5,631	0.3%
Never Used	1,958,968	99.4%
Frequency Missing	74,493	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**How Often Normally Use Steroids**

Q22h	Frequency	Percent
Every Day	1,301	0.1%
Several Times/Wk	963	0.0%
Several Times/Mo	1,195	0.1%
About Once/Month	1,428	0.1%
About Once/Year	2,787	0.1%
Less than Once/Year	7,859	0.4%
Never Used	1,950,138	99.2%
Frequency Missing	78,977	

**How Often Normally Use Methamphetamine**

Q22k	Frequency	Percent
Every Day	1,172	0.1%
Several Times/Wk	1,174	0.1%
Several Times/Mo	1,223	0.1%
About Once/Month	1,575	0.1%
About Once/Year	2,821	0.1%
Less than Once/Year	6,023	0.3%
Never Used	1,954,127	99.3%
Frequency Missing	76,533	

**How Often Normally Use Ecstasy**

Q22i	Frequency	Percent
Every Day	1,169	0.1%
Several Times/Wk	1,291	0.1%
Several Times/Mo	2,533	0.1%
About Once/Month	6,742	0.3%
About Once/Year	11,999	0.6%
Less than Once/Year	14,122	0.7%
Never Used	1,925,292	98.1%
Frequency Missing	81,501	

**How Often Normally Use Synthetic Marijuana**

Q22l	Frequency	Percent
Every Day	2,131	0.1%
Several Times/Wk	2,375	0.1%
Several Times/Mo	4,970	0.3%
About Once/Month	9,186	0.5%
About Once/Year	12,361	0.6%
Less than Once/Year	30,215	1.5%
Never Used	1,902,591	96.9%
Frequency Missing	80,818	

**How Often Normally Use Heroin**

Q22j	Frequency	Percent
Every Day	787	0.0%
Several Times/Wk	812	0.0%
Several Times/Mo	856	0.0%
About Once/Month	824	0.0%
About Once/Year	1,292	0.1%
Less than Once/Year	3,323	0.2%
Never Used	1,960,092	99.6%
Frequency Missing	76,662	

**Amount of Beer at One Time**

Q23a	Frequency	Percent
Never Drink This	1,249,820	64.3%
12+ Drinks	47,027	2.4%
9-11 Drinks	27,538	1.4%
5-8 Drinks	61,387	3.2%
3-4 Drinks	105,204	5.4%
2 Drinks	95,288	4.9%
1 Drink	123,950	6.4%
Less than 1 Drink	233,878	12.0%
Frequency Missing	100,557	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Amount of Wine Coolers at One Time**

Q23b	Frequency	Percent
Never Drink This	1,359,880	69.5%
12+ Drinks	32,138	1.6%
9-11 Drinks	22,559	1.2%
5-8 Drinks	55,358	2.8%
3-4 Drinks	104,148	5.3%
2 Drinks	105,958	5.4%
1 Drink	124,646	6.4%
Less than 1 Drink	151,468	7.7%
Frequency Missing	88,494	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q24a	Frequency	Percent
Never 5+ At Time	1,146,608	59.7%
0 Days	553,103	28.8%
1 Day	82,456	4.3%
2 Days	50,506	2.6%
3 To 5 Days	42,263	2.2%
6 To 9 Days	16,083	0.8%
10 Or More Days	29,143	1.5%
Frequency Missing	124,486	

**Amount of Wine at One Time**

Q23c	Frequency	Percent
Never Drink This	1,353,180	69.9%
12+ Drinks	14,881	0.8%
9-11 Drinks	8,106	0.4%
5-8 Drinks	21,479	1.1%
3-4 Drinks	53,785	2.8%
2 Drinks	80,436	4.2%
1 Drink	147,532	7.6%
Less than 1 Drink	256,474	13.2%
Frequency Missing	108,774	

**Get Alcoholic Beverages from Home**

Q25a	Frequency	Percent
Do Not Drink	1,146,626	58.9%
Never	364,460	18.7%
Seldom	298,655	15.3%
Most Of The Time	94,598	4.9%
Always	43,098	2.2%
Frequency Missing	97,211	

**Amount of Liquor at One Time**

Q23d	Frequency	Percent
Never Drink This	1,306,467	66.8%
12+ Drinks	48,324	2.5%
9-11 Drinks	31,291	1.6%
5-8 Drinks	74,795	3.8%
3-4 Drinks	112,210	5.7%
2 Drinks	101,535	5.2%
1 Drink	110,153	5.6%
Less than 1 Drink	171,766	8.8%
Frequency Missing	88,107	

**Get Alcoholic Beverages from Friends**

Q25b	Frequency	Percent
Do Not Drink	1,122,429	57.7%
Never	350,599	18.0%
Seldom	228,317	11.7%
Most Of The Time	178,740	9.2%
Always	64,375	3.3%
Frequency Missing	100,188	

**Get Alcoholic Beverages from a Store**

Q25c	Frequency	Percent
Do Not Drink	1,164,038	60.0%
Never	623,688	32.2%
Seldom	74,327	3.8%
Most Of The Time	49,927	2.6%
Always	27,382	1.4%
Frequency Missing	105,285	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 100 of 120

**Get Alcoholic Beverages at Parties**

Q25d	Frequency	Percent
Do Not Drink	1,082,541	55.7%
Never	322,090	16.6%
Seldom	191,628	9.9%
Most Of The Time	183,333	9.4%
Always	165,405	8.5%
Frequency Missing	99,651	

**Dangerous for Kids to Use Inhalants**

Q26c	Frequency	Percent
Very	1,480,336	75.8%
Somewhat	250,107	12.8%
Not Very	70,375	3.6%
Not At All	21,812	1.1%
Don't Know	130,267	6.7%
Frequency Missing	91,751	

**Get Alcoholic Beverages from Other Sources**

Q25e	Frequency	Percent
Do Not Drink	1,173,091	61.0%
Never	447,206	23.3%
Seldom	151,357	7.9%
Most Of The Time	82,875	4.3%
Always	68,777	3.6%
Frequency Missing	121,343	

**Dangerous for Kids to Use Marijuana**

Q26d	Frequency	Percent
Very	1,140,451	58.3%
Somewhat	260,559	13.3%
Not Very	237,698	12.2%
Not At All	239,268	12.2%
Don't Know	77,020	3.9%
Frequency Missing	89,652	

**Dangerous for Kids to Use Tobacco**

Q26a	Frequency	Percent
Very	1,239,559	63.3%
Somewhat	441,633	22.5%
Not Very	156,301	8.0%
Not At All	37,062	1.9%
Don't Know	83,912	4.3%
Frequency Missing	86,182	

**Dangerous for Kids to Use Cocaine**

Q26e	Frequency	Percent
Very	1,726,500	88.2%
Somewhat	117,418	6.0%
Not Very	18,438	0.9%
Not At All	9,880	0.5%
Don't Know	84,996	4.3%
Frequency Missing	87,416	

**Dangerous for Kids to Use Alcohol**

Q26b	Frequency	Percent
Very	1,041,746	53.3%
Somewhat	568,616	29.1%
Not Very	231,043	11.8%
Not At All	45,971	2.4%
Don't Know	65,316	3.3%
Frequency Missing	91,956	

**Dangerous for Kids to Use Crack**

Q26f	Frequency	Percent
Very	1,749,783	89.4%
Somewhat	97,249	5.0%
Not Very	11,783	0.6%
Not At All	8,130	0.4%
Don't Know	89,690	4.6%
Frequency Missing	88,013	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 101 of 120



**Dangerous for Kids to Use Ecstasy**

Q26g	Frequency	Percent
Very	1,610,809	82.4%
Somewhat	142,898	7.3%
Not Very	38,750	2.0%
Not At All	13,876	0.7%
Don't Know	147,504	7.5%
Frequency Missing	90,812	

**Dangerous for Kids to Use Synthetic Marijuana**

Q26k	Frequency	Percent
Very	1,599,674	82.1%
Somewhat	142,470	7.3%
Not Very	47,025	2.4%
Not At All	22,719	1.2%
Don't Know	136,983	7.0%
Frequency Missing	95,778	

**Dangerous for Kids to Use Steroids**

Q26h	Frequency	Percent
Very	1,501,646	76.9%
Somewhat	238,672	12.2%
Not Very	71,658	3.7%
Not At All	19,647	1.0%
Don't Know	120,262	6.2%
Frequency Missing	92,763	

**Dangerous for Kids to Use Any Prescription**

Q26l	Frequency	Percent
Very	1,447,317	74.0%
Somewhat	277,186	14.2%
Not Very	82,919	4.2%
Not At All	24,326	1.2%
Don't Know	123,726	6.3%
Frequency Missing	89,173	

**Dangerous for Kids to Use Heroin**

Q26i	Frequency	Percent
Very	1,754,670	89.6%
Somewhat	75,329	3.8%
Not Very	10,135	0.5%
Not At All	8,010	0.4%
Don't Know	110,760	5.7%
Frequency Missing	85,745	

**Dangerous for Kids to Use Electronic Vapor Products**

Q26m	Frequency	Percent
Very	1,019,189	52.1%
Somewhat	261,639	13.4%
Not Very	298,410	15.2%
Not At All	263,293	13.5%
Don't Know	114,353	5.8%
Frequency Missing	87,764	

**Dangerous for Kids to Use Methamphetamine**

Q26j	Frequency	Percent
Very	1,754,920	89.6%
Somewhat	70,608	3.6%
Not Very	10,155	0.5%
Not At All	7,492	0.4%
Don't Know	114,821	5.9%
Frequency Missing	86,652	

**Days Skipped Since September**

Q27a	Frequency	Percent
None	1,551,793	79.7%
1-3 Days	289,473	14.9%
4-9 Days	64,700	3.3%
10+ Days	40,686	2.1%
Frequency Missing	97,996	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Days Ill Since September**

Q27b	Frequency	Percent
None	639,990	33.0%
1-3 Days	978,960	50.4%
4-9 Days	256,652	13.2%
10+ Days	66,141	3.4%
Frequency Missing	102,905	

**Trouble with Friends Because of Drinking**

Q28a	Frequency	Percent
None	1,871,719	96.5%
1-3 Times	58,425	3.0%
4-9 Times	6,234	0.3%
10+ Times	3,992	0.2%
Frequency Missing	104,278	

**Other Reason For Days Missed Since September**

Q27c	Frequency	Percent
None	779,154	40.5%
1-3 Days	932,565	48.5%
4-9 Days	155,226	8.1%
10+ Days	55,678	2.9%
Frequency Missing	122,026	

**Driven a Car After a Good Bit to Drink**

Q28b	Frequency	Percent
None	1,874,072	96.8%
1-3 Times	49,855	2.6%
4-9 Times	6,199	0.3%
10+ Times	6,723	0.3%
Frequency Missing	107,799	

**Sent to Principal/Dean Since September**

Q27d	Frequency	Percent
None	1,712,908	88.0%
1-3 Days	180,455	9.3%
4-9 Days	29,476	1.5%
10+ Days	23,114	1.2%
Frequency Missing	98,696	

**Trouble with Friends Because of Drug Use**

Q28c	Frequency	Percent
None	1,874,501	96.8%
1-3 Times	51,729	2.7%
4-9 Times	6,451	0.3%
10+ Times	4,141	0.2%
Frequency Missing	107,826	

**Someone Called Home Since September**

Q27e	Frequency	Percent
None	1,765,910	91.0%
1-3 Days	139,158	7.2%
4-9 Days	19,349	1.0%
10+ Days	17,007	0.9%
Frequency Missing	103,225	

**Driven a Car While High from Drugs**

Q28d	Frequency	Percent
None	1,849,476	95.8%
1-3 Times	49,872	2.6%
4-9 Times	11,522	0.6%
10+ Times	20,378	1.1%
Frequency Missing	113,400	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 103 of 120

**Class Days Drunk on Alcohol Since Sept**

Q29a	Frequency	Percent
None	1,862,572	96.2%
1-3 Days	55,741	2.9%
4-9 Days	9,738	0.5%
10+ Days	7,879	0.4%
Frequency Missing	108,717	

**Alcohol Use at Parties This School Year**

Q30a	Frequency	Percent
Never	984,283	51.0%
Seldom	145,017	7.5%
Half The Time	104,877	5.4%
Most Of The Time	155,834	8.1%
Always	199,195	10.3%
Don't Know	37,836	2.0%
Didn't Attend	302,470	15.7%
Frequency Missing	115,135	

**Class Days High on Marijuana Since Sept**

Q29b	Frequency	Percent
None	1,806,848	93.6%
1-3 Days	68,596	3.6%
4-9 Days	22,399	1.2%
10+ Days	32,974	1.7%
Frequency Missing	113,831	

**Drug Use at Parties This School Year**

Q30b	Frequency	Percent
Never	1,174,341	60.9%
Seldom	112,176	5.8%
Half The Time	80,109	4.2%
Most Of The Time	103,340	5.4%
Always	114,349	5.9%
Don't Know	40,554	2.1%
Didn't Attend	303,748	15.7%
Frequency Missing	116,032	

**Class Days High on Inhalants Since Sept**

Q29c	Frequency	Percent
None	1,910,102	99.1%
1-3 Days	12,131	0.6%
4-9 Days	1,846	0.1%
10+ Days	2,879	0.1%
Frequency Missing	117,690	

**Sought Help for Drug/Alcohol Problem**

Q31	Frequency	Percent
No	1,600,562	93.8%
Yes	106,243	6.2%
Frequency Missing	337,843	

**Class Days High on Other Drug(s)**

Q29d	Frequency	Percent
None	1,867,123	96.9%
1-3 Days	36,299	1.9%
4-9 Days	11,763	0.6%
10+ Days	11,702	0.6%
Frequency Missing	117,761	

**Would Seek Help from School Counselor**

Q32a	Frequency	Percent
No	1,132,679	59.7%
Yes	764,851	40.3%
Frequency Missing	147,118	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 104 of 120

**Would Seek Help from School Nurse**

Q32b	Frequency	Percent
No	1,433,855	76.0%
Yes	452,004	24.0%
Frequency Missing	158,789	

**Would Seek Help from Another Adult**

Q32g	Frequency	Percent
No	716,008	37.9%
Yes	1,174,856	62.1%
Frequency Missing	153,784	

**Would Seek Help from Another Adult in School**

Q32c	Frequency	Percent
No	1,076,385	57.1%
Yes	809,810	42.9%
Frequency Missing	158,454	

**Would Seek Help from Counselor or Program Outside School**

Q32h	Frequency	Percent
No	1,114,984	59.1%
Yes	771,788	40.9%
Frequency Missing	157,876	

**Would Seek Help from Parents**

Q32d	Frequency	Percent
No	556,985	29.3%
Yes	1,341,012	70.7%
Frequency Missing	146,651	

**Would Not Seek Help**

Q32i	Frequency	Percent
No	1,525,605	82.6%
Yes	322,080	17.4%
Frequency Missing	196,963	

**Would Seek Help from a Medical Doctor**

Q32e	Frequency	Percent
No	805,855	42.8%
Yes	1,075,920	57.2%
Frequency Missing	162,873	

**Drug/Alcohol Info–School Health Class**

Q33a	Frequency	Percent
No	1,017,920	56.1%
Yes	794,993	43.9%
Frequency Missing	231,735	

**Would Seek Help from Friends**

Q32f	Frequency	Percent
No	673,652	35.8%
Yes	1,209,579	64.2%
Frequency Missing	161,417	

**Drug/Alcohol Info–School Assembly Program**

Q33b	Frequency	Percent
No	999,618	55.3%
Yes	809,242	44.7%
Frequency Missing	235,788	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Drug/Alcohol Info–School Guidance  
Counselor**

Q33c	Frequency	Percent
No	1,297,920	72.1%
Yes	502,783	27.9%
Frequency Missing	243,945	

**Drug/Alcohol Info–Another School Source**

Q33h	Frequency	Percent
No	1,274,358	71.1%
Yes	518,533	28.9%
Frequency Missing	251,758	

**Drug/Alcohol Info–School Nurse**

Q33d	Frequency	Percent
No	1,487,323	82.8%
Yes	307,933	17.2%
Frequency Missing	249,391	

**Parents Feel About Kids Using Tobacco**

Q34a	Frequency	Percent
Strongly Disapprove	1,506,965	78.4%
Mild Disapprove	143,087	7.4%
Neither	112,577	5.9%
Mildly Approve	19,258	1.0%
Strongly Approve	15,797	0.8%
Don't Know	124,689	6.5%
Frequency Missing	122,275	

**Drug/Alcohol Info–Science or Social Studies  
Class**

Q33e	Frequency	Percent
No	1,300,837	72.7%
Yes	489,446	27.3%
Frequency Missing	254,365	

**Parents Feel About Kids Drinking Alcohol**

Q34b	Frequency	Percent
Strongly Disapprove	1,246,340	64.9%
Mild Disapprove	263,724	13.7%
Neither	205,658	10.7%
Mildly Approve	63,892	3.3%
Strongly Approve	20,196	1.1%
Don't Know	120,257	6.3%
Frequency Missing	124,581	

**Drug/Alcohol Info–School Student Group or  
Club**

Q33f	Frequency	Percent
No	1,536,739	85.6%
Yes	257,514	14.4%
Frequency Missing	250,395	

**Parents Feel About Kids Using Marijuana**

Q34c	Frequency	Percent
Strongly Disapprove	1,516,036	79.0%
Mild Disapprove	116,842	6.1%
Neither	112,354	5.9%
Mildly Approve	27,805	1.4%
Strongly Approve	28,213	1.5%
Don't Know	118,925	6.2%
Frequency Missing	124,473	

**Drug/Alcohol Info–Invited School Guest**

Q33g	Frequency	Percent
No	1,230,148	68.4%
Yes	569,197	31.6%
Frequency Missing	245,303	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Appendix:**  
**Reporting Methods for Prevalence & Recency of Use**

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values have been revised this year to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-11, D-12, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Tobacco (Q22a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q23a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q23b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q23c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q23d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
<p>Alcohol Use in Past Month (Q19b : alc_30)</p>	<p>If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.</p>
<p>How Often Normally Use Alcohol (Q22b : alc.u)</p>	<p>If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.</p>
	<p>If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.</p>
	<p>If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.</p>
	<p>If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.</p>
<p>How Many 5+ Drinks in 2 Hours During Past 30 Days (Q24 : binge_30)</p>	<p>If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.</p>
<p>Trouble with Friends Because of Drinking (Q28a : drk_dif_yr)</p>	<p>If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.</p>
<p>Driven a Car After a Good Bit to Drink (Q28b : drk_drv_yr)</p>	<p>If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.</p>
<p>Class Days Drunk on Alcohol Since Sept (Q29a : class_drnk)</p>	<p>If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.</p>

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Marijuana (Q22d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q29b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Cocaine (Q22f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Steroids (Q22h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Ecstasy (Q22i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Heroin (Q22j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Methamphetamine (Q22k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.



<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
How Often Normally Use Synthetic Marijuana (Q22l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q28c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q28d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q29d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used "Marijuana Only". Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey ("Codeine", "Percocets etc", "Benzodiazepines etc", "Adderall etc", and "Other Prescriptions"). However, the category of "DXM, Triple Cs etc" is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.

## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
How Often Normally Use Inhalants (Q22c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q29c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

