

Spring 2014

# Texas School Survey of Drug and Alcohol Use: 2014

## HHSC Region 3 Report Grades 6-12



## Table of Contents

<b>1</b>	<b>General Substance Use Tables</b>	<b>4</b>
	Tobacco . . . . .	5
	Alcohol . . . . .	9
	Drugs . . . . .	18
	Inhalants . . . . .	33
	Miscellaneous . . . . .	38
<b>2</b>	<b>Prevalence Tables</b>	<b>45</b>
	Table B-1: All Students . . . . .	46
	Table B-2: Male Students . . . . .	50
	Table B-3: Female Students . . . . .	54
	Table B-4: White Students . . . . .	58
	Table B-5: African/American Students . . . . .	62
	Table B-6: Mexican/American Students . . . . .	66
	Table B-7: Students Reporting A Grades . . . . .	70
	Table B-8: Students Reporting Grades Lower Than an A . . . . .	74
	Table B-9: Students Living With 2 Parents . . . . .	78
	Table B-10: Students Not Living With 2 Parents . . . . .	82
	Table B-11: Students who would seek help from adults for substance abuse problems . . . . .	86
	Table B-12: Students who would not seek help from adults for substance abuse problems . . . . .	90
<b>3</b>	<b>Margin Tables</b>	<b>94</b>

# 1 General Substance Use Tables

## Tobacco

Table T-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	6.2%	8.7%	16.3%	83.6%
Grade 6	1.5%	1.7%	4.4%	95.6%
Grade 7	2.2%	3.3%	8.0%	92.1%
Grade 8	4.2%	5.8%	12.5%	87.5%
Grade 9	3.0%	5.7%	13.3%	86.7%
Grade 10	8.8%	12.9%	21.8%	78.2%
Grade 11	11.8%	15.9%	30.8%	69.2%
Grade 12	14.6%	19.2%	28.2%	71.7%
Cigarettes?				
All	4.8%	7.0%	14.1%	85.8%
Grade 6	1.4%	1.5%	3.0%	97.0%
Grade 7	1.7%	2.7%	7.3%	92.7%
Grade 8	3.5%	4.5%	11.2%	88.8%
Grade 9	1.9%	4.8%	11.8%	88.2%
Grade 10	6.5%	10.3%	18.7%	81.3%
Grade 11	8.9%	12.2%	25.8%	74.1%
Grade 12	11.7%	15.8%	25.1%	74.9%
Smokeless Tobacco?				
All	2.6%	3.6%	6.4%	93.7%
Grade 6	0.2%	0.4%	1.9%	98.0%
Grade 7	0.6%	1.2%	2.1%	97.9%
Grade 8	1.3%	2.1%	4.3%	95.7%
Grade 9	1.8%	2.4%	4.5%	95.6%
Grade 10	3.6%	5.1%	9.2%	90.8%
Grade 11	5.1%	7.1%	13.0%	87.1%
Grade 12	6.6%	8.5%	11.7%	88.3%

**Table T-2: How often do you normally use tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	88.4%	1.1%	1.2%	1.6%	1.9%	1.8%	3.9%
Grade 6	98.5%	0.0%	0.2%	0.2%	0.3%	0.2%	0.6%
Grade 7	95.8%	0.0%	0.1%	0.5%	0.8%	1.0%	1.8%
Grade 8	92.7%	0.1%	0.4%	1.2%	1.6%	1.2%	2.9%
Grade 9	91.1%	0.3%	0.4%	1.5%	0.9%	1.3%	4.4%
Grade 10	83.0%	2.0%	1.6%	2.1%	2.4%	4.4%	4.6%
Grade 11	78.7%	2.0%	3.0%	2.9%	4.7%	2.1%	6.6%
Grade 12	74.9%	4.1%	3.3%	3.5%	3.4%	3.0%	7.8%

**Table T-3: Average age of first use of tobacco:**

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	10.7	11.2	11.6	12.5	13.5	14.1	15.0

**Table T-4: If you wanted some, how difficult would it be to get tobacco?**

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	23.3%	26.5%	9.3%	9.4%	12.7%	18.7%
Grade 6	31.5%	46.5%	8.3%	6.1%	3.3%	4.3%
Grade 7	32.4%	37.2%	11.5%	7.7%	6.1%	5.0%
Grade 8	26.5%	33.4%	11.2%	9.8%	10.2%	8.8%
Grade 9	19.1%	26.6%	10.8%	12.3%	14.9%	16.2%
Grade 10	13.8%	18.6%	8.2%	12.9%	22.5%	23.9%
Grade 11	19.6%	10.6%	9.3%	10.7%	17.1%	32.6%
Grade 12	18.8%	7.4%	4.6%	6.1%	16.4%	46.8%

**Table T-5: About how many of your close friends use tobacco?**

	None	A Few	Some	Most	All
All	73.0%	15.9%	7.4%	3.3%	0.6%
Grade 6	94.4%	4.3%	1.1%	0.3%	0.0%
Grade 7	89.4%	7.5%	2.4%	0.5%	0.2%
Grade 8	83.9%	10.3%	4.2%	1.4%	0.2%
Grade 9	72.4%	17.8%	6.9%	2.8%	0.2%
Grade 10	57.2%	25.0%	12.3%	5.0%	0.5%
Grade 11	55.8%	23.2%	13.2%	6.4%	1.4%
Grade 12	50.6%	26.2%	13.6%	7.7%	1.8%

**Table T-6: How do your parents feel about kids your age using tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	82.0%	6.2%	4.3%	0.9%	0.7%	5.8%
Grade 6	87.8%	2.8%	0.8%	0.2%	1.3%	7.1%
Grade 7	87.6%	2.6%	1.9%	0.4%	0.6%	6.8%
Grade 8	86.3%	4.1%	3.0%	0.5%	0.8%	5.3%
Grade 9	85.1%	5.4%	3.9%	0.3%	0.9%	4.4%
Grade 10	80.1%	8.2%	6.6%	1.5%	0.0%	3.5%
Grade 11	77.7%	8.0%	4.2%	2.4%	0.5%	7.2%
Grade 12	65.7%	14.2%	11.4%	1.2%	0.7%	6.7%

**Table T-7: How dangerous do you think it is for kids your age to use tobacco?**

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	64.8%	21.2%	7.5%	1.9%	4.6%
Grade 6	82.4%	11.1%	1.7%	0.3%	4.4%
Grade 7	80.1%	13.0%	2.7%	0.6%	3.7%
Grade 8	68.8%	21.4%	4.4%	1.1%	4.3%
Grade 9	64.7%	21.3%	8.4%	1.9%	3.7%
Grade 10	50.6%	28.3%	12.4%	3.7%	5.0%
Grade 11	55.6%	25.6%	11.2%	1.8%	5.9%
Grade 12	46.3%	30.2%	13.4%	4.3%	5.8%



## Alcohol

Table A-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	15.0%	22.5%	40.0%	59.9%
Grade 6	6.1%	9.2%	23.6%	76.3%
Grade 7	6.7%	8.7%	26.5%	73.6%
Grade 8	11.7%	16.9%	35.1%	64.9%
Grade 9	12.9%	21.0%	38.0%	62.1%
Grade 10	22.5%	33.7%	52.3%	47.8%
Grade 11	23.1%	34.3%	55.2%	44.8%
Grade 12	25.6%	39.3%	55.5%	44.5%
Beer?				
All	9.1%	14.7%	29.2%	70.8%
Grade 6	2.3%	4.8%	14.9%	85.1%
Grade 7	4.2%	5.3%	17.9%	82.1%
Grade 8	6.9%	11.1%	25.5%	74.5%
Grade 9	8.1%	13.0%	26.6%	73.4%
Grade 10	12.4%	20.3%	40.1%	59.9%
Grade 11	14.6%	23.4%	41.4%	58.5%
Grade 12	17.3%	28.8%	42.7%	57.3%
Wine Coolers?				
All	8.9%	14.1%	24.3%	75.7%
Grade 6	3.5%	4.7%	10.1%	89.9%
Grade 7	3.8%	4.7%	11.1%	88.9%
Grade 8	6.4%	9.7%	19.1%	80.9%
Grade 9	6.3%	11.5%	20.6%	79.4%
Grade 10	14.1%	23.2%	37.1%	62.9%
Grade 11	14.2%	22.6%	38.7%	61.4%
Grade 12	16.3%	26.2%	38.9%	61.1%
Wine?				
All	7.1%	12.3%	26.4%	73.5%
Grade 6	2.8%	5.1%	16.0%	84.1%
Grade 7	2.9%	3.9%	15.5%	84.5%
Grade 8	4.8%	8.3%	20.9%	79.2%
Grade 9	6.0%	11.6%	26.0%	74.1%
Grade 10	10.1%	19.1%	35.4%	64.6%
Grade 11	13.7%	20.4%	37.0%	63.0%
Grade 12	11.6%	21.2%	38.5%	61.5%
Liquor?				
All	9.8%	15.5%	26.9%	73.1%
Grade 6	1.7%	4.0%	8.4%	91.5%
Grade 7	2.6%	3.8%	10.4%	89.6%
Grade 8	6.0%	9.4%	18.5%	81.5%
Grade 9	8.0%	14.6%	23.7%	76.2%
Grade 10	15.4%	23.6%	39.9%	60.2%
Grade 11	16.9%	25.7%	45.0%	55.0%
Grade 12	21.3%	31.9%	49.6%	50.3%

**Table A-2: How often do you normally use alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	69.2%	0.1%	1.0%	5.9%	7.8%	8.5%	7.6%
Grade 6	87.8%	0.0%	0.6%	0.6%	2.3%	1.9%	6.8%
Grade 7	85.5%	0.0%	0.2%	1.5%	3.1%	5.0%	4.7%
Grade 8	76.0%	0.2%	0.9%	3.2%	5.5%	6.5%	7.7%
Grade 9	72.5%	0.0%	0.7%	5.4%	6.2%	8.0%	7.3%
Grade 10	56.6%	0.2%	0.9%	10.8%	10.6%	13.3%	7.7%
Grade 11	51.5%	0.2%	2.1%	10.3%	13.6%	12.7%	9.5%
Grade 12	47.7%	0.2%	1.6%	10.9%	15.7%	13.6%	10.3%

**Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?**

		Never drink this beverage	Ever Used	5 or More	1 to 4	Less than 1
Beer	All	70.8%	29.0%	5.5%	13.3%	10.2%
	Grade 6	85.4%	14.5%	0.6%	4.7%	9.2%
	Grade 7	82.1%	17.9%	0.9%	6.7%	10.3%
	Grade 8	72.8%	27.1%	2.8%	11.7%	12.6%
	Grade 9	74.2%	25.9%	4.2%	11.7%	10.0%
	Grade 10	61.1%	38.9%	9.9%	18.5%	10.5%
	Grade 11	59.8%	40.1%	11.5%	20.0%	8.6%
	Grade 12	55.7%	44.4%	10.8%	23.0%	10.6%
Wine Coolers	All	74.3%	25.8%	4.4%	14.6%	6.8%
	Grade 6	89.5%	10.4%	0.6%	3.2%	6.6%
	Grade 7	87.3%	12.8%	0.5%	5.8%	6.5%
	Grade 8	80.9%	19.2%	1.7%	10.4%	7.1%
	Grade 9	77.6%	22.3%	2.5%	12.4%	7.4%
	Grade 10	60.3%	39.7%	10.3%	21.8%	7.6%
	Grade 11	59.3%	40.6%	8.4%	25.3%	6.9%
	Grade 12	59.5%	40.4%	7.7%	27.2%	5.5%
Wine	All	73.4%	26.6%	1.8%	13.4%	11.4%
	Grade 6	87.7%	12.3%	0.4%	4.6%	7.3%
	Grade 7	84.2%	15.9%	0.7%	5.0%	10.2%
	Grade 8	78.2%	21.8%	1.2%	9.7%	10.9%
	Grade 9	75.4%	24.6%	0.5%	11.4%	12.7%
	Grade 10	62.2%	37.8%	5.3%	20.3%	12.2%
	Grade 11	61.2%	38.8%	3.2%	22.8%	12.8%
	Grade 12	60.6%	39.4%	2.4%	22.7%	14.3%
Liquor	All	72.7%	27.2%	6.0%	13.6%	7.6%
	Grade 6	93.2%	6.8%	0.4%	2.3%	4.1%
	Grade 7	87.9%	12.1%	0.9%	4.1%	7.1%
	Grade 8	81.0%	18.9%	2.9%	9.0%	7.0%
	Grade 9	76.8%	23.4%	4.4%	10.3%	8.7%
	Grade 10	58.0%	42.1%	12.1%	21.9%	8.1%
	Grade 11	55.1%	45.0%	12.6%	22.5%	9.9%
	Grade 12	50.1%	49.8%	10.7%	29.9%	9.2%

**Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?**

	Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol						
All	90.7%	3.8%	2.0%	1.9%	0.5%	1.1%
Grade 6	97.4%	1.8%	0.3%	0.3%	0.1%	0.1%
Grade 7	96.8%	1.9%	0.7%	0.3%	0.0%	0.3%
Grade 8	94.2%	2.9%	1.0%	0.8%	0.1%	0.9%
Grade 9	92.6%	3.0%	1.9%	1.0%	1.0%	0.5%
Grade 10	85.6%	4.1%	3.3%	3.7%	1.1%	2.2%
Grade 11	83.5%	6.6%	3.9%	4.0%	0.3%	1.8%
Grade 12	82.1%	7.5%	3.6%	4.0%	0.8%	2.0%

**Table A-5: Average age of first use of alcohol:**

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	9.5	10.6	11.4	12.2	12.7	13.7	14.5

**Table A-6: If you wanted some, how difficult would it be to get alcohol?**

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	20.1%	18.7%	6.0%	10.4%	17.5%	27.3%
Grade 6	26.4%	38.2%	8.3%	7.5%	9.2%	10.4%
Grade 7	29.2%	28.0%	9.8%	10.6%	11.0%	11.4%
Grade 8	23.2%	22.2%	7.2%	11.0%	16.0%	20.3%
Grade 9	16.5%	15.9%	4.5%	13.0%	20.0%	30.1%
Grade 10	10.6%	11.0%	4.7%	9.9%	24.3%	39.6%
Grade 11	16.4%	6.8%	3.5%	10.5%	19.3%	43.6%
Grade 12	16.7%	5.2%	3.0%	9.9%	24.4%	40.8%

**Table A-7: Since school began in the fall, on how many days (if any) have you attended class while drunk on alcohol?**

	None	1 to 3 days	4 to 9 days	10+ days
Class Days Drunk On Alcohol Since Sept				
All	97.1%	2.4%	0.3%	0.3%
Grade 6	97.6%	1.4%	0.3%	0.8%
Grade 7	98.3%	1.5%	0.0%	0.2%
Grade 8	97.2%	2.2%	0.3%	0.3%
Grade 9	97.8%	1.6%	0.6%	0.0%
Grade 10	96.0%	3.3%	0.6%	0.2%
Grade 11	95.8%	3.8%	0.2%	0.2%
Grade 12	96.5%	3.1%	0.4%	0.0%

**Table A-8: School year use of alcohol by absences and conduct problems:**

Average days absent due to illness or other reasons	
Alcohol Users	4.8
Alcohol Non-Users	3.3
Average days conduct problems reported	
Alcohol Users	2.4
Alcohol Non-Users	0.8

**Table A-9: During the past twelve months, how many times (if any) have you ...**

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Had A Good Bit To Drink?				
All	96.3%	3.0%	0.4%	0.4%
Grade 9	99.0%	1.0%	0.0%	0.0%
Grade 10	96.9%	2.6%	0.0%	0.5%
Grade 11	97.0%	2.2%	0.5%	0.2%
Grade 12	91.5%	6.6%	1.1%	0.8%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drinking?				
All	96.8%	2.9%	0.2%	0.1%
Grade 6	99.5%	0.5%	0.0%	0.0%
Grade 7	98.8%	1.1%	0.0%	0.1%
Grade 8	97.5%	2.1%	0.2%	0.2%
Grade 9	97.0%	3.0%	0.0%	0.0%
Grade 10	95.0%	5.0%	0.1%	0.0%
Grade 11	96.3%	3.1%	0.4%	0.2%
Grade 12	92.4%	6.5%	1.1%	0.0%
Been Criticized By Someone You Were Dating Because Of Drinking?				
All	96.4%	3.2%	0.2%	0.2%
Grade 6	99.8%	0.2%	0.1%	0.0%
Grade 7	98.3%	1.3%	0.2%	0.2%
Grade 8	97.0%	2.8%	0.1%	0.1%
Grade 9	96.4%	3.1%	0.5%	0.0%
Grade 10	94.6%	5.1%	0.2%	0.1%
Grade 11	94.3%	4.8%	0.4%	0.5%
Grade 12	93.4%	5.9%	0.3%	0.4%

**Table A-10: About how many of your close friends use alcohol?**

	None	A Few	Some	Most	All
All	57.6%	19.0%	11.7%	9.4%	2.3%
Grade 6	86.7%	10.2%	2.4%	0.4%	0.2%
Grade 7	81.1%	13.0%	3.8%	1.9%	0.2%
Grade 8	67.3%	19.2%	8.5%	4.1%	1.0%
Grade 9	54.7%	22.9%	13.5%	7.7%	1.2%
Grade 10	35.2%	25.7%	19.8%	16.6%	2.8%
Grade 11	34.9%	22.0%	17.8%	19.5%	5.8%
Grade 12	35.7%	20.9%	18.6%	19.1%	5.6%

**Table A-11: Thinking of parties you attended this school year, how often was alcohol used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	55.2%	5.3%	4.4%	7.7%	8.8%	1.3%	17.3%
Grade 6	79.0%	3.4%	1.3%	1.7%	0.8%	2.0%	11.8%
Grade 7	77.0%	4.3%	2.4%	2.4%	0.7%	1.3%	11.9%
Grade 8	63.8%	7.5%	4.2%	3.7%	2.3%	2.0%	16.6%
Grade 9	49.0%	6.2%	6.1%	8.0%	9.6%	0.7%	20.5%
Grade 10	35.7%	6.1%	5.0%	12.2%	15.6%	1.5%	23.9%
Grade 11	38.6%	5.8%	4.2%	15.6%	16.0%	1.1%	18.8%
Grade 12	36.6%	3.7%	7.9%	12.6%	20.0%	0.7%	18.5%

Table A-12: How often, if ever, do you get alcohol beverages from ...?

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?	All	61.8%	17.9%	14.1%	4.1%	2.1%
	Grade 6	70.4%	20.1%	7.4%	2.0%	0.2%
	Grade 7	67.4%	22.1%	8.2%	1.5%	0.9%
	Grade 8	66.6%	17.3%	11.2%	3.3%	1.6%
	Grade 9	65.7%	14.9%	13.8%	4.3%	1.3%
	Grade 10	56.5%	15.3%	17.0%	7.9%	3.2%
	Grade 11	55.0%	15.3%	20.4%	5.4%	4.0%
	Grade 12	47.3%	20.5%	23.1%	4.7%	4.3%
Friends?	All	62.3%	17.0%	9.7%	8.1%	2.8%
	Grade 6	75.6%	22.0%	1.2%	0.6%	0.5%
	Grade 7	70.7%	22.7%	4.1%	2.3%	0.3%
	Grade 8	67.9%	19.3%	7.3%	3.9%	1.5%
	Grade 9	65.7%	14.1%	12.3%	6.3%	1.7%
	Grade 10	54.7%	12.8%	14.4%	13.2%	4.8%
	Grade 11	50.1%	12.8%	14.7%	16.3%	6.1%
	Grade 12	46.9%	14.1%	15.9%	17.2%	5.9%
Store?	All	64.9%	28.9%	3.1%	2.0%	1.1%
	Grade 6	75.3%	24.0%	0.4%	0.2%	0.1%
	Grade 7	71.1%	26.9%	1.7%	0.1%	0.1%
	Grade 8	69.9%	27.0%	2.1%	0.5%	0.6%
	Grade 9	70.4%	25.8%	2.5%	0.9%	0.4%
	Grade 10	57.6%	33.4%	4.4%	3.1%	1.5%
	Grade 11	56.1%	30.9%	4.9%	5.2%	3.0%
	Grade 12	49.9%	36.3%	6.4%	5.0%	2.4%
Parties?	All	60.8%	15.5%	8.5%	8.4%	6.8%
	Grade 6	72.5%	19.8%	4.8%	2.1%	0.8%
	Grade 7	69.5%	21.2%	4.8%	3.3%	1.1%
	Grade 8	66.2%	16.2%	7.1%	6.4%	4.1%
	Grade 9	64.0%	12.4%	10.8%	7.3%	5.5%
	Grade 10	54.5%	11.1%	9.3%	13.4%	11.7%
	Grade 11	48.6%	13.6%	11.3%	14.1%	12.4%
	Grade 12	45.8%	13.9%	12.2%	14.1%	14.0%
Other Source?	All	65.0%	21.6%	7.2%	3.4%	2.8%
	Grade 6	75.1%	18.8%	5.1%	0.5%	0.5%
	Grade 7	70.8%	24.0%	3.2%	1.2%	0.8%
	Grade 8	69.4%	18.2%	7.1%	3.0%	2.2%
	Grade 9	69.1%	19.2%	7.3%	2.1%	2.3%
	Grade 10	59.0%	19.8%	10.2%	6.3%	4.7%
	Grade 11	56.1%	25.5%	8.6%	5.0%	4.8%
	Grade 12	51.7%	27.1%	9.5%	6.5%	5.2%



**Table A-13: How do your parents feel about kids your age drinking alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	70.6%	11.8%	8.8%	2.4%	1.0%	5.4%
Grade 6	81.7%	6.0%	3.2%	0.7%	1.0%	7.4%
Grade 7	81.7%	6.3%	3.6%	0.7%	0.7%	6.9%
Grade 8	75.1%	9.3%	7.0%	1.9%	1.4%	5.3%
Grade 9	71.4%	14.4%	8.0%	1.9%	0.8%	3.6%
Grade 10	64.4%	13.4%	14.1%	4.3%	0.5%	3.3%
Grade 11	61.0%	14.6%	12.7%	4.2%	1.8%	5.7%
Grade 12	54.9%	20.3%	14.6%	3.4%	1.1%	5.7%

**Table A-14: How dangerous do you think it is for kids your age to use alcohol?**

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	55.7%	28.7%	10.1%	1.9%	3.6%
Grade 6	72.1%	16.5%	6.5%	0.7%	4.2%
Grade 7	68.3%	20.0%	7.2%	1.0%	3.4%
Grade 8	56.1%	27.1%	10.6%	2.4%	3.8%
Grade 9	54.2%	29.7%	11.9%	2.0%	2.1%
Grade 10	46.2%	35.9%	12.0%	2.5%	3.4%
Grade 11	44.5%	36.0%	12.7%	3.3%	3.5%
Grade 12	44.3%	39.1%	10.4%	1.2%	5.0%

## Drugs

Table D-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Marijuana?				
All	6.7%	10.1%	16.6%	83.4%
Grade 6	0.7%	0.8%	1.8%	98.2%
Grade 7	1.6%	2.3%	4.9%	95.1%
Grade 8	3.8%	6.1%	10.9%	89.1%
Grade 9	5.2%	8.2%	13.6%	86.4%
Grade 10	9.3%	14.4%	25.5%	74.4%
Grade 11	14.9%	21.5%	31.1%	68.9%
Grade 12	13.7%	21.1%	34.2%	65.9%
Cocaine?				
All	0.4%	0.5%	1.3%	98.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.3%	0.4%	1.0%	99.0%
Grade 9	0.2%	0.3%	1.2%	98.8%
Grade 10	0.2%	0.3%	1.7%	98.3%
Grade 11	1.4%	2.1%	2.9%	97.0%
Grade 12	0.7%	0.9%	2.6%	97.4%
Crack?				
All	0.2%	0.2%	0.5%	99.5%
Grade 6	0.6%	0.6%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.3%	99.7%
Hallucinogens?				
All	0.7%	1.1%	2.3%	97.7%
Grade 6	0.0%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.2%	0.8%	99.2%
Grade 8	0.5%	0.5%	1.5%	98.6%
Grade 9	0.4%	0.7%	1.5%	98.4%
Grade 10	0.6%	1.0%	2.4%	97.6%
Grade 11	2.6%	4.0%	6.5%	93.5%
Grade 12	1.4%	1.8%	4.5%	95.5%
Rohypnol?				
All	0.3%	0.3%	0.5%	99.5%
Grade 6	0.1%	0.1%	0.2%	99.8%
Grade 7	0.1%	0.2%	0.3%	99.6%
Grade 8	0.2%	0.2%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.6%	0.6%	0.7%	99.4%
Grade 11	0.7%	0.8%	1.2%	98.9%
Grade 12	0.1%	0.1%	0.4%	99.5%

**Table D-1: How recently, if ever, have you used ...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Steroids?				
All	0.4%	0.5%	1.1%	98.9%
Grade 6	0.2%	0.5%	1.8%	98.3%
Grade 7	0.0%	0.0%	0.8%	99.2%
Grade 8	0.5%	0.7%	1.3%	98.6%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.3%	0.4%	1.0%	98.9%
Grade 11	0.7%	0.7%	1.1%	98.8%
Grade 12	0.8%	1.1%	1.7%	98.2%
Ecstasy?				
All	0.6%	1.0%	2.2%	97.8%
Grade 6	0.0%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.1%	1.1%	98.9%
Grade 8	0.3%	0.6%	1.5%	98.5%
Grade 9	0.6%	0.8%	2.0%	97.9%
Grade 10	0.3%	1.1%	1.9%	98.1%
Grade 11	2.4%	2.9%	4.9%	95.1%
Grade 12	0.8%	1.8%	4.5%	95.5%
Heroin?				
All	0.2%	0.2%	0.5%	99.5%
Grade 6	0.0%	0.0%	0.6%	99.4%
Grade 7	0.5%	0.6%	1.1%	98.9%
Grade 8	0.1%	0.1%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.5%	0.5%	0.6%	99.4%
Methamphetamine?				
All	0.2%	0.3%	0.6%	99.4%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	0.1%	0.1%	0.5%	99.4%
Grade 8	0.2%	0.3%	0.8%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.7%	0.8%	1.3%	98.7%
Grade 12	0.6%	0.7%	0.8%	99.1%
Synthetic Marijuana?				
All	1.1%	1.6%	3.8%	96.3%
Grade 6	0.3%	0.4%	0.6%	99.4%
Grade 7	0.4%	0.9%	1.8%	98.2%
Grade 8	1.5%	1.6%	3.2%	96.7%
Grade 9	1.4%	2.2%	3.4%	96.6%
Grade 10	2.5%	3.3%	6.3%	93.7%
Grade 11	0.3%	1.2%	5.3%	94.8%
Grade 12	1.1%	1.5%	6.4%	93.7%

Table D-2: How often do you normally use ...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	85.1%	1.1%	1.7%	2.6%	2.9%	3.3%	3.4%
	Grade 6	98.2%	0.4%	0.2%	0.3%	0.0%	0.4%	0.4%
	Grade 7	95.6%	0.3%	0.3%	0.6%	0.6%	0.9%	1.7%
	Grade 8	90.7%	0.5%	1.3%	2.3%	2.0%	1.4%	1.9%
	Grade 9	88.1%	0.7%	1.3%	1.6%	2.8%	2.5%	3.0%
	Grade 10	76.9%	0.9%	2.7%	3.7%	5.2%	5.4%	5.1%
	Grade 11	71.6%	2.3%	3.8%	6.0%	4.6%	6.2%	5.5%
	Grade 12	69.6%	2.6%	2.8%	4.9%	6.1%	7.1%	7.0%
Cocaine?								
	All	99.1%	0.1%	0.0%	0.0%	0.2%	0.3%	0.2%
	Grade 6	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%
	Grade 8	99.2%	0.0%	0.0%	0.0%	0.1%	0.5%	0.2%
	Grade 9	98.8%	0.5%	0.0%	0.0%	0.2%	0.4%	0.2%
	Grade 10	99.2%	0.0%	0.0%	0.0%	0.1%	0.5%	0.1%
	Grade 11	98.8%	0.0%	0.0%	0.1%	0.7%	0.3%	0.1%
	Grade 12	97.9%	0.1%	0.0%	0.0%	0.6%	0.2%	1.1%
Crack?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 6	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.3%	0.1%	0.0%	0.0%	0.0%	0.1%	0.4%
	Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 12	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?								
	All	99.2%	0.1%	0.0%	0.1%	0.1%	0.2%	0.4%
	Grade 6	98.7%	0.1%	0.0%	0.2%	0.1%	0.0%	0.9%
	Grade 7	99.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
	Grade 8	99.0%	0.1%	0.1%	0.0%	0.1%	0.3%	0.4%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
	Grade 10	98.7%	0.0%	0.0%	0.2%	0.2%	0.4%	0.5%
	Grade 11	99.2%	0.0%	0.1%	0.0%	0.0%	0.6%	0.2%
	Grade 12	99.1%	0.1%	0.1%	0.0%	0.1%	0.0%	0.6%

**Table D-2: How often do you normally use ...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Ecstasy?								
	All	98.2%	0.1%	0.1%	0.1%	0.4%	0.4%	0.8%
	Grade 6	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 7	98.8%	0.0%	0.0%	0.0%	0.0%	0.3%	0.8%
	Grade 8	98.6%	0.0%	0.2%	0.1%	0.3%	0.4%	0.3%
	Grade 9	98.1%	0.4%	0.0%	0.0%	0.3%	0.3%	0.7%
	Grade 10	98.6%	0.0%	0.0%	0.1%	0.0%	0.7%	0.5%
	Grade 11	95.8%	0.0%	0.2%	0.5%	1.7%	0.4%	1.4%
	Grade 12	97.0%	0.0%	0.0%	0.1%	0.2%	0.6%	2.0%
Heroin?								
	All	99.8%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 6	99.9%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 7	99.3%	0.3%	0.0%	0.0%	0.0%	0.1%	0.2%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.7%	0.2%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Methamphetamine?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 6	99.9%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 7	99.7%	0.0%	0.2%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
	Grade 9	99.9%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.5%	0.2%	0.0%	0.0%	0.0%	0.2%	0.1%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%
	Grade 12	99.5%	0.0%	0.0%	0.0%	0.2%	0.0%	0.3%
Synthetic Marijuana?								
	All	97.0%	0.1%	0.2%	0.4%	0.4%	0.6%	1.5%
	Grade 6	99.4%	0.2%	0.0%	0.0%	0.3%	0.0%	0.1%
	Grade 7	98.7%	0.0%	0.1%	0.0%	0.3%	0.1%	0.7%
	Grade 8	97.1%	0.1%	0.2%	0.9%	0.5%	0.7%	0.6%
	Grade 9	96.9%	0.0%	0.0%	0.5%	0.2%	0.8%	1.6%
	Grade 10	95.3%	0.2%	0.2%	0.8%	0.5%	1.1%	2.0%
	Grade 11	95.6%	0.0%	0.7%	0.2%	0.6%	0.7%	2.2%
	Grade 12	95.5%	0.0%	0.0%	0.1%	0.2%	0.5%	3.6%

**Table D-3: Average age of first use of:**

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	10.8	11.7	12.4	13.0	13.8	14.5	15.0
Cocaine	*	11.8	13.3	13.2	14.5	15.0	17.0
Crack	10.8	12.6	12.5	13.0	12.0	14.0	11.9
Steroids	9.6	11.0	11.8	13.5	13.5	12.7	16.1
Ecstasy	10.2	12.3	12.8	13.9	14.6	15.1	16.3
Heroin	8.0	9.0	12.0	*	14.2	15.0	17.0
Methamphetamine	8.0	9.8	13.0	8.0	12.1	14.1	12.2
Synthetic Marijuana	10.5	11.8	13.1	13.0	14.2	15.2	15.8

**Table D-4: Age of first use of marijuana by family situation**

	Never	8 or younger	9	10 to 11	12 to 13	14 to 15	16 to 17	Over 17	
<b>Two Parent Family</b>									
All	88.3%	0.1%	0.2%	0.8%	3.0%	4.5%	3.0%	0.1%	
Grade 6	99.1%	0.3%	0.0%	0.4%	0.3%	0.0%	0.0%	0.0%	
Grade 7	96.2%	0.1%	0.4%	0.6%	2.6%	0.0%	0.0%	0.0%	
Grade 8	94.3%	0.0%	0.0%	0.7%	3.9%	1.1%	0.0%	0.0%	
Grade 9	90.0%	0.2%	0.1%	0.6%	4.2%	4.8%	0.1%	0.0%	
Grade 10	80.4%	0.1%	0.0%	2.4%	6.1%	8.7%	2.4%	0.0%	
Grade 11	76.3%	0.0%	0.6%	0.9%	2.5%	11.6%	8.2%	0.0%	
Grade 12	73.4%	0.0%	0.1%	0.8%	1.8%	9.0%	14.1%	0.8%	
<b>Other Family Situation</b>									
All	74.4%	0.3%	0.7%	2.1%	7.6%	9.8%	4.9%	0.2%	
Grade 6	95.4%	0.0%	0.5%	1.6%	2.5%	0.0%	0.0%	0.0%	
Grade 7	92.6%	0.1%	0.1%	2.6%	4.5%	0.0%	0.0%	0.0%	
Grade 8	80.4%	0.8%	0.9%	2.7%	11.6%	3.5%	0.0%	0.0%	
Grade 9	77.5%	0.0%	1.6%	2.5%	10.3%	8.0%	0.0%	0.0%	
Grade 10	65.2%	1.0%	0.0%	0.6%	10.5%	18.9%	3.9%	0.0%	
Grade 11	60.3%	0.0%	0.1%	3.2%	6.2%	17.6%	12.3%	0.2%	
Grade 12	55.3%	0.0%	1.7%	1.2%	6.2%	17.9%	16.3%	1.4%	

Table D-5: If you wanted some, how difficult would it be to get ...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana	All	23.4%	28.8%	8.7%	8.4%	11.1%	19.6%
	Grade 6	37.8%	48.8%	6.2%	3.2%	1.6%	2.4%
	Grade 7	33.0%	43.3%	9.5%	5.4%	3.7%	5.1%
	Grade 8	25.8%	36.5%	11.0%	7.6%	9.0%	10.1%
	Grade 9	17.7%	25.6%	11.4%	11.5%	15.3%	18.4%
	Grade 10	12.2%	19.9%	8.5%	13.1%	16.2%	30.1%
	Grade 11	17.7%	11.8%	7.8%	7.6%	16.2%	38.9%
	Grade 12	17.5%	9.9%	5.8%	11.0%	17.6%	38.2%
Cocaine	All	28.7%	39.4%	14.3%	9.3%	4.0%	4.2%
	Grade 6	37.6%	50.0%	7.9%	2.1%	0.8%	1.6%
	Grade 7	35.7%	48.3%	10.4%	3.0%	1.1%	1.5%
	Grade 8	29.9%	45.4%	12.7%	6.1%	3.1%	2.9%
	Grade 9	22.3%	40.5%	14.1%	12.0%	5.6%	5.4%
	Grade 10	19.7%	33.3%	19.6%	15.6%	6.3%	5.6%
	Grade 11	27.5%	25.1%	20.8%	13.3%	6.0%	7.3%
	Grade 12	27.9%	29.1%	15.9%	15.0%	5.8%	6.2%
Crack	All	30.6%	39.8%	15.2%	7.7%	3.2%	3.6%
	Grade 6	42.1%	46.1%	7.8%	1.9%	0.7%	1.4%
	Grade 7	37.0%	47.1%	10.3%	3.4%	0.9%	1.3%
	Grade 8	30.0%	45.6%	12.4%	6.0%	2.8%	3.3%
	Grade 9	23.3%	42.3%	15.4%	8.7%	5.3%	5.0%
	Grade 10	20.4%	36.1%	19.6%	13.5%	5.4%	5.0%
	Grade 11	30.3%	27.7%	22.9%	9.8%	4.4%	4.9%
	Grade 12	30.4%	30.6%	19.5%	11.7%	3.4%	4.3%
Steroids	All	31.1%	38.2%	14.5%	8.5%	4.0%	3.7%
	Grade 6	39.5%	43.6%	10.3%	3.0%	1.7%	1.9%
	Grade 7	38.8%	44.5%	9.8%	3.4%	1.7%	1.7%
	Grade 8	30.5%	44.8%	12.0%	6.3%	4.2%	2.2%
	Grade 9	24.1%	38.7%	17.3%	11.0%	4.9%	4.0%
	Grade 10	21.2%	36.6%	15.1%	15.1%	5.9%	6.1%
	Grade 11	31.7%	25.8%	22.8%	10.1%	4.9%	4.7%
	Grade 12	31.7%	30.9%	15.4%	11.6%	4.7%	5.7%

**Table D-5: If you wanted some, how difficult would it be to get ...**  
**(Continued)**

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Ecstasy?							
	All	38.9%	31.9%	11.2%	7.8%	5.1%	5.2%
	Grade 6	63.2%	31.0%	3.4%	0.8%	0.5%	1.1%
	Grade 7	52.9%	36.2%	5.9%	2.1%	1.7%	1.2%
	Grade 8	41.3%	37.8%	9.8%	4.7%	3.6%	2.8%
	Grade 9	29.9%	34.1%	12.9%	9.6%	8.0%	5.5%
	Grade 10	22.7%	34.3%	14.4%	15.7%	6.0%	6.8%
	Grade 11	30.2%	22.4%	18.7%	10.4%	8.8%	9.4%
	Grade 12	28.6%	24.8%	14.8%	12.6%	8.4%	10.8%
Heroin?							
	All	36.2%	40.4%	12.6%	5.3%	2.6%	2.8%
	Grade 6	54.3%	36.3%	4.5%	2.4%	1.1%	1.4%
	Grade 7	44.8%	42.9%	7.0%	2.6%	1.3%	1.4%
	Grade 8	36.3%	45.0%	10.0%	3.7%	3.1%	1.9%
	Grade 9	28.0%	43.2%	14.2%	7.1%	4.1%	3.3%
	Grade 10	23.1%	44.3%	16.7%	8.6%	2.7%	4.6%
	Grade 11	33.0%	34.0%	18.8%	7.5%	2.9%	3.7%
	Grade 12	32.6%	35.7%	19.2%	5.5%	3.2%	3.7%
Methamphetamine?							
	All	38.5%	38.7%	12.4%	4.9%	2.5%	3.1%
	Grade 6	57.5%	35.1%	4.5%	1.4%	0.3%	1.2%
	Grade 7	48.9%	39.3%	7.2%	2.4%	0.7%	1.5%
	Grade 8	40.5%	40.9%	10.0%	4.4%	2.4%	1.8%
	Grade 9	30.8%	41.7%	15.0%	5.3%	3.5%	3.7%
	Grade 10	23.8%	41.7%	17.0%	8.7%	3.9%	5.1%
	Grade 11	33.4%	35.0%	17.1%	6.2%	3.1%	5.2%
	Grade 12	32.2%	36.2%	17.3%	6.5%	4.0%	3.9%
Synthetic Marijuana?							
	All	39.3%	30.3%	9.6%	6.1%	6.9%	7.7%
	Grade 6	60.5%	32.7%	3.5%	1.0%	0.6%	1.8%
	Grade 7	50.4%	36.6%	6.8%	2.4%	1.7%	2.0%
	Grade 8	42.5%	35.9%	7.8%	4.7%	4.2%	5.0%
	Grade 9	30.2%	32.8%	11.5%	6.9%	8.0%	10.6%
	Grade 10	24.0%	30.1%	13.2%	9.5%	11.8%	11.4%
	Grade 11	32.7%	19.8%	13.6%	9.6%	13.0%	11.4%
	Grade 12	32.6%	21.3%	12.0%	9.9%	10.9%	13.4%



**Table D-6: Since school began in the fall, on how many days (if any) have you ...**

	None	1-3 Days	4-9 Days	10+ Days
<b>Attended Class While High From Marijuana Use?</b>				
All	94.6%	3.2%	1.0%	1.2%
Grade 6	98.2%	0.7%	0.2%	0.9%
Grade 7	98.0%	1.0%	0.7%	0.4%
Grade 8	95.9%	2.6%	0.8%	0.7%
Grade 9	95.2%	3.0%	0.9%	0.9%
Grade 10	93.7%	4.5%	0.9%	0.9%
Grade 11	88.0%	7.1%	2.2%	2.8%
Grade 12	91.6%	4.2%	1.7%	2.5%
<b>Attended Class While High From Use Of Some Other Drug?</b>				
All	97.4%	1.8%	0.3%	0.5%
Grade 6	98.7%	1.3%	0.0%	0.0%
Grade 7	98.5%	1.1%	0.1%	0.3%
Grade 8	97.5%	1.7%	0.3%	0.5%
Grade 9	98.8%	1.0%	0.0%	0.2%
Grade 10	96.1%	2.2%	0.9%	0.8%
Grade 11	95.4%	3.4%	0.3%	0.9%
Grade 12	96.2%	2.1%	0.3%	1.3%

**Table D-7: School year use of marijuana by absences and conduct problems:**

Average days absent due to illness or other reasons	
Marijuana Users	4.9
Marijuana Non-Users	3.5
Average days conduct problems reported	
Marijuana Users	3.1
Marijuana Non-Users	0.9

Table D-8: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Felt High From Drugs?				
All	94.8%	3.7%	0.8%	0.7%
Grade 9	98.9%	1.1%	0.0%	0.0%
Grade 10	95.9%	2.7%	0.5%	0.8%
Grade 11	92.8%	5.1%	1.4%	0.6%
Grade 12	90.5%	6.3%	1.5%	1.7%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drug Use?				
All	96.8%	2.8%	0.2%	0.1%
Grade 6	99.6%	0.3%	0.0%	0.1%
Grade 7	97.9%	2.0%	0.1%	0.0%
Grade 8	96.3%	3.5%	0.2%	0.1%
Grade 9	96.0%	3.9%	0.1%	0.0%
Grade 10	96.2%	3.6%	0.2%	0.0%
Grade 11	95.0%	4.3%	0.0%	0.6%
Grade 12	96.2%	2.5%	1.0%	0.2%
Been Criticized By Someone You Were Dating Because Of Drug Use?				
All	96.9%	2.6%	0.3%	0.2%
Grade 6	98.9%	0.3%	0.6%	0.1%
Grade 7	98.2%	1.5%	0.1%	0.2%
Grade 8	97.4%	2.5%	0.1%	0.1%
Grade 9	96.5%	3.0%	0.0%	0.5%
Grade 10	95.3%	4.2%	0.3%	0.2%
Grade 11	95.9%	3.3%	0.4%	0.3%
Grade 12	96.0%	3.5%	0.4%	0.1%

**Table D-9: About how many of your close friends use marijuana?**

	None	A Few	Some	Most	All
All	62.4%	16.0%	10.2%	8.6%	2.8%
Grade 6	91.7%	5.6%	0.8%	1.4%	0.5%
Grade 7	84.0%	9.1%	4.0%	2.4%	0.5%
Grade 8	69.2%	15.9%	8.4%	4.9%	1.5%
Grade 9	60.6%	20.6%	9.8%	7.3%	1.6%
Grade 10	41.7%	21.3%	20.1%	14.3%	2.6%
Grade 11	39.2%	20.2%	14.9%	17.4%	8.3%
Grade 12	42.4%	21.0%	15.6%	15.4%	5.5%

**Table D-10: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	59.2%	5.6%	4.5%	6.1%	5.7%	1.6%	17.3%
Grade 6	83.5%	0.7%	0.5%	0.8%	0.7%	1.3%	12.5%
Grade 7	79.9%	3.1%	1.5%	2.0%	0.5%	1.4%	11.7%
Grade 8	68.1%	4.5%	3.2%	3.8%	1.8%	2.0%	16.5%
Grade 9	52.8%	9.3%	4.2%	6.2%	5.3%	1.5%	20.7%
Grade 10	42.7%	6.9%	8.0%	9.2%	8.3%	1.6%	23.4%
Grade 11	40.4%	8.0%	8.2%	9.0%	13.6%	2.3%	18.5%
Grade 12	40.8%	6.9%	6.8%	13.9%	12.3%	0.9%	18.4%

**Table D-11: How do your parents feel about kids your age using marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	80.9%	6.1%	4.8%	1.2%	1.2%	5.8%
Grade 6	88.9%	1.2%	0.6%	0.2%	1.1%	8.1%
Grade 7	88.2%	1.8%	2.1%	0.4%	0.8%	6.7%
Grade 8	84.3%	4.2%	4.2%	0.9%	1.1%	5.3%
Grade 9	83.4%	6.6%	4.2%	0.7%	1.1%	3.9%
Grade 10	77.8%	8.9%	6.6%	1.6%	1.6%	3.5%
Grade 11	72.2%	8.4%	7.9%	3.2%	1.3%	6.9%
Grade 12	67.6%	13.3%	9.1%	2.1%	1.2%	6.8%

Table D-12: How dangerous do you think it is for kids your age to use ...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Marijuana?	All	60.3%	12.8%	10.2%	12.5%	4.2%
	Grade 6	84.8%	5.2%	1.6%	1.7%	6.8%
	Grade 7	81.6%	8.0%	3.9%	2.2%	4.1%
	Grade 8	66.7%	13.3%	7.7%	7.9%	4.3%
	Grade 9	61.8%	13.9%	9.2%	12.9%	2.1%
	Grade 10	42.6%	17.8%	17.7%	18.9%	3.0%
	Grade 11	39.7%	15.4%	14.8%	25.8%	4.4%
	Grade 12	36.5%	17.7%	19.0%	21.9%	4.9%
Cocaine?	All	86.8%	6.9%	0.9%	0.5%	4.9%
	Grade 6	88.5%	4.7%	0.2%	0.1%	6.6%
	Grade 7	90.7%	3.7%	0.7%	0.4%	4.5%
	Grade 8	86.4%	7.1%	1.3%	0.5%	4.6%
	Grade 9	88.0%	7.1%	0.9%	0.7%	3.3%
	Grade 10	84.7%	9.6%	0.9%	0.6%	4.2%
	Grade 11	82.6%	9.7%	1.2%	0.9%	5.6%
	Grade 12	85.4%	7.5%	0.7%	0.4%	5.9%
Crack?	All	88.1%	5.7%	0.4%	0.6%	5.2%
	Grade 6	88.5%	3.5%	0.2%	0.3%	7.5%
	Grade 7	91.1%	3.3%	0.7%	0.4%	4.6%
	Grade 8	87.6%	6.5%	1.1%	0.4%	4.4%
	Grade 9	88.8%	6.5%	0.6%	0.5%	3.7%
	Grade 10	85.5%	8.3%	0.2%	1.2%	4.8%
	Grade 11	85.8%	7.7%	0.3%	0.9%	5.3%
	Grade 12	89.0%	4.3%	0.0%	0.4%	6.2%
Ecstasy?	All	81.0%	7.8%	2.2%	0.8%	8.1%
	Grade 6	80.2%	2.8%	0.6%	0.1%	16.3%
	Grade 7	85.9%	3.5%	1.4%	0.5%	8.7%
	Grade 8	81.9%	7.0%	1.9%	1.2%	8.0%
	Grade 9	81.0%	8.8%	3.5%	1.1%	5.6%
	Grade 10	79.1%	12.4%	1.9%	1.2%	5.4%
	Grade 11	77.6%	12.1%	3.5%	0.9%	5.9%
	Grade 12	80.9%	9.5%	2.6%	1.0%	6.1%

**Table D-12: How dangerous do you think it is for kids your age to use ...  
(Continued)**

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Hydrocodone (Vicodin, Lortab, Or Lorcet)?	All	78.7%	7.6%	2.6%	1.3%	9.8%
	Grade 6	78.1%	3.6%	0.5%	0.2%	17.6%
	Grade 7	85.8%	4.1%	0.9%	0.5%	8.7%
	Grade 8	81.8%	6.6%	1.3%	1.4%	9.0%
	Grade 9	80.4%	6.7%	3.6%	1.2%	8.1%
	Grade 10	73.9%	10.8%	4.5%	3.0%	7.9%
	Grade 11	73.8%	11.9%	3.2%	1.7%	9.4%
	Grade 12	75.4%	10.6%	4.7%	1.5%	7.9%
Steroids?	All	75.8%	13.2%	3.8%	1.3%	5.9%
	Grade 6	81.0%	6.7%	2.1%	1.0%	9.3%
	Grade 7	81.1%	10.4%	2.2%	0.7%	5.6%
	Grade 8	77.2%	12.4%	3.5%	0.9%	6.0%
	Grade 9	73.1%	16.4%	5.7%	1.0%	3.8%
	Grade 10	71.5%	16.3%	4.8%	2.7%	4.8%
	Grade 11	71.8%	16.9%	2.7%	2.5%	6.1%
	Grade 12	73.7%	14.3%	5.4%	0.8%	5.8%
Heroin?	All	87.7%	4.0%	0.8%	0.6%	6.8%
	Grade 6	83.9%	2.6%	0.3%	0.2%	13.1%
	Grade 7	88.2%	3.9%	0.5%	0.7%	6.8%
	Grade 8	88.0%	4.9%	0.9%	0.4%	5.8%
	Grade 9	88.6%	4.9%	1.2%	0.9%	4.4%
	Grade 10	87.5%	5.3%	1.4%	0.8%	5.0%
	Grade 11	87.9%	4.0%	1.4%	0.9%	5.9%
	Grade 12	90.6%	2.7%	0.2%	0.3%	6.2%
Methamphetamine?	All	88.0%	3.9%	0.7%	0.6%	6.9%
	Grade 6	83.3%	1.4%	0.5%	0.1%	14.6%
	Grade 7	89.2%	2.8%	0.4%	0.4%	7.1%
	Grade 8	87.7%	4.7%	0.6%	0.4%	6.5%
	Grade 9	89.4%	4.2%	1.1%	1.0%	4.3%
	Grade 10	87.7%	6.1%	1.2%	0.8%	4.3%
	Grade 11	87.9%	4.8%	0.6%	0.9%	5.8%
	Grade 12	91.0%	3.1%	0.0%	0.3%	5.7%
Synthetic Marijuana?	All	78.8%	7.6%	3.4%	1.4%	8.9%
	Grade 6	80.6%	2.7%	0.5%	0.4%	15.9%
	Grade 7	86.3%	4.5%	1.1%	0.7%	7.4%
	Grade 8	80.3%	7.8%	2.4%	1.2%	8.3%
	Grade 9	78.6%	10.0%	3.9%	1.2%	6.3%
	Grade 10	71.8%	10.6%	7.3%	3.7%	6.6%
	Grade 11	74.2%	10.9%	5.0%	1.6%	8.4%
	Grade 12	78.5%	7.5%	3.9%	0.9%	9.3%

**Table D-13: How recently, if ever, have you taken the following PRESCRIPTION drugs ...**

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	3.8%	5.4%	8.4%	91.5%
Grade 6	2.6%	3.7%	6.4%	93.7%
Grade 7	3.2%	4.8%	6.5%	93.5%
Grade 8	3.4%	5.2%	8.1%	91.9%
Grade 9	3.2%	4.4%	6.7%	93.2%
Grade 10	4.7%	7.1%	11.0%	89.1%
Grade 11	5.0%	6.5%	11.1%	88.9%
Grade 12	5.4%	7.0%	10.6%	89.4%
Oxycontin, Percodan, Percocet Or Oxycodone?				
All	1.1%	1.5%	2.6%	97.4%
Grade 6	0.1%	0.3%	0.9%	99.1%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.9%	1.1%	1.4%	98.7%
Grade 9	0.5%	0.6%	1.3%	98.7%
Grade 10	2.0%	2.2%	3.2%	96.8%
Grade 11	1.7%	2.7%	6.0%	94.1%
Grade 12	3.0%	4.0%	5.9%	94.1%
Vicodin, Lortab, Lorcet, Or Hydrocodone?				
All	2.3%	3.4%	5.3%	94.7%
Grade 6	0.2%	0.2%	0.6%	99.5%
Grade 7	0.6%	0.7%	1.2%	98.8%
Grade 8	1.4%	2.1%	3.0%	97.0%
Grade 9	1.2%	1.7%	2.4%	97.6%
Grade 10	3.8%	4.8%	8.3%	91.8%
Grade 11	3.9%	7.0%	11.9%	88.1%
Grade 12	5.7%	8.4%	11.7%	88.3%
Valium Or Diazepam?				
All	0.5%	0.5%	0.9%	99.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.7%	0.8%	0.9%	99.0%
Grade 9	0.3%	0.3%	0.3%	99.6%
Grade 10	1.0%	1.0%	1.2%	98.7%
Grade 11	0.4%	0.5%	2.6%	97.4%
Grade 12	1.0%	1.0%	1.5%	98.5%
Xanax Or Alprazolam?				
All	1.2%	1.7%	2.7%	97.3%
Grade 6	0.1%	0.1%	0.2%	99.9%
Grade 7	0.3%	0.4%	0.7%	99.3%
Grade 8	0.8%	1.0%	1.6%	98.4%
Grade 9	1.1%	1.5%	1.7%	98.2%
Grade 10	2.1%	2.6%	4.1%	95.9%
Grade 11	1.8%	3.8%	7.5%	92.6%
Grade 12	3.0%	3.4%	4.5%	95.5%

**Table D-14: How recently, if ever, have you taken the following OVER-THE-COUNTER drugs ...**

	Past Month	School Year	Ever Used	Never Used
Dxm, Triple Cs, Or Coricidin?				
All	1.3%	2.0%	3.0%	97.1%
Grade 6	0.6%	0.9%	2.2%	97.8%
Grade 7	1.4%	1.7%	2.7%	97.3%
Grade 8	1.2%	1.9%	3.6%	96.3%
Grade 9	0.9%	1.3%	1.6%	98.5%
Grade 10	1.5%	3.3%	3.9%	96.1%
Grade 11	2.3%	3.2%	4.5%	95.5%
Grade 12	1.1%	1.6%	2.2%	97.8%



## Inhalants

Table I-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Spray Paint?				
All	0.7%	0.9%	2.5%	97.6%
Grade 6	1.1%	1.2%	2.6%	97.3%
Grade 7	0.4%	0.6%	2.1%	98.0%
Grade 8	0.8%	1.4%	3.7%	96.4%
Grade 9	0.3%	0.6%	1.6%	98.4%
Grade 10	0.1%	0.1%	2.1%	97.9%
Grade 11	1.1%	1.1%	3.0%	96.9%
Grade 12	0.9%	1.0%	2.0%	98.0%
Whiteout, Correction Fluid, Magic Markers?				
All	1.5%	2.1%	5.9%	94.1%
Grade 6	2.1%	2.7%	7.4%	92.6%
Grade 7	1.7%	2.7%	6.3%	93.7%
Grade 8	1.6%	2.2%	7.7%	92.4%
Grade 9	2.6%	3.4%	7.1%	92.9%
Grade 10	0.7%	0.7%	4.5%	95.4%
Grade 11	0.9%	1.3%	4.0%	96.0%
Grade 12	1.0%	1.3%	3.8%	96.2%
Computer Dusting Sprays?				
All	0.2%	0.3%	1.0%	99.0%
Grade 6	0.2%	0.2%	1.6%	98.4%
Grade 7	0.3%	0.4%	0.8%	99.1%
Grade 8	0.4%	0.6%	1.1%	98.9%
Grade 9	0.0%	0.3%	1.2%	98.9%
Grade 10	0.0%	0.0%	0.5%	99.5%
Grade 11	0.0%	0.0%	1.0%	98.9%
Grade 12	0.1%	0.3%	0.7%	99.2%
Helium, Butane, Propane, Whip-pets, Freon?				
All	1.5%	2.1%	4.7%	95.3%
Grade 6	0.6%	1.0%	3.1%	97.0%
Grade 7	1.6%	2.3%	5.3%	94.7%
Grade 8	1.8%	2.4%	5.6%	94.4%
Grade 9	1.8%	2.3%	6.3%	93.7%
Grade 10	1.8%	2.5%	5.1%	94.9%
Grade 11	2.2%	3.3%	5.4%	94.7%
Grade 12	0.6%	0.9%	2.1%	97.9%
Glue?				
All	0.3%	0.5%	1.1%	98.9%
Grade 6	0.5%	1.2%	2.5%	97.4%
Grade 7	0.4%	0.7%	1.2%	98.8%
Grade 8	0.6%	0.6%	1.4%	98.6%
Grade 9	0.2%	0.2%	0.6%	99.4%
Grade 10	0.1%	0.1%	0.3%	99.6%
Grade 11	0.0%	0.0%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.2%	99.8%

**Table I-1: How recently, if ever, have you used ...  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Toluene, Paint Thinner, Other Solvents?				
All	0.1%	0.2%	0.7%	99.3%
Grade 6	0.1%	0.1%	1.0%	99.1%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.3%	0.6%	1.1%	98.9%
Grade 9	0.0%	0.1%	0.7%	99.3%
Grade 10	0.0%	0.1%	0.2%	99.8%
Grade 11	0.0%	0.2%	0.7%	99.2%
Grade 12	0.1%	0.1%	0.3%	99.7%
Gasoline, Octane Booster, Carburetor Cleaner?				
All	0.5%	0.7%	1.8%	98.2%
Grade 6	0.2%	0.3%	2.3%	97.7%
Grade 7	0.6%	0.9%	2.0%	97.9%
Grade 8	1.0%	1.3%	2.9%	97.1%
Grade 9	0.5%	0.8%	1.6%	98.5%
Grade 10	0.6%	0.6%	1.0%	99.1%
Grade 11	0.4%	0.4%	1.1%	98.8%
Grade 12	0.2%	0.3%	1.4%	98.7%
Other Aerosols/Sprays?				
All	0.6%	0.7%	1.8%	98.2%
Grade 6	1.3%	1.5%	3.0%	96.9%
Grade 7	0.6%	0.8%	2.0%	97.9%
Grade 8	1.1%	1.4%	3.0%	97.1%
Grade 9	0.6%	0.6%	0.9%	99.1%
Grade 10	0.6%	0.8%	1.7%	98.3%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.0%	0.0%	0.6%	99.3%
Any Inhalant?				
All	3.4%	4.4%	10.5%	89.4%
Grade 6	3.6%	4.4%	11.0%	89.0%
Grade 7	3.4%	4.9%	11.0%	89.0%
Grade 8	4.3%	5.5%	13.6%	86.3%
Grade 9	4.3%	5.1%	12.1%	87.9%
Grade 10	2.7%	3.4%	9.6%	90.5%
Grade 11	3.6%	4.7%	8.5%	91.5%
Grade 12	2.0%	2.7%	7.1%	92.9%

**Table I-2: How often do you normally use inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	96.8%	0.0%	0.2%	0.4%	0.6%	0.4%	1.6%
Grade 6	96.9%	0.0%	0.3%	0.6%	1.1%	0.4%	0.8%
Grade 7	95.3%	0.1%	0.4%	0.3%	1.1%	1.0%	1.7%
Grade 8	95.4%	0.1%	0.1%	0.9%	0.9%	0.5%	2.2%
Grade 9	97.5%	0.0%	0.1%	0.2%	0.6%	0.2%	1.5%
Grade 10	98.1%	0.0%	0.0%	0.4%	0.2%	0.0%	1.3%
Grade 11	97.2%	0.0%	0.0%	0.0%	0.4%	0.5%	1.9%
Grade 12	97.3%	0.0%	0.5%	0.1%	0.0%	0.2%	1.9%

**Table I-3: Number of different kinds of inhalants used**

	None	One	Two to Three	Four Plus
All	89.5%	6.1%	3.3%	1.0%
Grade 6	89.1%	5.6%	3.7%	1.6%
Grade 7	89.2%	6.4%	3.1%	1.2%
Grade 8	86.5%	7.2%	5.1%	1.3%
Grade 9	87.9%	7.8%	3.5%	0.8%
Grade 10	90.5%	6.1%	2.8%	0.6%
Grade 11	91.6%	5.1%	2.2%	1.1%
Grade 12	93.0%	4.2%	2.6%	0.2%

**Table I-4: Average age of first use of inhalants:**

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	10.0	10.5	10.8	10.9	11.9	13.6	14.4

**Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?**

	None	1 to 3 days	4 to 9 days	10+ days
All	99.3%	0.5%	0.1%	0.1%
Grade 6	98.9%	0.9%	0.1%	0.2%
Grade 7	99.2%	0.6%	0.0%	0.1%
Grade 8	98.4%	1.2%	0.0%	0.4%
Grade 9	99.5%	0.5%	0.0%	0.0%
Grade 10	99.8%	0.2%	0.0%	0.0%
Grade 11	99.7%	0.1%	0.0%	0.2%
Grade 12	99.3%	0.2%	0.3%	0.1%

**Table I-6: School year use of inhalants by absences and conduct problems:**

	Average days absent due to illness or other reasons
Inhalants Users	5.4
Inhalants Non-Users	3.6
	Average days conduct problems reported
Inhalants Users	3.7
Inhalants Non-Users	1.1

**Table I-7: About how many of your close friends use inhalants?**

	None	A Few	Some	Most	All
All	91.8%	5.8%	1.8%	0.5%	0.1%
Grade 6	93.7%	4.6%	1.2%	0.4%	0.1%
Grade 7	91.5%	6.1%	1.6%	0.6%	0.2%
Grade 8	91.6%	5.8%	2.0%	0.3%	0.2%
Grade 9	91.2%	7.1%	1.5%	0.3%	0.0%
Grade 10	87.9%	7.9%	3.0%	1.1%	0.1%
Grade 11	91.9%	5.3%	2.2%	0.6%	0.0%
Grade 12	95.3%	3.4%	1.1%	0.1%	0.1%

**Table I-8: How dangerous do you think it is for kids your age to use inhalants?**

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	72.6%	14.7%	4.3%	1.3%	7.1%
Grade 6	73.6%	9.7%	3.9%	1.5%	11.4%
Grade 7	76.5%	13.3%	3.5%	1.4%	5.3%
Grade 8	72.4%	16.1%	5.2%	1.5%	4.9%
Grade 9	75.4%	13.8%	4.5%	0.8%	5.5%
Grade 10	66.8%	19.2%	4.5%	1.6%	7.9%
Grade 11	69.4%	15.4%	6.3%	1.8%	7.2%
Grade 12	73.4%	15.9%	1.9%	0.6%	8.1%

**Table I-9: If you wanted some, how difficult would it be to get inhalants?**

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	31.3%	19.5%	5.4%	6.4%	11.1%	26.3%
Grade 6	38.1%	29.0%	5.9%	3.8%	6.7%	16.5%
Grade 7	38.6%	25.9%	5.2%	6.1%	8.5%	15.6%
Grade 8	32.8%	22.9%	6.3%	6.3%	10.2%	21.4%
Grade 9	23.3%	21.3%	6.4%	7.1%	10.8%	31.1%
Grade 10	20.0%	13.7%	4.7%	9.3%	15.4%	37.0%
Grade 11	31.3%	11.7%	4.8%	6.5%	12.2%	33.4%
Grade 12	34.7%	9.2%	3.9%	5.9%	14.5%	31.7%

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?**

		Yes
A School Health Class		
	All	44.0%
	Grade 6	50.3%
	Grade 7	38.0%
	Grade 8	53.7%
	Grade 9	44.6%
	Grade 10	40.9%
	Grade 11	45.5%
	Grade 12	35.1%
An Assembly Program		
	All	40.1%
	Grade 6	40.2%
	Grade 7	54.1%
	Grade 8	58.3%
	Grade 9	30.5%
	Grade 10	28.2%
	Grade 11	30.3%
	Grade 12	36.8%
Guidance Counselor		
	All	26.1%
	Grade 6	32.8%
	Grade 7	37.5%
	Grade 8	41.4%
	Grade 9	22.0%
	Grade 10	16.2%
	Grade 11	17.6%
	Grade 12	13.4%
Science Or Social Studies Class		
	All	31.2%
	Grade 6	38.0%
	Grade 7	37.1%
	Grade 8	38.4%
	Grade 9	28.6%
	Grade 10	28.4%
	Grade 11	23.1%
	Grade 12	24.1%

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?  
(Continued)**

	Yes
<b>Student Group Or Club Meeting At School</b>	
All	12.7%
Grade 6	8.4%
Grade 7	14.5%
Grade 8	17.5%
Grade 9	12.1%
Grade 10	10.9%
Grade 11	13.0%
Grade 12	11.5%
<b>An Invited School Guest</b>	
All	26.8%
Grade 6	21.6%
Grade 7	39.4%
Grade 8	45.0%
Grade 9	22.5%
Grade 10	17.3%
Grade 11	18.0%
Grade 12	20.8%
<b>Another Source At School</b>	
All	30.1%
Grade 6	26.6%
Grade 7	36.8%
Grade 8	36.6%
Grade 9	30.0%
Grade 10	26.4%
Grade 11	29.0%
Grade 12	23.3%
<b>Any School Source</b>	
All	65.8%
Grade 6	70.7%
Grade 7	73.7%
Grade 8	79.8%
Grade 9	62.5%
Grade 10	57.8%
Grade 11	59.4%
Grade 12	54.4%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

		Yes
Counselor/Program In-School		
	All	39.7%
	Grade 6	55.8%
	Grade 7	56.5%
	Grade 8	44.6%
	Grade 9	33.5%
	Grade 10	27.7%
	Grade 11	27.5%
	Grade 12	28.6%
Another Adult In School		
	All	43.2%
	Grade 6	53.5%
	Grade 7	52.3%
	Grade 8	46.5%
	Grade 9	40.3%
	Grade 10	33.2%
	Grade 11	35.1%
	Grade 12	39.1%
Counselor/Program Outside-School		
	All	42.6%
	Grade 6	51.2%
	Grade 7	52.0%
	Grade 8	47.9%
	Grade 9	39.0%
	Grade 10	34.0%
	Grade 11	33.9%
	Grade 12	37.7%
Your Parents		
	All	69.6%
	Grade 6	80.3%
	Grade 7	80.0%
	Grade 8	70.4%
	Grade 9	65.9%
	Grade 10	63.7%
	Grade 11	64.0%
	Grade 12	60.0%



Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?  
(Continued)

		Yes
A Medical Doctor		
	All	55.5%
	Grade 6	68.7%
	Grade 7	68.5%
	Grade 8	59.9%
	Grade 9	50.6%
	Grade 10	49.7%
	Grade 11	41.5%
	Grade 12	46.0%
Your Friends		
	All	63.1%
	Grade 6	43.3%
	Grade 7	56.7%
	Grade 8	63.8%
	Grade 9	67.0%
	Grade 10	70.2%
	Grade 11	71.2%
	Grade 12	72.3%
Another Adult		
	All	61.0%
	Grade 6	64.2%
	Grade 7	64.7%
	Grade 8	63.9%
	Grade 9	60.0%
	Grade 10	58.2%
	Grade 11	56.8%
	Grade 12	57.7%

**Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?**

		Yes
Sought Help For Drug/Alcohol Problem		
	All	5.0%
	Grade 6	5.2%
	Grade 7	4.8%
	Grade 8	6.2%
	Grade 9	4.8%
	Grade 10	4.7%
	Grade 11	4.9%
	Grade 12	3.8%

Table X-4: About how many of your friends

	None	A Few	Some	Most	All
Feel Close To Their Parents?					
All	4.9%	21.1%	25.0%	36.7%	12.3%
Grade 6	8.5%	15.7%	19.7%	35.8%	20.2%
Grade 7	5.2%	19.7%	21.0%	36.7%	17.5%
Grade 8	4.2%	20.0%	24.3%	36.3%	15.1%
Grade 9	3.3%	21.0%	26.6%	40.0%	9.1%
Grade 10	3.8%	25.8%	26.6%	36.6%	7.3%
Grade 11	3.2%	22.3%	31.4%	33.8%	9.3%
Grade 12	6.3%	23.9%	26.3%	37.4%	6.1%
Sometimes Carry Weapons?					
All	73.3%	17.5%	6.3%	2.0%	0.9%
Grade 6	85.9%	11.7%	2.3%	0.1%	0.0%
Grade 7	83.8%	11.9%	2.8%	1.0%	0.5%
Grade 8	79.4%	13.9%	4.6%	1.0%	1.1%
Grade 9	73.6%	17.5%	5.8%	2.3%	0.8%
Grade 10	59.0%	25.8%	9.0%	4.7%	1.5%
Grade 11	64.7%	22.6%	9.4%	1.8%	1.4%
Grade 12	63.0%	21.2%	11.3%	3.6%	0.8%
Care About Making Good Grades?					
All	1.9%	11.2%	19.5%	45.7%	21.7%
Grade 6	2.0%	8.8%	17.2%	46.4%	25.7%
Grade 7	1.6%	10.1%	18.8%	40.3%	29.2%
Grade 8	2.3%	10.8%	19.5%	42.3%	25.2%
Grade 9	1.2%	13.3%	20.0%	46.5%	18.9%
Grade 10	2.3%	12.7%	24.7%	48.0%	12.4%
Grade 11	1.3%	13.0%	19.5%	46.4%	19.8%
Grade 12	2.8%	9.4%	16.8%	51.6%	19.5%
Belong/Want To Belong To A Gang?					
All	86.2%	9.6%	2.5%	1.0%	0.6%
Grade 6	91.1%	5.8%	1.9%	1.0%	0.2%
Grade 7	89.7%	6.9%	2.0%	0.9%	0.4%
Grade 8	86.7%	9.7%	2.1%	0.4%	1.2%
Grade 9	84.2%	11.0%	2.5%	1.7%	0.7%
Grade 10	80.8%	13.4%	3.3%	2.0%	0.4%
Grade 11	84.8%	10.3%	3.9%	0.6%	0.5%
Grade 12	85.8%	10.7%	2.1%	0.2%	1.1%
Wish They Could Drop Out Of School?					
All	63.4%	23.7%	7.4%	3.1%	2.4%
Grade 6	67.8%	22.3%	5.8%	2.1%	1.9%
Grade 7	73.3%	17.4%	5.6%	2.2%	1.5%
Grade 8	64.2%	26.0%	6.4%	2.5%	1.0%
Grade 9	59.5%	25.5%	8.3%	4.4%	2.4%
Grade 10	56.4%	26.3%	9.5%	4.8%	3.0%
Grade 11	55.4%	27.1%	10.1%	2.9%	4.4%
Grade 12	66.1%	21.9%	6.1%	3.3%	2.7%

Table X-5: How safe to do you feel when you are:

		Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do not Know
In Your Home?						
	All	85.6%	12.8%	0.9%	0.1%	0.5%
	Grade 6	84.8%	13.7%	1.2%	0.1%	0.2%
	Grade 7	84.8%	13.6%	0.7%	0.1%	0.7%
	Grade 8	82.9%	15.3%	0.8%	0.1%	1.0%
	Grade 9	84.8%	13.3%	1.1%	0.4%	0.4%
	Grade 10	86.8%	11.8%	1.2%	0.1%	0.2%
	Grade 11	87.7%	10.9%	0.8%	0.0%	0.5%
	Grade 12	88.5%	10.4%	0.6%	0.1%	0.5%
Out In Your Neighborhood?						
	All	47.0%	44.3%	5.4%	1.1%	2.1%
	Grade 6	34.6%	49.6%	10.8%	2.0%	3.0%
	Grade 7	40.8%	48.6%	6.8%	1.5%	2.3%
	Grade 8	42.6%	47.0%	7.2%	1.4%	1.8%
	Grade 9	48.5%	46.3%	3.2%	0.6%	1.4%
	Grade 10	52.0%	42.2%	2.8%	0.8%	2.2%
	Grade 11	53.6%	38.7%	4.6%	1.0%	2.1%
	Grade 12	60.6%	35.7%	1.7%	0.2%	1.9%
At School?						
	All	47.6%	41.5%	6.3%	2.4%	2.2%
	Grade 6	53.0%	37.7%	5.3%	1.8%	2.2%
	Grade 7	48.2%	41.0%	6.1%	2.6%	2.1%
	Grade 8	44.6%	43.5%	6.4%	2.3%	3.3%
	Grade 9	44.9%	41.2%	8.7%	2.8%	2.4%
	Grade 10	45.3%	47.1%	4.7%	1.8%	1.2%
	Grade 11	47.2%	39.9%	6.9%	3.3%	2.8%
	Grade 12	50.7%	40.0%	6.0%	2.0%	1.3%

## 2 Prevalence Tables

**Table B-1: Prevalence and recency of use of selected substances by grade  
All Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	6.2%	8.7%	16.3%	83.6%
	Grade 6	1.5%	1.7%	4.4%	95.6%
	Grade 7	2.2%	3.3%	8.0%	92.1%
	Grade 8	4.2%	5.8%	12.5%	87.5%
	Grade 9	3.0%	5.7%	13.3%	86.7%
	Grade 10	8.8%	12.9%	21.8%	78.2%
	Grade 11	11.8%	15.9%	30.8%	69.2%
	Grade 12	14.6%	19.2%	28.2%	71.7%
Alcohol	All	15.0%	22.5%	40.0%	59.9%
	Grade 6	6.1%	9.2%	23.6%	76.3%
	Grade 7	6.7%	8.7%	26.5%	73.6%
	Grade 8	11.7%	16.9%	35.1%	64.9%
	Grade 9	12.9%	21.0%	38.0%	62.1%
	Grade 10	22.5%	33.7%	52.3%	47.8%
	Grade 11	23.1%	34.3%	55.2%	44.8%
	Grade 12	25.6%	39.3%	55.5%	44.5%
Inhalants	All	3.4%	4.4%	10.5%	89.4%
	Grade 6	3.6%	4.4%	11.0%	89.0%
	Grade 7	3.4%	4.9%	11.0%	89.0%
	Grade 8	4.3%	5.5%	13.6%	86.3%
	Grade 9	4.3%	5.1%	12.1%	87.9%
	Grade 10	2.7%	3.4%	9.6%	90.5%
	Grade 11	3.6%	4.7%	8.5%	91.5%
	Grade 12	2.0%	2.7%	7.1%	92.9%
Any Illicit Drug	All	7.4%	10.8%	17.7%	82.3%
	Grade 6	1.3%	1.4%	3.1%	96.9%
	Grade 7	2.0%	3.0%	6.3%	93.7%
	Grade 8	4.4%	6.7%	11.9%	88.0%
	Grade 9	6.2%	9.0%	14.2%	85.8%
	Grade 10	10.3%	14.8%	26.6%	73.4%
	Grade 11	16.0%	22.8%	32.6%	67.5%
	Grade 12	14.3%	21.7%	34.5%	65.5%
Marijuana	All	6.7%	10.1%	16.6%	83.4%
	Grade 6	0.7%	0.8%	1.8%	98.2%
	Grade 7	1.6%	2.3%	4.9%	95.1%
	Grade 8	3.8%	6.1%	10.9%	89.1%
	Grade 9	5.2%	8.2%	13.6%	86.4%
	Grade 10	9.3%	14.4%	25.5%	74.4%
	Grade 11	14.9%	21.5%	31.1%	68.9%
	Grade 12	13.7%	21.1%	34.2%	65.9%

**Table B-1: Prevalence and recency of use of selected substances by grade**  
**All Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.0%	5.4%	10.3%	89.6%
Grade 6	0.3%	0.4%	1.1%	99.0%
Grade 7	0.5%	0.9%	2.7%	97.3%
Grade 8	1.2%	2.9%	6.2%	93.9%
Grade 9	2.8%	4.8%	8.5%	91.5%
Grade 10	4.7%	7.8%	16.7%	83.3%
Grade 11	6.3%	11.3%	18.7%	81.3%
Grade 12	6.4%	12.1%	22.7%	77.3%
Cocaine Or Crack				
All	0.5%	0.7%	1.7%	98.3%
Grade 6	0.6%	0.6%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.3%	0.4%	1.6%	98.5%
Grade 9	0.2%	0.3%	1.3%	98.7%
Grade 10	0.2%	0.3%	2.1%	98.0%
Grade 11	1.5%	2.2%	3.3%	96.7%
Grade 12	1.0%	1.2%	2.9%	97.1%
Cocaine				
All	0.4%	0.5%	1.3%	98.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.3%	0.4%	1.0%	99.0%
Grade 9	0.2%	0.3%	1.2%	98.8%
Grade 10	0.2%	0.3%	1.7%	98.3%
Grade 11	1.4%	2.1%	2.9%	97.0%
Grade 12	0.7%	0.9%	2.6%	97.4%
Crack				
All	0.2%	0.2%	0.5%	99.5%
Grade 6	0.6%	0.6%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.3%	0.3%	0.3%	99.7%
Hallucinogens				
All	0.7%	1.1%	2.3%	97.7%
Grade 6	0.0%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.2%	0.8%	99.2%
Grade 8	0.5%	0.5%	1.5%	98.6%
Grade 9	0.4%	0.7%	1.5%	98.4%
Grade 10	0.6%	1.0%	2.4%	97.6%
Grade 11	2.6%	4.0%	6.5%	93.5%
Grade 12	1.4%	1.8%	4.5%	95.5%

**Table B-1: Prevalence and recency of use of selected substances by grade**  
**All Students**  
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.3%	0.5%	99.5%
	Grade 6	0.1%	0.1%	0.2%	99.8%
	Grade 7	0.1%	0.2%	0.3%	99.6%
	Grade 8	0.2%	0.2%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.6%	0.6%	0.7%	99.4%
	Grade 11	0.7%	0.8%	1.2%	98.9%
	Grade 12	0.1%	0.1%	0.4%	99.5%
Steroids	All	0.4%	0.5%	1.1%	98.9%
	Grade 6	0.2%	0.5%	1.8%	98.3%
	Grade 7	0.0%	0.0%	0.8%	99.2%
	Grade 8	0.5%	0.7%	1.3%	98.6%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.3%	0.4%	1.0%	98.9%
	Grade 11	0.7%	0.7%	1.1%	98.8%
	Grade 12	0.8%	1.1%	1.7%	98.2%
Ecstasy	All	0.6%	1.0%	2.2%	97.8%
	Grade 6	0.0%	0.1%	0.2%	99.8%
	Grade 7	0.0%	0.1%	1.1%	98.9%
	Grade 8	0.3%	0.6%	1.5%	98.5%
	Grade 9	0.6%	0.8%	2.0%	97.9%
	Grade 10	0.3%	1.1%	1.9%	98.1%
	Grade 11	2.4%	2.9%	4.9%	95.1%
	Grade 12	0.8%	1.8%	4.5%	95.5%
Heroin	All	0.2%	0.2%	0.5%	99.5%
	Grade 6	0.0%	0.0%	0.6%	99.4%
	Grade 7	0.5%	0.6%	1.1%	98.9%
	Grade 8	0.1%	0.1%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.1%	0.1%	0.1%	99.9%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.5%	0.5%	0.6%	99.4%



**Table B-1: Prevalence and recency of use of selected substances by grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.1%	1.6%	3.8%	96.3%
Grade 6	0.3%	0.4%	0.6%	99.4%
Grade 7	0.4%	0.9%	1.8%	98.2%
Grade 8	1.5%	1.6%	3.2%	96.7%
Grade 9	1.4%	2.2%	3.4%	96.6%
Grade 10	2.5%	3.3%	6.3%	93.7%
Grade 11	0.3%	1.2%	5.3%	94.8%
Grade 12	1.1%	1.5%	6.4%	93.7%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	0.1%	0.1%	0.5%	99.4%
Grade 8	0.2%	0.3%	0.8%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.7%	0.8%	1.3%	98.7%
Grade 12	0.6%	0.7%	0.8%	99.1%

**Table B-2: Prevalence and recency of use of selected substances by grade  
Male Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	6.8%	8.9%	16.4%	83.6%
	Grade 6	1.7%	2.0%	6.0%	94.1%
	Grade 7	1.6%	2.9%	7.8%	92.2%
	Grade 8	3.6%	4.9%	10.8%	89.2%
	Grade 9	4.0%	6.8%	14.1%	85.9%
	Grade 10	8.6%	12.5%	20.8%	79.2%
	Grade 11	13.2%	15.4%	30.6%	69.3%
	Grade 12	19.2%	22.9%	31.9%	68.2%
Alcohol	All	13.3%	19.4%	38.2%	61.7%
	Grade 6	7.3%	11.6%	27.1%	72.9%
	Grade 7	5.6%	7.2%	26.6%	73.3%
	Grade 8	9.0%	12.4%	33.2%	66.8%
	Grade 9	9.9%	16.8%	34.0%	66.0%
	Grade 10	20.2%	29.5%	51.9%	48.2%
	Grade 11	19.3%	29.7%	48.7%	51.4%
	Grade 12	26.8%	35.4%	53.6%	46.5%
Inhalants	All	3.6%	4.4%	10.5%	89.5%
	Grade 6	4.1%	4.9%	12.6%	87.4%
	Grade 7	3.7%	5.3%	11.3%	88.7%
	Grade 8	2.8%	4.0%	11.5%	88.5%
	Grade 9	4.4%	5.1%	12.1%	87.9%
	Grade 10	2.8%	2.8%	8.7%	91.3%
	Grade 11	3.8%	4.3%	7.4%	92.6%
	Grade 12	3.1%	3.7%	8.7%	91.2%
Any Illicit Drug	All	7.3%	10.5%	17.5%	82.5%
	Grade 6	1.8%	2.0%	3.3%	96.7%
	Grade 7	1.9%	3.0%	7.2%	92.8%
	Grade 8	4.0%	6.5%	11.8%	88.2%
	Grade 9	5.8%	8.4%	14.5%	85.5%
	Grade 10	9.7%	12.6%	24.1%	76.0%
	Grade 11	14.3%	21.6%	32.6%	67.5%
	Grade 12	17.6%	25.7%	38.0%	62.1%
Marijuana	All	6.2%	9.6%	16.4%	83.6%
	Grade 6	0.7%	0.9%	2.1%	97.9%
	Grade 7	1.7%	2.6%	6.2%	93.7%
	Grade 8	3.2%	6.0%	10.9%	89.1%
	Grade 9	4.4%	7.4%	13.3%	86.6%
	Grade 10	7.9%	12.0%	23.2%	76.7%
	Grade 11	12.8%	19.7%	30.8%	69.1%
	Grade 12	16.2%	24.2%	36.9%	63.2%

**Table B-2: Prevalence and recency of use of selected substances by grade  
Male Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.3%	4.4%	9.2%	90.8%
Grade 6	0.3%	0.4%	1.5%	98.5%
Grade 7	0.5%	1.0%	3.4%	96.6%
Grade 8	1.1%	3.3%	6.9%	93.2%
Grade 9	1.9%	3.4%	7.3%	92.7%
Grade 10	3.7%	5.2%	13.1%	86.9%
Grade 11	2.8%	6.9%	15.1%	84.9%
Grade 12	7.1%	13.4%	21.7%	78.4%
Cocaine Or Crack				
All	1.0%	1.2%	2.5%	97.6%
Grade 6	1.1%	1.1%	1.1%	98.9%
Grade 7	0.3%	0.4%	0.9%	99.0%
Grade 8	0.0%	0.1%	1.3%	98.8%
Grade 9	0.4%	0.6%	2.0%	97.9%
Grade 10	0.4%	0.4%	2.2%	97.9%
Grade 11	2.9%	3.8%	5.5%	94.5%
Grade 12	2.1%	2.3%	5.0%	95.0%
Cocaine				
All	0.7%	0.9%	2.1%	97.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.2%	0.7%	99.3%
Grade 8	0.0%	0.1%	1.1%	98.9%
Grade 9	0.3%	0.5%	1.8%	98.1%
Grade 10	0.4%	0.4%	2.2%	97.9%
Grade 11	2.9%	3.9%	5.6%	94.4%
Grade 12	1.5%	1.7%	4.4%	95.6%
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 6	1.1%	1.1%	1.1%	98.9%
Grade 7	0.2%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.6%	0.6%	0.7%	99.3%
Hallucinogens				
All	1.0%	1.4%	3.3%	96.8%
Grade 6	0.0%	0.1%	0.1%	99.9%
Grade 7	0.0%	0.1%	0.8%	99.2%
Grade 8	0.6%	0.6%	1.6%	98.4%
Grade 9	0.3%	0.9%	2.0%	98.0%
Grade 10	0.8%	1.2%	3.6%	96.4%
Grade 11	4.1%	5.5%	10.2%	89.7%
Grade 12	2.0%	2.0%	6.2%	93.7%

**Table B-2: Prevalence and recency of use of selected substances by grade  
Male Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.2%	0.4%	99.5%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.1%	0.2%	0.2%	99.7%
	Grade 8	0.0%	0.0%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	1.1%	1.1%	1.2%	98.8%
	Grade 11	0.0%	0.0%	0.8%	99.2%
	Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids	All	0.5%	0.7%	1.4%	98.7%
	Grade 6	0.2%	0.5%	1.5%	98.5%
	Grade 7	0.0%	0.0%	0.5%	99.5%
	Grade 8	0.7%	1.1%	1.4%	98.6%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	0.7%	0.9%	2.1%	97.9%
	Grade 11	0.6%	0.6%	1.5%	98.5%
	Grade 12	1.6%	2.2%	2.5%	97.5%
Ecstasy	All	0.5%	0.8%	2.2%	97.8%
	Grade 6	0.0%	0.1%	0.1%	99.9%
	Grade 7	0.0%	0.1%	1.3%	98.7%
	Grade 8	0.2%	0.2%	1.7%	98.3%
	Grade 9	0.9%	1.4%	2.9%	97.2%
	Grade 10	0.5%	1.1%	1.7%	98.2%
	Grade 11	0.6%	1.0%	3.9%	96.1%
	Grade 12	1.6%	2.3%	4.9%	95.1%
Heroin	All	0.2%	0.2%	0.4%	99.5%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.4%	0.6%	0.9%	99.2%
	Grade 8	0.2%	0.3%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	0.3%	0.3%	0.3%	99.7%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	1.0%	1.0%	1.3%	98.7%

**Table B-2: Prevalence and recency of use of selected substances by grade  
Male Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.1%	1.8%	4.2%	95.8%
Grade 6	0.3%	0.5%	0.6%	99.4%
Grade 7	0.2%	0.8%	1.6%	98.4%
Grade 8	1.7%	1.8%	3.1%	96.9%
Grade 9	1.3%	2.0%	3.8%	96.2%
Grade 10	2.5%	3.8%	6.9%	93.2%
Grade 11	0.1%	1.4%	5.8%	94.2%
Grade 12	1.8%	2.5%	9.1%	90.9%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	0.1%	0.2%	0.7%	99.4%
Grade 8	0.3%	0.3%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.1%	0.9%	99.1%
Grade 11	0.0%	0.2%	0.2%	99.8%
Grade 12	0.7%	1.0%	1.3%	98.7%

**Table B-3: Prevalence and recency of use of selected substances by grade  
Female Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	5.7%	8.6%	16.2%	83.8%
	Grade 6	1.3%	1.5%	2.6%	97.4%
	Grade 7	2.7%	3.6%	8.0%	92.0%
	Grade 8	4.7%	6.6%	14.0%	86.0%
	Grade 9	2.0%	4.6%	12.8%	87.3%
	Grade 10	9.2%	12.7%	22.3%	77.6%
	Grade 11	10.7%	16.6%	30.7%	69.4%
	Grade 12	10.6%	16.1%	25.3%	74.7%
Alcohol	All	16.6%	25.5%	41.8%	58.2%
	Grade 6	4.8%	6.5%	19.7%	80.2%
	Grade 7	7.8%	10.1%	26.2%	73.8%
	Grade 8	13.8%	21.2%	37.4%	62.6%
	Grade 9	15.7%	24.8%	41.8%	58.2%
	Grade 10	25.2%	37.7%	52.4%	47.6%
	Grade 11	27.0%	39.2%	61.5%	38.6%
	Grade 12	24.0%	42.5%	56.9%	43.1%
Inhalants	All	3.3%	4.5%	10.7%	89.3%
	Grade 6	3.1%	3.9%	9.3%	90.7%
	Grade 7	3.1%	4.6%	10.8%	89.2%
	Grade 8	5.9%	7.3%	16.5%	83.6%
	Grade 9	3.7%	4.7%	11.9%	88.2%
	Grade 10	2.5%	3.9%	10.5%	89.5%
	Grade 11	3.4%	5.1%	9.7%	90.4%
	Grade 12	1.0%	1.8%	5.6%	94.4%
Any Illicit Drug	All	7.5%	11.0%	17.6%	82.4%
	Grade 6	0.7%	0.7%	2.8%	97.2%
	Grade 7	2.0%	3.0%	5.5%	94.5%
	Grade 8	5.0%	7.2%	11.8%	88.2%
	Grade 9	6.7%	9.7%	14.0%	85.9%
	Grade 10	11.1%	17.0%	28.5%	71.4%
	Grade 11	17.1%	23.4%	32.3%	67.6%
	Grade 12	10.5%	17.3%	30.8%	69.3%
Marijuana	All	7.1%	10.5%	16.6%	83.3%
	Grade 6	0.7%	0.7%	1.5%	98.5%
	Grade 7	1.5%	2.0%	3.6%	96.4%
	Grade 8	4.4%	6.2%	10.5%	89.5%
	Grade 9	6.2%	9.2%	14.1%	85.9%
	Grade 10	10.9%	16.9%	27.4%	72.7%
	Grade 11	16.4%	22.8%	31.0%	68.9%
	Grade 12	10.5%	17.4%	31.0%	69.0%

**Table B-3: Prevalence and recency of use of selected substances by grade  
Female Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.7%	6.5%	11.7%	88.4%
Grade 6	0.2%	0.2%	0.4%	99.6%
Grade 7	0.4%	0.7%	1.9%	98.1%
Grade 8	1.4%	2.6%	5.3%	94.6%
Grade 9	3.8%	6.5%	10.1%	89.9%
Grade 10	5.8%	10.3%	20.3%	79.7%
Grade 11	9.0%	15.0%	21.7%	78.3%
Grade 12	5.7%	10.8%	23.7%	76.3%
Cocaine Or Crack				
All	0.1%	0.2%	0.8%	99.1%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.6%	0.7%	1.9%	98.1%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.1%	1.1%	98.9%
Grade 11	0.2%	0.6%	1.2%	98.8%
Grade 12	0.0%	0.1%	0.9%	99.1%
Cocaine				
All	0.1%	0.2%	0.5%	99.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.6%	0.7%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.0%	0.1%	0.4%	99.5%
Grade 11	0.1%	0.5%	0.5%	99.4%
Grade 12	0.0%	0.1%	0.9%	99.1%
Crack				
All	0.1%	0.1%	0.5%	99.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.3%	0.3%	1.3%	98.7%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.7%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	0.9%	1.4%	98.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.3%	0.8%	99.2%
Grade 8	0.4%	0.4%	1.4%	98.7%
Grade 9	0.6%	0.6%	1.1%	98.9%
Grade 10	0.4%	0.7%	1.1%	98.8%
Grade 11	1.2%	2.5%	3.0%	96.9%
Grade 12	0.8%	1.5%	2.0%	98.0%

**Table B-3: Prevalence and recency of use of selected substances by grade  
Female Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.3%	0.5%	99.5%
	Grade 6	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.1%	0.2%	0.5%	99.5%
	Grade 8	0.4%	0.4%	0.7%	99.3%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.1%	0.1%	0.1%	99.9%
	Grade 11	1.3%	1.4%	1.4%	98.6%
	Grade 12	0.0%	0.1%	0.6%	99.4%
Steroids	All	0.2%	0.3%	1.0%	99.1%
	Grade 6	0.2%	0.5%	2.1%	97.9%
	Grade 7	0.1%	0.1%	1.2%	98.9%
	Grade 8	0.2%	0.3%	1.1%	98.8%
	Grade 9	0.0%	0.0%	0.1%	99.9%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.9%	0.9%	0.9%	99.1%
	Grade 12	0.1%	0.1%	1.1%	98.9%
Ecstasy	All	0.7%	1.2%	2.1%	97.9%
	Grade 6	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.0%	0.1%	0.9%	99.0%
	Grade 8	0.3%	0.9%	1.2%	98.8%
	Grade 9	0.3%	0.3%	1.2%	98.8%
	Grade 10	0.1%	1.1%	2.0%	97.9%
	Grade 11	4.1%	4.6%	5.8%	94.2%
	Grade 12	0.1%	1.5%	3.4%	96.6%
Heroin	All	0.1%	0.1%	0.4%	99.6%
	Grade 6	0.0%	0.0%	1.3%	98.7%
	Grade 7	0.7%	0.8%	1.5%	98.6%
	Grade 8	0.0%	0.0%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%



**Table B-3: Prevalence and recency of use of selected substances by grade  
Female Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.0%	1.3%	3.3%	96.7%
Grade 6	0.3%	0.3%	0.7%	99.4%
Grade 7	0.6%	1.0%	2.1%	97.9%
Grade 8	1.5%	1.6%	3.3%	96.7%
Grade 9	1.4%	2.3%	2.9%	97.0%
Grade 10	2.6%	3.0%	6.0%	94.1%
Grade 11	0.4%	0.8%	4.7%	95.3%
Grade 12	0.4%	0.4%	3.9%	96.1%
Methamphetamine				
All	0.3%	0.3%	0.6%	99.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.6%	99.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.3%	0.3%	0.5%	99.5%
Grade 11	1.3%	1.3%	2.3%	97.8%
Grade 12	0.5%	0.5%	0.5%	99.5%

**Table B-4: Prevalence and recency of use of selected substances by grade  
White Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	6.9%	9.5%	16.1%	83.9%
	Grade 6	0.2%	0.7%	2.1%	97.9%
	Grade 7	1.4%	2.3%	5.5%	94.5%
	Grade 8	2.8%	4.6%	8.5%	91.5%
	Grade 9	5.4%	7.4%	13.7%	86.3%
	Grade 10	11.5%	15.9%	26.3%	73.6%
	Grade 11	11.6%	13.9%	28.4%	71.6%
	Grade 12	19.9%	27.6%	36.7%	63.3%
Alcohol	All	14.5%	21.3%	37.5%	62.5%
	Grade 6	3.2%	4.8%	16.7%	83.3%
	Grade 7	3.7%	5.5%	19.6%	80.4%
	Grade 8	7.6%	11.6%	27.6%	72.5%
	Grade 9	11.7%	18.5%	34.9%	65.0%
	Grade 10	26.1%	35.5%	53.3%	46.7%
	Grade 11	23.1%	34.1%	55.2%	44.8%
	Grade 12	33.7%	50.2%	67.3%	32.7%
Inhalants	All	2.7%	3.9%	9.1%	91.0%
	Grade 6	2.7%	3.5%	7.5%	92.5%
	Grade 7	3.0%	4.2%	9.2%	90.8%
	Grade 8	2.7%	3.3%	10.1%	89.9%
	Grade 9	3.1%	4.1%	9.6%	90.4%
	Grade 10	3.9%	5.6%	10.6%	89.4%
	Grade 11	0.6%	2.2%	5.7%	94.4%
	Grade 12	2.1%	3.7%	9.8%	90.2%
Any Illicit Drug	All	6.2%	10.1%	15.4%	84.6%
	Grade 6	0.4%	0.7%	1.2%	98.8%
	Grade 7	1.1%	1.7%	2.8%	97.2%
	Grade 8	2.9%	4.4%	7.3%	92.7%
	Grade 9	5.8%	7.9%	12.3%	87.7%
	Grade 10	9.0%	15.5%	26.6%	73.4%
	Grade 11	12.0%	20.7%	29.6%	70.4%
	Grade 12	16.5%	27.0%	37.6%	62.4%
Marijuana	All	5.7%	9.6%	14.7%	85.3%
	Grade 6	0.2%	0.5%	0.6%	99.4%
	Grade 7	0.6%	1.0%	1.9%	98.1%
	Grade 8	2.6%	4.2%	6.7%	93.4%
	Grade 9	4.8%	7.3%	11.4%	88.6%
	Grade 10	8.7%	14.8%	26.0%	74.1%
	Grade 11	11.4%	19.5%	28.5%	71.5%
	Grade 12	15.2%	26.6%	37.2%	62.7%

**Table B-4: Prevalence and recency of use of selected substances by grade  
White Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.2%	4.6%	8.7%	91.3%
Grade 6	0.0%	0.1%	0.2%	99.7%
Grade 7	0.2%	0.5%	1.0%	99.1%
Grade 8	1.2%	2.2%	4.2%	95.8%
Grade 9	1.9%	2.5%	5.9%	94.1%
Grade 10	3.5%	7.5%	16.9%	83.1%
Grade 11	5.3%	11.4%	18.6%	81.5%
Grade 12	4.8%	11.9%	20.1%	80.0%
Cocaine Or Crack				
All	0.4%	0.6%	1.2%	98.9%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.0%	0.2%	0.5%	99.5%
Grade 9	0.4%	0.7%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.4%	99.5%
Grade 11	0.1%	0.7%	1.3%	98.7%
Grade 12	2.1%	2.1%	4.4%	95.6%
Cocaine				
All	0.2%	0.4%	0.9%	99.1%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.0%	0.2%	0.4%	99.7%
Grade 9	0.4%	0.7%	1.3%	98.7%
Grade 10	0.0%	0.0%	0.4%	99.5%
Grade 11	0.1%	0.7%	1.3%	98.7%
Grade 12	1.3%	1.3%	3.6%	96.4%
Crack				
All	0.1%	0.1%	0.2%	99.7%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.1%	0.2%	0.3%	99.7%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.8%	0.8%	0.9%	99.1%
Hallucinogens				
All	0.5%	1.2%	2.4%	97.6%
Grade 6	0.0%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.1%	0.5%	99.4%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 9	0.4%	1.1%	2.0%	98.0%
Grade 10	1.2%	2.1%	3.0%	97.0%
Grade 11	0.5%	2.7%	6.2%	93.8%
Grade 12	1.6%	2.7%	5.5%	94.5%

**Table B-4: Prevalence and recency of use of selected substances by grade  
White Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.2%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.1%	0.1%	99.9%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.4%	0.4%	0.4%	99.6%
	Grade 11	0.4%	0.4%	0.4%	99.6%
	Grade 12	0.4%	0.4%	1.2%	98.8%
Steroids	All	0.5%	0.7%	1.2%	98.8%
	Grade 6	0.4%	0.8%	1.8%	98.2%
	Grade 7	0.1%	0.1%	0.6%	99.4%
	Grade 8	0.6%	0.8%	1.0%	99.0%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	0.1%	0.1%	0.8%	99.2%
	Grade 11	1.7%	1.7%	1.7%	98.3%
	Grade 12	1.3%	2.1%	2.5%	97.6%
Ecstasy	All	0.6%	1.2%	2.3%	97.8%
	Grade 6	0.0%	0.2%	0.2%	99.8%
	Grade 7	0.0%	0.1%	0.3%	99.7%
	Grade 8	0.2%	0.3%	0.5%	99.5%
	Grade 9	1.0%	1.6%	2.9%	97.1%
	Grade 10	0.0%	1.5%	1.5%	98.4%
	Grade 11	1.7%	2.8%	4.6%	95.4%
	Grade 12	1.3%	2.4%	7.3%	92.7%
Heroin	All	0.2%	0.2%	0.4%	99.6%
	Grade 6	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.4%	0.5%	0.6%	99.4%
	Grade 8	0.0%	0.1%	0.4%	99.6%
	Grade 9	0.0%	0.0%	0.4%	99.6%
	Grade 10	0.4%	0.4%	0.4%	99.6%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.4%	0.4%	0.8%	99.2%

**Table B-4: Prevalence and recency of use of selected substances by grade  
White Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.7%	1.3%	3.7%	96.3%
Grade 6	0.2%	0.6%	0.6%	99.4%
Grade 7	0.2%	0.4%	0.9%	99.1%
Grade 8	0.8%	1.0%	1.9%	98.1%
Grade 9	0.7%	1.7%	3.2%	96.8%
Grade 10	1.8%	3.4%	6.7%	93.3%
Grade 11	0.5%	1.4%	5.1%	94.9%
Grade 12	0.8%	0.8%	9.7%	90.2%
Methamphetamine				
All	0.2%	0.3%	0.5%	99.5%
Grade 6	0.0%	0.0%	0.2%	99.8%
Grade 7	0.2%	0.2%	0.3%	99.6%
Grade 8	0.1%	0.3%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.7%	1.1%	1.5%	98.5%

**Table B-5: Prevalence and recency of use of selected substances by grade  
African/American Students**

	Past Month	School Year	Ever Used	Never Used
Tobacco				
All	3.2%	5.0%	11.8%	88.3%
Grade 6	0.5%	0.5%	3.9%	96.1%
Grade 7	2.4%	2.4%	6.2%	93.8%
Grade 8	2.7%	2.7%	11.7%	88.3%
Grade 9	0.2%	0.2%	6.4%	93.6%
Grade 10	2.4%	4.6%	9.7%	90.3%
Grade 11	8.4%	15.7%	20.4%	79.6%
Grade 12	5.7%	8.1%	21.6%	78.5%
Alcohol				
All	12.4%	19.3%	39.3%	60.7%
Grade 6	7.6%	10.3%	21.5%	78.5%
Grade 7	4.7%	5.2%	30.1%	69.9%
Grade 8	7.3%	15.6%	31.9%	68.0%
Grade 9	11.0%	18.0%	39.9%	60.1%
Grade 10	14.3%	23.3%	52.2%	47.7%
Grade 11	14.4%	29.2%	44.3%	55.7%
Grade 12	20.8%	26.0%	45.7%	54.4%
Inhalants				
All	1.9%	2.4%	8.3%	91.7%
Grade 6	0.5%	0.5%	10.0%	89.9%
Grade 7	1.6%	2.2%	5.8%	94.2%
Grade 8	3.4%	6.8%	10.9%	89.1%
Grade 9	4.8%	5.0%	13.0%	87.0%
Grade 10	0.0%	0.0%	7.4%	92.6%
Grade 11	2.2%	2.7%	5.5%	94.5%
Grade 12	1.1%	1.3%	5.3%	94.7%
Any Illicit Drug				
All	6.6%	10.7%	17.9%	82.0%
Grade 6	1.1%	1.1%	1.1%	98.9%
Grade 7	2.1%	2.1%	3.6%	96.4%
Grade 8	2.2%	3.6%	7.0%	93.1%
Grade 9	3.7%	6.4%	12.2%	87.9%
Grade 10	8.7%	10.2%	21.2%	78.7%
Grade 11	11.8%	24.7%	31.2%	68.8%
Grade 12	12.5%	20.7%	37.2%	62.8%
Marijuana				
All	5.6%	10.0%	17.3%	82.7%
Grade 6	1.1%	1.1%	1.1%	98.9%
Grade 7	0.5%	0.5%	1.0%	99.0%
Grade 8	1.0%	1.6%	5.1%	94.9%
Grade 9	3.7%	6.4%	12.3%	87.7%
Grade 10	7.4%	10.2%	21.2%	78.7%
Grade 11	9.6%	23.1%	30.0%	70.0%
Grade 12	11.6%	20.0%	36.8%	63.2%

**Table B-5: Prevalence and recency of use of selected substances by grade  
African/American Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.0%	8.0%	14.8%	85.2%
Grade 6	1.0%	1.0%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	1.0%	1.6%	5.0%	95.0%
Grade 9	3.7%	6.2%	10.9%	89.0%
Grade 10	4.7%	6.0%	16.5%	83.5%
Grade 11	8.6%	21.5%	28.0%	71.9%
Grade 12	6.1%	14.2%	30.6%	69.4%
Cocaine Or Crack				
All	0.3%	0.3%	0.9%	99.1%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	0.5%	0.5%	0.5%	99.5%
Grade 12	1.1%	1.1%	2.9%	97.1%
Cocaine				
All	0.2%	0.2%	0.8%	99.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	1.1%	1.1%	3.0%	97.0%
Crack				
All	0.0%	0.0%	0.0%	100.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.3%	0.3%	1.6%	98.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	1.0%	99.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.9%	99.1%
Grade 10	0.0%	0.0%	1.5%	98.5%
Grade 11	1.9%	1.9%	2.4%	97.6%
Grade 12	0.0%	0.0%	3.7%	96.3%

**Table B-5: Prevalence and recency of use of selected substances by grade  
African/American Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.0%	0.0%	0.2%	99.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.9%	99.1%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.3%	0.5%	1.2%	98.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.7%	99.3%
	Grade 8	0.8%	2.6%	2.6%	97.4%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.4%	1.4%	3.0%	97.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.2%	0.2%	2.3%	97.7%
Ecstasy	All	0.2%	0.3%	0.9%	99.1%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.8%	0.8%	99.2%
	Grade 9	0.0%	0.0%	0.9%	99.1%
	Grade 10	1.4%	1.4%	1.8%	98.2%
	Grade 11	0.0%	0.0%	0.3%	99.7%
	Grade 12	0.0%	0.0%	1.8%	98.2%
Heroin	All	0.2%	0.2%	0.2%	99.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	1.6%	1.6%	1.6%	98.4%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%



**Table B-5: Prevalence and recency of use of selected substances by grade  
African/American Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.4%	0.8%	1.6%	98.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.5%	1.5%	1.5%	98.4%
Grade 8	1.2%	1.2%	1.2%	98.8%
Grade 9	0.0%	0.2%	0.4%	99.6%
Grade 10	0.5%	0.7%	3.1%	96.8%
Grade 11	0.3%	0.8%	1.1%	99.0%
Grade 12	0.5%	1.6%	3.4%	96.6%
Methamphetamine				
All	0.1%	0.1%	0.2%	99.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.5%	0.5%	1.6%	98.4%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.2%	10.2%	19.6%	80.4%
	Grade 6	3.7%	3.7%	7.6%	92.5%
	Grade 7	3.0%	4.7%	11.4%	88.6%
	Grade 8	6.5%	8.3%	17.7%	82.2%
	Grade 9	0.4%	5.8%	17.1%	82.9%
	Grade 10	10.3%	15.4%	24.0%	76.0%
	Grade 11	14.0%	18.9%	38.3%	61.7%
	Grade 12	15.9%	19.5%	27.7%	72.3%
Alcohol	All	17.7%	26.8%	44.9%	55.1%
	Grade 6	9.8%	15.5%	34.3%	65.8%
	Grade 7	10.2%	12.9%	32.9%	67.0%
	Grade 8	17.7%	24.2%	43.5%	56.5%
	Grade 9	17.6%	29.8%	44.6%	55.3%
	Grade 10	24.3%	37.9%	51.7%	48.3%
	Grade 11	26.8%	38.2%	61.3%	38.7%
	Grade 12	22.9%	40.3%	54.3%	45.7%
Inhalants	All	5.1%	6.1%	13.3%	86.6%
	Grade 6	6.0%	7.1%	15.0%	84.9%
	Grade 7	4.0%	6.2%	13.9%	86.2%
	Grade 8	6.5%	8.1%	19.0%	81.0%
	Grade 9	4.9%	5.1%	14.0%	86.0%
	Grade 10	3.1%	3.1%	8.6%	91.5%
	Grade 11	7.5%	8.8%	12.2%	87.9%
	Grade 12	3.1%	3.1%	7.2%	92.8%
Any Illicit Drug	All	9.5%	12.3%	21.0%	79.1%
	Grade 6	2.6%	2.6%	6.6%	93.4%
	Grade 7	3.0%	4.7%	11.1%	88.9%
	Grade 8	6.7%	10.3%	18.8%	81.2%
	Grade 9	9.3%	13.9%	20.1%	79.8%
	Grade 10	12.4%	16.8%	31.1%	68.9%
	Grade 11	23.7%	25.4%	35.9%	64.1%
	Grade 12	13.8%	18.5%	32.2%	67.8%
Marijuana	All	8.6%	11.3%	19.4%	80.5%
	Grade 6	1.2%	1.2%	3.7%	96.3%
	Grade 7	3.0%	4.1%	9.3%	90.6%
	Grade 8	5.9%	9.4%	17.3%	82.7%
	Grade 9	8.0%	12.6%	19.9%	80.1%
	Grade 10	10.8%	16.5%	29.8%	70.2%
	Grade 11	22.4%	24.1%	33.6%	66.4%
	Grade 12	13.8%	17.4%	32.2%	67.8%

**Table B-6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.7%	5.7%	10.9%	89.1%
Grade 6	0.3%	0.3%	2.0%	98.0%
Grade 7	0.9%	1.6%	5.3%	94.7%
Grade 8	1.5%	4.2%	8.9%	91.1%
Grade 9	4.2%	8.6%	12.6%	87.4%
Grade 10	6.3%	10.3%	18.9%	81.2%
Grade 11	7.4%	8.0%	14.5%	85.5%
Grade 12	8.4%	11.7%	21.7%	78.3%
Cocaine Or Crack				
All	0.9%	1.1%	2.8%	97.1%
Grade 6	1.4%	1.4%	1.4%	98.6%
Grade 7	0.4%	0.4%	1.2%	98.9%
Grade 8	0.8%	0.8%	3.3%	96.7%
Grade 9	0.2%	0.2%	2.5%	97.6%
Grade 10	0.6%	0.8%	4.7%	95.3%
Grade 11	3.0%	4.3%	6.0%	94.0%
Grade 12	0.0%	0.2%	1.6%	98.4%
Cocaine				
All	0.6%	0.8%	2.1%	97.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.2%	0.8%	99.3%
Grade 8	0.8%	0.8%	2.2%	97.8%
Grade 9	0.0%	0.0%	2.3%	97.7%
Grade 10	0.6%	0.8%	3.6%	96.5%
Grade 11	3.0%	4.3%	6.0%	94.0%
Grade 12	0.0%	0.3%	1.7%	98.4%
Crack				
All	0.4%	0.4%	0.9%	99.1%
Grade 6	1.5%	1.5%	1.5%	98.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.4%	1.5%	98.5%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	2.4%	97.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.1%	1.4%	2.6%	97.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.4%	1.1%	98.9%
Grade 8	1.0%	1.0%	2.4%	97.6%
Grade 9	1.0%	1.0%	1.6%	98.3%
Grade 10	0.5%	0.5%	2.0%	98.0%
Grade 11	3.6%	5.0%	7.3%	92.7%
Grade 12	2.4%	2.4%	4.7%	95.2%

**Table B-6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.6%	0.7%	1.1%	99.0%
	Grade 6	0.3%	0.3%	0.6%	99.4%
	Grade 7	0.4%	0.6%	1.0%	99.1%
	Grade 8	0.5%	0.5%	1.0%	99.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.4%	1.4%	1.4%	98.6%
	Grade 11	1.4%	1.6%	2.7%	97.3%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.2%	0.3%	1.2%	98.8%
	Grade 6	0.0%	0.3%	2.9%	97.1%
	Grade 7	0.0%	0.0%	1.1%	98.9%
	Grade 8	0.5%	0.5%	1.4%	98.7%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.2%	0.2%	0.2%	99.8%
	Grade 11	0.0%	0.0%	1.2%	98.8%
	Grade 12	1.1%	1.1%	1.1%	98.9%
Ecstasy	All	0.8%	1.2%	2.7%	97.4%
	Grade 6	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.0%	0.2%	2.3%	97.7%
	Grade 8	0.5%	0.9%	2.8%	97.2%
	Grade 9	0.0%	0.0%	1.0%	99.0%
	Grade 10	0.2%	0.2%	0.5%	99.5%
	Grade 11	4.3%	4.5%	7.6%	92.5%
	Grade 12	1.1%	3.2%	4.3%	95.7%
Heroin	All	0.2%	0.2%	0.7%	99.3%
	Grade 6	0.0%	0.0%	1.4%	98.6%
	Grade 7	0.4%	0.6%	1.6%	98.4%
	Grade 8	0.3%	0.3%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.2%	99.8%
	Grade 12	1.1%	1.1%	1.1%	98.9%

**Table B-6: Prevalence and recency of use of selected substances by grade  
Mexican/American Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.9%	2.2%	4.8%	95.1%
Grade 6	0.6%	0.6%	1.0%	99.0%
Grade 7	0.7%	1.4%	3.1%	96.9%
Grade 8	2.4%	2.4%	5.4%	94.6%
Grade 9	3.8%	4.8%	6.3%	93.7%
Grade 10	4.9%	5.2%	7.2%	92.7%
Grade 11	0.2%	0.5%	7.9%	92.1%
Grade 12	1.6%	1.6%	4.5%	95.5%
Methamphetamine				
All	0.4%	0.4%	0.9%	99.1%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.3%	0.3%	1.4%	98.6%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	1.6%	98.4%
Grade 11	1.4%	1.7%	1.7%	98.3%
Grade 12	1.1%	1.1%	1.1%	98.9%

**Table B-7: Prevalence and recency of use of selected substances by grade  
Students Reporting A Grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	3.6%	4.8%	9.7%	90.3%
	Grade 6	1.4%	1.4%	1.8%	98.3%
	Grade 7	1.4%	1.9%	3.8%	96.2%
	Grade 8	2.0%	2.1%	6.2%	93.8%
	Grade 9	1.6%	2.8%	7.4%	92.6%
	Grade 10	3.5%	6.0%	12.0%	88.0%
	Grade 11	9.2%	9.9%	20.8%	79.3%
	Grade 12	8.1%	12.6%	21.0%	79.0%
Alcohol	All	10.3%	16.5%	31.8%	68.2%
	Grade 6	3.7%	6.5%	17.6%	82.4%
	Grade 7	3.2%	4.5%	18.9%	81.1%
	Grade 8	6.9%	12.7%	27.2%	72.8%
	Grade 9	11.2%	18.0%	33.5%	66.6%
	Grade 10	12.7%	23.5%	41.9%	58.2%
	Grade 11	16.5%	22.7%	40.1%	59.9%
	Grade 12	22.4%	34.6%	52.0%	47.9%
Inhalants	All	2.2%	3.0%	7.6%	92.5%
	Grade 6	3.8%	4.1%	8.4%	91.6%
	Grade 7	1.0%	2.8%	7.0%	93.0%
	Grade 8	2.2%	2.9%	9.5%	90.5%
	Grade 9	1.9%	2.7%	8.8%	91.2%
	Grade 10	1.4%	2.5%	7.8%	92.2%
	Grade 11	3.2%	3.2%	5.3%	94.7%
	Grade 12	1.5%	2.3%	5.2%	94.9%
Any Illicit Drug	All	4.3%	6.7%	10.7%	89.3%
	Grade 6	1.4%	1.4%	2.8%	97.3%
	Grade 7	1.5%	2.0%	3.4%	96.6%
	Grade 8	1.2%	2.3%	3.2%	96.8%
	Grade 9	3.7%	6.7%	8.2%	91.9%
	Grade 10	4.2%	7.6%	16.8%	83.2%
	Grade 11	9.7%	14.0%	21.5%	78.5%
	Grade 12	10.7%	17.1%	25.7%	74.4%
Marijuana	All	3.5%	5.8%	9.5%	90.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	1.1%	1.5%	2.5%	97.6%
	Grade 8	0.8%	1.7%	2.6%	97.3%
	Grade 9	3.2%	6.2%	7.3%	92.8%
	Grade 10	3.8%	7.2%	15.3%	84.7%
	Grade 11	7.5%	11.2%	19.6%	80.4%
	Grade 12	10.8%	17.3%	26.0%	74.1%

**Table B-7: Prevalence and recency of use of selected substances by grade  
Students Reporting A Grades  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	1.7%	3.5%	6.4%	93.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.6%	0.9%	1.8%	98.3%
Grade 8	0.8%	1.4%	2.1%	97.8%
Grade 9	2.7%	5.1%	6.2%	93.8%
Grade 10	0.8%	3.7%	10.1%	90.0%
Grade 11	2.2%	5.3%	11.4%	88.5%
Grade 12	5.7%	10.0%	17.2%	82.8%
Cocaine Or Crack				
All	0.4%	0.5%	0.9%	99.1%
Grade 6	1.4%	1.4%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.5%	0.9%	1.3%	98.7%
Grade 10	0.0%	0.1%	1.6%	98.5%
Grade 11	0.4%	1.0%	1.8%	98.2%
Grade 12	0.4%	0.4%	0.6%	99.4%
Cocaine				
All	0.1%	0.2%	0.3%	99.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.5%	0.9%	1.3%	98.7%
Grade 10	0.0%	0.1%	0.6%	99.5%
Grade 11	0.4%	1.0%	1.0%	99.0%
Grade 12	0.0%	0.0%	0.2%	99.8%
Crack				
All	0.3%	0.3%	0.5%	99.5%
Grade 6	1.4%	1.4%	1.4%	98.6%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.0%	99.0%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.4%	0.4%	0.4%	99.6%
Hallucinogens				
All	0.6%	1.0%	1.6%	98.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.1%	1.1%	2.3%	97.6%
Grade 11	2.8%	4.1%	5.7%	94.4%
Grade 12	1.3%	2.3%	2.9%	97.1%

**Table B-7: Prevalence and recency of use of selected substances by grade  
Students Reporting A Grades  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.1%	0.4%	99.6%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.1%	0.5%	99.5%
	Grade 8	0.0%	0.0%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.1%	0.1%	0.1%	99.9%
	Grade 11	0.0%	0.0%	1.0%	99.0%
	Grade 12	0.4%	0.4%	0.8%	99.2%
Steroids	All	0.3%	0.4%	1.2%	98.9%
	Grade 6	0.3%	0.4%	2.3%	97.7%
	Grade 7	0.0%	0.0%	1.3%	98.7%
	Grade 8	0.2%	0.2%	0.8%	99.2%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	1.1%	1.1%	2.3%	97.7%
	Grade 12	0.4%	0.8%	0.8%	99.2%
Ecstasy	All	0.3%	0.7%	0.9%	99.1%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.1%	0.2%	99.8%
	Grade 8	0.0%	0.2%	0.2%	99.8%
	Grade 9	0.0%	0.4%	0.4%	99.6%
	Grade 10	0.1%	1.1%	1.1%	98.9%
	Grade 11	1.5%	2.1%	2.1%	97.9%
	Grade 12	0.4%	1.1%	2.8%	97.2%
Heroin	All	0.2%	0.2%	0.5%	99.5%
	Grade 6	0.0%	0.0%	1.4%	98.6%
	Grade 7	0.8%	0.8%	1.3%	98.6%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.5%	0.5%	0.5%	99.5%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%



**Table B-7: Prevalence and recency of use of selected substances by grade  
Students Reporting A Grades  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.2%	0.4%	1.4%	98.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.5%	0.9%	99.1%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.0%	0.1%	0.1%	99.9%
Grade 10	1.3%	1.4%	3.0%	97.0%
Grade 11	0.0%	0.1%	0.8%	99.2%
Grade 12	0.0%	0.7%	4.9%	95.1%
Methamphetamine				
All	0.0%	0.0%	0.2%	99.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.4%	99.6%

**Table B-8: Prevalence and recency of use of selected substances by grade  
Students Reporting Grades Lower Than an A**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.0%	10.2%	19.2%	80.8%
	Grade 6	2.0%	2.5%	7.5%	92.5%
	Grade 7	2.4%	3.9%	10.1%	89.9%
	Grade 8	5.6%	8.5%	17.2%	82.8%
	Grade 9	3.4%	6.6%	14.9%	85.0%
	Grade 10	10.1%	15.5%	24.4%	75.6%
	Grade 11	10.0%	14.2%	32.1%	68.0%
	Grade 12	18.0%	22.6%	31.9%	68.1%
Alcohol	All	16.9%	24.8%	43.8%	56.1%
	Grade 6	8.4%	12.5%	30.5%	69.5%
	Grade 7	8.5%	10.5%	29.9%	70.1%
	Grade 8	15.5%	20.1%	40.2%	59.8%
	Grade 9	12.4%	20.5%	38.3%	61.7%
	Grade 10	25.9%	36.2%	55.0%	45.0%
	Grade 11	22.8%	36.2%	60.2%	39.8%
	Grade 12	27.3%	41.6%	56.8%	43.2%
Inhalants	All	3.7%	4.8%	11.5%	88.4%
	Grade 6	3.4%	4.6%	13.8%	86.2%
	Grade 7	5.0%	6.6%	13.9%	86.2%
	Grade 8	6.1%	7.7%	16.5%	83.5%
	Grade 9	4.0%	4.9%	12.1%	87.9%
	Grade 10	3.2%	3.5%	8.1%	91.9%
	Grade 11	1.8%	3.6%	7.8%	92.3%
	Grade 12	2.0%	2.7%	8.1%	91.9%
Any Illicit Drug	All	8.4%	11.9%	20.5%	79.5%
	Grade 6	1.1%	1.2%	2.9%	97.1%
	Grade 7	2.0%	2.8%	7.3%	92.7%
	Grade 8	6.9%	10.4%	18.2%	81.8%
	Grade 9	6.9%	8.8%	14.7%	85.3%
	Grade 10	12.5%	16.6%	29.4%	70.6%
	Grade 11	14.6%	22.7%	34.4%	65.6%
	Grade 12	16.1%	23.6%	41.0%	59.0%
Marijuana	All	7.7%	11.4%	19.6%	80.4%
	Grade 6	1.1%	1.2%	2.7%	97.2%
	Grade 7	1.7%	2.0%	5.7%	94.4%
	Grade 8	6.0%	9.5%	16.7%	83.2%
	Grade 9	6.0%	8.2%	14.2%	85.9%
	Grade 10	11.0%	16.5%	29.1%	71.0%
	Grade 11	14.0%	22.2%	32.8%	67.2%
	Grade 12	15.8%	23.3%	40.7%	59.3%

**Table B-8: Prevalence and recency of use of selected substances by grade  
Students Reporting Grades Lower Than an A  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.6%	6.3%	12.6%	87.4%
Grade 6	0.2%	0.3%	1.3%	98.6%
Grade 7	0.3%	0.5%	2.9%	97.1%
Grade 8	1.6%	4.2%	9.3%	90.8%
Grade 9	2.9%	4.0%	8.2%	91.7%
Grade 10	6.8%	10.0%	20.1%	79.9%
Grade 11	7.5%	13.2%	21.6%	78.4%
Grade 12	7.0%	13.8%	28.3%	71.6%
Cocaine Or Crack				
All	0.4%	0.5%	1.9%	98.1%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.3%	0.9%	99.1%
Grade 8	0.4%	0.5%	2.6%	97.3%
Grade 9	0.1%	0.1%	1.5%	98.5%
Grade 10	0.3%	0.4%	2.1%	98.0%
Grade 11	1.0%	1.2%	2.8%	97.2%
Grade 12	0.8%	1.1%	3.8%	96.1%
Cocaine				
All	0.3%	0.4%	1.6%	98.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.4%	0.5%	1.7%	98.3%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.3%	0.4%	2.1%	98.0%
Grade 11	0.9%	1.1%	2.7%	97.3%
Grade 12	0.6%	0.9%	3.7%	96.4%
Crack				
All	0.1%	0.1%	0.4%	99.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.4%	1.4%	98.7%
Grade 9	0.1%	0.1%	0.5%	99.6%
Grade 10	0.0%	0.0%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.3%	0.3%	0.3%	99.7%
Hallucinogens				
All	0.7%	1.0%	2.6%	97.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.4%	1.2%	98.8%
Grade 8	0.8%	0.8%	2.4%	97.6%
Grade 9	0.3%	0.8%	1.5%	98.6%
Grade 10	0.6%	0.6%	1.3%	98.7%
Grade 11	2.0%	2.8%	6.6%	93.4%
Grade 12	1.5%	1.5%	5.7%	94.3%

**Table B-8: Prevalence and recency of use of selected substances by grade**  
**Students Reporting Grades Lower Than an A**  
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.3%	0.4%	99.6%
	Grade 6	0.2%	0.2%	0.2%	99.8%
	Grade 7	0.3%	0.4%	0.4%	99.6%
	Grade 8	0.4%	0.4%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.9%	0.9%	1.0%	99.0%
	Grade 11	0.3%	0.4%	0.4%	99.6%
	Grade 12	0.0%	0.0%	0.3%	99.7%
Steroids	All	0.3%	0.4%	1.0%	99.0%
	Grade 6	0.2%	0.5%	1.8%	98.2%
	Grade 7	0.0%	0.0%	0.4%	99.6%
	Grade 8	0.5%	1.0%	1.5%	98.5%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.6%	0.8%	1.6%	98.4%
	Grade 11	0.2%	0.2%	0.2%	99.8%
	Grade 12	0.7%	0.7%	1.8%	98.2%
Ecstasy	All	0.5%	0.8%	2.3%	97.7%
	Grade 6	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.0%	0.1%	1.3%	98.6%
	Grade 8	0.6%	1.0%	2.3%	97.8%
	Grade 9	1.0%	1.2%	2.1%	97.9%
	Grade 10	0.5%	0.5%	1.4%	98.6%
	Grade 11	0.7%	1.2%	4.0%	96.1%
	Grade 12	0.6%	1.5%	5.0%	94.9%
Heroin	All	0.2%	0.2%	0.4%	99.6%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.3%	0.3%	0.7%	99.3%
	Grade 8	0.2%	0.3%	0.7%	99.3%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.9%	0.9%	0.9%	99.1%

**Table B-8: Prevalence and recency of use of selected substances by grade  
Students Reporting Grades Lower Than an A  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.6%	2.1%	4.6%	95.4%
Grade 6	0.5%	0.7%	1.1%	98.9%
Grade 7	0.7%	1.1%	2.3%	97.7%
Grade 8	2.5%	2.7%	5.5%	94.5%
Grade 9	1.8%	2.4%	4.0%	96.0%
Grade 10	3.1%	3.9%	6.6%	93.4%
Grade 11	0.5%	1.5%	6.6%	93.3%
Grade 12	1.3%	1.5%	5.9%	94.1%
Methamphetamine				
All	0.3%	0.3%	0.7%	99.2%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	0.3%	0.3%	1.0%	99.1%
Grade 8	0.3%	0.4%	1.3%	98.6%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.3%	0.4%	1.3%	98.8%
Grade 11	0.3%	0.4%	0.8%	99.2%
Grade 12	1.1%	1.1%	1.1%	98.9%

**Table B-9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	4.7%	6.7%	12.2%	87.7%
	Grade 6	1.1%	1.3%	2.9%	97.1%
	Grade 7	1.6%	2.5%	6.2%	93.8%
	Grade 8	2.5%	3.6%	7.8%	92.2%
	Grade 9	2.8%	4.6%	9.1%	90.9%
	Grade 10	6.7%	8.9%	16.5%	83.6%
	Grade 11	9.2%	14.6%	27.1%	73.0%
	Grade 12	13.0%	17.1%	24.0%	76.0%
Alcohol	All	12.1%	19.0%	34.4%	65.5%
	Grade 6	4.8%	7.9%	20.6%	79.5%
	Grade 7	5.7%	7.4%	23.2%	76.8%
	Grade 8	8.9%	13.0%	28.8%	71.2%
	Grade 9	9.1%	16.7%	30.4%	69.6%
	Grade 10	18.0%	27.8%	45.3%	54.8%
	Grade 11	21.3%	33.0%	52.2%	47.8%
	Grade 12	23.4%	37.4%	51.7%	48.3%
Inhalants	All	3.2%	4.0%	8.6%	91.4%
	Grade 6	3.8%	4.6%	9.9%	90.1%
	Grade 7	2.6%	3.8%	8.7%	91.3%
	Grade 8	4.2%	5.0%	11.9%	88.2%
	Grade 9	3.7%	4.6%	9.9%	90.1%
	Grade 10	2.8%	3.6%	7.2%	92.9%
	Grade 11	3.1%	3.4%	6.4%	93.5%
	Grade 12	1.6%	2.0%	4.3%	95.7%
Any Illicit Drug	All	5.3%	7.8%	13.0%	86.9%
	Grade 6	1.0%	1.0%	2.6%	97.4%
	Grade 7	1.6%	2.4%	4.8%	95.2%
	Grade 8	2.9%	4.3%	8.0%	92.1%
	Grade 9	5.7%	6.6%	10.7%	89.4%
	Grade 10	6.7%	10.5%	20.3%	79.7%
	Grade 11	11.7%	18.4%	27.1%	72.9%
	Grade 12	10.9%	17.3%	26.2%	73.8%
Marijuana	All	4.8%	7.2%	12.0%	88.0%
	Grade 6	0.2%	0.2%	1.0%	99.0%
	Grade 7	1.5%	2.0%	3.5%	96.5%
	Grade 8	2.1%	3.4%	6.5%	93.5%
	Grade 9	5.0%	5.9%	9.8%	90.2%
	Grade 10	6.5%	10.1%	19.6%	80.5%
	Grade 11	11.2%	17.6%	26.1%	73.9%
	Grade 12	10.6%	16.7%	26.0%	74.0%

**Table B-9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.4%	4.3%	8.0%	92.1%
Grade 6	0.1%	0.1%	0.5%	99.5%
Grade 7	0.4%	0.9%	1.7%	98.3%
Grade 8	0.6%	1.8%	3.9%	96.0%
Grade 9	2.8%	3.5%	5.8%	94.3%
Grade 10	2.9%	5.5%	13.8%	86.3%
Grade 11	5.3%	10.6%	17.1%	82.9%
Grade 12	6.8%	11.2%	19.3%	80.7%
Cocaine Or Crack				
All	0.6%	0.7%	1.4%	98.6%
Grade 6	0.8%	0.8%	0.8%	99.2%
Grade 7	0.3%	0.4%	0.8%	99.2%
Grade 8	0.1%	0.2%	1.0%	99.0%
Grade 9	0.2%	0.2%	1.3%	98.7%
Grade 10	0.2%	0.2%	1.0%	99.0%
Grade 11	2.0%	2.2%	3.2%	96.9%
Grade 12	0.8%	1.0%	1.9%	98.1%
Cocaine				
All	0.4%	0.5%	1.1%	98.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.2%	0.2%	1.3%	98.7%
Grade 10	0.2%	0.2%	1.0%	99.0%
Grade 11	2.0%	2.2%	3.2%	96.9%
Grade 12	0.6%	0.8%	1.8%	98.3%
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 6	0.8%	0.8%	0.8%	99.2%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.0%	0.1%	0.7%	99.3%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.2%	0.2%	0.3%	99.7%
Hallucinogens				
All	0.4%	0.7%	1.5%	98.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.2%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.8%	99.2%
Grade 9	0.2%	0.7%	0.9%	99.1%
Grade 10	0.9%	1.1%	2.5%	97.4%
Grade 11	1.0%	2.1%	4.1%	95.8%
Grade 12	1.0%	1.4%	2.3%	97.7%

**Table B-9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents  
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.1%	0.2%	99.8%
	Grade 6	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.1%	0.1%	0.3%	99.7%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.3%	0.3%	0.3%	99.7%
	Grade 11	0.0%	0.1%	0.7%	99.3%
	Grade 12	0.0%	0.1%	0.1%	99.9%
Steroids	All	0.2%	0.3%	1.0%	99.0%
	Grade 6	0.2%	0.5%	2.1%	98.0%
	Grade 7	0.0%	0.0%	1.0%	99.0%
	Grade 8	0.4%	0.5%	1.0%	99.0%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	0.1%	0.3%	0.8%	99.2%
	Grade 11	0.7%	0.7%	0.7%	99.3%
	Grade 12	0.0%	0.5%	1.2%	98.8%
Ecstasy	All	0.4%	0.7%	1.3%	98.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.6%	99.4%
	Grade 8	0.2%	0.3%	1.0%	99.0%
	Grade 9	0.9%	0.9%	1.5%	98.5%
	Grade 10	0.1%	0.8%	1.1%	98.9%
	Grade 11	1.3%	1.7%	2.8%	97.3%
	Grade 12	0.1%	1.6%	2.7%	97.4%
Heroin	All	0.1%	0.1%	0.4%	99.6%
	Grade 6	0.0%	0.0%	0.9%	99.1%
	Grade 7	0.5%	0.5%	1.0%	99.0%
	Grade 8	0.0%	0.1%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.2%	0.2%	0.2%	99.8%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.2%	0.2%	0.4%	99.5%



**Table B-9: Prevalence and recency of use of selected substances by grade  
Students Living With 2 Parents  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.6%	0.8%	2.4%	97.6%
Grade 6	0.1%	0.2%	0.4%	99.6%
Grade 7	0.3%	0.4%	1.2%	98.8%
Grade 8	1.1%	1.1%	2.2%	97.8%
Grade 9	0.9%	0.9%	2.3%	97.7%
Grade 10	2.0%	2.7%	4.0%	96.1%
Grade 11	0.0%	0.6%	3.6%	96.4%
Grade 12	0.0%	0.2%	4.3%	95.7%
Methamphetamine				
All	0.1%	0.1%	0.2%	99.7%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	0.1%	0.1%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.8%	0.9%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-10: Prevalence and recency of use of selected substances by grade  
Students Not Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	9.4%	12.8%	24.7%	75.4%
	Grade 6	2.8%	3.2%	9.2%	90.8%
	Grade 7	3.4%	4.9%	11.5%	88.5%
	Grade 8	7.7%	10.3%	22.3%	77.7%
	Grade 9	3.5%	8.1%	22.5%	77.6%
	Grade 10	12.7%	19.0%	30.3%	69.7%
	Grade 11	16.8%	18.6%	38.0%	62.0%
	Grade 12	17.1%	22.5%	34.8%	65.2%
Alcohol	All	20.9%	29.4%	51.4%	48.6%
	Grade 6	10.2%	13.5%	34.0%	66.0%
	Grade 7	8.6%	11.1%	33.0%	66.9%
	Grade 8	17.1%	24.7%	47.8%	52.2%
	Grade 9	21.0%	30.2%	54.3%	45.7%
	Grade 10	30.7%	42.7%	63.6%	36.3%
	Grade 11	26.3%	36.8%	61.0%	38.9%
	Grade 12	29.2%	42.6%	61.5%	38.6%
Inhalants	All	4.0%	5.4%	14.5%	85.4%
	Grade 6	3.1%	3.6%	14.8%	85.2%
	Grade 7	5.1%	7.3%	15.8%	84.3%
	Grade 8	4.8%	6.9%	17.4%	82.7%
	Grade 9	5.6%	6.1%	16.9%	83.1%
	Grade 10	2.6%	3.2%	14.0%	86.0%
	Grade 11	4.3%	6.8%	12.1%	87.9%
	Grade 12	2.6%	3.8%	11.2%	88.8%
Any Illicit Drug	All	11.7%	16.9%	27.0%	73.0%
	Grade 6	2.2%	2.7%	4.6%	95.4%
	Grade 7	2.6%	4.0%	9.2%	90.7%
	Grade 8	7.7%	12.0%	20.4%	79.7%
	Grade 9	7.3%	14.2%	21.8%	78.1%
	Grade 10	16.7%	22.6%	37.1%	62.9%
	Grade 11	24.1%	31.0%	43.0%	56.9%
	Grade 12	19.1%	27.9%	46.5%	53.4%
Marijuana	All	10.6%	16.1%	26.0%	74.0%
	Grade 6	2.2%	2.7%	4.6%	95.4%
	Grade 7	2.0%	2.9%	7.9%	92.1%
	Grade 8	7.3%	11.5%	19.8%	80.2%
	Grade 9	5.7%	13.2%	21.7%	78.2%
	Grade 10	14.4%	22.4%	35.5%	64.5%
	Grade 11	22.1%	29.2%	40.8%	59.3%
	Grade 12	18.2%	27.4%	46.0%	54.1%

**Table B-10: Prevalence and recency of use of selected substances by grade**  
**Students Not Living With 2 Parents**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.2%	7.8%	15.4%	84.6%
Grade 6	0.7%	1.0%	2.6%	97.4%
Grade 7	0.5%	0.8%	4.6%	95.4%
Grade 8	2.4%	5.0%	10.7%	89.4%
Grade 9	2.9%	7.8%	14.6%	85.5%
Grade 10	7.9%	12.1%	22.2%	77.9%
Grade 11	8.2%	12.9%	22.0%	78.0%
Grade 12	5.8%	13.4%	27.8%	72.3%
Cocaine Or Crack				
All	0.4%	0.7%	2.1%	97.8%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.7%	0.8%	2.6%	97.4%
Grade 9	0.2%	0.6%	1.3%	98.8%
Grade 10	0.2%	0.3%	2.7%	97.3%
Grade 11	0.6%	2.2%	3.6%	96.4%
Grade 12	1.4%	1.5%	4.3%	95.8%
Cocaine				
All	0.3%	0.6%	1.7%	98.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.7%	0.8%	2.1%	97.9%
Grade 9	0.0%	0.4%	0.9%	99.1%
Grade 10	0.2%	0.3%	1.8%	98.2%
Grade 11	0.5%	2.1%	2.7%	97.3%
Grade 12	1.0%	1.1%	3.9%	96.1%
Crack				
All	0.2%	0.2%	0.8%	99.2%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.4%	0.4%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.9%	99.2%
Grade 10	0.0%	0.0%	1.9%	98.1%
Grade 11	0.1%	0.1%	0.9%	99.0%
Grade 12	0.4%	0.4%	0.4%	99.6%
Hallucinogens				
All	1.4%	1.9%	4.1%	96.0%
Grade 6	0.0%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.2%	1.0%	99.0%
Grade 8	1.2%	1.2%	2.7%	97.2%
Grade 9	0.9%	0.9%	3.1%	96.9%
Grade 10	0.1%	0.7%	2.0%	98.0%
Grade 11	5.5%	7.3%	10.8%	89.2%
Grade 12	1.8%	2.2%	7.7%	92.3%

**Table B-10: Prevalence and recency of use of selected substances by grade**  
**Students Not Living With 2 Parents**  
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.6%	0.7%	1.0%	99.0%
	Grade 6	0.5%	0.5%	0.5%	99.5%
	Grade 7	0.2%	0.5%	0.5%	99.5%
	Grade 8	0.6%	0.6%	1.5%	98.5%
	Grade 9	0.0%	0.0%	0.6%	99.4%
	Grade 10	1.0%	1.0%	1.2%	98.8%
	Grade 11	1.9%	1.9%	1.9%	98.1%
	Grade 12	0.4%	0.4%	1.1%	98.9%
Steroids	All	0.7%	0.8%	1.4%	98.6%
	Grade 6	0.2%	0.4%	0.9%	99.1%
	Grade 7	0.0%	0.0%	0.4%	99.6%
	Grade 8	0.8%	1.4%	2.1%	97.8%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.8%	0.8%	1.6%	98.4%
	Grade 11	0.8%	0.8%	2.0%	98.0%
	Grade 12	2.1%	2.1%	2.6%	97.4%
Ecstasy	All	1.1%	1.7%	4.1%	95.9%
	Grade 6	0.0%	0.3%	0.8%	99.3%
	Grade 7	0.0%	0.3%	2.1%	97.9%
	Grade 8	0.5%	1.1%	2.5%	97.5%
	Grade 9	0.0%	0.8%	3.2%	96.8%
	Grade 10	0.8%	1.8%	3.3%	96.7%
	Grade 11	4.6%	5.2%	8.9%	91.1%
	Grade 12	1.9%	2.3%	7.4%	92.7%
Heroin	All	0.3%	0.3%	0.5%	99.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.6%	0.8%	1.2%	98.8%
	Grade 8	0.4%	0.4%	1.0%	99.0%
	Grade 9	0.0%	0.0%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.8%	0.8%	0.8%	99.2%

**Table B-10: Prevalence and recency of use of selected substances by grade**  
**Students Not Living With 2 Parents**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.0%	3.1%	6.5%	93.5%
Grade 6	1.0%	1.3%	1.5%	98.5%
Grade 7	0.7%	2.0%	3.1%	96.8%
Grade 8	2.4%	2.7%	5.5%	94.5%
Grade 9	2.5%	5.0%	5.7%	94.3%
Grade 10	3.4%	4.4%	10.5%	89.4%
Grade 11	0.8%	2.0%	8.2%	91.8%
Grade 12	2.6%	3.2%	9.3%	90.7%
Methamphetamine				
All	0.4%	0.5%	1.1%	98.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.3%	0.7%	99.3%
Grade 8	0.4%	0.4%	1.2%	98.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.4%	0.6%	1.8%	98.2%
Grade 11	0.4%	0.6%	2.0%	98.0%
Grade 12	1.4%	1.8%	2.2%	97.8%

**Table B-11: Prevalence and recency of use of selected substances by grade**  
**Students who would seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	5.0%	6.8%	13.5%	86.5%
	Grade 6	1.4%	1.7%	3.4%	96.7%
	Grade 7	1.6%	2.4%	5.8%	94.2%
	Grade 8	3.4%	4.6%	10.2%	89.9%
	Grade 9	2.4%	3.3%	9.5%	90.5%
	Grade 10	7.2%	11.1%	20.3%	79.6%
	Grade 11	10.3%	12.3%	26.4%	73.6%
	Grade 12	11.8%	16.4%	25.7%	74.4%
Alcohol	All	13.1%	20.0%	37.0%	63.0%
	Grade 6	5.4%	8.5%	21.0%	79.0%
	Grade 7	5.6%	7.3%	23.9%	76.1%
	Grade 8	10.6%	14.5%	32.1%	68.0%
	Grade 9	9.4%	16.8%	34.9%	65.1%
	Grade 10	21.0%	30.8%	49.6%	50.4%
	Grade 11	21.3%	31.8%	51.4%	48.6%
	Grade 12	23.7%	38.6%	55.6%	44.4%
Inhalants	All	2.6%	3.5%	8.9%	91.2%
	Grade 6	3.4%	4.1%	9.7%	90.3%
	Grade 7	2.5%	3.8%	9.1%	90.9%
	Grade 8	3.6%	4.6%	11.1%	88.8%
	Grade 9	3.3%	4.1%	10.7%	89.3%
	Grade 10	1.1%	1.9%	7.8%	92.2%
	Grade 11	2.5%	3.3%	6.3%	93.6%
	Grade 12	1.4%	1.8%	5.7%	94.3%
Any Illicit Drug	All	5.6%	8.7%	14.6%	85.4%
	Grade 6	1.2%	1.3%	2.8%	97.2%
	Grade 7	1.1%	2.1%	5.1%	94.9%
	Grade 8	3.0%	4.6%	8.6%	91.5%
	Grade 9	4.6%	7.2%	10.4%	89.6%
	Grade 10	8.4%	12.7%	23.6%	76.4%
	Grade 11	13.0%	19.0%	28.4%	71.6%
	Grade 12	11.3%	19.2%	31.4%	68.6%
Marijuana	All	5.1%	8.1%	13.7%	86.3%
	Grade 6	0.5%	0.6%	1.4%	98.6%
	Grade 7	0.9%	1.5%	3.9%	96.1%
	Grade 8	2.5%	3.9%	7.7%	92.3%
	Grade 9	4.2%	6.8%	10.0%	90.0%
	Grade 10	8.2%	12.5%	23.0%	77.1%
	Grade 11	11.8%	17.5%	26.5%	73.5%
	Grade 12	11.0%	18.9%	31.4%	68.6%

**Table B-11: Prevalence and recency of use of selected substances by grade**  
**Students who would seek help from adults for substance abuse problems**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.5%	4.8%	9.4%	90.6%
Grade 6	0.3%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.6%	2.5%	97.5%
Grade 8	1.0%	1.9%	4.6%	95.4%
Grade 9	2.5%	4.7%	7.4%	92.6%
Grade 10	4.1%	7.4%	16.5%	83.5%
Grade 11	5.2%	9.9%	17.2%	82.8%
Grade 12	5.5%	11.8%	22.3%	77.7%
Cocaine Or Crack				
All	0.4%	0.5%	1.1%	98.9%
Grade 6	0.7%	0.7%	0.7%	99.3%
Grade 7	0.1%	0.2%	0.5%	99.6%
Grade 8	0.3%	0.3%	0.9%	99.1%
Grade 9	0.3%	0.5%	0.6%	99.5%
Grade 10	0.2%	0.3%	1.1%	99.0%
Grade 11	0.9%	1.0%	2.1%	97.9%
Grade 12	0.4%	0.6%	2.3%	97.7%
Cocaine				
All	0.3%	0.4%	0.9%	99.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.4%	0.5%	99.6%
Grade 10	0.2%	0.3%	1.1%	99.0%
Grade 11	0.9%	1.0%	1.8%	98.2%
Grade 12	0.4%	0.6%	2.3%	97.7%
Crack				
All	0.2%	0.2%	0.3%	99.7%
Grade 6	0.7%	0.7%	0.7%	99.3%
Grade 7	0.1%	0.2%	0.4%	99.7%
Grade 8	0.2%	0.2%	0.5%	99.4%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.6%	0.9%	1.7%	98.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.2%	0.6%	99.5%
Grade 8	0.2%	0.2%	0.7%	99.4%
Grade 9	0.0%	0.2%	0.6%	99.4%
Grade 10	0.3%	0.7%	1.9%	98.1%
Grade 11	3.0%	3.9%	6.0%	94.1%
Grade 12	1.2%	1.4%	3.2%	96.9%

**Table B-11: Prevalence and recency of use of selected substances by grade**  
**Students who would seek help from adults for substance abuse problems**  
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.1%	0.2%	99.7%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.1%	0.2%	0.2%	99.8%
	Grade 8	0.1%	0.1%	0.3%	99.6%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.1%	99.9%
	Grade 11	0.8%	0.8%	1.3%	98.7%
	Grade 12	0.0%	0.1%	0.3%	99.8%
Steroids	All	0.3%	0.4%	1.1%	99.0%
	Grade 6	0.2%	0.5%	1.7%	98.3%
	Grade 7	0.0%	0.0%	0.8%	99.2%
	Grade 8	0.3%	0.6%	1.0%	99.0%
	Grade 9	0.0%	0.0%	0.2%	99.8%
	Grade 10	0.1%	0.1%	0.8%	99.2%
	Grade 11	0.6%	0.6%	1.1%	98.9%
	Grade 12	0.7%	0.9%	1.7%	98.3%
Ecstasy	All	0.4%	0.7%	1.5%	98.5%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.0%	0.0%	0.5%	99.5%
	Grade 8	0.0%	0.2%	1.0%	99.0%
	Grade 9	0.4%	0.6%	1.1%	99.0%
	Grade 10	0.0%	0.8%	1.7%	98.3%
	Grade 11	2.1%	2.1%	3.1%	96.9%
	Grade 12	0.7%	1.7%	3.8%	96.2%
Heroin	All	0.1%	0.1%	0.3%	99.6%
	Grade 6	0.0%	0.0%	0.7%	99.3%
	Grade 7	0.2%	0.3%	0.8%	99.2%
	Grade 8	0.0%	0.0%	0.2%	99.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.4%	0.4%	0.6%	99.4%



**Table B-11: Prevalence and recency of use of selected substances by grade**  
**Students who would seek help from adults for substance abuse problems**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.6%	0.9%	2.5%	97.5%
Grade 6	0.1%	0.2%	0.4%	99.6%
Grade 7	0.2%	0.6%	1.4%	98.6%
Grade 8	0.7%	0.8%	2.0%	98.1%
Grade 9	0.8%	1.1%	1.5%	98.4%
Grade 10	1.7%	2.1%	4.7%	95.3%
Grade 11	0.2%	1.0%	3.8%	96.2%
Grade 12	0.7%	0.8%	5.1%	94.9%
Methamphetamine				
All	0.1%	0.1%	0.3%	99.6%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	0.1%	0.1%	0.5%	99.6%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.2%	0.2%	0.3%	99.7%
Grade 11	0.2%	0.3%	1.0%	99.1%
Grade 12	0.4%	0.6%	0.6%	99.4%

**Table B-12: Prevalence and recency of use of selected substances by grade**  
**Students who would not seek help from adults for substance abuse problems**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	11.4%	16.8%	30.0%	70.0%
	Grade 6	2.7%	2.7%	17.0%	83.1%
	Grade 7	7.1%	9.9%	25.8%	74.2%
	Grade 8	7.8%	10.9%	23.0%	77.0%
	Grade 9	5.1%	16.7%	30.0%	69.9%
	Grade 10	14.7%	17.4%	26.8%	73.1%
	Grade 11	16.0%	23.2%	44.9%	55.1%
	Grade 12	20.9%	26.3%	33.2%	66.8%
Alcohol	All	24.7%	36.0%	57.1%	42.9%
	Grade 6	13.1%	16.9%	57.8%	42.2%
	Grade 7	14.4%	17.3%	44.5%	55.4%
	Grade 8	18.4%	29.9%	50.7%	49.4%
	Grade 9	29.5%	41.8%	53.3%	46.7%
	Grade 10	29.1%	48.0%	66.2%	33.9%
	Grade 11	27.0%	43.0%	71.1%	28.9%
	Grade 12	31.0%	38.5%	52.6%	47.3%
Inhalants	All	7.9%	9.6%	19.9%	80.1%
	Grade 6	3.7%	5.8%	25.0%	75.0%
	Grade 7	12.5%	16.5%	28.2%	71.9%
	Grade 8	7.5%	9.6%	28.8%	71.2%
	Grade 9	8.1%	8.8%	18.1%	81.8%
	Grade 10	10.7%	11.0%	16.5%	83.5%
	Grade 11	8.9%	11.1%	18.5%	81.5%
	Grade 12	3.6%	5.1%	10.9%	89.1%
Any Illicit Drug	All	16.7%	22.2%	33.7%	66.3%
	Grade 6	3.3%	4.2%	9.0%	91.0%
	Grade 7	8.1%	9.4%	16.0%	84.1%
	Grade 8	12.5%	17.9%	26.7%	73.3%
	Grade 9	14.0%	18.3%	32.9%	67.0%
	Grade 10	18.4%	25.0%	38.9%	61.1%
	Grade 11	26.3%	36.5%	46.3%	53.7%
	Grade 12	24.1%	30.4%	46.5%	53.5%
Marijuana	All	14.4%	20.9%	32.0%	67.9%
	Grade 6	3.3%	4.2%	9.0%	91.0%
	Grade 7	6.5%	7.9%	13.7%	86.3%
	Grade 8	10.9%	16.6%	24.2%	75.8%
	Grade 9	10.3%	15.7%	31.5%	68.6%
	Grade 10	13.1%	24.1%	35.8%	64.2%
	Grade 11	26.0%	36.5%	46.3%	53.7%
	Grade 12	21.9%	28.2%	44.3%	55.7%

**Table B-12: Prevalence and recency of use of selected substances by grade**  
**Students who would not seek help from adults for substance abuse problems**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	5.7%	8.9%	15.9%	84.0%
Grade 6	0.0%	0.0%	4.2%	95.8%
Grade 7	1.1%	2.0%	3.6%	96.5%
Grade 8	2.6%	7.2%	12.3%	87.7%
Grade 9	4.3%	6.0%	14.4%	85.7%
Grade 10	7.2%	10.1%	19.1%	80.9%
Grade 11	9.5%	16.2%	22.1%	77.9%
Grade 12	10.5%	14.2%	25.6%	74.4%
Cocaine Or Crack				
All	1.3%	1.9%	4.5%	95.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	1.1%	1.1%	2.3%	97.7%
Grade 8	0.7%	0.9%	4.8%	95.3%
Grade 9	0.0%	0.0%	5.5%	94.5%
Grade 10	0.0%	0.1%	2.4%	97.6%
Grade 11	3.4%	6.7%	7.9%	92.1%
Grade 12	2.9%	2.9%	5.0%	95.0%
Cocaine				
All	1.1%	1.7%	3.8%	96.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	1.1%	1.1%	2.3%	97.7%
Grade 8	0.7%	0.9%	3.9%	96.1%
Grade 9	0.0%	0.0%	5.2%	94.8%
Grade 10	0.0%	0.1%	0.1%	99.9%
Grade 11	3.4%	6.7%	7.9%	92.1%
Grade 12	2.2%	2.2%	4.3%	95.7%
Crack				
All	0.2%	0.2%	1.0%	99.1%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.0%	0.0%	1.3%	98.7%
Grade 10	0.0%	0.0%	2.4%	97.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.8%	0.8%	0.8%	99.2%
Hallucinogens				
All	1.4%	2.6%	6.2%	93.8%
Grade 6	0.0%	0.9%	0.9%	99.1%
Grade 7	0.0%	0.7%	3.6%	96.4%
Grade 8	1.5%	1.5%	5.9%	94.1%
Grade 9	2.6%	3.5%	6.6%	93.4%
Grade 10	1.6%	1.6%	2.9%	97.1%
Grade 11	0.1%	4.1%	8.8%	91.2%
Grade 12	2.5%	3.8%	10.3%	89.7%

**Table B-12: Prevalence and recency of use of selected substances by grade**  
**Students who would not seek help from adults for substance abuse problems**  
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.7%	0.7%	1.2%	98.8%
	Grade 6	1.5%	1.5%	1.5%	98.5%
	Grade 7	0.7%	0.7%	2.2%	97.7%
	Grade 8	0.6%	0.6%	0.6%	99.4%
	Grade 9	0.0%	0.0%	1.1%	98.9%
	Grade 10	2.8%	2.8%	2.8%	97.2%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.8%	99.2%
Steroids	All	0.7%	0.9%	1.2%	98.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	1.0%	99.0%
	Grade 8	0.7%	0.7%	2.3%	97.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.9%	2.3%	2.3%	97.7%
	Grade 11	1.7%	1.7%	1.7%	98.3%
	Grade 12	0.0%	0.8%	0.8%	99.2%
Ecstasy	All	1.6%	2.5%	6.2%	93.8%
	Grade 6	0.0%	0.9%	0.9%	99.1%
	Grade 7	0.0%	0.7%	6.2%	93.8%
	Grade 8	2.3%	2.8%	4.5%	95.5%
	Grade 9	0.9%	1.6%	6.4%	93.5%
	Grade 10	2.3%	3.3%	3.5%	96.5%
	Grade 11	4.3%	5.6%	12.4%	87.6%
	Grade 12	0.0%	1.3%	6.2%	93.8%
Heroin	All	0.6%	0.6%	0.9%	99.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	3.5%	3.5%	4.2%	95.8%
	Grade 8	0.0%	0.0%	0.5%	99.5%
	Grade 9	0.0%	0.0%	0.9%	99.1%
	Grade 10	1.0%	1.0%	1.0%	99.0%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.8%	0.8%	0.8%	99.2%

**Table B-12: Prevalence and recency of use of selected substances by grade**  
**Students who would not seek help from adults for substance abuse problems**  
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	3.3%	4.9%	9.8%	90.2%
Grade 6	3.3%	4.2%	4.2%	95.8%
Grade 7	1.5%	3.1%	5.0%	95.0%
Grade 8	5.8%	6.1%	9.0%	91.0%
Grade 9	3.8%	6.8%	11.7%	88.2%
Grade 10	6.1%	9.5%	13.1%	86.9%
Grade 11	0.4%	1.5%	12.1%	87.9%
Grade 12	1.7%	2.0%	8.8%	91.2%
Methamphetamine				
All	0.9%	1.0%	1.2%	98.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	1.0%	1.5%	1.5%	98.6%
Grade 8	0.0%	0.5%	1.0%	99.0%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.1%	0.3%	99.6%
Grade 11	3.0%	3.0%	3.0%	97.0%
Grade 12	1.3%	1.3%	2.1%	97.9%

### 3 Margin Tables

GENDER		
q1	Frequency	Percent
Male	317,075	50.7%
Female	308,934	49.3%
Frequency Missing = 5824		

GRADE		
q2	Frequency	Percent
Grade 6	96,717	15.3%
Grade 7	96,152	15.2%
Grade 8	93,262	14.8%
Grade 9	95,889	15.2%
Grade 10	87,599	13.9%
Grade 11	84,252	13.3%
Grade 12	77,964	12.3%

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	210,047	33.5%
Yes	417,187	66.5%
Frequency Missing = 4599		

AGE		
q4	Frequency	Percent
10 or below	404	0.1%
11	34,017	5.4%
12	89,889	14.2%
13	97,778	15.5%
14	98,581	15.6%
15	94,958	15.1%
16	85,076	13.5%
17	85,419	13.5%
18	41,117	6.5%
19 or older	3,623	0.6%
Frequency Missing = 970		

ETHNICITY		
q5	Frequency	Percent
African Am.	102,633	16.6%
Asian Am.	31,524	5.1%
Mexican Am.	216,745	35.0%
Native Am.	4,595	0.7%
Other	12,776	2.1%
White	250,218	40.5%
Frequency Missing = 13342		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	224,418	40.0%
Mostly B's	273,874	48.9%
Mostly C's	55,642	9.9%
Mostly D's	4,359	0.8%
Mostly F's	2,066	0.4%
Frequency Missing = 71474		

DO YOU HAVE A JOB		
q7	Frequency	Percent
No	469,234	83.6%
Yes	91,987	16.4%
Frequency Missing = 70613		

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q8	Frequency	Percent
Do not know	141,047	25.2%
No	268,006	47.8%
Yes	151,295	27.0%
Frequency Missing = 71486		

PARTICIPATE IN SCHOOL ATHLETICS (UIL, VARSITY, JR VARSITY)		
q9a	Frequency	Percent
No	269,031	50.6%
Yes	262,345	49.4%
Frequency Missing = 100456		

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q9b	Frequency	Percent
No	393,326	78.9%
Yes	105,370	21.1%
Frequency Missing = 133137		

PARTICIPATE IN SCHOOL CHOIR		
q9c	Frequency	Percent
No	408,464	84.5%
Yes	75,091	15.5%
Frequency Missing = 148277		

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q9h	Frequency	Percent
No	288,127	57.3%
Yes	215,005	42.7%
Frequency Missing = 128701		

PARTICIPATE IN DRILL TEAM/CHEER-LEADING		
q9d	Frequency	Percent
No	442,416	91.8%
Yes	39,603	8.2%
Frequency Missing = 149815		

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q9i	Frequency	Percent
No	360,296	73.2%
Yes	132,143	26.8%
Frequency Missing = 139393		

PARTICIPATE IN STUDENT GOVERNMENT/SCHOOL NEWS-PAPER/YEARBOOK		
q9e	Frequency	Percent
No	449,581	93.4%
Yes	31,973	6.6%
Frequency Missing = 150278		

DO YOU FEEL SAFE IN YOUR HOME		
q10a	Frequency	Percent
Very Safe	537,615	85.6%
Somewhat Safe	80,506	12.8%
Not Very Safe	5,752	0.9%
Not Safe At All	819	0.1%
Don't Know	3,116	0.5%
Frequency Missing = 4025		

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES/COMPETITION GROUPS		
q9f	Frequency	Percent
No	368,244	75.2%
Yes	121,603	24.8%
Frequency Missing = 141985		

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q10b	Frequency	Percent
Very Safe	293,346	47.0%
Somewhat Safe	276,618	44.3%
Not Very Safe	33,843	5.4%
Not Safe At All	6,724	1.1%
Don't Know	13,211	2.1%
Frequency Missing = 8091		

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q9g	Frequency	Percent
No	358,021	73.8%
Yes	127,380	26.2%
Frequency Missing = 146432		

DO YOU FEEL SAFE AT SCHOOL		
q10c	Frequency	Percent
Very Safe	297,018	47.6%
Somewhat Safe	258,433	41.5%
Not Very Safe	39,362	6.3%
Not Safe At All	14,791	2.4%
Don't Know	13,744	2.2%
Frequency Missing = 8486		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.



FRIENDS FEELING CLOSE TO THEIR PARENTS		
q11a	Frequency	Percent
None	30,740	4.9%
A Few	131,306	21.1%
Some	155,831	25.0%
Most	228,810	36.7%
All	76,889	12.3%
Frequency Missing = 8256		

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q11e	Frequency	Percent
None	395,399	63.4%
A Few	148,017	23.7%
Some	46,024	7.4%
Most	19,608	3.1%
All	14,708	2.4%
Frequency Missing = 8077		

HOW MANY FRIENDS CARRY WEAPONS		
q11b	Frequency	Percent
None	453,290	73.3%
A Few	108,313	17.5%
Some	38,781	6.3%
Most	12,545	2.0%
All	5,315	0.9%
Frequency Missing = 13589		

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q12	Frequency	Percent
No	314,969	62.6%
Yes	188,492	37.4%
Frequency Missing = 128372		

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q11c	Frequency	Percent
None	11,718	1.9%
A Few	68,469	11.2%
Some	119,780	19.5%
Most	280,699	45.7%
All	133,022	21.7%
Frequency Missing = 18145		

RECENT INHALANT USE - SPRAY PAINT		
q13a	Frequency	Percent
Never	610,133	97.6%
Heard/Used		
In Your Life-time	9,837	1.6%
Since School Began	1,226	0.2%
In the Past Month	4,160	0.7%
Frequency Missing = 6478		

HOW MANY FRIENDS BELONG TO A GANG		
q11d	Frequency	Percent
None	536,544	86.2%
A Few	59,703	9.6%
Some	15,859	2.5%
Most	6,110	1.0%
All	3,931	0.6%
Frequency Missing = 9686		

RECENT INHALANT USE - WHITE-OUT, CORRECTION FLUID, MAGIC MARKERS		
q13b	Frequency	Percent
Never	584,618	94.1%
Heard/Used		
In Your Life-time	23,742	3.8%
Since School Began	3,470	0.6%
In the Past Month	9,569	1.5%
Frequency Missing = 10433		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

RECENT INHALANT USE - COMPUTER DUSTING SPRAYS		
q13c	Frequency	Percent
Never	614,262	99.0%
Heard/Used		
In Your Life-time	4,614	0.7%
Since School Began	745	0.1%
In the Past Month	984	0.2%

Frequency Missing = 11227

RECENT INHALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS		
q13f	Frequency	Percent
Never	615,418	99.3%
Heard/Used		
In Your Life-time	2,876	0.5%
Since School Began	646	0.1%
In the Past Month	716	0.1%

Frequency Missing = 12177

RECENT INHALANT USE - HELIUM, BUTANE, PROPANE, WHIPPETS, REFRIGERANTS/FREON		
q13d	Frequency	Percent
Never	592,740	95.3%
Heard/Used		
In Your Life-time	16,385	2.6%
Since School Began	3,793	0.6%
In the Past Month	9,261	1.5%

Frequency Missing = 9655

RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER		
q13g	Frequency	Percent
Never	609,778	98.2%
Heard/Used		
In Your Life-time	6,842	1.1%
Since School Began	1,014	0.2%
In the Past Month	3,155	0.5%

Frequency Missing = 11044

RECENT INHALANT USE - GLUE		
q13e	Frequency	Percent
Never	613,646	98.9%
Heard/Used		
In Your Life-time	3,954	0.6%
Since School Began	1,018	0.2%
In the Past Month	1,739	0.3%

Frequency Missing = 11477

RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS		
q13h	Frequency	Percent
Never	610,994	98.2%
Heard/Used		
In Your Life-time	6,635	1.1%
Since School Began	792	0.1%
In the Past Month	3,948	0.6%

Frequency Missing = 9464

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

RECENT CIGARETTE USE		
q14a	Frequency	Percent
Never	535,069	85.8%
Heard/Used		
In Your Life-time	44,367	7.1%
Since School Began	13,913	2.2%
In the Past Month	30,026	4.8%

Frequency Missing = 8457

RECENT WINE USE		
q14e	Frequency	Percent
Never	449,378	73.5%
Heard/Used		
In Your Life-time	86,085	14.1%
Since School Began	31,904	5.2%
In the Past Month	43,646	7.1%

Frequency Missing = 20820

RECENT SMOKE-LESS TOBACCO USE		
q14b	Frequency	Percent
Never	578,506	93.7%
Heard/Used		
In Your Life-time	17,008	2.8%
Since School Began	6,340	1.0%
In the Past Month	15,850	2.6%

Frequency Missing = 14128

RECENT LIQUOR USE		
q14f	Frequency	Percent
Never	452,251	73.1%
Heard/Used		
In Your Life-time	70,564	11.4%
Since School Began	35,012	5.7%
In the Past Month	60,428	9.8%

Frequency Missing = 13576

RECENT BEER USE		
q14c	Frequency	Percent
Never	434,255	70.8%
Heard/Used		
In Your Life-time	88,933	14.5%
Since School Began	34,329	5.6%
In the Past Month	55,607	9.1%

Frequency Missing = 18710

RECENT INHALANT USE		
q14g	Frequency	Percent
Never	603,100	96.1%
Heard/Used		
In Your Life-time	14,256	2.3%
Since School Began	2,379	0.4%
In the Past Month	7,646	1.2%

Frequency Missing = 4452

RECENT WINE COOLER USE		
q14d	Frequency	Percent
Never	468,092	75.7%
Heard/Used		
In Your Life-time	63,263	10.2%
Since School Began	32,307	5.2%
In the Past Month	54,987	8.9%

Frequency Missing = 13184

RECENT MARIJUANA USE		
q15a	Frequency	Percent
Never	515,699	83.4%
Heard/Used		
In Your Life-time	40,399	6.5%
Since School Began	21,177	3.4%
In the Past Month	41,352	6.7%

Frequency Missing = 13206

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT USE	COCAINE
q15b	Frequency	Percent
Never	609,355	98.7%
Heard/Used		
In Your Life- time	4,936	0.8%
Since School Began	919	0.1%
In the Past Month	2,425	0.4%
Frequency Missing = 14198		

	RECENT USE	STEROID
q15g	Frequency	Percent
Never	609,807	98.9%
Heard/Used		
In Your Life- time	3,977	0.6%
Since School Began	791	0.1%
In the Past Month	2,242	0.4%
Frequency Missing = 15016		

	RECENT USE	CRACK
q15c	Frequency	Percent
Never	611,674	99.5%
Heard/Used		
In Your Life- time	1,711	0.3%
Since School Began	90	0.0%
In the Past Month	1,089	0.2%
Frequency Missing = 17270		

	RECENT USE	ECSTASY
q15h	Frequency	Percent
Never	601,491	97.8%
Heard/Used		
In Your Life- time	7,310	1.2%
Since School Began	2,490	0.4%
In the Past Month	3,730	0.6%
Frequency Missing = 16813		

	RECENT CINOGEN USE	HALLU- USE
q15e	Frequency	Percent
Never	602,997	97.7%
Heard/Used		
In Your Life- time	7,564	1.2%
Since School Began	2,292	0.4%
In the Past Month	4,540	0.7%
Frequency Missing = 14441		

	RECENT USE	HEROIN
q15i	Frequency	Percent
Never	614,135	99.5%
Heard/Used		
In Your Life- time	1,584	0.3%
Since School Began	135	0.0%
In the Past Month	1,073	0.2%
Frequency Missing = 14906		

	RECENT NOL USE	ROHYP-
q15f	Frequency	Percent
Never	614,353	99.5%
Heard/Used		
In Your Life- time	1,278	0.2%
Since School Began	181	0.0%
In the Past Month	1,559	0.3%
Frequency Missing = 14462		

	RECENT PHETAMINE USE	METHAM-
q15j	Frequency	Percent
Never	613,005	99.4%
Heard/Used		
In Your Life- time	1,808	0.3%
Since School Began	358	0.1%
In the Past Month	1,431	0.2%
Frequency Missing = 15231		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT THETIC JUANA USE	SYN- MARI- JUANA USE
q15k	Frequency	Percent
Never	594,163	96.3%
Heard/Used		
In Your Life- time	13,392	2.2%
Since School Began	3,075	0.5%
In the Past Month	6,592	1.1%

Frequency Missing = 14611

	RECENT SCRIPTION USE - VALIUM ETC	PRE- DRUG USE
q16d	Frequency	Percent
Never	613,553	99.0%
Heard/Used		
In Your Life- time	2,596	0.4%
Since School Began	190	0.0%
In the Past Month	3,103	0.5%

Frequency Missing = 12392

	RECENT SCRIPTION USE - CODEINE	PRE- DRUG USE
q16a	Frequency	Percent
Never	568,740	91.5%
Heard/Used		
In Your Life- time	18,864	3.0%
Since School Began	9,865	1.6%
In the Past Month	23,915	3.8%

Frequency Missing = 10449

	RECENT SCRIPTION USE - XANAX ETC	PRE- DRUG USE
q16e	Frequency	Percent
Never	603,080	97.3%
Heard/Used		
In Your Life- time	6,290	1.0%
Since School Began	2,972	0.5%
In the Past Month	7,736	1.2%

Frequency Missing = 11755

	RECENT SCRIPTION USE - OXYCONTIN ETC	PRE- DRUG USE
q16b	Frequency	Percent
Never	604,342	97.4%
Heard/Used		
In Your Life- time	6,714	1.1%
Since School Began	2,321	0.4%
In the Past Month	7,124	1.1%

Frequency Missing = 11333

	TAKE DXM, TRIPLE CS, ETC. TO GET HIGH	
q17	Frequency	Percent
Never	585,993	97.1%
Heard/Used		
In Your Life- time	5,899	1.0%
Since School Began	4,158	0.7%
In the Past Month	7,551	1.3%

Frequency Missing = 28231

	RECENT SCRIPTION USE - VICODIN ETC	PRE- DRUG USE
q16c	Frequency	Percent
Never	588,135	94.7%
Heard/Used		
In Your Life- time	11,796	1.9%
Since School Began	6,729	1.1%
In the Past Month	14,069	2.3%

Frequency Missing = 11104

	TOBACCO USE IN PAST MONTH	
q18a	Frequency	Percent
Never	577,733	93.5%
Heard/Used		
1-2 times	18,414	3.0%
3-10 times	9,600	1.6%
11+ times	12,432	2.0%

Frequency Missing = 13654

ALCOHOL USE IN PAST MONTH		
q18b	Frequency	Percent
Never	501,552	81.5%
Heard/Used		
1-2 times	71,284	11.6%
3-10 times	29,679	4.8%
11+ times	12,555	2.0%
Frequency Missing = 16763		

INHALANT USE IN PAST MONTH		
q18c	Frequency	Percent
Never	604,901	98.0%
Heard/Used		
1-2 times	9,777	1.6%
3-10 times	1,558	0.3%
11+ times	959	0.2%
Frequency Missing = 14638		

MARIJUANA USE IN PAST MONTH		
q18d	Frequency	Percent
Never	558,186	90.5%
Heard/Used		
1-2 times	25,741	4.2%
3-10 times	17,970	2.9%
11+ times	14,640	2.4%
Frequency Missing = 15295		

COCAINE USE IN PAST MONTH		
q18e	Frequency	Percent
Never	614,571	99.5%
Heard/Used		
1-2 times	2,805	0.5%
3-10 times	36	0.0%
11+ times	330	0.1%
Frequency Missing = 14091		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

CRACK USE IN PAST MONTH		
q18f	Frequency	Percent
Never	615,611	99.7%
Heard/Used		
1-2 times	1,566	0.3%
3-10 times	42	0.0%
11+ times	271	0.0%
Frequency Missing = 14344		

CLOSE FRIENDS USE TOBACCO		
q19a	Frequency	Percent
Never	445,741	73.0%
heard/None		
A few	96,868	15.9%
Some	44,954	7.4%
Most	19,923	3.3%
All	3,480	0.6%
Frequency Missing = 20867		

CLOSE FRIENDS USE ALCOHOL		
q19b	Frequency	Percent
Never	352,229	57.6%
heard/None		
A few	115,897	19.0%
Some	71,656	11.7%
Most	57,521	9.4%
All	13,792	2.3%
Frequency Missing = 20737		

CLOSE FRIENDS USE INHALANTS		
q19c	Frequency	Percent
Never	559,278	91.8%
heard/None		
A few	35,375	5.8%
Some	10,904	1.8%
Most	2,929	0.5%
All	561	0.1%
Frequency Missing = 22786		

q19d	CLOSE FRIENDS USE MARIJUANA	
	Frequency	Percent
Never heard/None	380,815	62.4%
A few	97,667	16.0%
Some	62,383	10.2%
Most	52,687	8.6%
All	16,899	2.8%

Frequency Missing = 21381

q20d	DIFFICULT TO GET MARIJUANA	
	Frequency	Percent
Never heard of	140,972	23.4%
Impossible	173,184	28.8%
Very difficult	52,370	8.7%
Somewhat diff	50,687	8.4%
Somewhat easy	66,957	11.1%
Very easy	118,019	19.6%

Frequency Missing = 29644

q20a	DIFFICULT TO GET TOBACCO	
	Frequency	Percent
Never heard of	140,723	23.3%
Impossible	159,871	26.5%
Very difficult	55,909	9.3%
Somewhat diff	56,810	9.4%
Somewhat easy	76,667	12.7%
Very easy	113,001	18.7%

Frequency Missing = 28852

q20e	DIFFICULT TO GET COCAINE	
	Frequency	Percent
Never heard of	171,559	28.7%
Impossible	235,090	39.4%
Very difficult	85,164	14.3%
Somewhat diff	55,689	9.3%
Somewhat easy	24,060	4.0%
Very easy	25,345	4.2%

Frequency Missing = 34925

q20b	DIFFICULT TO GET ALCOHOL COMBINED	
	Frequency	Percent
Never heard of	120,436	20.1%
Impossible	112,420	18.7%
Very difficult	35,841	6.0%
Somewhat diff	62,323	10.4%
Somewhat easy	105,211	17.5%
Very easy	164,155	27.3%

Frequency Missing = 31447

q20f	DIFFICULT TO GET CRACK	
	Frequency	Percent
Never heard of	183,196	30.6%
Impossible	238,499	39.8%
Very difficult	90,786	15.2%
Somewhat diff	45,906	7.7%
Somewhat easy	19,431	3.2%
Very easy	21,329	3.6%

Frequency Missing = 32687

q20c	DIFFICULT TO GET INHALANTS	
	Frequency	Percent
Never heard of	187,320	31.3%
Impossible	116,920	19.5%
Very difficult	32,217	5.4%
Somewhat diff	38,541	6.4%
Somewhat easy	66,278	11.1%
Very easy	157,865	26.3%

Frequency Missing = 32692

q20h	DIFFICULT TO GET STEROIDS	
	Frequency	Percent
Never heard of	186,344	31.1%
Impossible	228,929	38.2%
Very difficult	86,857	14.5%
Somewhat diff	50,890	8.5%
Somewhat easy	23,652	4.0%
Very easy	21,952	3.7%

Frequency Missing = 33208

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

DIFFICULT TO GET ECSTASY		
q20i	Frequency	Percent
Never heard of	232,280	38.9%
Impossible	190,423	31.9%
Very difficult	66,909	11.2%
Somewhat diff	46,533	7.8%
Somewhat easy	30,753	5.1%
Very easy	30,872	5.2%
Frequency Missing = 34063		

AGE WHEN FIRST USED TOBACCO		
q21a	Frequency	Percent
8 or younger	5,050	6.3%
9 years old	1,788	2.2%
10 years old	4,823	6.0%
11 years old	3,480	4.4%
12 years old	9,287	11.6%
13 years old	11,071	13.9%
14 years old	11,243	14.1%
15 years old	13,543	17.0%
16 years old	10,301	12.9%
17 years old	7,212	9.0%
18 or older	2,060	2.6%
Frequency Missing = 551974		

DIFFICULT TO GET HEROIN		
q20j	Frequency	Percent
Never heard of	217,834	36.2%
Impossible	242,962	40.4%
Very difficult	75,893	12.6%
Somewhat diff	31,781	5.3%
Somewhat easy	15,713	2.6%
Very easy	17,044	2.8%
Frequency Missing = 30606		

AGE WHEN FIRST USED ALCOHOL		
q21b	Frequency	Percent
8 or younger	28,210	12.6%
9 years old	11,363	5.1%
10 years old	15,753	7.1%
11 years old	14,241	6.4%
12 years old	27,524	12.3%
13 years old	30,481	13.7%
14 years old	32,357	14.5%
15 years old	29,535	13.2%
16 years old	20,224	9.1%
17 years old	11,303	5.1%
18 or older	2,073	0.9%
Frequency Missing = 408768		

DIFFICULT TO GET METHAMPHETAMINE		
q20k	Frequency	Percent
Never heard of	230,635	38.5%
Impossible	231,727	38.7%
Very difficult	74,065	12.4%
Somewhat diff	29,354	4.9%
Somewhat easy	14,974	2.5%
Very easy	18,728	3.1%
Frequency Missing = 32351		

AGE WHEN FIRST USED INHALANTS		
q21c	Frequency	Percent
8 or younger	5,465	18.9%
9 years old	2,061	7.1%
10 years old	3,496	12.1%
11 years old	4,114	14.2%
12 years old	3,809	13.2%
13 years old	4,097	14.1%
14 years old	2,709	9.4%
15 years old	1,637	5.7%
16 years old	944	3.3%
17 years old	516	1.8%
18 or older	108	0.4%
Frequency Missing = 602877		

DIFFICULT TO GET SYNTHETIC MARIJUANA		
q20l	Frequency	Percent
Never heard of	235,923	39.3%
Impossible	181,828	30.3%
Very difficult	57,680	9.6%
Somewhat diff	36,660	6.1%
Somewhat easy	41,686	6.9%
Very easy	46,389	7.7%
Frequency Missing = 31667		



q21d	AGE WHEN FIRST USED MARIJUANA	
	Frequency	Percent
8 or younger	1,061	1.0%
9 years old	2,176	2.1%
10 years old	3,554	3.5%
11 years old	4,375	4.3%
12 years old	10,002	9.8%
13 years old	18,263	17.9%
14 years old	20,345	19.9%
15 years old	19,186	18.8%
16 years old	15,618	15.3%
17 years old	6,701	6.6%
18 or older	847	0.8%

Frequency Missing = 529705

q21h	AGE WHEN FIRST USED STEROIDS	
	Frequency	Percent
8 or younger	987	16.8%
9 years old	195	3.3%
10 years old	1,231	20.9%
11 years old	313	5.3%
12 years old	253	4.3%
13 years old	831	14.1%
14 years old	342	5.8%
15 years old	519	8.8%
16 years old	636	10.8%
17 years old	586	9.9%

Frequency Missing = 625939

q21e	AGE WHEN FIRST USED COCAINE	
	Frequency	Percent
8 or younger	53	0.8%
11 years old	71	1.0%
12 years old	777	11.0%
13 years old	862	12.2%
14 years old	1,256	17.8%
15 years old	1,645	23.3%
16 years old	888	12.6%
17 years old	607	8.6%
18 or older	901	12.8%

Frequency Missing = 624774

q21i	AGE WHEN FIRST USED ECSTASY	
	Frequency	Percent
8 or younger	135	1.0%
10 years old	216	1.7%
11 years old	382	2.9%
12 years old	1,279	9.8%
13 years old	1,620	12.4%
14 years old	1,708	13.1%
15 years old	3,233	24.8%
16 years old	2,801	21.5%
17 years old	1,528	11.7%
18 or older	144	1.1%

Frequency Missing = 618790

q21f	AGE WHEN FIRST USED CRACK	
	Frequency	Percent
8 or younger	328	12.3%
10 years old	139	5.2%
11 years old	108	4.1%
12 years old	1,103	41.5%
13 years old	510	19.2%
14 years old	336	12.6%
16 years old	135	5.1%

Frequency Missing = 629174

q21j	AGE WHEN FIRST USED HEROIN	
	Frequency	Percent
8 or younger	614	40.6%
9 years old	124	8.2%
10 years old	220	14.6%
11 years old	18	1.2%
12 years old	24	1.6%
13 years old	123	8.1%
14 years old	109	7.2%
15 years old	171	11.3%
17 years old	108	7.2%

Frequency Missing = 630320

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	AGE WHEN FIRST USED METHAMPHETAMINE	
q21k	Frequency	Percent
8 or younger	564	24.8%
9 years old	58	2.5%
10 years old	142	6.2%
11 years old	97	4.3%
12 years old	285	12.5%
13 years old	121	5.3%
14 years old	394	17.3%
15 years old	367	16.2%
16 years old	203	8.9%
17 years old	44	2.0%

Frequency Missing = 629558

	HOW OFTEN NORMALLY USE ALCOHOL	
q22b	Frequency	Percent
Every day	735	0.1%
Several times/wk	5,799	1.0%
Several times/mo	35,401	5.9%
About once/- month	47,195	7.8%
About on- ce/year	51,149	8.5%
< once/year	46,098	7.6%
Never used	418,443	69.2%

Frequency Missing = 27013

	AGE WHEN FIRST USED SYNTHETIC MARIJUANA	
q21l	Frequency	Percent
8 or younger	261	1.1%
9 years old	288	1.3%
10 years old	235	1.0%
11 years old	807	3.5%
12 years old	2,001	8.8%
13 years old	4,743	20.7%
14 years old	4,284	18.7%
15 years old	4,063	17.8%
16 years old	4,395	19.2%
17 years old	1,690	7.4%
18 or older	97	0.4%

Frequency Missing = 608968

	HOW OFTEN NORMALLY USE INHALANTS	
q22c	Frequency	Percent
Every day	134	0.0%
Several times/wk	1,190	0.2%
Several times/mo	2,194	0.4%
About once/- month	3,756	0.6%
About on- ce/year	2,534	0.4%
< once/year	9,702	1.6%
Never used	588,349	96.8%

Frequency Missing = 23973

	HOW OFTEN NORMALLY USE TOBACCO	
q22a	Frequency	Percent
Every day	6,807	1.1%
Several times/wk	7,360	1.2%
Several times/mo	9,844	1.6%
About once/- month	11,713	1.9%
About on- ce/year	11,117	1.8%
< once/year	24,012	3.9%
Never used	538,433	88.4%

Frequency Missing = 22547

	HOW OFTEN NORMALLY USE MARIJUANA	
q22d	Frequency	Percent
Every day	6,416	1.1%
Several times/wk	10,336	1.7%
Several times/mo	16,140	2.6%
About once/- month	17,763	2.9%
About on- ce/year	19,840	3.3%
< once/year	20,509	3.4%
Never used	518,522	85.1%

Frequency Missing = 22306

q22e	HOW OFTEN NORMALLY USE COCAINE	
	Frequency	Percent
Every day	571	0.1%
Several times/wk	97	0.0%
Several times/mo	64	0.0%
About once/- month	1,523	0.2%
About on- ce/year	1,713	0.3%
< once/year	1,475	0.2%
Never used	603,965	99.1%
Frequency Missing = 22425		

q22i	HOW OFTEN NORMALLY USE ECSTASY	
	Frequency	Percent
Every day	457	0.1%
Several times/wk	343	0.1%
Several times/mo	730	0.1%
About once/- month	2,178	0.4%
About on- ce/year	2,394	0.4%
< once/year	4,894	0.8%
Never used	596,701	98.2%
Frequency Missing = 24135		

q22f	HOW OFTEN NORMALLY USE CRACK	
	Frequency	Percent
Every day	221	0.0%
Several times/wk	97	0.0%
About on- ce/year	295	0.0%
< once/year	845	0.1%
Never used	607,497	99.8%
Frequency Missing = 22878		

q22j	HOW OFTEN NORMALLY USE HEROIN	
	Frequency	Percent
Every day	520	0.1%
Several times/mo	126	0.0%
About on- ce/year	196	0.0%
< once/year	323	0.1%
Never used	608,092	99.8%
Frequency Missing = 22575		

q22h	HOW OFTEN NORMALLY USE STEROIDS	
	Frequency	Percent
Every day	317	0.1%
Several times/wk	240	0.0%
Several times/mo	330	0.1%
About once/- month	492	0.1%
About on- ce/year	1,076	0.2%
< once/year	2,671	0.4%
Never used	603,688	99.2%
Frequency Missing = 23019		

q22k	HOW OFTEN NORMALLY USE METHAMPHETAMINE	
	Frequency	Percent
Every day	272	0.0%
Several times/wk	200	0.0%
About once/- month	203	0.0%
About on- ce/year	335	0.1%
< once/year	579	0.1%
Never used	606,395	99.7%
Frequency Missing = 23850		

q22l	HOW OFTEN NORMALLY USE SYNTHETIC MARIJUANA	
	Frequency	Percent
Every day	393	0.1%
Several times/wk	966	0.2%
Several times/mo	2,201	0.4%
About once/-month	2,238	0.4%
About once/year	3,420	0.6%
< once/year	9,095	1.5%
Never used	590,328	97.0%

Frequency Missing = 23193

q23a	AMOUNT OF BEER AT ONE TIME	
	Frequency	Percent
Never drink this	427,362	70.8%
12+ drinks	11,708	1.9%
9-11 drinks	6,813	1.1%
5-8 drinks	15,066	2.5%
3-4 drinks	22,564	3.7%
2 drinks	24,407	4.0%
1 drink	33,671	5.6%
< 1 drink	61,833	10.2%

Frequency Missing = 28410

q23b	AMOUNT OF WINE COOLERS AT ONE TIME	
	Frequency	Percent
Never drink this	448,579	74.3%
12+ drinks	6,976	1.2%
9-11 drinks	4,139	0.7%
5-8 drinks	14,862	2.5%
3-4 drinks	25,481	4.2%
2 drinks	28,768	4.8%
1 drink	33,876	5.6%
< 1 drink	41,328	6.8%

Frequency Missing = 27824

q23c	AMOUNT OF WINE AT ONE TIME	
	Frequency	Percent
Never drink this	441,779	73.4%
12+ drinks	3,505	0.6%
9-11 drinks	2,040	0.3%
5-8 drinks	5,672	0.9%
3-4 drinks	9,993	1.7%
2 drinks	23,174	3.9%
1 drink	47,200	7.8%
< 1 drink	68,538	11.4%

Frequency Missing = 29932

q23d	AMOUNT OF LIQUOR AT ONE TIME	
	Frequency	Percent
Never drink this	441,329	72.7%
12+ drinks	10,738	1.8%
9-11 drinks	5,757	0.9%
5-8 drinks	19,987	3.3%
3-4 drinks	28,729	4.7%
2 drinks	23,484	3.9%
1 drink	30,590	5.0%
< 1 drink	46,387	7.6%

Frequency Missing = 24832

q24	HOW MANY 5+ DRINKS IN PAST 30 DAYS	
	Frequency	Percent
Never 5+ at time	313,442	51.8%
None	235,669	38.9%
1 day	23,200	3.8%
2 days	12,353	2.0%
3 to 5 days	11,632	1.9%
6 to 9 days	2,895	0.5%
10 or more days	6,408	1.1%

Frequency Missing = 26234

q25a	GET ALCOHOLIC BEVERAGES FROM HOME	
	Frequency	Percent
Do not Drink	375,410	61.8%
Never	108,863	17.9%
Seldom	85,438	14.1%
Most of the Time	24,719	4.1%
Always	12,741	2.1%

Frequency Missing = 24663

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
q25b	Frequency	Percent
Do not Drink	378,473	62.3%
Never	103,189	17.0%
Seldom	58,987	9.7%
Most of the Time	49,374	8.1%
Always	17,088	2.8%

Frequency Missing = 24722

DANGEROUS FOR KIDS TO USE TOBACCO		
q26a	Frequency	Percent
Very	397,838	64.8%
Somewhat	129,976	21.2%
Not very	45,939	7.5%
Not at all	11,376	1.9%
Don't know	28,395	4.6%

Frequency Missing = 18309

GET ALCOHOLIC BEVERAGES FROM A STORE		
q25c	Frequency	Percent
Do not Drink	393,410	64.9%
Never	175,169	28.9%
Seldom	18,602	3.1%
Most of the Time	12,093	2.0%
Always	6,597	1.1%

Frequency Missing = 25963

DANGEROUS FOR KIDS TO USE ALCOHOL		
q26b	Frequency	Percent
Very	340,328	55.7%
Somewhat	175,698	28.7%
Not very	61,822	10.1%
Not at all	11,414	1.9%
Don't know	22,005	3.6%

Frequency Missing = 20566

GET ALCOHOLIC BEVERAGES AT PARTIES		
q25d	Frequency	Percent
Do not Drink	368,942	60.8%
Never	94,392	15.5%
Seldom	51,529	8.5%
Most of the Time	50,999	8.4%
Always	41,161	6.8%

Frequency Missing = 24811

DANGEROUS FOR KIDS TO USE INHALANTS		
q26c	Frequency	Percent
Very	444,729	72.6%
Somewhat	89,997	14.7%
Not very	26,057	4.3%
Not at all	8,038	1.3%
Don't know	43,682	7.1%

Frequency Missing = 19330

GET ALCOHOLIC BEVERAGES FROM OTHER SOURCES		
q25e	Frequency	Percent
Do not Drink	392,032	65.0%
Never	130,186	21.6%
Seldom	43,179	7.2%
Most of the Time	20,358	3.4%
Always	16,910	2.8%

Frequency Missing = 29168

DANGEROUS FOR KIDS TO USE MARIJUANA		
q26d	Frequency	Percent
Very	369,517	60.3%
Somewhat	78,761	12.8%
Not very	62,394	10.2%
Not at all	76,662	12.5%
Don't know	25,793	4.2%

Frequency Missing = 18705

DANGEROUS FOR KIDS TO USE COCAINE		
q26e	Frequency	Percent
Very	529,924	86.8%
Somewhat	42,429	6.9%
Not very	5,230	0.9%
Not at all	3,158	0.5%
Don't know	30,007	4.9%

Frequency Missing = 21085

	DANGEROUS FOR KIDS TO USE CRACK	FOR USE
q26f	Frequency	Percent
Very	538,263	88.1%
Somewhat	34,884	5.7%
Not very	2,740	0.4%
Not at all	3,554	0.6%
Don't know	31,729	5.2%

Frequency Missing = 20663

	DANGEROUS FOR KIDS TO USE SYNTHETIC MARIJUANA	FOR USE
q26k	Frequency	Percent
Very	481,972	78.8%
Somewhat	46,817	7.6%
Not very	20,538	3.4%
Not at all	8,422	1.4%
Don't know	54,239	8.9%

Frequency Missing = 19846

	DANGEROUS FOR KIDS TO USE ECSTASY	FOR USE
q26g	Frequency	Percent
Very	495,323	81.0%
Somewhat	47,964	7.8%
Not very	13,395	2.2%
Not at all	5,178	0.8%
Don't know	49,471	8.1%

Frequency Missing = 20503

	DANGEROUS FOR KIDS TO USE HYDROCODONE	FOR USE
q26l	Frequency	Percent
Very	482,408	78.7%
Somewhat	46,394	7.6%
Not very	15,918	2.6%
Not at all	8,139	1.3%
Don't know	60,274	9.8%

Frequency Missing = 18699

	DANGEROUS FOR KIDS TO USE STEROIDS	FOR USE
q26h	Frequency	Percent
Very	460,510	75.8%
Somewhat	80,368	13.2%
Not very	22,804	3.8%
Not at all	8,118	1.3%
Don't know	35,877	5.9%

Frequency Missing = 24156

	DAYS SKIPPED SINCE SEPTEMBER	PERCENT
q27a	Frequency	Percent
None	503,025	82.8%
1-3 days	80,034	13.2%
4-9 days	16,729	2.8%
10+ days	7,978	1.3%

Frequency Missing = 24066

	DANGEROUS FOR KIDS TO USE HEROIN	FOR USE
q26i	Frequency	Percent
Very	537,640	87.7%
Somewhat	24,784	4.0%
Not very	5,167	0.8%
Not at all	3,698	0.6%
Don't know	41,443	6.8%

Frequency Missing = 19102

	DAYS ILL SINCE SEPTEMBER	PERCENT
q27b	Frequency	Percent
None	204,210	33.7%
1-3 days	309,012	51.0%
4-9 days	73,693	12.2%
10+ days	19,539	3.2%

Frequency Missing = 25380

	DANGEROUS FOR KIDS TO USE METHAMPHETAMINE	FOR USE
q26j	Frequency	Percent
Very	538,549	88.0%
Somewhat	23,624	3.9%
Not very	4,088	0.7%
Not at all	3,428	0.6%
Don't know	42,530	6.9%

Frequency Missing = 19614

	OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER	PERCENT
q27c	Frequency	Percent
None	266,726	44.4%
1-3 days	274,304	45.7%
4-9 days	43,948	7.3%
10+ days	15,884	2.6%

Frequency Missing = 30972

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q27d	Frequency	Percent
None	540,112	88.9%
1-3 days	52,896	8.7%
4-9 days	8,020	1.3%
10+ days	6,802	1.1%
Frequency Missing = 24003		

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q28d	Frequency	Percent
None	585,968	96.8%
1-3 times	17,215	2.8%
4-9 times	1,237	0.2%
10+ times	901	0.1%
Frequency Missing = 26513		

SOMEONE CALLED HOME SINCE SEPTEMBER		
q27e	Frequency	Percent
None	561,857	92.6%
1-3 days	35,045	5.8%
4-9 days	5,030	0.8%
10+ days	4,546	0.7%
Frequency Missing = 25355		

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q28e	Frequency	Percent
None	585,896	96.8%
1-3 times	13,109	2.2%
4-9 times	3,198	0.5%
10+ times	3,147	0.5%
Frequency Missing = 26483		

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q28a	Frequency	Percent
None	588,004	96.8%
1-3 times	17,755	2.9%
4-9 times	1,394	0.2%
10+ times	426	0.1%
Frequency Missing = 24255		

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q28f	Frequency	Percent
None	587,573	96.9%
1-3 times	15,534	2.6%
4-9 times	1,619	0.3%
10+ times	1,340	0.2%
Frequency Missing = 25767		

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q28b	Frequency	Percent
None	592,121	97.6%
1-3 times	11,196	1.8%
4-9 times	1,849	0.3%
10+ times	1,462	0.2%
Frequency Missing = 25206		

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q29a	Frequency	Percent
None	587,121	97.1%
1-3 days	14,316	2.4%
4-9 days	1,985	0.3%
10+ days	1,522	0.3%
Frequency Missing = 26888		

CRITICIZED BY DATE BECAUSE OF DRINKING		
q28c	Frequency	Percent
None	582,020	96.4%
1-3 times	19,410	3.2%
4-9 times	1,449	0.2%
10+ times	1,054	0.2%
Frequency Missing = 27900		

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q29b	Frequency	Percent
None	570,398	94.6%
1-3 days	19,290	3.2%
4-9 days	6,058	1.0%
10+ days	7,489	1.2%
Frequency Missing = 28599		

	CLASS DAYS HIGH ON INHALANTS SINCE SEPT	
q29c	Frequency	Percent
None	598,739	99.3%
1-3 days	3,277	0.5%
4-9 days	328	0.1%
10+ days	890	0.1%
Frequency Missing = 28600		

	CLASS DAYS HIGH ON OTHER DRUG(S)	
q29d	Frequency	Percent
None	586,914	97.4%
1-3 days	10,777	1.8%
4-9 days	1,646	0.3%
10+ days	3,227	0.5%
Frequency Missing = 29269		

	ALCOHOL USE AT PARTIES THIS SCHOOL YEAR	
q30a	Frequency	Percent
Never	333,313	55.2%
Seldom	31,930	5.3%
Half the time	26,420	4.4%
Most of the time	46,610	7.7%
Always	53,411	8.8%
Don't know	8,096	1.3%
Didn't attend	104,559	17.3%
Frequency Missing = 27493		

	DRUG USE AT PARTIES THIS SCHOOL YEAR	
q30b	Frequency	Percent
Never	357,704	59.2%
Seldom	33,574	5.6%
Half the time	26,952	4.5%
Most of the time	37,098	6.1%
Always	34,717	5.7%
Don't know	9,496	1.6%
Didn't attend	104,532	17.3%
Frequency Missing = 27760		

	SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM	
q31	Frequency	Percent
No	528,483	95.0%
Yes	27,558	5.0%
Frequency Missing = 75793		

	WOULD SEEK HELP FROM SCHOOL COUNSELOR	
q32a	Frequency	Percent
No	359,417	60.3%
Yes	237,022	39.7%
Frequency Missing = 35394		

	WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL	
q32b	Frequency	Percent
No	338,144	56.8%
Yes	257,361	43.2%
Frequency Missing = 36328		

	WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL	
q32c	Frequency	Percent
No	337,889	57.4%
Yes	250,904	42.6%
Frequency Missing = 43040		

	WOULD SEEK HELP FROM PARENTS	
q32d	Frequency	Percent
No	181,305	30.4%
Yes	414,564	69.6%
Frequency Missing = 35964		

	WOULD SEEK HELP FROM A MEDICAL DOCTOR	
q32e	Frequency	Percent
No	263,495	44.5%
Yes	328,368	55.5%
Frequency Missing = 39970		

	WOULD SEEK HELP FROM FRIENDS	
q32f	Frequency	Percent
No	218,148	36.9%
Yes	372,704	63.1%
Frequency Missing = 40981		



WOULD SEEK HELP FROM ANOTHER ADULT		
q32g	Frequency	Percent
No	231,847	39.0%
Yes	361,928	61.0%
Frequency Missing = 38058		

DRUG/ALCOHOL INFO-SCHOOL STUDENT GROUP OR CLUB		
q33e	Frequency	Percent
No	485,621	87.3%
Yes	70,647	12.7%
Frequency Missing = 75565		

WOULD NOT SEEK HELP		
q32h	Frequency	Percent
No	490,788	84.3%
Yes	91,305	15.7%
Frequency Missing = 49739		

DRUG/ALCOHOL INFO-INVITED SCHOOL GUEST		
q33f	Frequency	Percent
No	409,833	73.2%
Yes	150,344	26.8%
Frequency Missing = 71656		

DRUG/ALCOHOL INFO-SCHOOL HEALTH CLASS		
q33a	Frequency	Percent
No	314,185	56.0%
Yes	247,272	44.0%
Frequency Missing = 70376		

DRUG/ALCOHOL INFO-ANOTHER SCHOOL SOURCE		
q33g	Frequency	Percent
No	390,703	69.9%
Yes	168,347	30.1%
Frequency Missing = 72783		

DRUG/ALCOHOL INFO-SCHOOL ASSEMBLY PROGRAM		
q33b	Frequency	Percent
No	335,340	59.9%
Yes	224,271	40.1%
Frequency Missing = 72222		

PARENTS FEEL ABOUT KIDS USING TOBACCO		
q34a	Frequency	Percent
Strong disapprove	495,367	82.0%
Mild disapprove	37,516	6.2%
Neither	26,238	4.3%
Mildly approve	5,391	0.9%
Strongly approve	4,322	0.7%
Don't know	35,314	5.8%
Frequency Missing = 27685		

DRUG/ALCOHOL INFO-SCHOOL GUIDANCE COUNSELOR		
q33c	Frequency	Percent
No	412,749	73.9%
Yes	146,033	26.1%
Frequency Missing = 73052		

PARENTS FEEL ABOUT KIDS DRINKING ALCOHOL		
q34b	Frequency	Percent
Strong disapprove	425,754	70.6%
Mild disapprove	71,008	11.8%
Neither	52,945	8.8%
Mildly approve	14,295	2.4%
Strongly approve	6,108	1.0%
Don't know	32,588	5.4%
Frequency Missing = 29135		

DRUG/ALCOHOL INFO-SCIENCE OR SOCIAL STUDIES CLASS		
q33d	Frequency	Percent
No	384,152	68.8%
Yes	174,485	31.2%
Frequency Missing = 73195		

		PARENTS FEEL ABOUT KIDS USING MARIJUANA	
q34c		Frequency	Percent
Strongly disapprove		488,041	80.9%
Mild disapprove		36,769	6.1%
Neither		28,835	4.8%
Mildly approve		7,446	1.2%
Strongly approve		7,086	1.2%
Don't know		35,291	5.8%
		Frequency Missing = 28364	

TESTED FOR DRUG USE AT SCHOOL		
q35	Frequency	Percent
No	501,169	82.9%
Yes	103,219	17.1%
Frequency Missing = 27445		

DRUG TESTING SHOULD BE RE- QUIRED FOR ALL STUDENT ATH- LETES		
q36	Frequency	Percent
Do not know	139,440	23.0%
No	105,622	17.4%
Yes	362,408	59.7%
Frequency Missing = 24364		