

---

---

TEXAS SCHOOL SURVEY  
OF  
Drug and Alcohol Use  
★  
2018



HHSC REGION 6 AND 8 REPORT

---

---

Prepared by

The Public Policy Research Institute  
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

# Table of Contents

<b>Introduction</b>	<b>1</b>
<b>1 General Substance Use Tables</b>	<b>2</b>
Tobacco . . . . .	3
Alcohol . . . . .	6
Drugs . . . . .	14
Inhalants . . . . .	29
Miscellaneous . . . . .	33
<b>2 Prevalence Tables</b>	<b>39</b>
Table B-1: All Students . . . . .	40
Table B-2: Male Students . . . . .	44
Table B-3: Female Students . . . . .	48
Table B-4: White Non-Hispanic Students . . . . .	52
Table B-5: African American Non-Hispanic Students . . . . .	56
Table B-6: Hispanic or Latino Students . . . . .	60
Table B-7: Students Reporting A Grades on Average . . . . .	64
Table B-8: Students Reporting Grades Lower Than an A on Average . . . . .	68
Table B-9: Students Living with 2 Parents . . . . .	72
Table B-10: Students Not Living with 2 Parents . . . . .	76
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems . . . . .	80
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems . . . . .	84
<b>3 Margin Tables</b>	<b>88</b>
<b>Appendix: Reporting Methods for Prevalence &amp; Recency of Use</b>	<b>111</b>

## Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in HHSC region 6 and 8. It is divided into three major sections. The first section, titled “General Substance Use Tables”, focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students’ likelihood to use. The second section, titled “Prevalence Tables”, provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, “Margin Tables”, details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students’ answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students’ answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was “Since School Began in the Fall”, but also reported on Q19d that they had used marijuana “1-2 Times” in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

# 1 General Substance Use Tables

# Tobacco

**Table T-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product?</b>				
All	17.6%	21.4%	31.6%	68.4%
Grade 7	6.7%	8.2%	15.4%	84.6%
Grade 8	9.1%	11.9%	22.0%	78.0%
Grade 9	16.5%	21.2%	31.6%	68.4%
Grade 10	22.2%	26.9%	37.0%	63.0%
Grade 11	22.9%	27.8%	40.6%	59.4%
Grade 12	34.7%	40.2%	51.2%	48.8%
<b>Cigarettes?</b>				
All	3.8%	6.1%	13.6%	86.4%
Grade 7	1.6%	1.9%	5.6%	94.4%
Grade 8	1.8%	2.9%	8.4%	91.6%
Grade 9	3.0%	4.7%	11.9%	88.1%
Grade 10	5.0%	7.6%	17.1%	82.9%
Grade 11	4.6%	8.4%	18.5%	81.5%
Grade 12	8.8%	14.2%	24.3%	75.7%
<b>Smokeless Tobacco?</b>				
All	2.9%	4.0%	7.4%	92.6%
Grade 7	1.0%	1.3%	3.4%	96.6%
Grade 8	1.4%	2.5%	4.7%	95.3%
Grade 9	2.6%	3.4%	6.3%	93.7%
Grade 10	3.3%	5.3%	9.8%	90.2%
Grade 11	3.6%	5.0%	9.5%	90.5%
Grade 12	6.8%	8.3%	13.3%	86.7%
<b>Electronic Vapor Products?</b>				
All	13.3%	17.6%	27.2%	72.8%
Grade 7	3.5%	5.3%	11.2%	88.8%
Grade 8	6.0%	8.9%	17.6%	82.4%
Grade 9	13.7%	18.7%	28.3%	71.7%
Grade 10	16.5%	21.6%	31.9%	68.1%
Grade 11	17.8%	23.5%	36.6%	63.4%
Grade 12	27.9%	34.0%	45.1%	54.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table T-2: How Often Do You Normally Use Tobacco?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	86.7%	1.3%	1.5%	1.7%	2.4%	2.6%	3.7%
Grade 7	95.5%	0.1%	0.3%	0.5%	0.8%	1.2%	1.6%
Grade 8	92.3%	0.4%	0.6%	1.2%	1.5%	1.5%	2.6%
Grade 9	88.1%	0.9%	1.2%	1.1%	2.1%	2.5%	4.2%
Grade 10	83.8%	1.6%	1.3%	1.9%	3.8%	3.0%	4.6%
Grade 11	82.3%	1.7%	2.6%	2.5%	2.9%	3.8%	4.2%
Grade 12	73.3%	4.0%	3.8%	3.8%	4.3%	4.6%	6.2%

**Table T-3: Average Age of First Use of Tobacco**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	13.6	11.1	11.8	12.8	13.3	14.1	15.1

**Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	31.9%	18.7%	6.4%	8.9%	13.4%	20.7%
Grade 7	43.5%	30.0%	7.3%	7.0%	6.9%	5.3%
Grade 8	35.5%	26.2%	7.4%	9.5%	10.8%	10.7%
Grade 9	30.5%	18.4%	7.2%	9.6%	15.4%	18.9%
Grade 10	30.0%	15.0%	6.4%	11.7%	14.8%	21.9%
Grade 11	26.7%	10.2%	5.3%	9.8%	19.6%	28.4%
Grade 12	20.5%	7.3%	4.0%	5.5%	13.9%	48.7%

**Table T-5: About How Many of Your Close Friends Use Tobacco?**

	None	A Few	Some	Most	All
All	69.7%	18.0%	7.3%	3.8%	1.2%
Grade 7	86.8%	9.5%	2.7%	1.0%	0.1%
Grade 8	80.4%	13.9%	3.7%	1.6%	0.5%
Grade 9	71.2%	17.3%	7.0%	3.3%	1.1%
Grade 10	63.6%	21.1%	9.9%	4.3%	1.1%
Grade 11	58.5%	23.7%	10.0%	5.2%	2.6%
Grade 12	48.6%	26.9%	12.8%	9.3%	2.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	78.3%	7.1%	6.3%	0.8%	0.6%	6.9%
Grade 7	83.5%	3.1%	2.6%	0.5%	0.8%	9.5%
Grade 8	83.0%	4.7%	4.0%	0.8%	0.4%	7.1%
Grade 9	79.1%	6.9%	6.3%	0.4%	0.8%	6.5%
Grade 10	76.8%	7.5%	6.9%	0.5%	0.5%	7.7%
Grade 11	76.8%	8.4%	7.6%	1.2%	0.8%	5.2%
Grade 12	66.8%	14.1%	12.3%	1.8%	0.4%	4.6%

**Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Tobacco?</b>					
All	60.6%	23.7%	8.2%	2.1%	5.5%
Grade 7	74.8%	15.7%	3.5%	0.7%	5.2%
Grade 8	67.2%	20.1%	5.4%	1.5%	5.8%
Grade 9	56.5%	24.5%	9.8%	3.1%	6.1%
Grade 10	53.8%	26.9%	10.3%	2.3%	6.6%
Grade 11	56.1%	27.8%	8.7%	2.6%	4.8%
Grade 12	50.0%	30.3%	13.3%	2.4%	4.0%
<b>Electronic Vapor Products?</b>					
All	53.5%	12.2%	15.5%	11.9%	6.9%
Grade 7	70.2%	10.8%	7.3%	4.9%	6.8%
Grade 8	60.2%	13.3%	10.8%	8.7%	7.1%
Grade 9	49.0%	11.8%	17.3%	15.3%	6.6%
Grade 10	45.4%	13.4%	18.8%	13.7%	8.8%
Grade 11	47.2%	12.2%	21.0%	14.7%	4.9%
Grade 12	43.7%	11.6%	21.4%	15.9%	7.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



# Alcohol

**Table A-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Alcohol Product?</b>				
All	31.7%	37.6%	53.5%	46.5%
Grade 7	17.1%	20.2%	37.1%	62.9%
Grade 8	22.4%	26.6%	45.5%	54.5%
Grade 9	30.3%	35.3%	51.7%	48.3%
Grade 10	37.7%	44.5%	58.6%	41.4%
Grade 11	37.3%	46.7%	62.8%	37.2%
Grade 12	54.3%	62.1%	74.0%	26.0%
<b>Beer?</b>				
All	13.8%	19.8%	41.1%	58.9%
Grade 7	4.8%	6.6%	26.9%	73.1%
Grade 8	7.8%	11.2%	34.3%	65.7%
Grade 9	10.7%	18.5%	38.0%	62.0%
Grade 10	17.6%	24.7%	45.4%	54.6%
Grade 11	16.4%	25.5%	48.8%	51.2%
Grade 12	31.7%	39.8%	61.3%	38.7%
<b>Wine Coolers?</b>				
All	11.3%	17.2%	33.7%	66.3%
Grade 7	3.4%	5.0%	17.1%	82.9%
Grade 8	6.8%	10.0%	24.0%	76.0%
Grade 9	8.7%	14.5%	31.5%	68.5%
Grade 10	14.2%	20.3%	39.2%	60.8%
Grade 11	13.8%	23.1%	43.3%	56.7%
Grade 12	26.5%	37.9%	56.5%	43.5%
<b>Wine?</b>				
All	9.4%	15.2%	35.3%	64.7%
Grade 7	4.4%	5.9%	21.6%	78.4%
Grade 8	6.4%	9.6%	26.4%	73.6%
Grade 9	6.8%	12.9%	35.0%	65.0%
Grade 10	10.4%	16.9%	39.0%	61.0%
Grade 11	11.4%	19.6%	42.4%	57.6%
Grade 12	21.3%	32.5%	55.3%	44.7%
<b>Liquor?</b>				
All	14.7%	20.9%	38.2%	61.8%
Grade 7	3.9%	5.2%	17.1%	82.9%
Grade 8	6.9%	10.5%	25.4%	74.6%
Grade 9	11.4%	18.9%	37.9%	62.1%
Grade 10	18.5%	26.8%	44.9%	55.1%
Grade 11	19.4%	28.3%	50.2%	49.8%
Grade 12	35.2%	44.8%	64.7%	35.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 6 of 126

**Table A-2: How Often Do You Normally Use Alcohol?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	59.4%	0.3%	2.6%	7.3%	12.2%	10.1%	8.0%
Grade 7	79.7%	0.1%	0.6%	1.5%	4.8%	6.3%	7.1%
Grade 8	71.9%	0.2%	1.4%	3.5%	6.5%	8.4%	8.1%
Grade 9	61.3%	0.3%	2.9%	5.5%	12.7%	9.6%	7.8%
Grade 10	53.4%	0.6%	3.1%	8.5%	16.6%	10.2%	7.6%
Grade 11	45.4%	0.3%	3.4%	11.8%	15.3%	15.0%	8.8%
Grade 12	33.6%	0.2%	5.5%	17.0%	21.5%	12.9%	9.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?**

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
<b>Beer</b>						
	All	62.6%	37.4%	7.5%	17.9%	12.0%
	Grade 7	76.4%	23.6%	1.8%	8.9%	13.0%
	Grade 8	70.1%	29.9%	3.4%	13.5%	13.0%
	Grade 9	65.3%	34.7%	5.8%	16.9%	12.0%
	Grade 10	58.5%	41.5%	9.6%	20.3%	11.6%
	Grade 11	55.0%	45.0%	11.9%	22.6%	10.5%
	Grade 12	42.5%	57.5%	16.5%	29.6%	11.4%
<b>Wine Coolers</b>						
	All	69.4%	30.6%	5.8%	17.7%	7.2%
	Grade 7	85.3%	14.7%	1.0%	6.9%	6.8%
	Grade 8	79.2%	20.8%	2.4%	11.8%	6.6%
	Grade 9	70.6%	29.4%	5.2%	16.9%	7.3%
	Grade 10	65.0%	35.0%	8.4%	19.1%	7.5%
	Grade 11	59.7%	40.3%	8.0%	25.0%	7.2%
	Grade 12	47.7%	52.3%	12.3%	31.8%	8.2%
<b>Wine</b>						
	All	68.5%	31.5%	2.5%	16.4%	12.6%
	Grade 7	81.2%	18.8%	0.5%	7.2%	11.2%
	Grade 8	77.4%	22.6%	1.4%	10.0%	11.2%
	Grade 9	70.1%	29.9%	2.0%	14.1%	13.8%
	Grade 10	64.1%	35.9%	3.3%	19.2%	13.5%
	Grade 11	61.8%	38.2%	2.7%	22.6%	12.8%
	Grade 12	49.1%	50.9%	6.3%	30.9%	13.7%
<b>Liquor</b>						
	All	64.1%	35.9%	8.8%	18.4%	8.7%
	Grade 7	84.9%	15.1%	1.7%	5.9%	7.5%
	Grade 8	77.3%	22.7%	3.4%	10.4%	8.9%
	Grade 9	64.7%	35.3%	8.3%	17.6%	9.4%
	Grade 10	57.1%	42.9%	11.6%	21.9%	9.4%
	Grade 11	52.1%	47.9%	11.0%	27.5%	9.4%
	Grade 12	37.6%	62.4%	21.1%	33.7%	7.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?**

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	86.2%	4.6%	3.2%	3.3%	1.0%	1.7%
Grade 7	95.2%	2.4%	1.0%	0.7%	0.1%	0.6%
Grade 8	93.0%	2.5%	1.5%	1.3%	0.5%	1.2%
Grade 9	88.2%	4.3%	3.0%	2.7%	0.8%	1.1%
Grade 10	83.5%	5.2%	4.2%	3.8%	1.4%	1.9%
Grade 11	82.8%	5.5%	3.9%	3.8%	1.1%	2.8%
Grade 12	68.8%	9.2%	6.7%	9.1%	2.6%	3.6%

**Table A-5: Average Age of First Use of Alcohol**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	13.0	10.5	11.3	12.3	13.3	14.0	14.8

**Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	24.3%	12.5%	4.7%	11.1%	18.5%	29.0%
Grade 7	37.3%	22.2%	6.6%	9.4%	11.9%	12.7%
Grade 8	28.4%	17.7%	6.1%	11.7%	17.8%	18.3%
Grade 9	21.4%	11.7%	4.6%	10.3%	19.6%	32.5%
Grade 10	22.0%	8.9%	3.7%	12.7%	19.2%	33.4%
Grade 11	18.9%	6.1%	2.6%	9.8%	23.0%	39.6%
Grade 12	13.1%	4.3%	3.9%	13.7%	20.8%	44.2%

**Table A-7: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	95.4%	3.5%	0.7%	0.4%
Grade 7	97.1%	2.2%	0.6%	0.1%
Grade 8	96.5%	2.9%	0.2%	0.4%
Grade 9	93.9%	5.1%	0.3%	0.6%
Grade 10	93.9%	5.1%	0.6%	0.5%
Grade 11	96.2%	2.8%	0.6%	0.5%
Grade 12	94.5%	3.2%	2.1%	0.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 9 of 126

**Table A-8: School Year Absences and Conduct Problems by Alcohol Use**

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	4.4
Alcohol Non-Users	3.2
Average Days Conduct Problems Reported	
Alcohol Users	2.4
Alcohol Non-Users	0.9

**Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	94.5%	4.3%	0.6%	0.6%
Grade 9	96.7%	2.5%	0.4%	0.5%
Grade 10	96.4%	3.1%	0.2%	0.4%
Grade 11	94.5%	4.4%	0.7%	0.4%
Grade 12	89.2%	8.0%	1.2%	1.5%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	95.7%	3.8%	0.3%	0.2%
Grade 7	98.2%	1.6%	0.1%	0.1%
Grade 8	97.1%	2.7%	0.1%	0.0%
Grade 9	95.7%	3.6%	0.2%	0.5%
Grade 10	95.5%	4.2%	0.3%	0.0%
Grade 11	94.4%	5.1%	0.4%	0.0%
Grade 12	92.3%	6.7%	0.7%	0.4%

**Table A-10: About How Many of Your Close Friends Use Alcohol?**

	None	A Few	Some	Most	All
All	47.1%	23.9%	13.5%	11.6%	3.9%
Grade 7	73.3%	18.3%	5.7%	2.2%	0.5%
Grade 8	62.1%	22.1%	9.8%	5.0%	1.0%
Grade 9	46.3%	25.6%	14.6%	11.4%	2.1%
Grade 10	37.5%	25.5%	18.1%	16.2%	2.7%
Grade 11	30.6%	28.5%	17.4%	16.3%	7.2%
Grade 12	21.3%	24.6%	17.7%	23.7%	12.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	48.4%	7.8%	6.0%	9.0%	12.1%	2.0%	14.8%
Grade 7	71.3%	5.8%	3.5%	4.2%	2.6%	2.7%	10.0%
Grade 8	59.5%	8.7%	5.8%	5.5%	4.5%	3.2%	12.8%
Grade 9	47.5%	8.9%	8.5%	9.5%	7.1%	2.3%	16.2%
Grade 10	40.8%	7.3%	7.0%	11.7%	14.0%	1.1%	18.1%
Grade 11	34.0%	7.8%	6.3%	11.0%	21.6%	1.3%	17.9%
Grade 12	27.9%	8.2%	5.2%	14.2%	29.2%	0.5%	14.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...**

		Do Not Drink	Never	Seldom	Most of the Time	Always
<b>Home?</b>						
	All	56.8%	16.6%	17.2%	6.2%	3.2%
	Grade 7	70.3%	16.9%	9.6%	2.2%	1.0%
	Grade 8	64.9%	16.4%	12.9%	4.3%	1.5%
	Grade 9	57.9%	17.6%	15.0%	6.4%	3.1%
	Grade 10	54.0%	15.6%	19.8%	7.1%	3.5%
	Grade 11	48.2%	14.9%	23.1%	8.5%	5.3%
	Grade 12	38.5%	18.2%	27.1%	10.3%	5.8%
<b>Friends?</b>						
	All	56.6%	17.1%	12.1%	10.7%	3.6%
	Grade 7	73.6%	19.1%	4.6%	2.1%	0.6%
	Grade 8	67.4%	19.7%	7.6%	3.8%	1.5%
	Grade 9	58.3%	16.9%	11.9%	9.4%	3.4%
	Grade 10	51.6%	16.3%	13.2%	14.3%	4.5%
	Grade 11	43.9%	15.4%	19.4%	16.7%	4.6%
	Grade 12	35.6%	13.6%	19.3%	22.6%	8.9%
<b>A Store?</b>						
	All	59.5%	31.1%	4.2%	3.3%	1.9%
	Grade 7	74.7%	23.1%	1.5%	0.5%	0.2%
	Grade 8	69.3%	26.5%	2.2%	1.3%	0.7%
	Grade 9	60.1%	32.6%	4.0%	2.0%	1.3%
	Grade 10	55.1%	34.3%	4.7%	3.9%	2.0%
	Grade 11	50.2%	36.0%	5.6%	5.3%	2.9%
	Grade 12	39.3%	37.1%	9.0%	9.1%	5.4%
<b>Parties?</b>						
	All	55.2%	15.0%	10.3%	10.5%	9.1%
	Grade 7	70.7%	17.2%	6.9%	3.4%	1.9%
	Grade 8	64.0%	16.4%	9.6%	6.1%	3.8%
	Grade 9	56.7%	15.4%	9.8%	10.6%	7.5%
	Grade 10	50.8%	13.6%	11.5%	12.4%	11.6%
	Grade 11	46.3%	12.2%	11.8%	15.5%	14.3%
	Grade 12	34.7%	14.0%	13.5%	18.1%	19.7%
<b>Other Sources?</b>						
	All	61.1%	23.3%	7.1%	4.4%	4.1%
	Grade 7	73.7%	18.5%	4.3%	2.2%	1.2%
	Grade 8	68.1%	20.0%	5.8%	3.4%	2.6%
	Grade 9	62.6%	22.3%	6.4%	4.1%	4.6%
	Grade 10	57.4%	24.0%	8.3%	5.0%	5.2%
	Grade 11	53.5%	25.7%	9.6%	5.4%	5.8%
	Grade 12	44.0%	32.4%	9.3%	7.8%	6.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	60.0%	14.5%	13.6%	4.3%	1.2%	6.4%
Grade 7	74.2%	8.4%	5.5%	1.9%	1.0%	9.1%
Grade 8	69.5%	9.5%	9.7%	2.6%	1.1%	7.6%
Grade 9	61.1%	15.4%	13.5%	3.3%	1.2%	5.6%
Grade 10	54.9%	17.3%	14.7%	5.3%	1.1%	6.8%
Grade 11	51.9%	19.8%	17.4%	5.5%	1.3%	4.2%
Grade 12	41.4%	19.6%	24.7%	9.1%	1.3%	3.9%

**Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	46.9%	29.8%	15.6%	3.2%	4.6%
Grade 7	58.5%	23.6%	10.6%	1.6%	5.7%
Grade 8	49.8%	26.6%	15.8%	3.2%	4.6%
Grade 9	44.6%	29.4%	17.1%	4.6%	4.3%
Grade 10	39.8%	33.6%	17.0%	3.5%	6.1%
Grade 11	46.0%	31.4%	15.8%	3.5%	3.3%
Grade 12	39.2%	37.1%	18.2%	2.5%	3.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



# Drugs

**Table D-1: How Recently, If Ever, Have You Used...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Illicit Drug?</b>				
All	14.9%	19.0%	24.3%	75.7%
Grade 7	5.0%	7.5%	9.6%	90.4%
Grade 8	8.2%	10.5%	14.0%	86.0%
Grade 9	15.6%	19.9%	23.2%	76.8%
Grade 10	17.5%	21.4%	27.7%	72.3%
Grade 11	20.6%	25.8%	34.7%	65.3%
Grade 12	27.3%	35.3%	45.5%	54.5%
<b>Marijuana?</b>				
All	14.5%	17.3%	22.8%	77.2%
Grade 7	4.7%	5.7%	7.6%	92.4%
Grade 8	8.0%	9.4%	12.6%	87.4%
Grade 9	15.3%	17.9%	21.2%	78.8%
Grade 10	17.2%	19.9%	26.5%	73.5%
Grade 11	19.8%	23.5%	33.2%	66.8%
Grade 12	27.0%	33.5%	44.2%	55.8%
<b>Cocaine?</b>				
All	1.2%	1.4%	2.4%	97.6%
Grade 7	0.6%	0.7%	0.8%	99.2%
Grade 8	0.8%	1.0%	1.3%	98.7%
Grade 9	1.2%	1.3%	1.7%	98.3%
Grade 10	1.7%	1.9%	3.3%	96.7%
Grade 11	1.4%	1.6%	3.0%	97.0%
Grade 12	2.1%	2.6%	5.3%	94.7%
<b>Crack?</b>				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.6%	0.6%	0.8%	99.2%
Grade 10	0.5%	0.6%	1.1%	98.9%
Grade 11	0.4%	0.4%	0.6%	99.4%
Grade 12	0.4%	0.4%	0.8%	99.2%
<b>Hallucinogens?</b>				
All	0.8%	1.6%	3.3%	96.7%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.2%	0.4%	1.0%	99.0%
Grade 9	0.9%	1.7%	3.1%	96.9%
Grade 10	1.1%	2.3%	4.3%	95.7%
Grade 11	1.4%	2.3%	4.3%	95.7%
Grade 12	1.3%	3.2%	7.8%	92.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Cathinones?				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.4%	0.5%	0.7%	99.3%
Steroids?				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.4%	0.6%	1.4%	98.6%
Grade 8	0.4%	0.7%	1.4%	98.6%
Grade 9	0.4%	0.4%	1.0%	99.0%
Grade 10	0.3%	0.4%	1.6%	98.4%
Grade 11	0.7%	0.8%	1.9%	98.1%
Grade 12	0.4%	0.5%	1.2%	98.8%
Ecstasy?				
All	0.7%	1.1%	2.2%	97.8%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	1.1%	1.5%	2.3%	97.7%
Grade 10	1.1%	1.7%	3.2%	96.8%
Grade 11	0.6%	0.9%	2.8%	97.2%
Grade 12	1.2%	1.9%	4.2%	95.8%
Heroin?				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.2%	0.3%	0.4%	99.6%
Grade 10	0.1%	0.2%	0.8%	99.2%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.1%	0.2%	0.3%	99.7%
Methamphetamine?				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.2%	0.5%	1.2%	98.8%
Grade 11	0.3%	0.4%	0.9%	99.1%
Grade 12	0.1%	0.4%	1.0%	99.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-1: How Recently, If Ever, Have You Used...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana?				
All	1.2%	1.8%	3.9%	96.1%
Grade 7	0.7%	1.1%	1.8%	98.2%
Grade 8	1.0%	1.3%	2.5%	97.5%
Grade 9	1.7%	2.3%	4.9%	95.1%
Grade 10	1.6%	2.2%	4.7%	95.3%
Grade 11	1.3%	1.9%	4.5%	95.5%
Grade 12	1.4%	2.1%	5.5%	94.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-2: How Often Do You Normally Use...**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	80.6%	1.6%	2.3%	3.5%	4.2%	3.8%	3.9%
	Grade 7	95.0%	0.3%	0.5%	1.0%	1.2%	0.7%	1.4%
	Grade 8	90.2%	0.7%	1.2%	1.6%	2.3%	1.7%	2.2%
	Grade 9	80.5%	1.8%	3.2%	4.2%	4.1%	3.0%	3.3%
	Grade 10	77.4%	2.8%	2.8%	4.0%	4.2%	4.6%	4.3%
	Grade 11	71.4%	1.7%	2.4%	5.4%	6.4%	6.5%	6.2%
	Grade 12	61.2%	3.3%	4.8%	6.0%	8.5%	8.2%	8.0%
Cocaine?								
	All	98.4%	0.0%	0.1%	0.2%	0.3%	0.4%	0.6%
	Grade 7	99.4%	0.0%	0.1%	0.1%	0.2%	0.1%	0.1%
	Grade 8	99.5%	0.0%	0.0%	0.1%	0.2%	0.0%	0.2%
	Grade 9	98.6%	0.0%	0.0%	0.1%	0.5%	0.2%	0.5%
	Grade 10	97.7%	0.1%	0.2%	0.3%	0.3%	0.5%	1.0%
	Grade 11	98.2%	0.0%	0.1%	0.2%	0.3%	0.4%	0.8%
	Grade 12	96.2%	0.0%	0.3%	0.3%	0.5%	1.3%	1.5%
Crack?								
	All	99.6%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	99.6%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%
	Grade 10	99.2%	0.0%	0.0%	0.0%	0.2%	0.1%	0.4%
	Grade 11	99.6%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%
	Grade 12	99.7%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%
Steroids?								
	All	99.5%	0.0%	0.0%	0.1%	0.1%	0.0%	0.3%
	Grade 7	99.5%	0.1%	0.0%	0.1%	0.1%	0.1%	0.2%
	Grade 8	99.4%	0.0%	0.0%	0.1%	0.1%	0.0%	0.4%
	Grade 9	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 10	99.6%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
	Grade 11	99.3%	0.0%	0.1%	0.0%	0.2%	0.0%	0.4%
	Grade 12	99.3%	0.0%	0.0%	0.0%	0.1%	0.2%	0.4%
Ecstasy?								
	All	98.4%	0.0%	0.1%	0.3%	0.2%	0.5%	0.5%
	Grade 7	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 8	99.3%	0.0%	0.0%	0.2%	0.1%	0.3%	0.1%
	Grade 9	98.0%	0.1%	0.0%	0.6%	0.2%	0.8%	0.3%
	Grade 10	97.7%	0.0%	0.1%	0.5%	0.6%	0.6%	0.5%
	Grade 11	97.6%	0.0%	0.0%	0.0%	0.3%	0.9%	1.1%
	Grade 12	97.1%	0.0%	0.3%	0.4%	0.2%	0.7%	1.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-2: How Often Do You Normally Use...**  
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Heroin?								
	All	99.7%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%
	Grade 8	99.6%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%
	Grade 9	99.7%	0.0%	0.1%	0.1%	0.0%	0.0%	0.1%
	Grade 10	99.4%	0.0%	0.1%	0.0%	0.1%	0.0%	0.4%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	99.9%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
Methamphetamine?								
	All	99.5%	0.0%	0.0%	0.0%	0.1%	0.1%	0.3%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 8	99.7%	0.0%	0.0%	0.1%	0.1%	0.0%	0.1%
	Grade 9	99.5%	0.0%	0.1%	0.0%	0.0%	0.0%	0.3%
	Grade 10	99.1%	0.2%	0.0%	0.0%	0.3%	0.1%	0.4%
	Grade 11	99.3%	0.0%	0.0%	0.1%	0.0%	0.0%	0.5%
	Grade 12	99.3%	0.0%	0.0%	0.0%	0.2%	0.2%	0.2%
Synthetic Marijuana?								
	All	97.3%	0.1%	0.2%	0.3%	0.5%	0.7%	1.0%
	Grade 7	98.7%	0.0%	0.0%	0.3%	0.3%	0.4%	0.2%
	Grade 8	98.4%	0.0%	0.2%	0.3%	0.2%	0.4%	0.5%
	Grade 9	95.7%	0.2%	0.6%	0.2%	0.4%	1.6%	1.3%
	Grade 10	96.6%	0.1%	0.1%	0.6%	0.7%	0.6%	1.3%
	Grade 11	97.4%	0.2%	0.0%	0.3%	0.8%	0.4%	0.8%
	Grade 12	96.5%	0.1%	0.2%	0.1%	0.6%	0.6%	1.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-3: Average Age of First Use of...**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	14.0	11.5	12.2	13.3	13.9	14.5	15.1
Cocaine	14.5	11.4	12.6	13.6	14.3	15.2	15.5
Crack	13.4	11.1	12.2	13.6	13.7	14.3	14.2
Steroids	12.7	10.1	11.9	11.8	12.2	15.1	14.4
Ecstasy	14.5	12.4	12.8	13.5	14.4	14.8	16.0
Heroin	12.8	10.7	11.5	13.8	13.3	12.5	17.1
Methamphetamine	14.0	10.8	12.2	14.7	13.7	14.7	16.1
Synthetic Marijuana	13.5	11.3	12.1	13.4	13.6	14.1	14.6

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 19 of 126

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	30.1%	19.8%	6.7%	9.0%	12.3%	22.2%
	Grade 7	44.6%	33.7%	7.2%	5.1%	4.5%	5.0%
	Grade 8	35.2%	28.7%	8.7%	8.5%	8.1%	10.7%
	Grade 9	26.8%	18.8%	7.0%	10.2%	13.5%	23.7%
	Grade 10	27.2%	14.0%	5.2%	10.7%	15.7%	27.2%
	Grade 11	23.2%	9.3%	6.6%	10.1%	17.5%	33.3%
	Grade 12	19.0%	8.2%	4.9%	9.7%	17.0%	41.1%
Cocaine?							
	All	41.5%	29.9%	11.7%	8.0%	4.3%	4.7%
	Grade 7	50.0%	37.4%	7.0%	3.1%	1.1%	1.3%
	Grade 8	43.2%	37.2%	9.9%	5.1%	2.1%	2.5%
	Grade 9	39.1%	29.0%	13.3%	8.5%	4.3%	5.8%
	Grade 10	39.6%	26.2%	13.7%	9.7%	4.8%	6.0%
	Grade 11	38.3%	25.4%	14.3%	9.4%	6.7%	6.0%
	Grade 12	36.2%	20.1%	12.9%	14.6%	8.3%	7.9%
Crack?							
	All	43.7%	31.2%	12.0%	6.6%	3.0%	3.5%
	Grade 7	51.9%	37.1%	6.4%	2.5%	1.0%	1.0%
	Grade 8	44.8%	37.2%	10.2%	4.0%	1.7%	2.2%
	Grade 9	40.1%	30.6%	13.0%	7.9%	3.9%	4.6%
	Grade 10	42.5%	28.5%	13.4%	7.3%	3.5%	4.9%
	Grade 11	41.6%	27.7%	14.7%	8.1%	3.7%	4.2%
	Grade 12	39.1%	22.8%	16.4%	11.6%	4.8%	5.2%
Steroids?							
	All	45.5%	29.7%	11.2%	6.8%	3.1%	3.8%
	Grade 7	53.5%	34.8%	5.8%	3.4%	1.6%	1.0%
	Grade 8	46.9%	34.8%	9.9%	4.4%	1.8%	2.2%
	Grade 9	42.4%	30.3%	11.1%	7.8%	3.6%	4.8%
	Grade 10	44.9%	27.3%	11.9%	7.7%	3.7%	4.5%
	Grade 11	42.4%	26.7%	13.5%	8.3%	4.3%	4.8%
	Grade 12	40.4%	21.1%	16.8%	10.6%	4.6%	6.4%
Ecstasy?							
	All	51.4%	26.0%	9.1%	5.6%	3.8%	4.1%
	Grade 7	63.8%	28.3%	4.1%	2.0%	1.2%	0.6%
	Grade 8	58.2%	28.8%	7.0%	2.9%	1.5%	1.6%
	Grade 9	47.6%	26.3%	10.2%	6.4%	4.5%	5.1%
	Grade 10	48.5%	24.9%	11.0%	5.5%	3.5%	6.5%
	Grade 11	45.3%	25.5%	10.4%	7.4%	6.0%	5.5%
	Grade 12	40.0%	20.2%	14.0%	11.4%	7.9%	6.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table D-4: If You Wanted Some, How Difficult Would It Be to Get...**  
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
<b>Heroin?</b>							
	All	48.7%	32.0%	10.6%	4.1%	1.8%	2.8%
	Grade 7	58.0%	33.3%	4.9%	2.1%	1.0%	0.7%
	Grade 8	51.7%	35.9%	7.2%	2.8%	1.0%	1.3%
	Grade 9	46.1%	32.0%	10.7%	5.3%	2.0%	3.8%
	Grade 10	46.0%	31.1%	12.5%	3.8%	2.4%	4.2%
	Grade 11	44.9%	31.6%	13.5%	4.6%	2.0%	3.4%
	Grade 12	42.8%	26.4%	17.2%	7.0%	2.6%	4.0%
<b>Methamphetamine?</b>							
	All	50.7%	30.6%	10.0%	3.9%	1.9%	3.0%
	Grade 7	61.3%	30.4%	5.1%	1.4%	1.0%	0.7%
	Grade 8	54.3%	33.7%	6.9%	2.2%	1.3%	1.6%
	Grade 9	46.8%	31.5%	10.7%	5.1%	1.9%	3.8%
	Grade 10	48.6%	29.4%	11.1%	4.4%	2.3%	4.1%
	Grade 11	46.4%	31.0%	12.3%	4.8%	1.7%	3.7%
	Grade 12	43.3%	26.2%	16.1%	6.4%	3.4%	4.6%
<b>Synthetic Marijuana?</b>							
	All	50.1%	24.7%	7.6%	6.1%	5.1%	6.3%
	Grade 7	60.8%	29.4%	4.4%	2.1%	1.7%	1.6%
	Grade 8	53.6%	29.2%	7.8%	3.7%	2.5%	3.1%
	Grade 9	47.2%	23.5%	7.9%	7.5%	5.8%	8.0%
	Grade 10	47.1%	22.7%	8.6%	8.2%	5.6%	7.7%
	Grade 11	46.8%	22.2%	7.4%	7.4%	7.9%	8.3%
	Grade 12	41.9%	18.7%	10.1%	9.1%	9.0%	11.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...**

	None	1 to 3 Days	4 to 9 Days	10+ Days
<b>Attended Class While High from Marijuana Use?</b>				
All	92.3%	4.5%	1.4%	1.8%
Grade 7	96.7%	2.5%	0.5%	0.3%
Grade 8	95.4%	3.1%	0.7%	0.8%
Grade 9	90.9%	5.2%	1.8%	2.1%
Grade 10	90.7%	5.0%	1.3%	3.0%
Grade 11	90.8%	5.8%	1.4%	1.9%
Grade 12	87.3%	6.2%	3.0%	3.4%
<b>Attended Class While High from Use of Some Other Drug?</b>				
All	96.8%	2.1%	0.6%	0.5%
Grade 7	98.3%	1.2%	0.3%	0.3%
Grade 8	98.1%	1.2%	0.2%	0.5%
Grade 9	95.2%	2.9%	0.8%	1.1%
Grade 10	95.6%	3.2%	1.0%	0.2%
Grade 11	97.5%	1.8%	0.5%	0.2%
Grade 12	95.5%	2.5%	0.9%	1.0%

**Table D-6: School Year Absences and Conduct Problems by Marijuana Use**

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	4.5
Marijuana Non-Users	3.6
Average Days Conduct Problems Reported	
Marijuana Users	3.5
Marijuana Non-Users	1.1

*Percentages have been weighted to reflect proportions within the population.*

**Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...**

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	92.9%	4.5%	1.0%	1.5%
Grade 9	95.5%	3.5%	0.5%	0.5%
Grade 10	95.3%	3.1%	0.9%	0.7%
Grade 11	93.0%	4.7%	0.9%	1.5%
Grade 12	86.5%	7.7%	2.0%	3.8%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.3%	3.1%	0.4%	0.2%
Grade 7	98.2%	1.6%	0.1%	0.1%
Grade 8	97.6%	2.1%	0.2%	0.1%
Grade 9	95.2%	3.7%	0.7%	0.4%
Grade 10	94.5%	5.1%	0.2%	0.3%
Grade 11	96.3%	3.1%	0.5%	0.1%
Grade 12	95.6%	3.6%	0.5%	0.2%

**Table D-8: About How Many of Your Close Friends Use Marijuana?**

	None	A Few	Some	Most	All
All	56.7%	19.0%	11.2%	9.9%	3.2%
Grade 7	81.4%	10.9%	4.3%	2.9%	0.5%
Grade 8	71.2%	16.0%	6.9%	4.6%	1.4%
Grade 9	54.8%	19.7%	11.3%	11.1%	3.1%
Grade 10	47.2%	22.1%	14.2%	12.5%	3.9%
Grade 11	41.6%	23.3%	16.5%	14.3%	4.4%
Grade 12	33.3%	24.9%	17.4%	17.4%	7.0%

**Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?**

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	58.7%	6.0%	5.0%	6.6%	6.7%	2.3%	14.8%
Grade 7	81.4%	3.0%	1.4%	1.3%	0.9%	2.0%	9.9%
Grade 8	72.1%	4.5%	2.8%	2.6%	2.3%	2.6%	13.0%
Grade 9	57.0%	5.6%	5.8%	7.5%	4.7%	3.1%	16.4%
Grade 10	49.6%	7.5%	6.7%	7.7%	8.4%	1.9%	18.1%
Grade 11	45.2%	8.5%	5.7%	9.7%	11.0%	2.2%	17.7%
Grade 12	37.7%	7.9%	8.8%	13.3%	16.2%	1.4%	14.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?**

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	76.1%	7.1%	7.2%	1.8%	1.2%	6.5%
Grade 7	83.4%	2.5%	3.0%	0.7%	1.2%	9.2%
Grade 8	82.2%	4.1%	5.3%	1.0%	0.7%	6.7%
Grade 9	75.9%	7.2%	7.7%	2.0%	1.4%	5.8%
Grade 10	72.8%	7.9%	8.0%	2.5%	1.1%	7.6%
Grade 11	71.3%	10.3%	9.9%	2.5%	1.3%	4.7%
Grade 12	67.2%	13.1%	11.2%	2.4%	1.6%	4.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	55.3%	13.6%	12.5%	13.4%	5.2%
	Grade 7	77.8%	9.0%	4.7%	3.6%	5.0%
	Grade 8	65.2%	14.4%	8.0%	7.1%	5.3%
	Grade 9	51.2%	17.0%	11.6%	14.7%	5.5%
	Grade 10	43.9%	15.7%	17.5%	16.2%	6.6%
	Grade 11	45.1%	12.6%	17.9%	20.3%	4.0%
	Grade 12	41.1%	13.0%	18.5%	22.8%	4.5%
Cocaine?						
	All	85.9%	6.3%	1.0%	0.7%	6.2%
	Grade 7	88.2%	4.7%	0.6%	0.3%	6.1%
	Grade 8	85.9%	6.8%	1.1%	0.4%	5.8%
	Grade 9	84.3%	6.6%	1.3%	1.2%	6.6%
	Grade 10	82.2%	7.6%	1.5%	0.4%	8.3%
	Grade 11	87.6%	6.1%	0.7%	1.2%	4.4%
	Grade 12	87.6%	5.7%	0.6%	0.3%	5.8%
Crack?						
	All	86.6%	5.3%	0.8%	0.5%	6.7%
	Grade 7	88.3%	4.4%	0.6%	0.4%	6.3%
	Grade 8	85.9%	6.2%	1.0%	0.3%	6.6%
	Grade 9	84.7%	5.4%	1.3%	1.0%	7.6%
	Grade 10	83.0%	6.8%	0.9%	0.4%	8.9%
	Grade 11	89.4%	4.9%	0.3%	0.9%	4.5%
	Grade 12	89.1%	4.1%	0.7%	0.1%	5.9%
Ecstasy?						
	All	79.7%	7.6%	2.1%	0.9%	9.7%
	Grade 7	83.8%	4.4%	0.9%	0.3%	10.6%
	Grade 8	80.4%	7.2%	1.6%	0.4%	10.4%
	Grade 9	77.2%	7.9%	3.0%	1.9%	10.0%
	Grade 10	76.2%	9.9%	2.1%	0.7%	11.1%
	Grade 11	80.8%	8.3%	2.7%	1.5%	6.7%
	Grade 12	79.4%	8.5%	2.7%	0.5%	8.8%
Steroids?						
	All	75.9%	11.8%	3.3%	1.2%	7.8%
	Grade 7	81.8%	8.2%	1.7%	0.5%	7.9%
	Grade 8	75.4%	12.4%	3.2%	1.0%	8.0%
	Grade 9	74.3%	11.3%	5.1%	1.6%	7.7%
	Grade 10	71.7%	14.0%	2.6%	1.1%	10.5%
	Grade 11	75.8%	12.5%	4.2%	1.9%	5.6%
	Grade 12	75.7%	13.0%	3.3%	0.9%	7.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...**  
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
<b>Heroin?</b>						
	All	87.0%	4.5%	0.7%	0.6%	7.2%
	Grade 7	86.6%	4.3%	0.6%	0.4%	8.1%
	Grade 8	84.9%	6.1%	0.9%	0.3%	7.7%
	Grade 9	86.0%	4.4%	1.1%	1.0%	7.5%
	Grade 10	84.8%	4.7%	1.0%	0.7%	8.9%
	Grade 11	90.9%	3.7%	0.1%	0.7%	4.6%
	Grade 12	89.8%	3.5%	0.4%	0.1%	6.2%
<b>Methamphetamine?</b>						
	All	86.9%	4.3%	0.7%	0.5%	7.6%
	Grade 7	87.2%	3.9%	0.5%	0.3%	8.2%
	Grade 8	85.1%	5.2%	0.9%	0.4%	8.5%
	Grade 9	84.8%	4.7%	1.2%	1.2%	8.1%
	Grade 10	84.9%	4.7%	0.8%	0.4%	9.3%
	Grade 11	90.6%	3.6%	0.4%	0.8%	4.5%
	Grade 12	89.8%	3.3%	0.5%	0.1%	6.4%
<b>Synthetic Marijuana?</b>						
	All	78.9%	8.2%	2.6%	1.3%	9.0%
	Grade 7	84.9%	4.7%	1.3%	0.6%	8.5%
	Grade 8	80.1%	8.0%	2.3%	0.9%	8.7%
	Grade 9	73.4%	10.8%	3.5%	2.3%	10.0%
	Grade 10	74.7%	9.5%	3.6%	1.5%	10.6%
	Grade 11	80.6%	8.3%	2.1%	1.8%	7.3%
	Grade 12	79.5%	8.2%	2.9%	0.6%	8.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**

	Past Month	School Year	Ever Used	Never Used
<b>Any Prescription Drug?</b>				
All	7.4%	10.9%	18.6%	81.4%
Grade 7	5.6%	7.6%	13.6%	86.4%
Grade 8	7.7%	9.8%	16.3%	83.7%
Grade 9	8.1%	12.5%	19.1%	80.9%
Grade 10	8.3%	12.8%	21.4%	78.6%
Grade 11	6.8%	10.7%	19.9%	80.1%
Grade 12	8.4%	13.1%	23.5%	76.5%
<b>Codeine Cough Syrup?</b>				
All	4.1%	7.1%	13.0%	87.0%
Grade 7	3.3%	5.0%	9.6%	90.4%
Grade 8	4.9%	6.9%	11.7%	88.3%
Grade 9	5.3%	9.1%	15.0%	85.0%
Grade 10	4.4%	8.2%	14.9%	85.1%
Grade 11	3.6%	6.9%	13.6%	86.4%
Grade 12	3.0%	6.2%	14.0%	86.0%
<b>OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?</b>				
All	1.0%	1.9%	3.7%	96.3%
Grade 7	0.5%	0.9%	1.4%	98.6%
Grade 8	0.8%	1.3%	1.9%	98.1%
Grade 9	1.0%	2.1%	3.4%	96.6%
Grade 10	1.2%	2.3%	4.9%	95.1%
Grade 11	1.3%	2.8%	5.0%	95.0%
Grade 12	1.3%	2.9%	6.8%	93.2%
<b>Valium, Diazepam, Xanax, or Other Benzodiazepines?</b>				
All	1.7%	2.8%	5.2%	94.8%
Grade 7	0.6%	0.9%	1.4%	98.6%
Grade 8	1.2%	1.6%	2.7%	97.3%
Grade 9	2.7%	4.3%	6.5%	93.5%
Grade 10	2.4%	4.3%	7.6%	92.4%
Grade 11	1.5%	2.6%	5.9%	94.1%
Grade 12	1.9%	3.5%	8.2%	91.8%
<b>Adderall, Ritalin, Dexedrine, Concerta, or Focalin?</b>				
All	1.6%	2.6%	4.6%	95.4%
Grade 7	0.4%	0.6%	1.1%	98.9%
Grade 8	0.7%	1.2%	2.3%	97.7%
Grade 9	2.1%	2.9%	4.3%	95.7%
Grade 10	1.9%	3.3%	5.7%	94.3%
Grade 11	1.9%	3.5%	7.0%	93.0%
Grade 12	3.2%	5.3%	9.2%	90.8%

*Percentages have been weighted to reflect proportions within the population.*

**Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Any Other Prescription Drug Not Listed Above?				
All	3.2%	4.3%	8.0%	92.0%
Grade 7	2.9%	3.8%	7.0%	93.0%
Grade 8	3.3%	4.2%	8.7%	91.3%
Grade 9	3.2%	4.4%	7.5%	92.5%
Grade 10	3.5%	4.8%	9.0%	91.0%
Grade 11	3.2%	4.4%	7.7%	92.3%
Grade 12	3.4%	4.4%	8.0%	92.0%

**Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...**

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	1.5%	2.2%	4.0%	96.0%
Grade 7	1.6%	2.5%	5.1%	94.9%
Grade 8	1.8%	2.5%	4.8%	95.2%
Grade 9	1.3%	2.3%	4.1%	95.9%
Grade 10	1.4%	2.1%	3.5%	96.5%
Grade 11	1.5%	1.8%	3.0%	97.0%
Grade 12	1.3%	1.6%	3.2%	96.8%

**Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	73.9%	13.6%	3.7%	1.4%	7.4%
Grade 7	81.1%	8.1%	2.7%	0.9%	7.2%
Grade 8	74.8%	12.4%	4.1%	1.2%	7.5%
Grade 9	71.1%	15.0%	4.2%	2.2%	7.5%
Grade 10	69.3%	16.2%	3.6%	0.8%	10.2%
Grade 11	73.7%	15.1%	3.8%	2.2%	5.2%
Grade 12	72.1%	16.0%	4.3%	1.1%	6.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

## Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	4.4%	5.9%	11.8%	88.2%
Grade 7	5.6%	6.9%	13.7%	86.3%
Grade 8	6.2%	8.2%	15.0%	85.0%
Grade 9	4.2%	6.4%	12.3%	87.7%
Grade 10	3.3%	4.4%	8.7%	91.3%
Grade 11	2.8%	3.9%	9.8%	90.2%
Grade 12	3.5%	4.8%	9.8%	90.2%
Spray Paint?				
All	0.4%	0.7%	1.9%	98.1%
Grade 7	0.5%	0.6%	1.7%	98.3%
Grade 8	0.4%	0.5%	1.7%	98.3%
Grade 9	0.2%	0.5%	2.3%	97.7%
Grade 10	0.4%	0.8%	1.6%	98.4%
Grade 11	0.2%	0.9%	2.0%	98.0%
Grade 12	0.9%	0.9%	1.8%	98.2%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.2%	1.6%	4.5%	95.5%
Grade 7	1.4%	2.1%	6.1%	93.9%
Grade 8	1.5%	2.5%	6.0%	94.0%
Grade 9	1.5%	2.0%	5.4%	94.6%
Grade 10	0.6%	0.9%	2.7%	97.3%
Grade 11	0.9%	0.9%	3.7%	96.3%
Grade 12	0.8%	0.9%	1.9%	98.1%
Computer Dusting Sprays?				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.5%	0.8%	99.2%
Grade 9	0.4%	0.7%	1.5%	98.5%
Grade 10	0.4%	0.4%	0.9%	99.1%
Grade 11	0.1%	0.2%	0.7%	99.3%
Grade 12	0.6%	1.2%	1.7%	98.3%
Helium, Butane, Propane, Whippets, or Freon?				
All	1.6%	2.3%	5.9%	94.1%
Grade 7	1.9%	2.5%	6.7%	93.3%
Grade 8	1.8%	2.8%	6.2%	93.8%
Grade 9	1.2%	2.0%	6.6%	93.4%
Grade 10	1.6%	2.1%	4.3%	95.7%
Grade 11	0.8%	1.5%	5.0%	95.0%
Grade 12	2.1%	2.8%	6.5%	93.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 29 of 126



**Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Glue?</b>				
All	0.4%	0.6%	1.3%	98.7%
Grade 7	0.5%	0.6%	1.7%	98.3%
Grade 8	0.5%	1.0%	1.8%	98.2%
Grade 9	0.4%	0.4%	1.4%	98.6%
Grade 10	0.2%	0.5%	1.1%	98.9%
Grade 11	0.0%	0.1%	0.5%	99.5%
Grade 12	0.7%	1.1%	1.4%	98.6%
<b>Toluene, Paint Thinner, or Other Solvents?</b>				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.5%	0.9%	99.1%
Grade 9	0.2%	0.5%	1.4%	98.6%
Grade 10	0.2%	0.5%	1.1%	98.9%
Grade 11	0.3%	0.4%	0.9%	99.1%
Grade 12	0.8%	0.8%	1.2%	98.8%
<b>Gasoline, Octane Booster, or Carburetor Cleaner?</b>				
All	0.7%	0.9%	2.0%	98.0%
Grade 7	1.0%	1.1%	1.8%	98.2%
Grade 8	0.9%	1.2%	2.2%	97.8%
Grade 9	0.3%	0.7%	2.4%	97.6%
Grade 10	0.6%	0.7%	1.7%	98.3%
Grade 11	0.6%	0.8%	2.2%	97.8%
Grade 12	0.8%	0.9%	1.5%	98.5%
<b>Other Aerosols/Sprays?</b>				
All	0.5%	0.8%	1.7%	98.3%
Grade 7	0.7%	0.7%	1.9%	98.1%
Grade 8	0.7%	0.9%	2.3%	97.7%
Grade 9	0.2%	0.8%	1.8%	98.2%
Grade 10	0.7%	0.8%	1.1%	98.9%
Grade 11	0.2%	0.4%	1.2%	98.8%
Grade 12	0.7%	1.0%	1.6%	98.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table I-2: How Often Do You Normally Use Inhalants?**

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	97.0%	0.1%	0.2%	0.3%	0.5%	0.7%	1.2%
Grade 7	96.1%	0.1%	0.5%	0.4%	0.5%	0.7%	1.7%
Grade 8	95.6%	0.2%	0.3%	0.7%	0.7%	1.5%	1.0%
Grade 9	96.7%	0.0%	0.2%	0.3%	0.7%	0.4%	1.7%
Grade 10	98.2%	0.2%	0.0%	0.1%	0.1%	0.6%	0.7%
Grade 11	97.5%	0.1%	0.0%	0.2%	0.6%	0.5%	1.0%
Grade 12	98.4%	0.0%	0.2%	0.1%	0.2%	0.1%	1.0%

**Table I-3: Number of Different Kinds of Inhalants Used**

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	90.0%	6.1%	2.7%	1.2%
Grade 7	88.0%	7.4%	3.5%	1.1%
Grade 8	87.9%	7.2%	3.9%	0.9%
Grade 9	88.9%	6.5%	3.1%	1.5%
Grade 10	92.8%	4.5%	1.7%	1.0%
Grade 11	91.7%	4.7%	2.5%	1.1%
Grade 12	91.8%	5.6%	0.9%	1.6%

**Table I-4: Average Age of First Use of Inhalants**

	All	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	11.4	10.7	10.8	11.2	12.1	12.3	14.0

**Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?**

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	99.0%	0.6%	0.1%	0.2%
Grade 7	99.2%	0.5%	0.2%	0.1%
Grade 8	98.4%	1.1%	0.3%	0.2%
Grade 9	98.6%	0.8%	0.1%	0.5%
Grade 10	99.2%	0.5%	0.0%	0.3%
Grade 11	99.5%	0.4%	0.0%	0.0%
Grade 12	99.6%	0.0%	0.3%	0.1%

*Percentages have been weighted to reflect proportions within the population.*

**Table I-6: School Year Absences and Conduct Problems by Inhalant Use**

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.6
Inhalant Non-Users	3.7
Average Days Conduct Problems Reported	
Inhalant Users	3.0
Inhalant Non-Users	1.4

**Table I-7: About How Many of Your Close Friends Use Inhalants?**

	None	A Few	Some	Most	All
All	93.1%	4.8%	1.5%	0.4%	0.2%
Grade 7	91.6%	6.2%	1.6%	0.5%	0.1%
Grade 8	92.3%	5.5%	1.7%	0.4%	0.1%
Grade 9	92.7%	4.6%	1.8%	0.5%	0.5%
Grade 10	93.6%	4.7%	1.1%	0.6%	0.1%
Grade 11	94.6%	3.6%	1.3%	0.1%	0.4%
Grade 12	94.5%	3.9%	1.3%	0.1%	0.2%

**Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?**

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	69.6%	14.8%	5.3%	1.9%	8.4%
Grade 7	74.7%	12.0%	4.2%	1.5%	7.7%
Grade 8	69.3%	15.2%	6.0%	1.4%	8.1%
Grade 9	66.4%	16.5%	5.5%	3.3%	8.4%
Grade 10	67.0%	15.9%	5.7%	1.9%	9.5%
Grade 11	69.1%	14.7%	5.8%	1.6%	8.8%
Grade 12	70.9%	14.7%	4.4%	1.8%	8.2%

**Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?**

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	44.3%	15.2%	3.5%	4.4%	7.7%	24.9%
Grade 7	51.2%	23.5%	3.9%	3.9%	5.2%	12.3%
Grade 8	45.8%	20.3%	3.9%	4.2%	7.2%	18.5%
Grade 9	41.0%	14.6%	3.6%	4.6%	8.5%	27.8%
Grade 10	44.6%	12.4%	3.5%	4.8%	8.7%	26.0%
Grade 11	41.6%	10.3%	3.0%	4.1%	9.3%	31.7%
Grade 12	39.9%	5.9%	3.0%	4.9%	7.7%	38.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

## Miscellaneous

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**

		Yes
A School Health Class		
	All	36.7%
	Grade 7	38.5%
	Grade 8	37.7%
	Grade 9	36.0%
	Grade 10	36.7%
	Grade 11	35.7%
	Grade 12	35.4%
An Assembly Program		
	All	37.6%
	Grade 7	42.9%
	Grade 8	44.1%
	Grade 9	35.7%
	Grade 10	34.7%
	Grade 11	31.5%
	Grade 12	34.9%
Guidance Counselor		
	All	22.8%
	Grade 7	28.6%
	Grade 8	27.7%
	Grade 9	22.4%
	Grade 10	20.0%
	Grade 11	16.8%
	Grade 12	18.9%
School Nurse		
	All	15.8%
	Grade 7	22.0%
	Grade 8	16.2%
	Grade 9	15.7%
	Grade 10	13.6%
	Grade 11	11.1%
	Grade 12	15.1%
Science or Social Studies Class		
	All	25.2%
	Grade 7	28.0%
	Grade 8	22.8%
	Grade 9	26.1%
	Grade 10	22.1%
	Grade 11	25.5%
	Grade 12	26.5%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 33 of 126

**Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?**  
(Continued)

		Yes
<b>Student Group or Club Meeting at School</b>		
	All	14.1%
	Grade 7	13.5%
	Grade 8	11.3%
	Grade 9	15.4%
	Grade 10	14.9%
	Grade 11	14.2%
	Grade 12	16.2%
<b>An Invited School Guest</b>		
	All	24.1%
	Grade 7	26.3%
	Grade 8	30.3%
	Grade 9	21.3%
	Grade 10	21.9%
	Grade 11	19.6%
	Grade 12	24.3%
<b>Another Source at School</b>		
	All	27.9%
	Grade 7	27.8%
	Grade 8	26.7%
	Grade 9	29.9%
	Grade 10	28.4%
	Grade 11	27.1%
	Grade 12	27.4%
<b>Any School Source</b>		
	All	61.8%
	Grade 7	64.5%
	Grade 8	67.9%
	Grade 9	59.9%
	Grade 10	60.4%
	Grade 11	57.9%
	Grade 12	58.8%

*Percentages have been weighted to reflect proportions within the population.*

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

		Yes
<b>Counselor/Program In-School</b>		
	All	38.5%
	Grade 7	52.9%
	Grade 8	44.0%
	Grade 9	33.1%
	Grade 10	32.3%
	Grade 11	33.0%
	Grade 12	32.3%
<b>School Nurse</b>		
	All	22.8%
	Grade 7	35.6%
	Grade 8	24.1%
	Grade 9	20.3%
	Grade 10	18.5%
	Grade 11	17.9%
	Grade 12	17.6%
<b>Another Adult In School</b>		
	All	41.3%
	Grade 7	51.0%
	Grade 8	44.0%
	Grade 9	36.6%
	Grade 10	36.8%
	Grade 11	37.9%
	Grade 12	40.3%
<b>Counselor/Program Outside-School</b>		
	All	39.6%
	Grade 7	46.2%
	Grade 8	42.6%
	Grade 9	36.7%
	Grade 10	35.8%
	Grade 11	39.9%
	Grade 12	34.2%
<b>Your Parents</b>		
	All	69.2%
	Grade 7	78.0%
	Grade 8	73.7%
	Grade 9	67.7%
	Grade 10	64.4%
	Grade 11	65.6%
	Grade 12	63.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?**

(Continued)

		Yes
<b>A Medical Doctor</b>		
	All	58.1%
	Grade 7	68.0%
	Grade 8	63.6%
	Grade 9	53.7%
	Grade 10	50.8%
	Grade 11	56.0%
	Grade 12	54.0%
<b>Your Friends</b>		
	All	63.1%
	Grade 7	52.0%
	Grade 8	57.3%
	Grade 9	62.5%
	Grade 10	69.4%
	Grade 11	70.1%
	Grade 12	71.6%
<b>Another Adult</b>		
	All	59.4%
	Grade 7	63.2%
	Grade 8	61.4%
	Grade 9	58.7%
	Grade 10	58.8%
	Grade 11	55.3%
	Grade 12	57.8%

**Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?**

		Yes
	All	7.2%
	Grade 7	6.9%
	Grade 8	6.9%
	Grade 9	8.5%
	Grade 10	7.5%
	Grade 11	6.6%
	Grade 12	7.0%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 36 of 126

**Table X-4: About How Many of Your Close Friends...**

	None	A Few	Some	Most	All
<b>Feel Close to Their Parents?</b>					
All	5.5%	21.2%	22.4%	37.0%	13.9%
Grade 7	7.7%	17.9%	19.4%	35.0%	20.0%
Grade 8	6.3%	21.7%	22.3%	35.1%	14.6%
Grade 9	5.1%	22.0%	22.8%	38.6%	11.5%
Grade 10	5.3%	24.1%	24.4%	33.2%	13.0%
Grade 11	4.3%	22.1%	22.0%	39.5%	12.1%
Grade 12	3.1%	19.3%	24.2%	42.7%	10.7%
<b>Sometimes Carry Weapons?</b>					
All	78.9%	13.6%	4.7%	1.7%	1.1%
Grade 7	85.8%	9.7%	2.6%	0.9%	1.1%
Grade 8	83.4%	10.0%	4.4%	1.4%	0.8%
Grade 9	79.2%	13.0%	5.7%	1.2%	0.8%
Grade 10	76.3%	15.7%	4.3%	2.1%	1.7%
Grade 11	75.4%	15.6%	4.9%	3.1%	1.1%
Grade 12	69.6%	20.5%	6.7%	1.8%	1.4%
<b>Care About Making Good Grades?</b>					
All	2.2%	11.5%	23.9%	41.9%	20.5%
Grade 7	3.0%	13.0%	23.7%	36.4%	23.9%
Grade 8	2.1%	12.8%	26.3%	37.8%	21.1%
Grade 9	2.8%	12.3%	24.6%	42.0%	18.4%
Grade 10	1.8%	10.9%	24.8%	43.5%	19.0%
Grade 11	1.5%	9.4%	22.1%	46.6%	20.4%
Grade 12	1.9%	9.3%	20.7%	48.3%	19.9%
<b>Belong/Want to Belong to a Gang?</b>					
All	84.1%	11.0%	2.9%	1.1%	0.9%
Grade 7	83.6%	11.7%	2.8%	1.1%	0.9%
Grade 8	82.2%	12.3%	3.2%	1.3%	0.9%
Grade 9	81.9%	11.8%	3.2%	2.0%	1.0%
Grade 10	82.0%	12.7%	3.9%	0.8%	0.6%
Grade 11	88.3%	7.5%	2.5%	0.9%	0.8%
Grade 12	87.8%	8.6%	1.6%	0.5%	1.5%
<b>Wish They Could Drop Out of School?</b>					
All	52.2%	28.7%	10.9%	4.9%	3.2%
Grade 7	60.9%	24.5%	8.5%	4.3%	1.7%
Grade 8	56.8%	27.9%	9.4%	4.6%	1.2%
Grade 9	46.8%	30.8%	12.3%	6.0%	4.1%
Grade 10	46.3%	32.6%	11.8%	5.7%	3.6%
Grade 11	49.2%	29.4%	12.2%	4.3%	4.9%
Grade 12	51.8%	27.3%	12.0%	4.1%	4.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table X-5: How Safe Do You Feel When You Are...**

	Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
<b>In Your Home?</b>					
All	85.7%	12.5%	0.6%	0.4%	0.7%
Grade 7	85.7%	12.4%	0.6%	0.4%	0.9%
Grade 8	83.8%	14.7%	0.5%	0.5%	0.6%
Grade 9	84.1%	14.2%	0.7%	0.3%	0.7%
Grade 10	85.5%	12.6%	0.8%	0.5%	0.7%
Grade 11	88.1%	10.3%	0.4%	0.5%	0.7%
Grade 12	88.4%	9.9%	0.8%	0.2%	0.7%
<b>Out In Your Neighborhood?</b>					
All	44.0%	46.0%	6.3%	1.3%	2.4%
Grade 7	36.0%	49.3%	9.7%	1.6%	3.4%
Grade 8	34.6%	51.9%	8.0%	2.0%	3.5%
Grade 9	45.8%	46.0%	5.1%	1.2%	2.0%
Grade 10	47.6%	44.1%	5.5%	1.0%	1.8%
Grade 11	53.0%	41.2%	3.7%	0.8%	1.3%
Grade 12	51.3%	41.1%	4.6%	1.1%	1.9%
<b>At School?</b>					
All	32.0%	48.4%	10.9%	4.6%	4.0%
Grade 7	38.0%	45.3%	9.5%	2.9%	4.2%
Grade 8	33.3%	49.0%	10.1%	3.3%	4.4%
Grade 9	28.6%	51.1%	10.5%	5.2%	4.5%
Grade 10	27.4%	48.0%	13.9%	6.1%	4.5%
Grade 11	28.6%	49.5%	11.8%	6.6%	3.4%
Grade 12	36.2%	47.7%	9.8%	4.0%	2.2%

*Percentages have been weighted to reflect proportions within the population.*

Jump to Table of Contents

Page 38 of 126

## 2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	17.6%	21.4%	31.6%	68.4%
Grade 7	6.7%	8.2%	15.4%	84.6%
Grade 8	9.1%	11.9%	22.0%	78.0%
Grade 9	16.5%	21.2%	31.6%	68.4%
Grade 10	22.2%	26.9%	37.0%	63.0%
Grade 11	22.9%	27.8%	40.6%	59.4%
Grade 12	34.7%	40.2%	51.2%	48.8%
<b>Any Alcohol Product</b>				
All	31.7%	37.6%	53.5%	46.5%
Grade 7	17.1%	20.2%	37.1%	62.9%
Grade 8	22.4%	26.6%	45.5%	54.5%
Grade 9	30.3%	35.3%	51.7%	48.3%
Grade 10	37.7%	44.5%	58.6%	41.4%
Grade 11	37.3%	46.7%	62.8%	37.2%
Grade 12	54.3%	62.1%	74.0%	26.0%
<b>Any Illicit Drug</b>				
All	14.9%	19.0%	24.3%	75.7%
Grade 7	5.0%	7.5%	9.6%	90.4%
Grade 8	8.2%	10.5%	14.0%	86.0%
Grade 9	15.6%	19.9%	23.2%	76.8%
Grade 10	17.5%	21.4%	27.7%	72.3%
Grade 11	20.6%	25.8%	34.7%	65.3%
Grade 12	27.3%	35.3%	45.5%	54.5%
<b>Any Prescription Drug</b>				
All	7.4%	10.9%	18.6%	81.4%
Grade 7	5.6%	7.6%	13.6%	86.4%
Grade 8	7.7%	9.8%	16.3%	83.7%
Grade 9	8.1%	12.5%	19.1%	80.9%
Grade 10	8.3%	12.8%	21.4%	78.6%
Grade 11	6.8%	10.7%	19.9%	80.1%
Grade 12	8.4%	13.1%	23.5%	76.5%
<b>Any Inhalant</b>				
All	4.4%	5.9%	11.8%	88.2%
Grade 7	5.6%	6.9%	13.7%	86.3%
Grade 8	6.2%	8.2%	15.0%	85.0%
Grade 9	4.2%	6.4%	12.3%	87.7%
Grade 10	3.3%	4.4%	8.7%	91.3%
Grade 11	2.8%	3.9%	9.8%	90.2%
Grade 12	3.5%	4.8%	9.8%	90.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.3%	17.6%	27.2%	72.8%
Grade 7	3.5%	5.3%	11.2%	88.8%
Grade 8	6.0%	8.9%	17.6%	82.4%
Grade 9	13.7%	18.7%	28.3%	71.7%
Grade 10	16.5%	21.6%	31.9%	68.1%
Grade 11	17.8%	23.5%	36.6%	63.4%
Grade 12	27.9%	34.0%	45.1%	54.9%
<b>Marijuana</b>				
All	14.5%	17.3%	22.8%	77.2%
Grade 7	4.7%	5.7%	7.6%	92.4%
Grade 8	8.0%	9.4%	12.6%	87.4%
Grade 9	15.3%	17.9%	21.2%	78.8%
Grade 10	17.2%	19.9%	26.5%	73.5%
Grade 11	19.8%	23.5%	33.2%	66.8%
Grade 12	27.0%	33.5%	44.2%	55.8%
<b>Marijuana Only</b>				
All	8.8%	10.9%	15.6%	84.4%
Grade 7	2.6%	3.5%	5.0%	95.0%
Grade 8	4.7%	5.8%	8.4%	91.6%
Grade 9	9.5%	11.3%	14.3%	85.7%
Grade 10	10.0%	12.0%	17.9%	82.1%
Grade 11	12.9%	15.9%	24.2%	75.8%
Grade 12	16.2%	21.1%	29.8%	70.2%
<b>Cocaine or Crack</b>				
All	1.4%	1.6%	2.6%	97.4%
Grade 7	0.7%	0.8%	1.1%	98.9%
Grade 8	0.9%	1.0%	1.5%	98.5%
Grade 9	1.3%	1.4%	1.9%	98.1%
Grade 10	1.8%	2.0%	3.4%	96.6%
Grade 11	1.6%	1.8%	3.2%	96.8%
Grade 12	2.4%	3.0%	5.7%	94.3%
<b>Cocaine</b>				
All	1.2%	1.4%	2.4%	97.6%
Grade 7	0.6%	0.7%	0.8%	99.2%
Grade 8	0.8%	1.0%	1.3%	98.7%
Grade 9	1.2%	1.3%	1.7%	98.3%
Grade 10	1.7%	1.9%	3.3%	96.7%
Grade 11	1.4%	1.6%	3.0%	97.0%
Grade 12	2.1%	2.6%	5.3%	94.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.6%	0.6%	0.8%	99.2%
Grade 10	0.5%	0.6%	1.1%	98.9%
Grade 11	0.4%	0.4%	0.6%	99.4%
Grade 12	0.4%	0.4%	0.8%	99.2%
<b>Hallucinogens</b>				
All	0.8%	1.6%	3.3%	96.7%
Grade 7	0.3%	0.5%	0.9%	99.1%
Grade 8	0.2%	0.4%	1.0%	99.0%
Grade 9	0.9%	1.7%	3.1%	96.9%
Grade 10	1.1%	2.3%	4.3%	95.7%
Grade 11	1.4%	2.3%	4.3%	95.7%
Grade 12	1.3%	3.2%	7.8%	92.2%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.4%	99.6%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.3%	0.4%	0.9%	99.1%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.4%	0.5%	0.7%	99.3%
<b>Steroids</b>				
All	0.4%	0.6%	1.4%	98.6%
Grade 7	0.4%	0.6%	1.4%	98.6%
Grade 8	0.4%	0.7%	1.4%	98.6%
Grade 9	0.4%	0.4%	1.0%	99.0%
Grade 10	0.3%	0.4%	1.6%	98.4%
Grade 11	0.7%	0.8%	1.9%	98.1%
Grade 12	0.4%	0.5%	1.2%	98.8%
<b>Ecstasy</b>				
All	0.7%	1.1%	2.2%	97.8%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	1.1%	1.5%	2.3%	97.7%
Grade 10	1.1%	1.7%	3.2%	96.8%
Grade 11	0.6%	0.9%	2.8%	97.2%
Grade 12	1.2%	1.9%	4.2%	95.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade  
All Students  
(Continued)**

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.4%	0.5%	0.7%	99.3%
Grade 9	0.2%	0.3%	0.4%	99.6%
Grade 10	0.1%	0.2%	0.8%	99.2%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.1%	0.2%	0.3%	99.7%
<b>Synthetic Marijuana</b>				
All	1.2%	1.8%	3.9%	96.1%
Grade 7	0.7%	1.1%	1.8%	98.2%
Grade 8	1.0%	1.3%	2.5%	97.5%
Grade 9	1.7%	2.3%	4.9%	95.1%
Grade 10	1.6%	2.2%	4.7%	95.3%
Grade 11	1.3%	1.9%	4.5%	95.5%
Grade 12	1.4%	2.1%	5.5%	94.5%
<b>Methamphetamine</b>				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.8%	99.2%
Grade 10	0.2%	0.5%	1.2%	98.8%
Grade 11	0.3%	0.4%	0.9%	99.1%
Grade 12	0.1%	0.4%	1.0%	99.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 43 of 126

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	18.4%	22.4%	31.9%	68.1%
Grade 7	8.5%	9.7%	15.8%	84.2%
Grade 8	8.6%	11.8%	22.5%	77.5%
Grade 9	16.9%	22.0%	30.5%	69.5%
Grade 10	21.9%	26.5%	35.2%	64.8%
Grade 11	23.4%	28.4%	42.3%	57.7%
Grade 12	38.9%	44.5%	55.0%	45.0%
<b>Any Alcohol Product</b>				
All	29.0%	34.4%	50.5%	49.5%
Grade 7	15.5%	19.1%	36.6%	63.4%
Grade 8	20.8%	25.2%	44.5%	55.5%
Grade 9	24.0%	29.2%	44.8%	55.2%
Grade 10	34.7%	39.5%	55.0%	45.0%
Grade 11	34.6%	43.0%	58.8%	41.2%
Grade 12	54.1%	60.5%	71.6%	28.4%
<b>Any Illicit Drug</b>				
All	14.4%	18.4%	23.5%	76.5%
Grade 7	5.5%	7.6%	10.2%	89.8%
Grade 8	7.3%	9.9%	13.6%	86.4%
Grade 9	14.3%	18.7%	21.3%	78.7%
Grade 10	14.7%	19.2%	25.3%	74.7%
Grade 11	20.5%	25.8%	33.5%	66.5%
Grade 12	30.5%	36.4%	46.0%	54.0%
<b>Any Prescription Drug</b>				
All	7.1%	10.6%	18.8%	81.2%
Grade 7	5.4%	7.8%	13.0%	87.0%
Grade 8	7.6%	9.6%	16.4%	83.6%
Grade 9	7.9%	11.9%	19.6%	80.4%
Grade 10	7.0%	11.1%	20.5%	79.5%
Grade 11	7.2%	11.3%	20.3%	79.7%
Grade 12	7.6%	12.9%	25.3%	74.7%
<b>Any Inhalant</b>				
All	4.0%	5.2%	10.7%	89.3%
Grade 7	4.3%	4.9%	10.9%	89.1%
Grade 8	6.0%	7.8%	14.9%	85.1%
Grade 9	3.7%	5.4%	9.8%	90.2%
Grade 10	2.8%	3.9%	7.9%	92.1%
Grade 11	2.9%	3.5%	9.6%	90.4%
Grade 12	4.1%	4.9%	10.6%	89.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.4%	17.7%	27.3%	72.7%
Grade 7	4.5%	5.9%	11.9%	88.1%
Grade 8	5.3%	8.3%	17.7%	82.3%
Grade 9	14.5%	19.4%	27.4%	72.6%
Grade 10	15.7%	20.8%	30.1%	69.9%
Grade 11	17.1%	23.2%	37.9%	62.1%
Grade 12	29.1%	35.8%	47.5%	52.5%
<b>Marijuana</b>				
All	13.9%	16.5%	21.9%	78.1%
Grade 7	4.9%	5.8%	8.4%	91.6%
Grade 8	7.0%	8.9%	12.3%	87.7%
Grade 9	13.8%	16.3%	19.2%	80.8%
Grade 10	14.3%	17.3%	24.0%	76.0%
Grade 11	19.7%	22.6%	32.1%	67.9%
Grade 12	29.9%	35.0%	44.7%	55.3%
<b>Marijuana Only</b>				
All	8.1%	10.0%	14.6%	85.4%
Grade 7	2.7%	3.5%	5.6%	94.4%
Grade 8	3.8%	5.3%	8.2%	91.8%
Grade 9	9.0%	10.6%	13.0%	87.0%
Grade 10	9.0%	11.4%	17.6%	82.4%
Grade 11	11.6%	14.1%	22.0%	78.0%
Grade 12	15.4%	19.1%	26.7%	73.3%
<b>Cocaine or Crack</b>				
All	1.3%	1.6%	2.8%	97.2%
Grade 7	0.7%	0.8%	1.0%	99.0%
Grade 8	0.5%	0.7%	1.1%	98.9%
Grade 9	1.2%	1.2%	1.7%	98.3%
Grade 10	1.3%	1.3%	2.3%	97.7%
Grade 11	2.2%	2.7%	4.3%	95.7%
Grade 12	2.7%	3.7%	8.0%	92.0%
<b>Cocaine</b>				
All	1.2%	1.4%	2.6%	97.4%
Grade 7	0.6%	0.7%	0.8%	99.2%
Grade 8	0.5%	0.7%	1.1%	98.9%
Grade 9	1.0%	1.0%	1.5%	98.5%
Grade 10	1.1%	1.1%	2.1%	97.9%
Grade 11	2.2%	2.7%	4.3%	95.7%
Grade 12	2.2%	3.3%	7.8%	92.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.5%	0.7%	99.3%
Grade 7	0.4%	0.5%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.3%	99.7%
Grade 9	0.6%	0.6%	0.7%	99.3%
Grade 10	0.5%	0.5%	0.8%	99.2%
Grade 11	0.4%	0.4%	0.9%	99.1%
Grade 12	0.6%	0.6%	0.8%	99.2%
<b>Hallucinogens</b>				
All	1.1%	1.9%	3.8%	96.2%
Grade 7	0.6%	0.8%	1.1%	98.9%
Grade 8	0.1%	0.2%	0.9%	99.1%
Grade 9	1.0%	1.4%	3.1%	96.9%
Grade 10	1.5%	2.0%	3.6%	96.4%
Grade 11	2.4%	3.3%	5.3%	94.7%
Grade 12	1.5%	4.5%	11.3%	88.7%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.5%	99.5%
Grade 9	0.1%	0.2%	0.4%	99.6%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.4%	0.6%	0.7%	99.3%
<b>Steroids</b>				
All	0.6%	0.7%	1.4%	98.6%
Grade 7	0.5%	0.7%	1.4%	98.6%
Grade 8	0.5%	0.6%	1.5%	98.5%
Grade 9	0.7%	0.7%	1.1%	98.9%
Grade 10	0.2%	0.2%	1.3%	98.7%
Grade 11	1.1%	1.1%	1.7%	98.3%
Grade 12	0.7%	0.9%	1.6%	98.4%
<b>Ecstasy</b>				
All	0.7%	1.1%	2.2%	97.8%
Grade 7	0.0%	0.1%	0.5%	99.5%
Grade 8	0.4%	0.6%	1.2%	98.8%
Grade 9	1.2%	1.5%	2.4%	97.6%
Grade 10	0.8%	1.0%	1.6%	98.4%
Grade 11	1.1%	1.5%	3.3%	96.7%
Grade 12	1.1%	2.4%	5.6%	94.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.2%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.2%	99.8%
Grade 11	0.4%	0.4%	1.1%	98.9%
Grade 12	0.2%	0.2%	0.4%	99.6%
<b>Synthetic Marijuana</b>				
All	1.2%	1.8%	3.9%	96.1%
Grade 7	0.4%	0.7%	1.8%	98.2%
Grade 8	1.2%	1.6%	2.9%	97.1%
Grade 9	1.3%	2.3%	4.6%	95.4%
Grade 10	1.2%	1.4%	3.6%	96.4%
Grade 11	1.3%	2.1%	5.0%	95.0%
Grade 12	2.2%	3.3%	6.6%	93.4%
<b>Methamphetamine</b>				
All	0.3%	0.4%	0.8%	99.2%
Grade 7	0.1%	0.3%	0.6%	99.4%
Grade 8	0.1%	0.1%	0.1%	99.9%
Grade 9	0.4%	0.5%	0.8%	99.2%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	0.7%	0.7%	1.2%	98.8%
Grade 12	0.2%	0.5%	1.2%	98.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 47 of 126

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.7%	20.5%	31.2%	68.8%
Grade 7	5.1%	6.9%	14.9%	85.1%
Grade 8	9.7%	12.1%	21.7%	78.3%
Grade 9	16.2%	20.6%	32.8%	67.2%
Grade 10	22.0%	26.9%	38.1%	61.9%
Grade 11	22.4%	27.2%	39.2%	60.8%
Grade 12	30.7%	36.1%	47.6%	52.4%
<b>Any Alcohol Product</b>				
All	34.4%	40.6%	56.3%	43.7%
Grade 7	18.6%	21.2%	37.7%	62.3%
Grade 8	24.1%	28.1%	46.7%	53.3%
Grade 9	36.3%	41.1%	58.3%	41.7%
Grade 10	40.9%	49.0%	61.7%	38.3%
Grade 11	39.9%	50.2%	66.5%	33.5%
Grade 12	54.6%	63.6%	75.7%	24.3%
<b>Any Illicit Drug</b>				
All	15.3%	19.4%	25.0%	75.0%
Grade 7	4.6%	7.4%	8.9%	91.1%
Grade 8	9.2%	11.3%	14.4%	85.6%
Grade 9	17.1%	21.3%	25.3%	74.7%
Grade 10	20.2%	23.1%	29.7%	70.3%
Grade 11	20.7%	25.7%	35.6%	64.4%
Grade 12	24.5%	33.9%	44.7%	55.3%
<b>Any Prescription Drug</b>				
All	7.7%	11.2%	18.4%	81.6%
Grade 7	5.9%	7.5%	14.2%	85.8%
Grade 8	7.8%	10.2%	16.4%	83.6%
Grade 9	8.3%	13.1%	18.9%	81.1%
Grade 10	9.4%	14.3%	22.0%	78.0%
Grade 11	6.5%	9.9%	19.5%	80.5%
Grade 12	8.9%	13.2%	21.2%	78.8%
<b>Any Inhalant</b>				
All	4.7%	6.5%	12.6%	87.4%
Grade 7	6.9%	8.6%	16.2%	83.8%
Grade 8	6.3%	8.5%	15.2%	84.8%
Grade 9	4.6%	7.3%	14.7%	85.3%
Grade 10	3.7%	4.6%	9.0%	91.0%
Grade 11	2.8%	4.1%	9.8%	90.2%
Grade 12	3.0%	4.7%	8.9%	91.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.2%	17.4%	27.0%	73.0%
Grade 7	2.6%	4.7%	10.6%	89.4%
Grade 8	6.7%	9.5%	17.7%	82.3%
Grade 9	13.1%	18.1%	29.5%	70.5%
Grade 10	17.1%	22.3%	33.2%	66.8%
Grade 11	18.3%	23.8%	35.5%	64.5%
Grade 12	26.9%	32.6%	43.1%	56.9%
<b>Marijuana</b>				
All	15.1%	17.8%	23.5%	76.5%
Grade 7	4.6%	5.6%	6.9%	93.1%
Grade 8	9.0%	9.9%	12.9%	87.1%
Grade 9	16.9%	19.6%	23.4%	76.6%
Grade 10	20.2%	22.1%	28.6%	71.4%
Grade 11	19.9%	24.0%	34.1%	65.9%
Grade 12	24.5%	31.6%	43.6%	56.4%
<b>Marijuana Only</b>				
All	9.5%	11.7%	16.5%	83.5%
Grade 7	2.5%	3.4%	4.5%	95.5%
Grade 8	5.7%	6.4%	8.7%	91.3%
Grade 9	10.1%	12.1%	15.7%	84.3%
Grade 10	11.0%	12.7%	18.3%	81.7%
Grade 11	14.0%	17.3%	26.1%	73.9%
Grade 12	16.8%	22.8%	32.6%	67.4%
<b>Cocaine or Crack</b>				
All	1.4%	1.5%	2.4%	97.6%
Grade 7	0.7%	0.8%	1.1%	98.9%
Grade 8	1.4%	1.4%	1.8%	98.2%
Grade 9	1.4%	1.5%	2.1%	97.9%
Grade 10	2.4%	2.4%	4.3%	95.7%
Grade 11	1.0%	1.0%	2.2%	97.8%
Grade 12	2.2%	2.3%	3.3%	96.7%
<b>Cocaine</b>				
All	1.3%	1.4%	2.1%	97.9%
Grade 7	0.6%	0.8%	0.9%	99.1%
Grade 8	1.2%	1.3%	1.5%	98.5%
Grade 9	1.4%	1.5%	1.9%	98.1%
Grade 10	2.3%	2.4%	4.3%	95.7%
Grade 11	0.7%	0.7%	1.9%	98.1%
Grade 12	2.0%	2.1%	2.7%	97.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.5%	0.5%	0.9%	99.1%
Grade 10	0.5%	0.5%	1.1%	98.9%
Grade 11	0.3%	0.3%	0.4%	99.6%
Grade 12	0.3%	0.3%	0.7%	99.3%
<b>Hallucinogens</b>				
All	0.6%	1.3%	2.7%	97.3%
Grade 7	0.1%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.6%	1.0%	99.0%
Grade 9	0.9%	2.0%	3.2%	96.8%
Grade 10	0.7%	2.2%	4.8%	95.2%
Grade 11	0.6%	1.3%	3.4%	96.6%
Grade 12	1.0%	2.0%	4.4%	95.6%
<b>Synthetic Cathinones</b>				
All	0.2%	0.2%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.1%	0.3%	1.1%	98.9%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.4%	0.4%	0.7%	99.3%
<b>Steroids</b>				
All	0.3%	0.5%	1.4%	98.6%
Grade 7	0.3%	0.5%	1.4%	98.6%
Grade 8	0.4%	0.8%	1.4%	98.6%
Grade 9	0.0%	0.1%	0.9%	99.1%
Grade 10	0.3%	0.6%	1.9%	98.1%
Grade 11	0.4%	0.5%	2.1%	97.9%
Grade 12	0.2%	0.2%	0.9%	99.1%
<b>Ecstasy</b>				
All	0.7%	1.0%	2.1%	97.9%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.5%	0.6%	1.1%	98.9%
Grade 9	1.0%	1.5%	2.3%	97.7%
Grade 10	1.5%	2.3%	4.7%	95.3%
Grade 11	0.0%	0.4%	2.2%	97.8%
Grade 12	1.4%	1.4%	2.6%	97.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade  
Female Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.5%	0.6%	0.8%	99.2%
Grade 9	0.2%	0.4%	0.5%	99.5%
Grade 10	0.2%	0.4%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.2%	0.2%	99.8%
<b>Synthetic Marijuana</b>				
All	1.2%	1.8%	3.8%	96.2%
Grade 7	0.9%	1.5%	1.8%	98.2%
Grade 8	0.7%	1.1%	2.0%	98.0%
Grade 9	2.0%	2.4%	5.2%	94.8%
Grade 10	1.9%	3.1%	5.9%	94.1%
Grade 11	1.2%	1.8%	4.0%	96.0%
Grade 12	0.6%	1.0%	4.6%	95.4%
<b>Methamphetamine</b>				
All	0.2%	0.4%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.6%	0.6%	0.9%	99.1%
Grade 9	0.0%	0.1%	0.9%	99.1%
Grade 10	0.1%	0.7%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.4%	0.8%	99.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 51 of 126

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	22.0%	26.0%	34.7%	65.3%
Grade 7	4.7%	6.6%	13.3%	86.7%
Grade 8	11.0%	14.1%	21.5%	78.5%
Grade 9	16.0%	20.9%	30.7%	69.3%
Grade 10	29.9%	34.6%	44.1%	55.9%
Grade 11	27.4%	32.8%	43.5%	56.5%
Grade 12	45.8%	49.6%	57.7%	42.3%
<b>Any Alcohol Product</b>				
All	32.7%	39.6%	56.7%	43.3%
Grade 7	15.7%	20.1%	40.3%	59.7%
Grade 8	21.7%	27.2%	47.5%	52.5%
Grade 9	24.3%	30.9%	49.1%	50.9%
Grade 10	39.6%	47.4%	63.2%	36.8%
Grade 11	39.9%	51.7%	65.9%	34.1%
Grade 12	58.5%	63.5%	76.8%	23.2%
<b>Any Illicit Drug</b>				
All	13.4%	17.7%	23.9%	76.1%
Grade 7	1.4%	2.5%	4.6%	95.4%
Grade 8	4.7%	6.4%	10.6%	89.4%
Grade 9	12.4%	18.1%	20.9%	79.1%
Grade 10	17.2%	21.2%	28.6%	71.4%
Grade 11	20.4%	25.7%	36.3%	63.7%
Grade 12	26.0%	33.9%	44.9%	55.1%
<b>Any Prescription Drug</b>				
All	7.6%	11.3%	19.9%	80.1%
Grade 7	5.7%	7.4%	14.3%	85.7%
Grade 8	7.6%	10.0%	18.2%	81.8%
Grade 9	5.7%	10.8%	17.4%	82.6%
Grade 10	9.4%	14.5%	23.7%	76.3%
Grade 11	6.5%	8.8%	18.8%	81.2%
Grade 12	11.3%	16.9%	28.0%	72.0%
<b>Any Inhalant</b>				
All	3.2%	4.8%	10.8%	89.2%
Grade 7	4.9%	5.7%	12.9%	87.1%
Grade 8	5.5%	8.2%	13.4%	86.6%
Grade 9	2.3%	4.8%	9.3%	90.7%
Grade 10	1.4%	2.1%	6.3%	93.7%
Grade 11	1.9%	2.3%	10.0%	90.0%
Grade 12	2.9%	5.9%	13.6%	86.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	17.7%	22.0%	30.9%	69.1%
Grade 7	2.1%	4.3%	10.6%	89.4%
Grade 8	7.4%	10.1%	16.7%	83.3%
Grade 9	13.0%	18.4%	27.4%	72.6%
Grade 10	23.6%	29.1%	38.9%	61.1%
Grade 11	22.6%	27.8%	41.8%	58.2%
Grade 12	39.9%	44.4%	52.3%	47.7%
<b>Marijuana</b>				
All	13.1%	16.1%	22.6%	77.4%
Grade 7	1.1%	1.6%	3.4%	96.6%
Grade 8	4.7%	5.8%	9.0%	91.0%
Grade 9	11.9%	14.7%	18.2%	81.8%
Grade 10	17.2%	20.5%	27.6%	72.4%
Grade 11	19.6%	23.0%	35.7%	64.3%
Grade 12	25.8%	33.0%	44.6%	55.4%
<b>Marijuana Only</b>				
All	8.1%	10.6%	16.2%	83.8%
Grade 7	0.8%	1.3%	2.2%	97.8%
Grade 8	2.4%	3.5%	5.9%	94.1%
Grade 9	7.4%	9.7%	12.8%	87.2%
Grade 10	10.8%	13.4%	20.0%	80.0%
Grade 11	12.5%	15.1%	26.7%	73.3%
Grade 12	15.4%	22.1%	32.1%	67.9%
<b>Cocaine or Crack</b>				
All	1.2%	1.3%	2.2%	97.8%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.3%	0.4%	0.4%	99.6%
Grade 10	1.8%	1.9%	3.1%	96.9%
Grade 11	1.9%	2.1%	3.9%	96.1%
Grade 12	1.5%	1.9%	4.6%	95.4%
<b>Cocaine</b>				
All	1.1%	1.3%	2.2%	97.8%
Grade 7	0.6%	0.6%	0.6%	99.4%
Grade 8	0.9%	0.9%	0.9%	99.1%
Grade 9	0.3%	0.4%	0.4%	99.6%
Grade 10	1.8%	1.9%	3.1%	96.9%
Grade 11	1.9%	2.1%	3.9%	96.1%
Grade 12	1.4%	1.7%	4.4%	95.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.4%	99.6%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.6%	99.4%
Grade 11	0.4%	0.4%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.4%	99.6%
<b>Hallucinogens</b>				
All	0.9%	2.1%	4.0%	96.0%
Grade 7	0.0%	0.4%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.8%	99.2%
Grade 9	0.3%	1.1%	2.0%	98.0%
Grade 10	0.7%	3.2%	5.9%	94.1%
Grade 11	2.2%	2.7%	5.6%	94.4%
Grade 12	2.0%	4.8%	9.6%	90.4%
<b>Synthetic Cathinones</b>				
All	0.1%	0.1%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.3%	0.3%	1.5%	98.5%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.2%	0.4%	99.6%
<b>Steroids</b>				
All	0.6%	0.9%	1.5%	98.5%
Grade 7	0.0%	0.7%	0.7%	99.3%
Grade 8	0.8%	1.4%	1.4%	98.6%
Grade 9	0.5%	0.7%	1.2%	98.8%
Grade 10	0.6%	0.6%	2.4%	97.6%
Grade 11	0.9%	1.0%	1.6%	98.4%
Grade 12	0.6%	1.0%	1.6%	98.4%
<b>Ecstasy</b>				
All	0.4%	0.7%	1.8%	98.2%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.6%	0.6%	1.0%	99.0%
Grade 9	0.2%	0.7%	1.1%	98.9%
Grade 10	0.4%	0.7%	2.8%	97.2%
Grade 11	0.6%	0.6%	1.5%	98.5%
Grade 12	0.8%	2.0%	4.4%	95.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade  
White Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.1%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.3%	0.3%	99.7%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Synthetic Marijuana</b>				
All	0.9%	1.2%	2.8%	97.2%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	1.0%	1.4%	2.2%	97.8%
Grade 9	1.4%	1.4%	3.6%	96.4%
Grade 10	0.7%	1.2%	3.3%	96.7%
Grade 11	1.2%	1.9%	5.0%	95.0%
Grade 12	1.0%	1.0%	1.9%	98.1%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.3%	1.3%	98.7%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.2%	0.2%	1.6%	98.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	7.3%	10.5%	19.0%	81.0%
Grade 7	5.4%	6.1%	11.6%	88.4%
Grade 8	4.9%	7.8%	16.2%	83.8%
Grade 9	3.3%	5.3%	18.2%	81.8%
Grade 10	0.6%	6.0%	14.9%	85.1%
Grade 11	15.8%	17.8%	26.3%	73.7%
Grade 12	24.6%	36.1%	47.1%	52.9%
<b>Any Alcohol Product</b>				
All	22.2%	29.2%	44.2%	55.8%
Grade 7	15.8%	18.9%	33.6%	66.4%
Grade 8	16.5%	21.8%	38.6%	61.4%
Grade 9	24.7%	26.7%	47.1%	52.9%
Grade 10	25.3%	27.4%	38.3%	61.7%
Grade 11	28.8%	46.1%	60.9%	39.1%
Grade 12	41.3%	66.3%	75.0%	25.0%
<b>Any Illicit Drug</b>				
All	13.5%	17.1%	21.4%	78.6%
Grade 7	5.8%	9.8%	11.8%	88.2%
Grade 8	7.2%	9.1%	11.5%	88.5%
Grade 9	16.8%	20.8%	24.7%	75.3%
Grade 10	8.0%	13.3%	22.3%	77.7%
Grade 11	31.2%	37.4%	42.6%	57.4%
Grade 12	35.1%	35.1%	43.8%	56.2%
<b>Any Prescription Drug</b>				
All	5.8%	7.6%	15.0%	85.0%
Grade 7	4.4%	6.2%	10.1%	89.9%
Grade 8	6.8%	8.1%	13.1%	86.9%
Grade 9	4.1%	4.1%	10.3%	89.7%
Grade 10	8.2%	10.1%	19.4%	80.6%
Grade 11	6.6%	8.7%	26.0%	74.0%
Grade 12	4.5%	10.4%	19.8%	80.2%
<b>Any Inhalant</b>				
All	4.7%	6.2%	11.0%	89.0%
Grade 7	5.3%	6.8%	11.5%	88.5%
Grade 8	6.7%	7.9%	15.7%	84.3%
Grade 9	1.9%	1.9%	5.9%	94.1%
Grade 10	2.0%	2.0%	3.9%	96.1%
Grade 11	4.1%	10.3%	16.5%	83.5%
Grade 12	6.0%	6.0%	6.0%	94.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	4.8%	8.3%	16.6%	83.4%
Grade 7	0.8%	2.1%	7.6%	92.4%
Grade 8	3.2%	6.1%	13.1%	86.9%
Grade 9	3.5%	5.5%	15.2%	84.8%
Grade 10	0.6%	4.2%	13.3%	86.7%
Grade 11	9.6%	13.7%	26.3%	73.7%
Grade 12	23.1%	36.1%	46.7%	53.3%
<b>Marijuana</b>				
All	12.8%	15.4%	20.1%	79.9%
Grade 7	5.0%	7.1%	9.1%	90.9%
Grade 8	6.2%	7.1%	10.0%	90.0%
Grade 9	16.8%	20.8%	24.7%	75.3%
Grade 10	8.1%	11.9%	21.0%	79.0%
Grade 11	29.1%	35.3%	42.6%	57.4%
Grade 12	35.1%	35.1%	43.8%	56.2%
<b>Marijuana Only</b>				
All	9.8%	12.3%	15.6%	84.4%
Grade 7	3.3%	5.3%	7.2%	92.8%
Grade 8	4.7%	5.6%	7.4%	92.6%
Grade 9	16.8%	20.8%	24.7%	75.3%
Grade 10	6.3%	9.9%	18.5%	81.5%
Grade 11	20.5%	26.5%	27.6%	72.4%
Grade 12	25.0%	25.0%	30.5%	69.5%
<b>Cocaine or Crack</b>				
All	0.9%	1.0%	1.0%	99.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.0%	1.6%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.1%	2.1%	2.1%	97.9%
Grade 12	4.3%	4.3%	4.3%	95.7%
<b>Cocaine</b>				
All	0.7%	0.9%	0.9%	99.1%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	1.6%	1.6%	98.4%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.1%	2.1%	2.1%	97.9%
Grade 12	2.9%	2.9%	2.9%	97.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	1.4%	1.4%	1.4%	98.6%
<b>Hallucinogens</b>				
All	0.7%	1.2%	1.5%	98.5%
Grade 7	0.8%	1.3%	1.3%	98.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.1%	4.2%	6.3%	93.7%
Grade 12	3.0%	4.5%	4.5%	95.5%
<b>Synthetic Cathinones</b>				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	2.9%	2.9%	4.3%	95.7%
<b>Steroids</b>				
All	0.5%	0.6%	2.1%	97.9%
Grade 7	1.4%	1.4%	3.2%	96.8%
Grade 8	0.0%	0.5%	2.2%	97.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	4.1%	95.9%
Grade 12	1.4%	1.4%	1.4%	98.6%
<b>Ecstasy</b>				
All	0.6%	0.6%	1.3%	98.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.1%	2.1%	6.2%	93.8%
Grade 12	4.3%	4.3%	5.8%	94.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade  
African American Non-Hispanic Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.5%	0.6%	0.6%	99.4%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.0%	1.0%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	2.1%	2.1%	2.1%	97.9%
Grade 12	0.0%	1.4%	1.4%	98.6%
<b>Synthetic Marijuana</b>				
All	0.6%	0.9%	2.2%	97.8%
Grade 7	1.2%	1.4%	1.4%	98.6%
Grade 8	0.5%	0.5%	1.1%	98.9%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.0%	2.1%	6.2%	93.8%
Grade 12	1.4%	1.4%	7.2%	92.8%
<b>Methamphetamine</b>				
All	0.1%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	0.5%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.0%	0.0%	1.4%	98.6%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	17.7%	21.7%	32.6%	67.4%
Grade 7	7.7%	9.0%	16.4%	83.6%
Grade 8	9.7%	12.2%	23.1%	76.9%
Grade 9	19.0%	23.9%	35.2%	64.8%
Grade 10	22.5%	27.2%	37.2%	62.8%
Grade 11	21.2%	26.7%	41.2%	58.8%
Grade 12	30.5%	36.3%	49.0%	51.0%
<b>Any Alcohol Product</b>				
All	33.6%	38.7%	54.2%	45.8%
Grade 7	17.7%	20.2%	36.5%	63.5%
Grade 8	24.5%	27.5%	46.2%	53.8%
Grade 9	34.6%	39.5%	54.0%	46.0%
Grade 10	40.2%	46.5%	60.2%	39.8%
Grade 11	37.0%	45.0%	62.3%	37.7%
Grade 12	54.3%	61.5%	73.2%	26.8%
<b>Any Illicit Drug</b>				
All	15.7%	20.0%	25.2%	74.8%
Grade 7	6.1%	8.6%	10.6%	89.4%
Grade 8	10.1%	12.7%	16.2%	83.8%
Grade 9	17.2%	20.8%	24.1%	75.9%
Grade 10	19.2%	23.1%	28.5%	71.5%
Grade 11	18.4%	24.1%	32.8%	67.2%
Grade 12	26.6%	35.7%	46.0%	54.0%
<b>Any Prescription Drug</b>				
All	7.6%	11.1%	18.3%	81.7%
Grade 7	5.3%	7.3%	13.4%	86.6%
Grade 8	7.9%	10.0%	16.4%	83.6%
Grade 9	9.5%	13.8%	20.1%	79.9%
Grade 10	8.2%	12.9%	21.1%	78.9%
Grade 11	6.6%	11.2%	18.5%	81.5%
Grade 12	7.7%	11.6%	21.1%	78.9%
<b>Any Inhalant</b>				
All	4.8%	6.2%	11.9%	88.1%
Grade 7	6.0%	7.3%	13.8%	86.2%
Grade 8	6.5%	8.5%	16.0%	84.0%
Grade 9	5.0%	7.5%	13.9%	86.1%
Grade 10	4.2%	5.7%	10.3%	89.7%
Grade 11	2.9%	3.6%	8.3%	91.7%
Grade 12	3.2%	3.8%	7.3%	92.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.0%	17.5%	27.7%	72.3%
Grade 7	4.7%	6.2%	11.8%	88.2%
Grade 8	6.3%	9.3%	18.8%	81.2%
Grade 9	16.1%	21.3%	31.6%	68.4%
Grade 10	16.1%	21.2%	32.0%	68.0%
Grade 11	15.7%	22.5%	35.5%	64.5%
Grade 12	22.4%	28.7%	41.6%	58.4%
<b>Marijuana</b>				
All	15.4%	18.1%	23.5%	76.5%
Grade 7	5.8%	6.7%	8.7%	91.3%
Grade 8	10.0%	11.5%	14.9%	85.1%
Grade 9	17.1%	19.1%	22.3%	77.7%
Grade 10	18.9%	21.2%	27.1%	72.9%
Grade 11	18.0%	21.8%	30.8%	69.2%
Grade 12	26.2%	33.3%	44.3%	55.7%
<b>Marijuana Only</b>				
All	8.9%	10.9%	15.5%	84.5%
Grade 7	3.0%	3.6%	5.5%	94.5%
Grade 8	5.9%	7.0%	9.9%	90.1%
Grade 9	9.6%	11.0%	13.7%	86.3%
Grade 10	10.7%	12.5%	17.4%	82.6%
Grade 11	11.3%	14.3%	22.6%	77.4%
Grade 12	15.3%	20.2%	29.3%	70.7%
<b>Cocaine or Crack</b>				
All	1.6%	1.8%	2.9%	97.1%
Grade 7	0.7%	1.0%	1.4%	98.6%
Grade 8	1.0%	1.0%	1.6%	98.4%
Grade 9	1.9%	1.9%	2.6%	97.4%
Grade 10	2.2%	2.2%	4.0%	96.0%
Grade 11	1.4%	1.8%	3.1%	96.9%
Grade 12	2.8%	3.4%	5.7%	94.3%
<b>Cocaine</b>				
All	1.4%	1.6%	2.6%	97.4%
Grade 7	0.6%	0.8%	1.0%	99.0%
Grade 8	0.9%	1.0%	1.3%	98.7%
Grade 9	1.7%	1.8%	2.2%	97.8%
Grade 10	2.1%	2.1%	3.9%	96.1%
Grade 11	1.1%	1.5%	2.8%	97.2%
Grade 12	2.5%	3.1%	5.2%	94.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.6%	0.9%	99.1%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.8%	0.8%	1.2%	98.8%
Grade 10	0.8%	0.8%	1.3%	98.7%
Grade 11	0.4%	0.4%	0.8%	99.2%
Grade 12	0.4%	0.4%	1.0%	99.0%
<b>Hallucinogens</b>				
All	0.8%	1.4%	3.2%	96.8%
Grade 7	0.4%	0.4%	0.8%	99.2%
Grade 8	0.2%	0.3%	1.2%	98.8%
Grade 9	1.4%	2.1%	4.0%	96.0%
Grade 10	1.4%	2.1%	4.3%	95.7%
Grade 11	0.9%	1.6%	3.4%	96.6%
Grade 12	0.8%	2.3%	6.9%	93.1%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.1%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.3%	0.7%	99.3%
Grade 10	0.4%	0.5%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.3%	99.7%
Grade 12	0.4%	0.4%	0.4%	99.6%
<b>Steroids</b>				
All	0.4%	0.4%	1.3%	98.7%
Grade 7	0.3%	0.4%	1.1%	98.9%
Grade 8	0.4%	0.5%	1.3%	98.7%
Grade 9	0.4%	0.4%	1.1%	98.9%
Grade 10	0.2%	0.5%	1.5%	98.5%
Grade 11	0.6%	0.6%	1.7%	98.3%
Grade 12	0.2%	0.3%	1.1%	98.9%
<b>Ecstasy</b>				
All	0.9%	1.3%	2.6%	97.4%
Grade 7	0.1%	0.1%	0.4%	99.6%
Grade 8	0.6%	0.8%	1.6%	98.4%
Grade 9	1.7%	2.3%	3.5%	96.5%
Grade 10	1.6%	2.3%	3.9%	96.1%
Grade 11	0.4%	1.0%	2.9%	97.1%
Grade 12	1.2%	1.7%	4.0%	96.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade  
Hispanic or Latino Students**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.2%	0.3%	0.7%	99.3%
Grade 7	0.3%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.0%	0.2%	1.0%	99.0%
Grade 11	0.1%	0.1%	0.7%	99.3%
Grade 12	0.2%	0.2%	0.3%	99.7%
<b>Synthetic Marijuana</b>				
All	1.5%	2.4%	4.6%	95.4%
Grade 7	0.8%	1.5%	2.4%	97.6%
Grade 8	1.1%	1.7%	3.0%	97.0%
Grade 9	2.2%	3.3%	6.0%	94.0%
Grade 10	2.0%	2.9%	5.7%	94.3%
Grade 11	1.5%	1.9%	4.4%	95.6%
Grade 12	1.5%	2.8%	6.9%	93.1%
<b>Methamphetamine</b>				
All	0.3%	0.5%	1.0%	99.0%
Grade 7	0.2%	0.4%	0.7%	99.3%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.4%	0.5%	1.4%	98.6%
Grade 10	0.4%	0.8%	1.3%	98.7%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	0.0%	0.6%	0.9%	99.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	14.3%	17.8%	26.8%	73.2%
Grade 7	3.3%	4.9%	11.3%	88.7%
Grade 8	6.7%	9.4%	19.6%	80.4%
Grade 9	10.8%	14.4%	22.8%	77.2%
Grade 10	16.8%	20.7%	29.1%	70.9%
Grade 11	17.2%	20.8%	30.0%	70.0%
Grade 12	34.2%	39.9%	51.3%	48.7%
<b>Any Alcohol Product</b>				
All	28.2%	34.4%	50.9%	49.1%
Grade 7	12.7%	16.5%	32.4%	67.6%
Grade 8	19.7%	23.2%	43.5%	56.5%
Grade 9	22.4%	27.6%	42.4%	57.6%
Grade 10	32.7%	41.9%	56.8%	43.2%
Grade 11	34.9%	42.6%	61.5%	38.5%
Grade 12	51.3%	60.3%	74.2%	25.8%
<b>Any Illicit Drug</b>				
All	10.0%	13.9%	18.9%	81.1%
Grade 7	1.4%	4.2%	6.0%	94.0%
Grade 8	3.4%	5.2%	8.8%	91.2%
Grade 9	9.6%	12.1%	14.9%	85.1%
Grade 10	12.2%	14.7%	18.4%	81.6%
Grade 11	14.8%	19.1%	27.7%	72.3%
Grade 12	20.8%	31.3%	41.6%	58.4%
<b>Any Prescription Drug</b>				
All	6.2%	9.4%	15.5%	84.5%
Grade 7	4.6%	7.6%	13.5%	86.5%
Grade 8	7.5%	9.0%	15.2%	84.8%
Grade 9	5.0%	8.6%	12.0%	88.0%
Grade 10	7.2%	12.0%	17.7%	82.3%
Grade 11	6.9%	10.0%	19.2%	80.8%
Grade 12	6.1%	9.5%	16.4%	83.6%
<b>Any Inhalant</b>				
All	2.8%	4.1%	9.2%	90.8%
Grade 7	3.7%	4.9%	9.7%	90.3%
Grade 8	4.1%	7.1%	14.5%	85.5%
Grade 9	2.5%	3.8%	8.0%	92.0%
Grade 10	1.8%	2.0%	6.0%	94.0%
Grade 11	2.9%	3.0%	8.9%	91.1%
Grade 12	1.9%	3.0%	7.1%	92.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	11.6%	15.1%	23.3%	76.7%
Grade 7	1.7%	3.6%	8.8%	91.2%
Grade 8	4.7%	6.8%	15.0%	85.0%
Grade 9	9.5%	13.6%	20.6%	79.4%
Grade 10	12.9%	16.7%	25.3%	74.7%
Grade 11	13.8%	17.3%	27.9%	72.1%
Grade 12	29.3%	35.4%	45.2%	54.8%
<b>Marijuana</b>				
All	9.8%	12.4%	17.5%	82.5%
Grade 7	1.4%	2.0%	3.1%	96.9%
Grade 8	3.2%	4.2%	7.4%	92.6%
Grade 9	9.2%	10.2%	13.1%	86.9%
Grade 10	12.0%	14.2%	18.2%	81.8%
Grade 11	14.8%	17.2%	26.9%	73.1%
Grade 12	20.8%	30.0%	40.7%	59.3%
<b>Marijuana Only</b>				
All	6.7%	8.7%	13.1%	86.9%
Grade 7	0.5%	1.0%	2.1%	97.9%
Grade 8	2.4%	3.2%	5.5%	94.5%
Grade 9	5.8%	6.2%	8.7%	91.3%
Grade 10	8.8%	10.2%	14.0%	86.0%
Grade 11	10.9%	13.0%	21.6%	78.4%
Grade 12	13.4%	21.1%	30.7%	69.3%
<b>Cocaine or Crack</b>				
All	0.9%	1.2%	1.7%	98.3%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	1.2%	1.2%	1.4%	98.6%
Grade 10	1.3%	1.8%	2.2%	97.8%
Grade 11	0.2%	0.8%	1.9%	98.1%
Grade 12	1.8%	2.8%	4.1%	95.9%
<b>Cocaine</b>				
All	0.8%	1.2%	1.6%	98.4%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	1.2%	1.2%	1.2%	98.8%
Grade 10	0.9%	1.4%	1.8%	98.2%
Grade 11	0.2%	0.8%	1.9%	98.1%
Grade 12	1.8%	2.8%	4.0%	96.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.9%	0.9%	1.0%	99.0%
Grade 10	0.7%	1.1%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.7%	99.3%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Hallucinogens</b>				
All	0.5%	1.2%	2.2%	97.8%
Grade 7	0.0%	0.1%	0.7%	99.3%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.5%	1.3%	1.6%	98.4%
Grade 10	0.5%	1.3%	1.8%	98.2%
Grade 11	1.2%	2.0%	3.4%	96.6%
Grade 12	0.9%	2.4%	5.7%	94.3%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.1%	0.4%	0.5%	99.5%
Grade 10	0.5%	0.8%	0.9%	99.1%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Steroids</b>				
All	0.2%	0.4%	1.0%	99.0%
Grade 7	0.0%	0.3%	0.7%	99.3%
Grade 8	0.3%	0.6%	1.2%	98.8%
Grade 9	0.0%	0.2%	0.2%	99.8%
Grade 10	0.3%	0.3%	1.0%	99.0%
Grade 11	0.2%	0.2%	2.4%	97.6%
Grade 12	0.5%	0.5%	0.6%	99.4%
<b>Ecstasy</b>				
All	0.4%	0.7%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.7%	1.4%	2.1%	97.9%
Grade 10	0.0%	0.7%	1.0%	99.0%
Grade 11	0.6%	1.1%	1.9%	98.1%
Grade 12	0.9%	1.0%	2.2%	97.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting A Grades on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.0%	0.1%	0.3%	99.7%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.1%	0.4%	0.7%	99.3%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.1%	0.1%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
<b>Synthetic Marijuana</b>				
All	0.6%	0.9%	1.9%	98.1%
Grade 7	0.3%	0.5%	1.0%	99.0%
Grade 8	0.0%	0.3%	0.5%	99.5%
Grade 9	1.1%	1.3%	2.3%	97.7%
Grade 10	1.0%	1.8%	2.3%	97.7%
Grade 11	0.3%	0.3%	2.4%	97.6%
Grade 12	0.6%	1.1%	3.2%	96.8%
<b>Methamphetamine</b>				
All	0.2%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.2%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.6%	0.6%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.4%	99.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 67 of 126

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	18.6%	22.8%	33.3%	66.7%
Grade 7	7.3%	8.9%	16.3%	83.7%
Grade 8	10.1%	13.1%	23.3%	76.7%
Grade 9	20.4%	26.1%	37.2%	62.8%
Grade 10	24.1%	29.4%	39.7%	60.3%
Grade 11	26.7%	32.1%	47.0%	53.0%
Grade 12	35.5%	40.7%	51.8%	48.2%
<b>Any Alcohol Product</b>				
All	33.2%	38.8%	54.7%	45.3%
Grade 7	18.6%	21.5%	39.4%	60.6%
Grade 8	23.4%	28.0%	46.2%	53.8%
Grade 9	35.5%	40.9%	57.7%	42.3%
Grade 10	41.3%	47.1%	60.5%	39.5%
Grade 11	39.6%	49.7%	63.8%	36.2%
Grade 12	56.5%	63.3%	75.5%	24.5%
<b>Any Illicit Drug</b>				
All	17.2%	21.2%	26.9%	73.1%
Grade 7	6.4%	8.8%	10.9%	89.1%
Grade 8	10.8%	13.4%	16.9%	83.1%
Grade 9	19.4%	24.6%	28.5%	71.5%
Grade 10	20.4%	24.2%	32.3%	67.7%
Grade 11	24.7%	30.3%	39.0%	61.0%
Grade 12	32.0%	38.6%	49.8%	50.2%
<b>Any Prescription Drug</b>				
All	7.9%	11.4%	19.9%	80.1%
Grade 7	5.9%	7.4%	13.8%	86.2%
Grade 8	7.5%	10.0%	16.5%	83.5%
Grade 9	9.7%	14.7%	23.5%	76.5%
Grade 10	9.6%	14.0%	22.7%	77.3%
Grade 11	6.4%	11.0%	21.3%	78.7%
Grade 12	9.1%	13.3%	26.9%	73.1%
<b>Any Inhalant</b>				
All	5.2%	6.9%	13.2%	86.8%
Grade 7	6.1%	7.2%	14.6%	85.4%
Grade 8	7.1%	8.8%	15.2%	84.8%
Grade 9	5.1%	8.0%	15.0%	85.0%
Grade 10	3.8%	4.8%	9.4%	90.6%
Grade 11	3.4%	5.2%	11.0%	89.0%
Grade 12	4.8%	5.8%	12.5%	87.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	13.6%	18.1%	28.5%	71.5%
Grade 7	4.1%	5.8%	11.8%	88.2%
Grade 8	6.5%	9.8%	18.8%	81.2%
Grade 9	16.5%	22.2%	33.8%	66.2%
Grade 10	16.7%	22.3%	33.3%	66.7%
Grade 11	20.8%	27.4%	42.1%	57.9%
Grade 12	26.6%	32.9%	45.5%	54.5%
<b>Marijuana</b>				
All	16.8%	19.4%	25.2%	74.8%
Grade 7	6.0%	7.1%	9.3%	90.7%
Grade 8	10.5%	12.1%	15.4%	84.6%
Grade 9	19.3%	22.7%	26.7%	73.3%
Grade 10	20.4%	22.4%	30.9%	69.1%
Grade 11	23.5%	27.6%	37.3%	62.7%
Grade 12	31.3%	36.1%	47.9%	52.1%
<b>Marijuana Only</b>				
All	9.9%	11.8%	16.6%	83.4%
Grade 7	3.4%	4.4%	6.1%	93.9%
Grade 8	5.9%	7.2%	10.0%	90.0%
Grade 9	11.9%	14.6%	18.2%	81.8%
Grade 10	11.0%	12.4%	19.7%	80.3%
Grade 11	15.3%	18.3%	26.0%	74.0%
Grade 12	17.7%	20.9%	30.1%	69.9%
<b>Cocaine or Crack</b>				
All	1.6%	1.7%	2.9%	97.1%
Grade 7	0.7%	0.9%	1.2%	98.8%
Grade 8	1.2%	1.3%	1.8%	98.2%
Grade 9	1.2%	1.3%	2.0%	98.0%
Grade 10	2.3%	2.3%	4.2%	95.8%
Grade 11	2.1%	2.2%	3.5%	96.5%
Grade 12	3.2%	3.4%	7.4%	92.6%
<b>Cocaine</b>				
All	1.5%	1.6%	2.7%	97.3%
Grade 7	0.6%	0.8%	0.9%	99.1%
Grade 8	1.0%	1.3%	1.5%	98.5%
Grade 9	1.2%	1.3%	1.7%	98.3%
Grade 10	2.3%	2.3%	4.2%	95.8%
Grade 11	2.1%	2.2%	3.4%	96.6%
Grade 12	2.5%	2.7%	6.5%	93.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.6%	0.6%	1.4%	98.6%
Grade 11	0.3%	0.4%	0.4%	99.6%
Grade 12	0.9%	0.9%	1.5%	98.5%
<b>Hallucinogens</b>				
All	0.9%	1.6%	3.7%	96.3%
Grade 7	0.4%	0.7%	0.9%	99.1%
Grade 8	0.4%	0.5%	1.2%	98.8%
Grade 9	1.0%	1.8%	3.9%	96.1%
Grade 10	1.4%	2.7%	5.7%	94.3%
Grade 11	1.6%	2.3%	4.6%	95.4%
Grade 12	1.1%	3.0%	9.4%	90.6%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.5%	99.5%
Grade 10	0.0%	0.1%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.5%	99.5%
Grade 12	0.4%	0.5%	0.9%	99.1%
<b>Steroids</b>				
All	0.5%	0.6%	1.5%	98.5%
Grade 7	0.6%	0.8%	1.6%	98.4%
Grade 8	0.3%	0.6%	1.3%	98.7%
Grade 9	0.5%	0.5%	1.6%	98.4%
Grade 10	0.3%	0.4%	1.2%	98.8%
Grade 11	0.9%	0.9%	1.7%	98.3%
Grade 12	0.5%	0.5%	1.6%	98.4%
<b>Ecstasy</b>				
All	1.0%	1.4%	2.6%	97.4%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.8%	0.9%	1.6%	98.4%
Grade 9	1.3%	1.6%	2.4%	97.6%
Grade 10	2.3%	2.9%	4.4%	95.6%
Grade 11	0.7%	1.0%	3.7%	96.3%
Grade 12	1.5%	2.8%	5.2%	94.8%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade Students Reporting Grades Lower Than an A on Average**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.3%	0.4%	0.6%	99.4%
Grade 7	0.2%	0.2%	0.3%	99.7%
Grade 8	0.7%	0.8%	0.9%	99.1%
Grade 9	0.2%	0.2%	0.3%	99.7%
Grade 10	0.2%	0.4%	1.5%	98.5%
Grade 11	0.3%	0.4%	0.4%	99.6%
Grade 12	0.2%	0.4%	0.6%	99.4%
<b>Synthetic Marijuana</b>				
All	1.6%	2.4%	4.9%	95.1%
Grade 7	0.8%	1.4%	2.1%	97.9%
Grade 8	1.5%	2.0%	3.6%	96.4%
Grade 9	2.1%	2.9%	6.5%	93.5%
Grade 10	2.2%	2.8%	5.7%	94.3%
Grade 11	1.8%	3.0%	6.1%	93.9%
Grade 12	1.8%	3.0%	7.5%	92.5%
<b>Methamphetamine</b>				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.2%	0.2%	0.6%	99.4%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	0.1%	0.2%	1.1%	98.9%
Grade 10	0.4%	0.9%	1.9%	98.1%
Grade 11	0.3%	0.3%	1.0%	99.0%
Grade 12	0.2%	0.5%	0.9%	99.1%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 71 of 126

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.0%	19.4%	28.3%	71.7%
Grade 7	5.0%	6.6%	12.7%	87.3%
Grade 8	8.3%	10.4%	18.6%	81.4%
Grade 9	15.0%	18.9%	27.9%	72.1%
Grade 10	20.8%	25.8%	33.6%	66.4%
Grade 11	19.8%	24.4%	36.0%	64.0%
Grade 12	33.5%	38.1%	49.4%	50.6%
<b>Any Alcohol Product</b>				
All	29.4%	34.9%	50.0%	50.0%
Grade 7	14.1%	17.4%	34.4%	65.6%
Grade 8	21.0%	25.1%	41.5%	58.5%
Grade 9	26.6%	30.8%	46.2%	53.8%
Grade 10	36.2%	42.4%	56.5%	43.5%
Grade 11	34.6%	43.3%	58.9%	41.1%
Grade 12	53.0%	60.6%	71.4%	28.6%
<b>Any Illicit Drug</b>				
All	11.8%	15.4%	20.4%	79.6%
Grade 7	3.1%	5.5%	7.3%	92.7%
Grade 8	6.4%	8.4%	11.7%	88.3%
Grade 9	12.1%	15.7%	19.3%	80.7%
Grade 10	14.0%	16.4%	21.2%	78.8%
Grade 11	16.0%	20.2%	29.2%	70.8%
Grade 12	23.7%	32.2%	41.7%	58.3%
<b>Any Prescription Drug</b>				
All	6.5%	9.3%	16.3%	83.7%
Grade 7	5.6%	7.5%	13.4%	86.6%
Grade 8	6.5%	8.5%	14.3%	85.7%
Grade 9	7.1%	10.8%	16.6%	83.4%
Grade 10	6.2%	9.8%	17.3%	82.7%
Grade 11	5.2%	7.4%	16.1%	83.9%
Grade 12	8.4%	12.4%	21.9%	78.1%
<b>Any Inhalant</b>				
All	3.9%	5.1%	10.7%	89.3%
Grade 7	5.4%	6.4%	12.6%	87.4%
Grade 8	5.1%	7.2%	14.0%	86.0%
Grade 9	3.8%	5.2%	10.8%	89.2%
Grade 10	3.2%	4.2%	8.7%	91.3%
Grade 11	2.6%	2.9%	8.2%	91.8%
Grade 12	2.4%	3.6%	8.8%	91.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	12.1%	16.2%	24.4%	75.6%
Grade 7	2.5%	4.2%	9.3%	90.7%
Grade 8	5.4%	7.6%	14.6%	85.4%
Grade 9	12.2%	16.8%	25.5%	74.5%
Grade 10	15.6%	20.9%	29.1%	70.9%
Grade 11	15.4%	20.8%	31.8%	68.2%
Grade 12	26.9%	33.4%	43.8%	56.2%
<b>Marijuana</b>				
All	11.5%	13.6%	18.8%	81.2%
Grade 7	2.9%	3.7%	5.1%	94.9%
Grade 8	6.2%	7.2%	10.4%	89.6%
Grade 9	11.9%	13.5%	17.1%	82.9%
Grade 10	14.0%	15.6%	20.6%	79.4%
Grade 11	15.3%	17.5%	27.2%	72.8%
Grade 12	23.6%	30.1%	40.5%	59.5%
<b>Marijuana Only</b>				
All	7.4%	9.0%	13.4%	86.6%
Grade 7	1.6%	2.2%	3.4%	96.6%
Grade 8	4.2%	4.9%	7.4%	92.6%
Grade 9	7.1%	8.6%	11.9%	88.1%
Grade 10	8.3%	9.8%	13.9%	86.1%
Grade 11	11.8%	13.1%	21.7%	78.3%
Grade 12	14.2%	19.3%	28.2%	71.8%
<b>Cocaine or Crack</b>				
All	1.0%	1.1%	2.0%	98.0%
Grade 7	0.7%	0.8%	1.0%	99.0%
Grade 8	0.6%	0.6%	1.0%	99.0%
Grade 9	1.2%	1.3%	1.4%	98.6%
Grade 10	1.4%	1.4%	2.6%	97.4%
Grade 11	0.9%	0.9%	2.1%	97.9%
Grade 12	1.5%	1.9%	4.7%	95.3%
<b>Cocaine</b>				
All	0.9%	1.0%	1.7%	98.3%
Grade 7	0.5%	0.7%	0.7%	99.3%
Grade 8	0.5%	0.5%	0.8%	99.2%
Grade 9	1.1%	1.2%	1.2%	98.8%
Grade 10	1.4%	1.4%	2.5%	97.5%
Grade 11	0.6%	0.7%	1.8%	98.2%
Grade 12	1.5%	1.9%	4.3%	95.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
Crack				
All	0.4%	0.4%	0.6%	99.4%
Grade 7	0.4%	0.5%	0.7%	99.3%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.7%	0.7%	0.8%	99.2%
Grade 10	0.4%	0.4%	0.7%	99.3%
Grade 11	0.3%	0.4%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.6%	99.4%
Hallucinogens				
All	0.6%	1.2%	2.5%	97.5%
Grade 7	0.1%	0.3%	0.4%	99.6%
Grade 8	0.1%	0.1%	0.5%	99.5%
Grade 9	0.9%	1.3%	2.3%	97.7%
Grade 10	0.8%	1.7%	3.6%	96.4%
Grade 11	0.7%	1.2%	2.7%	97.3%
Grade 12	1.1%	3.1%	6.8%	93.2%
Synthetic Cathinones				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.1%	0.2%	99.8%
Grade 9	0.1%	0.3%	0.7%	99.3%
Grade 10	0.0%	0.2%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.4%	99.6%
Grade 12	0.0%	0.1%	0.1%	99.9%
Steroids				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.1%	0.4%	0.9%	99.1%
Grade 8	0.4%	0.6%	1.5%	98.5%
Grade 9	0.2%	0.2%	0.7%	99.3%
Grade 10	0.1%	0.1%	1.0%	99.0%
Grade 11	0.7%	0.7%	1.9%	98.1%
Grade 12	0.3%	0.5%	1.1%	98.9%
Ecstasy				
All	0.5%	0.7%	1.7%	98.3%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	1.0%	1.1%	1.7%	98.3%
Grade 10	1.0%	1.4%	2.7%	97.3%
Grade 11	0.1%	0.4%	1.8%	98.2%
Grade 12	0.7%	1.4%	3.4%	96.6%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 74 of 126

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade Students Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.2%	99.8%
Grade 8	0.4%	0.4%	0.6%	99.4%
Grade 9	0.1%	0.3%	0.5%	99.5%
Grade 10	0.0%	0.2%	0.6%	99.4%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Synthetic Marijuana</b>				
All	1.0%	1.4%	2.6%	97.4%
Grade 7	0.2%	0.4%	0.8%	99.2%
Grade 8	0.7%	1.0%	1.7%	98.3%
Grade 9	1.8%	2.5%	3.9%	96.1%
Grade 10	1.4%	1.8%	3.7%	96.3%
Grade 11	0.3%	0.6%	1.8%	98.2%
Grade 12	1.5%	1.8%	4.0%	96.0%
<b>Methamphetamine</b>				
All	0.2%	0.3%	0.6%	99.4%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.3%	0.3%	0.4%	99.6%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.1%	0.4%	0.7%	99.3%
Grade 11	0.1%	0.1%	0.7%	99.3%
Grade 12	0.1%	0.5%	1.1%	98.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 75 of 126

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade Students Not Living with 2 Parents**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	20.2%	24.8%	37.1%	62.9%
Grade 7	9.9%	11.3%	20.6%	79.4%
Grade 8	10.6%	14.4%	27.5%	72.5%
Grade 9	18.8%	25.1%	37.8%	62.2%
Grade 10	24.2%	28.6%	42.2%	57.8%
Grade 11	27.6%	33.0%	47.0%	53.0%
Grade 12	37.0%	44.1%	54.5%	45.5%
<b>Any Alcohol Product</b>				
All	35.8%	42.1%	59.5%	40.5%
Grade 7	22.9%	25.7%	42.7%	57.3%
Grade 8	24.6%	29.2%	52.1%	47.9%
Grade 9	36.4%	42.4%	60.9%	39.1%
Grade 10	40.0%	47.4%	61.7%	38.3%
Grade 11	42.1%	52.7%	68.6%	31.4%
Grade 12	56.7%	64.4%	78.4%	21.6%
<b>Any Illicit Drug</b>				
All	20.2%	25.1%	31.0%	69.0%
Grade 7	8.4%	11.1%	13.8%	86.2%
Grade 8	11.1%	14.0%	17.8%	82.2%
Grade 9	22.0%	27.6%	30.6%	69.4%
Grade 10	22.8%	28.7%	37.3%	62.7%
Grade 11	28.5%	35.0%	43.2%	56.8%
Grade 12	34.5%	41.3%	52.1%	47.9%
<b>Any Prescription Drug</b>				
All	9.1%	13.7%	22.5%	77.5%
Grade 7	5.8%	8.0%	14.5%	85.5%
Grade 8	9.5%	12.0%	19.4%	80.6%
Grade 9	10.0%	15.7%	23.5%	76.5%
Grade 10	11.1%	16.8%	27.2%	72.8%
Grade 11	9.4%	16.0%	26.1%	73.9%
Grade 12	8.5%	14.6%	26.2%	73.8%
<b>Any Inhalant</b>				
All	5.2%	7.1%	13.4%	86.6%
Grade 7	6.2%	7.9%	16.0%	84.0%
Grade 8	8.1%	10.1%	17.4%	82.6%
Grade 9	4.3%	7.4%	14.1%	85.9%
Grade 10	3.4%	4.5%	8.7%	91.3%
Grade 11	3.3%	5.5%	12.3%	87.7%
Grade 12	5.5%	6.4%	11.0%	89.0%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	15.4%	20.2%	32.0%	68.0%
Grade 7	5.5%	7.4%	15.0%	85.0%
Grade 8	7.0%	11.2%	23.0%	77.0%
Grade 9	16.6%	22.3%	33.0%	67.0%
Grade 10	18.1%	23.1%	36.6%	63.4%
Grade 11	21.2%	27.6%	43.3%	56.7%
Grade 12	29.6%	35.4%	47.5%	52.5%
<b>Marijuana</b>				
All	19.7%	23.5%	29.5%	70.5%
Grade 7	7.8%	9.4%	12.1%	87.9%
Grade 8	10.9%	12.8%	16.3%	83.7%
Grade 9	21.7%	26.3%	29.1%	70.9%
Grade 10	22.2%	26.3%	35.1%	64.9%
Grade 11	27.5%	33.2%	42.7%	57.3%
Grade 12	33.9%	39.9%	50.9%	49.1%
<b>Marijuana Only</b>				
All	11.4%	14.2%	19.3%	80.7%
Grade 7	4.3%	5.7%	7.9%	92.1%
Grade 8	5.5%	7.1%	10.0%	90.0%
Grade 9	14.2%	16.5%	19.0%	81.0%
Grade 10	12.6%	15.6%	23.8%	76.2%
Grade 11	15.0%	20.3%	27.7%	72.3%
Grade 12	20.0%	24.4%	33.0%	67.0%
<b>Cocaine or Crack</b>				
All	2.0%	2.3%	3.6%	96.4%
Grade 7	0.7%	0.9%	1.2%	98.8%
Grade 8	1.6%	1.8%	2.2%	97.8%
Grade 9	1.2%	1.2%	2.5%	97.5%
Grade 10	2.5%	2.6%	4.5%	95.5%
Grade 11	2.6%	3.2%	5.1%	94.9%
Grade 12	4.0%	4.9%	7.5%	92.5%
<b>Cocaine</b>				
All	1.8%	2.1%	3.4%	96.6%
Grade 7	0.7%	0.9%	1.0%	99.0%
Grade 8	1.3%	1.7%	2.1%	97.9%
Grade 9	1.2%	1.2%	2.2%	97.8%
Grade 10	2.3%	2.4%	4.3%	95.7%
Grade 11	2.6%	3.2%	5.1%	94.9%
Grade 12	3.1%	3.9%	7.1%	92.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

Page 77 of 126



**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.5%	0.5%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	0.5%	0.5%	0.6%	99.4%
Grade 9	0.3%	0.3%	0.8%	99.2%
Grade 10	0.6%	0.6%	1.3%	98.7%
Grade 11	0.4%	0.4%	1.0%	99.0%
Grade 12	1.1%	1.1%	1.1%	98.9%
<b>Hallucinogens</b>				
All	1.2%	2.3%	4.6%	95.4%
Grade 7	0.7%	0.8%	1.6%	98.4%
Grade 8	0.5%	0.8%	1.7%	98.3%
Grade 9	1.0%	2.5%	4.4%	95.6%
Grade 10	1.4%	3.1%	5.5%	94.5%
Grade 11	2.6%	4.0%	6.8%	93.2%
Grade 12	1.6%	3.5%	9.9%	90.1%
<b>Synthetic Cathinones</b>				
All	0.3%	0.3%	0.7%	99.3%
Grade 7	0.0%	0.0%	0.2%	99.8%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.1%	0.1%	0.1%	99.9%
Grade 10	0.7%	0.7%	1.2%	98.8%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	1.2%	1.2%	1.7%	98.3%
<b>Steroids</b>				
All	0.6%	0.8%	1.8%	98.2%
Grade 7	0.9%	0.9%	2.2%	97.8%
Grade 8	0.4%	0.8%	1.4%	98.6%
Grade 9	0.4%	0.5%	1.3%	98.7%
Grade 10	0.4%	0.8%	2.4%	97.6%
Grade 11	0.9%	1.0%	2.0%	98.0%
Grade 12	0.6%	0.6%	1.6%	98.4%
<b>Ecstasy</b>				
All	1.1%	1.6%	3.1%	96.9%
Grade 7	0.0%	0.2%	0.5%	99.5%
Grade 8	0.8%	1.0%	1.8%	98.2%
Grade 9	1.3%	2.4%	3.3%	96.7%
Grade 10	1.4%	2.0%	4.0%	96.0%
Grade 11	1.3%	1.7%	4.4%	95.6%
Grade 12	2.2%	2.8%	5.8%	94.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade  
Students Not Living with 2 Parents**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.4%	0.5%	0.8%	99.2%
Grade 7	0.3%	0.4%	0.6%	99.4%
Grade 8	0.5%	0.6%	0.8%	99.2%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.3%	0.3%	1.0%	99.0%
Grade 11	0.5%	0.5%	1.3%	98.7%
Grade 12	0.3%	0.6%	0.6%	99.4%
<b>Synthetic Marijuana</b>				
All	1.7%	2.6%	6.0%	94.0%
Grade 7	1.4%	2.4%	3.6%	96.4%
Grade 8	1.3%	1.9%	3.9%	96.1%
Grade 9	1.5%	2.1%	6.6%	93.4%
Grade 10	1.9%	2.9%	6.3%	93.7%
Grade 11	2.8%	4.1%	9.1%	90.9%
Grade 12	1.3%	2.7%	7.8%	92.2%
<b>Methamphetamine</b>				
All	0.4%	0.5%	1.2%	98.8%
Grade 7	0.2%	0.4%	0.9%	99.1%
Grade 8	0.5%	0.5%	0.7%	99.3%
Grade 9	0.2%	0.4%	1.4%	98.6%
Grade 10	0.4%	0.8%	2.0%	98.0%
Grade 11	0.7%	0.8%	1.3%	98.7%
Grade 12	0.1%	0.4%	0.7%	99.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	16.7%	20.3%	29.9%	70.1%
Grade 7	5.7%	7.0%	13.6%	86.4%
Grade 8	8.4%	10.7%	20.1%	79.9%
Grade 9	14.2%	18.3%	28.0%	72.0%
Grade 10	21.7%	25.7%	35.6%	64.4%
Grade 11	22.4%	27.6%	40.0%	60.0%
Grade 12	35.3%	40.9%	51.9%	48.1%
<b>Any Alcohol Product</b>				
All	30.4%	36.2%	52.6%	47.4%
Grade 7	15.5%	18.4%	35.5%	64.5%
Grade 8	20.2%	23.9%	43.4%	56.6%
Grade 9	27.8%	32.7%	49.5%	50.5%
Grade 10	39.3%	45.7%	59.8%	40.2%
Grade 11	35.7%	46.2%	63.2%	36.8%
Grade 12	54.0%	61.8%	74.0%	26.0%
<b>Any Illicit Drug</b>				
All	13.3%	17.2%	22.3%	77.7%
Grade 7	3.7%	5.9%	7.9%	92.1%
Grade 8	7.0%	8.9%	12.4%	87.6%
Grade 9	13.7%	17.6%	20.6%	79.4%
Grade 10	16.2%	20.1%	26.0%	74.0%
Grade 11	18.6%	23.9%	32.1%	67.9%
Grade 12	26.4%	33.9%	43.4%	56.6%
<b>Any Prescription Drug</b>				
All	6.8%	10.0%	17.2%	82.8%
Grade 7	5.7%	7.6%	13.4%	86.6%
Grade 8	6.4%	8.4%	14.5%	85.5%
Grade 9	6.9%	10.8%	17.8%	82.2%
Grade 10	8.1%	12.2%	21.0%	79.0%
Grade 11	5.8%	9.8%	17.2%	82.8%
Grade 12	8.2%	12.2%	21.4%	78.6%
<b>Any Inhalant</b>				
All	3.6%	4.8%	10.6%	89.4%
Grade 7	4.3%	5.4%	12.2%	87.8%
Grade 8	5.2%	7.0%	13.3%	86.7%
Grade 9	3.5%	4.9%	10.3%	89.7%
Grade 10	3.1%	4.1%	8.6%	91.4%
Grade 11	2.2%	3.2%	9.4%	90.6%
Grade 12	2.6%	3.2%	8.3%	91.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	12.8%	16.8%	26.0%	74.0%
Grade 7	3.0%	4.6%	10.1%	89.9%
Grade 8	5.8%	8.0%	16.3%	83.7%
Grade 9	11.9%	16.3%	24.9%	75.1%
Grade 10	16.2%	20.9%	31.3%	68.7%
Grade 11	17.5%	23.7%	36.1%	63.9%
Grade 12	28.8%	35.1%	46.1%	53.9%
<b>Marijuana</b>				
All	13.1%	15.8%	21.0%	79.0%
Grade 7	3.5%	4.3%	5.9%	94.1%
Grade 8	6.8%	8.0%	11.3%	88.7%
Grade 9	13.5%	15.9%	19.0%	81.0%
Grade 10	16.0%	18.8%	25.1%	74.9%
Grade 11	17.9%	22.0%	31.0%	69.0%
Grade 12	26.3%	32.4%	42.5%	57.5%
<b>Marijuana Only</b>				
All	8.3%	10.4%	14.9%	85.1%
Grade 7	1.9%	2.6%	3.9%	96.1%
Grade 8	4.3%	5.3%	8.1%	91.9%
Grade 9	9.2%	11.0%	13.9%	86.1%
Grade 10	9.8%	11.8%	17.5%	82.5%
Grade 11	12.1%	15.4%	23.2%	76.8%
Grade 12	15.7%	20.5%	29.4%	70.6%
<b>Cocaine or Crack</b>				
All	1.1%	1.4%	2.4%	97.6%
Grade 7	0.5%	0.6%	0.8%	99.2%
Grade 8	0.9%	1.0%	1.5%	98.5%
Grade 9	0.9%	0.9%	1.5%	98.5%
Grade 10	1.7%	1.9%	3.4%	96.6%
Grade 11	1.2%	1.5%	2.9%	97.1%
Grade 12	2.1%	2.8%	5.3%	94.7%
<b>Cocaine</b>				
All	1.1%	1.3%	2.2%	97.8%
Grade 7	0.4%	0.4%	0.5%	99.5%
Grade 8	0.8%	0.9%	1.3%	98.7%
Grade 9	0.9%	0.9%	1.4%	98.6%
Grade 10	1.6%	1.9%	3.3%	96.7%
Grade 11	1.2%	1.5%	2.9%	97.1%
Grade 12	1.7%	2.4%	5.1%	94.9%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	0.3%	0.3%	0.5%	99.5%
Grade 7	0.2%	0.3%	0.4%	99.6%
Grade 8	0.3%	0.3%	0.5%	99.5%
Grade 9	0.4%	0.4%	0.6%	99.4%
Grade 10	0.4%	0.5%	0.9%	99.1%
Grade 11	0.1%	0.1%	0.3%	99.7%
Grade 12	0.4%	0.4%	0.6%	99.4%
<b>Hallucinogens</b>				
All	0.7%	1.3%	2.8%	97.2%
Grade 7	0.2%	0.2%	0.5%	99.5%
Grade 8	0.2%	0.3%	0.9%	99.1%
Grade 9	0.8%	1.1%	2.1%	97.9%
Grade 10	0.9%	2.2%	4.1%	95.9%
Grade 11	1.1%	1.6%	4.0%	96.0%
Grade 12	1.2%	3.3%	6.9%	93.1%
<b>Synthetic Cathinones</b>				
All	0.1%	0.2%	0.5%	99.5%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.1%	0.3%	0.6%	99.4%
Grade 10	0.4%	0.5%	0.9%	99.1%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.2%	99.8%
<b>Steroids</b>				
All	0.3%	0.4%	1.0%	99.0%
Grade 7	0.3%	0.4%	1.2%	98.8%
Grade 8	0.2%	0.4%	0.8%	99.2%
Grade 9	0.3%	0.4%	0.9%	99.1%
Grade 10	0.2%	0.3%	1.0%	99.0%
Grade 11	0.5%	0.5%	1.2%	98.8%
Grade 12	0.1%	0.3%	0.9%	99.1%
<b>Ecstasy</b>				
All	0.5%	0.8%	1.7%	98.3%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.4%	0.5%	0.8%	99.2%
Grade 9	0.9%	1.4%	1.7%	98.3%
Grade 10	0.7%	1.2%	2.7%	97.3%
Grade 11	0.4%	0.6%	2.3%	97.7%
Grade 12	0.9%	1.4%	3.6%	96.4%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.1%	0.2%	0.4%	99.6%
Grade 7	0.1%	0.1%	0.3%	99.7%
Grade 8	0.2%	0.3%	0.5%	99.5%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.6%	99.4%
Grade 11	0.2%	0.3%	0.7%	99.3%
Grade 12	0.0%	0.1%	0.2%	99.8%
<b>Synthetic Marijuana</b>				
All	1.0%	1.5%	3.3%	96.7%
Grade 7	0.4%	0.8%	1.5%	98.5%
Grade 8	0.7%	1.1%	1.9%	98.1%
Grade 9	1.1%	1.9%	3.7%	96.3%
Grade 10	1.2%	1.9%	4.5%	95.5%
Grade 11	1.0%	1.7%	3.9%	96.1%
Grade 12	1.6%	2.3%	5.4%	94.6%
<b>Methamphetamine</b>				
All	0.1%	0.2%	0.6%	99.4%
Grade 7	0.1%	0.2%	0.5%	99.5%
Grade 8	0.3%	0.3%	0.3%	99.7%
Grade 9	0.2%	0.2%	0.5%	99.5%
Grade 10	0.1%	0.1%	0.7%	99.3%
Grade 11	0.3%	0.3%	0.8%	99.2%
Grade 12	0.0%	0.3%	0.8%	99.2%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**

	Past Month	School Year	Ever Used	Never Used
<b>Any Tobacco Product</b>				
All	23.5%	29.0%	41.0%	59.0%
Grade 7	13.0%	14.0%	25.5%	74.5%
Grade 8	11.7%	17.3%	33.4%	66.6%
Grade 9	29.9%	37.6%	48.1%	51.9%
Grade 10	26.0%	32.9%	44.0%	56.0%
Grade 11	27.3%	31.9%	46.2%	53.8%
Grade 12	31.2%	37.5%	46.4%	53.6%
<b>Any Alcohol Product</b>				
All	40.7%	47.5%	61.8%	38.2%
Grade 7	29.5%	34.3%	51.3%	48.7%
Grade 8	34.1%	41.3%	59.5%	40.5%
Grade 9	42.4%	48.0%	64.2%	35.8%
Grade 10	36.3%	46.0%	58.9%	41.1%
Grade 11	49.4%	53.7%	65.7%	34.3%
Grade 12	53.4%	62.8%	72.2%	27.8%
<b>Any Illicit Drug</b>				
All	22.5%	28.4%	35.3%	64.7%
Grade 7	11.1%	16.0%	18.5%	81.5%
Grade 8	15.0%	20.2%	24.7%	75.3%
Grade 9	23.8%	29.2%	33.3%	66.7%
Grade 10	22.0%	26.8%	34.1%	65.9%
Grade 11	31.6%	36.4%	46.9%	53.1%
Grade 12	31.4%	42.3%	55.8%	44.2%
<b>Any Prescription Drug</b>				
All	11.0%	16.1%	26.0%	74.0%
Grade 7	6.3%	9.1%	17.3%	82.7%
Grade 8	14.4%	16.9%	23.3%	76.7%
Grade 9	14.1%	21.2%	27.5%	72.5%
Grade 10	10.1%	16.9%	24.5%	75.5%
Grade 11	11.0%	15.3%	34.3%	65.7%
Grade 12	9.5%	15.6%	28.7%	71.3%
<b>Any Inhalant</b>				
All	7.9%	10.6%	17.2%	82.8%
Grade 7	12.9%	15.5%	24.5%	75.5%
Grade 8	10.9%	15.1%	24.7%	75.3%
Grade 9	7.5%	11.9%	18.5%	81.5%
Grade 10	3.8%	4.7%	9.2%	90.8%
Grade 11	6.8%	8.7%	14.0%	86.0%
Grade 12	6.6%	8.5%	13.7%	86.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Electronic Vapor Products</b>				
All	17.5%	23.6%	34.4%	65.6%
Grade 7	7.5%	8.8%	18.1%	81.9%
Grade 8	6.1%	12.7%	24.0%	76.0%
Grade 9	24.1%	32.7%	43.4%	56.6%
Grade 10	20.6%	27.9%	37.0%	63.0%
Grade 11	21.0%	25.9%	41.5%	58.5%
Grade 12	23.2%	30.4%	38.6%	61.4%
<b>Marijuana</b>				
All	21.6%	25.2%	32.1%	67.9%
Grade 7	10.9%	13.8%	16.2%	83.8%
Grade 8	13.9%	16.4%	20.2%	79.8%
Grade 9	22.2%	25.2%	29.0%	71.0%
Grade 10	21.5%	24.3%	31.5%	68.5%
Grade 11	30.0%	32.3%	43.5%	56.5%
Grade 12	30.9%	39.7%	53.4%	46.6%
<b>Marijuana Only</b>				
All	12.5%	15.0%	20.7%	79.3%
Grade 7	5.5%	7.9%	10.1%	89.9%
Grade 8	7.3%	9.6%	13.2%	86.8%
Grade 9	9.0%	10.7%	13.4%	86.6%
Grade 10	12.3%	14.6%	21.2%	78.8%
Grade 11	19.0%	20.5%	30.9%	69.1%
Grade 12	22.8%	28.7%	37.8%	62.2%
<b>Cocaine or Crack</b>				
All	2.6%	2.8%	4.0%	96.0%
Grade 7	1.7%	2.3%	2.6%	97.4%
Grade 8	0.8%	0.9%	1.0%	99.0%
Grade 9	4.0%	4.3%	4.9%	95.1%
Grade 10	2.5%	2.5%	4.4%	95.6%
Grade 11	3.7%	3.7%	4.9%	95.1%
Grade 12	2.4%	2.4%	6.1%	93.9%
<b>Cocaine</b>				
All	2.2%	2.4%	3.3%	96.7%
Grade 7	1.7%	2.3%	2.3%	97.7%
Grade 8	0.7%	0.8%	0.9%	99.1%
Grade 9	3.5%	3.8%	3.8%	96.2%
Grade 10	2.2%	2.2%	4.1%	95.9%
Grade 11	2.7%	2.7%	4.0%	96.0%
Grade 12	2.1%	2.1%	4.5%	95.5%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Crack</b>				
All	1.0%	1.0%	1.6%	98.4%
Grade 7	0.9%	0.9%	1.4%	98.6%
Grade 8	0.4%	0.4%	0.5%	99.5%
Grade 9	1.8%	1.8%	2.3%	97.7%
Grade 10	0.5%	0.5%	1.4%	98.6%
Grade 11	1.9%	1.9%	2.2%	97.8%
Grade 12	0.5%	0.5%	1.7%	98.3%
<b>Hallucinogens</b>				
All	1.6%	3.0%	5.5%	94.5%
Grade 7	0.8%	1.8%	2.3%	97.7%
Grade 8	0.5%	0.9%	1.1%	98.9%
Grade 9	1.5%	4.4%	8.0%	92.0%
Grade 10	2.0%	3.2%	4.8%	95.2%
Grade 11	2.5%	5.0%	5.8%	94.2%
Grade 12	1.7%	1.8%	10.5%	89.5%
<b>Synthetic Cathinones</b>				
All	0.2%	0.3%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.6%	99.4%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.1%	0.2%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	1.4%	1.4%	1.9%	98.1%
<b>Steroids</b>				
All	0.9%	1.3%	3.2%	96.8%
Grade 7	0.4%	1.1%	1.7%	98.3%
Grade 8	2.1%	2.1%	4.1%	95.9%
Grade 9	0.7%	1.0%	1.6%	98.4%
Grade 10	0.4%	1.4%	4.6%	95.4%
Grade 11	2.1%	2.4%	6.2%	93.8%
Grade 12	0.0%	0.0%	1.0%	99.0%
<b>Ecstasy</b>				
All	1.7%	1.8%	4.2%	95.8%
Grade 7	0.1%	0.1%	0.9%	99.1%
Grade 8	0.6%	0.6%	2.2%	97.8%
Grade 9	2.4%	2.4%	5.5%	94.5%
Grade 10	3.1%	3.1%	5.1%	94.9%
Grade 11	1.3%	2.3%	5.2%	94.8%
Grade 12	1.9%	2.0%	5.7%	94.3%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems**  
(Continued)

	Past Month	School Year	Ever Used	Never Used
<b>Heroin</b>				
All	0.5%	0.7%	1.0%	99.0%
Grade 7	0.5%	0.7%	0.8%	99.2%
Grade 8	1.2%	1.2%	1.5%	98.5%
Grade 9	1.1%	1.7%	1.7%	98.3%
Grade 10	0.0%	0.1%	1.4%	98.6%
Grade 11	0.1%	0.1%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.1%	99.9%
<b>Synthetic Marijuana</b>				
All	2.6%	3.1%	6.3%	93.7%
Grade 7	1.6%	3.0%	4.4%	95.6%
Grade 8	2.8%	3.3%	5.1%	94.9%
Grade 9	4.4%	4.7%	11.1%	88.9%
Grade 10	2.8%	3.0%	4.6%	95.4%
Grade 11	2.9%	3.9%	8.2%	91.8%
Grade 12	0.1%	0.3%	3.0%	97.0%
<b>Methamphetamine</b>				
All	0.4%	0.7%	1.7%	98.3%
Grade 7	0.5%	0.5%	0.9%	99.1%
Grade 8	0.3%	0.3%	1.3%	98.7%
Grade 9	0.6%	0.7%	2.7%	97.3%
Grade 10	0.2%	1.5%	2.1%	97.9%
Grade 11	0.9%	0.9%	1.7%	98.3%
Grade 12	0.1%	0.2%	1.3%	98.7%

*Percentages have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

### 3 Margin Tables

**Gender**

Q1	Frequency	Percent
Male	363,486	48.6%
Female	385,153	51.4%
Frequency Missing	4,400	

**Hispanic or Latino**

Q5a	Frequency	Percent
No	309,491	42.2%
Yes	424,398	57.8%
Frequency Missing	19,149	

**Grade**

Q2	Frequency	Percent
Grade 7	140,669	18.7%
Grade 8	140,314	18.7%
Grade 9	135,358	18.0%
Grade 10	123,041	16.4%
Grade 11	114,586	15.3%
Grade 12	96,787	12.9%
Frequency Missing	2,283	

**Ethnicity**

Q5b	Frequency	Percent
American Indian	20,045	3.0%
Asian American	9,877	1.5%
African American	82,304	12.4%
Pacific Islander	3,879	0.6%
White	305,563	45.9%
Other	135,892	20.4%
More Than One Race	108,120	16.2%
Frequency Missing	87,358	

**Live with Both Parents**

Q3	Frequency	Percent
No	279,896	37.7%
Yes	462,951	62.3%
Frequency Missing	10,192	

**On Average What Grades Do You Get**

Q6	Frequency	Percent
Mostly F's	2,177	0.3%
Mostly D's	6,320	1.0%
Mostly C's	75,108	11.7%
Mostly B's	326,633	51.0%
Mostly A's	230,692	36.0%
Frequency Missing	112,109	

**Age**

Q4	Frequency	Percent
11 or younger	505	0.1%
12	55,866	7.5%
13	135,423	18.1%
14	123,631	16.5%
15	134,821	18.0%
16	114,199	15.2%
17	118,448	15.8%
18	60,928	8.1%
19 or older	5,026	0.7%
Frequency Missing	4,190	

**Do You Have a Job**

Q7	Frequency	Percent
No	533,601	82.7%
Yes	111,795	17.3%
Frequency Missing	107,642	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Qualify for Free/Reduced Lunch**

Q8	Frequency	Percent
No	215,915	33.8%
Yes	255,702	40.0%
Don't Know	167,799	26.2%
Frequency Missing	113,623	

**Participate in Student Government/School Newspaper/Yearbook**

Q9e	Frequency	Percent
No	506,669	92.4%
Yes	41,515	7.6%
Frequency Missing	204,855	

**Participate in School Athletics (UIL, Varsity, Jr Varsity)**

Q9a	Frequency	Percent
No	312,214	51.9%
Yes	289,571	48.1%
Frequency Missing	151,254	

**Participate in Academic Clubs/Societies/Competition Groups**

Q9f	Frequency	Percent
No	425,607	76.0%
Yes	134,527	24.0%
Frequency Missing	192,904	

**Participate in School Band/Orchestra**

Q9b	Frequency	Percent
No	429,692	75.4%
Yes	140,033	24.6%
Frequency Missing	183,313	

**Participate in Other School Clubs or Groups**

Q9g	Frequency	Percent
No	405,570	72.6%
Yes	152,807	27.4%
Frequency Missing	194,661	

**Participate in School Choir**

Q9c	Frequency	Percent
No	494,617	89.5%
Yes	57,834	10.5%
Frequency Missing	200,588	

**Participate in Athletic Teams Outside of School**

Q9h	Frequency	Percent
No	382,354	67.2%
Yes	186,513	32.8%
Frequency Missing	184,171	

**Participate in Drill Team/Cheerleading**

Q9d	Frequency	Percent
No	511,655	92.9%
Yes	39,036	7.1%
Frequency Missing	202,348	

**Participate in Other Clubs or Groups Outside of School**

Q9i	Frequency	Percent
No	424,554	76.0%
Yes	134,210	24.0%
Frequency Missing	194,274	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Do You Feel Safe in Your Home**

Q10a	Frequency	Percent
Very Safe	640,140	85.7%
Somewhat Safe	93,613	12.5%
Not Very Safe	4,619	0.6%
Not Safe At All	3,040	0.4%
Don't Know	5,309	0.7%
Frequency Missing	6,318	

**Highest Level of Schooling Completed by Mother**

Q11b	Frequency	Percent
Grade School or Less	47,919	6.8%
Some High School	70,181	10.0%
Finished High School	139,978	19.9%
Some College	117,034	16.6%
Finished College	161,186	22.9%
Post-Secondary	95,258	13.6%
Don't Know or N/A	71,405	10.2%
Frequency Missing	50,078	

**Do You Feel Safe in Your Neighborhood**

Q10b	Frequency	Percent
Very Safe	326,904	44.0%
Somewhat Safe	341,783	46.0%
Not Very Safe	46,512	6.3%
Not Safe At All	9,721	1.3%
Don't Know	17,693	2.4%
Frequency Missing	10,425	

**Parents Attend PTA/School Open Houses**

Q12	Frequency	Percent
No	400,077	62.8%
Yes	236,913	37.2%
Frequency Missing	116,048	

**Do You Feel Safe at School**

Q10c	Frequency	Percent
Very Safe	237,340	32.0%
Somewhat Safe	359,073	48.4%
Not Very Safe	81,026	10.9%
Not Safe At All	34,319	4.6%
Don't Know	29,444	4.0%
Frequency Missing	11,836	

**Friends Feeling Close to Their Parents**

Q13a	Frequency	Percent
None	40,285	5.5%
A Few	156,446	21.2%
Some	165,524	22.4%
Most	273,652	37.0%
All	102,744	13.9%
Frequency Missing	14,386	

**Highest Level of Schooling Completed by Father**

Q11a	Frequency	Percent
Grade School or Less	50,944	7.3%
Some High School	81,640	11.7%
Finished High School	155,187	22.2%
Some College	97,430	14.0%
Finished College	124,161	17.8%
Post-Secondary	83,271	11.9%
Don't Know or N/A	105,718	15.1%
Frequency Missing	54,686	

**How Many Friends Care About Good Grades**

Q13b	Frequency	Percent
None	16,349	2.2%
A Few	84,820	11.5%
Some	176,770	23.9%
Most	310,326	41.9%
All	151,809	20.5%
Frequency Missing	12,965	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Friends Wishing to Drop Out of School**

Q13c	Frequency	Percent
None	378,171	52.2%
A Few	207,884	28.7%
Some	79,140	10.9%
Most	35,229	4.9%
All	23,515	3.2%
Frequency Missing	29,100	

**Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers**

Q14b	Frequency	Percent
Never Heard/Used	704,569	95.5%
In Your Lifetime	21,228	2.9%
Since School Began	3,431	0.5%
In the Past Month	8,504	1.2%
Frequency Missing	15,307	

**How Many Friends Carry Weapons**

Q13d	Frequency	Percent
None	577,704	78.9%
A Few	99,730	13.6%
Some	34,167	4.7%
Most	12,467	1.7%
All	8,289	1.1%
Frequency Missing	20,681	

**Recent Inhalant Use - Computer Dusting Sprays**

Q14c	Frequency	Percent
Never Heard/Used	725,033	99.0%
In Your Lifetime	3,385	0.5%
Since School Began	1,528	0.2%
In the Past Month	2,300	0.3%
Frequency Missing	20,792	

**How Many Friends Belong to a Gang**

Q13e	Frequency	Percent
None	619,712	84.1%
A Few	80,921	11.0%
Some	21,512	2.9%
Most	8,334	1.1%
All	6,797	0.9%
Frequency Missing	15,762	

**Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon**

Q14d	Frequency	Percent
Never Heard/Used	693,590	94.1%
In Your Lifetime	26,746	3.6%
Since School Began	5,427	0.7%
In the Past Month	11,455	1.6%
Frequency Missing	15,821	

**Recent Inhalant Use - Spray Paint**

Q14a	Frequency	Percent
Never Heard/Used	727,034	98.1%
In Your Lifetime	8,710	1.2%
Since School Began	1,962	0.3%
In the Past Month	3,047	0.4%
Frequency Missing	12,286	

**Recent Inhalant Use - Glue**

Q14e	Frequency	Percent
Never Heard/Used	726,805	98.7%
In Your Lifetime	5,452	0.7%
Since School Began	1,560	0.2%
In the Past Month	2,856	0.4%
Frequency Missing	16,365	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Inhalant Use - Toluene, Paint Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	727,640	99.0%
In Your Lifetime	3,778	0.5%
Since School Began	1,256	0.2%
In the Past Month	2,339	0.3%
Frequency Missing	18,026	

**Recent Smokeless Tobacco Use**

Q15b	Frequency	Percent
Never Heard/Used	677,653	92.6%
In Your Lifetime	24,798	3.4%
Since School Began	8,438	1.2%
In the Past Month	21,153	2.9%
Frequency Missing	20,996	

**Recent Inhalant Use - Gasoline, Octane Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	720,604	98.0%
In Your Lifetime	7,974	1.1%
Since School Began	1,341	0.2%
In the Past Month	5,222	0.7%
Frequency Missing	17,898	

**Recent Beer Use**

Q15c	Frequency	Percent
Never Heard/Used	455,523	63.2%
In Your Lifetime	118,581	16.4%
Since School Began	44,628	6.2%
In the Past Month	102,134	14.2%
Frequency Missing	32,173	

**Recent Wine Cooler Use**

Q15d	Frequency	Percent
Never Heard/Used	512,887	70.7%
In Your Lifetime	84,987	11.7%
Since School Began	43,196	6.0%
In the Past Month	84,136	11.6%
Frequency Missing	27,832	

**Recent Inhalant Use - Other Aerosols/Sprays**

Q14h	Frequency	Percent
Never Heard/Used	724,265	98.3%
In Your Lifetime	6,851	0.9%
Since School Began	1,820	0.2%
In the Past Month	3,775	0.5%
Frequency Missing	16,328	

**Recent Wine Use**

Q15e	Frequency	Percent
Never Heard/Used	495,408	69.0%
In Your Lifetime	110,588	15.4%
Since School Began	42,374	5.9%
In the Past Month	70,064	9.8%
Frequency Missing	34,605	

**Recent Cigarette Use**

Q15a	Frequency	Percent
Never Heard/Used	637,773	86.4%
In Your Lifetime	54,802	7.4%
Since School Began	16,891	2.3%
In the Past Month	28,285	3.8%
Frequency Missing	15,288	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**Recent Liquor Use**

Q15f	Frequency	Percent
Never Heard/Used	474,183	65.2%
In Your Lifetime	98,313	13.5%
Since School Began	46,057	6.3%
In the Past Month	108,522	14.9%
Frequency Missing	25,963	

**Recent Cocaine Use**

Q16b	Frequency	Percent
Never Heard/Used	719,393	97.9%
In Your Lifetime	8,128	1.1%
Since School Began	2,366	0.3%
In the Past Month	4,683	0.6%
Frequency Missing	18,468	

**Recent Inhalant Use**

Q15g	Frequency	Percent
Never Heard/Used	709,702	96.6%
In Your Lifetime	15,681	2.1%
Since School Began	3,095	0.4%
In the Past Month	5,910	0.8%
Frequency Missing	18,650	

**Recent Crack Use**

Q16c	Frequency	Percent
Never Heard/Used	727,911	99.5%
In Your Lifetime	1,936	0.3%
Since School Began	437	0.1%
In the Past Month	1,395	0.2%
Frequency Missing	21,360	

**Recent Electronic Vapor Product Use**

Q15h	Frequency	Percent
Never Heard/Used	534,917	72.8%
In Your Lifetime	70,673	9.6%
Since School Began	31,342	4.3%
In the Past Month	97,799	13.3%
Frequency Missing	18,307	

**Recent Hallucinogen Use**

Q16e	Frequency	Percent
Never Heard/Used	708,020	96.7%
In Your Lifetime	12,324	1.7%
Since School Began	5,526	0.8%
In the Past Month	6,156	0.8%
Frequency Missing	21,011	

**Recent Marijuana Use**

Q16a	Frequency	Percent
Never Heard/Used	578,608	78.7%
In Your Lifetime	60,879	8.3%
Since School Began	28,526	3.9%
In the Past Month	67,284	9.2%
Frequency Missing	17,741	

**Recent Synthetic Cathinone Use**

Q16f	Frequency	Percent
Never Heard/Used	728,385	99.4%
In Your Lifetime	2,544	0.3%
Since School Began	358	0.0%
In the Past Month	1,160	0.2%
Frequency Missing	20,592	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Steroid Use**

Q16g	Frequency	Percent
Never Heard/Used	724,169	98.9%
In Your Lifetime	4,444	0.6%
Since School Began	1,109	0.2%
In the Past Month	2,710	0.4%
Frequency Missing	20,606	

**Recent Synthetic Marijuana Use**

Q16k	Frequency	Percent
Never Heard/Used	706,132	96.6%
In Your Lifetime	14,197	1.9%
Since School Began	3,392	0.5%
In the Past Month	7,033	1.0%
Frequency Missing	22,285	

**Recent Ecstasy Use**

Q16h	Frequency	Percent
Never Heard/Used	715,648	98.0%
In Your Lifetime	7,953	1.1%
Since School Began	1,921	0.3%
In the Past Month	4,863	0.7%
Frequency Missing	22,654	

**Recent Prescription Drug Use - Codeine**

Q17a	Frequency	Percent
Never Heard/Used	634,656	87.0%
In Your Lifetime	43,468	6.0%
Since School Began	21,206	2.9%
In the Past Month	30,235	4.1%
Frequency Missing	23,473	

**Recent Heroin Use**

Q16i	Frequency	Percent
Never Heard/Used	729,757	99.6%
In Your Lifetime	1,306	0.2%
Since School Began	444	0.1%
In the Past Month	1,062	0.1%
Frequency Missing	20,468	

**Recent Prescription Drug Use - Percocet Etc**

Q17b	Frequency	Percent
Never Heard/Used	701,672	96.3%
In Your Lifetime	12,624	1.7%
Since School Began	7,112	1.0%
In the Past Month	7,092	1.0%
Frequency Missing	24,538	

**Recent Methamphetamine Use**

Q16j	Frequency	Percent
Never Heard/Used	727,665	99.3%
In Your Lifetime	2,927	0.4%
Since School Began	469	0.1%
In the Past Month	1,445	0.2%
Frequency Missing	20,532	

**Recent Prescription Drug Use - Benzodiazepines Etc**

Q17c	Frequency	Percent
Never Heard/Used	688,393	94.8%
In Your Lifetime	17,439	2.4%
Since School Began	7,801	1.1%
In the Past Month	12,380	1.7%
Frequency Missing	27,025	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Recent Prescription Drug Use - Adderall Etc**

Q17d	Frequency	Percent
Never Heard/Used	693,135	95.4%
In Your Lifetime	14,251	2.0%
Since School Began	7,393	1.0%
In the Past Month	11,745	1.6%
Frequency Missing	26,514	

**Alcohol Use in Past Month**

Q19b	Frequency	Percent
Never Heard/Used	525,914	72.5%
1-2 times	122,678	16.9%
3-10 times	55,183	7.6%
11+ times	21,836	3.0%
Frequency Missing	27,427	

**Recent Prescription Drug Use - Other Prescriptions**

Q17e	Frequency	Percent
Never Heard/Used	666,228	92.0%
In Your Lifetime	26,265	3.6%
Since School Began	8,025	1.1%
In the Past Month	23,408	3.2%
Frequency Missing	29,112	

**Inhalant Use in Past Month**

Q19c	Frequency	Percent
Never Heard/Used	715,129	98.5%
1-2 times	7,948	1.1%
3-10 times	2,051	0.3%
11+ times	1,201	0.2%
Frequency Missing	26,710	

**Take DXM, Triple Cs, Etc. to Get High**

Q18	Frequency	Percent
Never Heard/Used	698,691	96.0%
In Your Lifetime	13,660	1.9%
Since School Began	4,701	0.6%
In the Past Month	11,002	1.5%
Frequency Missing	24,985	

**Marijuana Use in Past Month**

Q19d	Frequency	Percent
Never Heard/Used	629,005	86.4%
1-2 times	49,063	6.7%
3-10 times	23,876	3.3%
11+ times	25,739	3.5%
Frequency Missing	25,355	

**Tobacco Use in Past Month**

Q19a	Frequency	Percent
Never Heard/Used	667,219	91.7%
1-2 times	31,404	4.3%
3-10 times	13,538	1.9%
11+ times	15,417	2.1%
Frequency Missing	25,461	

**Cocaine Use in Past Month**

Q19e	Frequency	Percent
Never Heard/Used	721,947	99.0%
1-2 times	5,230	0.7%
3-10 times	1,162	0.2%
11+ times	961	0.1%
Frequency Missing	23,737	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Crack Use in Past Month**

Q19f	Frequency	Percent
Never Heard/Used	725,906	99.7%
1-2 times	1,874	0.3%
3-10 times	209	0.0%
11+ times	430	0.1%
Frequency Missing	24,620	

**Close Friends Use Marijuana**

Q20d	Frequency	Percent
Never heard/None	410,819	56.7%
A few	137,505	19.0%
Some	81,369	11.2%
Most	71,778	9.9%
All	22,901	3.2%
Frequency Missing	28,666	

**Close Friends Use Tobacco**

Q20a	Frequency	Percent
Never heard/None	506,132	69.7%
A few	131,027	18.0%
Some	52,693	7.3%
Most	27,573	3.8%
All	8,548	1.2%
Frequency Missing	27,067	

**Age When First Used Tobacco**

Q21a	Frequency	Percent
Never used it	609,128	85.9%
8 or younger	5,776	0.8%
9 years old	2,653	0.4%
10 years old	5,208	0.7%
11 years old	5,039	0.7%
12 years old	10,558	1.5%
13 years old	15,051	2.1%
14 years old	15,656	2.2%
15 years old	16,451	2.3%
16 years old	13,997	2.0%
17 years old	7,896	1.1%
18 or older	2,069	0.3%
Frequency Missing	43,556	

**Close Friends Use Alcohol**

Q20b	Frequency	Percent
Never heard/None	341,269	47.1%
A few	173,031	23.9%
Some	97,556	13.5%
Most	84,284	11.6%
All	27,903	3.9%
Frequency Missing	28,995	

**Age When First Used Alcohol**

Q21b	Frequency	Percent
Never used it	398,224	56.5%
8 or younger	33,768	4.8%
9 years old	9,908	1.4%
10 years old	15,955	2.3%
11 years old	17,141	2.4%
12 years old	36,934	5.2%
13 years old	41,090	5.8%
14 years old	44,627	6.3%
15 years old	52,370	7.4%
16 years old	34,359	4.9%
17 years old	16,272	2.3%
18 or older	4,452	0.6%
Frequency Missing	47,938	

**Close Friends Use Inhalants**

Q20c	Frequency	Percent
Never heard/None	672,426	93.1%
A few	34,922	4.8%
Some	10,681	1.5%
Most	2,806	0.4%
All	1,509	0.2%
Frequency Missing	30,694	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Inhalants**

Q21c	Frequency	Percent
Never used it	682,478	96.6%
8 or younger	3,740	0.5%
9 years old	2,415	0.3%
10 years old	3,057	0.4%
11 years old	2,100	0.3%
12 years old	5,157	0.7%
13 years old	3,398	0.5%
14 years old	1,915	0.3%
15 years old	1,052	0.1%
16 years old	1,114	0.2%
17 years old	202	0.0%
18 or older	124	0.0%
Frequency Missing	46,286	

**Age When First Used Cocaine**

Q21e	Frequency	Percent
Never used it	697,422	98.2%
8 or younger	111	0.0%
9 years old	289	0.0%
10 years old	266	0.0%
11 years old	216	0.0%
12 years old	893	0.1%
13 years old	1,161	0.2%
14 years old	2,877	0.4%
15 years old	3,198	0.5%
16 years old	2,289	0.3%
17 years old	1,648	0.2%
18 or older	29	0.0%
Frequency Missing	42,637	

**Age When First Used Marijuana**

Q21d	Frequency	Percent
Never used it	560,924	79.1%
8 or younger	3,580	0.5%
9 years old	2,142	0.3%
10 years old	3,969	0.6%
11 years old	6,380	0.9%
12 years old	16,217	2.3%
13 years old	20,862	2.9%
14 years old	29,547	4.2%
15 years old	31,298	4.4%
16 years old	21,970	3.1%
17 years old	8,232	1.2%
18 or older	3,580	0.5%
Frequency Missing	44,337	

**Age When First Used Crack**

Q21f	Frequency	Percent
Never used it	707,837	99.6%
8 or younger	50	0.0%
9 years old	168	0.0%
10 years old	55	0.0%
11 years old	434	0.1%
12 years old	130	0.0%
13 years old	330	0.0%
14 years old	531	0.1%
15 years old	569	0.1%
16 years old	420	0.1%
17 years old	41	0.0%
18 or older	0	0.0%
Frequency Missing	42,471	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Steroids**

Q21h	Frequency	Percent
Never used it	701,421	99.0%
8 or younger	1,013	0.1%
9 years old	294	0.0%
10 years old	382	0.1%
11 years old	574	0.1%
12 years old	670	0.1%
13 years old	905	0.1%
14 years old	1,289	0.2%
15 years old	467	0.1%
16 years old	661	0.1%
17 years old	666	0.1%
18 or older	14	0.0%
Frequency Missing	44,682	

**Age When First Used Heroin**

Q21j	Frequency	Percent
Never used it	707,098	99.7%
8 or younger	134	0.0%
9 years old	51	0.0%
10 years old	334	0.0%
11 years old	127	0.0%
12 years old	236	0.0%
13 years old	495	0.1%
14 years old	429	0.1%
15 years old	257	0.0%
16 years old	148	0.0%
17 years old	0	0.0%
18 or older	93	0.0%
Frequency Missing	43,635	

**Age When First Used Ecstasy**

Q21i	Frequency	Percent
Never used it	693,708	98.2%
8 or younger	0	0.0%
9 years old	20	0.0%
10 years old	37	0.0%
11 years old	362	0.1%
12 years old	522	0.1%
13 years old	1,932	0.3%
14 years old	3,787	0.5%
15 years old	2,720	0.4%
16 years old	1,941	0.3%
17 years old	627	0.1%
18 or older	646	0.1%
Frequency Missing	46,735	

**Age When First Used Methamphetamine**

Q21k	Frequency	Percent
Never used it	706,882	99.5%
8 or younger	95	0.0%
9 years old	62	0.0%
10 years old	231	0.0%
11 years old	37	0.0%
12 years old	182	0.0%
13 years old	483	0.1%
14 years old	466	0.1%
15 years old	1,215	0.2%
16 years old	433	0.1%
17 years old	21	0.0%
18 or older	197	0.0%
Frequency Missing	42,735	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**Age When First Used Synthetic Marijuana**

Q211	Frequency	Percent
Never used it	685,792	96.9%
8 or younger	727	0.1%
9 years old	152	0.0%
10 years old	780	0.1%
11 years old	1,741	0.2%
12 years old	2,901	0.4%
13 years old	3,681	0.5%
14 years old	4,375	0.6%
15 years old	5,387	0.8%
16 years old	1,293	0.2%
17 years old	975	0.1%
18 or older	230	0.0%
Frequency Missing	45,005	

**Difficult to Get Tobacco**

Q22a	Frequency	Percent
Never heard of	227,877	31.9%
Impossible	133,859	18.7%
Very Difficult	45,867	6.4%
Somewhat diff	63,657	8.9%
Somewhat easy	95,432	13.4%
Very easy	148,057	20.7%
Frequency Missing	38,290	

**Difficult to Get Alcohol**

Q22b	Frequency	Percent
Never heard of	172,602	24.3%
Impossible	88,619	12.5%
Very Difficult	33,543	4.7%
Somewhat diff	79,270	11.1%
Somewhat easy	131,282	18.5%
Very easy	206,219	29.0%
Frequency Missing	41,503	

**Difficult to Get Inhalants**

Q22c	Frequency	Percent
Never heard of	313,682	44.3%
Impossible	107,274	15.2%
Very Difficult	24,986	3.5%
Somewhat diff	31,094	4.4%
Somewhat easy	54,416	7.7%
Very easy	176,268	24.9%
Frequency Missing	45,317	

**Difficult to Get Marijuana**

Q22d	Frequency	Percent
Never heard of	214,300	30.1%
Impossible	140,677	19.8%
Very Difficult	47,788	6.7%
Somewhat diff	63,711	9.0%
Somewhat easy	87,354	12.3%
Very easy	157,622	22.2%
Frequency Missing	41,586	

**Difficult to Get Cocaine**

Q22e	Frequency	Percent
Never heard of	295,009	41.5%
Impossible	212,658	29.9%
Very Difficult	82,914	11.7%
Somewhat diff	56,791	8.0%
Somewhat easy	30,313	4.3%
Very easy	33,464	4.7%
Frequency Missing	41,890	

**Difficult to Get Crack**

Q22f	Frequency	Percent
Never heard of	309,142	43.7%
Impossible	221,239	31.2%
Very Difficult	85,243	12.0%
Somewhat diff	46,483	6.6%
Somewhat easy	21,021	3.0%
Very easy	25,070	3.5%
Frequency Missing	44,840	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Difficult to Get Steroids**

Q22h	Frequency	Percent
Never heard of	321,915	45.5%
Impossible	210,459	29.7%
Very Difficult	78,988	11.2%
Somewhat diff	48,017	6.8%
Somewhat easy	22,293	3.1%
Very easy	26,588	3.8%
Frequency Missing	44,778	

**Difficult to Get Synthetic Marijuana**

Q22l	Frequency	Percent
Never heard of	355,776	50.1%
Impossible	175,366	24.7%
Very Difficult	53,801	7.6%
Somewhat diff	43,469	6.1%
Somewhat easy	36,511	5.1%
Very easy	44,808	6.3%
Frequency Missing	43,308	

**Difficult to Get Ecstasy**

Q22i	Frequency	Percent
Never heard of	363,631	51.4%
Impossible	183,954	26.0%
Very Difficult	64,574	9.1%
Somewhat diff	39,661	5.6%
Somewhat easy	27,113	3.8%
Very easy	29,066	4.1%
Frequency Missing	45,038	

**How Often Normally Use Tobacco**

Q23a	Frequency	Percent
Every day	9,106	1.3%
Several times/wk	10,565	1.5%
Several times/mo	12,196	1.7%
About once/month	17,202	2.4%
About once/year	18,435	2.6%
Less than once/year	26,518	3.7%
Never used	615,356	86.7%
Frequency Missing	43,660	

**Difficult to Get Heroin**

Q22j	Frequency	Percent
Never heard of	346,218	48.7%
Impossible	227,664	32.0%
Very Difficult	75,014	10.6%
Somewhat diff	29,291	4.1%
Somewhat easy	12,688	1.8%
Very easy	19,892	2.8%
Frequency Missing	42,272	

**How Often Normally Use Alcohol**

Q23b	Frequency	Percent
Every day	2,030	0.3%
Several times/wk	18,589	2.6%
Several times/mo	51,808	7.3%
About once/month	86,425	12.2%
About once/year	71,333	10.1%
Less than once/year	56,828	8.0%
Never used	419,267	59.4%
Frequency Missing	46,757	

**Difficult to Get Methamphetamine**

Q22k	Frequency	Percent
Never heard of	360,709	50.7%
Impossible	217,889	30.6%
Very Difficult	71,164	10.0%
Somewhat diff	27,681	3.9%
Somewhat easy	13,259	1.9%
Very easy	21,220	3.0%
Frequency Missing	41,116	

*Percentages and frequencies have been weighted to reflect proportions within the population.*



**How Often Normally Use Inhalants**

Q23c	Frequency	Percent
Every day	777	0.1%
Several times/wk	1,594	0.2%
Several times/mo	2,227	0.3%
About once/month	3,440	0.5%
About once/year	4,780	0.7%
Less than once/year	8,699	1.2%
Never used	688,171	97.0%
Frequency Missing	43,351	

**How Often Normally Use Crack**

Q23f	Frequency	Percent
Every day	126	0.0%
Several times/wk	233	0.0%
Several times/mo	276	0.0%
About once/month	496	0.1%
About once/year	284	0.0%
Less than once/year	1,287	0.2%
Never used	706,067	99.6%
Frequency Missing	44,269	

**How Often Normally Use Marijuana**

Q23d	Frequency	Percent
Every day	11,631	1.6%
Several times/wk	16,544	2.3%
Several times/mo	24,860	3.5%
About once/month	29,578	4.2%
About once/year	27,050	3.8%
Less than once/year	28,007	3.9%
Never used	571,846	80.6%
Frequency Missing	43,523	

**How Often Normally Use Steroids**

Q23h	Frequency	Percent
Every day	154	0.0%
Several times/wk	95	0.0%
Several times/mo	386	0.1%
About once/month	724	0.1%
About once/year	309	0.0%
Less than once/year	1,966	0.3%
Never used	703,438	99.5%
Frequency Missing	45,966	

**How Often Normally Use Cocaine**

Q23e	Frequency	Percent
Every day	204	0.0%
Several times/wk	713	0.1%
Several times/mo	1,114	0.2%
About once/month	2,202	0.3%
About once/year	2,806	0.4%
Less than once/year	4,338	0.6%
Never used	697,628	98.4%
Frequency Missing	44,034	

**How Often Normally Use Ecstasy**

Q23i	Frequency	Percent
Every day	162	0.0%
Several times/wk	462	0.1%
Several times/mo	1,922	0.3%
About once/month	1,746	0.2%
About once/year	3,707	0.5%
Less than once/year	3,664	0.5%
Never used	695,367	98.4%
Frequency Missing	46,008	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

**How Often Normally Use Heroin**

Q23j	Frequency	Percent
Every day	43	0.0%
Several times/wk	384	0.1%
Several times/mo	176	0.0%
About once/month	309	0.0%
About once/year	288	0.0%
Less than once/year	1,089	0.2%
Never used	705,999	99.7%
Frequency Missing	44,751	

**Amount of Beer at One Time**

Q24a	Frequency	Percent
Never drink this	445,611	62.6%
12+ drinks	16,167	2.3%
9-11 drinks	11,531	1.6%
5-8 drinks	26,029	3.7%
3-4 drinks	39,562	5.6%
2 drinks	39,105	5.5%
1 drink	48,662	6.8%
Less than 1 drink	85,327	12.0%
Frequency Missing	41,045	

**How Often Normally Use Methamphetamine**

Q23k	Frequency	Percent
Every day	226	0.0%
Several times/wk	211	0.0%
Several times/mo	303	0.0%
About once/month	664	0.1%
About once/year	453	0.1%
Less than once/year	1,800	0.3%
Never used	704,182	99.5%
Frequency Missing	45,198	

**Amount of Wine Coolers at One Time**

Q24b	Frequency	Percent
Never drink this	493,223	69.4%
12+ drinks	10,620	1.5%
9-11 drinks	8,806	1.2%
5-8 drinks	21,708	3.1%
3-4 drinks	39,954	5.6%
2 drinks	38,209	5.4%
1 drink	47,404	6.7%
Less than 1 drink	51,238	7.2%
Frequency Missing	41,877	

**How Often Normally Use Synthetic Marijuana**

Q23l	Frequency	Percent
Every day	728	0.1%
Several times/wk	1,303	0.2%
Several times/mo	2,182	0.3%
About once/month	3,367	0.5%
About once/year	4,792	0.7%
Less than once/year	6,757	1.0%
Never used	687,102	97.3%
Frequency Missing	46,807	

**Amount of Wine at One Time**

Q24c	Frequency	Percent
Never drink this	485,959	68.5%
12+ drinks	5,309	0.7%
9-11 drinks	4,010	0.6%
5-8 drinks	8,411	1.2%
3-4 drinks	22,543	3.2%
2 drinks	31,683	4.5%
1 drink	61,992	8.7%
Less than 1 drink	89,550	12.6%
Frequency Missing	43,581	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Amount of Liquor at One Time**

Q24d	Frequency	Percent
Never drink this	454,151	64.1%
12+ drinks	16,304	2.3%
9-11 drinks	14,358	2.0%
5-8 drinks	31,562	4.5%
3-4 drinks	46,262	6.5%
2 drinks	41,687	5.9%
1 drink	42,605	6.0%
Less than 1 drink	61,677	8.7%
Frequency Missing	44,431	

**Get Alcoholic Beverages from Friends**

Q26b	Frequency	Percent
Do not Drink	399,861	56.6%
Never	120,726	17.1%
Seldom	85,364	12.1%
Most of the Time	75,432	10.7%
Always	25,445	3.6%
Frequency Missing	46,210	

**How Many 5+ Drinks in 2 Hours During Past 30 Days**

Q25a	Frequency	Percent
Never 5+ at time	405,138	57.6%
0 days	201,163	28.6%
1 day	32,377	4.6%
2 days	22,281	3.2%
3 to 5 days	22,873	3.3%
6 to 9 days	7,023	1.0%
10 or more days	12,250	1.7%
Frequency Missing	49,933	

**Get Alcoholic Beverages from a Store**

Q26c	Frequency	Percent
Do not Drink	418,789	59.5%
Never	218,893	31.1%
Seldom	29,824	4.2%
Most of the Time	23,507	3.3%
Always	13,171	1.9%
Frequency Missing	48,854	

**Get Alcoholic Beverages from Home**

Q26a	Frequency	Percent
Do not Drink	401,811	56.8%
Never	117,358	16.6%
Seldom	121,930	17.2%
Most of the Time	43,624	6.2%
Always	22,536	3.2%
Frequency Missing	45,779	

**Get Alcoholic Beverages at Parties**

Q26d	Frequency	Percent
Do not Drink	389,832	55.2%
Never	105,661	15.0%
Seldom	72,690	10.3%
Most of the Time	73,848	10.5%
Always	64,179	9.1%
Frequency Missing	46,827	

**Get Alcoholic Beverages from Other Sources**

Q26e	Frequency	Percent
Do not Drink	426,676	61.1%
Never	162,571	23.3%
Seldom	49,606	7.1%
Most of the Time	30,976	4.4%
Always	28,881	4.1%
Frequency Missing	54,329	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Dangerous for Kids to Use Tobacco**

Q27a	Frequency	Percent
Very	424,384	60.6%
Somewhat	165,917	23.7%
Not very	57,366	8.2%
Not at all	14,443	2.1%
Don't know	38,353	5.5%
Frequency Missing	52,575	

**Dangerous for Kids to Use Cocaine**

Q27e	Frequency	Percent
Very	599,531	85.9%
Somewhat	43,621	6.3%
Not very	6,904	1.0%
Not at all	4,561	0.7%
Don't know	43,143	6.2%
Frequency Missing	55,278	

**Dangerous for Kids to Use Alcohol**

Q27b	Frequency	Percent
Very	327,962	46.9%
Somewhat	208,220	29.8%
Not very	108,913	15.6%
Not at all	22,065	3.2%
Don't know	32,074	4.6%
Frequency Missing	53,803	

**Dangerous for Kids to Use Crack**

Q27f	Frequency	Percent
Very	605,183	86.6%
Somewhat	37,330	5.3%
Not very	5,698	0.8%
Not at all	3,763	0.5%
Don't know	46,622	6.7%
Frequency Missing	54,442	

**Dangerous for Kids to Use Inhalants**

Q27c	Frequency	Percent
Very	483,726	69.6%
Somewhat	102,881	14.8%
Not very	36,677	5.3%
Not at all	13,284	1.9%
Don't know	58,516	8.4%
Frequency Missing	57,955	

**Dangerous for Kids to Use Ecstasy**

Q27g	Frequency	Percent
Very	555,702	79.7%
Somewhat	53,000	7.6%
Not very	14,746	2.1%
Not at all	6,141	0.9%
Don't know	67,564	9.7%
Frequency Missing	55,885	

**Dangerous for Kids to Use Marijuana**

Q27d	Frequency	Percent
Very	385,955	55.3%
Somewhat	94,975	13.6%
Not very	87,024	12.5%
Not at all	93,318	13.4%
Don't know	36,128	5.2%
Frequency Missing	55,638	

**Dangerous for Kids to Use Steroids**

Q27h	Frequency	Percent
Very	529,280	75.9%
Somewhat	81,972	11.8%
Not very	23,249	3.3%
Not at all	8,094	1.2%
Don't know	54,662	7.8%
Frequency Missing	55,781	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Dangerous for Kids to Use Heroin**

Q27i	Frequency	Percent
Very	606,481	87.0%
Somewhat	31,351	4.5%
Not very	4,968	0.7%
Not at all	3,890	0.6%
Don't know	50,491	7.2%
Frequency Missing	55,858	

**Dangerous for Kids to Use Electronic Vapor Products**

Q27m	Frequency	Percent
Very	371,539	53.5%
Somewhat	84,602	12.2%
Not very	108,000	15.5%
Not at all	82,368	11.9%
Don't know	48,111	6.9%
Frequency Missing	58,418	

**Dangerous for Kids to Use Methamphetamine**

Q27j	Frequency	Percent
Very	605,846	86.9%
Somewhat	29,803	4.3%
Not very	5,039	0.7%
Not at all	3,746	0.5%
Don't know	53,089	7.6%
Frequency Missing	55,515	

**Days Skipped Since September**

Q28a	Frequency	Percent
None	562,746	80.6%
1-3 days	101,042	14.5%
4-9 days	22,023	3.2%
10+ days	12,481	1.8%
Frequency Missing	54,747	

**Dangerous for Kids to Use Synthetic Marijuana**

Q27k	Frequency	Percent
Very	549,102	78.9%
Somewhat	57,065	8.2%
Not very	18,079	2.6%
Not at all	9,010	1.3%
Don't know	62,497	9.0%
Frequency Missing	57,284	

**Days Ill Since September**

Q28b	Frequency	Percent
None	228,373	32.7%
1-3 days	357,826	51.2%
4-9 days	90,617	13.0%
10+ days	21,399	3.1%
Frequency Missing	54,824	

**Dangerous for Kids to Use Any Prescription**

Q27l	Frequency	Percent
Very	513,343	73.9%
Somewhat	94,231	13.6%
Not very	25,953	3.7%
Not at all	9,686	1.4%
Don't know	51,246	7.4%
Frequency Missing	58,579	

**Other Reason For Days Missed Since September**

Q28c	Frequency	Percent
None	275,380	39.9%
1-3 days	341,075	49.4%
4-9 days	55,641	8.1%
10+ days	18,076	2.6%
Frequency Missing	62,867	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Sent to Principal/Dean Since September**

Q28d	Frequency	Percent
None	602,733	86.4%
1-3 days	71,349	10.2%
4-9 days	13,428	1.9%
10+ days	10,401	1.5%
Frequency Missing	55,127	

**Trouble with Friends Because of Drug Use**

Q29c	Frequency	Percent
None	668,186	96.3%
1-3 times	21,713	3.1%
4-9 times	2,461	0.4%
10+ times	1,437	0.2%
Frequency Missing	59,241	

**Someone Called Home Since September**

Q28e	Frequency	Percent
None	617,774	88.8%
1-3 days	59,200	8.5%
4-9 days	9,871	1.4%
10+ days	9,077	1.3%
Frequency Missing	57,116	

**Driven a Car While High from Drugs**

Q29d	Frequency	Percent
None	658,638	95.3%
1-3 times	21,018	3.0%
4-9 times	5,099	0.7%
10+ times	6,584	1.0%
Frequency Missing	61,699	

**Trouble with Friends Because of Drinking**

Q29a	Frequency	Percent
None	666,256	95.7%
1-3 times	26,490	3.8%
4-9 times	2,051	0.3%
10+ times	1,114	0.2%
Frequency Missing	57,127	

**Class Days Drunk on Alcohol Since Sept**

Q30a	Frequency	Percent
None	660,931	95.4%
1-3 days	24,462	3.5%
4-9 days	4,596	0.7%
10+ days	2,673	0.4%
Frequency Missing	60,377	

**Driven a Car After a Good Bit to Drink**

Q29b	Frequency	Percent
None	666,360	96.1%
1-3 times	20,953	3.0%
4-9 times	3,439	0.5%
10+ times	3,001	0.4%
Frequency Missing	59,285	

**Class Days High on Marijuana Since Sept**

Q30b	Frequency	Percent
None	637,392	92.3%
1-3 days	31,176	4.5%
4-9 days	9,421	1.4%
10+ days	12,680	1.8%
Frequency Missing	62,369	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Class Days High on Inhalants Since Sept**

Q30c	Frequency	Percent
None	683,443	99.0%
1-3 days	4,097	0.6%
4-9 days	1,002	0.1%
10+ days	1,494	0.2%
Frequency Missing	63,002	

**Sought Help for Drug/Alcohol Problem**

Q32	Frequency	Percent
No	575,198	92.8%
Yes	44,917	7.2%
Frequency Missing	132,923	

**Class Days High on Other Drug(s)**

Q30d	Frequency	Percent
None	665,185	96.8%
1-3 days	14,344	2.1%
4-9 days	4,067	0.6%
10+ days	3,759	0.5%
Frequency Missing	65,683	

**Would Seek Help from School Counselor**

Q33a	Frequency	Percent
No	413,883	61.5%
Yes	259,117	38.5%
Frequency Missing	80,039	

**Alcohol Use at Parties This School Year**

Q31a	Frequency	Percent
Never	334,262	48.4%
Seldom	53,798	7.8%
Half the time	41,605	6.0%
Most of the Time	62,013	9.0%
Always	83,358	12.1%
Don't Know	13,511	2.0%
Didn't attend	102,168	14.8%
Frequency Missing	62,323	

**Would Seek Help from School Nurse**

Q33b	Frequency	Percent
No	516,743	77.2%
Yes	152,488	22.8%
Frequency Missing	83,808	

**Would Seek Help from Another Adult in School**

Q33c	Frequency	Percent
No	391,696	58.7%
Yes	276,038	41.3%
Frequency Missing	85,304	

**Drug Use at Parties This School Year**

Q31b	Frequency	Percent
Never	404,335	58.7%
Seldom	41,027	6.0%
Half the time	34,316	5.0%
Most of the Time	45,405	6.6%
Always	45,803	6.7%
Don't Know	15,504	2.3%
Didn't attend	102,148	14.8%
Frequency Missing	64,501	

**Would Seek Help from Parents**

Q33d	Frequency	Percent
No	207,462	30.8%
Yes	467,205	69.2%
Frequency Missing	78,371	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)

**Would Seek Help from a Medical Doctor**

Q33e	Frequency	Percent
No	279,457	41.9%
Yes	387,211	58.1%
Frequency Missing	86,371	

**Drug/Alcohol Info–School Health Class**

Q34a	Frequency	Percent
No	415,492	63.3%
Yes	241,377	36.7%
Frequency Missing	96,169	

**Would Seek Help from Friends**

Q33f	Frequency	Percent
No	245,961	36.9%
Yes	421,498	63.1%
Frequency Missing	85,579	

**Drug/Alcohol Info–School Assembly Program**

Q34b	Frequency	Percent
No	407,954	62.4%
Yes	245,972	37.6%
Frequency Missing	99,113	

**Would Seek Help from Another Adult**

Q33g	Frequency	Percent
No	271,294	40.6%
Yes	396,524	59.4%
Frequency Missing	85,221	

**Drug/Alcohol Info–School Guidance Counselor**

Q34c	Frequency	Percent
No	503,261	77.2%
Yes	148,274	22.8%
Frequency Missing	101,503	

**Would Seek Help from Counselor or Program Outside School**

Q33h	Frequency	Percent
No	403,403	60.4%
Yes	263,992	39.6%
Frequency Missing	85,643	

**Drug/Alcohol Info–School Nurse**

Q34d	Frequency	Percent
No	547,541	84.2%
Yes	102,723	15.8%
Frequency Missing	102,774	

**Would Not Seek Help**

Q33i	Frequency	Percent
No	530,054	81.7%
Yes	119,070	18.3%
Frequency Missing	103,914	

**Drug/Alcohol Info–Science or Social Studies Class**

Q34e	Frequency	Percent
No	485,896	74.8%
Yes	163,427	25.2%
Frequency Missing	103,715	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

[Jump to Table of Contents](#)



**Drug/Alcohol Info–School Student Group or Club**

Q34f	Frequency	Percent
No	555,705	85.9%
Yes	91,526	14.1%
Frequency Missing	105,806	

**Drug/Alcohol Info–Invited School Guest**

Q34g	Frequency	Percent
No	492,554	75.9%
Yes	156,430	24.1%
Frequency Missing	104,054	

**Drug/Alcohol Info–Another School Source**

Q34h	Frequency	Percent
No	466,227	72.1%
Yes	180,439	27.9%
Frequency Missing	106,373	

**Parents Feel About Kids Using Tobacco**

Q35a	Frequency	Percent
Strongly disapprove	540,491	78.3%
Mild disapprove	48,875	7.1%
Neither	43,414	6.3%
Mildly approve	5,704	0.8%
Strongly approve	4,358	0.6%
Don't know	47,636	6.9%
Frequency Missing	62,560	

**Parents Feel About Kids Drinking Alcohol**

Q35b	Frequency	Percent
Strongly disapprove	413,001	60.0%
Mild disapprove	100,094	14.5%
Neither	93,473	13.6%
Mildly approve	29,806	4.3%
Strongly approve	7,916	1.2%
Don't know	43,774	6.4%
Frequency Missing	64,974	

**Parents Feel About Kids Using Marijuana**

Q35c	Frequency	Percent
Strongly disapprove	523,958	76.1%
Mild disapprove	49,195	7.1%
Neither	49,838	7.2%
Mildly approve	12,401	1.8%
Strongly approve	8,102	1.2%
Don't know	45,040	6.5%
Frequency Missing	64,504	

*Percentages and frequencies have been weighted to reflect proportions within the population.*

Jump to Table of Contents

**Appendix:**  
**Reporting Methods for Prevalence & Recency of Use**

## Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

## Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

<b>Any Tobacco Product</b>	
<p>This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, &amp; electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.</p>	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

## Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

<b>Beer</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine Coolers</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Wine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Liquor</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

<b>Any Alcohol Product</b>	
<p>This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, &amp; liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.</p>	
<b>Question</b>	<b>Updating Rule</b>
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

## Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

<b>Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.



<b>Cocaine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Crack</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Steroids</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Steroids (Q21h : steroid_l)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Ecstasy</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Ecstasy (Q21i : ecstasy_l1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Heroin</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Methamphetamine</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
<b>Question</b>	<b>Updating Rule</b>
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Synthetic Marijuana</b>	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

<b>Any Illicit Drug</b>	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

**Marijuana Only**

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

**Cocaine or Crack**

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.

**Any Prescription Drug**

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.



## Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

<b>Any Inhalant</b>	
<p>This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.</p>	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

