

2017

Applying surrogate species presences to correct sample bias in species distribution models; a case study using the Pilbara population of the Northern Quoll [dataset]

Shaun W. Molloy
Edith Cowan University

Robert A. Davis
Edith Cowan University

Judy Dunlop

Eddie J.B. van Etten
Edith Cowan University

Follow this and additional works at: <https://ro.ecu.edu.au/datasets>



Part of the [Environmental Sciences Commons](#)

Shaun W. Molloy
<https://orcid.org/0000-0002-8659-8992>

Robert A. Davis
<https://orcid.org/0000-0002-9062-5754>

Eddie J.B. van Etten
<https://orcid.org/0000-0002-7311-1794>

This Dataset is posted at Research Online.
<https://ro.ecu.edu.au/datasets/76>

Applying surrogate species presences to correct sample bias in species distribution models; a case study using the Pilbara population of the Northern Quoll.

Supplementary data file 1:

GIS data sets used in variable assessments and map of Pilbara vegetation systems.

Table 1. GIS data sets used in variable assessments. Bold indicates data-base and URL and italics indicate derived data.

WorldClim
(http://www.worldclim.org/)
BIO1 = Annual Mean Temperature
BIO2 = Mean Diurnal Range (Mean of monthly (max temp - min temp))
BIO3 = Isothermality (BIO2/BIO7) (* 100)
BIO4 = Temperature Seasonality (standard deviation *100)
BIO5 = Max Temperature of Warmest Month
BIO6 = Min Temperature of Coldest Month
BIO7 = Temperature Annual Range (BIO5-BIO6)
BIO8 = Mean Temperature of Wettest Quarter
BIO9 = Mean Temperature of Driest Quarter
BIO10 = Mean Temperature of Warmest Quarter
BIO11 = Mean Temperature of Coldest Quarter
BIO12 = Annual Precipitation
BIO13 = Precipitation of Wettest Month
BIO14 = Precipitation of Driest Month
BIO15 = Precipitation Seasonality (Coefficient of Variation)
BIO16 = Precipitation of Wettest Quarter
BIO17 = Precipitation of Driest Quarter
BIO18 = Precipitation of Warmest Quarter
BIO19 = Precipitation of Coldest Quarter
Climond
(https://www.climond.org/)
BIO34=Mean moisture index of warmest quarter
Climate Change in Australia (CSIRO)
(http://www.climatechangeinaustralia.gov.au/en/)
Relative Humidity Wettest Quarter
ESRI Online Databases
 (http://www.esri.com/software/arcgis/arcgisonline/arcgis-open-data)

Background mapping, i.e. topographic imagery, boundaries and placenames
Landgate (https://www2.landgate.wa.gov.au/bmvf/app/waatlas/)
Western Australian Fire Frequency
Pastoral Property (vesting)
Modis (https://earthdata.nasa.gov/)
Fire Scar
Modis Burndate
Normalised Digital Vegetation Index (NDVI)
Near Infrared Spectrography (NIRS)
Geoscience Australia (http://www.ga.gov.au/search/index.html#/)
Total Magnetic Intensity
Gravity Anomaly
Land Tenure
Digital Elevation Model
<i>Slope</i>
<i>Ruggedness</i>
Water Courses
<i>Euclidean Distance to Water Courses</i>
Water Bodies
<i>Euclidean Distance to Water Bodies</i>
Geology
Land cover
Hydrology of Australia
Soils Mapping of Australia
Naturemap (http://naturemap.dpaw.wa.gov.au/)
NQ Presences CWR Terrestrial Mammal Presences
<i>NQ Absences</i>
Unites States Geological Survey (USGS) (http://earthexplorer.usgs.gov/)
Landsat Mosaic
NDVI Colourised
Department of Agriculture and Food WA (DAFWA) (https://www.agric.wa.gov.au/land-use-planning/maps-and-data)

Veg= Beards Vegetation Associations
Vegag= Department of Agriculture and Food Western Australia Vegetation Mapping (Rangelands)




Figure 1. Pilbara vegetation systems. Taken from the Pilbara Pre-European Vegetation data set, Courtesy of the Western Australian Department of Parks and Wildlife