

SUPPLEMENTARY MATERIAL

Focused CRISPR-Cas9 genetic screening reveals USO1 as a vulnerability in B-cell acute lymphoblastic leukemia

Amit Kumar Jaiswal¹, Hellen Truong¹, Tiffany M Tran^{1,2}, Tasha L Lin³, David Casero⁴, Michael O. Alberti⁵, and Dinesh S. Rao, M.D., Ph.D.^{1,6,7}

¹ Department of Pathology and Laboratory Medicine, UCLA

² Molecular, Cellular and Integrative Physiology Graduate Program, UCLA

³ Department of Internal Medicine, Division of Hematology/Oncology, UCLA

⁴ Inflammatory Bowel and Immunobiology Institute, Cedars Sinai Medical Center, Los Angeles, CA 90048, USA

⁵ Department of Pathology, Washington University, St. Louis

⁶ Jonsson Comprehensive Cancer Center, UCLA

⁷ Broad Stem Cell Research Center, UCLA

Corresponding Author:

Dinesh S. Rao, M.D., Ph.D.,
Associate Professor
Department of Pathology and Laboratory Medicine
David Geffen School of Medicine at UCLA
650 Charles E Young Drive, 12-272 Factor
Los Angeles, CA 90095
Tel. 310-825-1675
Fax. 310-825-0814
Email drao@mednet.ucla.edu

Figure S1




Figure S1. Sub-genomic CRISPR screen preparation. **A.** Cas9 expression in B-ALL cell line NALM6 and SEM prior to CRISPR screen. **B.** FACS plot showing transduction of NALM6 Cas9.EGFP with the undiluted lentiviral vector library, demonstrating effective production of virus with a high titer. **C.** Library preparation from the genomic DNA isolated from the sorted cells as Reference library and from expanded cells for 4 weeks as Depletion library. **D-E.** Intra-cell line Correlation plot of individual sgRNA variance-stabilized abundances in the reference and depletion libraries prepared in SEM and NALM6 cell lines between biological replicates. **F.** Inter-cell line correlation plots of individual sgRNA variance-stabilized abundances in the reference and depletion libraries prepared in SEM and NALM6 cell lines between biological replicates.

Figure S2




Figure S2. RBP genes expression in B-ALL cell lines. **A.** mRNA expression of RBP genes identified, measured by RT-qPCR (*USO1*, *EIF3E* and *EPRS*). Data was normalized to 18S expression level and is represented as fold-change from SEM cells, which are arbitrarily assigned a fold-change of 1. Cell lines examined include SEM, RS4;11 (carry the MLL-AF4 translocation), and NALM6 and REH (do not carry the MLL-AF4 translocation). **B.** Western blot to study basal level expression of *USO1*, *EIF3E* and *EPRS* in NALM6, SEM and RS4;11 cells. **C-E.** RT-qPCR analysis of expression of *USO1* (C), *EIF3E* (D), and *EPRS* (E) in SEM, RS4;11 and NALM6 cells treated with 0.5 μM EPZ5676. **F.** RT-qPCR analysis of *USO1* in murine bone marrow cells with overexpression of MLL-Af4 (control versus MLL-AF4 bars). **G-H.** UCSC genome browser shots of the *EIF3E* and *EPRS* loci showing the *MLL-AF4* ChIP site(s) in the regulatory region as identified from the ChIP-Seq data from Lin *et. al.* (ref #21); Courtesy: UCSC Genome Browser). Shown are the H3K27Ac track in hematopoietic K562 cells (Blue), and MLL-AF4 binding sites represented as a grayscale score, with black indicating the highest score/highest number of reads from the dataset.

Figure S3




Figure S3. Targeting *USO1* in B-ALL cells. **A.** Plot of insertions and deletions by position near the Cas9 cut site in SEM cells targeted with *USO1* sg3; as determined by Tracking of Indels by Decomposition (TIDE). Genomic sequence aberration is highest immediately adjacent to the cut site (designated as 0). **B.** *USO1* depletion by transduction with sg3 in RS4;11 and SEM cells was confirmed by Western blot analysis. **C.** RT-qPCR of *USO1* mRNA expression level, expressed as fold-change, in RS4;11 and SEM cells (t-test; * $P < 0.05$). **D-G.** Cell cycle analysis using propidium iodide (PI) of control cells (NT) and *USO1*-depleted cells (D, E, respectively) following treatment with 1mM I-BET151. **F-G.** Quantitation of cells from cell cycle analysis in Sub-G0 (F) and G0/G1 (G) at 2 different concentrations of I-BET151 (t-test; * $P < 0.05$, ** $P < 0.001$).

Figure S4




Figure S4. Modulation of USO1 expression by siRNA mediated knockdown. **A.** RT-qPCR analysis of USO1 expression levels, expressed as fold-change, in SEM cells that were subjected to nucleofection with a control siRNA or siRNA_1 or siRNA_4. **B-C.** Apoptosis induction, as measured by Annexin V staining, in SEM cells that were transduced with USO1-siRNAs. **D-E.** Cell cycle analysis, using propidium iodide staining, of USO1-siRNA-treated cells. **F.** MTS assays (Absorbance at 490nm) measuring the growth over time (days) of USO1-siRNA-treated SEM cells. (T-test; *P < 0.05, **P < 0.001).

Figure S5




Figure S5. GO Molecular function analysis from RNA-Seq data. A-B. Differential expression analysis of *USO1* depleted SEM cells analyzed by GSEA with msigDB Hallmark gene sets and the GO Molecular function dataset, show enrichment of multiple RNA homeostasis related pathway. C. Venn diagrams showing overlap of *USO1*-negatively correlated genes in Target-Phase II ALL dataset with the genes that are significantly downregulated or upregulated in *USO1* depleted SEM cells. See Figure 4 for assumptions utilized in the Hypergeometric test. D. Enrichment analysis of the genes downregulated in *USO1* depleted cells that also have a high positive correlation with *USO1* using Metascape. The data shows enrichment of several cancer-relevant pathways.

Figure S6






Figure S6. Correlation of USO1 with experimentally downregulated genes following USO1 knockdown. A-D. Genes downregulated in *USO1* depleted SEM, including *PSMD1*, *ABCA1*, *BTA1* and *MRPS12* show a strong positive correlation with *USO1* expression in clinical B-ALL samples (Courtesy: *cBioPortal*).


Figure S7a




Corresponding to Fig.2d




Corresponding to Fig.3c




Corresponding to Fig. 4e



Corresponding to Fig. 5b




Corresponding to Fig.5c




Corresponding to Fig. 5g

Figure S7a. Primary Western Blot Data. Each sub-panel lists the corresponding main panel in the main figures. These panels are the portion of the Western Blot scanned image that corresponds with the experiment being performed. In other cases, panels are showing the portion of a scanned image obtained by imaging on a ChemiDoc Imaging system from Biorad.

Figure S7b



Corresponding to Fig. S2b



Corresponding to Fig. S3b

Figure S7b. Primary Western Blot Data. Each sub-panel lists the corresponding main panel in the main figures. These panels are the portion of the Western Blot scanned image that corresponds with the experiment being performed. In other cases, panels are showing the portion of a scanned image obtained by imaging on a ChemiDoc Imaging system from Biorad.

Gene Name	Guide RNA sequence
IGF2BP3	AGCTTGGTCCTTACTGGAAT
IGF2BP3	AAGCACCCAGATGCTAAAGTG
IGF2BP3	C CAC CGT AAA GAA AAT GCG G
IGF2BP3	A GGC GCA GAG GCA AAT CAC A
IGF2BP3	G CTG GGC GGC CAT TTC ATC A
BAZ1A	C AGT GCA TAA GCC AAA TCG G
BAZ1A	T GGT GTC AAA TCA TAC ACT G
BAZ1A	T CCA GTA TCG TCT ATA CAT G
BAZ1A	G TAA GCG CGA ACG ATG GGT A
BAZ1A	T TTC CTG ATG GAG TAA CCC T
USO1	A GGG TGA TAA GAT CGA CAG A
USO1	G GAC TTA CTA GCG GAT TCC A
USO1	A GCT ACT GGT AGC ACC AGG A
USO1	T CAG CTG GCC AGT TAT TAT G
DDX3Y	TATGAACACCACTACAAGGG
DDX3Y	C AGA TTC GGG ACT TAG AAC G
DDX3Y	C AGT TTA GCG ATA TTG ACA T
DDX3Y	A TGA TAA AGA CAG TTC AGG T
DDX3Y	G TAT ATA TCT GAC TCA GTA T
MBNL1	G TAT GTC GAG AGT ACC AAC G
MBNL1	CAACGTGGCAATTGCAACCG
MBNL1	C TTG GTG CAA CTG AAA ACA T
MBNL1	G TAA CCA ACA TTG GTG CAG T
MBNL1	T GCC CAA TAC CAG GTC AAC C
TUBB6	G CTG ACA ACG CCC ACC TAC G
TUBB6	C AGC TGG TGC ACC GAC AGT G
TUBB6	C CAT GGC CGC TAC CTG ACC G
TUBB6	C TGG CCC GGG AAG CGC AGC G
TUBB6	GTTGCAGGCCAGACGGGTGC
DDX21	C CTA CAT TCA TCG ATC CGG G
DDX21	G CAA CAT TAA ATA CCC AAT G
DDX21	G ATG TCA TCC GAG TAT ATA G
DDX21	C ATC ACA AAA AAG CTG TCA G
DDX21	CTAGTTTGCCATTCTGTATG
LUC7L3	G TAG AAC GTA GGA TCA GAC G
LUC7L3	C ATC AAA TGG TCA TCT ACC C
LUC7L3	G TAT TTG TGA ACA ATT CCG C
LUC7L3	T TTA GAC GCT CAT CAC GAT C
LUC7L3	A ACT AAT TTC ATC ATC CCC T
LARP7	T GGA AGG CAC CAG AAT CCG G

LARP7	A TCA CTC CAC TCA CGA ACT G
LARP7	A GAC TAT CAG GAT CCG GAG A
LARP7	T GCT AGA TTT AAA ACT CCT G
LARP7	GAGAAGTTCAGCTGTTGTAG
IQGAP1	C TAC GCG TCC AAC CAG CGA G
IQGAP1	ATCAGCGGAGGTACCGACAG
IQGAP1	C CTG TCG AAC TAA GTA TCC A
IQGAP1	G AAT GAT ATC CAA GCT TGC G
IQGAP1	CCGTGGATACTTAGTTCGAC
CSTF3	C TCC TTC CTC ACC TGC TCC G
CSTF3	G CTG AGG CCA TGT CAG GAG A
CSTF3	C CCA GAG AAG GTG AAG AAA G
CSTF3	A GCT GAG TAT GTC CCA GAG A
CSTF3	GGTTTACACCCTGTACCTGG
EPRS	A ATG TAT ATC AAA ACA CAC G
EPRS	C ATG TTC ACG ACT GAA CGT G
EPRS	C TCC AGT TCA TGT AAA ACG T
EPRS	A GAA TGC TTA CTG TCC CTG A
EPRS	A GTA GAG TAT AAG CCT GTG T
ANXA1	GGTGACGCAGAACTCCCCTG
ANXA1	T CAC ACC AAA GTC CTC AGA T
ANXA1	AGACCTTCGACGTGAATCGC
ANXA1	C CTT ACA GGT CAC CTT GAG G
ANXA1	A AAA TCT CCA GAT GTG TCT G
EIF3E	T ACA GCA GTC ATA ACA AAC A
EIF3E	T AAT ATT ATC GCG ACC TTT G
EIF3E	CTT CTT AGT GAT ACC AAC A
EIF3E	A ATG CTT TAA GTT CAC TCT G
EIF3E	C AAA ATT CCA GTA CGA ATG T
ANXAP21	C AGG GAC TGC TAG TCA CAA G
ANXAP21	GGATCAGCGTCATGACCGAG
ANXAP21	A AGG AAC TGA AGT TCC CAA G
ANXAP21	T GAC TGA CCC AAA TGC ACT T
ANXAP21	G TTA GTC AAA ATG TTG ACA G
CAMK2B	C ACC GTC ATC CAT AAC CCA G
CAMK2B	C TCA CCT GAG AAA TTC CGT G
CAMK2B	G GCG AGA GAG TAC TAC AGC G
CAMK2B	G TGC ATC ATG GAT GCT ACC G
CAMK2B	C TCT TTG CGA AGG ACC TCA G
PAICS	A TTG GAA TCA TTT CAC ACT G
PAICS	T ACG AAT TGT TAG ACA GTC C

PAICS	G CTA GAA AAA ACC ACC TGG A
PAICS	A TGC CAA TAA TGA CCC ACA G
PAICS	C TTA CGA TTT GAC TTA TAT G
FLNA	C GTC AAA GCA GGG AAC CAC G
FLNA	A GTG GAG TAC ACG CCT TAC G
FLNA	T GGT GAC GAT ATA GGT TCC A
FLNA	A GTC GAT GTC AGC TTC GGC G
FLNA	T TAT CCA CGT ACA CCT CGA A
SLTM	A AAC CTC TTT GCT TGA CCA G
SLTM	A ACT ATG TCT TCA AGC ACA G
SLTM	G CAT TAG AAT AAT TCG TGA A
SLTM	T CTA ATG TAG GCT ATT GAA G
AHNAK	G GGC CCA AGT ATG AAC ATT G
AHNAK	G TGA TGC TAC CCC CAA TTT G
AHNAK	G GCT CTT CAA GTG TAG ATC G
PPIG	T CTG GAC GGA CAG TAG ACT G
PPIG	G TGG TGA AAG ATG GAT CAA G
PPIG	A GCT AGC AAA CCG TTT GCG G
PPIG	G GAG GGG AAT CTA TCT ATG G
PPIG	A AAG GGC CAA ATC TAA AAG T
BAG2	T CAA CGC TAA AGC CAA CGA G
BAG2	T CCA AAA TAG CCA GGA CAT G
BAG2	C ACC TCA TCA ATA ATC CTT G
BAG2	G AGC GAC ATT AAA TGA CTC T
BAG2	GATCAACGCTAAAGCCAACG
MSH2	C TGT CTC TGG CCA TCA ACT G
MSH2	C ATG GAT AAG AAC AGA ATA G
MSH2	A GGG GGT GAT CAA GTA CAT G
MSH2	A CAT CAT TGA GTG TCT GCA T
LMNA	GCGCCGTCATGAGACCCGAC
LMNA	C CGT CAT GAG ACC CGA CTG G
LMNA	A GTT GAT GAG AGC CGT ACG C
LMNA	G GAC AGA GAC TGC TCG GAG T
ANAPC4	C CTG CAG CAT CTA GTC CAA G
ANAPC4	G TCA CAG AAG TCT CTA CCA A
ANAPC4	CTCAAATGCATGGTACGGG
ANAPC4	AAAGACACTGTAGGACGTGA
RAD50	C TAG GAA CGT GAG TTA AGC A
RAD50	A AGC GGC GTG ATG AAA TGC T
RAD50	A AAC AGC ACA AGT TAG ACA C
RAD50	A AAA ACT GCC AAC CAA CTG A

RAD50	T ACA TTT GTA CAC GAT CCC A
VIM	A CAG CAT GTC CAA ATC GAT G
VIM	TCCTACCGCAGGATGTTCGG
VIM	A GAA GAA TGG TAC AAA TCC A
VIM	C AAC GAC AAA GCC CGC GTC G
VIM	C TCT ACG CCT CGT CCC CGG G
S100A10	G GAT AAA GGC TAC TTA ACA A
S100A10	A TCT CAA ATG GAA CAC GCC A
S100A10	G GAG GAC CTG AGA GTA CTC A
S100A10	C ACT TAC TTC CAA AAA TCC A
S100A10	G GAC AAA ATA ATG AAG GAC C
PALLD	A CGA AAA CTT CGC TTC AAG G
PALLD	G CTG CTG AGA GGG AAA CGA A
PALLD	G AGG CCT TTG AGG ACG ACA C
PALLD	G GAA CTG CAA AAC ACA GCC G
PALLD	A CCT GAG GTG ACA ACC AGC T
SKIV2L2	T CTG TGT AAA TAA CAT GAC A
SKIV2L2	T GTT GAA GGG TGT ACA CAT G
SKIV2L2	T TGT CTT GTT ATG ACC ACA G
SKIV2L2	T TTC CAT TTG ACC TAC AAC A
SKIV2L2	A CCA AAT TAG ATT TCA ACA C
SMARCAD1	A TGA CCG TAG TCT GTT TCG A
SMARCAD1	T GTC GGT AGT TCA CTA GAT G
SMARCAD1	C TGG CAT ACC TCT ATC AGG A
SMARCAD1	T GCA TCA CCA AAC ATC AGC A
SMARCAD1	A CCT CCA TTT CCA GTA AGC A
OGT	T GGC AAT AGA CAC CTA CAG G
OGT	G CCA ATA TCA AAC GAG AAC A
OGT	T GGC ACA AAC TTC CGA GTG A
OGT	G GCA CGC GTA TAA CAC TGC A
OGT	C TAT ACA CTT CCA GTG TCG A
C1QBP	G GCC CGC TAA ACC TCA CCG T
C1QBP	A TTA GTG CGG AAA GTT GCC G
C1QBP	G CGT GCG CGC AGG TTC CGA G
C1QBP	G ATA ATG ACA GTC CAA CAC A
C1QBP	GGACAGAAGCGAAATTAGTG
HSPD1P6	G AAA GCT TGA AGT TTG ATC G
HSPD1P6	G GTC TTA TCT AAA GAC AGT G
HSPD1P6	T AGC TAT GCC AAA GGT TGG T
HSPD1P6	C ACC CCT GAA GAA ATT GCG C
HSPD1P6	A TAA TCA CTG AAG ATG TTG G

PSDM14	A AAC ACA TCA ATC ACT CTG A
PSDM14	A AAG CCA ACA ACC AAA GCC A
PSDM14	A TCA AAC CCA TAA CTT CCA T
PSDM14	A GAC AAA CAA CTT CGA ATC T
PSDM14	A GCC TTG TCG GAG AGA GCT G
MYC	CTTCGGGGAGACAACGACGG
MYC	AACGTTGAGGGGCATCGTCG
MYC	GCCGTATTTCTACTGCGACG
MYC	CGAGGAGAGCAGAGAATCCG
MYC	TGCGTAGTTGTGCTGATGTG
HOXA7	CTCACAGAGAAGCGGCTACG
HOXA7	GCCTGCGACAAGACGGACGA
HOXA7	CAAAGGGGCTCTGATAAAGG
HOXA7	TACCTGAAGACCGCATCCAG
HOXA7	GGAGCAAAGGAGCAAGAAGT
MEIS1	GGTGGCCACACGTACACAG
MEIS1	ATGCGGGTCCCCATACATCG
MEIS1	CACAGCTCATACCAACGCCA
MEIS1	ATCATGATCTCTGTTCCAAG
MEIS1	CTTTAAAGCGTCATTGACAG
CDK6	GCCCGCGACTTGAAGAACGG
CDK6	AACACTCCAGAGATCCACGG
CDK6	GGAAACTATAGATGCGGGCA
CDK6	TGGCTCACCTGACCACGTTG
CDK6	CCAGCAGTACGAATGCGTGG
HOXA9	CAAAGTGTGAGTGTCAAGCG
HOXA9	GCGTTGGCCGCTATGCGCCG
HOXA9	CGACGGTGTTTGGCGCCTCG
HOXA9	ATGGTGGTGGTACACCGCAG
HOXA9	CAGGTTTAATGCCATAAGGC
CoA5	CATAGGAAGGAAAATCACCT
CoA5	TATTATGAGGACAAGCCGCA
CoA5	CGTCATGCCTAAGTATTATG
CoA5	TCTGCTGCAGTCGGACTGTG
CoA5	CGGCGCGTGCGCGGGCCTGA
RPL11	TGTCCACTGCACAGTTCGAG
RPL11	GGATGCGAAGTTCCCGCATG
RPL11	CTCACCTTTGGAAAACACAG
RPL11	AACTCATACTCCCGCACCTG
RPL11	TTCATTTCTCCGGATGCCAA
SRSF2	AACGACTCCGACTCCGGGAT

SRSF2	TCGAGCGGCTGTAGCGAGAT
SRSF2	CTTGTCGTGAAAGCGAACGA
SRSF2	GGAGGGTATGACCTCCCTCA
SRSF2	CGGGTGCAAATGGCGCGCTA
RPS27	TTGTGCATGGCTAAAGACCG
RPS27	CTGTCCCTCTTAGCTCGCAA
RPS27	TTCCTCCTGAAGGAACATCC
RPS27	TTCCTCCAGGATGTTCTTC
RPS27	CTCCAGGATGTTCTTCAGG
HEATR1	ATTGAACTGATGTTAGACAG
HEATR1	ACAACAAAGGAACTTTACGC
HEATR1	CAGGAACATTACATAAGTGA
HEATR1	ATACAACATCTAATGTTCTG
HEATR1	GCCCCGTAAAAGAAGTTCGT
HIST1H2AH	GCTCGGCATAATTACCCTTG
HIST1H2AH	GAAGCCCAGCCCGAGAAGAG
HIST1H2AH	TCTGGACGTGGCAAGCAAGG
HIST1H2AH	GGCTGGGCTTCAGTTCCCCG
HIST1H2AH	GAGGTGACGCGGGATGATAC
Atr(LOC648152)	TGACGTGCGAAAACAAGATG
Atr(LOC648152)	CTGTGTGAGATGGTCAAGCA
Atr(LOC648152)	AGTCAATTAGATGAACACAT
Atr(LOC648152)	AGAACCTATTATCTCACAGT
Atr(LOC648152)	TAATTATAGAATTAACATG
STAT5A_1	GCACTACGCCACGCAGCTCC
STAT5A_2	TACACCCACCTGGAGCTGCG
STAT5A_3	ACCAGGACTGTAGCACGTCC
STAT5A_4	CATTGACTTGGACAATCCCC
STAT5A_5	CGTGACATGAATCCCCCCC
BCL-2	GGCCTTCTTTGAGTTCGGTG
BCL-2	TGGACATCTCGGCGAAGTCG
BCL-2	TGTCGCAGAGGGGCTACGAG
BCL-2	CTGACGCCCTTACCGCGCG
BCL-2	GCCCCATCCAGCCGCATCCC
NT1	ACGGAGGCTAAGCGTCGCAA
NT2	CGCTTCCGCGGCCCGTTCAA
NT3	ATCGTTTCCGCTTAACGGCG
NT4	GTAGGCGCGCCGCTCTCTAC
NT5	CCATATCGGGGCGAGACATG
NT6	TACTAACGCCGCTCCTACAG

NT7	TCATCTTACATCTGGGAGAC
NT8	GGGCCCGCATAGGATATCGC
NT9	TAGACAACCGCGGAGAATGC
NT10	ACGGGCGGCTATCGCTGACT
NT11	CGCGGAAATTTTACCGACGA
NT12	CTTACAATCGTCCGTCCAAT
NT13	GCGTGCGTCCCGGGTTACCC
NT14	CGGAGTAACAAGCGGACGGA
NT15	CGAGTGTTATACGCACCGTT
NT16	CGACTAACCGGAAACTTTTT
NT17	CAAGTTTTCTGAAAGGCAAT
NT18	AAAGATATAGCAAATTATGG
NT19	TTCACGTCGTCTCGCGACCA
NT20	GTGTCGGATTCCGCCGCTTA
NT21	GTTAGGAATAAAAGCTTTGA
NT22	ACTTCCCACTTCTTAGGTTG
NT23	CCATTCACAATCCCACTACA
NT24	TGTTTTGCATGTTGCATAGG
NT25	TAAGCCTCATGAAGGAGGGG
NT26	GGTACTGGAAGTCCGAAACC
NT27	AAATAATATGCATCTCTCGA
NT28	AGCTGGACTCTGTAGAAATC

Table S1. Short guide RNA (sgRNA) sequences.

Genes	Primer Sequence
USO1-Forward Primer	TACCGCTTGGAAGTGGGTAT
USO1-Reverse Primer	AAATCTTCACTCTGTCTTGTGGAAT
EPRS- Forward Primer	GGG AAG GCT TAT GTG GAT GA
EPRS- Reverse Primer	CTC GCA AAC AAC AGG ACT
EIF3E-Forward Primer	CCCTCACCTCCTTTACAGAG
EIF3E-Reverse Primer	GCACAGACTCCCTTTTCTTT
MRSP12-Forward Primer	CCTCTTCCATCAGGACCACT
MRSP12-Reverse Primer	CAGTGTCTTGTCCCAGCAG
TRFC-Forward Primer	TGGACAGCACAGACTTCACC
TRFC-Reverse Primer	CCAGGATTCTCCACCAGG
NOP16-Forward Primer	AGGGTGTAAGGCAAGGAGGT
NOP16-Reverse Primer	ATCACCCACCCTGAAAACA
DDX21-Forward Primer	GCAGCAGTTATTGGGGATGT
DDX21-Reverse Primer	TGAATTCTGGGACAGCTCCT
PSMD1-Forward Primer	CTGTGGTTGGCGTCCTTGTAT
PSMD1-Reverse Primer	CAAATGTGGATGGTTTACAG
Human 18s Forward Primer	GTAACCCGTTGAACCCATT
Human 18s Reverse Primer	CCATCCAATCGGTAGTAGCG
Uso1-Forward Primer	CCAGGGAAGCAAATACAGA
Uso1-Reverse Primer	GCACATAAGCCTTGGACC
L-32 Forward Primer	AAG CGA AAC TGG CGG AAA C
L-32 Reverse Primer	TAA CCG ATG TTG GGC ATC AG

Genes	ChIP primer sequence
USO1-Fw	TGGCTGAACGGCAAGATGAAT
USO1- Rev	CTGGGATTTTCAGGAGCGGA

Genes	sgRNA sequence
Ms-NT	GCGAGGTATTCGGCTCCGCG
Uso1-1	GGTAACGTAGAGGAAGCTACG
Uso1-2	GTCGGTCATCCAGTAACGTAG
Uso1-3	GACTGCTGGACATTATTACAG

CRISPR Lib. primers	Sequence
Part I Illumina Universal Adaptor with variable region and vector seq.	ACACTCTTTCCCTACACGACGCTCTTCCGATCTT AA TGGAAAGGACGAAACACCGA
PartII Illumina Index adaptor	GACTGGAGTTCAGACGTGTGCTCTTCCGATCTT TTAGTTTGTATGTCTGTTG
Rest Illumina universal adaptor	AATGATACGGCGACCACCGAGATCTACACTCTT TCCCTACACGACGC
Rest Illumina Index adaptor	CAAGCAGAAGACGGCATACGAGATCGTGATGT GACTGGAGTTCAGACGTGTGC

Table S2. Primer sequences. Please see text for details.