

Adamo, Shelley (2018) Sentience, the final frontier..... Animal Sentience 21(3) DOI: 10.51291/2377-7478.1323



This article has appeared in the journal Animal Sentience, a peer-reviewed journal on animal cognition and feeling. It has been made open access, free for all, by WellBeing International and deposited in the WBI Studies Repository. For more information, please contact wbisr-info@wellbeingintl.org.



SOLUTIONS FOR PEOPLE, ANIMALS AND ENVIRONMENT

# Sentience, the final frontier....

Commentary on Sneddon et al. on Sentience Denial

## Shelley Adamo Department of Psychology and Neuroscience Dalhousie University

**Abstract:** Arguments for fish sentience have difficulty with the philosophical zombie problem. Progress in AI has shown that complex learning, pain behavior, and pain as a motivational drive can be emulated by robots without any internal subjective experience. Therefore, demonstrating these abilities in fish does not necessarily demonstrate that fish are sentient. Further evidence for fish sentience may come from optogenetic studies of neural networks in zebrafish. Such studies may show that zebrafish have neural network patterns similar to those that correlate with sentience in humans. Given the present uncertainty regarding sentience in fish, caution should be applied regarding the precautionary principle. Adopting this principle may cause distress to humans, who are certainly sentient, as they strive to protect animals that may not be.

Shelley Adamo is a professor and invertebrate behavioural physiologist. She studies how parasites zombify their insect hosts. She isn't sure whether her caterpillars are sentient, but they seem even less so after their brains are taken over by a common parasitic wasp, *Cotesia congregata*. www.adamolab.ca



Whether an entity is sentient depends on the definition of sentience. Sneddon et al. (2018) use Broom's (2016) definition, which requires that sentient organisms have subjective experiences (e.g., perceptions and emotions). Sneddon et al. (2018) make the case that fish have this capacity. They note that nociceptive stimuli exert a motivational force on their behaviour, and that nociception can be mitigated by opioids. They then examine the positions of those who believe fish are not sentient.

Sneddon et al. identify two major objections to fish sentience. Critics argue that fish lack complex cognitive abilities and that their brains lack the necessary neuroanatomical structures for sentience. Sneddon et al. cite work that convincingly demonstrates that fish can learn complex tasks. They also make the reasonable point that although fish lack the cortical areas thought to underlie sentience in humans (e.g., see Storm, 2017), fish could have evolved analogous neural circuits to produce this capacity.

Unfortunately, a major problem in determining whether fish are sentient is that it is difficult to exclude the possibility that fish are merely 'philosophical zombies'. In other words, fish could have complex learning, pass the mirror test for self-recognition, have modifiable pain systems, and show motivational responses to nociception, all without subjective experience. We know that this is a possibility because present-day artificial intelligence (AI), which is not thought

to be sentient (Reggia et al., 2014), can mimic all of these phenomena. Al can learn complex tasks, including the ability to understand human language well enough to beat human contestants at the game show Jeopardy (see Tononi and Koch, 2015). Al can also learn to beat people at Go (Silver et al., 2017) and poker (Bowling et al., 2015). Winning at poker requires AI to 'know' when and how to 'deceive' (i.e., bluff), and to recognize when it is being deceived (www.bluffbot.com); these are non-trivial tasks. Robots have also been designed that can pass the test of mirror selfrecognition (Komatsu and Takeno, 2011; Takeno et al., 2005). Some robots are equipped with nociceptors (e.g., sensors that respond to potentially damaging stimuli, Stiehl et al., 2004) that are modifiable (Ames et al., 2012). It should be noted, however, that having modifiable nociception is a poor criterion for sentience – all sensory systems are modifiable, even in very simple animals (e.g., vision in horseshoe crabs, Barlow et al., 2001). It is unclear why nociception would be expected to be different. 'Pain' can also be motivating for robots (see review in Adamo, 2016). For example, a robotic rat can be programmed to 'feel discomfort' when wet, and this discomfort 'motivates' it to learn the solution to a Morris water maze (Ames et al., 2012). Artificial emotions such as 'fear', anger', 'surprise', 'happiness' and 'sadness' have been programmed into autonomous robots, allowing them to adapt their behaviour to current conditions (Lee-Johnston and Carnegie, 2010): "[A]rtificial emotions can motivate a robot to reprioritize its goals, modulate its behaviour parameters and provide learning rewards" (Lee-Johnston and Carnegie, 2010, p. 469).

The ability of today's AI to mimic sentience without any inner experience (as far as we know) suggests that behaviour that implies sentience in us may not provide evidence of sentience in animals. On the other hand, the ability of AI to emulate some aspects of sentience does not mean that fish are not sentient. It merely demonstrates that these abilities do not require sentience. Studying patterns of neural activity using <u>optogenetics in zebrafish</u> could be an important step forward. Using optogenetics, it may be possible to study whether zebrafish neural activity has many of the attributes thought to be key in producing sentience in humans (see Storm et al., 2017). For example, computers tend to use feedforward neural architecture (with some exceptions, e.g., Ames et al., 2012), which Tonini and Koch (2015) believe is unlikely to allow for subjective experiences. Examining the details of zebrafish neural networks will allow comparisons with metrics thought to be important for supporting sentience; some of these metrics (see Storm et al., 2017) can be computed even though fish neuroanatomy differs from that of humans.

The authors acknowledge that, at present, it is not possible to be certain about sentience in fish. However, weighing the evidence, they argue that there is enough information to invoke the precautionary principle (Birch 2017), that is, that fish should be given explicit protection against pain and suffering. As they demonstrate, fish could be sentient, and it would therefore seem prudent to assume that they are sentient for regulatory purposes. However, we should not invoke the precautionary principle without considering the impact on humans. For example, if fish farmers in the developing world are shut out of EU markets because of fish welfare regulations, this will produce distress in humans. I do not mean to suggest that the precautionary principle is not appropriate for fish in some circumstances: only that the welfare of humans, who we know are sentient, must also be considered.

### References

- Adamo, S.A. (2016) Do insects feel pain? A question at the intersection of animal behaviour, philosophy and robotics. *Animal Behaviour*, 118: 75-79.
- Ames, H., Mingolla, E., Sohail, A., Chandler, B., Gorchetchnikov, A., Leveille, J., Livitz, G. & Versace, M. (2012) The animat: New frontiers in whole brain modeling. *IEEE Pulse*, 3: 47-50.
- Barlow, R.B., Hitt, J.M. & Dodge, F.A. (2001) Limulus vision in the marine environment. *Biological Bulletin*, 200: 169-176.
- Birch, J. (2017) <u>Animal sentience and the precautionary principle</u>. *Animal Sentience* 16(1).
- Bowling, M., Burch, N., Johanson, M. & Tammelin, O. (2015) Heads-up limit hold'em poker is solved. *Science*, 347: 145-149.
- Broom, D.M. (2016) <u>Considering animals' feelings: Précis of Sentience and animal welfare</u> (Broom 2014). Animal Sentience 5(1).
- Komatsu, T. & Takeno, J. (2011) A conscious robot that expects emotions. IEEE, New York.
- Lee-Johnson, C.P. & Carnegie, D.A. (2010) Mobile robot navigation modulated by artificial emotions. *IEEE Transactions on Systems Man and Cybernetics Part B-Cybernetics*, 40: 469-480.
- Reggia, J.A., Monner, D. & Sylvester, J. (2014) The computational explanatory gap. *Journal of Consciousness Studies*, 21: 153-178.
- Silver, D., Schrittwieser, J., Simonyan, K., Antonoglou, I., Huang, A., Guez, A., Hubert, T., Baker,
  L., Lai, M., Bolton, A., Chen, Y.T., Lillicrap, T., Hui, F., Sifre, L., van den Driessche, G., Graepel,
  T. & Hassabis, D. (2017) Mastering the game of Go without human knowledge. *Nature*, 550: 354.
- Sneddon, L.U., Lopez-Luna, J., Wolfenden, D.C.C., Leach, M.C., Valentim, A.M., Steenbergen, P.J., Bardine, N., Currie, A.D., Broom, D.M. & Brown, C. (2018) <u>Fish sentience denial: Muddying</u> <u>the waters</u>. *Animal Sentience* 21(1).
- Stiehl, W.D., Lalla, L. & Breazeal, C. (2004) A "somatic alphabet" approach to "sensitive skin". Proceedings of the 2004 IEEE International Conference on Robotics and Automation, 3(3), 2865-2870. IEEE, New York.
- Storm, J.F., Boly, M., Casali, A.G., Massimini, M., Olcese, U., Pennartz, C.M.A. & Wilke, M. (2017) Consciousness regained: Disentangling mechanisms, brain systems and behavioral responses. *Journal of Neuroscience*, 37: 10882-10893.
- Takeno, J., Inaba, K. & Suzuki, T. (2005) *Experiments and examination of mirror image cognition using a small robot*. IEEE, New York.
- Tononi, G. & Koch, C. (2015) Consciousness: Here, there and everywhere? *Philosophical Transactions of the Royal Society B-Biological Sciences*, 370: 117-134.

### UQÀM/ISC Cognitive Science Summer School June 26 - July 6 2018, Montreal, Canada

## **The Other Minds Problem: Animal Sentience and Cognition**

**Overview.** Since Descartes, philosophers know there is no way to know for sure what — or whether — others feel (not even if they tell you). Science, however, is not about certainty but about probability and evidence. The 7.5 billion individual members of the human species can tell us what they are feeling. But there are 9 million other species on the planet (20 quintillion individuals), from elephants to jellyfish, with which humans share biological and cognitive ancestry, but not one other species can speak: Which of them can feel — and what do they feel? Their human spokespersons — the comparative psychologists, ethologists, evolutionists, and cognitive neurobiologists who are the world's leading experts in "mind-reading" other species -- will provide a sweeping panorama of what it feels like to be an elephant, ape, whale, cow, pig, dog, chicken, bat, fish, lizard, lobster, snail: This growing body of facts about nonhuman sentience has profound implications not only for our understanding of human cognition, but for our treatment of other sentient species.

#### Gregory Berns: Decoding the Dog's Mind with Awake Neuroimaging Gordon Burghardt: Probing the Umwelt of Reptiles Jon Sakata: Audience Effects on Communication **Signals** PANEL: Reptiles, Birds and Mammals WORKSHOP: Kristin Andrews: The "Other" Problems: Mind, Behavior, and Agency Sarah Brosnan: How Do Primates Feel About Their Social Partners? Alexander Ophir: The Cognitive Ecology of Monogamy Michael Hendricks: Integrating Action and Perception in a Small Nervous System PANEL: Primates, Voles and Worms WORKSHOP: Jonathan Birch: Animal Sentience and the Precautionary Principle Malcolm MacIver: How Sentience Changed After Fish Invaded Land 385 Million Years Ago Sarah Woolley: Neural Mechanisms of Preference in Female Songbird Simon Reader: Animal Social Learning: Implications for Understanding Others PANEL: Sea to Land to Air WORKSHOP: Steven M. Wise: Nonhuman Personhood Tomoko Ohyama: Action Selection in a Small Brain (Drosophila Maggot) Mike Ryan: "Crazy Love": Nonlinearity and Irrationality in Mate Choice Louis Lefebvre: Animal Innovation: From Ecology to Neurotransmitters PANEL: Maggots, Frogs and Birds: Flexibility Evolving SPECIAL EVENT: Mario Cyr: Polar Bears Colin Chapman: Why Do We Want to Think People Are Different? Vladimir Pradosudov: Chickadee Spatial Cognition Jonathan Balcombe: The Sentient World of Fishes PANEL: Similarities and Differences WORKSHOP (part 1): Gary Comstock: A Cow's Concept of Her Future

WORKSHOP (part 2): Jean-Jacques Kona-Boun: Physical and Mental Risks to Cattle and Horses in Rodeos Joshua Plotnik: Thoughtful Trunks: Application of Elephant Cognition for Elephant Conservation Lori Marino: Who Are Dolphins? PANEL: Mammals All, Great and Small Larry Young: The Neurobiology of Social Bonding, Empathy and Social Loss in Monogamous Voles WORKSHOP: Lori Marino: The Inconvenient Truth About Thinking Chickens Andrew Adamatzky: Slime Mould: Cognition Through Computation Frantisek Baluska & Stefano Mancuso: What a Plant **Knows and Perceives** Arthur Reber: A Novel Theory of the Origin of Mind: Conversations With a Caterpillar and a Bacterium PANEL: Microbes. Molds and Plants WORKSHOP: Suzanne Held & Michael Mendl: Pig Cognition and Why It Matters James Simmons: What Is It Like To Be A Bat? Debbie Kelly: Spatial Cognition in Food-Storing **Steve Phelps:** Social Cognition Across Species PANEL WORKSHOP: To be announced Lars Chittka: The Mind of the Bee Reuven Dukas: Insect Emotions: Mechanisms and **Evolutionary Biology** Adam Shriver: Do Human Lesion Studies Tell Us the Cortex is Required for Pain Experiences? PANEL WORKSHOP: Delcianna Winders: Nonhuman Animals in Sport and Entertainment Carel ten Cate: Avian Capacity for Categorization and Abstraction Jennifer Mather: Do Squid Have a Sense of Self? Steve Chang: Neurobiology of Monkeys Thinking About Other Monkeys PANEL WORKSHOP: The Legal Status of Sentient Nonhuman Species