

ANIMAL SENTIENCE

AN INTERDISCIPLINARY JOURNAL ON ANIMAL FEELING

Howard, Scarlett R. and Symonds, Matthew R.E. (2020) [Ethical considerations for invertebrates](#). *Animal Sentience* 29(21)

DOI: 10.51291/2377-7478.1608



This article has appeared in the journal *Animal Sentience*, a peer-reviewed journal on animal cognition and feeling. It has been made open access, free for all, by WellBeing International and deposited in the WBI Studies Repository. For more information, please contact wbisr-info@wellbeingintl.org.

Ethical considerations for invertebrates

Commentary on [Mikhalevich & Powell](#) on *Invertebrate Minds*

Scarlett R. Howard & Matthew R. E. Symonds

School of Life and Environmental Sciences, Deakin University

Abstract: Mikhalevich & Powell (2020) have built on the discussion about which species deserve inclusion in animal ethics and welfare considerations. Here, we raise questions concerning the assessment criteria. We ask how to assess different species for their ability to fulfill the criteria, which criteria are most important, how we quantify them (absolute or on a continuum), and how non-animals such as fungi and plants fit into this paradigm.

[Scarlett Howard](#) is a postdoctoral research fellow at Deakin University. Her research explores conceptual learning, neurobiology, and visual perception in honeybees as well as insect diversity, pollinator preferences, plant-pollinator interactions, and anthropogenic impacts on bees. [Website](#)



[Matthew Symonds](#) is an Associate Professor in Evolutionary Ecology at Deakin University. His research focuses on the evolution of diversity in behaviour, morphology, physiology and chemistry across species with particular focus on insect and avian systems. [Website](#)



Mikhalevich & Powell (2020) (M&P) build on a growing discussion about the inclusion and exclusion of specific animals in ethics and welfare considerations. M&P examine consciousness/sentience, cognitive ability, emotion, and the experience of pain to argue that invertebrates, specifically arthropods, should be provided with ethical consideration if they meet the same criteria as protected vertebrates. Invertebrates are often unfairly categorised as ‘a lower class of life’ or ‘simpler’ than vertebrates (Browning and Veit 2020) due to their smaller brain sizes and instinctual behaviours. Decades of research, however, indicate that many arthropods show evidence of self-awareness (Briffa and Twyman 2011), cognition (Chittka and Niven 2009), and other complex behaviours. Arthropods are thought to be sentient (Barron and Klein 2016; Klein and Barron 2016), able to experience emotion (Bateson et al. 2011; Mendl et al. 2011), to exhibit behavioural differences in personality (Kralj-Fišer and Schuett 2014), and to perform cognitively demanding tasks such as arithmetic (Howard et al. 2019a; Howard et al. 2019b); they are even able to learn to play ‘soccer’ (Loukola et al. 2017).

We are inclined to agree with recent commentaries from Vonk (2020) and Levy (2020), however, who argue that cognitive complexity, intelligence, and sentience are not the only criteria for whether a species should be provided with ethical and welfare consideration. None of

the traits mentioned are absolutes; they vary along a continuum. Their presence or absence should neither automatically qualify nor disqualify invertebrates for ethical consideration.

1. Variability in testing. One difficulty in the criteria M&P set out for ethical consideration is that they are not easy to assess. Several arthropods have shown evidence of complex cognitive ability, among others bees (specifically honeybees and bumblebees; Avarguès-Weber and Giurfa 2013; Dyer 2012; Dyer and Chittka 2004; Loukola et al. 2017; Srinivasan 2010) and ants (Cammaerts and Cammaerts 2019a; Cammaerts and Cammaerts 2019b; Cammaerts 2020). The greater accessibility for testing of some arthropods than others complicates the issue.

Social insects such as honeybees, bumblebees and ants, because of their hive environments and foraging lifestyles, are easier to test for learning and cognition than solitary species. Social insects often work for the hive and so do not lose motivation when satiated; they are thus ideal species for studying invertebrate cognition. The relative ease of testing these species may result in other arthropods being overlooked, even though they may have similar levels of self-awareness, cognitive ability, emotion, and pain or discomfort.

Observations of behavioural responses are also influenced by our own human perception of these behaviours. Larger invertebrates inevitably form the basis of most behavioural and physiological analyses because they are easier to manipulate and observe. It is not known how much their behaviours can be extrapolated to all invertebrates. M&P, citing Birch (2017), suggest that we apply the Animal Sentience Precautionary Principle, which advocates that welfare principles be applied to an entire Order where there is reliable scientific evidence of sentience in one of the species in that Order. Precautionary principles are not intended to remove all possibility of risk (COMEST 2005); they depend on the degree of threat — in this case, the likelihood that a species experiences pain, discomfort, or distress.

2. Which criteria matter? M&P review the evidence of cognition, sentience, emotion, and the experience of pain in arthropods to argue for their inclusion in animal ethics and welfare. Questions arise: (i) where do we draw the line on these criteria? and (ii) how many of these criteria does an animal need to satisfy to receive ethical consideration? Bees show a range of complex behaviours and cognitive abilities including facial recognition (Avarguès-Weber et al. 2010; Chittka and Dyer 2012; Dyer et al. 2005), numerical ability (Bortot et al. 2019; Howard et al. 2018; Howard et al. 2019b; Howard et al. 2019c; Howard et al. 2019d; Howard et al. 2020), and relational learning (Avarguès-Weber et al. 2011; Giurfa et al. 2001; Howard et al. 2017a; Howard et al. 2017b). They also demonstrate subjective experience, evidenced by individual differences in learning ability (Dyer et al. 2019; Howard et al. 2019a). Thus, they achieve some of the criteria set out by M&P but may fail at other important criteria such as the experience of pain (Groening et al. 2017), which has not been conclusively proven or disproven. We therefore need to consider what allows an invertebrate to be given ethical consideration. Is it intelligence? Is it the ability to experience pain? Is it evidence of self-awareness? Following that is the question of how we quantify these criteria, and the level to ascribe as sufficient to merit ethical consideration. Primate researchers have long experienced difficulties in quantifying intelligence and cognitive abilities, with the diversity and extent of key behaviours being assessed (Reader et al. 2011). Even with these assessments, however, judgements need to be made as to which traits are most important; and poorly studied species will tend to be ranked lower due to lack of observation. M&P argue

for an absolutist approach which implies that any evidence for cognition, sentience, pain etc., should be taken as arguing for an inclusion in animal welfare, but these traits are part of a continuum, not a binary classification.

3. Other considerations: Organisms without brains. Another consideration for the criteria on which M&P base their arguments is how to interpret and apply ethical considerations when fungi and plants exhibit similar behaviours. Extensive research into slime moulds has shown that they have the ability to perform tasks which would be considered 'higher learning' in vertebrates. Slime moulds are able to navigate mazes (Reid et al. 2012), solve problems (Reid et al. 2016), and use speed-accuracy trade-offs (Latty and Beekman 2010). Plants also exhibit information acquisition, memory, learning, decision making, and reaction to damage (Calvo Garzón and Keijzer 2011; Garzón and Keijzer 2009; Parise et al. 2020). Under some of the criteria set out by M&P, certain fungi and plants should also be eligible for ethical consideration. At which point do we determine whether a species is deserving of protection?

4. Conclusions. M&P have argued that arthropods and other invertebrates should be provided with animal ethics protections. Here, we have raised questions about how to assess different species for their ability to fulfill the criteria, which criteria are most important, how we quantify them, and how non-animals such as fungi and plants fit into this paradigm. As research continues to reveal the complexity of invertebrate brains and behaviour, we will need to consider how their welfare fits into research and everyday life.

References

- Avarguès-Weber A, Dyer AG, Giurfa M (2011) [Conceptualization of above and below relationships by an insect](#). *Proceedings of the Royal Society of London B: Biological Sciences* 278(1707).
- Avarguès-Weber A, Giurfa M (2013) [Conceptual learning by miniature brains](#). *Proceedings of the Royal Society of London B: Biological Sciences* 280(1772).
- Avarguès-Weber A, Portelli G, Benard J, Dyer A, Giurfa M (2010) Configural processing enables discrimination and categorization of face-like stimuli in honeybees. *The Journal of Experimental Biology* 213(4).
- Barron AB, Klein C (2016) [What insects can tell us about the origins of consciousness](#). *Proceedings of the National Academy of Sciences* 113(18).
- Bateson M, Desire S, Gartside SE, Wright GA (2011) [Agitated honeybees exhibit pessimistic cognitive biases](#). *Current Biology* 21(12).
- Birch J (2017) [Animal sentience and the precautionary principle](#). *Animal Sentience* 16(1).
- Bortot M, Agrillo C, Avarguès-Weber A, Bisazza A, Miletto Petrazzini ME, Giurfa M (2019) [Honeybees use absolute rather than relative numerosity in number discrimination](#). *Biology Letters* 15(6).
- Briffa M, Twyman C (2011) [Do I stand out or blend in? Conspicuousness awareness and consistent behavioural differences in hermit crabs](#). *Biology Letters* 7(3).
- Browning H, Veit W (2020) [Improving invertebrate welfare](#). *Animal Sentience* 29(4).

- Calvo Garzón P, Keijzer F (2011) Plants: Adaptive behavior, root-brains, and minimal cognition. *Adaptive Behavior* 19(3).
- Cammaerts, M-C (2020) [Invertebrates should be given ethical consideration](#). *Animal Sentience* 29(6).
- Cammaerts M-C, Cammaerts R (2019a) Ants correctly locate the zero in a continuous series of numbers. *International Journal of Biology* 11.
- Cammaerts M-C, Cammaerts R (2019b) Ants' capability of adding numbers of identical elements. *International Journal of Biology* 11.
- Chittka L, Dyer A (2012) [Cognition: Your face looks familiar](#). *Nature* 481(7380).
- Chittka L, Niven J (2009) [Are bigger brains better?](#) *Current Biology* 19(21).
- COMEST (World Commission on the Ethics of Scientific Knowledge and Technology) (2005) [The Precautionary Principle](#). UNESCO.
- Dyer AG (2012) [The mysterious cognitive abilities of bees: Why models of visual processing need to consider experience and individual differences in animal performance](#). *The Journal of Experimental Biology* 215(3).
- Dyer AG, Chittka L (2004) [Bumblebees \(*Bombus terrestris*\) sacrifice foraging speed to solve difficult colour discrimination tasks](#). *Journal of Comparative Physiology A* 190(9).
- Dyer AG, Garcia JE, Howard SR, Avarguès-Weber A, Greentree AD (2019) [Common principles in leaning from bees through to humans: Individual differences set a basis for learning theory and implementations into AI](#). *Video Journal of Education and Pedagogy* 4(2).
- Dyer AG, Neumeyer C, Chittka L (2005) [Honeybee \(*Apis mellifera*\) vision can discriminate between and recognise images of human faces](#). *Journal of Experimental Biology* 208(24).
- Garzón PC, Keijzer F (2009) [Cognition in plants](#). In: *Plant-environment interactions*. Springer, 247-266.
- Giurfa M, Zhang S, Jenett A, Menzel R, Srinivasan MV (2001) [The concepts of 'sameness' and 'difference' in an insect](#). *Nature* 410(6831).
- Groening J, Venini D, Srinivasan MV (2017) [In search of evidence for the experience of pain in honeybees: A self-administration study](#). *Scientific Reports* 7(1).
- Howard SR, Avarguès-Weber A, Garcia J, Dyer AG (2017a) [Free-flying honeybees extrapolate relational size rules to sort successively visited artificial flowers in a realistic foraging situation](#). *Animal Cognition* 20(4).
- Howard SR, Avarguès-Weber A, Garcia JE, Greentree AD, Dyer AG (2018) [Numerical ordering of zero in honey bees](#). *Science* 360(6393).
- Howard SR, Avarguès-Weber A, Garcia JE, Greentree AD, Dyer AG (2019a) [Achieving arithmetic learning in honeybees and examining how individuals learn](#). *Communicative & Integrative Biology* 12(1).
- Howard SR, Avarguès-Weber A, Garcia JE, Greentree AD, Dyer AG (2019b) [Numerical cognition in honeybees enables addition and subtraction](#). *Science Advances* 5(2).
- Howard SR, Avarguès-Weber A, Garcia JE, Greentree AD, Dyer AG (2019c) [Surpassing the subitizing threshold: Appetitive–aversive conditioning improves discrimination of numerosities in honeybees](#). *Journal of Experimental Biology* 222(19).
- Howard SR, Avarguès-Weber A, Garcia JE, Greentree AD, Dyer AG (2019d) [Symbolic representation of numerosity by honeybees \(*Apis mellifera*\): Matching characters to small quantities](#). *Proceedings of the Royal Society B: Biological Sciences* 286(1904).

- Howard SR, Avarguès-Weber A, Garcia JE, Stuart-Fox D, Dyer AG (2017b) [Perception of contextual size illusions by honeybees in restricted and unrestricted viewing conditions](#). *Proceedings of the Royal Society B: Biological Sciences* 284(1867).
- Howard SR, Schramme J, Garcia JE, Ng L, Avarguès-Weber A, Greentree AD, Dyer AG (2020) Spontaneous quantity discrimination of artificial flowers by foraging honeybees. *Journal of Experimental Biology* 223(9).
- Klein, C and Barron, AB (2016) [Insects have the capacity for subjective experience](#). *Animal Sentience* 9(1).
- Kralj-Fišer S, Schuett W (2014) Studying personality variation in invertebrates: Why bother? *Animal Behaviour* 91.
- Latty T, Beekman M (2010) [Speed–accuracy trade-offs during foraging decisions in the acellular slime mould *Physarum polycephalum*](#). *Proceedings of the Royal Society B: Biological Sciences* 278(1705).
- Levy N (2020) [It might not matter very much whether insects are conscious](#). *Animal Sentience* 29(2).
- Loukola OJ, Perry CJ, Coscos L, Chittka L (2017) Bumblebees show cognitive flexibility by improving on an observed complex behavior. *Science* 355(6327).
- Mendl M, Paul ES, Chittka L (2011) Animal behaviour: Emotion in invertebrates? *Current Biology* 21(12).
- Mikhalevich, I, Powell, R (2020) [Minds without spines: Evolutionarily inclusive animal ethics](#). *Animal Sentience* 29(1).
- Parise AG, Gagliano M, Souza GM (2020) [Extended cognition in plants: Is it possible?](#) *Plant Signaling & Behavior* 15(2).
- Reader SM, Hager Y, Laland KN (2011) [The evolution of primate general and cultural intelligence](#). *Philosophical Transactions of the Royal Society of London B Biological Sciences* 366(1567).
- Reid CR, Latty T, Dussutour A, Beekman M (2012) Slime mold uses an externalized spatial “memory” to navigate in complex environments. *Proceedings of the National Academy of Sciences* 109(43).
- Reid CR, MacDonald H, Mann RP, Marshall JA, Latty T, Garnier S (2016) [Decision-making without a brain: How an amoeboid organism solves the two-armed bandit](#). *Journal of The Royal Society Interface* 13(119).
- Srinivasan MV (2010) [Honey bees as a model for vision, perception, and cognition](#). *Annual Review of Entomology* 55.
- Vonk J (2020) [No room for speciesism in welfare considerations](#). *Animal Sentience* 29(5).