



OPEN

Complete model-free sliding mode control (CMFSMC)

Quanmin Zhu

This study presents a complete model-free sliding mode control (CMFSMC) framework for the control of continuous-time non-affine nonlinear dynamic systems with unknown models. The novelty lies in the introduction of two equalities to assign the derivative of the sliding functions, which generally bridges the designs of those model-based SMC and model-free SMC. The study includes a double SMC (DSMC) design, state observer design, and desired reference state vector design (whole system performance), which all do not require plant nominal models. The preconditions required in the CMFSMC are the plant dynamic order and the boundedness of plant and disturbances. U-model based control (U-control) is incorporated to configure the whole control system, that is (1) taking model-free double SMC as a robust dynamic inverter to cancel simultaneously both nonlinearity and dynamics of the underlying plants, (2) taking a model-free state observer to estimate the state vector, (3) taking invariant controller to specify the whole control system performance in a linear output feedback control and to provide desired reference state vector. The related properties are studied to support the concept/configuration development and the analytical formulations. Simulated case studies demonstrate the developed framework and show off the transparent design procedure for applications and expansions.

Model-free sliding mode control. Parallel to model-based control, model-free control, or popularly named as data-driven control, has attracted larger cohort research efforts, typically from data-driven control¹, model-free control², active disturbance rejection control (ADRC)³, adaptive dynamic programming⁴, etc. All the model-free approaches are based on the belief that the modelling process is expensive, time-consuming and inaccurate. For the particular interest of the study, model-free sliding mode control (MFSMC), some of the related research has been reported. A representative research publication domain has been in the discrete-time approaches, which has proposed a class of MFSMC with control input difference formulation plus an ad-hoc system formation⁵. The research group has expanded this approach to MIMO systems⁶, which follows the kernel foundation that the control system relies on estimating the control input difference to stabilise the systems. The other MFSMC approach⁷ is using a first-order system as foundation to assign PID controllers plus switching controls, which also provides low-pass filter for estimating the first-order derivative of the controller output and disturbance estimator to facilitate the MFSMC design. Another work⁸ has presented a work on model-free sliding mode control, theory and application, which is based on discrete time formulation again from estimating existing underlying system behaviour, controller optimisation, to sliding mode design. Even claimed as a model free control method, the approach actually uses an online model estimated from the measurement for SMC design. In addition, SMC technique is still expanding quickly to a wide range of dynamic systems, such as a latest leading work⁹ devoted to networked control systems with time delay, using auxiliary matrix-based formulations. No doubt such new approaches will be solid foundation for expansion to model free SMC in the follow up studies.

State observer. It has been observed that the high cost of the actual equipment, the availability/limitation of sensors and other factors, system state components could not be obtained fully directly from measurement even with noise. For many application domains, such as control system analysis and synthesis, fault detection systems, and various issues in signal processing and identifications, state observer/reconstruction has been generally widely adopted¹⁰. Particularly, it has been commonly agreed that observer design is critically important for all feedback control designs in terms of state space methodologies¹¹. For model-free observers (MFO), which means designing the observers without using the system model, only measured input and output, and the system dynamic order are used to fit some pre-defined observers by tuning the gains of the state estimation errors. There

Department of Engineering Design and Mathematics, University of the West of England, Frenchy Campus, Coldharbour Lane, Bristol BS16 1QY, UK. email: quan.zhu@uwe.ac.uk

have had various MFO configurations, such as sliding model observer¹², high gain observers¹⁰, ADRC^{3,13–15}. Conventional observers consider system state reconstruction. Extended state observer (ESO) estimates state as well external disturbance, further it can also estimate unknown model's perturbation¹³. One of the important applications of the ESO is associated with active disturbance rejection control (ADRC) which does not need the precise mathematical model of the plant. Therefore, ADRC is sometimes viewed as a type of complete model-free control. While only seeking state estimation, the ESO could be tailored in some way.

U-model based control (U-control) system design. It has been a framework to separate plant dynamic inversion and controller design with configuration of a double feedback loop formulation^{16–18}. The kernel of the U-control is the inner loop to cancel both plant nonlinearity and dynamics together so that the plant is converted into an identity matrix/a unit constant¹⁹. Then various control system designs can be effectively concisely implemented without involving plant models. Some of the U-control bench test applications have been reported^{20–22}.

The major contribution of the study. In comparison with the other MFSSMC approaches, with the author's best knowledge, it could include.

1. This CMFSSMC takes all types of systems/models as a bounded uncertainty. Therefore, it includes all the other partial MFSSMC approaches as its special cases which require additional assumptions such as system model structures, unitary input gain⁷, state measurable²³, extra effort to deal with chattering effect, based on discrete time approaches⁵. Further the novelty lays in the introduction of two equalities to assign the derivative of the sliding functions, which generally bridges the designs of those model-based SMC and model-free SMC.
2. This CMFSSMC, integrated with U-control^{16,18}, provides a robust dynamic/nonlinearity inversion scheme with a double sliding mode control, cancels both dynamics and nonlinearities together (in contrast to feedback linearisation approach to cancel nonlinearities first, and then make coordinate transform into a linear system to design control, finally re-convert back to original control input²⁴). Accordingly it makes the total system configured into a double loop control system with both state feedback and output feedback, that is, using the inert loop (state feedback) with the CMFSSMC for dynamic/nonlinear cancellation into an identity matrix or a unit constant, using the outer loop (output feedback) to design linear control system with an invariant controller to provide (1) the total closed loop control system performance and (2) the desired state vector for inner loop dynamic inversion.
3. Justify a robust model free state observer to provide the state estimate from the measured input and output.
4. With the CMFSSMC, the inner and outer loop designs are separated and once off for all the systems satisfying the CMFSSMC conditions.
5. In this study, Complete Mode-Free Sliding Mode Control means SMC design for dynamic inversion is model free, state estimate is model free, and further the whole control system design is model free because the plant dynamic/nonlinearity has been cancelled into an identity matrix.
6. Simulated case studies are provided to demonstrate the developed framework and show off the transparent design procedure for applications and expansions.

For the rest of the study, "Preliminary" introduces foundations for the follow up technical development. Section "CMFSSMC" derives both DSMC and LESO, and proves/analyses the associated properties. Section "Model free U-control system design" presents a U-control framework to integrate all functional components into a CMFSSMC. Section "Case studies" provides case studies for the computational experiments to demonstrate the analytical derivations. In addition, it is intended to provide a user transparent procedure for potential applications and expansions. Section "Conclusions" concludes the study.

Preliminary

Model based sliding mode control. Consider a general class of n th order single input dynamic system of

$$\dot{X} = F(X, u, d) \quad (1)$$

where $X = [x_1 \ x_2 \ \dots \ x_n]^T \in \mathbb{R}^n$ is the state vector, $u \in \mathbb{R}$ is the control input, and $d \in \mathbb{R}$ is a bounded unknown uncertainty. F , a function vector of the state X , input u , and uncertainty d over a field $F, F \times F \rightarrow F$, is the operator mapping the underlying state, input, and uncertainty into the condensed expressions. For achieving SMC, the system states must be completely observable and controllable.

Let the desired state vector as $X_d = [x_d, \dot{x}_d \dots x_d^{(n-1)}]$, define a $(n-1)$ th order of state tracking error vector

$$E = X - X_d = \left[e = x_1 - x_d \quad \dot{e} = x_2 - \dot{x}_d \quad \dots \quad e^{(n-1)} = x_{(n-1)} - x_d^{(n-1)} \right]^T \quad (2)$$

Then set up a typical sliding function S ²⁵ in form of

$$S = c_1 e + c_2 \dot{e} + \dots + c_{n-2} e^{(n-2)} + e^{(n-1)} \quad (3)$$

where the coefficient vector $C = [c_1 \ c_2 \ \dots \ c_{n-2}] \in \mathbb{R}_{\geq 0}$ is chosen in terms of Hurwitz stable.

The other general type for assigning the sliding function²⁴ can be expressed as

$$S = \left(\frac{d}{dt} + \lambda \right)^{n-1} e \quad (4)$$

where $\lambda \in \mathbb{R}_+$ is the slop of the sliding function, a strictly positive constant to make the sliding function Hurwitz stable.

There have been many approaches for designing model-based SMC systems, for example²⁴, the step by step procedure is shown below.

1. Define a sliding function S for the error between the system state and desired reference state, which establishes a foundation for designing SMC to drive the states to and keep on the sliding surface in terms of $S = 0$.
2. Set the derivative of the sliding surface to generate $\dot{S} = 0$.
3. Derive the equivalent controller, u_{eq} through $\dot{S} = 0$ in conjunction with the plant nominal model. $x^{(n)} = f(x, u)$ and the pre-set desired reference state vector X_d .
4. To deal with the uncertainty, design the switch controller u_{sw} , by determining a discontinue control gain to satisfy the Lyapunov stability conditions $V(*) = \frac{1}{2}S^T S > 0$, $\dot{V}(*) < 0$, $V(*) \neq 0$ to attract states to the sliding surface $S = 0$ and remain on the surface once arrived.
5. Finally formulate the SM controller as $u = u_{eq} + u_{sw}$.

Model based state observer. Consider a general single input and single output (SISO) state space model for uncertain nonlinear system below

$$\begin{aligned} \dot{X} &= F(X, u, d) = AX + B(u, X, d) \\ y &= CX \\ X(0) &= X_0 \end{aligned} \quad (5)$$

where $X \in \mathbb{R}^n$ for state vector, X_0 for initial state, $u \in \mathbb{R}$ and $y \in \mathbb{R}$ are the input and measurable output respectively, d for the model uncertainty. $F =$, a function vector of the state X , input u , and uncertainty d over a field F , $F \times F \rightarrow F$, is the operator mapping the underlying state, input, and uncertainty into the condensed expressions. $A \in \mathbb{R}^{n \times n}$ for transition matrix, $B \in \mathbb{R}^n$ for the remaining part of $F - AX$, and $C \in \mathbb{R}^{1 \times n}$ for the output gain vector.

For state estimation, a general state observer²⁶ can be configured as

$$\dot{\hat{X}} = A\hat{X} + \mathcal{L}(y - C\hat{X}) \quad (6)$$

where $\hat{X} \in \mathbb{R}^n$ for the estimation of system state, $\mathcal{L} \in \mathbb{R}^n$ for the observer's gain vector which is to be designed.

Define the observer estimated error vector $\tilde{X} = X - \hat{X}$ to formulate the error dynamic equation as

$$\dot{\tilde{X}} = (A - \mathcal{L}C)\tilde{X} + B \quad (7)$$

The error equation provides a mechanism to design the observer's gain \mathcal{L} , which properly drives the estimation error converged asymptotically.

U-control (dynamic inversion and invariant controller). The U-model based control (U-control in short) has two aspects, U-model to facilitate dynamic inversion and cancelation of nonlinearities, and U-control system design to provide a concise framework to implement control performance specifications in form of feedback and plant dynamic inversion, which the control performance also forms a desired state vector.

U-model and its dynamic inversion. A general SISO U-polynomial-model of P ([16]), a mapping $u \rightarrow y$, with a triplet of $(y(t), u(t), \alpha(t))$, $y(t) \in \mathbb{R}, u(t) \in \mathbb{R}, \alpha(t) \in \mathbb{R}^J$ for a time variant parameter vector respectively at time $t \in \mathbb{R}^+$, is defined for describing dynamic plants as

$$y^{(M)} = \mathcal{A}^T \mathcal{U} = \sum_{j=0}^J \alpha_j f_j(u^{(N)}), M \geq N \quad (8)$$

where $y^{(M)}$ and $u^{(N)}$ denote the M th and N th order derivatives of the output y and input u respectively. $J \in \mathbb{R}^+$ is the number of the polynomial terms. The time-varying parameter $\alpha_j \in \mathbb{R}$ is an absorbing function to include the other outputs $[y^{(M-1)}, \dots, y] \in \mathbb{R}^M$ and inputs $[u^{(N-1)}, \dots, u] \in \mathbb{R}^N$. $f_j(*)$ is a function of the input $u^{(N)}$. Vectors $\mathcal{A}^T = [\alpha_0, \dots, \alpha_j]$ and $\mathcal{U} = [f_0, \dots, f_j]^T$ over a field F , $F \times F \rightarrow F$ are the operators mapping the underlying input, output, and parameters into the condensed expressions.

Remark 2.1 In common, those exiting conventional models can be realised with U-model structure. In difference, U-model provides a unilateral control-oriented structure for cancellation of both nonlinearities and dynamics in one formulation¹⁹, which generally makes linear control system design approaches straightforwardly applicable to nonlinear systems no matter in forms of polynomial or state space models.

Remark 2.2 The polynomial U-model structure has been expanded to include state space models²⁷, rational models¹⁷, and neural networks²⁸ to facilitate dynamic inversions and the follow up U-control system designs.




Figure 1. U-control systems.

Regarding U-model based dynamic inversion (UMDI), let U-model P , in forms of polynomial, be a mapping/function, $u \rightarrow y$. Then the UMDI $y \rightarrow u$ is a process of solution of its inverse P^{-1} , which can be generally expressed as

$$P^{-1} \Leftrightarrow u^{(N)} \in y_d^{(M)} - \sum_{j=0}^J \alpha_j f_j(u^{(N)}) = y_d^{(M)} - \mathcal{A}^T \mathcal{U} = 0, M \geq N \tag{9}$$

where $y_d^{(M)}$ is the specified desired output. Accordingly, the inverse of the model P^{-1} , a map from output to input, $y \rightarrow u$ is the solution of $u^{(N)}$ from the equation.

Remark 2.3 For the higher order derivative $y_d^{(M)}$ in UMDI, it can be determined in conjunction with invariant controller design in the U-control systems¹⁹.

U-control system design. Take P for a general model describing dynamic plants which have properties as those frequently assumed in the many research works²⁹.

1. The inverse P^{-1} exists.
2. Lipschitz continuity satisfied, model P is a mapping/function, $u \rightarrow y$, and its inverse P^{-1} are diffeomorphic and globally uniformly Lipschitz in \mathbb{R} ; that is,

$$\|P(u_1) - P(u_2)\| \leq \gamma_1 P \|u_1 - u_2\|, \forall u_1, u_2 \in \mathbb{R}$$

$$\|P^{-1}(u_1) - P^{-1}(u_2)\| \leq \gamma_2 P^{-1} \|u_1 - u_2\|, \forall u_1, u_2 \in \mathbb{R}$$

where u_1, u_2 are the inputs while P in form of polynomial model and replaced with states x_1, x_2 while P is a state equation, γ_1 and γ_2 are the Lipschitz constants.

The U-control system is functionally expressed as

$$\Sigma = (\mathcal{F}, \mathcal{C}(C_1, P^{-1}), P) \Leftrightarrow \Sigma = (\mathcal{F}, C_1, \mathcal{C}(P^{-1}, P)) \Leftrightarrow \Sigma = (\mathcal{F}, C_1, I_{ip}) \tag{10}$$

where \mathcal{F} is the U-control system configuration, $\mathcal{C}(\ast)$ is a set of controllers, C_1 is a linear invariant controller, and $I_{ip} = \mathcal{C}(P^{-1}, P)$ is a unit constant or identity matrix.

Figure 1 shows model matched and model mismatched U-control configurations.

Remark 2.4 The U-control platform is unilaterally applicable to a wide range of dynamic systems while the dynamic inverse P^{-1} exist^{17,19}.

The step by step design procedure for Fig. 1a is listed below ([18]).

1. Design the dynamic inverter P^{-1} to achieve $\mathcal{C}(P^{-1}, P) = I_{ip}$, which gives $\Sigma = (\mathcal{F}, C_1, I_{ip})$.
2. Design the invariant controller C_1 under $\Sigma = (\mathcal{F}, C_1, I_{ip})$ with a required linear transfer function G , which gives $C_1 = \frac{G}{1-G}$ in a closed loop configuration.
3. For generating the desired higher order output derivative $y_d^{(M)}$ or the desired state vector X_d , multiply a high-order filter $F_1 = \frac{s^M}{(\alpha s + 1)^T}$, $T \geq M$, where $\frac{1}{\alpha} \gg p_d > 0$, p_d is the real part of the system dominant pole.

Figure 1b is an illustrative control system configuration, which will be expanded in the following sections.

CMFSMC

This section involves in two aspects, design of SMC and observer.

MFSMC. Consider a general SISO states space model for describing nonlinear dynamic systems

$$\dot{X} = F(X, u, d) \quad (11)$$

where $X = [x_1 \ x_2 \ \dots \ x_n]^T \in \mathbb{R}^n$ is the state vector, $u \in \mathbb{R}$ is the control input, and $d \in \mathbb{R}$ is bounded unknown external disturbance, and F is a bounded unknown smooth nonaffine nonlinear vector function of the state vector X , the control input u , and the disturbance d . In this study F is bounded but assumed unknown as total uncertainty¹³.

Remark 3.1 To formulate MFSMC, a straightforward view of the conventional model-based SMC is that the switching control has been already in somewhat of model free control, even though still using the bound of nominal model plus the uncertainty. For the equivalent control, the MFSMC requires some way to remove the design from the dependence of the nominal model. This study proposes a double sliding mode control (DSMC) approach to achieve the aim of the MFSMC.

For designing the MFSMC, define the same error vector as in Eq. (2)

$$E = X - X_d = \left[e = x_1 - x_d \quad \dot{e} = x_2 - \dot{x}_d \quad \dots \quad e^{(n-1)} = x_{(n-1)} - x_d^{(n-1)} \right]^T \quad (12)$$

Accordingly, assign a basis sliding function

$$S = c_1 e + c_2 \dot{e} + \dots + c_{n-2} e^{(n-2)} + e^{(n-1)} \quad (13)$$

where coefficient vector $C = [c_1 \ c_2 \ \dots \ c_{n-2}] \in \mathbb{R}_{>0}$ is chosen in terms of Hurwitz stable.

The corresponding derivative of the sliding function is given by

$$\dot{S} = c_1 \dot{e} + c_2 \ddot{e} + \dots + c_{n-2} e^{(n-1)} + e^{(n)} \quad (14)$$

Now assign two sliding functions for banded sliding surface and lined sliding surface respectively, which establishes a model-free SMC platform.

Global sliding banded function is specified with

$$S_g = S + \delta_1, 0 \leq |\delta_1| \leq |\delta| \quad (15)$$

where the sliding band function with thickness $\delta \neq 0$ is introduced.

Local sliding line function is specified with

$$S_l = S + \delta_2, |\delta_2| = |\delta| = 0 \quad (16)$$

where the sliding line function with thickness $\delta = 0$ is introduced. This band thickness approach neighbouring the switching surface has been widely used in dealing with chattering effect²⁴. This new approach, will be explained technically shortly, is to derive a solution of the equivalent control to smooth the classical switching control to the equivalent control without suddenly forcing the derivative of the sliding function to zero.

Figure 2 part of the figure from³⁰ shows the double sliding mode control (DSMC) against the classical SMC.

For deriving the controllers, define switching control u_{sw} and equivalent control u_{sw} for attracting the states towards to the sliding band and sliding line respectively.

Define two Lyapunov functions, for V_g for global and V_l for local respectively, which are formulated below

$$\begin{aligned} V_g &= \frac{1}{2} (S_g)^2 = \frac{1}{2} (S + \delta_1)^2 \\ V_l &= \frac{1}{2} (S_l)^2 = \frac{1}{2} (S)^2 \end{aligned} \quad (17)$$

Accordingly, the derivatives of the Lyapunov functions are

$$\begin{aligned} \dot{V}_g &= \dot{S} (S + \delta_1) \\ \dot{V}_l &= \dot{S} S \end{aligned} \quad (18)$$

Theorem 3.1 There exist controllers $u_{sw} = -k_g \operatorname{sgn}(S + \delta_1)$ and $u_{eq} = -k_l S - \varepsilon$ to make the MFSMC of BIBO system Eq. (11) asymptotically stable. The gains satisfy some proper conditions.

Proof Introduce a sliding function coordinate system of (S, \dot{S}) to map the system to be controlled onto the sliding function plan for facilitating derivation of the controllers, two typical relationships are shown in Fig. 3




Figure 2. System states (red for classical SMC and red + blue for DSMC).




Figure 3. Sliding function coordinate system of (S, \dot{S}) .

$$\begin{aligned} \dot{S} &= k + u \\ \dot{S} &= kS + \epsilon + u \end{aligned} \tag{19}$$

where $k = (X, u, d, X_d)$ and ϵ is an offset of kS .

The first equation provides a bang–bang control to drive state to the convergent domain in the minimum-time and the second equation drives state to the convergent domain along a smooth trajectory. For SMC, combining the two equations with a switching boundary layer δ gives

$$\dot{S} = \begin{cases} k + u & \forall |S| \geq |\delta| \\ kS + \epsilon + u & \forall |S| < |\delta| \end{cases} \tag{20}$$

This is shown in Fig. 4.

Let the last line of system model Eq. (11) be

$$\dot{x}_n = f_n(X, u, d) + u \tag{21}$$

With reference to Eq. (20) and sliding function Eq. (13), the derivative of the sliding function can be expressed as

$$\dot{S} = \sum_{i=1}^{n-1} c_1 e^{(i)} + f_n(X, u, d) + u - x_d^{(n)} = f + u \tag{22}$$

where $f = \sum_{i=1}^{n-1} c_1 e^{(i)} + f_n(X, u, d) - x_d^{(n)}$

For SM switching control, let the derivative of sliding function Eq. (14) with

$$\dot{S} = \sum_{i=1}^{n-1} c_1 e^{(i)} + f_n(X, u, d) + u - x_d^{(n)} = f + u = k + u \tag{23}$$




Figure 4. Combined sliding functions on (S, \dot{S}) .

where $f = k = \sum_{i=1}^{n-1} c_1 e^{(i)} + f_n(X, u, d) - x_d^{(n)}$, which satisfies $\inf(f) = m \leq f \leq \sup(f) = M$, and $|m| \leq |M|$. Assign the control

$$u = u_{sw} = -k_g \operatorname{sgn}(S + \delta_1) \tag{24}$$

where $\operatorname{sgn}(\ast)$ is the signum function of the sliding surface $(S + \delta_1)$. Then substitute switching input into the derivative of the Lyapunov function Eq. (18) to give

$$\dot{V}_g = \dot{S}(S + \delta_1) = (f + u_{sw})(S + \delta_1) = f(S + \delta_1) - k_g |S + \delta_1| \tag{25}$$

where k_g is selected with $k_g \in \mathbb{R}_{>0} > |M|$. Therefore $\dot{V}_g \leq 0$

For SM equivalent (smooth) control, assign the derivative of sliding function Eq. (14) with

$$\dot{S} = \sum_{i=1}^{n-1} c_1 e^{(i)} + f_n(X, u, d) + u - x_d^{(n)} = f + u = kS + \varepsilon + u \tag{26}$$

where $f = kS + \varepsilon = \sum_{i=1}^{n-1} c_1 e^{(i)} + f_n(X, u, d) - x_d^{(n)}$, and $\inf(f) = m \leq f = kS + \varepsilon \leq \sup(f) = M$. Assign the control

$$u = u_{eq} = -k_l S - \varepsilon \tag{27}$$

Then substitute it into the derivative of the Lyapunov function Eq. (18) to give

$$\dot{V}_l = \dot{S}S = (f + u_{eq})S = (kS + u_{eq})S = kS^2 - k_l S^2 \tag{28}$$

where $k_l \in \mathbb{R}_{>0} > |\sup(k)|$. Therefore $\dot{V}_l \leq 0$.

Now, for the whole MFSSMC, let the composite Lyapunov function be

$$V = V_g + V_l \tag{29}$$

With the specified controls of $u_{sw} = -k_g \operatorname{sgn}(S + \delta_1)$ and $u_{eq} = -k_l S$, the Lyapunov stability conditions can be proved with

$$\begin{aligned} V &= V_g + V_l \geq 0 \\ \dot{V} &= \dot{V}_g + \dot{V}_l \leq 0 \end{aligned} \tag{30}$$

QED. Remark 3.2 Lyapunov stability analysis have been used twice to derive the DSMC to achieve MFSSMC. The DSMC design procedure actually is a process of the proof. The first Lyapunov stability ($V_g \geq 0, \dot{V}_g \leq 0$) used is to drive the state vector x converged to the sliding mode band $S_g = S + \delta_1, 0 \leq |\delta_1| \leq |\delta|$ by switching control. The second Lyapunov stability ($V_l \geq 0, \dot{V}_l \leq 0$) used is to drive the state vector X in the sliding band converge asymptotically to the final sliding mode line $S_l = S + \delta_2 = S, \delta_2 = 0$ by continuous equivalent control.

Theorem 3.2 With the selection of $\dot{S} = kS + \varepsilon + u = kS + u_{eq} = -(k_l - k)S|_{(k_l - k) > 0} + \varepsilon$, the sliding function $S - \frac{\varepsilon}{(k_l - k)}$ monotonically exponentially converges to zero with the decay rate of $k_l - k$.

Proof The solution of the 1st order differential equation of $\dot{S} + (k_l - k)S = \varepsilon$ is $S(t) = \frac{\varepsilon}{(k_l - k)} (1 - \operatorname{Exp}(-(k_l - k)t))$. Therefore $S(t) - \frac{\varepsilon}{(k_l - k)} = -\frac{\varepsilon}{(k_l - k)} \operatorname{Exp}(-(k_l - k)t)$ and $\lim_{t \rightarrow \infty} \left(S(t) - \frac{\varepsilon}{(k_l - k)} \right) |_{(k_l - k) > 0} \rightarrow 0$. The derivative of the sliding function \dot{S} follows $\dot{S} = \varepsilon \operatorname{Exp}(-(k_l - k)t)$ and $\lim_{t \rightarrow \infty} \dot{S} = \lim_{t \rightarrow \infty} \varepsilon \operatorname{Exp}(-(k_l - k)t) |_{(k_l - k) > 0} \rightarrow 0$

QED. Theorem 3.3 The selections of $\dot{S} = kS + \varepsilon + u$ and $\dot{S} = k + u$ present a generalisation of accurate model-based, nominal model-based, and model-unknown/free SMC by assigning the derivatives of the sliding functions with different expressions.

Proof The three cases are analysed below.

For accurate model-base, let $\dot{S} = kS + \varepsilon = f + u = 0$, so that the equivalent control is determined by $u = -f$

For nominal model-based, f is not exactly known, but assume it is bounded with $|\hat{f} - f| \leq F(X)$, where \hat{f} is the estimate of f . Let $\dot{S} = kS + \varepsilon = \hat{f} + u = 0$, consequently, $u = -\hat{f} - k\text{sgn}(S)$, where, $k = F + \eta$ and η is a strictly positive constant ([23]).

For model-unknown/free, f is assumed bounded with $\inf(f) = m \leq f \leq \sup(f) = M$, let $\dot{S} = kS + \varepsilon + u$ and $u = -k_l S + \varepsilon - k_g \text{sgn}(S + \delta_1)$, where $k_l \in \mathbb{R}_{>0}$ and $k_g \in \mathbb{R}_{>0} > |M|$. It should be noted that in this case, it cannot determine control u by letting the derivative of sliding function $\dot{S} = 0$. Alternatively, applying twice of Lyapunov stability theorem to determine the global switching gain and local smooth gain.

QED. Remark 3.3 Comparison of the designs between model-based and model free shows that model-based approaches use the derivative of the sliding function $\dot{S} = 0$ to determine the control u , this model-free approach takes up twice of Lyapunov stability theorem to determine the global switching gain and local smooth gain to satisfy $\dot{V} = V_g + V_l \geq 0$ and $\ddot{V} = \dot{V}_g + \dot{V}_l \leq 0$.

Stats observer. For a class of SISO nonlinear system of $y^{(n)} = f(y^{(n-1)}, \dots, y, u, d)$, where $f(*)$ representing the nonlinear dynamics and has proper properties (dynamic plant invertible, state observable/controllable, stabilisable, stable zero dynamics), d is the external disturbance. By letting $y = x_1$ $y^{(1)} = \dot{x}_2 = \dot{x}_1 \dots y^{(n)} = \dot{x}_n$, A generalised triangle state space model for realising the nonlinear system input/output relationship can be determined below

$$\begin{aligned} \dot{x}_1 &= x_2 \\ &\vdots \\ \dot{x}_{n-1} &= x_n \\ \dot{x}_n &= f(X, u, d) + u \end{aligned} \tag{31}$$

$$y = x_1$$

where state vector $X = [x_1 \dots x_n]^T \in \mathbb{R}^n$.

Remark 3.4 There is a one-to-many relationship between an input/output model and minimal state space realisations because many state-space realisations can produce the same input/output behaviour. Accordingly, assume such transforms exist for the conversions of the state models while keeping the consistence with the system input–output behaviour. By such assumption, this study proposed state space model and its observer imply the input/output equivalence with the other state space models and the ad hoc observers.

In this study, a linear extended state observer (LESO)¹³ is adopted for reconstructing the state variables for the consequent state space model-free control system design.

The LESO is given below

$$\begin{aligned} \dot{\hat{x}}_i &= \hat{x}_{i+1} + \omega_o^i \alpha_i (y - \hat{x}_1), \quad i = 1, 2, \dots, n - 1 \\ &\vdots \\ \dot{\hat{x}}_n &= \hat{x}_{n+1} + \omega_o^n \alpha_n (y - \hat{x}_1) + u \\ \dot{\hat{x}}_{n+1} &= \omega_o^{n+1} \alpha_{n+1} (y - \hat{x}_1) \end{aligned} \tag{32}$$

where $\omega_o > 0$ is the observer bandwidth, normally assigned by system bandwidth or trial and error approach in advance. $\alpha_i \in 1 \dots n + 1$ are the regulable constants to satisfy the Hurwitz stability condition and generally, determined by³¹

$$(s + 1)^{n+1} = s^{n+1} + \alpha_1 s^n \dots + \alpha_n s + \alpha_{n+1} \tag{33}$$

where $\alpha_i = \frac{(n+1)!}{i!(n+1-i)!}$, $i = 1, 2, \dots, n + 1$.

Remark 3.5 The analysis of this type of LESO³¹ covers two cases of (1) the system input/output model $f(*)$ known and (2) the system model $f(*)$ is unknown. It has been proved³¹ that

1. For a known input/output function $f(*)$, the estimation errors are converged with $\lim_{t \rightarrow \infty} \tilde{x}_i(t) = 0, i = 1, 2, \dots, n + 1$ where the estimation errors are defined with $\tilde{x}_i = x_i - \hat{x}_i$.
2. For unknown input/output function $f(*)$, the state estimation error is bounded and its upper bound monotonously decreases with the observer bandwidth. It is noted that the second property provides a framework for model free state estimation.




Figure 5. CMFSMC.

Remark 3.6 The LESO shares the commonalities with high gain observers, which this type of observers provides a very natural platform for the state reconstruction, particularly effective while in the situation of lack knowledge on the system dynamics. Comprehensively, such observers can be appropriately integrated with state feedback to give output feedback¹⁰.

Model free U-control system design

The control objectives are summarised below. For a class of general dynamic systems given in Eq. (11), $\dot{X} = F(X, u, d)$, the aim of the U-control is to drive the model-unknown systems to track a desired reference trajectory in request, which is configured by a robust state feedback dynamic/nonlinearity inversion and a robust output feedback trajectory tracking control. The major objectives include

- 1) Robust DSMC based dynamic/nonlinearity inversion.
- 2) LESO for state vector estimation.
- 3) Control system performance specification/implementation including desired state vector assignment.

Figure 5 shows the model free U-control system with the configuration and the simulation platform.

Figure 5a is an illustrative schematic diagram. The step by step design procedure for Fig. 5b is listed below.

The main roles of the two loops in the control system configuration are briefly summarised below.

The inner loop. Plant model-free dynamic/nonlinearity inversion includes DSMC and LESO which have developed. The rest of the parameters tuning include in $DSMC(S, \delta, k_g, k_i)$ and $LESO(\omega_o, \alpha_i, i = 1 \dots n + 1)$, which the parameters have been defined in previous sections. In formulation of the SMC blocks in Fig. 5b, SM by Eq. (12), δ by trial and error or experience, $k_g \in u_{sw}$ by Eq. (24), $k_i \in u_{eq}$ by Eq. (27). In formulation LESO block in Fig. 5b, the bandwidth is assigned with $\omega_o \geq (4 \sim 5)\omega_s$, where ω_s is the bandwidth of the sliding function, and $\alpha_i = 1 \dots n + 1$ are determined by Eq. (33).

The external loop. For the external U-control loop, as explained in "U-control system design", (1) design the invariant controller C_1 under $\Sigma = (\mathcal{F}, C_1, I_{ip})$ with a required linear transfer function G to specify the whole system desired output and state responses, which gives $C_1 = \frac{G}{1-G}$ in a closed loop configuration. (2) For generating the desired higher order output derivative $y_d^{(M)}$ or the desired state vector X_d , multiply a high-order filter $F_1 = \frac{s^M}{(\alpha s + 1)^T}$, $T \geq M$, where $\frac{1}{\alpha} \gg p_d > 0$, p_d is the real part of the system dominant pole. The design details can be referred to U-control foundation work¹⁹.

Remark 4.1 Qualitatively, the stability conditions in the inner loop are determined by Lyapunov stability, which converges to an identity matrix monotonically exponentially (refer to Theorems 3.1 and 3.2) and the external loop designed is to satisfy the Hurwitz stability (obviously as the closed loop transfer function can be easily specified with assigning its all poles on the left half s plane. Accordingly, the whole control system is asymptotically stable with the designed structure and parameters.

Remark 4.2 While the LESO inserted in the control system, for the frequency bandwidth related parameters, it requires $\omega_o \geq (4 \sim 5)\omega_s \geq (4 \sim 5)\omega_n$ to generate proper responses, where ω_o is the LESO bandwidth, ω_s is the bandwidth of the sliding function, and ω_n is the bandwidth of the invariant controller. Many publications^{13,31} are available for the analysis of the LESO stability and convergence. This study is just borrowing the results in its control system configurations.

Case studies

Preparation. Two case studies are conducted for (1) investigating the numerical results with functionally configured control systems against those analytically derived, (2) illustrating the design process with a step by step procedure for potential applications and expansions.

The reference input is specified as a series of steps with

$$r(t) = \begin{cases} 2 & 2 < t \leq 10 \\ 6 & 10 < t \leq 20 \\ 0 & 20 < t \leq 30 \\ -2 & 30 < t \leq 40 \end{cases} \quad (34)$$

A level external disturbance ($d(t) = 1$) is added at each of the system output.

Control system design. This once off design is intended applicable for both of the cases in the simulation study.

DSMC. Set sliding function $S = 20e + \dot{e}$. For each case, the control tasks are tuning the gains (k_g, k_l) and the sliding band thickness δ

LESO. For both cases, assign the observer bandwidth $\omega_o = 100$ and the corresponding LESO is given below

$$\begin{aligned} \dot{\hat{x}}_1 &= \hat{x}_2 + \alpha_1 \omega_o (y - \hat{x}_1) \\ \dot{\hat{x}}_2 &= \hat{x}_3 + \alpha_2 \omega_o^2 (y - \hat{x}_1) + u \\ \dot{\hat{x}}_3 &= \alpha_3 \omega_o^3 (y - \hat{x}_1) \end{aligned} \quad (35)$$

where $\alpha_1 = 3$ $\alpha_2 = 3$ $\alpha_3 = 1$, which are determined from $\frac{1}{(s+\omega_o)^3} = \frac{1}{s^3+3s^2+3s+\omega_o^3} = \frac{1}{s^3+\alpha_1s^2+\alpha_2s+\alpha_3\omega_o^3}$

U-control. For both cases, assign the desired closed loop transfer function with $G = \frac{\omega_n^2}{s^2+2\zeta\omega_n s+\omega_n^2}$ with $\omega_n = 5$ and $\zeta = 0.7$, that is, $G = \frac{25}{s^2+7s+25}$. Accordingly, the invariant controller $C_1 = \frac{G}{1-G} = \frac{25}{s^2+7s}$. Consequently, the two desired states are assigned as $\dot{x}_{d1} = \frac{1}{s} \frac{25}{s+7}$, $\dot{x}_{d1} = x_{d2} = \frac{25}{s+7}$.

Assigned bandwidth. In summary, in the above design, it has assigned $\omega_n = 5$ (the bandwidth of the invariant controller), $\omega_s = 20$ (the bandwidth of the sliding function), and $\omega_o = 100$ (the LESO bandwidth).

Simulation demonstrations. *Case 1: Control of nonlinear non-affine dynamic system.* The considered nonlinear dynamic system is expressed with

$$y^{(2)} = -0.6y^{(1)} - yy^{(1)} - uy^{(1)} + \sin(u) + 2u + u^3 + d(t) \quad (36)$$

where y, u are the system output and input respectively.

By letting $y = x_1$ $y^{(1)} = \dot{x}_2 = \dot{x}_1$ $y^{(2)} = \dot{x}_2$, the system state space realisation is determined in form of

$$\begin{aligned} \dot{x}_1 &= x_2 \\ \dot{x}_2 &= -0.6x_2 - x_1x_2 - ux_2 + \sin(u) + 2u + u^3 \\ y &= x_1 + d(t) \end{aligned} \quad (37)$$

By trial and error approach, the DSMC acting as the dynamic/nonlinearity inverter is tuned with the gains $k_g = -5$ and $k_l = -4$ and the sliding band thickness $\delta = 1$

Figure 6 shows a pack of the generated plots.

Case 2: Control of Van de Pol (VDP) oscillator dynamics. Regarding the characteristics, the Van der Pol oscillator is a non-conservative system with nonlinear damping to follow a second-order dynamic³². For controlled VDP system, it has

$$y^{(2)} = \mu(1 - y^2)y^{(1)} - y + u \quad (38)$$

where y, u are the system output and input respectively.

By letting $y = x_1$ $y^{(1)} = \dot{x}_2 = \dot{x}_1$ $y^{(2)} = \dot{x}_2$, the VPD system state space realisation is determined in form of




Figure 6. Case 1—simulated plots.

$$\begin{aligned}\dot{x}_1 &= x_2 \\ \dot{x}_2 &= \mu(1 - x_1^2)x_2 - x_1 + u \\ y &= x_1 + d(t)\end{aligned}\quad (39)$$

For this case study assign $\mu = 1.5$, which is a parameter for the nonlinearity and the damping strength.

By trial and error approach, the DSMC acting as the dynamic/nonlinearity inverter is tuned with the gains $k_g = -100$ and $k_l = -50$ and the sliding band thickness $\delta = 5$.

Figure 7 shows a pack of the generated plots.

Discussions on the simulated results.

1. The plant input/output relationships with the both cases are tested with the reference input sequence before the control systems built up, which indicate they are input/output bounded nonlinear dynamics.
2. The two gains and the sliding band thickness work well in the ranges of case 1 ($-6 \leq k_g \leq -4$, $-7 \leq k_l \leq -3$, $0.6 \leq \delta \leq 2$) and case 2 ($-150 \leq k_g \leq -100$, $-50 \leq k_l \leq -20$, $1 \leq \delta \leq 5$).
3. The system outputs at both cases well follow the specified linear dynamic system performances (transient/steady state response, control input, and output errors).
4. Even with an external disturbance $d(t) = 1$, the steady state errors between the reference and the output are zero. This is consistent with the analytically predicted steady state error, $e_{ss} = \lim_{s \rightarrow 0} \frac{s}{s} \frac{1+D(s)}{1+C_1} = \lim_{s \rightarrow 0} \frac{1+1}{1+C_1} = \frac{1+1}{1+\infty} = 0$
5. The LESO works well for both cases. With the U-control, the simulations have demonstrated that comprehensively, such observers are appropriately integrated with state feedback to give output feedback¹⁰.
6. Both cases demonstrate that the sliding function $S - \frac{\epsilon}{(k_l - k)}$ monotonically exponentially converges to zero with the decay rate of $k_l - k$.
7. This type of model-free/data driven control does not require conventional data iteration in the while process, this is because the use of twice Lyapunov stability condition guides the convergent direction and the gains designed generate possible power to drive the systems along the trajectories to the convergent states.
8. It should be noted that the difference of the state and its estimate in Figs. 6f and 7f is caused from the external constant disturbance with amplitude 1 ($d(t) = 1$) referring to "Preparation", therefore the error = difference between the real state and estimated. Bear in mind, the state is not used for feedback control, just an indication in case of disturbance free. In the simulated control the estimated states are used for control feedback in representing the realistic situation with added disturbance. This well demonstrates the LESO performance to estimate both state and disturbance. Jointly the disturbance is dealt with the both inner loop and external loop. The figures, with the others simulated, demonstrate the expected control performance even with external disturbance.

Jointly the disturbance is dealt with the both inner loop and external loop. The figures, with the others simulated, demonstrate the expected control performance even with external disturbance.

Conclusions

The study has taken a system to be controlled as an uncertainty, except assuming the system having some reasonably known characteristics, such satisfying Lipschitz conditions, bounded, controllable/observable, and dynamic order known. The once a control system performance specified, the rest of the DSMC controller tuning is to use trial and error to find the four parameters in the $DSMC(S, \delta, k_g, k_l)$.

DSMC plays a kernel role in the dynamic/nonlinearity inversion, therefore in the whole U-control system design. The novelty lays in the introduction of two equalities to assign the derivative of the sliding functions instead of just letting it be zero, which bridges the designs of those model-based SMC and model-free SMC. The by-product of the DSMC is to relieve the chattering effect without additional functions inserted in SMC design.

This is the first stage work on CMFSMC with focus on system configuration, functioning components, basic property analysis, and numerical validation with the integrated function blocks. The next stage study could be a rigorous mathematical descriptions and proofs of some of the details.

Surely more critical bench tests are needed to find out drawbacks of the results for further improvement. The other potential study could be the expansion of the SISO procedure to the MIMO cases.

Received: 18 August 2021; Accepted: 3 November 2021

Published online: 19 November 2021

References

1. Hou, Z. S. & Wang, Z. From model-based control to data-driven control: Survey, classification and perspective. *Inf. Sci.* **235**, 3–35 (2013).
2. Fliess, M. & Cédric Join, C. Model-free control. *Int. J. Control* **86**(12), 2228–2252 (2013).
3. Han, J. Q. From PID to active disturbance rejection control. *IEEE Trans. Ind. Electron.* **56**(3), 900–906 (2009).
4. Jiang, Y. & Jiang, Z. P. Global adaptive dynamic programming for continuous-time nonlinear systems. *IEEE Trans. Autom. Control* **60**(11), 2917–2929 (2015).




Figure 7. Case 2—simulated plots.

5. Crassidis, A. & Reis, R.M. Model-free sliding mode control method. in *Proceedings of the 3rd International Conference on Control, Dynamic Systems, and Robotics (CDSR'16), Ottawa, Canada*. Paper 100 (2016).
6. Tin, F.E. A model-free control system based on the sliding mode control method with applications to multi-input-multi-output systems. PhD thesis, (Rochester Institute of Technology. Rochester, New York 2017).
7. Precup, R. E., Radac, M. B., Roman, R. C. & Petriu, E. M. Model-free sliding mode control of nonlinear systems: Algorithms and experiments. *Inf. Sci.* **381**, 176–192 (2017).
8. Ebrahimi, N., Ozgoli, S. & Ramezani, A. Model-free sliding mode control, theory and application. *Proc. Inst. Mech. Eng. Part I J. Syst. Control Eng.* **232**(10), 1292–1301 (2018).
9. Hou, H. Z. *et al.* Sliding mode control of networked control systems: An auxiliary matrices based approach. *IEEE Trans. Autom. Control* <https://doi.org/10.1109/TAC.2021.3103882> (2021).
10. Khalil, H. K. & Praly, L. High-gain observers in nonlinear feedback control. *Int. J. Robust Nonlinear Control* **24**(6), 993–1015 (2013).
11. Tsui, C. C. Observer design—A survey. *Int. J. Autom. Comput.* **12**(1), 50–61 (2015).
12. Chawengkrittayanont, P. & Pukdeboon, C. Continuous higher order sliding mode observers for a class of uncertain nonlinear systems. *Trans. Inst. Meas. Control.* **41**(3), 717–728 (2019).
13. Guo, B. Z. & Zhao, Z. L. On the convergence of an extended state observer for nonlinear systems with uncertainty. *Syst. Control Lett.* **60**, 420–430 (2011).
14. Radke, A. & Gao, Z.Q. A survey of state and disturbance observers for practitioners. in *American Control Conference*. Paper 9047129 (2006).
15. Ding, S. H., Chen, W. H., Mei, K. Q. & Murray-Smith, D. J. Disturbance observer design for nonlinear systems represented by input–output models. *IEEE Trans. Ind. Electron.* **67**(2), 1222–1232 (2019).
16. Zhu, Q. M. & Guo, L. Z. A pole placement controller for non-linear dynamic plants. *Proc. Inst. Mech. Eng. Part I J. Syst. Control Eng.* **216**(6), 467–476 (2002).
17. Zhu, Q. M., Liu, L., Zhang, W. C. & Li, S. Y. Control of complex nonlinear dynamic rational systems. *Complexity* <https://doi.org/10.1155/2018/8953035> (2018).
18. Zhang, W. C. *et al.* U-Model and U-control methodology for nonlinear dynamic systems. *Complexity* <https://doi.org/10.1155/2020/1050254> (2020).
19. Li, R. B., Zhu, Q. M., Kiely, J. & Zhang, W. C. Algorithms for U-model-based dynamic inversion (UM-dynamic inversion) for continuous time control systems. *Complexity* <https://doi.org/10.1155/2020/3640210> (2020).
20. Hussain, N. A. A., Ali, S. S. A., Ovinis, M., Arshad, M. & Al-saggaf, U. M. Underactuated coupled nonlinear adaptive control synthesis using U-model for multivariable unmanned marine robotics. *IEEE Access.* **8**, 1851–1965 (2020).
21. Yan, H., Li, J. F., Nouri, H. & Xu, L. L. U-model-based finite-time control for nonlinear valve-controlled hydraulic servosystem. *Math. Probl. Eng.* <https://doi.org/10.1155/2020/7083639> (2020).
22. Wei, W., Duan, B. W., Zuo, M. & Zhu, Q. M. An extended state observer based U-model control of the COVID-19. *ISA Trans.* <https://doi.org/10.1016/j.isatra.2021.02.039> (2021).
23. Schulken, E. & Crassidis, A. Model-free sliding mode control algorithms including application to a real-world quadrotor. in *Proceedings of the 5th International Conference of Control, Dynamic Systems, and Robotics (CDSR'18), Niagara Falls, Canada—June 7–9, 2018*. Paper 112 (2018).
24. Slotine, J. J. E. & Li, W. P. *Applied Nonlinear Control* (Prentice Hall, 1991).
25. Yan, X. G., Spurgeon, S. K., & Edwards, C. Variable structure control of complex systems. in *Communications and Control Engineering* (eds Yan, X.-G. *et al.*) (Springer, 2017).
26. Liu, Z., Karimi, H. R. & Yu, J. P. Passivity-based robust sliding mode synthesis for uncertain delayed stochastic systems via state observer. *Automatica* **111**, 1–10 (2020).
27. Geng, X. P., Zhu, Q. M., Liu, T. & Na, J. U-model based predictive control for nonlinear processes with input delay. *J. Process Control* **75**, 156–170 (2019).
28. Zhu, Q. M., Zhang, W. C., Zhang, J. H. & Sun, B. U-neural network-enhanced control of nonlinear dynamic systems. *Neurocomputing* **352**, 12–21 (2019).
29. Isidori, A. *Nonlinear Control Systems* (Springer Science & Business Media, 2013).
30. Yang, I., Lee, D. & Han, D. S. Designing a robust nonlinear dynamic inversion controller for spacecraft formation flying. *Math. Probl. Eng.* <https://doi.org/10.1155/2014/471352> (2014).
31. Zheng, Q., Gao, L.Q. & Gao, Z.Q. On stability analysis of active disturbance rejection control for, nonlinear time-varying plants with unknown dynamic. in *Proceedings of the 46th IEEE Conference on Decision and Control, New Orleans, LA, USA, paper-ThB07.6*. (2007).
32. Wikipedia. Van der Pol Oscillator. https://en.wikipedia.org/wiki/Van_der_Pol_oscillator. (Accessed 9 August 2021).

Acknowledgements

The author would like to express his gratitude to the editors and the anonymous reviewers for their helpful comments and constructive suggestions with regard to the revision of the paper. The author is grateful to the APC support from the University of the West of England, Bristol, UK.

Author contributions

All my own work as the sole author.

Competing interests

The author declares no competing interests.

Additional information

Correspondence and requests for materials should be addressed to Q.Z.

Reprints and permissions information is available at www.nature.com/reprints.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2021