

7-29-2020

## Structurally vulnerable neighbourhood environments and racial/ ethnic COVID-19 inequities

Rachel L. Berkowitz

*University of California, Berkeley*, [rachel.l.berkowitz@sjsu.edu](mailto:rachel.l.berkowitz@sjsu.edu)

Xing Gao

*University of California, Berkeley*

Eli K. Michaels

*University of California, Berkeley*

Mahasin S. Mujahid

*University of California, Berkeley*

Follow this and additional works at: [https://scholarworks.sjsu.edu/faculty\\_rsca](https://scholarworks.sjsu.edu/faculty_rsca)




Part of the [Public Health Commons](#), and the [Race and Ethnicity Commons](#)

---

### Recommended Citation

Rachel L. Berkowitz, Xing Gao, Eli K. Michaels, and Mahasin S. Mujahid. "Structurally vulnerable neighbourhood environments and racial/ethnic COVID-19 inequities" *Cities & Health* (2020).  
<https://doi.org/10.1080/23748834.2020.1792069>

This Article is brought to you for free and open access by SJSU ScholarWorks. It has been accepted for inclusion in Faculty Research, Scholarly, and Creative Activity by an authorized administrator of SJSU ScholarWorks. For more information, please contact [scholarworks@sjsu.edu](mailto:scholarworks@sjsu.edu).



# Structurally vulnerable neighbourhood environments and racial/ethnic COVID-19 inequities

Rachel L. Berkowitz, Xing Gao, Eli K. Michaels & Mahasin S. Mujahid

To cite this article: Rachel L. Berkowitz, Xing Gao, Eli K. Michaels & Mahasin S. Mujahid (2020): Structurally vulnerable neighbourhood environments and racial/ethnic COVID-19 inequities, *Cities & Health*, DOI: [10.1080/23748834.2020.1792069](https://doi.org/10.1080/23748834.2020.1792069)

To link to this article: <https://doi.org/10.1080/23748834.2020.1792069>



© 2020 The Author(s). Published by Informa UK Limited, trading as Taylor & Francis Group.



Published online: 29 Jul 2020.



[Submit your article to this journal](#)



Article views: 3958



[View related articles](#)



[View Crossmark data](#)



Citing articles: 12 [View citing articles](#)

## Structurally vulnerable neighbourhood environments and racial/ethnic COVID-19 inequities

Rachel L. Berkowitz<sup>a,b</sup>, Xing Gao<sup>c</sup>, Eli K. Michaels<sup>c</sup> and Mahasin S. Mujahid<sup>c</sup>

<sup>a</sup>Division of Health Policy and Management, School of Public Health, University of California, Berkeley; <sup>b</sup>Sutter Health Center for Health Systems Research; <sup>c</sup>Division of Epidemiology, School of Public Health, University of California, Berkeley

### ABSTRACT

Preliminary evidence indicates that the experience of the novel coronavirus is not shared equally across geographic areas. Findings in the United States suggest that the burden of COVID-19 morbidity and mortality may be hardest felt in disadvantaged and racially segregated places. Deprived neighbourhoods are disproportionately populated by people of colour, the same populations that are becoming sicker and dying more often from COVID-19. This commentary examines how structurally vulnerable neighbourhoods contribute to racial/ethnic inequities in SARS-COV-2 exposure and COVID-19 morbidity and mortality and considers opportunities to intervene through place-based initiatives and the implementation of a Health in All Policies strategy.

### ARTICLE HISTORY

Received 4 May 2020  
Accepted 26 June 2020

### KEYWORDS


Neighbourhoods; racial/ethnic health inequities; COVID-19

The experience of the novel coronavirus is not shared equally across places. In their working paper examining 30,318 COVID-19 deaths from 3,144 United States (U.S.) counties, Chen and Krieger found higher COVID-19 county death rates (cumulative deaths as of 16 April 2020 per 100,000 population) in the most disadvantaged counties (% of persons living in poverty, % of crowded households, and concentration of extreme racial and socioeconomic segregation) and counties with the largest populations of people of colour (% of population that is not white, Non-Hispanic) (2020). These findings suggest that the burden of COVID-19 morbidity and mortality may be hardest felt in disadvantaged and racially segregated places in the U.S., places disproportionately populated by people of colour (Bailey *et al.* 2017). Indeed, data show that Black, Latinx, and American Indian/Alaskan Native individuals are becoming sicker and dying more often from COVID-19 than white individuals (Braithwaite and Warren 2020). Similar racial/ethnic inequities in COVID-19 mortality have been observed in other countries as well, including Brazil and the United Kingdom (Phillips 2020). Multiple intersecting racist systems have been implicated in the racial/ethnic inequities in COVID-19 outcomes in the U.S. (e.g. the overrepresentation of racially minoritized groups in the 'essential' workforce, inequitable incarceration rates, and racism in healthcare (Bailey *et al.* 2017, Braithwaite and Warren 2020)). This commentary specifically examines how structurally vulnerable neighbourhoods before and during the pandemic impact racial/ethnic inequities in exposure to SARS-COV-2 and morbidity and mortality from COVID-19 in the U.S. (Figure 1). We conclude by

considering opportunities for research and intervention to understand and prevent such inequities in the U.S. and around the world.

### Structural racism and neighbourhoods: unequal investment and access

Structural racism '... refers to the totality of ways in which societies foster racial discrimination, through mutually reinforcing inequitable systems (in housing, education, employment, earnings, benefits, credit, media, health care, criminal justice, and so on) that in turn reinforce discriminatory beliefs, values, and distribution of resources ...' (Bailey *et al.* 2017, p. 1454). One manifestation of structural racism in the U.S. is racial residential segregation, or 'the physical separation of the races in residential contexts ...' implemented and upheld by policies, economic institutions, the judicial system, and local homeowners' associations and real estate organizations in the early 20<sup>th</sup> century (Williams and Collins 2001, p. 405). As a result, Black Americans were subject to severe limitations on where they could live and what investments could be made in their neighbourhoods. Though *de jure* racial segregation through explicit racial discrimination in the sale or rental of housing was outlawed by the 1968 Civil Rights Acts, the reality of racial segregation persists for people of colour. Independent of individual socioeconomic status, people of colour are still more likely to live in neighbourhoods with fewer resources, less investment, and greater likelihood of exposure to harmful pollutants and stressful circumstances compared to non-Hispanic white people (Williams and



**Figure 1.** Conceptual framework for pathways through which neighbourhoods, shaped by structural racism, may contribute to racial/ethnic inequities in SARS-COV-2 exposure and COVID-19 morbidity and mortality.

Collins 2001, Bailey *et al.* 2017). We refer to these neighbourhoods as structurally vulnerable, recognizing the non-random and non-voluntary ways in which (1) neighbourhoods have been subjected to generations of disinvestment, (2) discriminatory policies and uneven economic development have disproportionately pushed people of colour toward residence in such neighbourhoods, (3) neighbourhoods with large populations of people of colour continue to be targets of neglect, and (4) people of colour are at risk of being displaced when neighbourhood investment begins.

### Structurally vulnerable neighbourhoods before COVID-19

Research has shown that living in a structurally vulnerable neighbourhood is associated with increased risk for adverse health behaviors and chronic conditions (e.g. cardiovascular disease, Type 2 diabetes, and obesity) (Diez Roux and Mair 2010). Living in a neighbourhood with high levels of air pollution, insufficient food outlets, few parks and recreational spaces, or community safety concerns and over-policing may limit residents' opportunities for physical activity and healthy food choices (Diez Roux and Mair 2010). This may, in turn, increase risks for chronic conditions associated with diet and exercise.

These same conditions make deprived neighbourhood environments potential sources of chronic stress over the life course. For example, economically deprived neighbourhoods and those with large communities of colour

are more likely to experience police killings (Feldman *et al.* 2019), and African Americans, American Indians/Alaskan Natives, and Latino men have a higher lifetime risk of being killed by police compared to non-Hispanic whites (Edwards *et al.* 2019). As a result, the threats of over-policing and police violence are powerful potential chronic stressors (DeVylder *et al.* 2018). Living in a stressful environment may contribute to allostatic load (the dysregulation of multiple physiologic systems, including the cardiovascular and inflammatory systems) which, in turn, increases the risk of multiple chronic conditions (Diez Roux and Mair 2010, Ribeiro *et al.* 2018).

That people of colour have higher rates of chronic disease in the U.S. is unsurprising when one recognizes that these communities are also more likely to live in structurally vulnerable neighbourhoods (Bailey *et al.* 2017, Braithwaite and Warren 2020). Given what is known about the increased risk of COVID-19 morbidity and mortality among those with underlying chronic conditions, it is understandable that residents of these neighbourhoods – disproportionately people of colour – may be more vulnerable. Rather than emphasizing the chronic health conditions themselves, we must recognize the culpability of these structural preexisting conditions.

### Changes to structurally vulnerable neighbourhoods in response to COVID-19

Globally, there is a push to implement structural, social, and economic place-based modifications to slow the transmission of SARS-COV-2. However, the impact

and effectiveness of these policies may be inequitably distributed between structurally privileged and structurally vulnerable communities. Shelter-in-place orders may increase the risk of exposure among people living in crowded housing where social distancing is not possible and at least one individual must venture out to work. Living in a neighbourhood with limited access to health-care and food prior to the pandemic may be even more harmful now, with contracted public transportation systems and shelter-in-place discouraging travel beyond immediate surroundings. Over-policing of communities of colour to enforce shelter-in-place causes additional fear and anxiety (Burns 2020). And though important for minimizing exposure to SARS-COV-2, the closing of churches, community centers, and parks, along with the discouragement of social gatherings, may also increase the risk of COVID-19 morbidity and mortality for residents of structurally vulnerable neighbourhoods. Studies have found that dimensions of a neighbourhood's social environment (e.g. levels of social connectedness, social cohesion, social support, and social interactions) are protective against depression, poor self-reported health, obesity, and physical inactivity (Pérez *et al.* 2019). By disrupting aspects of the social environment that had previously been protective for health, shelter-in-place may increase residents' vulnerabilities to COVID-19. Though these changes to neighbourhoods and their consequences for health and wellbeing are currently unfolding, recognizing the potential impacts on racial/ethnic inequities related to COVID-19 can influence how resources are distributed now to prevent further damage (Chen and Krieger 2020).

### Moving forward

The consequences of the pandemic reach far beyond COVID-19 morbidity and mortality. The effects of social and economic insecurity and the trauma of massive loss of life will continue to impact societies around the world for generations. Just as we are seeing during the pandemic, residents of colour in structurally vulnerable neighbourhoods are at risk of bearing the brunt of these long-term consequences if nothing is done. The U.S. is not alone in this reality. Research from Brazil finds that Black and Brown individuals were more likely than White individuals to live in highly economically segregated neighbourhoods, and that residents of highly segregated neighbourhoods had higher odds of hypertension and diabetes (Barber *et al.* 2018). Wherever structural racism shapes where people live and the exposures characterizing those places, health inequities will persist. Research to understand the causes of racial/ethnic inequities in COVID-19 outcomes must incorporate these factors, accounting for the unique historical and contemporary realities of racism in different societies.

In addition, this pandemic is a global call to action for neighbourhood transformation efforts to prioritize addressing health inequities. At the local level, 'place-based initiatives' can improve neighbourhood quality before and during a pandemic. Place-based initiatives are neighbourhood development efforts that span multiple sectors (e.g. housing, education, city planning, public health), prioritize the unique circumstances of a small geographic area, and center the values and goals of residents (Bailey *et al.* 2017). One example is the Purpose Built Communities model, based on the successful revitalization of the East Lake neighbourhood in Atlanta, Georgia, U.S., which includes the creation of mixed-income housing, support for cradle-to-college education, and investment in community wellness resources, all in partnership with community residents. This model has supported effective place-based community development in over 20 neighbourhoods around the United States. Central to these efforts is a consideration of the complexities of local history, culture, and needs as they intersect with neighbourhood improvements and the deliberate commitment to ensuring that development ultimately benefits neighbourhood residents and alleviates structural harms.

At the city, state, and national levels, incorporating a 'Health in All Policies' (HiAP) strategy across governmental agencies can support the implementation of policies to address structural vulnerabilities within neighbourhoods (Corburn *et al.* 2014). HiAP calls for multisectoral, multi-agency collaboration in communities to 'address the root causes of health inequities by encouraging inter-sectoral action for health promotion' (2014, p. 624). The goal of HiAP is to '[move] beyond ad hoc or short-term health promotion programs . . . [in order to integrate] health and health equity into newly established processes of governmental decision making' (2014, p. 625). The World Health Organization provides a framework for countries to implement a HiAP strategy (WHO 2014). One example in the city of Richmond, California, U.S., involved collaboration with residents to develop an Urban Health Equity in All Policies strategy that became law in 2014 (Corburn *et al.* 2014). The strategy transformed Richmond's governance approach into one that 'prioritize[s] health equity within almost all its planning, fiscal, and service decisions' (Corburn *et al.* 2014, p. 632). Structural racism operating across sectors created structurally vulnerable neighbourhoods, and so the responsibility to overturn structural racism must be similarly distributed.

COVID-19 is not an anomaly. It is but the latest disease to travel through neighbourhoods along paths of inequity created by structural racism. The road forward is not yet written, yet the charge is clear. We must build neighbourhoods that can prevent and eliminate racial/ethnic health



inequities and ensure that all people can truly thrive.

## Acknowledgments

We would like to acknowledge the inspiration provided by the following scholars through public presentations about structural racism and COVID-19 at the University of California, Berkeley: Dr. Amani Allen, Dr. Jason Corburn, Dr. Denise Herd, Dr. Nancy Krieger, Dr. Cassie Marshall, Dr. Corinne Riddell, Dr. Rachel Morello-Frosch, and Dr. Osagie Obasogie. We would also like to thank Elleni Hailu, MPH, for her thought partnership.

## Disclosure statement

We have no financial interest or benefit related to this work to disclose.

## Funding

This work was supported in part by The Health Equity and Implementation Science Postdoctoral Research Fellowship with University of California, Berkeley School of Public Health and the Sutter Health Center for Health Systems Research; and the NIH-NHLBI under Grant 1F31HL151284-01A1.

## Notes on contributors

**Rachel L. Berkowitz** is a Postdoctoral Research Fellow. Her work focuses on neighbourhood quality, racial/ethnic health inequities, patient-centered healthcare, and place-based community-driven development.

**Xing Gao** is a doctoral student. Her research centers around the place-effect on health for communities of colour and geospatial manifestation of structural racism.

**Eli K. Michaels** is a doctoral candidate. She is interested in novel approaches to measuring racism at multiple social levels and examining associations with chronic disease progression across the life course.

**Mahasin S. Mujahid** is the Chancellor's Professor of Public Health and an Associate Professor of Epidemiology. Her research is devoted to examining neighbourhood health effects, cardiovascular health disparities, and racial/ethnic health inequities over the life course.

## ORCID

Rachel L. Berkowitz  <http://orcid.org/0000-0001-7643-7717>

Xing Gao  <http://orcid.org/0000-0002-4118-3152>

Eli K. Michaels  <http://orcid.org/0000-0001-9209-2560>

Mahasin S. Mujahid  <http://orcid.org/0000-0001-9795-9338>

## References

- Bailey, Z.D., *et al.*, 2017. Structural racism and health inequities in the USA: evidence and interventions. *The lancet*, 389 (10077), 1453–1463. doi:10.1016/S0140-6736(17)30569-X
- Barber, S., *et al.*, 2018. At the intersection of place, race, and health in Brazil: residential segregation and cardio-metabolic risk factors in the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). *Social science & medicine*, 199, 67–76. doi:10.1016/j.socscimed.2017.05.047
- Braithwaite, R. and Warren, R., 2020. The African American Petri Dish. *Journal of health care for the poor and underserved, ahead of print*, 31 (2), 12.
- Burns, K. (2020, May 8). Social distancing arrests target people of colour. *Vox*. <https://www.vox.com/identities/2020/5/8/21252091/social-distancing-arrests-target-people-of-colour>
- Chen, J.T. and Krieger, N., 2020. Revealing the unequal burden of COVID-19 by income, race/ ethnicity, and household crowding: US county vs ZIP code analyses. *Harvard center for population and development studies working paper series*, 19 (1). <https://tinyurl.com/y7v72446>
- Corburn, J., *et al.*, 2014. Health in all urban policy: city services through the Prism of Health. *Journal of urban health*, 91 (4), 623–636. doi:10.1007/s11524-014-9886-3
- DeVylder, J.E., *et al.*, 2018. Association of exposure to police violence with prevalence of mental health symptoms among urban residents in the United States. *JAMA network open*, 1 (7), e184945. doi:10.1001/jamanetworkopen.2018.4945
- Diez Roux, A.V. and Mair, C., 2010. Neighbourhoods and health. *Annals of the New York academy of sciences*, 1186 (1), 125–145. doi:10.1111/j.1749-6632.2009.05333.x
- Edwards, F., Lee, H., and Esposito, M., 2019. Risk of being killed by police use of force in the United States by age, race–ethnicity, and sex. *Proceedings of the national academy of sciences*, 116 (34), 16793–16798. doi:10.1073/pnas.1821204116
- Feldman, J.M., *et al.*, 2019. Police-related deaths and neighbourhood economic and racial/ethnic polarization, United States, 2015–2016. *American journal of public health*, 109 (3), 458–464. doi:10.2105/AJPH.2018.304851
- Pérez, E., *et al.*, 2019. Neighbourhood community life and health: A systematic review of reviews. *Health & place*, 102238. doi:10.1016/j.healthplace.2019.102238
- Phillips, D. (2020, June 9). “Enormous disparities”: coronavirus death rates expose Brazil’s deep racial inequalities. *The guardian*. <https://www.theguardian.com/world/2020/jun/09/enormous-disparities-coronavirus-death-rates-expose-brazils-deep-racial-inequalities>
- Ribeiro, A., *et al.*, 2018. Neighbourhood socioeconomic deprivation and allostatic load: a scoping review. *International Journal of environmental research and public health*, 15 (6), 1092. doi:10.3390/ijerph15061092
- WHO, 2014. *Health in all policies (HiAP) framework for country action*. Geneva, Switzerland: World Health Organization. [http://www.who.int/cardiovascular\\_diseases/140120HPRHiAPFramework.pdf](http://www.who.int/cardiovascular_diseases/140120HPRHiAPFramework.pdf).
- Williams, D.R. and Collins, C., 2001. Racial residential segregation: A fundamental cause of racial disparities in health. *Public health reports*, 116 (5), 404–416. doi:10.1016/S0033-3549(04)50068-7