

Journal of Public Health Research



elSSN 2279-9036

https://www.jphres.org/

Publisher's Disclaimer. E-publishing ahead of print is increasingly important for the rapid dissemination of science. The **Journal of Public Health Research** is, therefore, E-publishing PDF files of an early version of manuscripts that undergone a regular peer review and have been accepted for publication, but have not been through the copyediting, typesetting, pagination and proofreading processes, which may lead to differences between this version and the final one.

The final version of the manuscript will then appear on a regular issue of the journal. E-publishing of this PDF file has been approved by the authors.

J Public Health Res 2021 [Online ahead of print]

To cite this Article:

Nurbek Y, Asset I, Timur B, et al. **Industrial traumatism and occupational morbidity in mining industry of Kazakhstan.** J Public Health Res doi: 10.4081/jphr.2021.2169



Industrial traumatism and occupational morbidity in mining industry of Kazakhstan

Yerdessov Nurbek,¹ Izdenov Asset,² Beisenov Timur,³ Suleimenova Roza,⁴ Serik Bakhtiyar,⁴ Sraubaev Ermek¹

¹Research School, NJSC Karaganda Medical University, Karaganda

Correspondence: Yerdessov Nurbek Zharkinovich. Doctoral student specialty "Public health»; Research School, NJSC Karaganda Medical University, Karaganda, Kazakhstan.

E-mail: medenzhar@gmail.com

Tel.: +77003140989.

Conflict of interest: The authors declare no conflict of interest.

Contributions: All authors took part in developing the concept of the article and writing the manuscript. The final version of the manuscript was approved by all authors. The authors are solely responsible for providing the final version of the manuscript.

Ethical approval: The team of authors of this survey followed the ethics of scientific research. The survey results of presented in submitted manuscript are completely original. The borrowed fragments are issued with the obligatory indication of the author and first-hand information. People and animals are not provided as participants of this survey.

Availability of data and material: All articles discussed in this survey are enlisted in references.

Significance for public health

This article indicates that the criteria for safety and harmless working conditions are the preservation of life, health, functional abilities of the body, life expectancy, health of future generations. As a result of occupational diseases and work-related accidents, injuries, according to the ILO and WHO, 2 million people die a year. 160 million new cases of occupational diseases are registered annually. Almost half of the world's population is the world's workforce, which supports the material and economic basis of society, therefore, maintaining the health of workers is not only a prerequisite for high labor productivity, but also a guarantee of sustainable socio-economic development of the countries of the world.

²International Medical Faculty, West Kazakhstan Marat Ospanov Medical University, Aktobe

³Department of Morphology and Physiology, NJSC Karaganda Medical University, Karaganda

⁴Department of Public Health and Hygiene, Astana Medical University, Nur-Sultan, Kazakhstan

Abstract

This article presents data in the dynamics on industrial injuries and occupational morbidity in the mining industry of the Republic of Kazakhstan. The aim of this study is to analyze occupational injuries and occupational diseases between 2008 and 2018. An analysis of the number of victims of accidents, including those who died from accidents at work during the period, shows indicators of occupational injuries in the gender aspect, the outcome of accidents by degrees of severity and the material consequences of accidents. During the analyzed period, the overall level of occupational injuries and occupational morbidity in the country remains high. The material consequences of accidents, in addition to social damage, bring great material losses to the state.

Key words: working conditions, mining industry, industrial traumatism, Kazakhstan, accidents, occupational diseases, factors of the working environment.

Introduction

According to the World Health Organization, industrial traumatism is one of the most significant problems in most countries. About 125 million cases of work-related injuries are registered in the world every year. On average, there are about 220 thousand fatal accidents. Today, the mortality rate of the population due to injuries sustained at work ranks third, more often deaths occur only from heart and oncological diseases. In addition, about 160 million cases of occupational diseases are recorded annually [1].

Occupational morbidity is a generally accepted criterion for the harmful effect of unfavorable working conditions on the health of workers [2].

According to the statistics of the International Labour Organization, every three minutes as a result of an accident or occupational disease in the world, one person dies, and every second four workers are injured [3]. At the same time, numerous studies of scientists from many countries of the world show that the share of harmful and dangerous factors generated by the working environment accounts for up to 30% of the causal consequences of health deviations [4, 5].

According to the Statistics Agency, enterprises of the Republic of Kazakhstan are not sufficiently provided with safety equipment, sanitary appliances, and personal protective equipment. Laboratory studies of the air in the working area in 40.8% increase the content of dust and gases in the air. For physical factors, 39.4% of objects, for noise 16.5%, for vibration 39.3%, for microclimatic working conditions and lighting 38.2% do not meet sanitary standards [6].

The largest number of those working in unfavorable working conditions in all aspects falls on the mining industry of the Republic. The number of people working on equipment that does not meet safety requirements in the mining industry is 44% [7].

The highest level of occupational morbidity in the regions is observed in the Karaganda (27.4 per 10,000 workers) and East Kazakhstan (18.0 per 10,000 workers) regions. В которых сосредоточены крупные предприятия горнодобывающей отрасли Казахстана [8]. In which large enterprises of Kazakhstan's mining industry are concentrated.

Mining represents an important source of income worldwide [9]. Kazakhstan's position in the world market of metals is specified, the influence of the mining and metallurgical industry (MMI) on the macroeconomic performance of the country is highlighted. It is shown that the MMI sector has 13% in GDP, 23% in the overall commercial production, 48% in the process industry and 20% in the export of the country [10].

Industrial accidents are a serious business risk. The constant increase in the underground mining industry has led to the use and implementation of new technologies and the use of different substances for the processing and extraction of minerals, which increases the risks in the activities that develop in the mine [11]. The increase in activity increases labor directly or indirectly and is proportional to the increase in risks, injuries and even deaths [12].

Some of the most common causes of occupational diseases and accidents in underground mining are: environmental risks, risks of physical and mental overload and risks derived from specific sources [13]. Environmental risks are factors that are present in the working environment and that impede the proper performance of work, these risks can include physical, chemical and biological contaminants [14]. Physical contaminants are environmental conditions from different point sources, such as noise, temperature, lighting, vibrations, etc. Being exposed to them can directly or indirectly affect the human body [15]. Chemical contaminants are those that are constituted by inert matter in the form of solids, gases, vapors, dust, fumes, etc., which when in contact with a worker, can cause moderate to severe damage [16]. Biological contaminants are agents generated by microorganisms that can cause some type of infection, allergy and intoxication, some of these contaminants are bacteria, viruses, fungi, parasites, etc. When the human body is subjected to some strain to perform certain activities, the individual may be exposed to risks of physical and mental overload. Ergonomic and psychosocial risks also fall under this category [17]. Ergonomic risks relate to tasks performed by the worker which can lead to them suffering damage to sensitive parts of the musculoskeletal system. This can be caused by, for example: over exertion when lifting a load, repetitive movements that can cause injuries and inadequate postures [18]. Psychosocial risks consist of anxiety and stress disorders which constitute inadequate work conditions, caused by, for example: traumatic events and workplace violence [19].

Another category of factors that affect workers in the work environment are mechanical and electrical risks. Mechanical risks are caused by the use of machines that can cause entrapment, dismemberment, particle projection, falls, blows, etc. Electrical risks are caused by electrical installations or equipment, which can cause electric shocks, fires or explosions due to overloads or short circuits in conductors [20].

Materials and Methods

This report was compiled on the basis of an analysis of statistical data for 2008 - 2018 provided by Agency of the Republic of Kazakhstan for Statistics, the title of the bulletin (index 7-TOD) "On work-related injuries and occupational diseases in the Republic of Kazakhstan." We also reviewed the literature on this topic in scientific databases: ScienceDirect, MEDLINE, Google Scholar and others. Articles were analyzed and selected throughout 2020.

Results

According to official statistics in the Republic of Kazakhstan for 2018, about 16.7 million people work in unfavorable and harmful conditions, of which 195.8 thousand people work in the mining industry. Compared to the total number of identified occupational diseases, the East Kazakhstan and Karaganda regions are leading by a wide margin, these regions account for more than 90% of cases of diseases. This is not accidental, since practically all of the republic's Mining and Milling industry is concentrated in these areas. The explanation for this is the impact on workers of harmful and difficult working conditions in these industries, where the risk of occupational diseases is very high. The mining industry is one of the leaders with the highest production rates, due to the use of most of the labor resources and the use of manual labor, mainly determine the level of industrial traumatism, which confirms their unfavorable working conditions in terms of work place safety. An analysis of the number of victims in the mining industry showed that in 2013 there is a minimum level of occupational morbidity for the entire analyzed period, compared to 2010, when there was a peak occupational morbidity (2.134 per 1000 workers), this indicator decreased by 90.7% to 0.198 per 1000 workers. (Fig. 1).

This is due to the fact that the production uses outdated equipment and technological processes that do not meet hygienic requirements, or there are no protective equipment or are in a faulty condition, etc.




Figure 1 - The number of victims of accidents, including deaths per 1000 workers, in the mining industry in the period 2008-2018

The analysis for 2008 - 2018 in relation to the total number of the employed population in the mining industry indicates a positive trend in the decrease in the number of victims with an annual increase in the number of the employed population. If we consider the indicators of occupational traumatism in the gender aspect in the mining industry, we can note the dynamics of a decrease in the number of injured among both genders.

During the analyzed ten-year period, the number of affected men decreased by 35.8% (607 people - in 2008 versus 390 people - in 2018), among women it decreased by 60% (35 people - in 2008 versus 14 people - in 2018).

As shown in Figure 2, with the general trend of a decrease in the number of injured and fatalities in accidents for all degrees of severity of the outcome, the share of severe and fatal outcomes over the past 4 years (2015 - 2018) averages 59% of the total number of victims.



Figure 2 - the outcome of a mining accident in the period 2008-2018

The problem of industrial traumatism should be considered not only medical, but also socioeconomic, since the decrease in the level of mortality and disability from injuries represents a large reserve for saving public funds and one of the foundations of the social policy of the state as a whole [21].

The quality of the state's labor resources, labor productivity, and the value of the gross domestic product produced are behind the preservation and strengthening of the health of the able-bodied population, that is, a working person - a producer of material goods.

So, in 2019, in the formation of the GDP of the Republic of Kazakhstan, the main share is made by the mining industry and quarry development: 15.7% of the total volume. Moreover, the sector's contribution to government revenues reached 44%. If in 2018 the contribution to the GDP of the mining industry amounted to 6,337.5 billion tenge, then in 2019 it increased by 9.6% and already amounted to 6,945.0 billion tenge.

The economic development of most countries is accompanied by an increase in the consumption of raw materials and energy, which requires an increase in the output of the mining industry. Analyzing the situation with traumatism and occupational morbidity in the mining industry, we can conclude that every accident that occurs, in addition to social damage, brings large material losses to the state. (Fig. 3)




Figure 3 - Material consequences of accidents in the period 2008 - 2018 (thousand tenge)

If earlier in 2008 the material consequences of accidents reached 911.3 million tenge, then this indicator, as seen from the trend line, decreased by 53.8% by 2018 and amounted to 592.6 million tenge.

Conclusions

Between 2008 and 2018, there has been a positive trend, the number of men affected has decreased by 35.8%, and among women has decreased by 60%. The decrease in the level of occupational morbidity and industrial traumatism is due to some improvements in the quality of the annual periodic medical examinations due to the participation of occupational pathologists in the composition of medical commissions and more active appeals of the workers themselves for occupational pathological care. This contributed to the fact that occupational diseases began to be diagnosed in the early stages of the development of the disease.

With the general trend of decreasing the number of victims and deaths in accidents at all severity of the outcome, the proportion of severe and fatalities for 2015 - 2018 is on average 59% of the total number of victims. Despite the downward trend in the number of injured and fatalities in accidents during the analyzed period in the mining industry, the overall level of industrial injuries and occupational diseases in the country remains high, it requires special attention and implementation of measures based on the results of assessing working conditions.

According to the situation with the material consequences of accidents, it can be concluded that each accident that occurs, in addition to social damage, brings large material losses to the state. Good working conditions, concern for the welfare of employees and a well-built system of monitoring indicators, problems and issues related to labor protection will reduce the level of industrial traumatism and occupational diseases, reduce the number of sick people and increase labor productivity and production volumes.

References

- 1. Bastgen A, Holzner CL. Employment protection and the market for innovations. Labour Economics 2017;46:77-93.
- 2. Nosatova EA, Semeikin AI. [The influence of working conditions of mining workers on the formation of industrial traumatism and occupational diseases].[Article in Russian]. Izvestiia Tul'skogo gosudarstvennogo universiteta. Nauki o zemle 2018;1:102-12.
- 3. Izmerov NF, Buhtijarov IV, Prokopenko LV. [The concept of implementing state policy aimed at maintaining the health of the working population of Russia for the period up to 2020 and the future perspective].[Article in Russian]. Zdorov'e naselenija i sreda obitanija 2014;9:4-8.
- 4. Fomin EP. [Socio-hygienic and medico-demographic aspects of the health of the working population].[Article in Russian]. Zdorov'e naseleniia i sreda obitaniia 2014;10:22-25.
- 5. Sorensen G, Nagler EM, Pawar P, et al. Lost in translation: The challenge of adapting integrated approaches for worker health and safety for low- and middle-income countries. Plos One 2017;12:18-26.
- 6. Amirhanov MM. [Working conditions and industrial injuries in the Republic of Kazakhstan].[Article in Russian]. Labor protection (Almaty) 2018;1:69-75
- 7. Malashkina VA, Kopylova A. [A review of the experience of periodically evaluating working conditions at mining enterprises of the Republic of Kazakhstan].[Article in Russian]. Mining Informational and Analytical Bulletin 2019;5:209-16.
- 8. Karabalin SK. [Ways to improve the quality and professional suitability of occupational medical examinations].[Article in Russian]. Proceedings II Congress of Doctors and Pharmacists of the Republic of Kazakhstan 2012. p. 135-137.
- 9. Mancini L, Sala S. Social impact assessment in the mining sector: Review and comparison of indicators frameworks. Res Policy 2018;57:98-111.
- 10. Rakishev BR. [New large open pit copper mines in Kazakhstan].[Article in Russian]. Mining Informational and Analytical Bulletin 2018;4:5-14.
- 11. Gonzalez-Delgado M, Gómez-Dantés H, Fernández-Niño JA, et al. Factors associated with fatal occupational accidents among Mexican workers: a national analysis. PLoS One 2015;10:1-19.
- 12. Brown DP. New characterizations of increasing risk. J Math Econ 2017;69:7-11.
- 13. Ryan A, De Souza E. Heat stress management in underground mines. Int J Mining Sci Technol 2017;27:651-5.

- 14. Krzemień A, Sánchez AS, Fernández PR, et al. Towards sustainability in underground coal mine closure contexts: A methodology proposal for environmental risk management. J Clean Prod 2016;139:1044-56.
- 15. Dudek D, Dudek K, Przystupa FW. Reduction of noise in neighborhood of lignite strip mine. Autom Constr 1998;7:413-26.
- 16. Chaulya SK, Prasad GM. Gas sensors for underground mines and hazardous areas. In: S.K. Chaulya and G.M. Prasad, Editors. Sensing and monitoring technologies for mines and hazardous areas. Amsterdam: Elsevier; 2016. p.161-212.
- 17. Amponsah-Tawiah K, Jain A, Leka S, et al. Examining psychosocial and physical hazards in the Ghanaian mining industry and their implications for employees' safety experience. J Saf Res 2013;45:75-84.
- 18. Mayton AG, Porter WL, Xu XS, et al. Investigation of human body vibration exposures on haul trucks operating at US surface mines/quarries relative to haul truck activity. Int J Ind Ergon 2018;64:188-98.
- 19. Amponsah-Tawiah K, Leka S, Jain A, et al. The impact of physical and psychosocial risks on employee well-being and quality of life: The case of the mining industry in Ghana. Saf Sci 2014;65:28-35.
- 20. Mahdevari S, Shahriar K, Esfahanipour A. Human health and safety risks management in underground coal mines using fuzzy TOPSIS. Sci Total Environ 2014;488-489:85-99.
- 21. Zhanbasinova NM. [The state of industrial injuries at the enterprises of Kazakhmys Corporation LLP].[Article in Russian]. Occup Hyg Med Ecol 2017;2:38-46.