Human DimensionsResearch Program





Federal Aid Project Number W-112-R-10 Job Number 101.1 Wildlife Restoration

Brent Manning, Director Illinois Department of Natural Resources

Paul Vehlow

Federal Aid Coordinator

John E. Buhnerkempe Chief, Division of Wildlife Resources

2000-2001 Illinois Hunter Harvest Report



Craig A. Miller, Ph.D.
Program Leader and Principal Investigator
Human Dimensions Research Program
Illinois Natural History Survey

Report prepared by Craig A. Miller, Ph.D., William L. Anderson, Linda K. Campbell, and Jessica A. Yeagle



December 31, 2001

Results of the 2000-2001 Illinois Hunter Harvest Survey

Federal Aid Project Number W-112-R-10 Job Number 101.1 Wildlife Restoration Fund

July 1, 2000-June 30, 2001

Craig A. Miller
Program Leader and Principal Investigator
Human Dimensions Research Program
Illinois Natural History Survey
607 East Peabody Drive
Champaign, IL 61820
(217)333-7483

Report prepared by
Craig A. Miller, William L. Anderson
Linda K. Campbell, and Jessica A. Yeagle
December 31, 2001

Brent Manning, Director Illinois Department of Natural Resources

Paul Vehlow Federal Aid Coordinator John E. Buhnerkempe Chief, Division of Wildlife Resources

The Illinois Department of Natural Resources receives federal assistance and therefore must comply with federal anti-discrimination laws. In compliance with the Illinois Human Rights Act, the Illinois Constitution, Title VI of the 1964 Civil Rights Act, Section 504 of the Rehabilitation Act as amended, and the U.S. Constitution, the Illinois Department of Natural Resources does not discriminate on the basis of race, color, sex, national origin, age, or disability. If you believe you have been discriminated against in any program, activity, or facility, please contact the Equal Employment Opportunity Officer, Department of Natural Resources, 524 S. Second St., Springfield, IL 62701-1787, (217)782-7616 or the Officer of Human Resources, U.S. Fish and Wildlife Service, Washington, D.C. 20240.

LIST OF TABLES AND APPENDICES

Table 1 Number of Resident Hunting Licenses Purchased in Illinois, 1938-2000 6 Table 2 Statewide Summary 7 Table 3 Estimated Licensed Hunters and Harvest 8 Table 4 Rabbit WMU* 9 Table 5 Quail WMU 10 Table 6 Pheasant WMU 11 Table 7 Dove WMU 12 Table 8 Gray Partridge WMU 12 Table 9 Woodcock WMU 15 Table 10 Squirrels (Fox and Gray) WMU 15 Table 11 Raccoon WMU 16 Table 12 Red Fox WMU 17 Table 13 Gray Fox WMU 15 Table 14 Coyote WMU 15 Table 15 Opossum WMU 16 Table 16 Percent Change 1999-2000 in Wildlife Management Units 21 Tables 17-18 Rabbit/Quail AR* 22 Tables 19-20 Pheasant/Dove AR 22 Tables 29-20 Pheasant/Dove AR 22 Tables 29-26 Red Fox/Gray Fox AR 22<			Page
Table 2 Statewide Summary 7 Table 3 Estimated Licensed Hunters and Harvest 8 Table 4 Rabbit WMU" 9 Table 5 Quail WMU 10 Table 6 Pheasant WMU 11 Table 7 Dove WMU 12 Table 8 Gray Partridge WMU 13 Table 9 Woodcock WMU 14 Table 10 Squirrels (Fox and Gray) WMU 15 Table 11 Raccoon WMU 15 Table 12 Red Fox WMU 11 Table 13 Gray Fox WMU 18 Table 14 Coyote WMU 18 Table 15 Opossum WMU 18 Table 16 Percent Change 1999-2000 in Wildlife Management Units 22 Tables 17-18 Rabbit/Quail ARb 22 Tables 19-20 Pheasant/Dove AR 22 Tables 21-22 Gray Partridge/Woodcock AR 22 Tables 23-24 Squirrels (Fox and Gray)/Raccoon AR 22 Tables 27-28 Coyote/Oposum AR 22 <	Table 1		6
Table 4 Rabbit WMU 9 Table 5 Quail WMU 10 Table 6 Pheasant WMU 11 Table 7 Dove WMU 12 Table 8 Gray Partridge WMU 15 Table 9 Woodcock WMU 14 Table 10 Squirrels (Fox and Gray) WMU 15 Table 11 Raccoon WMU 16 Table 12 Red Fox WMU 17 Table 13 Gray Fox WMU 15 Table 14 Coyote WMU 15 Table 15 Opossum WMU 20 Table 16 Percent Change 1999-2000 in Wildlife Management Units 21 Tables 17-18 Rabbit/Quail ARb 22 Tables 21-22 Gray Partridge/Woodcock AR 22 Tables 21-22 Gray Partridge/Woodcock AR 22 Tables 22-24 Squirrels (Fox and Gray)/Raccoon AR 22 Tables 27-28 Coyote/Opossum AR 22 Table 29 Percent Change in 999-2000 in Administrative Regions 26 Table 30 Distribution of Hunting Effort			
Table 5 Quail WMU 16 Table 6 Pheasant WMU 11 Table 7 Dove WMU 12 Table 8 Gray Partridge WMU 13 Table 9 Woodcock WMU 14 Table 10 Squirrels (Fox and Gray) WMU 15 Table 11 Raccoon WMU 16 Table 12 Red Fox WMU 17 Table 13 Gray Fox WMU 18 Table 14 Coyote WMU 15 Table 15 Opossum WMU 16 Table 16 Percent Change 1999-2000 in Wildlife Management Units 21 Tables 19-20 Pheasant/Dove AR 22 Tables 21-22 Gray Partridge/Woodcock AR 22 Tables 21-22 Gray Partridge/Woodcock AR 22 Tables 25-26 Red Fox/Gray Fox AR 26 Tables 27-28 Coyote/Opossum AR 25 Table 30 Distribution of Hunting Effort and Success in 2000 25 Table 30 Distribution of Hunting Effort and Success in 2000 32 Table 31 Statew	Table 3	Estimated Licensed Hunters and Harvest	8
Table 6 Pheasant WMU 11 Table 7 Dove WMU 12 Table 8 Gray Partridge WMU 15 Table 9 Woodcock WMU 12 Table 10 Squirrels (Fox and Gray) WMU 15 Table 11 Raccom WMU 16 Table 12 Red Fox WMU 15 Table 13 Gray Fox WMU 15 Table 14 Coyote WMU 15 Table 15 Opossum WMU 20 Table 16 Percent Change 1999-2000 in Wildlife Management Units 21 Tables 17-18 Rabbit/Quail ARb 22 Tables 19-20 Pheasant/Dove AR 22 Tables 19-20 Pheasant/Dove AR 22 Tables 23-24 Squirrels (Fox and Gray)/Raccoon AR 22 Tables 25-26 Red Fox/Gray Fox AR 22 Tables 27-28 Coyote/Opossum AR 22 Table 30 Distribution of Hunting Effort and Success in 2000 25 Table 31 Statewide Species Data 1990-2000 32 Table 32 Percent Change	Table 4	Rabbit WMU ^a	9
Table 7 Dove WMU 12 Table 8 Gray Partridge WMU 12 Table 9 Woodcock WMU 12 Table 10 Squirrels (Fox and Gray) WMU 15 Table 11 Raccoon WMU 16 Table 12 Red Fox WMU 17 Table 13 Gray Fox WMU 18 Table 14 Coyote WMU 15 Table 15 Opossum WMU 20 Table 16 Percent Change 1999-2000 in Wildlife Management Units 21 Tables 17-18 Rabbit/Quail ARb 22 Tables 19-20 Pheasant/Dove AR 22 Tables 21-22 Gray Partridge/Woodcock AR 22 Tables 23-24 Squirrels (Fox and Gray)/Raccoon AR 22 Tables 25-26 Red Fox/Gray Fox AR 22 Tables 27-28 Coyote/Opossum AR 27 Table 29 Percent Change 1999-2000 in Administrative Regions 28 Table 30 Distribution of Hunting Effort and Success in 2000 25 Table 31 Statewide Species Data 1990-2000 35	Table 5	Quail WMU	10
Table 8 Gray Partridge WMU 12 Table 9 Woodcock WMU 14 Table 10 Squirrels (Fox and Gray) WMU 15 Table 11 Raccoon WMU 16 Table 12 Red Fox WMU 17 Table 13 Gray Fox WMU 18 Table 14 Coyote WMU 19 Table 15 Opossum WMU 20 Table 16 Percent Change 1999-2000 in Wildlife Management Units 21 Tables 17-18 Rabbit/Quail ARb 22 Tables 19-20 Pheasant/Dove AR 22 Tables 21-22 Gray Partridge/Woodcock AR 22 Tables 23-24 Squirrels (Fox and Gray)/Raccoon AR 22 Tables 25-26 Red Fox/Gray Fox AR 26 Tables 29-28 Coyote/Opossum AR 26 Table 29 Percent Change 1999-2000 in Administrative Regions 28 Table 30 Distribution of Hunting Effort and Success in 2000 25 Table 31 Statewide Species Data 1990-2000 32 Table 32 Percent Change in Statewide Harvest 3	Table 6	Pheasant WMU	11
Table 9 Woodcock WMU 14 Table 10 Squirrels (Fox and Gray) WMU 15 Table 11 Raccon WMU 16 Table 12 Red Fox WMU 17 Table 13 Gray Fox WMU 18 Table 14 Coyote WMU 19 Table 15 Opossum WMU 20 Table 16 Percent Change 1999-2000 in Wildlife Management Units 21 Tables 19-20 Pheasant/Dove AR 22 Tables 21-22 Gray Partridge/Woodcock AR 22 Tables 21-22 Gray Partridge/Woodcock AR 22 Tables 23-24 Squirrels (Fox and Gray)/Raccon AR 22 Tables 27-28 Coyote/Opossum AR 22 Tables 27-28 Coyote/Opossum AR 22 Table 30 Distribution of Hunting Effort and Success in 2000 26 Table 31 Statewide Species Data 1990-2000 32 Table 32 Percent Change in Statewide Harvest 35 Appendix A Hunting Season Dates/Bag Limits 36 Appendix D Cover Letter 2 48 <	Table 7	Dove WMU	12
Table 10 Squirrels (Fox and Gray) WMU 15 Table 11 Raccoon WMU 16 Table 12 Red Fox WMU 17 Table 13 Gray Fox WMU 18 Table 14 Coyote WMU 15 Table 15 Opossum WMU 20 Table 16 Percent Change 1999-2000 in Wildlife Management Units 21 Tables 17-18 Rabbit/Quail AR ^b 22 Tables 19-20 Pheasant/Dove AR 22 Tables 19-21 Gray Partridge/Woodcock AR 22 Tables 23-24 Squirrels (Fox and Gray)/Raccoon AR 22 Tables 25-26 Red Fox/Gray Fox AR 26 Tables 27-28 Coyote/Opossum AR 27 Table 29 Percent Change 1999-2000 in Administrative Regions 28 Table 30 Distribution of Hunting Effort and Success in 2000 25 Table 31 Statewide Species Data 1990-2000 32 Table 32 Percent Change in Statewide Harvest 37 Appendix B Questionnaire 36 Appendix C Cover Letter 2	Table 8	Gray Partridge WMU	13
Table 11 Raccoon WMU 16 Table 12 Red Fox WMU 17 Table 13 Gray Fox WMU 18 Table 14 Coyote WMU 19 Table 15 Opossum WMU 20 Table 16 Percent Change 1999-2000 in Wildlife Management Units 21 Tables 17-18 Rabbit/Quail ARb 22 Tables 19-20 Pheasant/Dove AR 22 Tables 21-22 Gray Partridge/Woodcock AR 22 Tables 23-24 Squirrels (Fox and Gray)/Raccoon AR 22 Tables 25-26 Red Fox/Gray Fox AR 26 Tables 27-28 Coyote/Opossum AR 26 Table 29 Percent Change 1999-2000 in Administrative Regions 28 Table 30 Distribution of Hunting Effort and Success in 2000 25 Table 31 Statewide Species Data 1990-2000 32 Table 32 Percent Change in Statewide Harvest 33 Appendix A Hunting Season Dates/Bag Limits 33 Appendix B Questionnaire 34 Appendix C Cover Letter 1	Table 9	Woodcock WMU	14
Table 12 Red Fox WMU 17 Table 13 Gray Fox WMU 18 Table 14 Coyote WMU 19 Table 15 Opossum WMU 20 Table 16 Percent Change 1999-2000 in Wildlife Management Units 21 Tables 17-18 Rabbit/Quail ARb 22 Tables 19-20 Pheasant/Dove AR 22 Tables 21-22 Gray Partridge/Woodcock AR 22 Tables 23-24 Squirrels (Fox and Gray)/Raccoon AR 25 Tables 25-26 Red Fox/Gray Fox AR 26 Tables 27-28 Coyote/Opossum AR 27 Table 29 Percent Change 1999-2000 in Administrative Regions 28 Table 30 Distribution of Hunting Effort and Success in 2000 25 Table 31 Statewide Species Data 1990-2000 32 Table 32 Percent Change in Statewide Harvest 37 Appendix A Hunting Season Dates/Bag Limits 38 Appendix B Questionnaire 36 Appendix C Cover Letter 1 47 Appendix D Cover Letter 2	Table 10	Squirrels (Fox and Gray) WMU	15
Table 13 Gray Fox WMU 18 Table 14 Coyote WMU 15 Table 15 Opossum WMU 20 Table 16 Percent Change 1999-2000 in Wildlife Management Units 21 Tables 17-18 Rabbit/Quail ARb 22 Tables 19-20 Pheasant/Dove AR 22 Tables 21-22 Gray Partridge/Woodcock AR 22 Tables 23-24 Squirrels (Fox and Gray)/Raccoon AR 25 Tables 25-26 Red Fox/Gray Fox AR 26 Tables 27-28 Coyote/Opossum AR 25 Table 29 Percent Change 1999-2000 in Administrative Regions 25 Table 30 Distribution of Hunting Effort and Success in 2000 25 Table 31 Statewide Species Data 1990-2000 32 Table 32 Percent Change in Statewide Harvest 33 Appendix A Hunting Season Dates/Bag Limits 34 Appendix B Questionnaire 35 Appendix C Cover Letter 1 47 Appendix D Cover Letter 2 48 Appendix F Administrative	Table 11	Raccoon WMU	16
Table 14 Coyote WMU 19 Table 15 Opossum WMU 20 Table 16 Percent Change 1999-2000 in Wildlife Management Units 21 Tables 17-18 Rabbit/Quail ARb 22 Tables 19-20 Pheasant/Dove AR 22 Tables 21-22 Gray Partridge/Woodcock AR 22 Tables 23-24 Squirrels (Fox and Gray)/Raccoon AR 22 Tables 25-26 Red Fox/Gray Fox AR 26 Tables 27-28 Coyote/Opossum AR 27 Table 29 Percent Change 1999-2000 in Administrative Regions 28 Table 30 Distribution of Hunting Effort and Success in 2000 25 Table 31 Statewide Species Data 1990-2000 32 Table 32 Percent Change in Statewide Harvest 33 Appendix A Hunting Season Dates/Bag Limits 36 Appendix B Questionnaire 36 Appendix C Cover Letter 1 47 Appendix E Wildlife Management Units 49 Appendix F Administrative Regions 50 Appendix G	Table 12	Red Fox WMU	17
Table 15 Opossum WMU 20 Table 16 Percent Change 1999-2000 in Wildlife Management Units 21 Tables 17-18 Rabbit/Quail ARb 22 Tables 19-20 Pheasant/Dove AR 22 Tables 21-22 Gray Partridge/Woodcock AR 22 Tables 23-24 Squirrels (Fox and Gray)/Raccoon AR 25 Tables 25-26 Red Fox/Gray Fox AR 26 Tables 27-28 Coyote/Opossum AR 27 Table 29 Percent Change 1999-2000 in Administrative Regions 26 Table 30 Distribution of Hunting Effort and Success in 2000 25 Table 31 Statewide Species Data 1990-2000 32 Table 32 Percent Change in Statewide Harvest 35 Appendix A Hunting Season Dates/Bag Limits 36 Appendix B Questionnaire 39 Appendix C Cover Letter 1 47 Appendix D Cover Letter 2 44 Appendix E Wildlife Management Units 45 Appendix F Administrative Regions 55 Appendix G <td>Table 13</td> <td>Gray Fox WMU</td> <td>18</td>	Table 13	Gray Fox WMU	18
Table 16Percent Change 1999-2000 in Wildlife Management Units21Tables 17-18Rabbit/Quail ARb22Tables 19-20Pheasant/Dove AR22Tables 21-22Gray Partridge/Woodcock AR22Tables 23-24Squirrels (Fox and Gray)/Raccoon AR22Tables 25-26Red Fox/Gray Fox AR26Tables 27-28Coyote/Opossum AR27Table 29Percent Change 1999-2000 in Administrative Regions28Table 30Distribution of Hunting Effort and Success in 200029Table 31Statewide Species Data 1990-200032Table 32Percent Change in Statewide Harvest33Appendix AHunting Season Dates/Bag Limits33Appendix BQuestionnaire33Appendix CCover Letter 147Appendix DCover Letter 248Appendix EWildlife Management Units45Appendix FAdministrative Regions56Appendix GItemized Responses To The 2000-2001 Hunter Harvest Survey Questionnaire51	Table 14	Coyote WMU	19
Tables 17-18 Rabbit/Quail ARb 22 Tables 19-20 Pheasant/Dove AR 22 Tables 21-22 Gray Partridge/Woodcock AR 22 Tables 23-24 Squirrels (Fox and Gray)/Raccoon AR 22 Tables 25-26 Red Fox/Gray Fox AR 26 Tables 27-28 Coyote/Opossum AR 27 Table 29 Percent Change 1999-2000 in Administrative Regions 28 Table 30 Distribution of Hunting Effort and Success in 2000 25 Table 31 Statewide Species Data 1990-2000 32 Table 32 Percent Change in Statewide Harvest 35 Appendix A Hunting Season Dates/Bag Limits 38 Appendix B Questionnaire 36 Appendix C Cover Letter 1 47 Appendix D Cover Letter 2 48 Appendix E Wildlife Management Units 44 Appendix F Administrative Regions 56 Appendix G Itemized Responses To The 2000-2001 Hunter Harvest Survey Questionnaire 51	Table 15	Opossum WMU	20
Tables 19-20 Pheasant/Dove AR 22 Tables 21-22 Gray Partridge/Woodcock AR 24 Tables 23-24 Squirrels (Fox and Gray)/Raccoon AR 25 Tables 25-26 Red Fox/Gray Fox AR 26 Tables 27-28 Coyote/Opossum AR 27 Table 29 Percent Change 1999-2000 in Administrative Regions 28 Table 30 Distribution of Hunting Effort and Success in 2000 29 Table 31 Statewide Species Data 1990-2000 32 Table 32 Percent Change in Statewide Harvest 37 Appendix A Hunting Season Dates/Bag Limits 38 Appendix B Questionnaire 35 Appendix C Cover Letter 1 47 Appendix D Cover Letter 2 48 Appendix E Wildlife Management Units 46 Appendix F Administrative Regions 50 Appendix G Itemized Responses To The 2000-2001 Hunter Harvest Survey Questionnaire 51	Table 16	Percent Change 1999-2000 in Wildlife Management Units	21
Tables 19-20 Pheasant/Dove AR 22 Tables 21-22 Gray Partridge/Woodcock AR 24 Tables 23-24 Squirrels (Fox and Gray)/Raccoon AR 25 Tables 25-26 Red Fox/Gray Fox AR 26 Tables 27-28 Coyote/Opossum AR 27 Table 29 Percent Change 1999-2000 in Administrative Regions 28 Table 30 Distribution of Hunting Effort and Success in 2000 29 Table 31 Statewide Species Data 1990-2000 32 Table 32 Percent Change in Statewide Harvest 37 Appendix A Hunting Season Dates/Bag Limits 38 Appendix B Questionnaire 35 Appendix C Cover Letter 1 47 Appendix D Cover Letter 2 48 Appendix E Wildlife Management Units 46 Appendix F Administrative Regions 50 Appendix G Itemized Responses To The 2000-2001 Hunter Harvest Survey Questionnaire 51	Tables 17-18	Rabbit/Ouail AR ^b	20
Tables 21-22			
Tables 23-24Squirrels (Fox and Gray)/Raccoon AR22Tables 25-26Red Fox/Gray Fox AR20Tables 27-28Coyote/Opossum AR22Table 29Percent Change 1999-2000 in Administrative Regions26Table 30Distribution of Hunting Effort and Success in 200029Table 31Statewide Species Data 1990-200032Table 32Percent Change in Statewide Harvest33Appendix AHunting Season Dates/Bag Limits33Appendix BQuestionnaire34Appendix CCover Letter 144Appendix DCover Letter 244Appendix EWildlife Management Units44Appendix GItemized Responses To The 2000-2001 Hunter Harvest Survey Questionnaire56			
Tables 25-26 Red Fox/Gray Fox AR 26 Tables 27-28 Coyote/Opossum AR 27 Table 29 Percent Change 1999-2000 in Administrative Regions 28 Table 30 Distribution of Hunting Effort and Success in 2000 29 Table 31 Statewide Species Data 1990-2000 32 Table 32 Percent Change in Statewide Harvest 35 Appendix A Hunting Season Dates/Bag Limits 38 Appendix B Questionnaire 35 Appendix C Cover Letter 1 47 Appendix D Cover Letter 2 48 Appendix E Wildlife Management Units 49 Appendix F Administrative Regions 50 Appendix G Itemized Responses To The 2000-2001 Hunter Harvest Survey Questionnaire 51			
Tables 27-28 Coyote/Opossum AR 27 Table 29 Percent Change 1999-2000 in Administrative Regions 28 Table 30 Distribution of Hunting Effort and Success in 2000 29 Table 31 Statewide Species Data 1990-2000 32 Table 32 Percent Change in Statewide Harvest 35 Appendix A Hunting Season Dates/Bag Limits 38 Appendix B Questionnaire 39 Appendix C Cover Letter 1 47 Appendix D Cover Letter 2 48 Appendix E Wildlife Management Units 49 Appendix F Administrative Regions 50 Appendix G Itemized Responses To The 2000-2001 Hunter Harvest Survey Questionnaire 51			
Table 29 Percent Change 1999-2000 in Administrative Regions 28 Table 30 Distribution of Hunting Effort and Success in 2000 29 Table 31 Statewide Species Data 1990-2000 32 Table 32 Percent Change in Statewide Harvest 33 Appendix A Hunting Season Dates/Bag Limits 38 Appendix B Questionnaire 39 Appendix C Cover Letter 1 47 Appendix D Cover Letter 2 48 Appendix E Wildlife Management Units 49 Appendix F Administrative Regions 50 Appendix G Itemized Responses To The 2000-2001 Hunter Harvest Survey Questionnaire 51			
Table 31Statewide Species Data 1990-200032Table 32Percent Change in Statewide Harvest37Appendix AHunting Season Dates/Bag Limits38Appendix BQuestionnaire39Appendix CCover Letter 147Appendix DCover Letter 248Appendix EWildlife Management Units49Appendix FAdministrative Regions50Appendix GItemized Responses To The 2000-2001 Hunter Harvest Survey Questionnaire51			
Table 31Statewide Species Data 1990-200032Table 32Percent Change in Statewide Harvest37Appendix AHunting Season Dates/Bag Limits38Appendix BQuestionnaire39Appendix CCover Letter 147Appendix DCover Letter 248Appendix EWildlife Management Units49Appendix FAdministrative Regions50Appendix GItemized Responses To The 2000-2001 Hunter Harvest Survey Questionnaire51	Table 30		29
Appendix A Hunting Season Dates/Bag Limits 38 Appendix B Questionnaire 39 Appendix C Cover Letter 1 4 Appendix D Cover Letter 2 48 Appendix E Wildlife Management Units 49 Appendix F Administrative Regions 50 Appendix G Itemized Responses To The 2000-2001 Hunter Harvest Survey Questionnaire 51			
Appendix B Questionnaire	Table 32	Percent Change in Statewide Harvest	37
Appendix C Cover Letter 1 4 Appendix D Cover Letter 2 4 Appendix E Wildlife Management Units 4 Appendix F Administrative Regions 50 Appendix G Itemized Responses To The 2000-2001 Hunter Harvest Survey Questionnaire 5	Appendix A		38
Appendix D Cover Letter 2 48 Appendix E Wildlife Management Units 49 Appendix F Administrative Regions 50 Appendix G Itemized Responses To The 2000-2001 Hunter Harvest Survey Questionnaire 55	Appendix B	Questionnaire	39
Appendix D Cover Letter 2 48 Appendix E Wildlife Management Units 49 Appendix F Administrative Regions 50 Appendix G Itemized Responses To The 2000-2001 Hunter Harvest Survey Questionnaire 55			
Appendix E			
Appendix F			
Appendix G			

^a WMU = Wildlife Management Unit ^b AR = Administrative Region

2000-2001 Illinois Hunter Harvest Survey

Objective

To survey resident hunters (18-24 game animal categories) annually to determine their activities and harvests in Illinois.

Abstract

A random sample of 3,000 hunters was selected from the 2000 Illinois Habitat Stamp stubs and license sales. The sample was evenly divided between each sample frame (1,500 from each frame). Of the sample of 3,000 hunters, 2,912 questionnaires were deliverable. We received 2,142 (74%) returned questionnaires. License sales declined 1.4% from 1999 (294,000) to the 2000 season (290,000). From 1999-2000 to 2000-2001, harvests increased for 7 game animal categories (rabbit, pheasant, dove, gray partridge, squirrel, red fox, and coyote), decreased for 4 game animal categories (quail, woodcock, raccoon, and opossum), and did not change for 1 category (gray fox). Activities of upland hunters were profiled, as were attitudes toward hunting and general information about hunters.

Methods

Hunters were selected for this survey by a systematic random sampling of purchasers of Illinois resident hunting licenses and state habitat stamps. Of the 3,000 hunters sampled, 1,500 each were selected from license sales and habitat stamp sales. From this sample of 3,000, 88 were deleted due to lack of forwarding address, incorrect address, or death. Participants received a self-administered return mail questionnaire accompanied with cover letter and return envelope, mailed March 2, 2001. This mailing was followed 17 days later with a thank you/reminder

postcard to nonrespondents. On March 27, a second questionnaire, cover letter, and return envelope were mailed to nonrespondents. The second mailing was followed 17 days later with a postcard thank you/reminder. A total of 2,142 (74%) hunters responded. Methods for survey questionnaire mailings and follow-up reminders followed those of Miller et al. (1999). Data were entered into am SPSS 10.0 file and analyzed using SPSS 10.0. Estimates for species harvests, hunters, and days afield were made using the formulas discussed by Anderson et al. (1993).

Results

License Sales

Resident license sales for the 2000-2001 hunting season totaled 290,000 (290,175 before rounding) and represented a 1.4% decline from the 1999-2000 sales. Hunting license sales have been in a steady decline since 1994 (Table 1). The 2000-2001 license sales represented the second lowest recorded since 1938.

Of the respondents who reported purchasing a resident hunting license, 26% obtained a regular license without habitat stamp, 9% obtained a regular license with habitat stamp printed on license, 31% chose a sportsmen's combination hunting and sport fishing license without habitat stamp, 23% chose a sportsmen's combination license with habitat stamp printed on license, and 11% were eligible for a senior citizen's hunting license (Appendix G, Section 1).

Harvest

Harvest estimates represent game species harvested by Illinois resident hunters and do not include harvests by nonresidents. Including harvests by nonresidents for species such as

mourning doves may result in larger total harvests. Harvest of big game species (i.e., white-tailed deer and eastern wild turkey) are not included in this report. The reader is directed to Illinois Department of Natural Resources (DNR) publications specific to these species.

Results suggest increases in harvests for 7 game animal categories from 1999-2000 to 2000-2001: rabbit, pheasant, dove, gray partridge, squirrel, red fox, and coyote. Conversely, decreases in harvests were noted for 4 categories: quail, woodcock, raccoon, and opossum. The harvest of gray fox did not change from 1999-2000 to 2000-2001.

Hunting Activities

General. Of the 2,142 residents surveyed, 1,967 (92%) reported they hunted in Illinois during the 2000-2001 season. Almost one-fourth (23%) of the respondents said they hunted waterfowl in Illinois in 2000-2001 (Appendix G, Section 1).

One respondent in 5 (20%) used the DNR's internet website for information during the past year. Most of them (71%) accessed the internet at home. Of those who did not use the DNR internet website, most (51%) did not have internet access.

Upland Hunting. Pluralities (35-41%) of rabbit, pheasant, and quail hunters were afield 1-2 days each month of the 2000-2001 season (Appendix G, Section 2). Only 13-21% of them were afield >5 days per month. Sizeable percentages (27-35%) of the upland hunters did not go afield during January.

One-third to one-half (31-51%) of rabbit, pheasant, and quail hunters never took their daily bag limit during the 2000-2001 season. At the other extreme, 9% of rabbit hunters, 13% of

pheasant hunters, and 3% of quail hunters often achieved their daily limits.

When asked it they would favor a low bag limit on quail to provide more opportunities for hunters to harvest birds, majorities of both quail hunters (52%) and all respondents (63%) said "yes".

Squirrel Hunting. - Separate Report.

Attitudes Toward Hunting

Attitudes of respondents toward hunting are profiled in Appendix G, Section 4.

Examination of the data indicate it is important to hunters to spend time outdoors interacting with nature, engaging in hunting activities, and learning more about wildlife. The hunters ranked harvesting a trophy among the least important of their reasons for hunting.

General Information

Respondents to this survey were 97% male, averaged 46 years of age, and had hunted in Illinois for an average of 29 years. They represented 101 of the 102 counties in the state.

References

- Anderson, W.L., and L.K. Campbell. Illinois Hunter Harvest Survey, 1992. Ill. Dep. Nat. Res., Fed. Aid in Wildl. Restoration Project W-112-R, Job 1, Job Completion Rep. 65pp.
- Miller, C.A., L.K. Campbell and K.D. Caldwell. [1999]. 1998-99 Hunter Harvest Survey Report. Ill. Dep. Nat. Res., Fed. Aid in Wildl. Restoration Project W-112-R-8, Job 1, Job Completion Rep. 77pp.

Table 1. Number of resident hunting licenses purchased in Illinois, 1938-2000.

Yea	r Licenses	Year	Licenses
	(x 1,000)		(x 1,000)
1938	3 294	1970	448
1939	322	1971	464
1940	297	1972	446
194 ²	1 337	1973	478
1942	2 309	1974	470
1943	3 265	1975	463
1944	308	1976	458
1945	321	1977	424
1946	3 423	1978	389
1947	7 412	1979	344 ^a
1948	3 451	1980	337
1949	9 497	1981	338
1950	481	1982	328
195 ²	1 477	1983	315
1952	2 493	1984	310
1953	508	1985	307
1954	506	1986	311
195	5 521	1987	317
1956	553	1988	323
1957	7 503	1989	317
1958	3 502	1990	330
1959	9 492	1991	336
1960) 471	1992	317
196 ²	1 463	1993	313
1962	2 473	1994	326 ^b
1963		1995	324
1964		1996	316
1968		1997	305
1966		1998	301
1967		1999	294
1968		2000	290
1969			

^a Includes Sportsmen's (combination hunting/fishing) licenses beginning in 1979, which was the

 $^{1^{}st}$ year for this license. ^b Includes senior citizen (\geq 65 years) hunting licenses beginning in 1994, which was the 1^{st} year for this license.

Table 2. Summary of Statewide Data from the 2000 Hunter Harvest Survey (n=2,142).

Species	Total Estimated	Percent of	Ave	rage Bag	Total Estimated	Days	Afield
	Hunters	License Sales	Daily	Season	Harvest	Average	Total
Rabbit	88,461	30.49%	1.07	5.94	525,891	5.56	491,482
Quail	44,298	15.27%	1.16	6.55	290,310	5.63	249,398
Pheasant	53,375	18.39%	0.62	3.22	171,639	5.17	275,950
Dove	61,367	21.15%	4.54	19.84	1,217,324	4.37	268,093
Gray Partridge	271	0.09%	1.25	2.50	677	2.00	542
Woodcock	1,355	0.47%	0.43	1.70	2,303	4.00	5,419
Squirrel ^a	96,048	33.10%	1.47	11.71	1,125,070	7.96	764,316
Raccoon	15,985	5.51%	1.26	16.66	266,332	13.19	210,790
Red Fox	4,200	1.45%	0.18	1.61	6,773	8.84	37,119
Gray Fox	813	0.28%	0.00	0.00	0	10.50	8,535
Coyote	35,899	12.37%	0.29	2.92	104,718	10.10	362,651
Opossum	3,387	1.17%	0.26	3.08	10,431	11.80	39,963
Snipe	406	0.14%	0.79	3.67	1,490	4.67	1,897
Rail	271	0.09%	1.57	5.50	1,490	3.50	948
Crow	11,244	3.87%	1.39	6.20	69,767	4.45	49,988
Ground Hog	5,148	1.77%	0.60	3.50	18,017	5.79	29,803
Turkey-Spring	60,555	20.87%	0.10	0.44	26,552	4.61	279,202
Turkey-Fall Shotgun	15,037	5.18%	0.12	0.41	6,232	3.41	51,207
Turkey-Fall Archery	17,069	5.88%	0.01	0.09	1,490	15.89	271,209
Deer-Shotgun	171,639	59.15%	0.16	0.72	124,361	4.47	767,703
Deer-Muzzleloader	14,766	5.09%	0.13	0.37	5,419	2.90	42,808
Deer-Archery	102,821	35.43%	0.03	0.58	60,013	22.01	2,262,739
Deer-Handgun	15,443	5.32%	0.09	0.21	3,251	2.23	34,409

^aFox squirrel harvest was 628,576 (55.9%) and gray squirrel harvest was 496,494 (44.1%).

Table 3. Estimated Number (<u>+</u> 95% confidence interval) of Resident Licensed Hunters and Harvest in Illinois, 2000 (n=2,142).

Species	Total E	stima	ted	Estimate	Estimated Average			stimat	ed	
	Hui	nters		Seas	on B	ag	Ha	Harvest		
Rabbit	88,461	<u>+</u>	5,773	5.94	<u>+</u>	0.79	525,891	<u>+</u>	78,696	
Quail	44,298	<u>+</u>	4,510	6.55	<u>+</u>	1.43	290,310	<u>+</u>	70,768	
Pheasant	53,375	<u>+</u>	4,858	3.22	<u>+</u>	0.53	171,639	<u>+</u>	32,684	
Dove	61,367	<u>+</u>	5,121	19.84	<u>+</u>	2.25	1,217,324	<u>+</u>	173,526	
Gray Partridge	271	<u>+</u>	383	2.50	<u>+</u>	4.91	677	<u>+</u>	1,379	
Woodcock	1,355	<u>+</u>	855	1.70	<u>+</u>	0.97	2,303	<u>+</u>	1,881	
Squirrel	96,048	<u>+</u>	5,901	11.71	<u>+</u>	1.45	1,125,070	<u>+</u>	157,987	
Raccoon	15,985	<u>+</u>	2,861	16.66	<u>+</u>	4.37	266,332	<u>+</u>	85,485	
Red Fox	4,200	<u>+</u>	1,498	1.61	<u>+</u>	1.04	6,773	<u>+</u>	5,015	
Gray Fox	813	<u>+</u>	663	0.00	<u>+</u>	0.00	0	<u>+</u>	0	
Coyote	35,899	<u>+</u>	4,129	2.92	<u>+</u>	0.83	104,718	<u>+</u>	32,573	
Opossum	3,387	<u>+</u>	1,347	3.08	<u>+</u>	1.38	10,431	<u>+</u>	6,269	

Table 4. Summary of 2000 Hunting Effort and Success in Wildlife Management Units in Illinois for the Species Listed Below.

Rabbit (653)

Wildlife	Estimated	Percent			Estimated	Estimated
Management	Number of	of	Avera	age Bag	Total	Days
Units	Hunters	Hunters	Daily	Season	Harvest	Afield
Northwest Hills	6,638	7.50	1.36	6.80	45,111	33,190
THO UNIVOCE TIME	0,000	7.00	1.00	0.00	10,111	00,100
Northeast Moraine	1,490	1.68	0.30	1.45	2,168	7,180
Mississippi Border-North	3,658	4.13	1.15	7.74	28,313	24,655
Mississippi Border-South	15,714	17.76	1.53	7.50	117,858	77,082
Wildelight Dorder-oodin	15,7 14	17.70	1.55	7.50	117,000	11,002
Western Prairie/Forest	8,941	10.11	0.95	4.50	40,234	42,402
Central Sand Prairie	3,251	3.68	1.13	4.67	15,173	13,411
	<u> </u>					
Crand Drairie	25.062	28.33	0.72	3.85	06 500	100 100
Grand Prairie	25,062	28.33	0.73	3.85	96,589	133,166
Southern Plain	17,476	19.75	1.09	7.14	124,767	114,742
Wabash Border	4,335	4.90	1.11	8.19	35,493	31,835
	.,000				23, .00	2.,000
Shawnee Hills	1,761	1.99	1.62	11.46	20,185	12,463
Unknown	135	0.15	0.00	0.00	0.00	1,355

Table 5. Summary of 2000 Hunting Effort and Success in Wildlife Management Units in Illinois for the Species Listed Below.

Quail (327)

Wildlife	Estimated	Percent			Estimated	Estimated
Management	Number of	of	Avera	age Bag	Total	Days
Units	Hunters	Hunters	Daily	Season	Harvest	Afield
Northwest Hills	1,490	3.36	1.02	4.45	6,638	6,503
Northeast Moraine	406	0.92	0.77	3.33	1,355	1,761
Mississippi Border-North	2,845	6.42	1.18	5.05	14,360	12,192
Mississippi Border-South	8,128	18.35	1.17	4.78	38,880	33,325
Western Prairie/Forest	4,741	10.70	0.89	4.97	23,572	26,416
	•					
Central Sand Prairie	2,303	5.20	1.11	6.18	14,224	12,870
Grand Prairie	10,702	24.16	0.52	3.15	33,732	64,890
Southern Plain	9,618	21.71	1.50	9.25	89,003	59,335
Wabash Border	2,980	6.73	2.22	16.77	49,988	22,488
Shawnee Hills	813	1.83	2.33	22.50	18,288	7,857
Unknown	271	0.61	0.15	1.00	271	1,761

Table 6. Summary of 2000 Hunting Effort and Success in Wildlife Management Units in Illinois for the Species Listed Below.

Pheasant (394)

Wildlife	Estimated	Percent			Estimated	Estimated
Management	Number of	of	Aver	age Bag	Total	Days
Units	Hunters	Hunters	Daily	Season	Harvest	Afield
Northwest Hills	5,690	10.66	0.54	3.00	17,069	31,429
Northeast Moraine	3,793	7.11	0.89	3.61	13,682	15,443
Mississippi Border-North	1,355	2.54	0.88	2.90	3,929	4,470
Mississippi Border-South	406	0.76	0.25	0.33	135	542
Western Prairie/Forest	3,387	6.35	0.26	1.00	3,387	12,870
Central Sand Prairie	3,793	7.11	0.95	4.18	15,850	16,663
Grand Prairie	32,919	61.68	0.61	3.44	113,252	186,676
Southern Plain	1,355	2.54	0.62	2.40	3,251	5,283
Wabash Border	135	0.25	2.00	4.00	542	271
Shawnee Hills	0	0.00	0.00	0.00	0	0
Unknown	542	1.02	0.24	1.00	542	2,303

Table 7. Summary of 2000 Hunting Effort and Success in Wildlife Management Units in Illinois for the Species Listed Below.

Dove (453)

Wildlife	Estimated	Percent			Estimated	Estimated
Management	Number of	of	Avera	age Bag	Total	Days
Units	Hunters	Hunters	Daily	Season	Harvest	Afield
			-			
Northwest Hills	1,897	3.09	2.01	12.79	24,249	12,057
Northeast Moraine	2,438	3.97	2.44	7.44	18,153	7,451
Mississippi Border-North	3,793	6.18	3.54	15.29	57,981	16,392
Mississippi Border-South	10,160	16.56	4.56	20.81	211,467	46,330
Western Prairie/Forest	5,554	9.05	4.66	19.44	107,969	23,165
Central Sand Prairie	4,470	7.28	5.38	18.58	83,042	15,443
Grand Prairie	17,882	29.14	4.52	21.12	377,688	83,584
Southern Plain	10,838	17.66	5.47	23.18	251,160	45,924
Wabash Border	2,438	3.97	5.04	13.72	33,461	6,638
Shawnee Hills	1,490	2.43	5.14	32.27	48,091	9,347
Unknown	406	0.66	2.31	10.00	4,064	1,761

Table 8. Summary of 2000 Hunting Effort and Success in Wildlife Management Units in Illinois for the Species Listed Below.

Gray Partridge (2)

Wildlife	Estimated	Percent			Estimated	Estimated
Management	Number of	of		age Bag	Total	Days
Units	Hunters	Hunters	Daily	Season	Harvest	Afield
Northwest Hills	135	50.00	1.67	5.00	677	406
Northeast Moraine	0	0.00	0.00	0.00	0	0
Mississippi Border-North	0	0.00	0.00	0.00	0	0
Mississippi Border-South	0	0.00	0.00	0.00	0	0
Western Prairie/Forest	0	0.00	0.00	0.00	0	0
Central Sand Prairie	0	0.00	0.00	0.00	0	0
Grand Prairie	135	50.00	0.00	0.00	0	135
Southern Plain	0	0.00	0.00	0.00	0	0
Wabash Border	0	0.00	0.00	0.00	0	0
Shawnee Hills	0	0.00	0.00	0.00	0	0
Unknown	0	0.00	0.00	0.00	0	0

Table 9. Summary of 2000 Hunting Effort and Success in Wildlife Management Units in Illinois for the Species Listed Below.

Woodcock (10)

Wildlife Management	Estimated Number of	Percent of	Aver	age Bag	Estimated Total	Estimated Days
Units	Hunters	Hunters	Daily	Season	Harvest	Afield
Northwest Hills	0	0.00	0.00	0.00	0	0
Northeast Moraine	0	0.00	0.00	0.00	0	0
Mississippi Border-North	0	0.00	0.00	0.00	0	0
Mississippi Border-South	0	0.00	0.00	0.00	0	0_
Western Prairie/Forest	135	10.00	1.67	5.00	677	406
Central Sand Prairie	0	0.00	0.00	0.00	0	0
Grand Prairie	948	70.00	0.31	1.43	1,355	4,335
Southern Plain	271	20.00	0.40	1.00	271	677
Wabash Border	0	0.00	0.00	0.00	0	0
Shawnee Hills	0	0.00	0.00	0.00	0	0
Unknown	0	0.00	0.00	0.00	0	0

Table 10. Summary of 2000 Hunting Effort and Success in Wildlife Management Units in Illinois for the Species Listed Below.

Squirrel (709)

Wildlife	Estimated	Percent			Estimated	Estimated
Management	Number of	of	Avera	age Bag	Total	Days
Units	Hunters	Hunters	Daily	Season	Harvest ^a	Afield
Northwest Hills	7,993	8.32	1.39	6.17	49,311	35,493
Northeast Moraine	1,219	1.27	0.58	3.22	3,929	6,773
Mississippi Border-North	5,961	6.21	1.76	15.34	91,442	51,885
Mississippi Border-South	16,392	17.07	1.83	15.31	251,024	136,824
Western Prairie/Forest	13,411	13.96	1.08	7.58	101,602	94,015
Central Sand Prairie	4,200	4.37	1.35	7.52	31,564	23,436
Grand Prairie	20,591	21.44	1.15	8.95	184,238	160,802
Southern Plain	17,069	17.77	1.63	16.98	289,904	177,329
Wabash Border	4,877	5.08	1.77	13.89	67,735	38,338
Shawnee Hills	3,116	3.24	1.71	14.96	46,601	27,229
Unknown	1,219	1.27	0.63	6.33	7,722	12,192

^aFox squirrel harvest was 628,576 (55.9%) and gray squirrel harvest was 496,494 (44.1%).

Table 11. Summary of 2000 Hunting Effort and Success in Wildlife Management Units in Illinois for the Species Listed Below.

Raccoon (118)

Wildlife	Estimated Number	Percent			Estimated	Estimated
Management	of	of	Avera	age Bag	Total	Days
Units	Hunters	Hunters	Daily	Season	Harvest	Afield
Northwest Hills	2,845	17.80	2.28	21.48	61,097	26,823
TTOTAL TIME	2,010	17.00	2.20	21.10	01,007	20,020
Northeast Moraine	271	1.69	1.13	13.50	3,658	3,251
Mississippi Border-North	948	5.93	1.91	19.14	18,153	9,483
Mississippi Border-South	1,761	11.02	1.51	20.85	36,712	24,384
Western Prairie/Forest	2,845	17.80	1.26	14.90	42,402	33,732
Central Sand Prairie	542	3.39	0.48	6.75	3,658	7,586
Grand Prairie	4,335	27.12	0.77	10.53	45,653	59,064
Southern Plain	1,897	11.86	1.06	16.79	31,835	29,939
Wabash Border	542	3.39	1.40	42.75	23,165	16,527
Shawnee Hills	0	0.00	0.00	0.00	0	0
Unknown	0	0.00	0.00	0.00	0	0

Table 12. Summary of 2000 Hunting Effort and Success in Wildlife Management Units in Illinois for the Species Listed Below.

Red Fox (31)

Wildlife	Estimated	Percent			Estimated	Estimated
				verage	-	_
Management	Number of	of	l	Зag	Total	Days
Units	Hunters	Hunters	Daily	Season	Harvest	Afield
Northwest Hills	1,084	25.81	0.27	1.63	1,761	6,638
	.,				.,	3,555
Northeast Moraine	135	3.23	0.00	0.00	0	677
Northeast Moralite	133	3.23	0.00	0.00	0	011
	074	0.45	0.04	4.50	400	4 007
Mississippi Border-North	271	6.45	0.21	1.50	406	1,897
Mississippi Border-South	135	3.23	0.00	0.00	0	135
Western Prairie/Forest	271	6.45	0.43	1.50	406	948
Central Sand Prairie	0	0.00	0.00	0.00	0	0
Ochtrai Garia i Tairie		0.00	0.00	0.00		
One and Durainia	4.000	00.74	0.40	0.00	0.700	00.405
Grand Prairie	1,626	38.71	0.19	2.33	3,793	20,185
Southern Plain	406	9.68	0.02	0.33	135	6,232
Wabash Border	135	3.23	0.50	1.00	135	271
Shawnee Hills	0	0.00	0.00	0.00	0	0
Chawnee i illis		0.00	0.00	0.00		
Links	405	0.00	4.00	4.00	405	405
Unknown	135	3.23	1.00	1.00	135	135

Table 13. Summary of 2000 Hunting Effort and Success in Wildlife Management Units in Illinois for the Species Listed Below.

Gray Fox (6)

Wildlife	Estimated	Percent			Estimated	Estimated
Management	Number of	of	Avera	age Bag	Total	Days
Units	Hunters	Hunters	Daily	Season	Harvest	Afield
Northwest Hills	135	16.67	0.00	0.00	0	677
Northeast Moraine	135	16.67	0.00	0.00	0	677
Mississippi Border-North	0	0.00	0.00	0.00	0	0
Mississippi Border-South	0	0.00	0.00	0.00	0	0
Western Prairie/Forest	0	0.00	0.00	0.00	0	0
Central Sand Prairie	0	0.00	0.00	0.00	0	0
Grand Prairie	271	33.33	0.00	0.00	0	2,980
Southern Plain	271	33.33	0.00	0.00	0	4,200
Wabash Border	0	0.00	0.00	0.00	0	0
Shawnee Hills	0	0.00	0.00	0.00	0	0
Unknown	0	0.00	0.00	0.00	0	0

Table 14. Summary of 2000 Hunting Effort and Success in Wildlife Management Units in Illinois for the Species Listed Below.

Coyote (265)

VACT HIS	- · · · ·				- · · · ·	
Wildlife	Estimated	Percent			Estimated	Estimated
Management	Number of	of	Avera	age Bag	Total	Days
Units	Hunters	Hunters	Daily	Season	Harvest	Afield
						_
Northwest Hills	5,012	13.96	0.48	5.78	28,990	60,419
Northeast Moraine	948	2.64	0.13	1.14	1,084	8,264
Mississippi Border-North	2,980	8.30	0.32	3.91	11,650	35,899
Mississippi Border-South	3,522	9.81	0.19	1.08	3,793	19,508
Western Prairie/Forest	4,470	12.45	0.17	1.64	7,315	42,673
Central Sand Prairie	948	2.64	0.15	0.71	677	4,606
Grand Prairie	12,192	33.96	0.30	2.33	28,448	96,318
Southern Plain	3,793	10.57	0.22	5.00	18,966	85,075
Wabash Border	1,219	3.40	0.69	2.00	2,438	3,522
·						
Shawnee Hills	135	0.38	0.80	8.00	1,084	1,355
Unknown	677	1.89	0.05	0.40	271	5,012

Table 15. Summary of 2000 Hunting Effort and Success in Wildlife Management Units in Illinois for the Species Listed Below.

Opossum (25)

Wildlife	Estimated	Percent			Estimated	Estimated
Management	Number of	of	Aver	age Bag	Total	Days
Units	Hunters	Hunters	Daily	Season	Harvest	Afield
Northwest Hills	677	20.00	0.43	3.40	2,303	5,419
Northeast Moraine	135	4.00	0.01	1.00	135	12,192
Mississippi Border-North	271	8.00	0.40	4.00	1,084	2,709
Mississippi Border-South	406	12.00	0.30	2.00	813	2,709
Western Prairie/Forest	542	16.00	0.83	2.50	1,355	1,626
Central Sand Prairie	135	4.00	2.00	2.00	271	135
Grand Prairie	677	20.00	0.19	3.60	2,438	12,734
Southern Plain	406	12.00	0.85	3.67	1,490	1,761
Wabash Border	0	0.00	0.00	0.00	0	0
Shawnee Hills	0	0.00	0.00	0.00	0	0
Unknown	135	4.00	0.80	4.00	542	677

Table 16. Percent change in harvests from 1999 to 2000 in Wildlife Management Units for selected species.

Wildlife							Dad	0	
Management	5"		5 1 .	0	_	_	Red	Gray	
Unit	Rabbit	Quail	Pheasant	Squirrels ^a	Dove	Raccoon	Fox	Fox	Coyote
Northwest									
Hills	20	-23	-28	-15	102	-5	261		135
Northeast									
Moraine	48	178	50	-56	27				-5
Mississippi									
Border-North	54	-29	-7	68	4	-45			-13
Mississippi									
Border-South	54	-40	-96	21	-1	15	-100		-29
Western Prairie									
Forest	-9	-22	-31	-34	128	-23			0
Central Sand									
Prairie	46	35	214	96	-15	2			315
Grand									
Prairie	16	26	53	24	17	15	56		-13
Southern									
Plain	26	-49	-54	26	43	40			171
Wabash									
Border	34	16		93	-25	110			-56
Shawnee									
Hills	134	-59		58	88	-100			

Table 17. Summary of 2000 Hunting Effort and Success in Administrative Regions in Illinois for the Species Listed Below.

Rabbit (653)

-						
Administrative	Estimated Number	Percent	Aver	age Bag	Estimated	Estimated
Region	of	of	Daily	Season	Total	Days
-	Hunters	Hunters			Harvest	Afield
Region 1	22,217	25.11	0.99	5.35	118,942	119,619
Region 2	3,929	4.44	0.35	1.59	6,232	17,882
Region 3	11,921	13.48	0.76	4.05	48,227	63,670
Region 4	32,648	36.91	1.20	6.47	211,196	176,245
Region 5	17,611	19.91	1.25	8.02	141,294	112,710
					_	
Unknown	135	0.15	0.00	0.00	0	1,355

Table 18. Summary of 2000 Hunting Effort and Success in Administrative Regions in Illinois for the Species Listed Below.

Quail (327)

Administrative	Estimated Number	Percent	Average Bag		Estimated	Estimated
Region	of	of	Daily	Season	Total	Days
	Hunters	Hunters			Harvest	Afield
Region 1	9,212	20.80	0.60	3.74	34,409	56,897
Region 2	1,355	3.06	1.10	6.40	8,670	7,857
Region 3	4,606	10.40	0.48	2.35	10,838	22,759
Region 4	18,559	41.90	1.15	5.82	108,104	93,609
Region 5	10,296	23.24	1.92	12.43	128,018	66,515
Unknown	271	0.61	0.15	1.00	271	1,761

Table 19. Summary of 2000 Hunting Effort and Success in Administrative Regions in Illinois for the Species Listed Below.

Pheasant (394)

Administrative	Estimated	Percent	Aver	age Bag	Estimated	Estimated
Region	Number of	of	Daily	Season	Total	Days
region			Daily	Ocason		•
	Hunters	Hunters			Harvest	Afield
Region 1	21,404	40.10	0.55	3.01	64,348	117,181
Region 2	8,805	16.50	1.00	5.38	47,414	47,414
Region 3	14,495	27.16	0.54	2.75	39,828	73,966
Region 4	7,993	14.97	0.56	2.42	19,372	34,545
Region 5	135	0.25	0.25	1.00	135	542
Unknown	542	1.02	0.24	1.00	542	2,303

Table 20. Summary of 2000 Hunting Effort and Success in Administrative Regions in Illinois for the Species Listed Below.

Dove (453)

Administrative	Estimated Number	Percent	Average Bag		Estimated	Estimated
Region	of	of	Daily	Season	Total	Days
	Hunters	Hunters	_		Harvest	Afield
Region 1	12,870	20.97	3.31	13.61	175,161	52,968
rtegion	12,070	20.01	0.01	10.01	170,101	02,000
Region 2	5,283	8.61	3.25	10.85	57,303	17,611
Region 3	8,264	13.47	4.78	25.69	212,280	44,434
Region 4	23,707	38.63	4.95	21.06	499,203	100,924
Region 5	10,838	17.66	5.34	24.85	269,312	50,394
Unknown	406	0.66	2.31	10.00	4,064	1,761

Table 21. Summary of 2000 Hunting Effort and Success in Administrative Regions in Illinois for the Species Listed Below.

Gray Partridge (2)

Administrative	Estimated Number	Percent	Average Bag		Estimated	Estimated
Region	of	of	Daily	Season	Total	Days
	Hunters	Hunters	_		Harvest	Afield
Region 1	271	100.00	1.25	2.50	677	542
Region 2	0	0.00	0.00	0.00	0	0
Region 3	0	0.00	0.00	0.00	0	0
Region 4	0	0.00	0.00	0.00	0	0
Region 5	0	0.00	0.00	0.00	0	0
Unknown	0	0.00	0.00	0.00	0	0

Table 22. Summary of 2000 Hunting Effort and Success in Administrative Regions in Illinois for the Species Listed Below.

Woodcock (10)

Administrative	Estimated Number	Percent	Average Bag		Estimated	Estimated
Region	of	of	Daily	Season	Total	Days
	Hunters	Hunters			Harvest	Afield
Region 1	0	0.00	0.00	0.00	0	0
Dogion 2	0	0.00	0.00	0.00	0	0
Region 2	0	0.00	0.00	0.00	0	0
Region 3	813	60.00	0.23	1.17	948	4,200
Region 4	406	30.00	1.43	3.33	1,355	948
Region 5	135	10.00	0.00	0.00	0	271
Unknown	0	0.00	0.00	0.00	0	0

Table 23. Summary of 2000 Hunting Effort and Success in Administrative Regions in Illinois for the Species Listed Below.

Squirrel (709)

Administrative	Estimated Number	Percent	Average Bag		Estimated	Estimated
Region	of	of	Daily	Season	Total	Days
	Hunters	Hunters			Harvest ^a	Afield
Region 1	26,823	27.93	1.08	7.27	194,940	181,122
Region 2	2,168	2.26	0.93	4.63	10,025	10,838
Region 3	10,702	11.14	1.23	10.13	108,375	88,055
Region 4	33,732	35.12	1.79	14.82	499,881	279,879
Region 5	21,404	22.28	1.58	14.21	304,128	192,231
Unknown	1,219	1.27	0.63	6.33	7,722	12,192

^aFox squirrel harvest was 628,576 (55.9%) and gray squirrel harvest was 496,494 (44.1%).

Table 24. Summary of 2000 Hunting Effort and Success in Administrative Regions in Illinois for the Species Listed Below.

Raccoon 118)

Administrative	Estimated	Percent	Aver	age Bag	Estimated	Estimated
Region	Number of	of	Daily	Season	Total	Days
	Hunters	Hunters			Harvest	Afield
Region 1	8,264	51.69	1.43	16.21	133,979	93,880
Region 2	406	2.54	1.08	9.00	3,658	3,387
Region 3	1,355	8.47	0.57	9.50	12,870	22,759
Region 4	4,200	26.27	1.20	16.45	69,089	57,439
Region 5	1,761	11.02	1.40	26.54	46,737	33,325
Unknown	0	0.00	0.00	0.00	0	0

Table 25. Summary of 2000 Hunting Effort and Success in Administrative Regions in Illinois for the Species Listed Below.

Red Fox (31)

Administrative	Estimated	Percent	Avera	age Bag	Estimated	Estimated
	Number			0 0		
Region	of	of	Daily	Season	Total	Days
. tog.o		_	Dany	o o a o o		•
	Hunters	Hunters			Harvest	Afield
Region 1	2,438	58.06	0.1452	1.50	3,658	25,197
1 togion i	2,100	00.00	0.1102	1.00	0,000	20,101
D . 0	074	0.45	0.00	0.00	•	0.40
Region 2	271	6.45	0.00	0.00	0	948
Region 3	271	6.45	0.80	8.00	2,168	2,709
1 togion o		0.10	0.00	0.00	2,100	2,100
5 ' 4	0.40	40.05	0.00	0.00		-
Region 4	813	19.35	0.09	0.83	677	7,722
Region 5	271	6.45	0.33	0.50	135	406
		0.10	0.00	0.00	.50	
	405	0.00	4.00	4.00	405	405
Unknown	135	3.23	1.00	1.00	135	135

Table 26. Summary of 2000 Hunting Effort and Success in Administrative Regions in Illinois for the Species Listed Below.

Gray Fox (6)

Administrative	Estimated Number	Percent	Avera	ge Bag	Estimated	Estimated
Region	of	of	Daily	Season	Total	Days
	Hunters	Hunters			Harvest	Afield
Region 1	271	33.33	0.00	0.00	0	2,303
Region 2	135	16.67	0.00	0.00	0	677
Region 3	135	16.67	0.00	0.00	0	1,355
Region 4	135	16.67	0.00	0.00	0	4,064
Region 5	135	16.67	0.00	0.00	0	135
Unknown	0	0.00	0.00	0.00	0	0

Table 27. Summary of 2000 Hunting Effort and Success in Administrative Regions in Illinois for the Species Listed Below.

Coyote (265)

Administrative	Estimated Number	Percent	Average Bag		Estimated	Estimated
Region	of	of	Daily	Season	Total	Days
	Hunters	Hunters			Harvest	Afield
Region 1	16,256	45.28	0.36	3.74	60,826	170,555
Region 2	2,032	5.66	0.17	1.27	2,574	14,766
Region 3	4,335	12.08	0.25	1.34	5,825	23,707
Region 4	8,399	23.40	0.18	1.90	15,985	91,306
Region 5	4,200	11.70	0.34	4.58	19,237	57,303
Unknown	677	1.89	0.05	0.40	271	5,012

Table 28. Summary of 2000 Hunting Effort and Success in Administrative Regions in Illinois for the Species Listed Below.

Opossum (25)

Administrative	Estimated Number	Percent	Aver	age Bag	Estimated	Estimated
Region	of Hunters	of Hunters	Daily	Season	Total Harvest	Days Afield
Region 1	1,626	48.00	0.29	3.50	5,690	19,778
Region 2	135	4.00	0.01	1.00	135	12,192
Region 3	271	8.00	0.50	0.50	135	271
Region 4	813	24.00	0.46	3.00	2,438	5,283
Region 5	406	12.00	0.85	3.67	1,490	1,761
Unknown	135	4.00	0.80	4.00	542	677

Table 29. Percent change in harvest from 1999-2000 in Administrative Regions for selected species.

Administrative							Red	Gray	
Regions	Rabbit	Quail	Pheasant	Squirrels ^a	Dove	Raccoon	Fox	Fox	Coyote
Region 1	24	31	16	4	24	31	25		21
Region 2	4	167	72	-45	12	221			76
Region 3	6	-10	55	41	56	-58	100		-6
Region 4	32	-31	-10	11	2	-32	315		-6
Pagion 5	44	44	02	45	40	15	100		00
Region 5	44	-44	-83	45	40	15	100		88

Table 30. Distribution of hunting effort and success among resident Illinois hunters in 2000.

	Days	Afield		
	Range	Percent of <u>Hunters</u>	Range	Percent of <u>Hunters</u>
Rabbi			•	0.5.0
	1-5 6-10 11-14 15-19 20-24	70.8 18.5 2.6 2.6	0 1-5 6-10 11-14 15-19 20-24 25+	43.5 17.4 4.0 3.5 2.3
Quail			0	33 Q
	1-5 6-10 11-14 15-19 20-24	68.8 20.5 2.7 2.8	1-5 6-10 11-14 15-19 20-24	35.2 13.5 5.2 3.3 3.1
Pheas			0	26.0
	1-5 6-10 11-14 15-19 20-24	69.0 21.6 3.3 3.3	0 1-5 6-10 11-14 15-19 20-24 25+	44.7 11.6 2.6 1.8
Dove			0	11 7
	1-5 6-10 11-14 15-19 20-24	77.9 16.4 1.3 2.4	1-5 6-10 11-14 15-19 20-24	17.6 18.6 6.0 10.1 8.4

Table 30. Continued - page 2.

Days	Afield	Animals	Harvested
Range	Percent of <u>Hunters</u>	Range	Percent of <u>Hunters</u>
1-5 6-10	100	1-5 6-10	
11-14 15-19 20-24 25+	 	11-14 15-19 20-24 25+	
Woodcock		0	20.0
1-5 6-10 11-14 15-19 20-24 25+	70.0 30.0 	1-5 6-10 11-14 15-19	80.0
Squirrels			100
1-5 6-10 11-14 15-19 20-24 25+	21.6 3.6 4.7 4.4	1-5 6-10 11-14 15-19 20-24	13.3 34.9 20.9 8.2 6.5 3.2 13.0
Raccoon		0	5 1
1-5 6-10 11-14 15-19 20-24 25+	48.3 21.2 5.1 5.9	1-5 6-10 11-14 15-19	5.1

Table 30. Continued - page 3.

	Days Afi	Percent of Hunters	Animals <pre>Range</pre>	Harvested Percent of Hunters
Red I	Fox 1-5 6-10 11-14 15-19 20-24 25+	60.0 23.3 3.4 3.3	0 1-5 6-10 11-14 15-19 .20-24	64.5
Gray	Fox 1-5 6-10 11-14 15-19 20-24 25+	50.0 16.7 16.6 	0 1-5 6-10 11-14 15-19 .20-24	
Coyot	1-5 6-10 11-14 15-19 20-24 25+	59.8 17.5 3.4 3.0 4.9	0 1-5 6-10 11-14 15-19 20-24	48.3 1.5 0.8
Oposs	1-5 6-10 11-14 15-19 20-24 25+	32.0 4.0 	0 1-5 6-10 11-14 15-19 20-24	12.0

31. Statewide data from resident Illinois hunters, 1990-2000.

Species and	Estimated Total	Average Daily	Average Season	Estimated Total	Average Days	Estimated Total Days
<u>Seasons</u>	Hunters	Baq	Baq	Harvest	Afield	Afield
RABBIT						
1990	162,560	1.34	7.95	1,293,154	5.95	966,626
1991	161,293	1.17	7.32	1,180,618	6.25	1,007,512
1992	129,272	1.05	6.20	802,045	5.90	762,290
1993	130,374	1.13	6.72	875,688	5.96	777,425
1994	141,659	1.06	6.25	884,850	5.92	838,808
1995	128,673	1.10	6.52	838,322	5.94	763,831
1996 1997	109,758 102,842	0.94 1.02	4.75 5.35	521,424	5.08 5.22	557,535 536,802
1998	98,190	1.02	6.20	550,602 608,878	5.78	567,079
1999	86,826	0.96	4.73	411,040	4.93	427,787
2000	88,461	1.07	5.94	525,891	5.56	491,482
2000	00,401	1.07	3.94	323,091	3.30	491,402
QUAIL						
1990	84,989	1.69	10.90	926,432	6.45	548,252
1991	84,281	1.64	10.99	926,411	6.70	564,866
1992	71,964	1.54	10.49	755,181	6.82	490,933
1993	67,791	1.68	11.26	763,057	6.70	454,092
1994	75,407	1.61	11.19	843,974	6.94	523,677
1995	72,244	1.43	9.78	706,278	6.84	494,040
1996	56,542	1.22	7.54	426,585	6.20	350,372
1997	55,958	1.36	8.37	468,272	6.14	343,595
1998	55,618	1.42	9.35	519,786	6.57	365,292
1999	47,803	1.33	8.91	425,836	6.68	319,174
2000	44,298	1.16	6.55	290,310	5.63	249,398
PHEASANT						
1990	97,761	0.61	3.81	372,920	6.22	608,261
1991	94,845	0.64	4.13	391,419	6.50	616,661
1992	78,985	0.59	3.32	262,229	5.67	447,580
1993	83,123	0.60	3.66	304,239	6.09	505,972
1994	89,727	0.54	3.27	293,560	6.05	542,439
1995	85,811	0.62	3.91	335,208	6.28	539,149
1996	77,069	0.57	3.08	237,382	5.42	417,367
1997	66,734	0.57	3.23	215,326	5.70	380,459
1998	68,149	0.52	2.77	188,740	5.29	360,486
1999	54,469	0.48	2.54	138,368	5.24	285,517
2000	53,375	0.62	3.22	171,639	5.17	275,950

Table 31. Continued - page 2. Statewide data from resident Illinois hunters, 1990-2000.

Species and Seasons	Estimated Total Hunters	Average Daily Bag	Average Season Bag	Estimated Total Harvest	Average Days Afield	Estimated Total Days Afield
DOVE	Hameerb	Dag	Бач	TIGE VEDE	711 1 C 1 G	7111CIQ
1990	79,449	3.70	19.69	1,564,275	5.32	422,975
1991	84,054	3.83	18.08	1,519,787	5.32 4.71	396,303
1992		3.86				
	73,631		20.48	1,507,817	5.30	390,272
1993	71,455	4.28	20.99	1,499,884	4.91	350,719
1994	68,700	3.95	18.82	1,293,242	4.77	327,729
1995	73,626	3.95	19.34	1,424,136	4.90	360,441
1996	67,756	3.57	18.43	1,248,586	5.17	350,277
1997	77,132	4.31	19.89	1,534,030	4.62	355,977
1998	61,798	4.11	19.31	1,193,380	4.69	290,020
1999	58,209	3.98	17.56	1,022,235	4.41	256,575
2000	61,367	4.54	19.84	1,217,324	4.37	268,093
GRAY PARTRIDGE						
1990	2,348	0.09	0.60	1,409	6.88	16,153
1991	2,612	0.08	0.65	1,704	8.57	22,377
1992	1,492	0.08	0.47	702	5.65	8,425
1993	1,157	0.09	1.25	1,446	13.67	15,815
1994	816	0.06	0.44	363	7.78	6,344
1995	1,469	0.61	3.24	4,753	5.29	7,777
1996	665	1.37	3.71	2,471	2.71	1,806
1997	189	0.15	1.00	189	6.50	1,229
1998	944	0.13	1.18	1,116	8.82	8,326
1999	650	0.18	0.75	488	4.25	2,764
2000	271	1.25	2.50	677	2.00	542
WOODCOCK						
1990	6,104	0.33	1.85	11,269	5.68	34,653
1991	7,724	0.39	1.75	13,517	4.54	35,098
1992	5,266	0.47	1.98	10,444	4.20	22,116
1993	4,532	0.47	1.77	8,004	3.77	17,068
1994	2,810	0.38	2.68	7,523	7.00	19,667
1995	3,111	0.31	1.64	5,099	5.31	16,505
1996	2,661	0.30	1.96	5,227	6.50	17,295
1997	1,701	0.76	2.33	3,970	3.06	5,199
1998	1,974	0.68	2.09	4,120	3.09	6,094
1999	2,114	0.46	2.38	5,040	5.15	10,894
2000	1,355	0.43	1.70	2,303	4.00	5,419

Table 31. Continued - page 3. Statewide data from resident Illinois hunters, 1990-2000.

Species and	Estimated Total	Average Daily	Average Season	Estimated Total	Average Days	Estimated Total Days
Seasons	Hunters	Baq	Bag	Harvest	Afield	Afield
FOX SQUIRREL						
1990	116,731	1.55	9.23	1,076,971	5.97	696,726
1991	127,558	1.42	8.29	1,057,717	5.84	745,355
1992	113,211	1.60	8.65	979,585	5.41	612,394
1993	104,627	1.39	8.04	841,551	5.77	603,560
1994	108,760	1.38	7.56	821,769	5.48	595,821
1995	97,909	1.36	7.84	767,201	5.75	562,655
1996	91,703	1.32	8.05	738,280	6.08	557,820
1997	85,166	1.39	7.22	615,162	5.18	441,238
1998	82,998	1.13	9.48	786,460	8.40	697,111
1999	83,411	1.14	7.28	607,618	6.39	532,986
	03,411	1.11	7.20	007,010	0.35	332,300
GRAY SQUIRREL						
1990	72,969	1.46	8.79	641,130	6.01	438,564
1991	84,622	1.47	7.55	638,697	5.12	433,560
1992	75,738	1.49	8.08	611,604	5.42	410,545
1993	71,552	1.38	7.75	554,670	5.63	403,177
1994	75,950	1.57	8.89	675,488	5.65	429,329
1995	67,923	1.38	7.72	524,372	5.60	380,662
1996	65,380	1.46	8.93	583,858	6.13	400,642
1997	60,779	1.31	7.46	453,432	5.70	346,620
1998	60,682	1.07	8.92	541,416	8.31	504,080
1999	56,095	0.90	6.35	356,083	7.05	395,268
	30,093	0.90	0.33	330,003	7.03	393,200
Squirrels (Fox & Gray)	06.040	1 45	11 81	1 105 050		ECA 216
2000	96,048	1.47	11.71	1,125,070	7.96	764,316
RACCOON						
1990	20,379	0.98	9.37	191,015	9.54	194,490
1991	21,695	1.20	17.95	389,488	14.97	324,744
1992	19,483	1.25	19.95	388,692	15.95	310,848
1993	18,129	1.36	15.84	287,171	11.68	211,762
1994	22,749	1.14	14.12	321,113	12.42	282,503
1995	19,789	1.32	17.18	340,047	13.00	257,260
1996	19,769	1.66	20.05	398,267	12.05	237,200
1997	•	1.51	23.19		15.33	
	24,482			567,711		375,260
1998	16,308	1.33	17.96	292,852	13.53	220,669
1999	15,447	1.26	17.88	276,249	14.17	218,853
2000	15,985	1.26	16.66	266,332	13.19	210,

Table 31. Continued - page 4. Statewide data from resident Illinois hunters, 1990-2000.

Species	Estimated	Average	Average	Estimated	Average	Estimated
and	Total	Daily	Season	Total	Days	Total Days
Seasons	Hunters	Bag	Bag	Harvest	Afield	Afield
RED FOX						
1990	8,734	0.27	2.47	21,600	9.04	78,979
1991	6,815	0.14	1.27	8,633	8.83	60,201
1992	7,109	0.14	1.70	12,111	12.57	89,340
1993	4,436	0.13	1.24	5,497	9.50	42,140
1994	6,979	0.14	1.30	9,063	9.10	63,534
1995	4,062	0.18	1.40	5,703	7.77	31,542
1996	3,611	0.10	0.66	2,376	6.79	24,517
1997	3,308	0.08	1.11	3,686	13.74	45,466
1998	3,176	0.11	1.38	4,377	12.19	38,709
1999	3,089	0.12	1.00	3,089	8.68	26,828
2000	4,200	0.18	1.61	6,773	8.84	37,119
GRAY FOX						
1990	2,348	0.25	2.52	5,916	10.08	23,666
1991	3,408	0.08	0.77	2,612	9.97	33,962
1992	2,721	0.05	0.52	1,404	11.23	30,541
1993	1,446	0.13	1.13	1,639	8.87	12,825
1994	2,991	0.08	0.73	2,175	8.91	26,646
1995	1,469	0.06	0.41	605	6.35	9,333
1996	1,520	0.00	0.00	0	5.94	9,028
1997	1,418	0.18	3.60	5,104	19.80	28,074
1998	1,631	0.03	0.37	601	13.00	21,200
1999	813	0.00	0.00	0	6.20	5,040
2000	813	0.00	0.00	0	10.50	8,535
COYOTE						
1990	34,277	0.32	2.78	95,226	8.58	294,129
1991	35,439	0.28	2.69	95,299	9.52	337,352
1992	33,349	0.23	2.84	94,606	12.48	416,161
1993	33,751	0.23	3.03	102,120	13.17	444,449
1994	38,066	0.23	2.43	92,536	10.80	411,021
1995	32,233	0.24	2.66	85,898	11.08	357,244
1996	33,640	0.22	2.45	82,485	11.24	378,215
1997	33,272	0.26	3.13	104,165	11.83	393,598
1998	31,414	0.34	3.53	110,807	10.35	325,124
1999	31,056	0.31	2.89	89,752	9.43	292,834
2000	35,899	0.29	2.92	104,718	10.10	362,651

Table 31. Continued - page 5. Statewide data from resident Illinois hunters, 1990-2000.

Species and Seasons	Estimated Total Hunters	Average Daily Baq	Average Season Bag	Estimated Total Harvest	Average Days Afield	Estimated Total Days Afield
OPOSSUM						
1990	6,010	0.65	3.27	19,627	5.05	30,333
1991	5,679	0.47	4.28	24,308	9.08	51,568
1992	5,617	0.52	3.42	19,220	6.56	36,860
1993	4,822	0.63	3.38	16,297	5.38	25,940
1994	4,985	0.33	3.05	15,226	9.38	46,767
1995	5,099	0.47	3.53	17,975	7.58	38,628
1996	4,466	0.31	3.79	16,915	12.15	54,262
1997	5,955	0.57	5.90	35,163	10.38	61,819
1998	2,918	0.39	4.41	12,875	11.18	32,615
1999	2,276	0.53	5.29	12,032	9.93	22,601
2000	3,387	0.26	3.08	10,431	11.80	39,963

Fox squirrel harvest was 628,576 (55.9%) and gray squirrel harvest was 496,494(44.1%).

Table 32. Percent change in statewide harvest.

	2000	% Change	% Change	% Change 10
Species	Estimated Harvest	1 Yeara	5 Yearsa	Yearsa
Rabbit	525,891	28	-37	-59
Quail	290,310	-32	-59	-69
Pheasant	171,639	24	-49	-54
Dove	1,217,324	19	-15	-22
Gray Partridge	677	39	-86	-52
Woodcock	2,303	-54	-55	-80
Squirrel	1,125,070	17	-13	-35
Raccoon	266,332	-4	-22	39
Red Fox	6,773	119	19	-69
Gray Fox	0			
Coyote	104,718	17	22	10
Opossum	10,431	-13	-42	-47

aFrom 1999, 1995, and 1990, respectively; see also Table 31.

Appendix A

Illinois hunting season dates and bag limits, 2000-2001.

			Bag	Bag
Charios	Zono	Duration	Limit	Limit
Species	Zone	Duration	Daily	Possession
Upland Wildlife				
Rabbit	North	Nov. 4-Jan. 8	4	10 ^a
	South	Nov. 4-Jan. 22	4	10 ^a
Quail	North	Nov. 4-Jan. 8	8	20 ^a
	South	Nov. 4-Jan. 15	8	20 ^a
Pheasant	North	Nov. 4-Jan. 8	2	6 ^a
	South	Nov. 4-Jan. 15	2	6 ^a
Gray Partridge	North	Nov. 4-Jan. 8	2	6 ^a
	South	Nov. 4-Jan. 15	2	6 ^a
Migratory Wildlfe				
Dove	Statewide	Sept. 1-Oct. 17 &		
2010	Clatowido	Nov 4-16	15	30
Woodcock	Statewide	Oct. 21-Dec 4	3	6
Forest Wildlife				
Squirrel (Fox & Gray)	Statewide	Aug. 1-Dec. 31 ^b	5	10 ^a
Furbearers				
Raccoon	North	Nov. 5-Feb 10 ^b	No Limit	No Limit
	South	Nov. 10-Feb 15 ^b	No Limit	No Limit
Opossum	North	Nov. 5-Feb 10 ^b	No Limit	No Limit
•	South	Nov. 10-Feb 15 ^b	No Limit	No Limit
Fox	Statewide	Nov. 10-Jan 31 ^b	No Limit	No Limit
Coyote	Statewide	Year-Round ^b	No Limit	No Limit

^aOn the 2nd day of the hunting season, you may possess no more than twice the daily bag limit. ^bClosed Nov. 17-19; Nov. 30 -Dec. 1-3 in counties open for firearm deer hunting.

Appendix B

Illinois Hunter Harvest Survey

2000 – 2001 Season



ALL RESPONSES ARE CONFIDENTIAL

THANK YOU FOR YOUR COOPERATION!

Postage-paid return envelope provided



Illinois Department of Natural Resources Division of Wildlife Resources Illinois Natural History Survey



The Department of Natural Resources is requesting disclosure of information that is necessary to accomplish the statutory purpose as outlined under the Illinois Compiled Statutes, The Wildlife Code, Chapter 520. Disclosure of information is voluntary.

Please take 15 minutes of your time to complete this questionnaire. Your responses will tell us more about Illinois hunters and how you feel about important issues facing hunters in Illinois.

Section 1. Hunter harvest and days afield. Please complete the following questionnaire for the <u>past hunting</u> season (February 2000 - January 2001). Include <u>only</u> the game harvested and days hunted <u>IN ILLINOIS</u>. List only your <u>retrieved</u> kill, not those hit and not found. <u>DO NOT</u> list any upland game harvested or days hunted on licensed shooting preserves or controlled (put-and-take) hunting areas. Count part of a day as a whole day.

Game Species	Number of	Number	County Hunted
	Days Hunted	Harvested	Most Often
Rabbit			
Quail			
Pheasant			
Dove			
Gray (Hungarian)			
Partridge			
Woodcock			
Snipe		- <u></u>	
Rail			
Crow			
Ground Hog			
		Fox Gray	•
Squirrel			
Turkey – Spring			
Turkey – Fall Shotgun			
Turkey – Fall Archery			
Deer – Shotgun			
Deer – Muzzleloader			
Deer – Archery			· · ·
Deer – Handgun			<u> </u>
<u>Furbearers (</u> Hunted <u>only</u> - Raccoon	– not trappea)		
Red Fox			
			<u> </u>
Gray Fox Coyote			
Opossum			
Opossum			

3. Which of the following resident Illinois hunting license types did you purchase <u>for your personal use</u> for the 2000-2001 season? Please <u>indicate the number of each</u> you purchased.
Regular hunting license without Habitat Stamp
Separate Habitat Stamp to be affixed to license
Regular hunting license with Habitat Stamp printed on license
Sportsman's combination license without Habitat Stamp
Sportsman's combination license with Habitat Stamp printed on license
Senior citizen's hunting license
4. Did you use the Illinois Department of Natural Resources Internet website for any information in the past year?
Yes (Please go to question 4a)
No (Please go to question 5)
4a. How did you access the Internet?
Access at home
Access at work
Access through friends or relatives
Access through a local public library
I do not have access to the Internet, but used information from it given to me by someone else
4b. How did you use the DNR Internet website? Please check all that apply.
Buying a license
Printing a permit application
Information on seasons and bag limits
Deer harvest reports
Hunting information about a state site
DNR press releases
Other (please identify):
5. If you have not used the Illinois DNR Internet website, please give reasons why.
I do not have Internet access
I do not use the Internet for purchases
I did not know about the Illinois DNR website
Other (please identify):

Section 2. Upland Hunting. Please answer the following questions about upland hunting in Illinois.

1. Please indicate your hunting efforts for the following game species by circling the proper response.

	Never	Rarely (1 to 2 days)	Sometimes (3 to 5 days)	Often (more than 5 days)
Rabbits				
November	1	2	3	4
December	1	2	3	4
January	1	2	3	4
Pheasants				
November	1	2	3	4
December	1	2	3	4
January	1	2	3	4
Quail				
November	1	2	3	4
December	1	2	3	4
January	1	2	3	4

2. During the past 5 years how often have you gotten daily bag limits for the following?

	Never	Rarely	Sometimes	Often
		-		
Rabbits	1	2	3	4
Pheasants	1	2	3	4
Quail	1	2	3	4

3.	Would you favor a low limit on quail to provide more opportunities for hunters to harvest birds?
	Yes
	No

Section 3. Squirrel Hunting. Please answer the following questions about squirrel hunting in Illinois. 1. Did you hunt gray or fox squirrels during the 2000-2001 season? Yes (go to question 1a) 1a. If you hunted squirrels, how did you hunt them **most often**? (please choose one) _____ as the main species of the hunt incidental to other species 2. How has your squirrel hunting effort changed in the past 5 years? _____ increased stayed the same decreased 3. In your opinion, how have squirrel populations changed in the past 5 years (gray or fox squirrels)? Lower Same Higher Not sure 4. In what part of the small game season did **most** of your squirrel hunting take place? (**Choose one**) August between September 1 and October 31 after October 31 5. Which of the following **best** describes those who **usually** accompany you squirrel hunting? (**Choose one**) ____ Friends _____ Family _____ Neighbors ____ Co-workers I usually hunt alone Other (please identify): 6. Do any of the hunters who accompany you squirrel hunting include youths? ___ No 7. If there was no effect on the population would you favor a season in May for squirrels?

Yes (please go to question 8)

No (please go to question 9)

8. Please give th	e reason you would	l <u>favor</u> a May	season for squ	irrels. (Check a	ll that apply).	
extended	hunting opportunit	ies				
give me	something to hunt d	luring spring				
other (ple	ease identify):					
9. Please give the	e reason you would	NOT favor a	n May season fo	or squirrels. (Ch	eck all that ap	ply).
present s	eason is long enoug	gh				
its never	been done before					
it's not p	art of our hunting t	radition in Illi	nois			
other (ple	ease identify):					
10. If a season fo	or squirrels was off	ered in May, v	would you take	part in it?		
Yes	•	•	2	1		
 No						
Not sure						
11. How do you	rate the quality of	_	_	(Please circle the	e number)	
1	2	3	4	5		
12. How importa	nt are the following	g as reasons w	hy you hunt sq	uirrels?		
		Not Important	Slightly Important	Moderately Important	Very Important	Extremely Important
To harvest squirr	rels to eat	1	2	3	4	5
To extend my hu earlier in the seas	nting opportunities son	1	2	3	4	5
To spend time ou and early fall	atdoors in summer	1	2	3	4	5
To scout for deer	hunting	1	2	3	4	5
To practice my sl	hooting skills	1	2	3	4	5

To spend time with other hunters

To pass along skills to young hunters

Section 4. Attitudes Toward Hunting Please rate the following reasons why you hunt on a scale of "Not Important" to "Extremely Important". Circle the number that matches your response.

	Not Important	Slightly Important	Moderately Important	Very Important	Extremely Important
Hunting is a central part of my life	1	2	3	4	5
To learn about wildlife	1	2	3	4	5
To control wildlife populations	1	2	3	4	5
To harvest a trophy	1	2	3	4	5
Hunting is a fun activity	1	2	3	4	5
To share my experience with friends	1	2	3	4	5
To feel close to nature and the land	1	2	3	4	5
To get away from day-to-day life	1	2	3	4	5
To remain a part of the heritage of hunting	1	2	3	4	5
To share my skills and knowledge with others	1	2	3	4	5
For the independence	1	2	3	4	5
To share my experience with family	1	2	3	4	5
To observe wildlife	1	2	3	4	5
To maintain a rural American tradition	1	2	3	4	5
For the challenge	1	2	3	4	5
To provide meat for myself and family	1	2	3	4	5
To provide a service to landowners	1	2	3	4	5
Hunting is my favorite activity	1	2	3	4	5
To develop my skills	1	2	3	4	5
To maintain a family tradition	1	2	3	4	5
To interact with other hunters	1	2	3	4	5
To spend time outdoors	1	2	3	4	5

Section 5: The following questions are important to help us understand mo	ore about the people involved in
hunting in Illinois. Please tell us something about yourself by checking the	e responses that apply.
1. How many years have you hunted in Illinois? Years	
2. What is your county of residence?	County
3. What is your gender? Male Female	
4. Please give your age years	
<u>COMMENTS</u>	

RETURN ENVELOPE IS PROVIDED – POSTAGE-PAID

THANK YOU FOR YOUR TIME AND ASSISTANCE!

Your input will help us understand more about hunters and hunting in Illinois.

The Illinois Department of Natural Resources receives federal assistance and therefore must comply with federal anti-discrimination laws. In compliance with the Illinois Human Rights Act, the Illinois Constitution, Title VI of the 1964 Civil Rights Act, Section 504 of the Rehabilitation Act as amended, and the U.S. Constitution, the Illinois Department of Natural Resources does not discriminate on the basis of race, color, sex, national origin, age, or disability. If you believe you have been discriminated against in any program, activity, or facility, please contact the Equal Employment Opportunity Officer, Department of Natural Resources, 524 S. Second St., Springfield, IL 62701-1787, (217) 782-7616 or the officer of Human Resources, U.S. Fish and Wildlife Service, Washington, D.C. 20240.

Appendix C

Dear Illinois Hunter,

You are one of a select group of Illinois hunters asked to provide information about your hunting activities during the 2000-2001 hunting season. Please complete the enclosed questionnaire and return it to us as soon as possible. The information you and other selected hunters furnish our biologists is vital for proper wildlife management and allows us to safeguard wildlife populations while maximizing hunting opportunities.

This survey is limited to those hunters selected. Please take 15 minutes to complete the enclosed questionnaire **even if you were not successful.** A postage-paid envelope is provided for returning the questionnaire to us.

Thank you for your time and assistance.

Sincerely,

Jeffrey M. Ver Steeg Chief, Wildlife Resources

Appendix D

Dear Illinois Hunter,

As one of a select group of Illinois hunters during the 2000-2001 season, you have been asked to provide information about your hunting activities. We recently mailed you a survey questionnaire regarding your hunting experiences in Illinois during the 1999-2000 season. We have not received your completed questionnaire. Perhaps you recently mailed the questionnaire and it has not yet arrived in our office. If so, we thank you.

If you have not returned your completed questionnaire to us, please do so as soon as possible. We have enclosed another copy of the questionnaire. The information you and other selected hunters furnish our biologists is vital for proper wildlife management and allows us to safeguard wildlife populations while maximizing hunting opportunities.

This survey is limited to those hunters selected. Please complete the enclosed questionnaire **even if you were not successful.** A postage-paid envelope is provided for you to return the questionnaire to us.


In order for your opinions and information to be recorded, we must receive your completed questionnaire by April 28, 2000.

Thank you for your time and assistance.

Sincerely,

Jeffrey M. Ver Steeg Chief, Wildlife Resources

Appendix E
Wildlife management units in Illinois (square miles in parentheses).



Appendix F

Administrative regions in Illinois.



Appendix G

Itemized Responses to the 2000-2001 Hunter Harvest Questionnaire

Section 1.

2. Did you hunt waterfowl in Illinois during the 2000-01 season?

Hunt Waterfowl in Illinois	Number of Respondents	Percent Response
Yes	334	23%
No	1131	77%

3. Which of the following resident Illinois hunting license types did you purchase for your personal use for the 2000-2001 season (n = 2142)?

Hunting License Types	Number of Hunters Buying:		Buying:
	1 license	2 licenses	3 licenses
Regular hunting license without Habitat Stamp	514	4	1
Separate Habitat Stamp to be affixed to license	987	6	2
Regular hunting license with Habitat Stamp printed on license	189	0	0
Sportsman's combination license without Habitat Stamp	622	2	0
Sportsman's combination license with Habitat Stamp printed on license	464	0	0
Senior citizen's hunting license	225	0	0

4. Did you use the Illinois Department of Natural Resources Internet website for any information in the past year?

	Number of Respondents	Percent Response
Yes	429	20%
No	1686	80%

4a. How did you access the Internet?

	Number of Respondents
Access at home	349
Access at work	111
Access through friends or relatives	24
Access through a local public library	4
I do not have access to the internet, but used information from it given to me by someone else	5

4b. How did you use the DNR Internet website?

	Number of Respondents
Buying a license	28
Printing a permit application	124
Information on seasons and bag limits	297
Deer harvest reports	169
Hunting information about a state site	161
DNR press releases	116
Other ^a	63

^aSee Appendix H

5. If you have not used the Illinois DNR Internet website, please give reasons why.

Reason	Number of Respondents
I do not have Internet access	911
I do not use the Internet for purchases	276
I did not know about the Illinois DNR website	539
Other ^a	49

^aSee Appendix H

Section 2. Upland Hunting

1. Please indicate your hunting efforts for the following game species.^a

Species	Month	n	Never	Rarely (1 to 2 days)	Sometimes (3 to 5 days)	Often (more than 5 days)
	November	(538)	19%	41%	25%	15%
Rabbits	December	(558)	12%	41%	32%	15%
	January	(449)	27%	37%	22%	13%
	November	(360)	12%	37%	31%	20%
Pheasants	December	(351)	13%	37%	29%	21%
	January	(280)	35%	32%	22%	11%
	November	(272)	17%	36%	26%	21%
Quail	December	(278)	14%	39%	28%	18%
	January	(214)	30%	35%	21%	14%

^aResponses only from hunters who hunted each game species.

2. During the past 5 years how often have you gotten daily bag limits for the following?^a

Species	n	Never	Rarely	Sometimes	Often
Rabbits	(640)	39%	28%	24%	9%
Pheasants	(402)	31%	29%	27%	13%
Quail	(317)	51%	28%	18%	3%

^aResponses only from hunters who hunted each game species.

3. Would you favor a low limit on quail to provide more opportunities for hunters to harvest birds?

	Number of	Percent
	Respondents	Response
Response from all hunters surveyed:		
Yes	1154	63%
No	685	37%
Response from quail hunters only:		
Yes	165	52%
No	150	48%

Section 4. Attitudes Toward Hunting

Please rate the following reason why you hunt.

Reasons	Not Important	Slightly Important	Moderately Important	Very Important	Extremely Important
Hunting is a central part of my life	5%	11%	25%	28%	31%
To learn about wildlife	5%	8%	25%	38%	24%
To control wildlife populations	12%	13%	28%	27%	20%
To harvest a trophy	37%	17%	23%	12%	11%
Hunting is a fun activity	2%	2%	12%	32%	52%
To share my experience with friends	8%	12%	26%	30%	24%
To feel close to nature and the land	3%	5%	18%	33%	41%
To get away from day-to-day life	4%	5%	16%	31%	44%
To remain a part of the heritage of hunting	5%	7%	17%	30%	41%
To share my skills and knowledge with others	9%	12%	27%	26%	25%
For the independence	8%	10%	25%	27%	30%
To share my experience with family	8%	10%	22%	28%	33%
To observe wildlife	2%	3%	17%	35%	43%
To maintain a rural American tradition	6%	10%	21%	28%	35%
For the challenge	6%	7%	21%	30%	35%
To provide meat for myself and family	18%	19%	28%	17%	18%
To provide a service to landowners	25%	21%	28%	16%	11%
Hunting is my favorite activity	5%	9%	22%	26%	38%
To develop my skills	8%	12%	28%	29%	23%
To maintain a family tradition	14%	14%	25%	23%	24%
To interact with other hunters	12%	16%	27%	27%	18%
To spend time outdoors	2%	2%	11%	29%	56%

Section 5. General Information

1. How many years have you hunted in Illinois? Mean = 29 Years

2. County of residence for respondents of the 2000-2001 Hunter Harvest Survey

County	Number of	County	Number of	County	Number of
-	Residents	·	Residents	•	Residents
Adams	53	Hardin	0	Morgan	20
Alexander	9	Henderson	9	Moultrie	15
Bond	9	Henry	52	Ogle	12
Boone	6	Iroquois	13	Peoria	40
Brown	11	Jackson	31	Perry	19
Bureau	14	Jasper	13	Piatt	7
Calhoun	10	Jefferson	17	Pike	10
Carroll	15	Jersey	33	Pope	5
Cass	25	JoDaviess	42	Pulaski	8
Champaign	21	Johnson	3	Putnam	5
Christian	26	Kane	22	Randolph	29
Clark	6	Kankakee	12	Richland	17
Clay	3	Kendall	9	Rock Island	35
Clinton	27	Knox	44	St. Clair	101
Coles	27	Lake	31	Saline	7
Cook	82	LaSalle	51	Sangamon	25
Crawford	23	Lawrence	23	Schuyler	29
Cumberland	10	Lee	5	Scott	9
DeKalb	32	Livingston	21	Shelby	21
DeWitt	8	Logan	17	Stark	8
Douglas	7	McDonough	7	Stephenson	14
DuPage	28	McHenry	19	Tazewell	45
Edgar	10	McLean	39	Union	6
Edwards	12	Macon	35	Vermilion	27
Effingham	12	Macoupin	40	Wabash	15
Fayette	7	Madison	122	Warren	3
Ford	2	Marion	27	Washington	18
Franklin	35	Marshall	6	Wayne	8
Fulton	33	Mason	13	White	4
Gallatin	1	Massac	2	Whiteside	23
Greene	16	Menard	8	Will	47
Grundy	3	Mercer	12	Williamson	36
Hamilton	6	Monroe	10	Winnebago	30
Hancock	26	Montgomery	17	Woodford	24

3. What is your gender?

Gender	Percent Response	
Male	97%	
Female	3%	

4. Please give your age. Mean = 46 Years

Appendix H

Write in responses to the selected items from the 2000-2001 Illinois Hunter Harvest Survey.

Section 1.

Question 4b other: How did you use the DNR Internet website?

	Number of Respondents
Check on status of permits	22
General information	10
Check on waterfowl harvest numbers	10
Hunter education course information	6
Turkey harvest reports	5
To see what the website contained	4
Purchase Habitat Stamp	2
To get information on wild hogs	1
Register for dove hunting	1
Employment	1
Find public hunting areas	1

Question 5 other: If you have not used the Illinois DNR Internet website, please give reasons why.

Reason	Number of Respondents
Do not need too	20
Not interested	18
Do not know how to use a computer	5
Too hard to use	3
Never took the time	2
Forgot about it	1

Section 2. – No write in responses.

Section 3. – Separate Report.

Section 4. – No write in responses.

Section 3.

Question 8 other: Please give the reason you would <u>favor</u> a May season for squirrels.

Reason	Number of Respondents
Reduce numbers/control population	44
Nice weather, less insects	24
Reason to be outdoors, enjoy nature	10
Encourage others to hunt squirrels	8
Meat	7
Does not conflict with bow hunting	3
Hunt while doing other spring activities such as mushroom hunting	2
Train dogs	1

Question 9 other: Please give the reason you would <u>not favor</u> a May season for squirrels.

Reason	Number of
	Respondents
Young squirrels too small, unable to fend for themselves	65
Weather to warm	63
Do not want to hurt population during mating season, disrupt reproduction	43
Disturb other species	41
Conflict with other activities such as spring turkey hunting, fishing and mushroom hunting	12
To early in the year	6
Poor quality hunt	6
Bad idea	4
Cut down on the number of squirrels in the fall season	3
No free time during that season	3
Do not hunt squirrels	2