

9-24-2021

Animal-Assisted Play: A Strategy for Promoting Children's Physical Activity Play

Jennifer A. Boisvert

Independent Practice, jenniferboisvert@hotmail.com

W. Andrew Harrell

University of Alberta, harandr@aol.com

Follow this and additional works at: <https://scholarworks.bgsu.edu/ijpp>



Part of the [Animal-Assisted Therapy Commons](#), [Animal Studies Commons](#), and the [Health and Physical Education Commons](#)

Recommended Citation

Boisvert, J. A., & Harrell, W. (2021). Animal-Assisted Play: A Strategy for Promoting Children's Physical Activity Play. *International Journal of Playwork Practice*, 2(1), Article 1. <https://doi.org/https://doi.org/10.25035/ijpp.02.01.06>



This work is licensed under a [Creative Commons Attribution-NonCommercial-No Derivative Works 4.0 International License](#).

This Peer-reviewed Paper is brought to you for free and open access by the Journals at ScholarWorks@BGSU. It has been accepted for inclusion in International Journal of Playwork Practice by an authorized editor of ScholarWorks@BGSU.

Animal-Assisted Play: A Strategy for Promoting Children's Physical Activity Play

Cover Page Footnote

The authors thank the two anonymous reviewers for their comments and suggestions on this article.

Animal-Assisted Play: A Strategy for Promoting Children's Physical Activity Play

Jennifer A. Boisvert, Ph.D.*

W. Andrew Harrell, Ph.D.

Author Note

*Corresponding Author: Jennifer A. Boisvert, Ph.D., Independent Practice, 9350 Wilshire Blvd., Ste 203, Beverly Hills, CA 90212, USA; E-mail: jenniferboisvert@hotmail.com.

W. Andrew Harrell, Ph.D., Professor Emeritus, University of Alberta, Edmonton, Alberta, T6H 2H4, Canada

Dedication

The authors dedicate this article to Bernard D. Boisvert, D.V.M.

Abstract

This article explores how animal-assisted play might be used as a strategy in playwork to support children's right to play, enrich their play experiences, encourage their physical activity play and better their health and life quality. Children's interactions with pets or companion animals in free play or animal-assisted activities (AAA) can yield therapeutic benefits by increasing physical and mental health and well-being and also offer possibilities for more outdoor play, agency, risk-taking, fun and enjoyment, as well as high-quality play experiences. We invite playwork practitioners to consider the important role of animals in children's lives and the potential value of animal-assisted play in creating opportunities for enriching children's play and life quality.

Keywords:

playwork; play; physical activity; pets; companion animals; child obesity; health; COVID-19

Animal-Assisted Play: A Strategy for Promoting Children's Physical Activity Play

In recent decades, children's play and physical activity have dramatically decreased. (Dodd et al., 2021). Now more than ever, children have virtually unlimited access and exposure to digital media, video games, television, and technological innovations. Increased exposure to screen time is associated with reduced play involving physical activity (Pagani et al., 2010; Peck et al., 2015; Wen et al., 2014). The rising popularity of digital media and technology has led to a worldwide decline in both indoor and outdoor play (Clements, 2004; Gray, 2011; Lewis, 2017; Singer et al., 2009). Reduced play has likely contributed to deficits in children's physical and mental health and well-being (Frost, 2012; Gray, 2011).

In the past year, the COVID-19 pandemic has reduced children's access to and opportunities for play particularly in outdoor settings, e.g., public parks, adventure playgrounds (de Lannoy et al., 2020; Howard, 2020; King, 2020, 2021). Restrictions such as shelter-in-place orders, closures of schools and before- and after-school playwork settings and social distancing mandates have all limited children's participation in play and physical activity. Early on in the pandemic, these limitations were speculated to increase indoor sedentary behaviours, physical inactivity and unhealthy weight gain (Rundle et al., 2020). This has since been confirmed, with children's outdoor play and physical activity reduced during the pandemic and the risk of child obesity has increased (Dunton et al., 2020; Graber et al., 2020; Moore et al., 2020; Pietrobelli et al., 2020; Pombo et al., 2020).

Playwork, Play, and Physical Activity Play

Children need, value, and have the right to play (Lester & Russell, 2008; Manwaring & Taylor, 2006). Protecting children's right to play as a vehicle for their agency and voice is

central to playwork practice (King & Newstead, 2019a, 2019b; PPSG, 2005; Play Wales, 2015). There many benefits of play and playwork, including increased playful physical activity (Lester & Russell, 2008; Manwaring & Taylor, 2006). Playwork interventions can enhance children's adaptive response to adversity and ability to cope effectively in the aftermath of natural disasters, e.g., earthquakes (Bateman et al., 2013; Kinoshita & Woolley, 2015). In a similar vein, playwork practitioners have argued that the COVID-19 pandemic has underscored the importance of play and the creativity of playwork in this critical time (Howard, 2020; King, 2020, 2021).

In addition to enhancing adaptation and coping, observational studies have identified the health and well-being benefits of children's outdoor play: increased physical activity levels, better stress management and self-regulation skills, prosocial skills, confidence, resilience, creativity and enjoyment of nature (Brussoni et al., 2015; Maxwell et al., 2008; Staempfli, 2009; Tremblay et al., 2015). Children's outdoor play allows for adventurous play and, in turn, exploration of age-appropriate risks and feelings of excitement and thrill. Play allows children to tolerate better uncertainty and ambiguity, as well as coping with fears and anxieties (Dodd & Lester, 2021). Greater outdoor playtime promotes better mental health (Piccininni et al., 2018). According to Tremblay et al. (2015): "Access to active play in nature and outdoors—with its risks—is essential for healthy child development. We recommend increasing children's opportunities for self-directed play outdoors in all settings—at home, at school, in child care, the community and nature" (p. 6476). Research has shown that physical play and active play in either outdoor or indoor settings offer opportunities for bodily movement, energy expenditure, and physical health and well-being (Sandford et al., 2015; Sando, 2019; Sobo, 2014; Storli & Sandseter, 2019). Independent outdoor play and duration of outdoor playtime are strongly

associated with greater physical activity levels, better cardiorespiratory fitness, and healthier body weights in children (Aggio et al., 2017; Faulkner et al., 2015; Gray et al., 2015; Kimbro et al., 2011; Wen et al., 2009). Pellegrini and Smith (1998) state: “Physical activity play, specifically, may involve symbolic activity or games with rules; the activity may be social or solitary, but the distinguishing behavioral features are a playful context, combined with [...] moderate to vigorous physical activity, such that metabolic activity is well above resting metabolic rate” (p. 577). Ethnographic data on outdoor physical activity play have suggested this type of play might be useful for child obesity prevention (Barron, 2013). In this paper, we argue that animal-assisted play might be a strategy for promoting physical activity play, thereby improving health and well-being, and lessening child obesity during the COVID-19 pandemic.

Pets and Animals in Children’s Play Activity

Pets and Companion Animals

Pets and companion animals are important in children’s lives (Melson, 2001; Melson & Fine, 2010). During the COVID-19 pandemic, children are likely faced with uncertainty, daily stresses/transitions, disrupted family/friend relationships due to social distancing measures and decreased opportunities for outdoor play, especially physical activity play. Pets and companion animals, as a special family member or friend, can offer children a secure, safe base during stressful, uncertain times such as global threats (Walsh, 2009a, 2000b). As playmates, animals and pets might have even greater importance in children’s lives by creating possibilities for outdoor and indoor active play. A pet can spark a child’s desire to move freely in the garden or home—to run, jump or dance with abandon—or exhibit other high-energy bodily expressions of fun. In pet play, children have an outlet for built-up physical energy when confined to the home.

Reviews cite evidence of the physical, mental, and social health benefits for children who own and/or interact with companion animals, with the literature largely supportive of their health advantages (Barker & Wolen, 2008; Endenburg & van Lith, 2011; Jalongo, 2015; O’Haire, 2010; Purewal et al., 2017; Walsh, 2009a, 2009b; Wells, 2009). The mere presence of an animal in a child’s life, its spontaneous behaviours and interactions with a child, afford natural opportunities for play, fun, and therapeutic benefits (Melson, 2001; Melson & Fine, 2010). Children have a natural affinity and curiosity for live animals and are often drawn to them (Fawcett & Guillone, 2001). One experiment confirmed that preschool children talked more about, asked more questions, and interacted more, with live animals than similar toy animals in their free play (LoBue et al., 2013). A study on the play patterns of preschool children in home spaces found that pets were involved in children’s process of play, with the observation that: “In some cases play occurred at the same time as, or directly after [...] pet care. After feeding baby goats, three children aged three to five began a game of ‘chase’ around the sandbox. Each (including the goat) took turns as leader” (Squibb & King, 1996, p. 202).

Children can own a range of pets such as dogs, cats, birds, fish, reptiles, amphibians, and small mammals as well as horses, ponies and farm animals (Hawkins & Williams, 2017; Marsa-Sambola et al., 2015, 2016; Muldoon et al., 2015, 2019a; Westgarth et al., 2013). Children’s relationships and bonds with pets and companion animals have significance for their development, health and well-being (Melson, 2001, 2003; Melson & Fine, 2010; Walsh, 2009a, 2009b; Wells, 2009). Pet ownership has been positively associated with physical and mental health and quality of life among children, with a positive influence on social and emotional aspects (Marsa-Sambola et al., 2015, 2016, 2017).

Children generally feel emotionally connected to their pets, particularly dogs—the most commonly identified “favourite” pet and the pet to which they are most strongly bonded—compared to bonds with other pets, particularly those without fur (Muldoon et al., 2019a, 2019b). This strong child-dog bond extends from early childhood to late adolescence, offering security and stability over the course of development (Jalongo, 2015; Muldoon et al., 2019a, 2019b).

Younger children are more emotionally connected to pets, regarding them as playmates supportive of their play and positive emotions (Endenburg et al., 2014; Muldoon et al., 2019a, 2019b). Young children tend to regard pets as a constant “best friend,” offering companionship, reciprocating their emotions, and sharing in their enjoyment of play and fun (Endenburg et al., 2014; Muldoon et al., 2015, 2019a; Westgarth et al., 2013). Young children often talk about pets and companion animals with enthusiasm and excitement, expressing positive experiences of pets as part of the family, and the pet’s inherent playfulness, love, affection, comfort, and support (McNichols & Collis, 2001; Muldoon et al., 2015; Tipper, 2011). For example, one young girl described her pet play, stating: “...I have a hamster, I like her a lot because she is pretty, and I can play with her when I have nobody else to play with, and when I am upset I go to play with her [...] and she is comfy” (Morrow, 1998, p. 221).

Compared to younger children, older children tend to see pets as “listeners” or confidants of secrets and companions supportive of their independent mobility (Endenburg et al., 2014; Muldoon et al., 2019a, 2019b). For older children, pets and companion animals, particularly dogs, can facilitate social exchanges and new friendships, in turn, extending social networks in play activities, as well as outdoor play places, spaces, and geographies (Barron, 2013; Muldoon et al., 2015; Tipper, 2011). Dog ownership is associated with greater outdoor play and dog-walking by children, increasing their physical activity and fitness levels, and reducing their risk

of child obesity (Boisvert & Harrell, 2014, 2015; Christian et al., 2013, 2014; Engelberg et al., 2016; Martin et al., 2015; McMinn et al., 2011; Westgarth et al., 2014, 2017). For example, studies show that young children in dog-owning families tend to have more physical activity via dog-walking, are less likely to be overweight or obese than those children in families without a dog (Salmon et al., 2010; Timperio et al., 2008). While dog ownership and dog-walking by young children are potential strategies for increasing physical activity and reducing risk of child obesity (Boisvert & Harrell, 2014; Salmon & Timperio, 2011), the physical benefits of child-dog interactions are not limited to this activity. Dog play, e.g., running around with the dog or throwing a ball or stick for the dog to fetch, may also be physical activity play for young children. A study of pet play and dog-walking among young children found that pet play occurred more often than dog-walking, and that pets facilitated active play and physical activity (Martin et al., 2015).

Pet play and pet care activities, e.g., feeding, grooming, cleaning, can foster children's social enjoyment, caring, friendship, and prosocial behaviour, with positive outcomes such as reduced aggression, increased empathy and compassion and better mental health, well-being, and quality of life (Daly & Suggs, 2010; Hawkins & Williams, 2017; Jalongo, 2014; Muldoon et al., 2015, 2016). Positive interactions with pets during free play or free time activities, e.g., leisurely stroking a pet's fur, can help children with emotion regulation, empowering them to deal with stress and overcome challenges (Boyer, 2014).

Animal-Assisted Activities (AAA)

Increasingly, pets and companion animals are being used in practice work because they have been found to be therapeutically beneficial to children (Chandler, 2012; Fine et al., 2010; Kruger & Serpell, 2010). The general term animal-assisted intervention (AAI) encompasses a

broad range of animal-assisted activities (AAA) and animal-assisted therapy (AAT), reflecting the breadth and depth to which pets and companion animals are used in practice work (Kruger & Serpell, 2010). AAA/AAI recognizes how animals, because of their innate appeal to children, invite children to make contact, interact, and connect emotionally with animals (Chandler, 2012). AAA/AAI involves "...the use of animals as living, interactive tools that can be used to help people see both themselves and their world in new ways, and to add new skills and responses to their behavioral repertoire" in a non-threatening, supportive environment (Kruger & Serpell, 2010, p. 41). AAA refers to informal activities, e.g., pet visits, that engage children individually or as a group in outdoor/indoor settings (Chandler, 2012; Kruger & Serpell, 2010). AAA tend to use trained/certified animals or untrained pets, and have general objectives, ranging from attendance to training and caring for animals (Chandler, 2012; Kruger & Serpell, 2010). For playwork, an AAA objective can simply be supporting children's right to play via fun, exciting physical activity play with an animal, for example, at an adventure playground or indoor play centre.

Reviews suggest AAA/AAI are therapeutic for children, notably those with special needs (Barker & Wolen, 2008; Chandramouleeswaran & Russell, 2014; Endenburg & van Lith, 2011; Esposito et al., 2011; Matuszek, 2020; O'Haire, 2010). As therapeutic aides for children, animals can be instrumental in alleviating children's stress and anxiety and increasing their stress coping and resilience in challenging life events such as global threats (Chandler, 2012; Kruger & Serpell, 2010; Walsh, 2009a, 2009b). During the COVID-19 pandemic, animals can be therapeutic for children as playful interactions create opportunities for physical activity play, allow expressions of their agency and voice in play activity, and alleviate stresses and anxieties in the process of play. It is important to note that despite AAA's therapeutic benefit for children,

these informal activities are not focused on supporting children's right to play or creating opportunities for child-animal interactions as a play process. This gap is one that the playwork field could fill, with animal-assisted play—free play with pets and/or AAA—as a way to enrich children's play.

Animal-Assisted Play as Physical Activity Play

Animal-assisted play creates opportunities for children's physical activity play. Animals, especially dogs, often have a natural inclination for impromptu, unscripted play, e.g., chasing a ball. Animal interactions can evoke children's enthusiasm and excitement for physical activity play consisting of spontaneous bodily movements, high-energy expenditure, or physical exertion. Bodily gestures of posturing, running or chasing starts by children or animals—pet dogs or cats, or farm animals such as miniature horses or goats—are invitations for physical activity play. Outdoor or indoor play activities with animals, e.g., dogs or cats, can include: tug-of-war, ball fetch, string-on-a-stick-catch, interactive puzzles using garden or home objects, hide-and-seek games, obstacle courses, stairway sprints, or hallway dashes. These child-animal interactions are examples of play involving moderate to vigorous physical activity. Other examples of play, albeit lower-intensity physical activity due to type of animal, can involve “chasing-catching” or zigzagging behind pet rodents, e.g., gerbils, hamsters, or reptiles, e.g., turtles, lizards, as they roam outdoor or indoor spaces. An AAA rabbit visit at a play centre might inspire a child to “run-hop,” skip, leap, or jump around the animal as it explores. Other examples of play can include children making body motions of “swimming” with fish in tanks or ponds, “flying” with caged or wild birds, or tree-climbing like squirrels at parks. Any number of variations in interaction can lend to animal-assisted play as a strategy for increasing physical activity play.

Animal-assisted play, in addition to creating opportunities for physical activity play, can also increase children's awareness of bodily senses and capabilities. Free play, including "dizzy play," and rough-and-tumble play, involves various spontaneous bodily movements, e.g., climbing, jumping, twisting, swinging, running, somersaulting, twirling, tumbling, which can increase children's spatial awareness, physical coordination, and balance (Hewes, 2014). For example, children can spin around, roll around, climb over an animal, or pretend to fight or wrestle with an AAA trained dog. Children's physical activity play with animals can involve chaotic or frenzied "messing up" of play spaces with objects or toys, as well as running or chasing. Games of ordering, disordering, and re-ordering along with movement, e.g., toy tidy with a dog or cat, can help children create deliberate chaos and uncertainty, then re-organize it physically, symbolically, and cognitively. This "dis/organized" play enables children to feel a sense of order in disorder, and to have a release of bodily energy and tension.

Free play is generally characterized by children's freedom to choose to play as well as the direction or control of play (Hewes, 2014). Children can explore what it means in the moment to be in control of themselves and their bodily movements, absent the responsibility of having to anticipate or "know" the outcomes of their actions with their animal co-players. Children deal with power dynamics in human play in ways that can influence their choices, decisions and negotiations in play (Canning, 2019). In human play, children can learn how to "be themselves" in imaginative ways (Henricks, 2008). This is even more so in animal-assisted play, which can permit children to imagine, dream, fantasize, pretend, or express themselves in uncensored ways. With human play, specifically interactions in playwork, children are invited into a space of "becoming-players," which can "...together provide moments of intensities, simultaneously moving between what is and what might become, producing new realities for children and staff"

(Kane & Petrie, 2014, p. 29). Animal co-players might support playwork by allowing for the unfolding, ever-changing, and expanding of play.

Free play alleviates stresses and anxieties by temporarily freeing children from the reality of adversity, allowing them to express and regulate their emotions, and create an alternate reality (Hewes, 2014). It can involve imaginary pets in the absence of real-life ones, or symbolic play with pets or trained animals, with children pretending to be animals themselves or engaging with pets as if they were humans, e.g., having a costume dance party. Play is a place in children's bodies and minds where they can escape reality as a means to feel temporarily in control of the world, for brief moments or periods of time, allowing children to create and inhabit a distinctive world of their own making (Henricks, 2008; Hewes, 2014). This allows children to release or rid themselves, through bodily movements, of the cares, worries, fears, or anxieties in their everyday lives so that they can focus on the present moment of fun and enjoyment in their play with animals and be wholly absorbed by it. Play with pets or AAA is therefore a hopeful place where, for a time with a furry, four-legged "best friend," or other pet or animal, children can be or do anything; anything and everything is possible.

Considerations, Caveats, and Conclusions

We conclude this article by being mindful that child obesity has been declared a public health crisis (Lobstein et al., 2004). Once a child becomes overweight or obese, they are likelier to maintain this heavier weight into adulthood (Llewellyn et al., 2015; Simmonds et al., 2015). During the COVID-19 pandemic or its aftermath, there may be an even greater need for strategies to reduce risk of child obesity. One strategy is animal-assisted play. As we have discussed, animal-assisted play offers opportunities and health benefits, for children, including: more bodily movement and energy outlets; having fun and feeling it is valuable because it is

intrinsically and behaviourally rewarding; a sense of freedom, autonomy, and control; adaptive coping responses to adversity and stressors; positive emotions of happiness, joy, and hope; and expressions of agency and voice, and the right to play.

The playwork field can play a key role in this aim by drawing on its creativity, with playwork practitioners considering how animal-assisted play might preserve children's right to play and have fun, while at the same time promoting their physical activity play, health, and well-being. The examples of animal-assisted play activities we put forth are intended to help playwork practitioners support children's right to play.

We encourage playwork practitioners to obtain information or training on the use of pets in play or AAA to assist them in managing risks to children and animals alike, e.g., aggression, injury (Melson & Fine, 2010). Similarly, it is important that playwork practitioners are trained in and carry out their own risk-benefit assessments in the light of any current risks of COVID-19 or other infectious diseases.

Finally, we encourage playwork practitioners to consider studying the potential value of animal-assisted play for promoting physical activity play. Scientifically exploring the nuances of child-animal interactions in play can bolster knowledge about the process of play. This appears to be an important avenue for future research in playwork as it carries practical significance for playwork practitioners in supporting children's play and would fill a gap in the literature about how children play with pets or animals on a granular level.

References

- Aggio, D., Gardner, B., Roberts, J., Johnstone, J., Stubbs, B., Williams, G., Sánchez, G. F. L., & Smith, L. (2017). Correlates of children's independent outdoor play: Cross-sectional analyses from the Millennium Cohort Study. *Preventative Medicine Reports*, 8, 10-14. doi: 10.1016/j.p.medr.2017.07.007
- Barker, S. B., & Wolen, A. R. (2008). The benefits of human-companion animal interaction: A review. *Journal of Veterinary Medical Education*, 35(4), 487-495. doi: 10.3133/jvme.35.4.487
- Barron, C. (2013). Physical activity play in local housing estates and child wellness in Ireland. *International Journal of Play*, 2(3), 220-236. doi: 10.1080/21594937.2013.861262
- Bateman, A., Danby, S., & Howard, J. (2013). Living in a broken world: How young children's well-being is supported through playing out their earthquake experiences. *International Journal of Play*, 2(2), 202-219. doi: 10.1080/21594937.2013.860270
- Boisvert, J. A., & Harrell, W. A. (2014). Dog walking: A leisurely solution to pediatric and adult obesity? *World Leisure Journal*, 56(2), 168-171. doi: 10.1080/16078055.2014.903732
- Boisvert, J. A., & Harrell, W. A. (2015). Integrative treatment of pediatric obesity: Psychological and spiritual considerations. *Integrative Medicine: A Clinician's Journal*, 14(1), 40-47.
- Boyer, W. (2014). Using interactions between children and companion animals to build skills in self-regulation and emotion regulation. In M. R. Jalongo (Ed.), *Teaching compassion: Humane education in early childhood* (pp. 33-47) Springer. doi: 10.1007/978-94-007-6922-9
- Brussoni, M., Gibbons, R., Gray, C., Ishikawa, T., Sandseter, E. B. H., Bienenstock,

- A., Chabot, G., Fusselli, P., Herrington, S., Janssen, I., Pickett, W., Power, M., Stanger, N., Sampson, M., & Tremblay, M. S. (2015). What is the relationship between risky outdoor play and health in children? *International Journal of Environmental Research and Public Health*, 12(6), 6423-6454. doi: 10.3390/ijerph120606423
- Canning, N. (2019). "Just 5 more minutes!" Power dynamics in outdoor play. *International Journal of Play*, 8(1), 11-24. doi: 10.1080/21594937.2019.1580332
- Chandler, C. K. (2012). *Animal assisted therapy in counseling*. (2nd ed.). Routledge.
- Chandramouleeswaran, S., & Russell, P. S. S. (2014). Complimentary psychosocial interventions in child and adolescent psychiatry: Pet assisted therapy. *Indian Journal of Psychological Medicine*, 36(1), 4-8. doi: 10.4102/0253-7176.127240
- Christian, H., Trapp, G., Lauritsen, C., Wright, K., & Giles-Corti, B. (2013). Understanding the relationship between dog ownership and children's physical activity and sedentary behaviour. *Pediatric Obesity*, 8, 392-403. doi: 10.1111/j.2047-6310.2012.0011.x
- Christian, H., Trapp, G., Villanueva, K., Zubrick, S. R., Koekmoer, R., & Giles-Corti, G. (2014). Dog walking is associated with more outdoor play and independent mobility for children. *Preventive Medicine*, 67, 259-263. doi: 10.1016/j.ypmed.2014.08.002
- Clements, R. (2004). An investigation of the status of outdoor play. *Contemporary Issues in Early Childhood*, 5(1), 68-80. doi: 10.2304/ciec.2004.5.1.10
- Daly, B., & Suggs, S. (2010). Teachers' experiences with humane education and animals in the elementary classroom: Implications for empathy development. *Journal of Moral Education*, 39(1), 101-112. doi: 10.1080/03057240903528733
- de Lannoy, L., Rhodes, R. E., Moore, S. A., Faulkner, G., & Tremblay, M. S. (2020). Regional

- differences in access to the outdoors and outdoor play of Canadian children and youth during the COVID-19 outbreak. *Canadian Journal of Public Health*, *111*, 988-994. doi: 10.17269/s41997-020-00412-4
- Dodd, H. F., FitzGibbon, L., Watson, B. E., & Nesbit, R. J. (2021). Children's play and independent mobility in 2020: Results from the British Children's play survey. *International Journal of Environmental Research and Public Health*, *18*, 4334. doi: 10.3390/ijerph18084334
- Dodd, H. F., & Lester, K. J. (2021). Adventurous play as a mechanism for reducing risk for childhood anxiety: A conceptual model. *Clinical Child and Family Psychology Review*, *24*, 164-181. doi: 10.1007/s10567-020-00338-w
- Dunton, G. F., Do, B., & Wang, S. D. (2020). Early effects of the COVID-19 pandemic on physical activity and sedentary behavior in children living in the U.S. *BMC Public Health*, *20*, 1351. doi: 10.1186/s12889-020-09429-3
- Endenburg, N., & van Lith, H. A. (2011). The influence of animals on the development of children. *Veterinary Journal*, *190*, 208-214. doi: 10.1016/j.tvjl.2010.11.020
- Endenburg, N., van Lith, H. A., & Kirpensteijn, J. (2014). Longitudinal study of Dutch children's attachment to companion animals. *Society & Animals*, *22*, 390-414. doi: 10.1163/15685306-12341344
- Engelberg, J. K., Carlson, J. A., Conway, T. L., Cain, K. L., Saelens, B. E., Glanz, K., Frank, D. L., Sallis, J. F. (2016). Dog walking among adolescents: Correlates and contribution to physical activity. *Preventive Medicine*, *82*, 65-72. doi: 10.1016/j.ypmed.2015.11.011
- Esposito, L., McCune, S., Griffin, J. A., & Maholmes, V. (2011). Directions in human-animal

- interaction research: Child development, health, and therapeutic interventions. *Child Development Perspectives*, 5(3), 205-211. doi: 10.1111/j.1750-8606.2011.00175.x
- Faulkner, G., Mitra, R., Buling, R., Fusco, C., & Stone, M. (2015). Children's outdoor playtime, physical activity, and parental perceptions of the neighbourhood environment. *International Journal of Play*, 4(1), 84-97. doi: 10.1080/21594937.2015.1017303
- Fawcett, N. R., & Guillone, E. (2001). Cute and cuddly and a whole lot more? A call for empirical investigation into the therapeutic benefits of human-animal interaction for children. *Behaviour Change*, 18(2), 124-133. doi: 10.1375/behc.18.2.124
- Fine, A. H., O'Callaghan, D., Chandler, C., Schaffer, K., Pichot, T., & Gimeno, J. (2010). Application of animal-assisted interventions: An overview of alternatives. In A. H. Fine (Ed.), *Animal-assisted therapy: Theoretical foundations and guidelines for practice* (3rd ed). (pp. 193-222). Academic Press. doi: 10.1016/B978-0-12-381453-1.10011-X
- Frost, J. L. (2012). The changing culture of play. *International Journal of Play*, 1(2), 117-130. doi: 10.1080/21594937.2012.698461
- Graber, K. M., Byrne, E. M., Goodacre, E. J., Kirby, N., Kulkarni, K., O'Farrelly, C., & Ramchandani, P. G. (2020). A rapid review of the impact of quarantine and restricted environments on children's play and the role of play in children's health. *Child: Care, Health and Development*. doi: 10.1111/cch.12832
- Gray, C., Gibbons, R., Larouche, R., Sandseter, E. B. H., Bienenstock, A., Brussoni, M., Chabot, G., Fusselli, P., Herrington, S., Janssen, I., Pickett, W., Power, M., Stanger, N., Sampson, M., & Tremblay, M. S. (2015). What is the relationship between outdoor time and physical activity, sedentary behaviour, and physical fitness in children? A systematic

- review. *International Journal of Environmental Research and Public Health*, 12(6), 6455-6474. doi: 10.3390/ijerph120606455
- Gray, P. (2011). The decline of play and the rise of psychopathology in children and adolescents. *American Journal of Play*, 3(4), 443-463.
- Henricks, T. (2008). The nature of play: An overview. *American Journal of Play*, 1(2), 157-180.
- Hewes, J. (2014). Seeking balance in motion: The role of spontaneous free play in promoting social and emotional health in early childhood care and education. *Children*, 1, 280-301. doi: 10.3390/children1030280
- Hawkins, R. D., & Williams, J. M. (2017). Childhood attachment to pets: Associations between pet attachment, attitudes to animals, compassion, and humane behavior. *International Journal of Environmental Research and Public Health*, 14, 490. doi: 10.3390/ijerph14050490
- Howard, F. H. (2020). What do children need from playwork in the time of COVID-19? A reflection on playwork practice in a pandemic. *International Journal of Playwork Practice*, 1(1). doi: 10.25035/ijpp.01.01.06
- Jalongo, M. R. (2014). Humane education and the development of empathy in early childhood: Definitions, rationale, and outcomes. In M. R. Jalongo (Ed.), *Teaching compassion: Humane education in early childhood* (pp. 3-21). Springer. doi: 10.1007/978-94-007-6922-9
- Jalongo, M. R. (2015). An attachment perspective on the child-dog bond: Interdisciplinary and international research findings. *Early Childhood Education Journal*, 43(5), 395-405. doi: 10.1007/s10643-015-0687-4
- Kane, E., & Petrie, P. (2014). Becoming-player in school-age childcare. *Reconceptualizing*

- Educational Research Methodology*, 5(1), 1-31. doi:
<http://journal.hioa.no/index.php/term>
- Kimbro, R. T., Brooks-Gunn, J., & McLanahan, S. (2011). Young children in urban areas: Links among neighborhood characteristics, weight status, outdoor play, and television watching. *Social Science & Medicine*, 72(5), 668-676. doi:
10.1016/j.socscimed.2010.12.015
- King, P. (2020). Can playwork have a key working role? *International Journal of Playwork Practice*, 1(1). doi: 10.25035/ijpp.01.01.07
- King, P. (2021). The impact of COVID-19 on playwork practice. *Child Care in Practice*. doi:
10.1080/13575279.2020.1860904
- King, P., & Newstead, S. (2019a). Understanding the adult role in the play cycle—An empirical study. *Child Care in Practice*. doi: 10.1080/13575279.2019.1575187
- King, P., & Newstead, S. (2019b). Childcare worker's understanding of the play cycle theory: Can a focus on “process not product” contribute to quality childcare experiences? *Child Care in Practice*. doi: 10.1080/13575279.2019.1680532
- Kinoshita, I., & Woolley, H. (2015). Children's play environment after a disaster: The great east Japanese earthquake. *Children*, 2, 39-62. doi: 10.3390/children2010039
- Kruger, K. A., & Serpell, J. A. (2010). Animal-assisted interventions in mental health: Definitions and theoretical foundations. In A. H. Fine (Ed.), *Animal-assisted therapy: Theoretical foundations and guidelines for practice* (3rd ed). (pp. 33-48). Academic Press. doi:10.1016/B978-0-12-381453-1.1003-0
- Lester, S., & Russell, W. (2008). *Play for a change. Play, policy and practice: A review of contemporary perspectives*. National Children's Bureau. www.playengland.org.uk.

- Lewis, P. J. (2017). The erosion of play. *International Journal of Play*, 6(1), 10-23. doi: 10.1080/21594937.2017.1288391
- Llewellyn, A., Simmonds, M., Owen, C. G., & Woolacott, N. (2016). Childhood obesity a predictor of morbidity in adulthood: A systematic review and meta-analysis. *Obesity Review*, 17(1), 56-67. doi: 10.1111/obr.12316
- LoBue, V., Pickard, B. M., Sherman, K., Axford, C., & DeLoache, J. S. (2013). Young children's interest in live animals. *British Journal of Developmental Psychology*, 31, 57-69. doi: 10.1111/j.2044-835X.2012.02078.x
- Lobstein, T., Baur, L., & Uauy, R. (2004). Obesity in children and young people: A crisis in public health. *Obesity Review*, 5(Suppl. 1), 4-85. doi: 10.1111/j.1467-789X.2004.00133.x
- Manwaring, B., & Taylor, C. (2006). *The benefits of play and playwork: Recent evidence-based research (2001-2006) demonstrating the impact and benefits of play and playwork*. The Community and Youth Worker's Union. www.cywu.org.uk.
- Marsa-Sambola, F., Muldoon, J., Williams, J., Lawrence, A., Connor, M., & Currie, C. (2015). The Short Attachment to Pets Scale (SAPS) for children and young people: Development, psychometric qualities and demographic and health associations. *Child Indicators Research*. doi: 10.1007/s12187-015-9303-9
- Marsa-Sambola, F., Williams, J., Muldoon, J., Lawrence, A., Connor, M., & Currie, C. (2017). Quality of life and adolescents' communication with their significant others (mother, father, and best friend): The mediating effect of attachment to pets. *Attachment & Human Development*, 19(3), 278-297. doi: 10.1080/14616734.2017.1293702
- Marsa-Sambola, F., Williams, J., Muldoon, J., Lawrence, A., Connor, M., Roberts, C., Brooks, F., & Currie, C. (2016). Sociodemographics of pet ownership among adolescents in Great

- Britain: Findings from the HBSC study in England, Scotland, and Wales. *Anthrozoös*, 29(4), 559-580. doi: 10.1080/08927936.2016.1228756
- Martin, K., Wood, L., Christian, H., & Trapp, G. S. A. (2015). Not just “A walking the dog”: Dog walking and pet play and their associations with recommended physical activity among adolescents. *American Journal of Health Promotion*, 29(6), 353-356. doi: 10.4278/ajhp.130522-ARB-262
- Matuszek, S. (2010). Animal-facilitated therapy in various patient populations: A systematic literature review. *Holistic Nursing Practice*, 24(4), 187-203. doi: 10.1097/HNP.0b013e181e90197
- Maxwell, L. E., Mitchell, M. R., & Evans, G. W. (2008). Effects of play equipment and loose parts on preschool children’s outdoor play behavior: An observational study and design intervention. *Children, Youth and Environments*, 18(2), 36-63.
- McMinn, A. M., van Sluijs, E., Nightingale, C. M., Griffin, S. J., Cook, D. G., Owen, C. G., Rudnicka, A. R., & Whincup, P. H. (2011). Family and home correlates of children’s physical activity in a multi-ethnic population: The cross-sectional child heart and health study in England (CHASE). *International Journal of Behavioral Nutrition and Physical Activity*, 8, 11. doi: <http://www.ijbnpa.org/content/8/1/11>
- McNicholas, J., & Collis, G. M. (2001). Children’s representations of pets in their social networks. *Child: Care, Health and Development*, 27(3), 279-294. doi: 10.1046/j.1365-2214.2001.00202.x
- Melson, G. F. (2001). *Where the wild things are: Animals in the lives of children*. Harvard University Press.
- Melson, G. F. (2003). Child development and the human-companion animal bond. *American*

Behavioral Scientist, 47(1), 31-39. doi: 10.1177/0002764203255210

- Melson, G. F., & Fine, A. H. (2010). Animals in the lives of children. In A. H. Fine (Ed.), *Animal-assisted therapy: Theoretical foundations and guidelines for practice* (3rd ed). (pp. 223-234). London, UK: Academic Press. doi:10.1016/B978-0-12-381453-1.10012-1
- Moore, S. A., Faulkner, G., Rhodes, R. E., Brussoni, M., Chulak-Bozzer, T., Ferguson, L. J., Mitra, R., O'Reilly, N., Spence, J. C., Vanderloo, L. M., & Tremblay, M. S. (2020). Impact of the COVID-19 virus outbreak on movement and play behaviours of Canadian children and youth: A national survey. *International Journal of Behavioral Nutrition and Physical Activity*, 17, 85. doi: 10.1186/s12966-020-00987-8
- Morrison, R., Reilly, J. J., Penpraze, V., Westgarth, C., Ward, D. S., Mutrie, N., Hutchison, P., Young, D., McNichol, L., Calvert, M., & Yam, P. S. (2013). Children, parents and pets exercising together (CPET): Exploratory randomized controlled trial. *BMC Public Health*, 13, 1096. doi: <http://www.biomedcentral.com/1471-2458/13/1096>
- Morrow, V. (1998). My animals and other family: Children's perspectives on their relationships with companion animals. *Anthrozoös*, 11(4), 218-226. doi: 10.2752/089279398787000526
- Muldoon, J. C., Williams, J. M., Lawrence, A., & Currie, C. (2019a). The nature and psychological impact of child/adolescent attachment to dogs compared with other companion animals. *Society & Animals*, 27, 55-74. doi: 10.1163/15685306-12341579
- Muldoon, J. C., Williams, J. M., & Currie, C. (2019b). Differences in boys' and girls' attachment to pets in early-mid adolescence. *Journal of Applied Developmental Psychology*, 62, 50-58. doi: 10.1016/j.appdev.2018.12.002
- Muldoon, J. C., Williams, J. M., & Lawrence, A. (2015). "Mum cleaned it and I just played with

- it”: Children’s perceptions of their roles and responsibilities in the care of family pets. *Childhood*, 22(2), 201-216. doi: 10.1177/0907568214524457
- Muldoon, J. C., Williams, J. M., & Lawrence, A. (2016). Exploring children’s perspectives on the welfare needs of pet animals. *Anthrozoös*, 29(3), 357-375. doi: 10.1080/08927927936.2016.1181359
- O’Haire, M. (2010). Companion animals and human health: Benefits, challenges, and the road ahead. *Journal of Veterinary Behavior*, 5, 226-234. doi: 10.1016/j.jveb.2010.02.002
- Pagani, L. S., Fitzpatrick, C., Barnett, T. A., & Dubow, E. (2010). Prospective associations between early childhood television exposure and academic, psychosocial, and physical well-being by middle childhood. *Archives of Pediatric & Adolescent Medicine*, 164(5), 425-431. doi: 10.1001/archpediatrics.2010.50
- Peck, T., Scharf, R. J., Conaway, M. R., & DeBoer, M. D. (2015). Viewing as little as 1 hour of TV daily is associated with higher change in BMI between kindergarten and first grade. *Obesity*, 23, 1680-1686. doi: 10.1002/oby.21132
- Pellegrini, A. D., & Smith, P. K. (1998). Physical activity play: The nature and function of a neglected aspect of play. *Child Development*, 69(3), 577-598. doi: 10.1111/j.1467-8624.1998.tb06226.x
- Piccininni, C., Michaelson, V., Janssen, I., & Pickett, W. (2018). Outdoor play and nature connectedness as potential correlates of internalized mental health symptoms among Canadian adolescents. *Preventative Medicine*, 112, 168-175. doi: 10.1016/j.ypmed.2018.04.020
- Pietrobelli, A., Pecoraro, L., Ferruzzi, A., Heo, M., Faith, M., Zoller, T., Antoniazzi, F.,

- Piacentini, G., Fearnbach, S. N., & Heymsfield, S. B. (2020). Effects of COVID-19 lockdown on lifestyle behaviors in children obesity living in Verona, Italy: A longitudinal study. *Obesity* (Silver Spring). doi: 10.1002.oby.22861
- Playwork Principles Scrutiny Group. (2005). *Playwork principles*. www.playwales.org.uk
- Play Wales. (2015). *The playwork principles—An overview*. www.playwales.org.uk
- Pombo, A., Luz, C., Rodrigues, L. P., Ferreira, C., & Cordovil, R. (2020). Correlates of children's physical activity during the COVID-19 confinement in Portugal. *Public Health, 189*, 14-19. doi: 10.1016/j.puhe.2020.09.009
- Purewal, R., Christley, R., Kordas, K., Joinson, C., Meints, K., Gee, N., & Westgarth, C. (2017). Companion animals and child/adolescent development: A systematic review of the evidence. *International Journal of Environmental Research and Public Health, 14*, 234. doi: 10.3390/ijerph14030234
- Rundle, A. G., Park, Y., Herbstman, J. B., Kinsey, E. W., & Wang, Y. C. (2020). COVID-19-related school closings and risk of weight gain among children. *Obesity* (Silver Spring), 28(6), 1008-1009. doi: 10.1002/oby.22813
- Salmon, J., & Timperio, A. (2011). Childhood obesity and human-animal interaction. In P. McCardle, S. McCune, J. A. Griffin, and V. Maholmes (Eds.), *How animals affect us: Examining the influences of human-animal interaction on child development and human health* (pp. 139-152). American Psychological Association. doi: 10.1037/12301-007
- Salmon, J., Timperio, A., Chu, B., & Beitch, J. (2010). Dog ownership, dog walking, and children's and parents' physical activity. *Research quarterly for Exercise and Sport, 81*(3), 264-271. doi: 10.1080/02701367.2010.10599674
- Sandford, R., Duncombe, R., Mason, C., & Butler, C. (2015). Ability to be active: Exploring

- children's active play in primary schools. *International Journal of Play*, 4(2), 149-162.
doi: 10.1080/21594937.2015.1060569
- Sando, O. J. (2015). The outdoor environment and children's health: A multilevel approach. *International Journal of Play*, 8(1), 39-52. doi: 10.1080/21594939.2019.1580336
- Simmonds, M., Llewellyn, A., Owen, C. G., & Woolacott, N. (2015). Predicting adult obesity from childhood obesity: A systematic review and meta-analysis. *Obesity Reviews*, 17(2), 95-107. doi: 10.1111/obr.12334
- Singer, D. G., Singer, J. L., D'Agostino, H., & DeLong, R. (2009). Children's pastimes and play in sixteen nations: Is free-play declining? *American Journal of Play*, 1, 283-312.
- Sobo, E. J. (2014). Play's relation to health and well-being in preschool and kindergarten: A Waldorf (Steiner) education perspective. *International Journal of Play*, 3(1), 9-23. doi: 10.1080/21594937.2014.886102
- Staempfli, M. B. (2009). Reintroducing adventure into children's outdoor play environments. *Environment and Behavior*, 41(2), 268-280. doi: 10.1177/0013916508315000
- Storli, R., & Sandseter, E. B. H. (2019). Children's play, well-being and involvement: How children play indoors and outdoors in Norwegian early childhood education and care institutions. *International Journal of Play*, 8(1), 65-78. doi: 10.1080/21594937.2019.1580338
- Squibb, B., & King, J. (1996). Play in home spaces in family child care. *Child & Youth Care Forum*, 25(3), 195-205.
- Timperio, A., Salmon, J., Chu, B., & Andrianopoulos, N. (2008). Is dog ownership or dog walking associated with weight status in children and their parents? *Health Promotion Journal of Australia*, 19(1), 60-63. doi: 10.1071/HE08060

- Tipper, B. (2011). "A dog I know quite well": Everyday relationships between children and animals. *Children's Geographies*, 9(2), 145-164. doi: 10.1080/14733285.2011.562378
- Tremblay, M. S., Gray, C., Babcock, S., Barnes, J., Bradstreet, C., Carr, D., Chabot, G., Choquette, L., Chorney, D., Collyer, C., Herrington, S., Janson, K., Janssen, I., Larouche, R., Pickett, W., Power, M., Sandseter, E. B. H., Simon, B., & Brussoni, M. (2015). Position statement on active outdoor play. *International Journal of Environmental Research & Public Health* 12(6), 6475-6505. doi: 10.3390/ijerph120606475
- Walsh, F. (2009a). Human-animal bonds I: The relational significance of companion animals. *Family Process*, 48(4), 462-480. doi: 10.1111/j.1545-5300.2009.01296.x
- Walsh, F. (2009b). Human-animal bonds II: The role of pets in family systems and family therapy. *Family Process*, 48(4), 481-499. doi:10.1111/j.1545-5300.2009.01297.x
- Wells, D.L. (2009). The effects of animals on human health and well-being. *Journal of Social Issues*, 65(3), 523-543. doi: 10.1111/j.1540-4560.2009.01612.x
- Wen, L. M., Baur, L. A., Rissel, C., Xu, H., & Simpson, J. M. (2014). Correlates of body mass index and overweight and obesity of children aged 2 years: Findings from the healthy beginnings trial. *Obesity*, 22(7), 1723-1730. doi: 10.1002/oby.20700
- Wen, L. M., Kite, J., Merom, D., & Rissel, C. (2009). Time spent outdoors after school and its relationship with independent mobility: A cross-sectional survey of children aged 10-12 years in Sydney, Australia. *International Journal of Behavioral Nutrition & Physical Activity*, 6, 15. doi: 10.1186/1479-5868-6-15
- Westgarth, C., Boddy, L. M., Stratton, G., German, A. J., Gaskell, R. M., Coyne, K. P.,

Bundred, P., McCune, S., & Dawson, S. (2013). Pet ownership, dog types and attachment to pets in 9-10 year old children in Liverpool, UK. *BMC Veterinary Research*, 9, 102.

doi: <http://biomedcentral.com/1746-6148/9/102>

Westgarth, C., Boddy, L. M., Stratton, G., German, A. J., Gaskell, R. M., Coyne, K. P.,

Bundred, P., McCune, S., & Dawson, S. (2017). The association between dog ownership or dog walking and fitness or weight status in childhood. *Pediatric Obesity*, 12, e51-e56.

doi:10.1111/ijpo.12176

Westgarth, C., Christley, R. M., & Christian, H. (2014). How might we increase physical activity through dog walking?: A comprehensive review of dog walking correlates. *International Journal of Behavioral Nutrition and Physical Activity*, 11, 83. doi:

<http://www.ijbnpa.org/content/11/1/83>