

# **Aerosol and Surface Contamination of SARS-CoV-2 Observed in Quarantine and Isolation Care**

**Authors:** Joshua L. Santarpia<sup>1,2\*</sup>, Danielle N. Rivera<sup>2</sup>, Vicki L. Herrera<sup>1</sup>, M. Jane Morwitzer<sup>1</sup>, Hannah M. Creager<sup>1</sup>, George W. Santarpia<sup>1</sup>, Kevin K. Crown<sup>2</sup>, David M. Brett-Major<sup>1</sup>, Elizabeth R. Schnaubelt<sup>1,3</sup>, M. Jana Broadhurst<sup>1</sup>, James V. Lawler<sup>1,2</sup>, St. Patrick Reid<sup>1</sup>, and John J. Lowe<sup>1,2</sup>

## **Affiliations:**

<sup>1</sup>University of Nebraska Medical Center

<sup>2</sup>National Strategic Research Institute

<sup>3</sup>United States Air Force School of Aerospace Medicine

## **Supplementary Information**

Room	Day	Bedside Table or Bed Rail (copies/μL)		Air Handling Grate (copies/μL)		Floor Under Bed (copies/μL)		Room Window Ledge (copies/μL)		Misc. Personal Items (copies/μL)			Phones (copies/μL)		Remote (copies/μL)		Toilet (copies/μL)		Air Samples (copies/L of air)		Samples Collected	% Positive	Oral Temp. (°C)	Other Sym?				
		Average	Stand. Dev	Average	Stand. Dev	Average	Stand. Dev	Average	Stand. Dev	Description	Average	Stand. Dev	Average	Stand. Dev	Average	Stand. Dev	Average	Stand. Dev	Average	Stand. Dev								
NQU A	5	1.31	0.11	UND	NC	0.39	0.38	0.65	0.29	Exercise Bike	UND	NC	0.14	0.24	0.12	0.21	0.95	0.39	4.00	6.93	6	100.0%	39.1	Y				
NQU B	5	UND	NC					0.23	0.40				0.35	0.33	UND	NC	UND	NC	2.79	4.84	6	50.0%	36.8	Y				
NQU C	5	UND	NC					0.25	0.43				0.15	0.25	0.22	0.20	0.28	0.48	8.34	7.25	6	83.3%	37.3	N				
NQU E	6	0.12	0.20					0.21	0.36				UND	NC	0.41	0.12	0.11	0.20	2.70	4.68	6	83.3%	38.1	Y				
NQU F	6	0.31	0.27					UND	NC				0.41	0.21	UND	NC	0.53	0.24	3.30	5.72	5	60.0%	37.0	Y				
NQU G	6	UND	NC					UND	NC				0.32	0.30	UND	NC	0.41	0.10			5	40.0%	37.3	N				
NQU H	7	0.16	0.27					0.20	0.35				UND	NC	0.28	0.25	0.39	0.38	6	83.3%	36.9	Y						
NQU I	7	0.20	0.35					0.13	0.22				UND	NC	0.25	0.21	0.25	0.21	8.22	8.27	5	80.0%	37.3	N				
NQU A	8	0.20	0.34					0.39	0.41				Exercise Bike	UND	NC	0.46	0.40	0.44	0.41	UND	NC	4.74	4.13	7	71.4%	38.0	Y	
NQU B	8	0.31	0.33					0.25	0.23				Hot Pot	0.18	0.30	0.13	0.23	UND	NC	0.29	0.25	UND	NC	7	71.4%	36.6	N	
NQU C	8	0.08	0.14					UND	NC				Hot Pot	0.42	0.36	0.10	0.17	UND	NC	0.11	0.18	5.68	9.85	7	71.4%	37.5	N	
NQU D	9	0.19	0.33					0.17	0.30				iPad	0.10	0.17	0.15	0.25	UND	NC	0.55	0.18	UND	NC	7	71.4%	ND	ND	
NQU E	9	UND	NC					UND	NC				Dumb bells	UND	NC	0.28	0.32	0.25	0.22	0.22	0.20	UND	NC	6	50.0%	37.2	Y	
NQU F	9	UND	NC					0.15	0.26							Treadmill	0.20	0.34	UND	NC	0.43	0.12	4.22	7.31	9	66.7%	37.1	N
NQU G	9	0.46	0.40					UND	NC							Yoga Mat	0.16	0.27	0.19	0.33	0.18	0.31	0.14	0.25	UND	NC	6	66.7%
NQU H	9	0.58	0.24					0.67	0.32				UND	NC	0.14	0.24	0.17	0.29	0.20	0.35	UND	NC	7	85.7%	36.9	N		
NBU A Patient 1	10	UND	NC					UND	NC				0.39	0.38	0.14	0.24	Spirometer	0.34	0.38	1.70	0.24	UND	NC	>6ft from patient		16	68.8%	36.8
		0.23	0.21	0.20	0.34	0.21	0.37	UND	NC	Spirometer	UND	NC																
		0.11	0.19	0.44	0.44	0.41	0.46	0.36	0.33	O2 Cannula	0.15	0.26																
0.33	0.31	Laptop	0.19							0.18	0.13	0.23	0.21	0.37	>6ft from patient													
0.14	0.25	Glasses	0.22	0.38	UND	NC	15	86.7%	37.3	Y																		
NBU B Patient 2	10	UND	NC	1.75	0.33	1.02	0.32	0.34	0.31	Pulse Ox Finger Monitor	0.56	0.48	0.23	0.20	UND	NC	Near Patient		9	88.9%	37.3	Y						
NBU B Patient 3	18	1.32	0.24	1.71	0.08	0.20	0.34	0.48	0.44	Lotion tube	0.32	0.55					4.07						7.06					
																	>6ft from patient						2.48		4.30			
Percent Positive		70.8%		80.0%		100.0%		72.7%		75.0%			77.8%		55.6%		81.0%		63.2%				57.9%	57.9%				
p to Fever		0.15						0.25		-0.07			-0.02		0.23		0.02		0.36		0.39							

**Table S1. Results of all in-room samples collected in this study.** UND denotes undetected, NC denotes Not Calculated. ND denotes No Data. The dotted background indicates the sample from which cell culture data is shown in Figure 2. In the case where no data was obtained, the patient had been transferred from another facility less than 24 hours prior to sampling.

Location	Day	Hallway Air Samples (copies/L of air)		Personal Air Samples (copies/L of air)	
NQU	5	UND	NC		
	5	UND	NC		
	6	5.76	5.10		
	6	6.00	5.90		
	7	2.08	3.60		
	7	UND	NC		
	8	8.69	3.69		
	8	2.36	4.09		
	8	2.29	3.97		
	9				
			5.37	7.15	
NBU	10	UND	NC		
	10	2.99	5.19		
	10	UND	NC		
	18				
			48.22	67.16	
Percent Positive		58.3%		100.0%	

**Table S2. Results of hallway air samples and personal air samples.** UND denotes undetected, NC denotes Not Calculated. The dotted background indicates the sample from which cell culture data is shown in Figure 2.