



Draft Genome Sequence of a Clinical Isolate of *Streptococcus mutans* Strain HM

Yoshio Kondo,^a Haruka Nishimata,^a Kiyoshi Hidaka,^a Tomoyuki Hasuwa,^b Hiroyuki Moriuchi,^b Taku Fujiwara,^a Tomonori Hoshino^a

Department of Pediatric Dentistry, Nagasaki University Graduate School of Biomedical Sciences, Nagasaki, Japan^a; Department of Pediatrics, Nagasaki University Graduate School of Biomedical Sciences, Nagasaki, Japan^b

ABSTRACT We report the draft genome sequence of *Streptococcus mutans* strain HM isolated from a 4-year-old girl with infective endocarditis. The genomics information will provide information on the genetic diversity and virulence potential of *S. mutans* strain HM.

Infective endocarditis (IE) is a serious infectious disease commonly caused by non-beta-hemolytic streptococci (1, 2). It has been reported that streptococci isolated from IE patients most frequently belong to the viridans or bovis group (1). *Streptococcus mutans* is a member of viridans streptococci known as a major pathogen of dental caries and a causative agent of IE (3). *S. mutans* strain HM, which was sequenced in this study, was isolated from blood drawn from a 4-year-old girl with a ventricular septal defect who was hospitalized for fever of unknown origin in Nagasaki University Hospital, Japan. The echocardiography showed vegetation near the apex of the tricuspid valve, and she was diagnosed as having IE in accordance with Duke diagnostic criteria (4). Although she had undergone no invasive dental treatment before the onset of IE, detection of the oral streptococci in blood culture implied an intraoral route of infection in this case.

Bacterial cells of *S. mutans* strain HM were inoculated into brain heart infusion broth and incubated under anaerobic conditions. Genomic DNA was extracted using MasterPure Gram-positive DNA purification kit (Epicentre) according to the manufacturer's instructions. Genome sequencing was performed using an Illumina GAIIx with a 50-bp single-end run. Approximately 7.15 million reads were obtained, and the whole genome was assembled into 186 contigs using Edena (5), with an average coverage of 179×. The draft genome of *S. mutans* strain HM has an approximate size of 2.0 Mb, with a G+C content of 36.7%. The genome sequence was annotated by DFAST (6), and 1,842 coding sequences (CDSs), 31 tRNAs, and 2 rRNA clusters were identified.

The genome of *S. mutans* strain HM has an average nucleotide identity of 99.12% compared to *S. mutans* UA159 (7, 8). Waterhouse et al. reported that 80% of the *S. mutans* CDSs are conserved among 10 strains by microarray hybridization based on the UA159 genome, suggesting that 80% of CDSs are conserved within *S. mutans* strains (9). In this study, HM was found to contain 1,842 CDSs, 1,676 (91.31%) of which are predicted by reciprocal BLAST search analysis to be common to those of UA159, and 7 strain-specific regions including 88 CDSs were unique in comparison with the UA159 genome. Many of the HM-specific genes are foreign genes (i.e., novel genes acquired from the outside of bacterial cells), and it is necessary to study their involvement in the pathogenicity of IE.

Received 3 July 2017 Accepted 7 July 2017 Published 17 August 2017

Citation Kondo Y, Nishimata H, Hidaka K, Hasuwa T, Moriuchi H, Fujiwara T, Hoshino T. 2017. Draft genome sequence of a clinical isolate of *Streptococcus mutans* strain HM. Genome Announc 5:e00826-17. <https://doi.org/10.1128/genomeA.00826-17>.

Copyright © 2017 Kondo et al. This is an open-access article distributed under the terms of the [Creative Commons Attribution 4.0 International license](https://creativecommons.org/licenses/by/4.0/).

Address correspondence to Yoshio Kondo, yosioji@nagasaki-u.ac.jp.

Accession number(s). The draft genome sequence has been deposited in the DDBJ/EMBL/GenBank database under accession no. [BDOS00000000](https://doi.org/10.1093/genome/18.802-809).

ACKNOWLEDGMENT

This work, including the efforts of Tomonori Hoshino, Kiyoshi Hidaka, and Haruka Nishimata, was funded by the Japan Society for the Promotion of Science (JSPS) under grants 16K11808, 26463113, and 17K17336, respectively.

REFERENCES

1. Que YA, Moreillon P. 2011. Infective endocarditis. *Nat Rev Cardiol* 8:322–336. <https://doi.org/10.1038/nrcardio.2011.43>.
2. Murdoch DR, Corey GR, Hoen B, Miró JM, Fowler VG, Jr, Bayer AS, Karchmer AW, Olaison L, Pappas PA, Moreillon P, Chambers ST, Chu VH, Falcó V, Holland DJ, Jones P, Klein JL, Raymond NJ, Read KM, Tripodi MF, Utili R, Wang A, Woods CW, Cabell CH, International Collaboration on Endocarditis-Prospective Cohort. 2009. Clinical presentation, etiology, and outcome of infective endocarditis in the 21st century: the International Collaboration on Endocarditis-Prospective Cohort Study. *Arch Intern Med* 169:463–473. <https://doi.org/10.1001/archinternmed.2008.603>.
3. Fujiwara T, Nakano K, Kawaguchi M, Ooshima T, Sobue S, Kawabata S, Nakagawa I, Hamada S. 2001. Biochemical and genetic characterization of serologically untypable *Streptococcus mutans* strains isolated from patients with bacteremia. *Eur J Oral Sci* 109:330–334. <https://doi.org/10.1034/j.1600-0722.2001.00119.x>.
4. Durack DT, Lukes AS, Bright DK. 1994. New criteria for diagnosis of infective endocarditis: utilization of specific echocardiographic findings. Duke Endocarditis Service. *Am J Med* 96:200–209.
5. Hernandez D, François P, Farinelli L, Osterås M, Schrenzel J. 2008. *De novo* bacterial genome sequencing: millions of very short reads assembled on a desktop computer. *Genome Res* 18:802–809. <https://doi.org/10.1101/gr.072033.107>.
6. Tanizawa Y, Fujisawa T, Kaminuma E, Nakamura Y, Arita M. 2016. DFAST and Daga: Web-based integrated genome annotation tools and resources. *Food Health* 35:173–184. <https://doi.org/10.12938/bmfh.16-003>.
7. Ajdić D, McShan WM, McLaughlin RE, Savić G, Chang J, Carson MB, Primeaux C, Tian R, Kenton S, Jia H, Lin S, Qian Y, Li S, Zhu H, Najjar F, Lai H, White J, Roe BA, Ferretti JJ. 2002. Genome sequence of *Streptococcus mutans* UA159, a cariogenic dental pathogen. *Proc Natl Acad Sci U S A* 99:14434–14439. <https://doi.org/10.1073/pnas.172501299>.
8. Rodriguez-R LM, Konstantinidis KT. 2016. The enveomics collection: a toolbox for specialized analyses of microbial genomes and metagenomes. *PeerJ Preprints* 4:e1900:v1. <https://doi.org/10.7287/peerj.preprints.1900v1>.
9. Waterhouse JC, Swan DC, Russell RR. 2007. Comparative genome hybridization of *Streptococcus mutans* strains. *Oral Microbiol Immunol* 22: 103–110. <https://doi.org/10.1111/j.1399-302X.2007.00330.x>.