

Propagation Velocity of Pulsed Streamer Discharges in Atmospheric Air

journal or publication title	IEEE TRANSACTIONS ON PLASMA SCIENCE
volume	31
number	5
page range	1091-1094
year	2003-10
URL	http://hdl.handle.net/2298/3492

doi: 10.1109/TPS.2003.818765

Propagation Velocity of Pulsed Streamer Discharges in Atmospheric Air

Takao Namihira, *Member, IEEE*, Douyan Wang, Sunao Katsuki, *Member, IEEE*, Reuben Hackam, *Fellow, IEEE*, and Hidenori Akiyama, *Fellow, IEEE*

Abstract—Pulsed streamer discharges have been extensively used in many applications such as control of NO_x and SO_2 from exhaust gases, treatment of dioxins, removal of volatile organic compounds, generation of ozone, and laser excitation. An operation with a high energy efficiency is necessary for practical applications. It is very important to know the propagation mechanism of streamer discharges in order to improve the energy efficiency of pulsed discharge systems. In this paper, the emission from pulsed streamer discharges in a coaxial electrode system in air at 0.1 MPa was observed using a high-speed gated intensified charge-coupled display camera. A concentric wire-cylinder electrodes configuration was used. A positive pulsed voltage having a width of about 100 ns was applied to the central electrode. The streamer discharges were initiated at the inner electrode and terminated at the outer electrode. The propagation velocity of the streamer discharges was 1.8–3.3 mm/ns.

Index Terms—Atmospheric air discharge, coaxial electrode, pulsed streamer discharges, streamer images, streamer in air, streamer propagation.

I. INTRODUCTION

ACID RAIN arising from the combustion of fossil fuel produced by thermal power stations, certain industrial plants, and motor vehicles poses a serious problem to the environment. Several types of electrical discharges, such as surface, silent, and corona have been applied in the removal of NO_x and SO_2 from exhaust emissions at various energy efficiencies. Currently, developments in the pulsed power technology have enabled the production of efficient streamer discharges to remove NO_x and SO_2 [1]–[5].

Since the pulsewidth of the applied voltage has a strong influence on the energy efficiency of the removal of pollutants [6], [7], a detailed understanding of the development of streamer discharge using very short duration pulses is important for practical applications. The most effective condition of streamer discharges might be obtained from investigating the streamer propagation across the electrodes gap. The streamer discharge was originally proposed by Loeb [8], [9], Meek [10], [11], and Raether [12]. The electric field at the head of and the propagation velocity of the streamer were theoretically studied using computer simulations [13]–[18]. The light emission from streamer discharges was measured using an optical fiber




Fig. 1. Schematic diagram of the apparatus.

and a photomultiplier tube in the vicinity of a central wire in coaxial electrodes geometry [19], [20]. The images of streamer discharges were observed using a high-speed gated camera in a coaxial electrodes system at 74 kPa of air [21] and a point-plane electrodes gap at 100 kPa of N_2 [22] and air [23].

In this paper, the emission from pulsed streamer discharges in coaxial electrodes geometry at 100 kPa of air pressure was observed with the intensified charge-coupled display (ICCD) camera having a high-speed gate. It was found that the streamer discharges started from the inner electrode and gradually extended toward the outer electrode. The propagation velocity of the streamer was found to depend on the applied voltage across the electrodes gap and was 1.8–3.2 mm/ns.

II. APPARATUS AND PROCEDURE

Fig. 1 shows a schematic diagram of the experimental arrangement. A three-staged Blumlein line generator with a pulsewidth of 100 ns was used [2]. This generator was charged at 20, 25, and 30 kV. A rod made of tungsten, 0.5 mm in diameter and 10 mm in length, was placed concentrically in a copper cylinder. The diameter of the outer electrode was either 76 or 152 mm. A short length of the electrodes was necessary to render clear images of the streamer discharge. Dry air at 0.1 MPa was used. A positive voltage polarity was applied to the wire and measured using a voltage divider (1 Ω /10 k Ω). The discharge current was measured using a Rogowski coil (Pearson current monitor, Model 2878, Pearson Electronics, USA) on the ground wire. A high-speed gated ICCD camera (C7972-01, Hamamatsu Photonics, Japan) with a sensitive MCP (Micro Channel Plate, maximum gain = 10 000) was used to observe the images of streamer discharges. The exposure time was fixed at 5 ns. The delay time after application of voltage was varied in steps of 10 ns in the range of 0–130 ns.

Manuscript received April 17, 2003; revised May 30, 2003.

T. Namihira, D. Wang, S. Katsuki, and H. Akiyama are with the Department of Electrical and Computer Engineering, Kumamoto University, Kumamoto 860-8555, Japan (e-mail: namihira@eecs.kumamoto-u.ac.jp).

R. Hackam is with the Department of Electrical and Computer Engineering, University of Windsor, Windsor, ON N9B3P4, Canada.

Digital Object Identifier 10.1109/TPS.2003.818765




Fig. 2. (a) Applied voltage to and (b) discharge current in the coaxial electrodes gap for varying dc charging voltages to the Blumlein generator. Wire: 0.5 mm. Outer cylinder diameter: 76 mm.

III. RESULTS AND DISCUSSIONS

Fig. 2 shows typical waveforms of the applied voltage to and the discharge current in the electrode gap for different dc charging voltages to the generator. The output voltage from the generator was applied at $t = 0$. The maximum values of the pulsed voltage and the discharge current increased with increasing dc charging voltage. Typically the peak current increased from 38.0 A at 20 kV_{dc} to 105.0 A at 30 kV_{dc} charging voltages.

Fig. 3 shows the images of emissions from streamer discharges as a function of time after initiation of the discharge current using 72- and 91-kV pulses. The images had good reproducibility under the same experimental conditions because the interactions between the electric fields near the neighboring streamer heads are the same at somewhere in the coaxial electrode geometry [24]. The bright areas of the images show the position of the streamer heads during the exposure time of 5 ns. The streamer heads are associated with a higher density of ionization due to the high electric field therein [8]–[18], [25] and subsequently enhanced recombination, which is followed by increased light emission. The main wavelengths of the emissions were 337.1 and 391.4 nm from the second positive band and the first negative band of N₂, respectively [26]–[28].

It is observed from Fig. 3 that the primary streamers propagate from the central electrode to the outer electrode. The time to cross the gap of the primary streamer discharges was reduced from 55 to 40 ns with increasing peak voltages from 72 to 91 kV. Before the arrival of the primary streamers to the outer cylinder,




Fig. 3. Images of light emissions from streamer discharges as a function of time after initiation of the discharge current. Peak voltages: 72 or 91 kV. Outer cylinder diameter: 76 mm.

the discharge current was small [~ 10 A, Fig. 2(b)]. This was because the charged species largely decayed by electron-ion recombination. Effectively, the capacitance between the streamer head and the outer electrode acted as a limiting impedance [21]. After the arrival of the fully developed primary streamers, the current was large [~ 40 – 105 A, Fig. 2(b)]. This was due to large ionization, which was sustained by a high space charge field (Fig. 3). This effectively resulted in the disappearance of the capacitance between the streamer heads and the outer electrode.

The secondary streamers started from the central electrode at 30–35 ns (Fig. 3). The secondary streamer disappeared at the middle of the electrodes gap because its electric field was insufficient to sustain the ionization.

After bridging the gap, the emission from the streamer discharges was observed in the vicinity of the central electrode. This is attributed to the strong electric field at the wire [29], [30].

Fig. 4(a) and (b) shows the dependence of the peak applied voltage and the velocity of the streamer heads on time after the application of the voltage for the 76- and 152-mm diameters of the outer cylinder, respectively. Previous results of streamer propagation simulations indicated that the radius of streamer heads was about 100 μm [14], [16]. The velocity (V_{streamer}) of the streamer heads is given by the following equation:

$$V_{\text{streamer}} = \frac{L}{t_{\text{exposure}}} \quad (1)$$





Fig. 4. Dependences of peak voltage to the central wire and the velocity of streamer head on time. Outer cylinder diameter: (a) 76 mm and (b) 152 mm.

where L and t_{exposure} (5 ns) are the length of the bright filament on each images (Fig. 3) and the exposure time of gated ICCD camera, respectively.

Fig. 5 show the dependence of the velocity of streamer heads on the applied voltage for the reactors (calculated from Fig. 4).

It is observed from Fig. 4(a) that the velocity of the streamer heads increases with increasing peak applied pulsed voltage to the electrode gap. The streamer discharges with maximum speeds of 1.8–3.3 mm/ns were greatly influenced by the electric field strength on the wire surface (Fig. 5). These results agree with previous work [15]–[18], [23]. Fig. 4(b) shows that for the larger outer cylinder the propagation velocity decreases with increasing delay time, and therefore with increasing distance from the wire (Fig. 5). This is attributed to the decreasing field with increasing distance from the central electrode in the coaxial geometry.

IV. SUMMARY

The images of the streamer discharges in a coaxial electrode at atmospheric pressure have been observed using a high-speed gated ICCD camera. The following have been deduced.

- 1) The head of the streamer discharge propagated from the central rod to the outer cylinder.
- 2) The maximum propagation speed of the streamer discharges was 1.8–3.3 mm/ns in the range of 72–91 kV of




Fig. 5. Dependence of the velocity of streamer heads on the applied voltage for the two reactors. Outer cylinder diameter, covered mark: 76 mm. Uncovered mark: 152 mm.

peak voltage. These velocities have good agreements to the computer simulations and the measurements in point-plate electrode geometry.

- 3) The propagation speed of the streamer discharges was influenced by the electric field strength on the wire surface.

REFERENCES

- [1] S. Tsukamoto, T. Namihira, D. Wang, S. Katsuki, R. Hackam, H. Akiyama, A. Sato, Y. Uchida, and M. Koike, "Effects of fly ash on NO_x removal by pulsed streamers," *IEEE Trans. Plasma Sci.*, vol. 29, pp. 29–36, Feb. 2001.
- [2] T. Namihira, S. Tsukamoto, D. Wang, H. Hori, S. Katsuki, R. Hackam, H. Akiyama, M. Shimizu, and K. Yokoyama, "Influence of gas flow rate and reactor length on NO removal using pulsed power," *IEEE Trans. Plasma Sci.*, vol. 29, pp. 592–598, Aug. 2001.
- [3] Y. S. Mok, S. W. Ham, and I. S. Nam, "Evaluation of energy utilization efficiencies for SO₂ and NO removal by pulsed corona discharge process," *Plasma Chem. Plasma Process.*, vol. 18, pp. 535–550, Aug. 1998.
- [4] S. Masuda, S. Hosokawa, X. Tu, and Z. Wang, "Novel plasma chemical technologies—PPCP and SPCP for control of gaseous pollutants and air toxics," *J. Electrostatics*, vol. 34, no. 4, pp. 415–438, 1995.
- [5] B. M. Penetrante, M. C. Hsiao, B. T. Merritt, G. E. Vogtlin, and P. H. Wallman, "Comparison of electrical discharge techniques for non-thermal plasma processing of NO in N₂," *IEEE Trans. Plasma Sci.*, vol. 23, pp. 679–687, Aug. 1995.
- [6] T. Namihira, S. Tsukamoto, D. Wang, S. Katsuki, R. Hackam, H. Akiyama, Y. Uchida, and M. Koike, "Improvement of NO_x removal efficiency using short width pulsed power," *IEEE Trans. Plasma Sci.*, vol. 28, pp. 434–442, Apr. 2000.
- [7] V. Puchkarev and M. Gundersen, "Energy efficient plasma processing of gaseous emission using a short pulse discharge," *Appl. Phys. Lett.*, vol. 71, no. 23, pp. 3364–3366, 1997.
- [8] L. B. Loeb, "Ionizing waves of potential gradient," *Science*, vol. 148, p. 1417, 1965.
- [9] —, *Fundamental Processes of Electrical Discharges in Gases*. New York: Wiley, 1939.
- [10] J. M. Meek, "A theory of spark discharges," *Phys. Rev.*, vol. 57, p. 722, 1940.
- [11] J. M. Meek and J. D. Craggs, *Electrical Breakdown of Gases*. Oxford, U.K.: Clarendon, 1953, pp. 251–290.
- [12] H. Raether, *Electron Avalanches and Breakdown in Gases*. London, U.K.: Butterworth, 1964.
- [13] A. A. Kulikovskiy, "Positive streamer in a weak field in air: A moving avalanche-to-streamer transition," *Phys. Rev. E*, vol. 57, no. 6, pp. 7066–7074, 1998.
- [14] —, "Analytical model of positive streamer in weak field in air: Application to plasma chemical calculations," *IEEE Trans. Plasma Sci.*, vol. 26, pp. 1339–1346, Aug. 1998.

- [15] N. Y. Yu and G. V. Naidis, "Two-dimensional modeling of positive streamer propagation in flue gases in sphere-plane gap," *IEEE Trans. Plasma Sci.*, vol. 26, pp. 41–45, Feb. 1998.
- [16] F. Tochikubo, A. Miyamoto, and T. Watanabe, "Simulation of streamer propagation and chemical reaction in pulsed corona discharge," in *Proc. 11th Int. Conf. Gas Discharge and Their Applications*, vol. 1, 1995, pp. 168–171.
- [17] F. Tochikubo and T. Watanabe, "Use of nonequilibrium plasma for harmful gas treatment" (in Japanese), *OYO BUTURI*, vol. 66, no. 6, pp. 576–579, 1997.
- [18] K. Durbhakula and S. Dhali, "Computer-generated image of streamer propagation in nitrogen," *IEEE Trans. Plasma Sci.*, vol. 27, pp. 24–25, Feb. 1999.
- [19] K. Yan, H. Hui, M. Cui, J. Miao, X. Wu, C. Bao, and R. Li, "Corona induced nonthermal plasma: fundamental study and industrial applications," *J. Electrostatics*, vol. 44, pp. 17–39, 1998.
- [20] K. Yan, S. Kanazawa, T. Ohkubo, and Y. Nomoto, "Evaluation of NO_x removal by corona induces nonthermal plasma," *Trans. Inst. Elect. Eng. Jpn.*, vol. 119-A, no. 6, pp. 731–737, 1999.
- [21] E. H. W. M. Smulders, B. E. J. M. van Heesch, and S. S. V. B. van Passen, "Pulsed power corona discharges for air pollution control," *IEEE Trans. Plasma Sci.*, vol. 26, pp. 1476–1484, Oct. 1998.
- [22] W. J. Yi, S. J. Hankla, and P. F. Williams, "High-temporal-resolution, high-sensitivity imaging of streamers in a long atmospheric pressure gap," *IEEE Trans. Plasma Sci.*, vol. 24, pp. 93–94, Feb. 1999.
- [23] E. M. van Veldhuizen, P. C. M. Kemps, and W. R. Rutgers, "Streamer branching in a short gap: the influence of the power supply," *IEEE Trans. Plasma Sci.*, vol. 30, pp. 162–163, Feb. 2002.
- [24] Y. Kim and S. H. Hong, "Two-dimensional simulation images of pulsed corona discharges in a wire-plate reactor," *IEEE Trans. Plasma Sci.*, vol. 30, pp. 168–169, Feb. 2002.
- [25] E. Nasser, *Fundamentals of Gaseous Ionization and Plasma Electronics*. New York: Wiley, 1971, ch. 11.
- [26] K. Kawamura, S. Tsukamoto, T. Takeshita, S. Katsuki, and H. Akiyama, "NO_x removal using inductive pulsed power generator" (in Japanese), *Trans. Inst. Elect. Eng. Jpn.*, vol. 117-A, no. 9, pp. 956–961, 1997.
- [27] M. Kosuge, M. Fujiwara, and M. Ishida, "Analyses of pulse duration influence on the NO_x removal by a pulsed corona discharge with luminescence measurement" (in Japanese), *Trans. Inst. Elect. Eng. Jpn.*, vol. 120-A, no. 2, pp. 167–173, 2000.
- [28] F. Tochikubo and T. H. Teich, "Optical emission from a pulsed corona discharge and its associated reactions," *Jpn. J. Appl. Phys.*, vol. 39, no. 3A, pp. 1343–1350, 2000.
- [29] R. Hackam, "Total secondary ionization coefficient and breakdown potentials of hydrogen, methane, ethylene, carbon monoxide, nitrogen, oxygen and carbon dioxide between mild steel coaxial cylinders," *J. Phys. B, At. Mol. Opt. Phys.*, vol. 2, pp. 216–233, 1969.
- [30] —, "Total secondary ionization coefficients and breakdown potentials of monatomic gases between mild steel coaxial cylinders," *J. Phys. B, At. Mol. Opt. Phys.*, vol. 2, pp. 201–215, 1969.



Takao Namihira (M'00) was born in Shizuoka, Japan, on January 23, 1975. He received the B.S. and M.S. degrees from Kumamoto University, Kumamoto, Japan, in 1997 and 1999, respectively.

Since 1999, he has been a Research Associate at Kumamoto University. He has been on sabbatical leave at the Center for Pulsed Power and Power Electronics, Texas Tech University, Lubbock.



Douyan Wang was born in Beijing, China, on May 18, 1975. She received the B.S. and M.S. degrees from Kumamoto University, Kumamoto, Japan, in 1998 and 2000, respectively, and is currently pursuing the Ph.D. degree there.

From 2000 to 2002, she was with Hitachi Company, Ibaraki, Japan. She has been on sabbatical leave at the Center for Pulsed Power and Power Electronics, Texas Tech University, Lubbock.



Sunao Katsuki (M'99) was born in Kumamoto, Japan, on January 5, 1966. He received the B.S., M.S., and Ph.D. degrees from Kumamoto University in 1989, 1991, and 1998, respectively.

From 1991 to 1998, he was a Research Associate at Kumamoto University. Since 1998, he has been an Associate Professor at Kumamoto University.



Reuben Hackam (M'76–SM'76–F'88) received the B.S. degree from The Technion—Israel Institute of Technology, Haifa, in 1960 and the Ph.D. and D.Eng. degrees from the University of Liverpool, Liverpool, U.K., in 1964 and 1988, respectively.

From 1964 to 1968, he was with General Electric-English Electric Company, Stafford, U.K. From 1969 to 1978, he was with the University of Sheffield, Sheffield, U.K., and since 1979 he has been a Professor of electrical engineering at the University of Windsor, ON, Canada, where he

held the position of University Distinguished Professor until 2001. Currently, he is Emeritus Professor in the same university. During 1998–1999 and for four months in 2000, he was on sabbatical leave at Kumamoto University, Kumamoto, Japan.

Dr. Hackam is Editor-in-Chief of the IEEE TRANSACTIONS ON DIELECTRICS AND ELECTRICAL INSULATION.



Hidenori Akiyama (M'87–SM'99–F'00) was born in Ehime, Japan, on April 2, 1951. He received the B.S. degree in electrical engineering from the Kyushu Institute of Technology, Fukuoka, Japan, in 1974 and the M.S. and Ph.D. degrees from Nagoya University, Nagoya, Japan, in 1976 and 1979, respectively.

From 1979 to 1985, he was a Research Associate at Nagoya University. In 1985, he joined the faculty at Kumamoto University, Kumamoto, Japan, where he is currently a Professor.

Dr. Akiyama received the IEEE Major Education Innovation Award in 2000 and the IEEE Peter Haas Award in 2003.