University of Wollongong

Research Online

Faculty of Science, Medicine and Health - Papers: Part B

Faculty of Science, Medicine and Health

2021

Invasive species are threatening Antarctica's fragile ecosystems as human activity grows and the world warms

Dana M. Bergstrom University of Wollongong, danab@uow.edu.au

Shavawn Donoghue *University of Tasmania*

Follow this and additional works at: https://ro.uow.edu.au/smhpapers1

Publication Details Citation

Bergstrom, D. M., & Donoghue, S. (2021). Invasive species are threatening Antarctica's fragile ecosystems as human activity grows and the world warms. Faculty of Science, Medicine and Health - Papers: Part B. Retrieved from https://ro.uow.edu.au/smhpapers1/1800

Research Online is the open access institutional repository for the University of Wollongong. For further information contact the UOW Library: research-pubs@uow.edu.au

Invasive species are threatening Antarctica's fragile ecosystems as human activity grows and the world warms

Abstract

We tend to think Antarctica is isolated and far away – biologically speaking, this is true. But the continent is busier than you probably imagine, with many national programs and tourist operators crisscrossing the globe to get there.

And each vessel, each cargo item, and each person could be harbouring non-native species, hitchhiking their way south. This threat to Antarctica's fragile ecosystem is what our new evaluation, released today, grapples with.

We mapped the last five years of planes and ships visiting the continent, illuminating for the first time the extent of travel across the hemispheres and the potential source locations for non-native species, as the map below shows. We found that, luckily, while some have breached Antarctica, they generally have yet to get a stranglehold, leaving the continent still relatively pristine.

But Antarctica is getting busier, with new research stations, rebuilding and more tourism activities planned. Our challenge is to keep it pristine under this growing human activity and climate change threat.

Publication Details

Bergstrom, D. M. & Donoghue, S. (2021). Invasive species are threatening Antarctica's fragile ecosystems as human activity grows and the world warms. The Conversation, 20 November.

THE CONVERSATION

Academic rigour, journalistic flair



Dana Bergstrom, Author provided

Invasive species are threatening Antarctica's fragile ecosystems as human activity grows and the world warms

November 20, 2021 8.16am AEDT

Dana M Bergstrom

Principal Research Scientist, University of Wollongong

Shavawn Donoghue


Adjunct Researcher, University of Tasmania

We tend to think Antarctica is isolated and far away – biologically speaking, this is true. But the continent is busier than you probably imagine, with many national programs and tourist operators crisscrossing the globe to get there.

And each vessel, each cargo item, and each person could be harbouring non-native species, hitchhiking their way south. This threat to Antarctica's fragile ecosystem is what our new evaluation, released today, grapples with.

We mapped the last five years of planes and ships visiting the continent, illuminating for the first time the extent of travel across the hemispheres and the potential source locations for non-native species, as the map below shows. We found that, luckily, while some have breached Antarctica, they generally have yet to get a stranglehold, leaving the continent still relatively pristine.

But Antarctica is getting busier, with new research stations, rebuilding and more tourism activities planned. Our challenge is to keep it pristine under this growing human activity and climate change threat.



Author provided

Life evolved in isolation

Biodiversity-wise, much of the planet is mixed up. The scientific term is *homogenisation*, where species, such as weeds, pests and diseases, from one place are transported elsewhere and establish. This means they begin to reproduce and influence the ecosystem, often to the detriment of the locals.

Most life in Antarctica is jammed onto tiny coastal ice-free fringes, and this is where most research stations, ships and people are.

Read more: Do assessments of fish stock sustainability work for consumers?

This includes unique animals (think Adélie penguins, Weddell seals and snow petrels), mosses and lichens that harbour tiny invertebrates (such as mites, waterbears and springtails), and an array of microbes such as cyanobacteria. The adjacent coast and ocean team with life, too.

The more we learn about them, the more outstanding life at the end of the planetary spectrum becomes. Just this week, new scientific discoveries identified that some Antarctic bacteria live on air, and make their own water using hydrogen as fuel.



The endemic Antarctic Weddell seal resting on sea ice. EPA/YONHAP

When the Southern Ocean was formed some 30 million years ago, natural barriers were created with the rest of the world. This includes the Antarctic Circumpolar Current, the strongest ocean current on the planet, and its associated strong westerly surface winds, icy air and ocean temperatures.

This means life in Antarctica evolved in isolation, with flora and fauna that commonly exist nowhere else and can cope with frigid conditions. But the simplicity of Antarctica's food webs can often mean there are gaps in the ecosystem that other species from around the world can fill.

Read more: Explainer: how the Antarctic Circumpolar Current helps keep Antarctica frozen

In May 2014, for example, routine biosecurity surveillance detected non-native springtails (tiny insect-like invertebrates) in a hydroponic facility at an Australian Antarctic station.

This station, an ice-free oasis, previously lacked these interlopers, and they had the potential to alter the local fragile ecosystem permanently. Thankfully, a rapid and effective response successfully eradicated them.

Penguin sitting on moss

Gentoo penguin on a bed of algae, Antarctica Shutterstock

Pressures from climate change are exacerbating the challenges of human activity on Antarctica, as climate change is bringing milder conditions to these wildlife-rich areas, both on land and sea.

As glaciers melt, new areas are exposed, which allows non-Antarctic species greater opportunity to establish and possibly outcompete locals for resources, such as nutrients and precious, ice-free space.

So far, we've been lucky

Our past research focused on non-native propagules – things that propagate like microbes, viruses, seeds, spores, insects and pregnant rats – and how they entrain themselves into Antarctica.

They can be easily caught on people's clothing and equipment, in fresh food, cargo and machinery. In fact, research from the last decade found that visitors who hadn't cleaned their clothing and equipment carried on average nine seeds each.

How non-native species get to Antarctica

Pathways for non native species. Dana M Bergstrom

But few non-native species have established in Antarctica, despite their best efforts.

To date, only 11 non-native invertebrate species – including springtails, mites, a midge and an earthworm – have established across a range of locations in the warmer parts of Antarctica, including Signy Island and the Antarctic Peninsula. In the marine realm, some non-native species have been seen but it's thought none have survived and established.

Microbes are another matter. Each visitor to Antarctica carries millions of microbial passengers, and many of these microbes are left behind. Around most research stations, human gut microbes from sewage have mingled with native microbes, including exchanging antibiotic resistance genes.

Read more: COVID has reached Antarctica. Scientists are extremely concerned for its wildlife

Last year, for example, a rare harmful bacteria, pathogenic to both humans and birds, was detected in guano (poo) from both Adélie and gentoo penguin colonies at sites with high rates of human visitors. COVID-19 also made its way to Antarctica last December.

Both these cases risk so-called "reverse zoonosis", where humans spread disease to local wildlife.

Antarctica's coral reefs? Extensive shallow water, polychete colonies form fragile reefs that act as marine animal forests, hosting a diverse and abundant community of associated plants and animals. Jonny Stark/ AAD

What do we do about it?

Three factors have helped maintain Antarctica's near-pristine status: the physical isolation, cold conditions and co-operation between nations through the Antarctic Treaty. The Treaty is underpinned by the Environmental Protocol, which aims to prevent and respond to threats and pressures to the continent.

There is unanimous commitment from Antarctic Treaty nations towards preventing the establishment of non-native species. This includes adopting a science-based, non-native species manual, which provides guidance on how to prevent, monitor, and respond to introductions of non-native species.

Read more: 'Existential threat to our survival': see the 19 Australian ecosystems already collapsing

But time is of the essence. We must better prepare for the inevitable arrival of more non-native species to prevent them from establishing, as we continue to break the barriers protecting Antarctica. One approach is to tailor the newly developed 3As approach to environmental management: Awareness of values, Anticipation of the pressures, Action to stem the pressures.

This means ramping up monitoring, taking note of predictions of what non-native species could sneak through biosecurity and establish under new conditions, and putting in place pre-determined response plans to act quickly when they do.