



| | |
|-------------------------------|---|
| Publication Year | 2017 |
| Acceptance in OA @INAF | 2020-08-25T15:23:34Z |
| Title | VizieR Online Data Catalog: HD 284149 SPHERE/IFS spectrum (Bonavita+, 2017) |
| Authors | Bonavita, M.; D'Orazi, V.; MESA, DINO; Fontanive, C.; DESIDERA, Silvano; et al. |
| DOI | 10.26093/cds/vizier.36080106 |
| Handle | http://hdl.handle.net/20.500.12386/26824 |
| Journal | VizieR Online Data Catalog |



J/A+A/608/A106

HD 284149 SPHERE/IFS spectrum

(Bonavita+, 2017)

Orbiting a binary: SPHERE characterisation of the HD 284149 system.

Bonavita M., D'Orazi V., Mesa D., Fontanive C., Desidera S., Messina S., Daemgen S., Gratton R., Vigan A., Zurlo A., Antichi J., Avenhaus H., Baruffolo A., Baudino J.L., Beuzit J.L., Boccaletti A., Bonnefoy M., Bruno P., Cascone E., Chauvin G., Claudi R.U., De Caprio V., Fantinel D., Farisato G., Feldt M., Galicher R., Giro E., Gry C., Hagelberg J., Incorvaia S., Janson M., Jaquet M., Lagrange A.M., Langlois M., Lannier J., Le Coroller H., Lessio L., Ligi R., Maire A.L., Meyer M., Menard F., Perrot C., Peretti S., Petit C., Ramos J., Roux A., Salasnich B., Salter G., Samland M., Scuderi S., Schlieder J., Surez M., Turatto M., Weber L.

<Astron. Astrophys. 608, A106 (2017)>

[=2017A&A...608A.106B](#) (SIMBAD/NED BibCode)**ADC_Keywords:** Stars, double and multiple ; Planets ; Spectroscopy**Keywords:** stars: individual: HD 284149 - brown dwarfs - binaries: visual - stars: rotation - techniques: high angular resolution**Abstract:**

In this paper we present the results of the SPHERE observation of the HD 284149 system, aimed at a more detailed characterisation of both the primary and its brown dwarf companion.

We observed HD 284149 in the near-infrared with SPHERE, using the imaging mode (IRDIS+IFS) and the long-slit spectroscopy mode (IRDIS-LSS). The data were reduced using the dedicated SPHERE pipeline, and algorithms such as PCA and TLOCI were applied to reduce the speckle pattern.

The IFS images revealed a previously unknown low-mass ($\sim 0.16M_{\odot}$) stellar companion (HD 284149 B) at $\sim 0.1''$, compatible with previously observed radial velocity differences, as well as proper motion differences between Gaia and Tycho-2 measurements. The known brown dwarf companion (HD 284149 b) is clearly visible in the IRDIS images. This allowed us to refine both its photometry and astrometry. The analysis of the medium resolution IRDIS long slit spectra also allowed a refinement of temperature and spectral type estimates. A full reassessment of the age and distance of the system was also performed, leading to more precise values of both mass and semi-major axis.

As a result of this study, HD 284149 ABb therefore becomes the latest addition to the (short) list of brown dwarfs on wide circumbinary orbits, providing new evidence to support recent claims that object in such configuration occur with a similar frequency to wide companions to single stars.

Description:

HD 284149 was observed with SPHERE in IRDIFS mode on 2015-10-25 and with IRDIFS_EXT mode on 2015-11-27 as part of the SHINE (SpHere INfrared survey for Exoplanet) GTO campaign.

Objects:

| RA | (2000) | DE | Designation(s) |
|-------------|-------------|----|--------------------------|
| 04 06 38.80 | +20 18 11.1 | | HD 284149 = V* V1300 Tau |

File Summary:

| FileName | Lrecl | Records | Explanations |
|-----------------------------|-------|---------|--------------------------|
| ReadMe | 80 | . | This file |
| spectra.dat | 34 | 39 | HD 284149 B IFS spectrum |

Byte-by-byte Description of file: [spectra.dat](#)

| Bytes | Format | Units | Label | Explanations |
|--------|--------|-------------------------|--------|-------------------------|
| 1- 8 | F8.6 | um | lambda | Wavelength |
| 11- 21 | E11.6 | W/m2/um | Flux | Flux |
| 24- 34 | E11.6 | W/m2/um | e_Flux | rms uncertainty on Flux |

Acknowledgements:

Mariangela Bonavita, mbonav(at)roe.ac.uk

(End)

Patricia Vannier [CDS]

11-Dec-2017

The document above follows the rules of the [Standard Description for Astronomical Catalogues](#); from this documentation it is possible to generate *f77* program to load files [into arrays](#) or [line by line](#)

© Université de Strasbourg/CNRS


[Contact](#) 