

University of Groningen

Corrigendum to “On the S/W stoichiometry and triboperformance of WS_xC(H) coatings deposited by magnetron sputtering” [Surface and Coatings Technology 365 (2019) 41-51]
Cao, Huatang; Wen, Feng; Kumar, Sumit; Rudolf, Petra; De Hosson, Jeff Th M.; Pei, Yutao

Published in:
Surface and Coatings Technology

DOI:
[10.1016/j.surfcoat.2021.127595](https://doi.org/10.1016/j.surfcoat.2021.127595)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2021

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Cao, H., Wen, F., Kumar, S., Rudolf, P., De Hosson, J. T. M., & Pei, Y. (2021). Corrigendum to “On the S/W stoichiometry and triboperformance of WS_xC(H) coatings deposited by magnetron sputtering” [Surface and Coatings Technology 365 (2019) 41-51]. *Surface and Coatings Technology*, 423, [127595].
<https://doi.org/10.1016/j.surfcoat.2021.127595>

Copyright


Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the “Taverne” license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.



Corrigendum



Corrigendum to “On the S/W stoichiometry and triboperformance of WS_xC (H) coatings deposited by magnetron sputtering” [Surface and Coatings Technology 365 (2019) 41-51]

Huatang Cao^a, Feng Wen^a, Sumit Kumar^b, Petra Rudolf^b, Jeff Th.M. De Hosson^c, Yutao Pei^{a,*}


^a Department of Advanced Production Engineering, Engineering and Technology Institute Groningen, University of Groningen, Nijenborgh 4, 9747AG, Groningen, The Netherlands

^b Department of Surfaces and Thin Films, Zernike Institute for Advanced Materials, University of Groningen, Nijenborgh 4, 9747AG, Groningen, The Netherlands

^c Department of Applied Physics, Zernike Institute for Advanced Materials, University of Groningen, Nijenborgh 4, 9747AG, Groningen, The Netherlands

The authors regret that in Fig. 1b some data points of s/w ratio were not correctly aligned with the x-axis of target-to-substrate distance. The corrected Fig. 1b is shown below.

The authors would like to apologise for any inconvenience caused.



DOI of original article: <https://doi.org/10.1016/j.surfcoat.2018.04.040>.

* Corresponding author.

E-mail address: y.pei@rug.nl (Y. Pei).

<https://doi.org/10.1016/j.surfcoat.2021.127595>

Available online 14 August 2021

0257-8972/© 2021 Elsevier B.V. All rights reserved.