



## UvA-DARE (Digital Academic Repository)

### Implementation of a parallel conjugate gradient method for simulation of elastic light scattering

Sloot, P.M.A.; Hoekstra, A.G.

#### Publication date

1992

#### Published in

Computer in physics

[Link to publication](#)

#### Citation for published version (APA):

Sloot, P. M. A., & Hoekstra, A. G. (1992). Implementation of a parallel conjugate gradient method for simulation of elastic light scattering. *Computer in physics*, 6, 323.

#### General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

#### Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

# **Implementation of a parallel conjugate gradient method for simulation of elastic light scattering**

P.M.A. Sloot and A.G. Hoekstra

Department of Computer Systems, faculty of Mathematics and Computer Science, University of Amsterdam, Kruislaan 409, 1098 SJ Amsterdam, the Netherlands, email [peterslo@fwi.uva.nl](mailto:peterslo@fwi.uva.nl), phone (+31)20-5257463

Computers in Physics, vol. 6, p. 323, August 1992.

We simulate elastic light scattering with the coupled dipole method. The kernel of this method is a large set of linear equations. The  $n \times n$  system matrix is complex, symmetric, full, and diagonally dominant. This application is a typical example of problems arising in computational electromagnetics. The matrix equations are usually solved with (preconditioned) conjugate gradient methods. For realistic problems the size of the matrix is very large ( $n \sim 10^4$  to  $10^6$ ). In that case sustained calculation speeds in the Gflop/s range are required to keep execution times acceptable. We introduce a methodology to parallelize the conjugate gradient method for this type of problems, with emphasis on coarse grain distributed memory implementations. We present results for an implementation on a transputer network.