

## UvA-DARE (Digital Academic Repository)

### Search for Higgs boson decays to a photon and a Z boson in pp collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector

Aad, G.; et al., [Unknown]; Aben, R.; Beemster, L.J.; Bentvelsen, S.; Berge, D.; Berglund, E.; Bobbink, G.J.; Bos, K.; Boterenbrood, H.; Butti, P.; Castelli, A.; Colijn, A.P.; de Jong, P.; de Nooij, L.; Deigaard, I.; Deluca, C.; Deviveiros, P.O.; Dhaliwal, S.; Ferrari, P.; Gadatsch, S.; Geerts, D.A.A.; Hartjes, F.; Hessey, N.P.; Hod, N.; Igolkina, O.; Kluit, P.; Koffeman, E.; Lee, H.; Lenz, T.; Linde, F.; Mahlstedt, J.; Mechnich, J.; Oussoren, K.P.; Pani, P.; Salek, D.; Valencic, N.; van der Deijl, P.C.; van der Geer, R.; van der Graaf, H.; van der Leeuw, R.; van Vulpen, I.; Verkerke, W.; Vermeulen, J.C.; Vranjes Milosavljevic, M.; Vreeswijk, M.; Weits, H.

**DOI**

[10.1016/j.physletb.2014.03.015](https://doi.org/10.1016/j.physletb.2014.03.015)

**Publication date**

2014

**Document Version**

Final published version

**Published in**

Physics Letters B

[Link to publication](#)

**Citation for published version (APA):**

Aad, G., et al., U., Aben, R., Beemster, L. J., Bentvelsen, S., Berge, D., Berglund, E., Bobbink, G. J., Bos, K., Boterenbrood, H., Butti, P., Castelli, A., Colijn, A. P., de Jong, P., de Nooij, L., Deigaard, I., Deluca, C., Deviveiros, P. O., Dhaliwal, S., ... Weits, H. (2014). Search for Higgs boson decays to a photon and a Z boson in pp collisions at  $\sqrt{s} = 7$  and 8 TeV with the ATLAS detector. *Physics Letters B*, 732, 8-27.  
<https://doi.org/10.1016/j.physletb.2014.03.015>

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).



# Search for Higgs boson decays to a photon and a Z boson in $pp$ collisions at $\sqrt{s} = 7$ and 8 TeV with the ATLAS detector



ATLAS Collaboration\*

## ARTICLE INFO

## Article history:

Received 13 February 2014

Received in revised form 5 March 2014

Accepted 5 March 2014

Available online 13 March 2014

Editor: H. Weerts

## ABSTRACT

A search is reported for a neutral Higgs boson in the decay channel  $H \rightarrow Z\gamma$ ,  $Z \rightarrow \ell^+\ell^-$  ( $\ell = e, \mu$ ), using  $4.5 \text{ fb}^{-1}$  of  $pp$  collisions at  $\sqrt{s} = 7 \text{ TeV}$  and  $20.3 \text{ fb}^{-1}$  of  $pp$  collisions at  $\sqrt{s} = 8 \text{ TeV}$ , recorded by the ATLAS detector at the CERN Large Hadron Collider. The observed distribution of the invariant mass of the three final-state particles,  $m_{\ell\ell\gamma}$ , is consistent with the Standard Model hypothesis in the investigated mass range of  $120$ – $150 \text{ GeV}$ . For a Higgs boson with a mass of  $125.5 \text{ GeV}$ , the observed upper limit at the  $95\%$  confidence level is 11 times the Standard Model expectation. Upper limits are set on the cross section times branching ratio of a neutral Higgs boson with mass in the range  $120$ – $150 \text{ GeV}$  between  $0.13$  and  $0.5 \text{ pb}$  for  $\sqrt{s} = 8 \text{ TeV}$  at  $95\%$  confidence level.

© 2014 The Authors. Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/3.0/>). Funded by SCOAP<sup>3</sup>.

## 1. Introduction

In July 2012 a new particle decaying to dibosons ( $\gamma\gamma$ ,  $ZZ$ ,  $WW$ ) was discovered by the ATLAS [1] and CMS [2] experiments at the CERN Large Hadron Collider (LHC). The observed properties of this particle, such as its couplings to fermions and bosons [3,4] and its spin and parity [5,6], are consistent with those of a Standard Model (SM) Higgs boson with a mass near  $125.5 \text{ GeV}$  [3].

This Letter presents a search for a Higgs boson  $H$  decaying to  $Z\gamma$ ,  $Z \rightarrow \ell^+\ell^-$  ( $\ell = e, \mu$ ),<sup>1</sup> using  $pp$  collisions at  $\sqrt{s} = 7$  and  $8 \text{ TeV}$  recorded with the ATLAS detector at the LHC during 2011 and 2012. The Higgs boson is assumed to have SM-like spin and production properties, but in order to retain sensitivity to additional, non-SM Higgs bosons, its mass is allowed to take any value between  $120$  and  $150 \text{ GeV}$ . The integrated luminosity presently available enables the exclusion of large anomalous couplings to  $Z\gamma$ , compared with the SM prediction. The signal is expected to yield a narrow peak in the reconstructed  $\ell\ell\gamma$  invariant-mass distribution over a smooth background dominated by continuum  $Z + \gamma$  production,  $Z \rightarrow \ell\ell\gamma$  radiative decays and  $Z + \text{jets}$  events where a jet is misidentified as a photon. A similar search was recently published by the CMS Collaboration [7], which set an upper limit of  $9.5$  times the SM expectation, at  $95\%$  confidence level ( $CL$ ), on the  $pp \rightarrow H \rightarrow Z\gamma$  cross section for  $m_H = 125 \text{ GeV}$ .

In the SM, the Higgs boson is produced mainly through five production processes: gluon fusion (ggF), vector-boson fusion

(VBF), and associated production with either a  $W$  boson ( $WH$ ), a  $Z$  boson ( $ZH$ ) or a  $t\bar{t}$  pair ( $t\bar{t}H$ ) [8–10]. For a mass of  $125.5 \text{ GeV}$  the SM  $pp \rightarrow H$  cross section is  $\sigma = 22$  ( $17$ )  $\text{pb}$  at  $\sqrt{s} = 8$  ( $7$ )  $\text{TeV}$ . Higgs boson decays to  $Z\gamma$  in the SM proceed through loop diagrams mostly mediated by  $W$  bosons, similar to  $H \rightarrow \gamma\gamma$ . The  $H \rightarrow Z\gamma$  branching ratio of an SM Higgs boson with a mass of  $125.5 \text{ GeV}$  is  $B(H \rightarrow Z\gamma) = 1.6 \times 10^{-3}$ , to be compared to  $B(H \rightarrow \gamma\gamma) = 2.3 \times 10^{-3}$ . Including the branching fractions of the  $Z$  decays to leptons leads to a  $pp \rightarrow H \rightarrow \ell\ell\gamma$  cross section of  $2.3$  ( $1.8$ )  $\text{fb}$  at  $8$  ( $7$ )  $\text{TeV}$ , similar to that of  $pp \rightarrow H \rightarrow ZZ^* \rightarrow 4\ell$  and only  $5\%$  of that of  $pp \rightarrow H \rightarrow \gamma\gamma$ .

Modifications of the  $H \rightarrow Z\gamma$  coupling with respect to the SM prediction are expected if  $H$  is a neutral scalar of a different origin [11,12] or a composite state [13], as well as in models with additional colourless charged scalars, leptons or vector bosons coupled to the Higgs boson and exchanged in the  $H \rightarrow Z\gamma$  loop [14–16]. A determination of both the  $H \rightarrow \gamma\gamma$  and  $H \rightarrow Z\gamma$  decay rates can help to determine whether the newly discovered Higgs boson is indeed the one predicted in the SM, or provide information on the quantum numbers of new particles exchanged in the loops or on the compositeness scale. While constraints from the observed rates in the other final states, particularly the diphoton channel, typically limit the expected  $H \rightarrow Z\gamma$  decay rate in the models mentioned above to be within a factor of two of the SM expectation, larger enhancements can be obtained in some scenarios by careful parameter choices [13,14].

## 2. Experimental setup and dataset

The ATLAS detector [17] is a multi-purpose particle detector with approximately forward-backward symmetric cylindrical

\* E-mail address: [atlas.publications@cern.ch](mailto:atlas.publications@cern.ch).

<sup>1</sup> In the following  $\ell$  denotes either an electron or a muon, and the charge of the leptons is omitted for simplicity.

**Table 1**

Event generators used to model the signal (first two rows) and background (last four rows) processes.

Process	Generator
ggF, VBF	POWHEG [20–22] + PYTHIA8 [23]
$WH, ZH, t\bar{t}H$	PYTHIA8
$Z + \gamma$ and $Z \rightarrow \ell\ell\gamma$	SHERPA [24,25]
$Z + \text{jets}$	SHERPA, ALPGEN [26] + HERWIG [27]
$t\bar{t}$	MC@NLO [28,29] + HERWIG
$WZ$	SHERPA, POWHEG + PYTHIA8

geometry.<sup>2</sup> The inner tracking detector (ID) covers  $|\eta| < 2.5$  and consists of a silicon pixel detector, a silicon microstrip detector, and a transition radiation tracker. The ID is surrounded by a thin superconducting solenoid providing a 2 T axial magnetic field and by a high-granularity lead/liquid-argon (LAr) sampling electromagnetic calorimeter. The electromagnetic calorimeter measures the energy and the position of electromagnetic showers with  $|\eta| < 3.2$ . It includes a presampler (for  $|\eta| < 1.8$ ) and three sampling layers, longitudinal in shower depth, up to  $|\eta| < 2.5$ . LAr sampling calorimeters are also used to measure hadronic showers in the end-cap ( $1.5 < |\eta| < 3.2$ ) and forward ( $3.1 < |\eta| < 4.9$ ) regions, while an iron/scintillator tile calorimeter measures hadronic showers in the central region ( $|\eta| < 1.7$ ). The muon spectrometer (MS) surrounds the calorimeters and consists of three large superconducting air-core toroid magnets, each with eight coils, a system of precision tracking chambers ( $|\eta| < 2.7$ ), and fast tracking chambers ( $|\eta| < 2.4$ ) for triggering. A three-level trigger system selects events to be recorded for offline analysis.

Events are collected using the lowest threshold unprescaled single-lepton or dilepton triggers [18]. For the single-muon trigger the transverse momentum,  $p_T$ , threshold is 24 (18) GeV for  $\sqrt{s} = 8$  (7) TeV, while for the single-electron trigger the transverse energy,  $E_T$ , threshold is 25 (20) GeV. For the dimuon triggers the thresholds are  $p_T > 13$  (10) GeV for each muon, while for the dielectron triggers the thresholds are  $E_T > 12$  GeV for each electron. At  $\sqrt{s} = 8$  TeV a dimuon trigger is also used with asymmetric thresholds  $p_{T1} > 18$  GeV and  $p_{T2} > 8$  GeV. The trigger efficiency with respect to events satisfying the selection criteria is 99% in the  $e\gamma\gamma$  channel and 92% in the  $\mu\mu\gamma$  channel due to the reduced geometric acceptance of the muon trigger system in the  $|\eta| < 1.05$  and  $|\eta| > 2.4$  region. Events with data quality problems are discarded. The integrated luminosity after the trigger and data quality requirements corresponds to  $20.3 \text{ fb}^{-1}$  ( $4.5 \text{ fb}^{-1}$ ) [19] at  $\sqrt{s} = 8$  (7) TeV.

### 3. Simulated samples

The event generators used to model SM signal and background processes in samples of Monte Carlo (MC) simulated events are listed in Table 1.

The  $H \rightarrow Z\gamma$  signal from the dominant ggF and VBF processes, corresponding to 95% of the SM production cross section, is generated with POWHEG, interfaced to PYTHIA 8.170 for showering and hadronisation, using the CT10 parton distribution functions (PDFs) [30]. Gluon-fusion events are reweighted to match the Higgs boson  $p_T$  distribution predicted by HRES2 [31]. The signal from associated production ( $WH, ZH$  or  $t\bar{t}H$ ) is generated with

<sup>2</sup> ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the  $z$ -axis along the beam pipe. The  $x$ -axis points from the IP to the centre of the LHC ring, and the  $y$ -axis points upward. Cylindrical coordinates  $(r, \phi)$  are used in the transverse plane,  $\phi$  being the azimuthal angle around the beam pipe. The pseudorapidity is defined in terms of the polar angle  $\theta$  as  $\eta = -\ln \tan(\theta/2)$ .

PYTHIA 8.170 using the CTEQ6L1 PDFs [32]. Signal events are generated for Higgs boson masses  $m_H$  between 120 and 150 GeV, in intervals of 5 GeV, at both  $\sqrt{s} = 7$  TeV and  $\sqrt{s} = 8$  TeV. For the same value of the mass, events corresponding to different Higgs boson production modes are combined according to their respective SM cross sections.

The predicted SM cross sections and branching ratios are compiled in Refs. [8–10]. The production cross sections are computed at next-to-next-to-leading order in the strong coupling constant  $\alpha_s$  and at next-to-leading order (NLO) in the electroweak coupling constant  $\alpha$ , except for the  $t\bar{t}H$  cross section, which is calculated at NLO in  $\alpha_s$  [33–43]. Theoretical uncertainties on the production cross section arise from the choice of renormalisation and factorisation scales in the fixed-order calculations as well as the uncertainties on the PDFs and the value of  $\alpha_s$  used in the perturbative expansion. They depend only mildly on the centre-of-mass energy and on the Higgs boson mass in the range  $120 < m_H < 150$  GeV. The scale uncertainties are uncorrelated among the five Higgs boson production modes that are considered; for  $m_H = 125.5$  GeV at  $\sqrt{s} = 8$  TeV, they amount to  $^{+7}_{-8}\%$  for ggF,  $\pm 0.2\%$  for VBF,  $\pm 1\%$  for  $WH$ ,  $\pm 3\%$  for  $ZH$  and  $^{+4}_{-9}\%$  for  $t\bar{t}H$ . PDF +  $\alpha_s$  uncertainties are correlated among the gluon-fusion and  $t\bar{t}H$  processes, which are initiated by gluons, and among the VBF and  $WH/ZH$  processes, which are initiated by quarks; for  $m_H = 125.5$  GeV at  $\sqrt{s} = 8$  TeV, the uncertainties are around  $\pm 8\%$  for  $gg \rightarrow H$  and  $t\bar{t}H$  and around  $\pm 2.5\%$  for the other three Higgs boson production modes. The Higgs boson branching ratios are computed using the HDECAY and Prophecy4f programs [44–46]. The relative uncertainty on the  $H \rightarrow Z\gamma$  branching ratio varies between  $\pm 9\%$  for  $m_H = 120$  GeV and  $\pm 6\%$  for  $m_H = 150$  GeV. An additional  $\pm 5\%$  [47] accounts for the effect, in the selected phase space of the  $\ell\ell\gamma$  final state, of the interfering  $H \rightarrow \ell\ell\gamma$  decay amplitudes that are neglected in the calculation of Refs. [8–10]. They originate from internal photon conversion in Higgs boson decays to diphotons ( $H \rightarrow \gamma^*\gamma \rightarrow \ell\ell\gamma$ ) or from radiative Higgs boson decays to dileptons ( $H \rightarrow \ell\ell^* \rightarrow \ell\ell\gamma$  in the  $Z$  mass window) [48,49].

Various background samples are also generated: they are used to study the background parameterisation and possible systematic biases in the fit described in Section 6 and not to extract the final result. The samples produced with ALPGEN or MC@NLO are interfaced to HERWIG 6.510 [27] for parton showering, fragmentation into particles and to model the underlying event, using JIMMY 4.31 [50] to generate multiple-parton interactions. The SHERPA, MC@NLO and POWHEG samples are generated using the CT10 PDFs, while the ALPGEN samples use the CTEQ6L1 ones.

All Monte Carlo samples are processed through a complete simulation of the ATLAS detector response [51] using GEANT4 [52]. Additional  $pp$  interactions in the same and nearby bunch crossings (pile-up) are included in the simulation. The MC samples are reweighted to reproduce the distribution of the mean number of interactions per bunch crossing (9 and 21 on average in the data taken at  $\sqrt{s} = 7$  and 8 TeV, respectively) and the length of the luminous region observed in data.

### 4. Event selection and backgrounds

#### 4.1. Event selection

Events are required to contain at least one primary vertex, determined from a fit to the tracks reconstructed in the inner detector and consistent with a common origin. The primary vertex with the largest sum of the squared transverse momenta of the tracks associated with it is considered as the primary vertex of the hard interaction.

The selection of leptons and photons is similar to that used for the  $H \rightarrow \gamma\gamma$  and  $H \rightarrow 4\ell$  measurements [1], the main difference being the minimum transverse momentum threshold. Events are required to contain at least one photon and two opposite-sign same-flavour leptons.

Muon candidates are formed from tracks reconstructed either in the ID or in the MS [53]. They are required to have transverse momentum  $p_T > 10$  GeV and  $|\eta| < 2.7$ . In the central barrel region  $|\eta| < 0.1$ , which lacks MS coverage, ID tracks are identified as muons based on the associated energy deposits in the calorimeter. These candidates must have  $p_T > 15$  GeV. The inner detector tracks associated with muons that are identified inside the ID acceptance are required to have a minimum number of associated hits in each of the ID sub-detectors (to ensure good track reconstruction) and to have transverse (longitudinal) impact parameter  $d_0$  ( $z_0$ ), with respect to the primary vertex, smaller than 1 mm (10 mm).

Electrons and photons are reconstructed from clusters of energy deposits in the electromagnetic calorimeter [54]. Tracks matched to electron candidates (and, for 8 TeV data, from photon conversions) and having enough associated hits in the silicon detectors are fitted using a Gaussian-Sum Filter, which accounts for bremsstrahlung energy loss [55].

Electron candidates are required to have a transverse energy greater than 10 GeV, pseudorapidity  $|\eta| < 2.47$ , and a well-reconstructed ID track pointing to the electromagnetic calorimeter cluster. The cluster should satisfy a set of identification criteria that require the longitudinal and transverse shower profiles to be consistent with those expected for electromagnetic showers [56]. The electron track is required to have a hit in the innermost pixel layer of the ID when passing through an active module and is also required to have a longitudinal impact parameter, with respect to the primary vertex, smaller than 10 mm.

Photon candidates are required to have a transverse energy greater than 15 GeV and pseudorapidity within the regions  $|\eta| < 1.37$  or  $1.52 < |\eta| < 2.37$ , where the first calorimeter layer has high granularity. Photons reconstructed in or near regions of the calorimeter affected by read-out or high-voltage failures are not accepted. The identification of photons is performed through a cut-based selection based on shower shapes measured in the first two longitudinal layers of the electromagnetic calorimeter and on the leakage into the hadronic calorimeter [57]. To further suppress hadronic background, the calorimeter isolation transverse energy  $E_T^{\text{iso}}$  [1] in a cone of size  $\Delta R = \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2} = 0.4$  around the photon candidate is required to be lower than 4 GeV, after subtracting the contributions from the photon itself and from the underlying event and pile-up.

Removal of overlapping electrons and muons that satisfy all selection criteria and share the same inner detector track is performed: if the muon is identified by the MS, then the electron candidate is discarded; otherwise the muon candidate is rejected. Photon candidates within a  $\Delta R = 0.3$  cone of a selected electron or muon candidate are also rejected, thus suppressing background from  $Z \rightarrow \ell\ell\gamma$  events and signal from radiative Higgs boson decays to dileptons.

$Z$  boson candidates are reconstructed from pairs of same-flavour, opposite-sign leptons passing the previous selections. At least one of the two muons from  $Z \rightarrow \mu\mu$  must be reconstructed both in the ID and the MS.

Higgs boson candidates are reconstructed from the combination of a  $Z$  boson and a photon candidate. In each event only the  $Z$  candidate with invariant mass closest to the  $Z$  pole mass and the photon with largest transverse energy are retained. In the selected events, the triggering leptons are required to match one (or in the case of dilepton-triggered events, both) of the  $Z$


candidate's leptons. Track and calorimeter isolation requirements, as well as additional track impact parameter selections, are applied to the leptons forming the  $Z$  boson candidate [1]. The track isolation  $\sum p_T$ , inside a  $\Delta R = 0.2$  cone around the lepton, excluding the lepton track, divided by the lepton  $p_T$ , must be smaller than 0.15. The calorimeter isolation for electrons, computed similarly to  $E_T^{\text{iso}}$  for photons but with  $\Delta R = 0.2$ , divided by the electron  $E_T$ , must be lower than 0.2. Muons are required to have a normalised calorimeter isolation  $E_T^{\text{cone}}/p_T$  less than 0.3 (0.15 in the case of muons without an ID track) inside a  $\Delta R = 0.2$  cone around the muon direction. For both the track- and calorimeter-based isolation any contributions due to the other lepton from the candidate  $Z$  decay are subtracted. The transverse impact parameter significance  $|d_0|/\sigma_{d_0}$  of the ID track associated with a lepton within the acceptance of the inner detector is required to be less than 3.5 and 6.5 for muons and electrons, respectively. The electron impact parameter is affected by bremsstrahlung and it thus has a broader distribution.

Finally, the dilepton invariant mass ( $m_{\ell\ell}$ ) and the invariant mass of the  $\ell\ell\gamma$  final-state particles ( $m_{\ell\ell\gamma}$ ) are required to satisfy  $m_{\ell\ell} > m_Z - 10$  GeV and  $115 < m_{\ell\ell\gamma} < 170$  GeV, respectively. These criteria further suppress events from  $Z \rightarrow \ell\ell\gamma$ , as well as reducing the contribution to the signal from internal photon conversions in  $H \rightarrow \gamma\gamma$  and radiation from leptons in  $H \rightarrow \ell\ell$  to a negligible level [47]. The number of events satisfying all the selection criteria in  $\sqrt{s} = 8$  TeV ( $\sqrt{s} = 7$  TeV) data is 7798 (1041) in the  $Z \rightarrow ee$  channel and 9530 (1400) in the  $Z \rightarrow \mu\mu$  channel.

The same reconstruction algorithms and selection criteria are used for simulated events. The simulation is corrected to take into account measured data-MC differences in photon and lepton efficiencies and energy or momentum resolution. The acceptance of the kinematic requirements for simulated  $H \rightarrow Z\gamma \rightarrow \ell\ell\gamma$  signal events at  $m_H = 125.5$  GeV is 54% for  $\ell = e$  and 57% for  $\ell = \mu$ , due to the larger acceptance in muon pseudorapidity. The average photon reconstruction and selection efficiency is 68% (61%) while the  $Z \rightarrow \ell\ell$  reconstruction and selection efficiency is 74% (67%) and 88% (88%) for  $\ell = e$  and  $\ell = \mu$ , respectively, at  $\sqrt{s} = 8$  (7) TeV. The larger photon and electron efficiencies in 8 TeV data are due to a re-optimisation of the photon and electron identification criteria prior to the 8 TeV data taking. Including the acceptance and the reconstruction, selection and trigger efficiencies, the overall signal efficiency for  $H \rightarrow Z\gamma \rightarrow \ell\ell\gamma$  events at  $m_H = 125.5$  GeV is 27% (22%) for  $\ell = e$  and 33% (27%) for  $\ell = \mu$  at  $\sqrt{s} = 8$  (7) TeV. The relative efficiency is about 5% higher in the VBF process and 5–10% lower in the  $W$ ,  $Z$ ,  $t\bar{t}$ -associated production modes, compared to signal events produced in the dominant gluon-fusion process. For  $m_H$  increasing between 120 and 150 GeV the overall signal efficiency varies from 0.87 to 1.25 times the efficiency at  $m_H = 125.5$  GeV.

#### 4.2. Invariant-mass calculation

In order to improve the three-body invariant-mass resolution of the Higgs boson candidate events and thus improve discrimination against non-resonant background events, three corrections are applied to the three-body mass  $m_{\ell\ell\gamma}$ . First, the photon pseudorapidity  $\eta^\gamma$  and its transverse energy  $E_T^\gamma = E^\gamma / \cosh \eta^\gamma$  are recalculated using the identified primary vertex as the photon's origin, rather than the nominal interaction point (which is used in the standard ATLAS photon reconstruction). Second, the muon momenta are corrected for collinear final-state-radiation (FSR) by including any reconstructed electromagnetic cluster with  $E_T$  above 1.5 GeV lying close (typically with  $\Delta R < 0.15$ ) to a muon track. Third, the lepton four-momenta are recomputed by means of a  $Z$ -mass-constrained kinematic fit previously used in the ATLAS  $H \rightarrow 4\ell$  search [1]. The



**Fig. 1.** Three-body invariant-mass distribution for  $H \rightarrow Z\gamma$ ,  $Z \rightarrow \mu\mu$  (top) or  $Z \rightarrow ee$  (bottom) selected events in the 8 TeV,  $m_H = 125$  GeV gluon-fusion signal simulation, after applying all analysis cuts, before (filled circles) and after (open diamonds) the corrections described in Section 4.2. The solid and dashed lines represent the fits of the points to the sum of a Crystal Ball and a Gaussian function.

photon direction and FSR corrections improve the invariant-mass resolution by about 1% each, while the  $Z$ -mass constraint brings an improvement of about 15–20%.

Fig. 1 illustrates the distributions of  $m_{\mu\mu\gamma}$  and  $m_{ee\gamma}$  for simulated signal events from  $gg \rightarrow H$  at  $m_H = 125$  GeV after all corrections. The  $m_{ee\gamma}$  resolution is about 8% worse due to bremsstrahlung. The  $m_{ee\gamma}$  distribution is modelled with the sum of a Crystal Ball function (a Gaussian with a power-law tail), representing the core of well-reconstructed events, and a small, wider Gaussian component describing the tails of the distribution. For  $m_H = 125.5$  GeV the typical mass resolution  $\sigma_{CB}$  of the core component of the  $m_{\mu\mu\gamma}$  distribution is 1.6 GeV.

#### 4.3. Event classification

The selected events are classified into four categories, based on the  $pp$  centre-of-mass energy and the lepton flavour. To enhance the sensitivity of the analysis, each event class is further divided into categories with different signal-to-background ratios and invariant-mass resolutions, based on (i) the pseudorapidity difference  $\Delta\eta_{Z\gamma}$  between the photon and the  $Z$  boson and (ii)  $p_{\text{T}}$ <sup>3</sup>, the component of the Higgs boson candidate  $p_{\text{T}}$  that is orthogonal to the  $Z\gamma$  thrust axis in the transverse plane [58]. Higgs boson candidates are classified as *high-* (*low-*) $p_{\text{T}}$  candidates if their  $p_{\text{T}}$

<sup>3</sup>  $p_{\text{T}} = |(\vec{p}_{\text{T}}^\gamma + \vec{p}_{\text{T}}^Z) \times \hat{\ell}|$  where  $\hat{\ell} = (\vec{p}_{\text{T}}^\gamma - \vec{p}_{\text{T}}^Z)/|\vec{p}_{\text{T}}^\gamma - \vec{p}_{\text{T}}^Z|$  denotes the thrust axis in the transverse plane, and  $\vec{p}_{\text{T}}^\gamma, \vec{p}_{\text{T}}^Z$  are the transverse momenta of the photon and the  $Z$  boson.

**Table 2**

Expected signal ( $N_S$ ) and background ( $N_B$ ) yields in a  $\pm 5$  GeV mass window around  $m_H = 125$  GeV for each of the event categories under study. In addition, the observed number of events in data ( $N_D$ ) and the FWHM of the signal invariant-mass distribution, modelled as described in Section 4.2, are given. The signal is assumed to have SM-like properties, including the production cross section times branching ratio. The background yield is extrapolated from the selected data event yield in the invariant-mass region outside the  $\pm 5$  GeV window around  $m_H = 125$  GeV, using an analytic background model described in Section 6. The uncertainty on the FWHM from the limited size of the simulated signal samples is negligible in comparison to the systematic uncertainties described in Section 5.

$\sqrt{s}$ [TeV]	$\ell$	Category	$N_S$	$N_B$	$N_D$	$\frac{N_S}{\sqrt{N_B}}$	FWHM [GeV]
8	$\mu$	high $p_{\text{T}}$	2.3	310	324	0.13	3.8
8	$\mu$	low $p_{\text{T}}$ , low $ \Delta\eta $	3.7	1600	1587	0.09	3.8
8	$\mu$	low $p_{\text{T}}$ , high $ \Delta\eta $	0.8	600	602	0.03	4.1
8	$e$	high $p_{\text{T}}$	1.9	260	270	0.12	3.9
8	$e$	low $p_{\text{T}}$ , low $ \Delta\eta $	2.9	1300	1304	0.08	4.2
8	$e$	low $p_{\text{T}}$ , high $ \Delta\eta $	0.6	430	421	0.03	4.5
7	$\mu$	high $p_{\text{T}}$	0.4	40	40	0.06	3.9
7	$\mu$	low $p_{\text{T}}$	0.6	340	335	0.03	3.9
7	$e$	high $p_{\text{T}}$	0.3	25	21	0.06	3.9
7	$e$	low $p_{\text{T}}$	0.5	240	234	0.03	4.0

is greater (smaller) than 30 GeV. In the analysis of  $\sqrt{s} = 8$  TeV data, low- $p_{\text{T}}$  candidates are further split into two classes, *high-* and *low-* $|\Delta\eta_{Z\gamma}|$ , depending on whether  $|\Delta\eta_{Z\gamma}|$  is greater or less than 2.0, yielding a total of ten event categories. Signal events are typically characterised by a larger  $p_{\text{T}}$  and a smaller  $|\Delta\eta_{Z\gamma}|$  than background events, which are mostly due to  $q\bar{q} \rightarrow Z + \gamma$  events in which the  $Z$  boson and the photon are back-to-back in the transverse plane. Signal events with high  $p_{\text{T}}$  or low  $|\Delta\eta|$  are enriched in VBF, VH and ttH events, in which the Higgs boson is more boosted, and in gluon fusion events in which the leptons and the photon are harder or more central in the detector than in signal events with low  $p_{\text{T}}$  and high  $|\Delta\eta|$ . This results in a better  $\ell\ell\gamma$  invariant mass resolution for the high  $p_{\text{T}}$  and low  $|\Delta\eta|$  categories, which are also characterised by a better signal-to-background ratio.

As an example, the expected number of signal and background events in each category with invariant mass within a  $\pm 5$  GeV window around  $m_H = 125$  GeV, the observed number of events in data in the same region, and the full-width at half-maximum (FWHM) of the signal invariant-mass distribution, are summarised in Table 2. Using this classification improves the signal sensitivity of this analysis by 33% for a Higgs boson mass of 125.5 GeV compared to a classification based only on the centre-of-mass energy and lepton flavour categories.

#### 4.4. Sample composition

The main backgrounds originate from continuum  $Z + \gamma$ ,  $Z \rightarrow \ell\ell$  production, from radiative  $Z \rightarrow \ell\ell\gamma$  decays, and from  $Z + \text{jet}$ ,  $Z \rightarrow \ell\ell$  events in which a jet is misidentified as a photon. Small contributions arise from  $t\bar{t}$  and  $WZ$  events. Continuum  $Z + \gamma$  events are either produced by  $q\bar{q}$  in the  $t$ - or  $u$ -channels, or from parton-to-photon fragmentation. The requirements  $m_{\ell\ell} > m_Z - 10$  GeV,  $m_{\ell\ell\gamma} > 115$  GeV and  $\Delta R_{\ell\gamma} > 0.3$  suppress the contribution from  $Z \rightarrow \ell\ell\gamma$ , while the photon isolation requirement reduces the importance of the  $Z + \gamma$  fragmentation component. The latter, together with the photon identification requirements, is also effective in reducing  $Z + \text{jets}$  events.

In this analysis, the estimated background composition is not used to determine the amount of expected background, which is directly fitted to the data mass spectrum, but is used to normalise the background Monte Carlo samples used for the optimisation of

the selection criteria and the choice of mass spectra background-fitting functions and the associated systematic uncertainties. Since the amplitudes for  $Z + \gamma$ ,  $Z \rightarrow \ell\ell$  and  $Z \rightarrow \ell\ell\gamma$  interfere, only the total  $\ell\ell\gamma$  background from the sum of the two processes is considered, and denoted with  $Z\gamma$  in the following. A data-driven estimation of the background composition is performed, based on a two-dimensional sideband method [57,59] exploiting the distribution of the photon identification and isolation variables in control regions enriched in  $Z +$  jets events, to estimate the relative  $Z\gamma$  and  $Z +$  jets fractions in the selected sample. The  $Z\gamma$  and  $Z +$  jets contributions are estimated *in situ* by applying this technique to the data after subtracting the 1% contribution from the  $t\bar{t}$  and  $WZ$  backgrounds. Simulated events are used to estimate the small backgrounds from  $t\bar{t}$  and  $WZ$  production (normalised to the data luminosity using the NLO MC cross sections), on which a conservative uncertainty of  $\pm 50\%$  accounts for observed data-MC differences in the rates of fake photons and leptons from misidentified jets as well as for the uncertainties on the MC cross section due to the missing higher orders of the perturbative expansion and the PDF uncertainties. Simulated events are also used to determine the  $Z\gamma$  contamination in the  $Z +$  jet background control regions and the correlation between photon identification and photon isolation for  $Z +$  jet events. The contribution to the control regions from the  $H \rightarrow Z\gamma$  signal is expected to be small compared to the background and is neglected in this study. The fractions of  $Z\gamma$ ,  $Z +$  jets and other ( $t\bar{t} + WZ$ ) backgrounds are estimated to be around 82%, 17% and 1% at both  $\sqrt{s} = 7$  and 8 TeV. The relative uncertainty on the  $Z\gamma$  purity is around 5%, dominated by the uncertainty on the correlation between the photon identification and isolation in  $Z +$  jet events, which is estimated by comparing the ALPGEN and SHERPA predictions. Good agreement between data and simulation is observed in the distributions of  $m_{\ell\ell\gamma}$ , as well as in the distributions of several other kinematic quantities that were studied, including the dilepton invariant mass and the lepton and photon transverse momenta, pseudorapidity and azimuth.

## 5. Experimental systematic uncertainties

The following sources of experimental systematic uncertainties on the expected signal yields in each category were considered:

- The luminosity uncertainty is 1.8% for the 2011 data [19] and 2.8% for the 2012 data.<sup>4</sup>
- The uncertainty from the photon identification efficiency is obtained from a comparison between data-driven measurements and the simulated efficiencies in various photon and electron control samples [60] and varies between 2.6% and 3.1% depending on the category. The uncertainty from the photon reconstruction efficiency is negligible compared to that from the identification efficiency.
- The uncertainty from the electron trigger, reconstruction and identification efficiencies is estimated by varying the efficiency corrections applied to the simulation within the uncertainties of data-driven efficiency measurements. The total uncertainty, for events in which the  $Z$  boson candidate decays to electrons, varies between 2.5% and 3% depending on the category. The lepton reconstruction, identification and trigger efficiencies, as well as their energy and momentum scales and resolutions, are determined using large control samples of  $Z \rightarrow \ell\ell$ ,  $W \rightarrow \ell\nu$  and  $J/\psi \rightarrow \ell\ell$  events [53,56].

Other sources of uncertainty (muon trigger, reconstruction and identification efficiencies, lepton energy scale, resolution, and impact parameter selection efficiencies, lepton and photon isolation efficiencies) were investigated and found to have a negligible impact on the signal yield compared to the mentioned sources of uncertainty. The total relative uncertainty on the signal efficiency in each category is less than 5%, more than twice as small as the corresponding theoretical systematic uncertainty on the SM production cross section times branching ratio, described in Section 3. The uncertainty in the population of the  $p_T$  categories due to the description of the Higgs boson  $p_T$  spectrum is determined by varying the QCD scales and PDFs used in the HRES2 program. It is estimated to vary between 1.8% and 3.6% depending on the category.

The following sources of experimental systematic uncertainties on the signal  $m_{\ell\ell\gamma}$  distribution were considered:

- The uncertainty on the peak position (0.2 GeV) is dominated by the photon energy scale uncertainty, which arises from the following sources: the calibration of the electron energy scale from  $Z \rightarrow ee$  events, the uncertainty on its extrapolation to the energy scale of photons, dominated by the description of the detector material, and imperfect knowledge of the energy scale of the presampler detector located in front of the electromagnetic calorimeter.
- The uncertainty from the photon and electron energy resolution is estimated as the relative variation of the width of the signal  $m_{\ell\ell\gamma}$  distribution after varying the corrections to the resolution of the electromagnetic particle response in the simulation within their uncertainties. It amounts to 3% for events in which the  $Z$  boson candidate decays to muons and to 10% for events in which the  $Z$  boson candidate decays to electrons.
- The uncertainty from the muon momentum resolution is estimated as the relative variation of the width of the signal  $m_{\ell\ell\gamma}$  distribution after varying the muon momentum smearing corrections within their uncertainties. It is smaller than 1.5%.

To extract the signal, the background is estimated from the observed  $m_{\ell\ell\gamma}$  distribution by assuming an analytical model, chosen from several alternatives to provide the best sensitivity to the signal while limiting the possible bias in the fitted signal to be within 20% of the statistical uncertainty on the signal yield due to background fluctuations. The  $m_{\ell\ell\gamma}$  range used for the fit is also chosen according to the same criteria. The models are tested by performing signal + background fits of the  $m_{\ell\ell\gamma}$  distribution of large simulated background-only samples scaled to the luminosity of the data and evaluating the ratio of the fitted signal yield to the statistical uncertainty on the fitted signal itself. The largest observed bias in the fitted signal for any Higgs boson mass in the range 120–150 GeV is taken as an additional systematic uncertainty; it varies between 0.5 events in poorly populated categories and 8.3 events in highly populated ones.

All systematic uncertainties, except that on the luminosity, are taken as fully correlated between the  $\sqrt{s} = 7$  TeV and the  $\sqrt{s} = 8$  TeV analyses.

## 6. Results

### 6.1. Likelihood function

The final discrimination between signal and background events is based on a simultaneous likelihood fit to the  $m_{\ell\ell\gamma}$  spectra in the invariant-mass region  $115 < m_{\ell\ell\gamma} < 170$  GeV. The likelihood function depends on a single parameter of interest, the Higgs boson production signal strength  $\mu$ , defined as the signal yield

<sup>4</sup> The luminosity of the 2012 data is derived, following the same methodology as that detailed in Ref. [19], from a preliminary calibration of the luminosity scale derived from beam-separation scans performed in November 2012.

normalised to the SM expectation, as well as on several nuisance parameters that describe the shape and normalisation of the background distribution in each event category and the systematic uncertainties. Results for the signal production cross section times branching ratio are also provided. In that case, the likelihood function depends on two parameters of interest, the signal cross sections times branching ratios at  $\sqrt{s} = 7$  TeV and  $\sqrt{s} = 8$  TeV, and the systematic uncertainties on the SM cross sections and branching ratios are removed.


The background model in each event category is chosen based on the studies of sensitivity versus bias described in the previous section. For 2012 data, fifth- and fourth-order polynomials are chosen to model the background in the low- $p_{\text{TT}}$  categories while an exponentiated second-order polynomial is chosen for the high- $p_{\text{TT}}$  categories. For 2011 data, a fourth-order polynomial is used for the low- $p_{\text{TT}}$  categories and an exponential function is chosen for the high- $p_{\text{TT}}$  ones. The signal resolution functions in each category are described by the model illustrated in Section 4.2, fixing the fraction of events in each category to the MC predictions. For each fixed value of the Higgs boson mass between 120 and 150 GeV, in steps of 0.5 GeV, the parameters of the signal model are obtained, separately for each event category, through interpolation of the fully simulated MC samples.

For each of the nuisance parameters describing systematic uncertainties the likelihood is multiplied by a constraint term for each of the experimental systematic uncertainties evaluated as described in Section 5. For systematic uncertainties affecting the expected total signal yields for different centre-of-mass or lepton flavour, a log-normal constraint is used while for the uncertainties on the fractions of signal events in different  $p_{\text{TT}} - |\Delta\eta_{Z\gamma}|$  categories and on the signal  $m_{\ell\ell\gamma}$  resolution a Gaussian constraint is used [61].


## 6.2. Statistical analysis

The data are compared to background and signal-plus-background hypotheses using a profile likelihood test statistic [61], Higgs boson decays to final states other than  $\ell\ell\gamma$  are expected to contribute negligibly to the background in the selected sample. For each fixed value of the Higgs boson mass between 120 and 150 GeV fits are performed in steps of 0.5 GeV to determine the best value of  $\mu$  ( $\hat{\mu}$ ) or to maximise the likelihood with respect to all the nuisance parameters for alternative values of  $\mu$ , including  $\mu = 0$  (background-only hypothesis) and  $\mu = 1$  (background plus Higgs boson of that mass, with SM-like production cross section times branching ratio). The compatibility between the data and the background-only hypothesis is quantified by the  $p$ -value of the  $\mu = 0$  hypothesis,  $p_0$ , which provides an estimate of the significance of a possible observation. Upper limits on the signal strength at 95% CL are set using a modified frequentist ( $CL_s$ ) method [62], by identifying the value  $\mu_{\text{up}}$  for which the  $CL_s$  is equal to 0.05. Closed-form asymptotic formulae [63] are used to derive the results. Fits to the data are performed to obtain observed results. Fits to Asimov pseudo-data [63], generated either according to the  $\mu = 1$  or  $\mu = 0$  hypotheses, are performed to compute expected  $CL_s$  upper limits, respectively.

Fig. 2 shows the  $m_{\ell\ell\gamma}$  distribution of all events selected in data, compared to the sum of the background-only fits to the data in each of the ten event categories. No significant excess with respect to the background is visible, and the observed  $p_0$  is compatible with the data being composed of background only. The smallest  $p_0$  (0.05), corresponding to a significance of  $1.6\sigma$ , occurs for a mass of 141 GeV. The expected  $p_0$  ranges between 0.34 and 0.44 for a Higgs boson with a mass  $120 < m_H < 150$  GeV and SM-like cross section and branching ratio, corresponding to significances around



**Fig. 2.** Distribution of the reconstructed  $\ell\ell\gamma$  invariant mass in data, after combining all the event categories (points with error bars). The solid dark grey (blue in the web version) line shows the sum of background-only fits to the data performed in each category. The dashed histogram corresponds to the signal expectation for a Higgs boson mass of 125 GeV decaying to  $Z\gamma$  at 50 times the SM-predicted rate.



**Fig. 3.** Observed 95% CL limits (solid black line) on the production cross section of an SM Higgs boson decaying to  $Z\gamma$  divided by the SM expectation. The limits are computed as a function of the Higgs boson mass. The median expected 95% CL exclusion limits (dashed red line), in the case of no expected signal, are also shown. The green and yellow bands correspond to the  $\pm 1\sigma$  and  $\pm 2\sigma$  intervals. (For interpretation of the references to colour in this figure legend, the reader is referred to the web version of this article.)

$0.2\sigma$ . The expected  $p_0$  at  $m_H = 125.5$  GeV is 0.42, corresponding to a significance of  $0.2\sigma$ , while the observed  $p_0$  at the same mass is 0.27 (0.6 $\sigma$ ).

Observed and expected 95% CL upper limits on the value of the signal strength  $\mu$  are derived and shown in Fig. 3. The expected limit ranges between 5 and 15 and the observed limit varies between 3.5 and 18 for a Higgs boson mass between 120 and 150 GeV. In particular, for a mass of 125.5 GeV, the observed and expected limits are equal to 11 and 9 times the Standard Model prediction, respectively. At the same mass the expected limit on  $\mu$  assuming the existence of an SM ( $\mu = 1$ ) Higgs boson with  $m_H = 125.5$  GeV is 10. The results are dominated by the statistical uncertainties: neglecting all systematic uncertainties, the observed and expected 95% CL limits on the cross section at 125.5 GeV decrease by about 5%.

Upper limits on the  $pp \rightarrow H \rightarrow Z\gamma$  cross section times branching ratio are also derived at 95% CL, for  $\sqrt{s} = 7$  and 8 TeV. For  $\sqrt{s} = 8$  TeV, the limit ranges between 0.13 and 0.5 pb; for  $\sqrt{s} = 7$  TeV, it ranges between 0.20 and 0.8 pb. At  $m_H = 125.5$  GeV the expected and observed limits are 0.33 pb and 0.45 pb, respectively, for  $\sqrt{s} = 8$  TeV, and 0.7 pb and 0.5 pb, respectively, for  $\sqrt{s} = 7$  TeV.

## 7. Conclusions

A search for a Higgs boson in the decay channel  $H \rightarrow Z\gamma$ ,  $Z \rightarrow \ell\ell$  ( $\ell = e, \mu$ ), in the mass range 120–150 GeV, was performed using  $4.5 \text{ fb}^{-1}$  of proton–proton collisions at  $\sqrt{s} = 7 \text{ TeV}$  and  $20.3 \text{ fb}^{-1}$  of proton–proton collisions at  $\sqrt{s} = 8 \text{ TeV}$  recorded with the ATLAS detector at the LHC. No excess with respect to the background is found in the  $\ell\ell\gamma$  invariant-mass distribution and 95% CL upper limits on the cross section times branching ratio are derived. For  $\sqrt{s} = 8 \text{ TeV}$ , the limit ranges between 0.13 and 0.5 pb. Combining  $\sqrt{s} = 7$  and 8 TeV data and dividing the cross section by the Standard Model expectation, for a mass of 125.5 GeV, the observed 95% confidence limit is 11 times the SM prediction.

## Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWF and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF, DNSRC and Lundbeck Foundation, Denmark; EPLANET, ERC and NSRF, European Union; IN2P3-CNRS, CEA-DSM/IRFU, France; GNSF, Georgia; BMBF, DFG, HGF, MPG and AvH Foundation, Germany; GSRT and NSRF, Greece; ISF, MINERVA, GIF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; FOM and NWO, Netherlands; BRF and RCN, Norway; MNiSW and NCN, Poland; GRICES and FCT, Portugal; MNE/IFA, Romania; MES of Russia and ROSATOM, Russian Federation; JINR; MSTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ, Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallenberg Foundation, Sweden; SER, SNSF and Cantons of Bern and Geneva, Switzerland; NSC, Taiwan; TAEK, Turkey; STFC, the Royal Society and Leverhulme Trust, United Kingdom; DOE and NSF, United States of America.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN and the ATLAS Tier-1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL (USA) and in the Tier-2 facilities worldwide.

## References

- [1] ATLAS Collaboration, Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC, Phys. Lett. B 716 (2012) 1, <http://dx.doi.org/10.1016/j.physletb.2012.08.020>, arXiv:1207.7214.
- [2] CMS Collaboration, Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, Phys. Lett. B 716 (2012) 30, <http://dx.doi.org/10.1016/j.physletb.2012.08.021>, arXiv:1207.7235.
- [3] ATLAS Collaboration, Measurements of Higgs boson production and couplings in diboson final states with the ATLAS detector at the LHC, Phys. Lett. B 726 (2013) 88–119, <http://dx.doi.org/10.1016/j.physletb.2013.08.010>, arXiv:1307.1427.
- [4] CMS Collaboration, Observation of a new boson with mass near 125 GeV in  $pp$  collisions at  $\sqrt{s} = 7$  and 8 TeV, J. High Energy Phys. 1306 (2013) 081, [http://dx.doi.org/10.1007/JHEP06\(2013\)081](http://dx.doi.org/10.1007/JHEP06(2013)081), arXiv:1303.4571.
- [5] ATLAS Collaboration, Evidence for the spin-0 nature of the Higgs boson using ATLAS data, Phys. Lett. B 726 (2013) 120–144, <http://dx.doi.org/10.1016/j.physletb.2013.08.026>, arXiv:1307.1432.
- [6] CMS Collaboration, Study of the mass and spin-parity of the Higgs boson candidate via its decays to  $Z$  boson pairs, Phys. Rev. Lett. 110 (2013) 081803, arXiv:1212.6639.
- [7] CMS Collaboration, Search for a Higgs boson decaying into a  $Z$  and a photon in  $pp$  collisions at  $\sqrt{s} = 7$  and 8 TeV, Phys. Lett. B 726 (2013) 587–609, <http://dx.doi.org/10.1016/j.physletb.2013.09.057>, arXiv:1307.5515.
- [8] LHC Higgs Cross Section Working Group, S. Dittmaier, C. Mariotti, G. Passarino, R. Tanaka (Eds.), Handbook of LHC Higgs cross sections: 1. Inclusive observables, CERN-2011-002, arXiv:1101.0593.
- [9] LHC Higgs Cross Section Working Group, S. Dittmaier, C. Mariotti, G. Passarino, R. Tanaka (Eds.), Handbook of LHC Higgs cross sections: 2. Differential distributions, CERN-2012-002, arXiv:1201.3084.
- [10] LHC Higgs Cross Section Working Group, S. Heinemeyer, C. Mariotti, G. Passarino, R. Tanaka (Eds.), Handbook of LHC Higgs cross sections: 3. Higgs properties, CERN-2013-004, arXiv:1307.1347.
- [11] I. Low, J. Lykken, G. Shaughnessy, Singlet scalars as Higgs imposters at the Large Hadron Collider, Phys. Rev. D 84 (2011) 035027, <http://dx.doi.org/10.1103/PhysRevD.84.035027>, arXiv:1105.4587.
- [12] I. Low, J. Lykken, G. Shaughnessy, Have we observed the Higgs (impostor)?, Phys. Rev. D 86 (2012) 093012, <http://dx.doi.org/10.1103/PhysRevD.86.093012>, arXiv:1207.1093.
- [13] A. Azatov, R. Contino, A. Di Iura, J. Galloway, New prospects for Higgs compositeness in  $h \rightarrow Z\gamma$ , Phys. Rev. D 88 (2013) 075019, <http://dx.doi.org/10.1103/PhysRevD.88.075019>, arXiv:1308.2676.
- [14] C.-W. Chiang, K. Yagyu, Higgs boson decays to  $\gamma\gamma$  and  $Z\gamma$  in models with Higgs extensions, Phys. Rev. D 87 (2013) 033003, <http://dx.doi.org/10.1103/PhysRevD.87.033003>, arXiv:1207.1065.
- [15] C.-S. Chen, C.-Q. Geng, D. Huang, L.-H. Tsai, New scalar contributions to  $h \rightarrow Z\gamma$ , Phys. Rev. D 87 (2013) 075019, <http://dx.doi.org/10.1103/PhysRevD.87.075019>, arXiv:1301.4694.
- [16] M. Carena, I. Low, C.E. Wagner, Implications of a modified Higgs to diphoton decay width, J. High Energy Phys. 1208 (2012) 060, [http://dx.doi.org/10.1007/JHEP08\(2012\)060](http://dx.doi.org/10.1007/JHEP08(2012)060), arXiv:1206.1082.
- [17] ATLAS Collaboration, The ATLAS experiment at the CERN Large Hadron Collider, J. Instrum. 3 (2008) S08003, <http://dx.doi.org/10.1088/1748-0221/3/08/S08003>.
- [18] ATLAS Collaboration, Performance of the ATLAS trigger system in 2010, Eur. Phys. J. C 72 (2012) 1849, <http://dx.doi.org/10.1140/epjc/s10052-011-1849-1>, arXiv:1110.1530.
- [19] ATLAS Collaboration, Improved luminosity determination in  $pp$  collisions at  $\sqrt{s} = 7 \text{ TeV}$  using the ATLAS detector at the LHC, Eur. Phys. J. C 73 (2013) 2518, <http://dx.doi.org/10.1140/epjc/s10052-013-2518-3>, arXiv:1302.4393.
- [20] S. Alioli, P. Nason, C. Oleari, E. Re, NLO Higgs boson production via gluon fusion matched with shower in POWHEG, J. High Energy Phys. 0904 (2009) 002, <http://dx.doi.org/10.1088/1126-6708/2009/04/002>, arXiv:0812.0578.
- [21] P. Nason, C. Oleari, NLO Higgs boson production via vector-boson fusion matched with shower in POWHEG, J. High Energy Phys. 1002 (2010) 037, [http://dx.doi.org/10.1007/JHEP02\(2010\)037](http://dx.doi.org/10.1007/JHEP02(2010)037), arXiv:0911.5299.
- [22] E. Bagnaschi, G. Degrassi, P. Slavich, A. Vicini, Higgs production via gluon fusion in the POWHEG approach in the SM and in the MSSM, J. High Energy Phys. 1202 (2012) 088, [http://dx.doi.org/10.1007/JHEP02\(2012\)088](http://dx.doi.org/10.1007/JHEP02(2012)088), arXiv:1111.2854.
- [23] T. Sjöstrand, S. Mrenna, P. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. 178 (2008) 852–867, <http://dx.doi.org/10.1016/j.cpc.2008.01.036>, arXiv:0710.3820.
- [24] T. Gleisberg, et al., Event generation with SHERPA 1.1, J. High Energy Phys. 0902 (2009) 007, <http://dx.doi.org/10.1088/1126-6708/2009/02/007>, arXiv:0811.4622.
- [25] S. Hoeche, S. Schumann, F. Siegert, Hard photon production and matrix-element parton-shower merging, Phys. Rev. D 81 (2010) 034026, <http://dx.doi.org/10.1103/PhysRevD.81.034026>, arXiv:0912.3501.
- [26] M.L. Mangano, et al., ALPGEN, a generator for hard multiparton processes in hadronic collisions, J. High Energy Phys. 0307 (2003) 001, <http://dx.doi.org/10.1088/1126-6708/2003/07/001>, arXiv:hep-ph/0206293.
- [27] G. Corcella, et al., HERWIG 6: an event generator for hadron emission reactions with interfering gluons (including super-symmetric processes), J. High Energy Phys. 0101 (2001) 010, <http://dx.doi.org/10.1088/1126-6708/2001/01/010>.
- [28] S. Frixione, B.R. Webber, Matching NLO QCD computations and parton shower simulations, J. High Energy Phys. 0206 (2002) 029, <http://dx.doi.org/10.1088/1126-6708/2002/06/029>, arXiv:hep-ph/0204244.
- [29] S. Frixione, P. Nason, B.R. Webber, Matching NLO QCD and parton showers in heavy flavour production, J. High Energy Phys. 0308 (2003) 007, <http://dx.doi.org/10.1088/1126-6708/2003/08/007>, arXiv:hep-ph/0305252.
- [30] H.-L. Lai, M. Guzzi, J. Huston, Z. Li, P.M. Nadolsky, et al., New parton distributions for collider physics, Phys. Rev. D 82 (2010) 074024, <http://dx.doi.org/10.1103/PhysRevD.82.074024>, arXiv:1007.2241.
- [31] M. Grazzini, H. Sargsyan, Heavy-quark mass effects in Higgs boson production at the LHC, J. High Energy Phys. 1309 (2013) 129, [http://dx.doi.org/10.1007/JHEP09\(2013\)129](http://dx.doi.org/10.1007/JHEP09(2013)129), arXiv:1306.4581.
- [32] J. Pumplin, et al., New generation of parton distributions with uncertainties from global QCD analysis, J. High Energy Phys. 0207 (2002) 012, <http://dx.doi.org/10.1088/1126-6708/2002/07/012>.
- [33] R.V. Harlander, W.B. Kilgore, Next-to-next-to-leading order Higgs production at hadron colliders, Phys. Rev. Lett. 88 (2002) 201801, <http://dx.doi.org/10.1103/PhysRevLett.88.201801>, arXiv:hep-ph/0201206.

- [34] C. Anastasiou, K. Melnikov, Higgs boson production at hadron colliders in NNLO QCD, Nucl. Phys. B 646 (2002) 220–256, [http://dx.doi.org/10.1016/S0550-3213\(02\)00837-4](http://dx.doi.org/10.1016/S0550-3213(02)00837-4), arXiv:hep-ph/0207004.
- [35] V. Ravindran, J. Smith, W.L. van Neerven, NNLO corrections to the total cross section for Higgs boson production in hadron–hadron collisions, Nucl. Phys. B 665 (2003) 325–366, [http://dx.doi.org/10.1016/S0550-3213\(03\)00457-7](http://dx.doi.org/10.1016/S0550-3213(03)00457-7), arXiv:hep-ph/0302135.
- [36] C. Anastasiou, S. Buehler, F. Herzog, A. Lazopoulos, Inclusive Higgs boson cross-section for the LHC at 8 TeV, J. High Energy Phys. 1204 (2012) 004, [http://dx.doi.org/10.1007/JHEP04\(2012\)004](http://dx.doi.org/10.1007/JHEP04(2012)004), arXiv:1202.3638.
- [37] D. de Florian, M. Grazzini, Higgs production at the LHC: updated cross sections at  $\sqrt{s} = 8$  TeV, Phys. Lett. B 718 (2012) 117–120, <http://dx.doi.org/10.1016/j.physletb.2012.10.019>, arXiv:1206.4133.
- [38] U. Aglietti, R. Bonciani, G. Degrassi, A. Vicini, Two-loop light fermion contribution to Higgs production and decays, Phys. Lett. B 595 (2004) 432–441, <http://dx.doi.org/10.1016/j.physletb.2004.06.063>, arXiv:hep-ph/0404071.
- [39] S. Actis, G. Passarino, C. Sturm, S. Uccirati, NLO electroweak corrections to Higgs boson production at hadron colliders, Phys. Lett. B 670 (2008) 12–17, <http://dx.doi.org/10.1016/j.physletb.2008.10.018>, arXiv:0809.1301.
- [40] O. Brein, A. Djouadi, R. Harlander, NNLO QCD corrections to the Higgs-strahlung processes at hadron colliders, Phys. Lett. B 579 (2004) 149, <http://dx.doi.org/10.1016/j.physletb.2003.10.112>, arXiv:hep-ph/0307206.
- [41] M.L. Ciccolini, S. Dittmaier, M. Kramer, Electroweak radiative corrections to associated  $W H$  and  $Z H$  production at hadron colliders, Phys. Rev. D 68 (2003) 073003, <http://dx.doi.org/10.1103/PhysRevD.68.073003>, arXiv:hep-ph/0306234.
- [42] W. Beenakker, et al., NLO QCD corrections to  $t\bar{t}H$  production in hadron collisions, Nucl. Phys. B 653 (2003) 151–203, [http://dx.doi.org/10.1016/S0550-3213\(03\)00044-0](http://dx.doi.org/10.1016/S0550-3213(03)00044-0), arXiv:hep-ph/0211352.
- [43] S. Dawson, C. Jackson, L.H. Orr, L. Reina, D. Wackeroth, Associated Higgs production with top quarks at the Large Hadron Collider: NLO QCD corrections, Phys. Rev. D 68 (2003) 034022, <http://dx.doi.org/10.1103/PhysRevD.68.034022>, arXiv:hep-ph/0305087.
- [44] A. Djouadi, J. Kalinowski, M. Spira, HDECAY: A program for Higgs boson decays in the standard model and its supersymmetric extension, Comput. Phys. Commun. 108 (1998) 56–74, [http://dx.doi.org/10.1016/S0010-4655\(97\)00123-9](http://dx.doi.org/10.1016/S0010-4655(97)00123-9), arXiv:hep-ph/9704448.
- [45] A. Bredenstein, A. Denner, S. Dittmaier, M.M. Weber, Precise predictions for the Higgs-boson decay  $H \rightarrow WW/ZZ \rightarrow 4$  leptons, Phys. Rev. D 74 (2006) 013004, <http://dx.doi.org/10.1103/PhysRevD.74.013004>, arXiv:hep-ph/0604011.
- [46] S. Actis, G. Passarino, C. Sturm, S. Uccirati, NNLO computational techniques: the cases  $H \rightarrow \gamma\gamma$  and  $H \rightarrow gg$ , Nucl. Phys. B 811 (2009) 182–273, <http://dx.doi.org/10.1016/j.nuclphysb.2008.11.024>, arXiv:0809.3667.
- [47] D.A. Dicus, C. Kao, W.W. Repko, Comparison of  $H \rightarrow \ell\bar{\ell}\gamma$  and  $H \rightarrow \gamma Z, Z \rightarrow \ell\bar{\ell}$  including the ATLAS cuts, arXiv:1310.4380.
- [48] L.-B. Chen, C.-F. Qiao, R.-L. Zhu, Reconstructing the 125 GeV SM Higgs boson through  $\ell\bar{\ell}\gamma$ , arXiv:1211.6058.
- [49] A. Firan, R. Stroynowski, Internal conversions in Higgs decays to two photons, Phys. Rev. D 76 (2007) 057301, <http://dx.doi.org/10.1103/PhysRevD.76.057301>, arXiv:0704.3987.
- [50] J.M. Butterworth, J.R. Forshaw, M.H. Seymour, Multiparton interactions in photoproduction at HERA, Z. Phys. C 72 (1996) 637–646, <http://dx.doi.org/10.1007/s002880050286>, arXiv:hep-ph/9601371.
- [51] ATLAS Collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C 70 (2010) 823–874, <http://dx.doi.org/10.1140/epjc/s10052-010-1429-9>, arXiv:1005.4568.
- [52] S. Agostinelli, et al., Geant4 – a simulation toolkit, Nucl. Instrum. Methods Phys. Res., Sect. A, Accel. Spectrom. Detect. Assoc. Equip. 506 (2003) 250, [http://dx.doi.org/10.1016/S0168-9002\(03\)01368-8](http://dx.doi.org/10.1016/S0168-9002(03)01368-8).
- [53] ATLAS Collaboration, Muon reconstruction efficiency in reprocessed 2010 LHC proton–proton collision data recorded with the ATLAS detector, ATLAS-CONF-2011-063, <http://cds.cern.ch/record/1345743>, 2010.
- [54] ATLAS Collaboration, Expected photon performance in the ATLAS experiment, ATLAS-PHYS-PUB-2011-007, <http://cds.cern.ch/record/1345329>, 2011.
- [55] ATLAS Collaboration, Improved electron reconstruction in ATLAS using the Gaussian Sum Filter-based model for bremsstrahlung, ATLAS-CONF-2012-047, <http://cds.cern.ch/record/1449796>, 2012.
- [56] ATLAS Collaboration, Electron performance measurements with the ATLAS detector using the 2010 LHC proton–proton collision data, Eur. Phys. J. C 72 (2012) 1909, <http://dx.doi.org/10.1140/epjc/s10052-012-1909-1>, arXiv:1110.3174.
- [57] ATLAS Collaboration, Measurement of the inclusive isolated photon cross section in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector, Phys. Rev. D 83 (2011) 052005, <http://dx.doi.org/10.1103/PhysRevD.83.052005>, arXiv:1012.4389.
- [58] ATLAS Collaboration, Search for the Standard Model Higgs boson in the diphoton decay channel with  $4.9 \text{ fb}^{-1}$  of  $pp$  collisions at  $\sqrt{s} = 7$  TeV with ATLAS, Phys. Rev. Lett. 108 (2012) 111803, <http://dx.doi.org/10.1103/PhysRevLett.108.111803>, arXiv:1202.1414.
- [59] ATLAS Collaboration, Measurements of  $W\gamma$  and  $Z\gamma$  production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV with the ATLAS detector at the LHC, Phys. Rev. D 87 (2013) 112003, <http://dx.doi.org/10.1103/PhysRevD.87.112003>, arXiv:1302.1283.
- [60] ATLAS Collaboration, Measurements of the photon identification efficiency with the ATLAS detector using  $4.9 \text{ fb}^{-1}$  of  $pp$  collision data collected in 2011, ATLAS-CONF-2012-123, <http://cds.cern.ch/record/1473426>, 2012.
- [61] ATLAS and CMS Collaborations, Procedure for the LHC Higgs boson search combination in Summer 2011, ATLAS-PHYS-PUB-2011-011, CMS NOTE-2011/005, <http://cds.cern.ch/record/1375842>, 2011.
- [62] A.I. Read, Presentation of search results: The CL(s) technique, J. Phys. G, Nucl. Part. Phys. 28 (2002) 2693, <http://dx.doi.org/10.1088/0954-3899/28/10/313>.
- [63] G. Cowan, K. Cranmer, E. Gross, O. Vitells, Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C 71 (2011) 1554, <http://dx.doi.org/10.1140/epjc/s10052-011-1554-0>, arXiv:1007.1727.

## ATLAS Collaboration

G. Aad<sup>84</sup>, T. Abajyan<sup>21</sup>, B. Abbott<sup>112</sup>, J. Abdallah<sup>152</sup>, S. Abdel Khalek<sup>116</sup>, O. Abdinov<sup>11</sup>, R. Aben<sup>106</sup>, B. Abi<sup>113</sup>, M. Abolins<sup>89</sup>, O.S. AbouZeid<sup>159</sup>, H. Abramowicz<sup>154</sup>, H. Abreu<sup>137</sup>, Y. Abulaiti<sup>147a,147b</sup>, B.S. Acharya<sup>165a,165b,a</sup>, L. Adamczyk<sup>38a</sup>, D.L. Adams<sup>25</sup>, T.N. Addy<sup>56</sup>, J. Adelman<sup>177</sup>, S. Adomeit<sup>99</sup>, T. Adye<sup>130</sup>, T. Agatonovic-Jovin<sup>13b</sup>, J.A. Aguilar-Saavedra<sup>125f,125a</sup>, M. Agustoni<sup>17</sup>, S.P. Ahlen<sup>22</sup>, A. Ahmad<sup>149</sup>, F. Ahmadov<sup>64,b</sup>, G. Aielli<sup>134a,134b</sup>, T.P.A. Åkesson<sup>80</sup>, G. Akimoto<sup>156</sup>, A.V. Akimov<sup>95</sup>, J. Albert<sup>170</sup>, S. Albrand<sup>55</sup>, M.J. Alconada Verzini<sup>70</sup>, M. Aleksa<sup>30</sup>, I.N. Aleksandrov<sup>64</sup>, C. Alexa<sup>26a</sup>, G. Alexander<sup>154</sup>, G. Alexandre<sup>49</sup>, T. Alexopoulos<sup>10</sup>, M. Alhroob<sup>165a,165c</sup>, G. Alimonti<sup>90a</sup>, L. Alio<sup>84</sup>, J. Alison<sup>31</sup>, B.M.M. Allbrooke<sup>18</sup>, L.J. Allison<sup>71</sup>, P.P. Allport<sup>73</sup>, S.E. Allwood-Spiers<sup>53</sup>, J. Almond<sup>83</sup>, A. Aloisio<sup>103a,103b</sup>, R. Alon<sup>173</sup>, A. Alonso<sup>36</sup>, F. Alonso<sup>70</sup>, C. Alpigiani<sup>75</sup>, A. Altheimer<sup>35</sup>, B. Alvarez Gonzalez<sup>89</sup>, M.G. Alviggi<sup>103a,103b</sup>, K. Amako<sup>65</sup>, Y. Amaral Coutinho<sup>24a</sup>, C. Amelung<sup>23</sup>, D. Amidei<sup>88</sup>, V.V. Ammosov<sup>129,\*</sup>, S.P. Amor Dos Santos<sup>125a,125c</sup>, A. Amorim<sup>125a,125b</sup>, S. Amoroso<sup>48</sup>, N. Amram<sup>154</sup>, G. Amundsen<sup>23</sup>, C. Anastopoulos<sup>140</sup>, L.S. Ancu<sup>17</sup>, N. Andari<sup>30</sup>, T. Andeen<sup>35</sup>, C.F. Anders<sup>58b</sup>, G. Anders<sup>30</sup>, K.J. Anderson<sup>31</sup>, A. Andreazza<sup>90a,90b</sup>, V. Andrei<sup>58a</sup>, X.S. Anduaga<sup>70</sup>, S. Angelidakis<sup>9</sup>, P. Anger<sup>44</sup>, A. Angerami<sup>35</sup>, F. Anghinolfi<sup>30</sup>, A.V. Anisenkov<sup>108</sup>, N. Anjos<sup>125a</sup>, A. Anovi<sup>47</sup>, A. Antonaki<sup>9</sup>, M. Antonelli<sup>47</sup>, A. Antonov<sup>97</sup>, J. Antos<sup>145b</sup>, F. Anulli<sup>133a</sup>, M. Aoki<sup>65</sup>, L. Aperio Bella<sup>18</sup>, R. Apolle<sup>119,c</sup>, G. Arabidze<sup>89</sup>, I. Aracena<sup>144</sup>, Y. Arai<sup>65</sup>, J.P. Araque<sup>125a</sup>, A.T.H. Arce<sup>45</sup>, J-F. Arguin<sup>94</sup>, S. Argyropoulos<sup>42</sup>, M. Arik<sup>19a</sup>, A.J. Armbruster<sup>88</sup>, O. Arnaez<sup>82</sup>, V. Arnal<sup>81</sup>, O. Arslan<sup>21</sup>, A. Artamonov<sup>96</sup>, G. Artoni<sup>23</sup>, S. Asai<sup>156</sup>, N. Asbah<sup>94</sup>, A. Ashkenazi<sup>154</sup>, S. Ask<sup>28</sup>, B. Åsman<sup>147a,147b</sup>, L. Asquith<sup>6</sup>, K. Assamagan<sup>25</sup>, R. Astalos<sup>145a</sup>, M. Atkinson<sup>166</sup>, N.B. Atlay<sup>142</sup>, B. Auerbach<sup>6</sup>, E. Auge<sup>116</sup>,

- K. Augsten <sup>127</sup>, M. Auroousseau <sup>146b</sup>, G. Avolio <sup>30</sup>, G. Azuelos <sup>94,d</sup>, Y. Azuma <sup>156</sup>, M.A. Baak <sup>30</sup>, C. Bacci <sup>135a,135b</sup>, A.M. Bach <sup>15</sup>, H. Bachacou <sup>137</sup>, K. Bachas <sup>155</sup>, M. Backes <sup>30</sup>, M. Backhaus <sup>30</sup>, J. Backus Mayes <sup>144</sup>, E. Badescu <sup>26a</sup>, P. Bagiacchi <sup>133a,133b</sup>, P. Bagnaia <sup>133a,133b</sup>, Y. Bai <sup>33a</sup>, D.C. Bailey <sup>159</sup>, T. Bain <sup>35</sup>, J.T. Baines <sup>130</sup>, O.K. Baker <sup>177</sup>, S. Baker <sup>77</sup>, P. Balek <sup>128</sup>, F. Balli <sup>137</sup>, E. Banas <sup>39</sup>, Sw. Banerjee <sup>174</sup>, D. Banfi <sup>30</sup>, A. Bangert <sup>151</sup>, A.A.E. Bannoura <sup>176</sup>, V. Bansal <sup>170</sup>, H.S. Bansil <sup>18</sup>, L. Barak <sup>173</sup>, S.P. Baranov <sup>95</sup>, T. Barber <sup>48</sup>, E.L. Barberio <sup>87</sup>, D. Barberis <sup>50a,50b</sup>, M. Barbero <sup>84</sup>, T. Barillari <sup>100</sup>, M. Barisonzi <sup>176</sup>, T. Barklow <sup>144</sup>, N. Barlow <sup>28</sup>, B.M. Barnett <sup>130</sup>, R.M. Barnett <sup>15</sup>, Z. Barnovska <sup>5</sup>, A. Baroncelli <sup>135a</sup>, G. Barone <sup>49</sup>, A.J. Barr <sup>119</sup>, F. Barreiro <sup>81</sup>, J. Barreiro Guimaraes da Costa <sup>57</sup>, R. Bartoldus <sup>144</sup>, A.E. Barton <sup>71</sup>, P. Bartos <sup>145a</sup>, V. Bartsch <sup>150</sup>, A. Bassalat <sup>116</sup>, A. Basye <sup>166</sup>, R.L. Bates <sup>53</sup>, L. Batkova <sup>145a</sup>, J.R. Batley <sup>28</sup>, M. Battistin <sup>30</sup>, F. Bauer <sup>137</sup>, H.S. Bawa <sup>144,e</sup>, T. Beau <sup>79</sup>, P.H. Beauchemin <sup>162</sup>, R. Beccherle <sup>123a,123b</sup>, P. Bechtle <sup>21</sup>, H.P. Beck <sup>17</sup>, K. Becker <sup>176</sup>, S. Becker <sup>99</sup>, M. Beckingham <sup>139</sup>, C. Becot <sup>116</sup>, A.J. Beddall <sup>19c</sup>, A. Beddall <sup>19c</sup>, S. Bedikian <sup>177</sup>, V.A. Bednyakov <sup>64</sup>, C.P. Bee <sup>149</sup>, L.J. Beemster <sup>106</sup>, T.A. Beermann <sup>176</sup>, M. Begel <sup>25</sup>, K. Behr <sup>119</sup>, C. Belanger-Champagne <sup>86</sup>, P.J. Bell <sup>49</sup>, W.H. Bell <sup>49</sup>, G. Bella <sup>154</sup>, L. Bellagamba <sup>20a</sup>, A. Bellerive <sup>29</sup>, M. Bellomo <sup>85</sup>, A. Belloni <sup>57</sup>, O.L. Beloborodova <sup>108,f</sup>, K. Belotskiy <sup>97</sup>, O. Beltramello <sup>30</sup>, O. Benary <sup>154</sup>, D. Benchekroun <sup>136a</sup>, K. Bendtz <sup>147a,147b</sup>, N. Benekos <sup>166</sup>, Y. Benhammou <sup>154</sup>, E. Benhar Noccioli <sup>49</sup>, J.A. Benitez Garcia <sup>160b</sup>, D.P. Benjamin <sup>45</sup>, J.R. Bensinger <sup>23</sup>, K. Benslama <sup>131</sup>, S. Bentvelsen <sup>106</sup>, D. Berge <sup>106</sup>, E. Bergeaas Kuutmann <sup>16</sup>, N. Berger <sup>5</sup>, F. Berghaus <sup>170</sup>, E. Berglund <sup>106</sup>, J. Beringer <sup>15</sup>, C. Bernard <sup>22</sup>, P. Bernat <sup>77</sup>, C. Bernius <sup>78</sup>, F.U. Bernlochner <sup>170</sup>, T. Berry <sup>76</sup>, P. Berta <sup>128</sup>, C. Bertella <sup>84</sup>, F. Bertolucci <sup>123a,123b</sup>, M.I. Besana <sup>90a</sup>, G.J. Besjes <sup>105</sup>, O. Bessidskaia <sup>147a,147b</sup>, N. Besson <sup>137</sup>, C. Betancourt <sup>48</sup>, S. Bethke <sup>100</sup>, W. Bhimji <sup>46</sup>, R.M. Bianchi <sup>124</sup>, L. Bianchini <sup>23</sup>, M. Bianco <sup>30</sup>, O. Biebel <sup>99</sup>, S.P. Bieniek <sup>77</sup>, K. Bierwagen <sup>54</sup>, J. Biesiada <sup>15</sup>, M. Biglietti <sup>135a</sup>, J. Bilbao De Mendizabal <sup>49</sup>, H. Bilonok <sup>47</sup>, M. Bindu <sup>54</sup>, S. Binet <sup>116</sup>, A. Bingul <sup>19c</sup>, C. Bini <sup>133a,133b</sup>, C.W. Black <sup>151</sup>, J.E. Black <sup>144</sup>, K.M. Black <sup>22</sup>, D. Blackburn <sup>139</sup>, R.E. Blair <sup>6</sup>, J.-B. Blanchard <sup>137</sup>, T. Blazek <sup>145a</sup>, I. Bloch <sup>42</sup>, C. Blocker <sup>23</sup>, W. Blum <sup>82,\*</sup>, U. Blumenschein <sup>54</sup>, G.J. Bobbink <sup>106</sup>, V.S. Bobrovnikov <sup>108</sup>, S.S. Bocchetta <sup>80</sup>, A. Bocci <sup>45</sup>, C.R. Boddy <sup>119</sup>, M. Boehler <sup>48</sup>, J. Boek <sup>176</sup>, T.T. Boek <sup>176</sup>, J.A. Bogaerts <sup>30</sup>, A.G. Bogdanchikov <sup>108</sup>, A. Bogouch <sup>91,\*</sup>, C. Bohm <sup>147a</sup>, J. Bohm <sup>126</sup>, V. Boisvert <sup>76</sup>, T. Bold <sup>38a</sup>, V. Boldea <sup>26a</sup>, A.S. Boldyrev <sup>98</sup>, N.M. Bolnet <sup>137</sup>, M. Bomben <sup>79</sup>, M. Bona <sup>75</sup>, M. Boonekamp <sup>137</sup>, A. Borisov <sup>129</sup>, G. Borissov <sup>71</sup>, M. Borri <sup>83</sup>, S. Borroni <sup>42</sup>, J. Bortfeldt <sup>99</sup>, V. Bortolotto <sup>135a,135b</sup>, K. Bos <sup>106</sup>, D. Boscherini <sup>20a</sup>, M. Bosman <sup>12</sup>, H. Boterenbrood <sup>106</sup>, J. Boudreau <sup>124</sup>, J. Bouffard <sup>2</sup>, E.V. Bouhova-Thacker <sup>71</sup>, D. Boumediene <sup>34</sup>, C. Bourdarios <sup>116</sup>, N. Bousson <sup>113</sup>, S. Boutouil <sup>136d</sup>, A. Boveia <sup>31</sup>, J. Boyd <sup>30</sup>, I.R. Boyko <sup>64</sup>, I. Bozovic-Jelisavcic <sup>13b</sup>, J. Bracinik <sup>18</sup>, P. Branchini <sup>135a</sup>, A. Brandt <sup>8</sup>, G. Brandt <sup>15</sup>, O. Brandt <sup>58a</sup>, U. Bratzler <sup>157</sup>, B. Brau <sup>85</sup>, J.E. Brau <sup>115</sup>, H.M. Braun <sup>176,\*</sup>, S.F. Brazzale <sup>165a,165c</sup>, B. Brelier <sup>159</sup>, K. Brendlinger <sup>121</sup>, A.J. Brennan <sup>87</sup>, R. Brenner <sup>167</sup>, S. Bressler <sup>173</sup>, K. Bristow <sup>146c</sup>, T.M. Bristow <sup>46</sup>, D. Britton <sup>53</sup>, F.M. Brochu <sup>28</sup>, I. Brock <sup>21</sup>, R. Brock <sup>89</sup>, C. Bromberg <sup>89</sup>, J. Bronner <sup>100</sup>, G. Brooijmans <sup>35</sup>, T. Brooks <sup>76</sup>, W.K. Brooks <sup>32b</sup>, J. Brosamer <sup>15</sup>, E. Brost <sup>115</sup>, G. Brown <sup>83</sup>, J. Brown <sup>55</sup>, P.A. Bruckman de Renstrom <sup>39</sup>, D. Bruncko <sup>145b</sup>, R. Bruneliere <sup>48</sup>, S. Brunet <sup>60</sup>, A. Bruni <sup>20a</sup>, G. Bruni <sup>20a</sup>, M. Bruschi <sup>20a</sup>, L. Bryngemark <sup>80</sup>, T. Buanes <sup>14</sup>, Q. Buat <sup>143</sup>, F. Bucci <sup>49</sup>, P. Buchholz <sup>142</sup>, R.M. Buckingham <sup>119</sup>, A.G. Buckley <sup>53</sup>, S.I. Buda <sup>26a</sup>, I.A. Budagov <sup>64</sup>, F. Buehrer <sup>48</sup>, L. Bugge <sup>118</sup>, M.K. Bugge <sup>118</sup>, O. Bulekov <sup>97</sup>, A.C. Bundock <sup>73</sup>, H. Burckhart <sup>30</sup>, S. Burdin <sup>73</sup>, B. Burgrave <sup>107</sup>, S. Burke <sup>130</sup>, I. Burmeister <sup>43</sup>, E. Busato <sup>34</sup>, V. Büscher <sup>82</sup>, P. Bussey <sup>53</sup>, C.P. Bussello <sup>167</sup>, B. Butler <sup>57</sup>, J.M. Butler <sup>22</sup>, A.I. Butt <sup>3</sup>, C.M. Buttar <sup>53</sup>, J.M. Butterworth <sup>77</sup>, P. Butti <sup>106</sup>, W. Buttinger <sup>28</sup>, A. Buzatu <sup>53</sup>, M. Byszewski <sup>10</sup>, S. Cabrera Urbán <sup>168</sup>, D. Caforio <sup>20a,20b</sup>, O. Cakir <sup>4a</sup>, P. Calafiura <sup>15</sup>, G. Calderini <sup>79</sup>, P. Calfayan <sup>99</sup>, R. Calkins <sup>107</sup>, L.P. Caloba <sup>24a</sup>, D. Calvet <sup>34</sup>, S. Calvet <sup>34</sup>, R. Camacho Toro <sup>49</sup>, S. Camarda <sup>42</sup>, P. Camarri <sup>134a,134b</sup>, D. Cameron <sup>118</sup>, L.M. Caminada <sup>15</sup>, R. Caminal Armadans <sup>12</sup>, S. Campana <sup>30</sup>, M. Campanelli <sup>77</sup>, A. Campoverde <sup>149</sup>, V. Canale <sup>103a,103b</sup>, A. Canepa <sup>160a</sup>, J. Cantero <sup>81</sup>, R. Cantrill <sup>76</sup>, T. Cao <sup>40</sup>, M.D.M. Capeans Garrido <sup>30</sup>, I. Caprini <sup>26a</sup>, M. Caprini <sup>26a</sup>, M. Capua <sup>37a,37b</sup>, R. Caputo <sup>82</sup>, R. Cardarelli <sup>134a</sup>, T. Carli <sup>30</sup>, G. Carlino <sup>103a</sup>, L. Carminati <sup>90a,90b</sup>, S. Caron <sup>105</sup>, E. Carquin <sup>32a</sup>, G.D. Carrillo-Montoya <sup>146c</sup>, A.A. Carter <sup>75</sup>, J.R. Carter <sup>28</sup>, J. Carvalho <sup>125a,125c</sup>, D. Casadei <sup>77</sup>, M.P. Casado <sup>12</sup>, E. Castaneda-Miranda <sup>146b</sup>, A. Castelli <sup>106</sup>, V. Castillo Gimenez <sup>168</sup>, N.F. Castro <sup>125a</sup>, P. Catastini <sup>57</sup>, A. Catinaccio <sup>30</sup>, J.R. Catmore <sup>71</sup>, A. Cattai <sup>30</sup>, G. Cattani <sup>134a,134b</sup>, S. Caughron <sup>89</sup>, V. Cavalieri <sup>166</sup>, D. Cavalli <sup>90a</sup>, M. Cavalli-Sforza <sup>12</sup>, V. Cavasinni <sup>123a,123b</sup>, F. Ceradini <sup>135a,135b</sup>, B. Cerio <sup>45</sup>, K. Cerny <sup>128</sup>, A.S. Cerqueira <sup>24b</sup>, A. Cerri <sup>150</sup>, L. Cerrito <sup>75</sup>, F. Cerutti <sup>15</sup>, M. Cerv <sup>30</sup>, A. Cervelli <sup>17</sup>, S.A. Cetin <sup>19b</sup>, A. Chafaq <sup>136a</sup>, D. Chakraborty <sup>107</sup>, I. Chalupkova <sup>128</sup>, K. Chan <sup>3</sup>, P. Chang <sup>166</sup>, B. Chapleau <sup>86</sup>,

- J.D. Chapman 28, D. Charfeddine 116, D.G. Charlton 18, C.C. Chau 159, C.A. Chavez Barajas 150, S. Cheatham 86, A. Chegwidden 89, S. Chekanov 6, S.V. Chekulaev 160a, G.A. Chelkov 64, M.A. Chelstowska 88, C. Chen 63, H. Chen 25, K. Chen 149, L. Chen 33d,g, S. Chen 33c, X. Chen 146c, Y. Chen 35, H.C. Cheng 88, Y. Cheng 31, A. Cheplakov 64, R. Cherkaoui El Moursli 136e, V. Chernyatin 25,\* E. Cheu 7, L. Chevalier 137, V. Chiarella 47, G. Chiefari 103a,103b, J.T. Childers 6, A. Chilingarov 71, G. Chiodini 72a, A.S. Chisholm 18, R.T. Chislett 77, A. Chitan 26a, M.V. Chizhov 64, S. Chouridou 9, B.K.B. Chow 99, I.A. Christidi 77, D. Chromek-Burckhart 30, M.L. Chu 152, J. Chudoba 126, L. Chytka 114, G. Ciapetti 133a,133b, A.K. Ciftci 4a, R. Ciftci 4a, D. Cinca 62, V. Cindro 74, A. Ciocio 15, P. Cirkovic 13b, Z.H. Citron 173, M. Citterio 90a, M. Ciubancan 26a, A. Clark 49, P.J. Clark 46, R.N. Clarke 15, W. Cleland 124, J.C. Clemens 84, B. Clement 55, C. Clement 147a,147b, Y. Coadou 84, M. Cobal 165a,165c, A. Coccaro 139, J. Cochran 63, L. Coffey 23, J.G. Cogan 144, J. Coggeshall 166, B. Cole 35, S. Cole 107, A.P. Colijn 106, C. Collins-Tooth 53, J. Collot 55, T. Colombo 58c, G. Colon 85, G. Compostella 100, P. Conde Muiño 125a,125b, E. Coniavitis 167, M.C. Conidi 12, S.H. Connell 146b, I.A. Connolly 76, S.M. Consonni 90a,90b, V. Consorti 48, S. Constantinescu 26a, C. Conta 120a,120b, G. Conti 57, F. Conventi 103a,h, M. Cooke 15, B.D. Cooper 77, A.M. Cooper-Sarkar 119, N.J. Cooper-Smith 76, K. Copic 15, T. Cornelissen 176, M. Corradi 20a, F. Corriveau 86,i, A. Corso-Radu 164, A. Cortes-Gonzalez 12, G. Cortiana 100, G. Costa 90a, M.J. Costa 168, D. Costanzo 140, D. Côté 8, G. Cottin 28, G. Cowan 76, B.E. Cox 83, K. Cranmer 109, G. Cree 29, S. Crépé-Renaudin 55, F. Crescioli 79, M. Crispin Ortuzar 119, M. Cristinziani 21, G. Crosetti 37a,37b, C.-M. Cuciuc 26a, C. Cuenca Almenar 177, T. Cuhadar Donszelmann 140, J. Cummings 177, M. Curatolo 47, C. Cuthbert 151, H. Czirr 142, P. Czodrowski 3, Z. Czyczula 177, S. D'Auria 53, M. D'Onofrio 73, M.J. Da Cunha Sargedas De Sousa 125a,125b, C. Da Via 83, W. Dabrowski 38a, A. Dafinca 119, T. Dai 88, O. Dale 14, F. Dallaire 94, C. Dallapiccola 85, M. Dam 36, A.C. Daniells 18, M. Dano Hoffmann 137, V. Dao 105, G. Darbo 50a, G.L. Darlea 26c, S. Darmora 8, J.A. Dassoulas 42, W. Davey 21, C. David 170, T. Davidek 128, E. Davies 119,c, M. Davies 94, O. Davignon 79, A.R. Davison 77, P. Davison 77, Y. Davygora 58a, E. Dawe 143, I. Dawson 140, R.K. Daya-Ishmukhametova 23, K. De 8, R. de Asmundis 103a, S. De Castro 20a,20b, S. De Cecco 79, J. de Graat 99, N. De Groot 105, P. de Jong 106, C. De La Taille 116, H. De la Torre 81, F. De Lorenzi 63, L. De Nooij 106, D. De Pedis 133a, A. De Salvo 133a, U. De Sanctis 165a,165c, A. De Santo 150, J.B. De Vivie De Regie 116, G. De Zorzi 133a,133b, W.J. Dearnaley 71, R. Debbe 25, C. Debenedetti 46, B. Dechenaux 55, D.V. Dedovich 64, J. Degenhardt 121, I. Deigaard 106, J. Del Peso 81, T. Del Prete 123a,123b, F. Deliot 137, M. Deliyergiyev 74, A. Dell'Acqua 30, L. Dell'Asta 22, M. Dell'Orso 123a,123b, M. Della Pietra 103a,h, D. della Volpe 49, M. Delmastro 5, P.A. Delsart 55, C. Deluca 106, S. Demers 177, M. Demichev 64, A. Demilly 79, S.P. Denisov 129, D. Derendarz 39, J.E. Derkaoui 136d, F. Derue 79, P. Dervan 73, K. Desch 21, C. Deterre 42, P.O. Deviveiros 106, A. Dewhurst 130, S. Dhaliwal 106, A. Di Ciaccio 134a,134b, L. Di Ciaccio 5, A. Di Domenico 133a,133b, C. Di Donato 103a,103b, A. Di Girolamo 30, B. Di Girolamo 30, A. Di Mattia 153, B. Di Micco 135a,135b, R. Di Nardo 47, A. Di Simone 48, R. Di Sipio 20a,20b, D. Di Valentino 29, M.A. Diaz 32a, E.B. Diehl 88, J. Dietrich 42, T.A. Dietzscht 58a, S. Diglio 87, A. Dimitrievska 13a, J. Dingfelder 21, C. Dionisi 133a,133b, P. Dita 26a, S. Dita 26a, F. Dittus 30, F. Djama 84, T. Djobava 51b, M.A.B. do Vale 24c, A. Do Valle Wemans 125a,125g, T.K.O. Doan 5, D. Dobos 30, E. Dobson 77, C. Doglioni 49, T. Doherty 53, T. Dohmae 156, J. Dolejsi 128, Z. Dolezal 128, B.A. Dolgoshein 97,\* M. Donadelli 24d, S. Donati 123a,123b, P. Dondero 120a,120b, J. Donini 34, J. Dopke 30, A. Doria 103a, A. Dos Anjos 174, A. Dotti 123a,123b, M.T. Dova 70, A.T. Doyle 53, M. Dris 10, J. Dubbert 88, S. Dube 15, E. Dubreuil 34, E. Duchovni 173, G. Duckeck 99, O.A. Ducu 26a, D. Duda 176, A. Dudarev 30, F. Dudziak 63, L. Duflot 116, L. Duguid 76, M. Dürrssen 30, M. Dunford 58a, H. Duran Yildiz 4a, M. Düren 52, A. Durglishvili 51b, M. Dwuznik 38a, M. Dyndal 38a, J. Ebke 99, W. Edson 2, N.C. Edwards 46, W. Ehrenfeld 21, T. Eifert 144, G. Eigen 14, K. Einsweiler 15, T. Ekelof 167, M. El Kacimi 136c, M. Ellert 167, S. Elles 5, F. Ellinghaus 82, K. Ellis 75, N. Ellis 30, J. Elmsheuser 99, M. Elsing 30, D. Emeliyanov 130, Y. Enari 156, O.C. Endner 82, M. Endo 117, R. Engelmann 149, J. Erdmann 177, A. Ereditato 17, D. Eriksson 147a, G. Ernis 176, J. Ernst 2, M. Ernst 25, J. Ernwein 137, D. Errede 166, S. Errede 166, E. Ertel 82, M. Escalier 116, H. Esch 43, C. Escobar 124, B. Esposito 47, A.I. Etienne 137, E. Etzion 154, H. Evans 60, L. Fabbri 20a,20b, G. Facini 30, R.M. Fakhruddinov 129, S. Falciano 133a, Y. Fang 33a, M. Fanti 90a,90b, A. Farbin 8, A. Farilla 135a, T. Farooque 12, S. Farrell 164, S.M. Farrington 171, P. Farthouat 30, F. Fassi 168, P. Fassnacht 30, D. Fassouliotis 9, A. Favareto 50a,50b, L. Fayard 116, P. Federic 145a, O.L. Fedin 122, W. Fedorko 169,

- M. Fehling-Kaschek 48, S. Feigl 30, L. Feligioni 84, C. Feng 33d, E.J. Feng 6, H. Feng 88, A.B. Fenyuk 129,  
 S. Fernandez Perez 30, W. Fernando 6, S. Ferrag 53, J. Ferrando 53, V. Ferrara 42, A. Ferrari 167, P. Ferrari 106,  
 R. Ferrari 120a, D.E. Ferreira de Lima 53, A. Ferrer 168, D. Ferrere 49, C. Ferretti 88, A. Ferretto Parodi 50a,50b,  
 M. Fiascaris 31, F. Fiedler 82, A. Filipčič 74, M. Filipuzzi 42, F. Filthaut 105, M. Fincke-Keeler 170,  
 K.D. Finelli 151, M.C.N. Fiolhais 125a,125c, L. Fiorini 168, A. Firan 40, J. Fischer 176, M.J. Fisher 110,  
 W.C. Fisher 89, E.A. Fitzgerald 23, M. Flechl 48, I. Fleck 142, P. Fleischmann 175, S. Fleischmann 176,  
 G.T. Fletcher 140, G. Fletcher 75, T. Flick 176, A. Floderus 80, L.R. Flores Castillo 174, A.C. Florez Bustos 160b,  
 M.J. Flowerdew 100, A. Formica 137, A. Forti 83, D. Fortin 160a, D. Fournier 116, H. Fox 71, S. Fracchia 12,  
 P. Francavilla 12, M. Franchini 20a,20b, S. Franchino 30, D. Francis 30, M. Franklin 57, S. Franz 61,  
 M. Fraternali 120a,120b, S.T. French 28, C. Friedrich 42, F. Friedrich 44, D. Froidevaux 30, J.A. Frost 28,  
 C. Fukunaga 157, E. Fullana Torregrosa 82, B.G. Fulsom 144, J. Fuster 168, C. Gabaldon 55, O. Gabizon 173,  
 A. Gabrielli 20a,20b, A. Gabrielli 133a,133b, S. Gadatsch 106, S. Gadomski 49, G. Gagliardi 50a,50b, P. Gagnon 60,  
 C. Galea 105, B. Galhardo 125a,125c, E.J. Gallas 119, V. Gallo 17, B.J. Gallop 130, P. Gallus 127, G. Galster 36,  
 K.K. Gan 110, R.P. Gandrajula 62, J. Gao 33b,g, Y.S. Gao 144,e, F.M. Garay Walls 46, F. Garberson 177,  
 C. García 168, J.E. García Navarro 168, M. Garcia-Sciveres 15, R.W. Gardner 31, N. Garelli 144, V. Garonne 30,  
 C. Gatti 47, G. Gaudio 120a, B. Gaur 142, L. Gauthier 94, P. Gauzzi 133a,133b, I.L. Gavrilenko 95, C. Gay 169,  
 G. Gaycken 21, E.N. Gazis 10, P. Ge 33d,j, Z. Gecse 169, C.N.P. Gee 130, D.A.A. Geerts 106, Ch. Geich-Gimbel 21,  
 K. Gellerstedt 147a,147b, C. Gemme 50a, A. Gemmell 53, M.H. Genest 55, S. Gentile 133a,133b, M. George 54,  
 S. George 76, D. Gerbaudo 164, A. Gershon 154, H. Ghazlane 136b, N. Ghodbane 34, B. Giacobbe 20a,  
 S. Giagu 133a,133b, V. Giangiobbe 12, P. Giannetti 123a,123b, F. Gianotti 30, B. Gibbard 25, S.M. Gibson 76,  
 M. Gilchriese 15, T.P.S. Gillam 28, D. Gillberg 30, D.M. Gingrich 3,d, N. Giokaris 9, M.P. Giordani 165a,165c,  
 R. Giordano 103a,103b, F.M. Giorgi 16, P.F. Giraud 137, D. Giugni 90a, C. Giuliani 48, M. Giulini 58b,  
 B.K. Gjelsten 118, I. Gkialas 155,k, L.K. Gladilin 98, C. Glasman 81, J. Glatzer 30, P.C.F. Glaysher 46, A. Glazov 42,  
 G.L. Glonti 64, M. Goblirsch-Kolb 100, J.R. Goddard 75, J. Godfrey 143, J. Godlewski 30, C. Goeringer 82,  
 S. Goldfarb 88, T. Golling 177, D. Golubkov 129, A. Gomes 125a,125b,125d, L.S. Gomez Fajardo 42,  
 R. Gonçalo 125a, J. Goncalves Pinto Firmino Da Costa 42, L. Gonella 21, S. González de la Hoz 168,  
 G. Gonzalez Parra 12, M.L. Gonzalez Silva 27, S. Gonzalez-Sevilla 49, L. Goossens 30, P.A. Gorbounov 96,  
 H.A. Gordon 25, I. Gorelov 104, G. Gorfine 176, B. Gorini 30, E. Gorini 72a,72b, A. Gorišek 74, E. Gornicki 39,  
 A.T. Goshaw 6, C. Gössling 43, M.I. Gostkin 64, M. Gouighri 136a, D. Goujdami 136c, M.P. Goulette 49,  
 A.G. Goussiou 139, C. Goy 5, S. Gozpinar 23, H.M.X. Grabas 137, L. Gruber 54, I. Grabowska-Bold 38a,  
 P. Grafström 20a,20b, K.-J. Grahn 42, J. Gramling 49, E. Gramstad 118, F. Grancagnolo 72a, S. Grancagnolo 16,  
 V. Grassi 149, V. Gratchev 122, H.M. Gray 30, E. Graziani 135a, O.G. Grebenyuk 122, Z.D. Greenwood 78,l,  
 K. Gregersen 36, I.M. Gregor 42, P. Grenier 144, J. Griffiths 8, N. Grigalashvili 64, A.A. Grillo 138, K. Grimm 71,  
 S. Grinstein 12,m, Ph. Gris 34, Y.V. Grishkevich 98, J.-F. Grivaz 116, J.P. Grohs 44, A. Grohsjean 42, E. Gross 173,  
 J. Grosse-Knetter 54, G.C. Grossi 134a,134b, J. Groth-Jensen 173, Z.J. Grout 150, K. Grybel 142, L. Guan 33b,  
 F. Guescini 49, D. Guest 177, O. Gueta 154, C. Guicheney 34, E. Guido 50a,50b, T. Guillemin 116, S. Guindon 2,  
 U. Gul 53, C. Gumpert 44, J. Gunther 127, J. Guo 35, S. Gupta 119, P. Gutierrez 112, N.G. Gutierrez Ortiz 53,  
 C. Gutschow 77, N. Guttman 154, C. Guyot 137, C. Gwenlan 119, C.B. Gwilliam 73, A. Haas 109, C. Haber 15,  
 H.K. Hadavand 8, N. Haddad 136e, P. Haefner 21, S. Hageboeck 21, Z. Hajduk 39, H. Hakobyan 178,  
 M. Haleem 42, D. Hall 119, G. Halladjian 89, K. Hamacher 176, P. Hamal 114, K. Hamano 87, M. Hamer 54,  
 A. Hamilton 146a, S. Hamilton 162, P.G. Hamnett 42, L. Han 33b, K. Hanagaki 117, K. Hanawa 156, M. Hance 15,  
 P. Hanke 58a, J.R. Hansen 36, J.B. Hansen 36, J.D. Hansen 36, P.H. Hansen 36, K. Hara 161, A.S. Hard 174,  
 T. Harenberg 176, S. Harkusha 91, D. Harper 88, R.D. Harrington 46, O.M. Harris 139, P.F. Harrison 171,  
 F. Hartjes 106, A. Harvey 56, S. Hasegawa 102, Y. Hasegawa 141, A. Hasib 112, S. Hassani 137, S. Haug 17,  
 M. Hauschild 30, R. Hauser 89, M. Havranek 126, C.M. Hawkes 18, R.J. Hawkings 30, A.D. Hawkins 80,  
 T. Hayashi 161, D. Hayden 89, C.P. Hays 119, H.S. Hayward 73, S.J. Haywood 130, S.J. Head 18, T. Heck 82,  
 V. Hedberg 80, L. Heelan 8, S. Heim 121, T. Heim 176, B. Heinemann 15, L. Heinrich 109, S. Heisterkamp 36,  
 J. Hejbal 126, L. Helary 22, C. Heller 99, M. Heller 30, S. Hellman 147a,147b, D. Hellmich 21, C. Helsens 30,  
 J. Henderson 119, R.C.W. Henderson 71, C. Hengler 42, A. Henrichs 177, A.M. Henriques Correia 30,  
 S. Henrot-Versille 116, C. Hensel 54, G.H. Herbert 16, Y. Hernández Jiménez 168, R. Herrberg-Schubert 16,  
 G. Herten 48, R. Hertenberger 99, L. Hervas 30, G.G. Hesketh 77, N.P. Hessey 106, R. Hickling 75,  
 E. Higón-Rodríguez 168, J.C. Hill 28, K.H. Hiller 42, S. Hillert 21, S.J. Hillier 18, I. Hinchliffe 15, E. Hines 121,

- M. Hirose <sup>117</sup>, D. Hirschbuehl <sup>176</sup>, J. Hobbs <sup>149</sup>, N. Hod <sup>106</sup>, M.C. Hodgkinson <sup>140</sup>, P. Hodgson <sup>140</sup>,  
 A. Hoecker <sup>30</sup>, M.R. Hoeferkamp <sup>104</sup>, J. Hoffman <sup>40</sup>, D. Hoffmann <sup>84</sup>, J.I. Hofmann <sup>58a</sup>, M. Hohlfeld <sup>82</sup>,  
 T.R. Holmes <sup>15</sup>, T.M. Hong <sup>121</sup>, L. Hooft van Huysduyven <sup>109</sup>, J.-Y. Hostachy <sup>55</sup>, S. Hou <sup>152</sup>,  
 A. Hoummada <sup>136a</sup>, J. Howard <sup>119</sup>, J. Howarth <sup>42</sup>, M. Hrabovsky <sup>114</sup>, I. Hristova <sup>16</sup>, J. Hrvnac <sup>116</sup>,  
 T. Hryna <sup>5</sup>, P.J. Hsu <sup>82</sup>, S.-C. Hsu <sup>139</sup>, D. Hu <sup>35</sup>, X. Hu <sup>25</sup>, Y. Huang <sup>146c</sup>, Z. Hubacek <sup>30</sup>, F. Hubaut <sup>84</sup>,  
 F. Huegging <sup>21</sup>, T.B. Huffman <sup>119</sup>, E.W. Hughes <sup>35</sup>, G. Hughes <sup>71</sup>, M. Huhtinen <sup>30</sup>, T.A. Hülsing <sup>82</sup>,  
 M. Hurwitz <sup>15</sup>, N. Huseynov <sup>64,b</sup>, J. Huston <sup>89</sup>, J. Huth <sup>57</sup>, G. Iacobucci <sup>49</sup>, G. Iakovidis <sup>10</sup>, I. Ibragimov <sup>142</sup>,  
 L. Iconomidou-Fayard <sup>116</sup>, J. Idarraga <sup>116</sup>, E. Ideal <sup>177</sup>, P. Iengo <sup>103a</sup>, O. Igonkina <sup>106</sup>, T. Izawa <sup>172</sup>,  
 Y. Ikegami <sup>65</sup>, K. Ikematsu <sup>142</sup>, M. Ikeno <sup>65</sup>, D. Iliadis <sup>155</sup>, N. Ilic <sup>159</sup>, Y. Inamaru <sup>66</sup>, T. Ince <sup>100</sup>, P. Ioannou <sup>9</sup>,  
 M. Iodice <sup>135a</sup>, K. Iordanidou <sup>9</sup>, V. Ippolito <sup>57</sup>, A. Irles Quiles <sup>168</sup>, C. Isaksson <sup>167</sup>, M. Ishino <sup>67</sup>,  
 M. Ishitsuka <sup>158</sup>, R. Ishmukhametov <sup>110</sup>, C. Issever <sup>119</sup>, S. Isti <sup>19a</sup>, J.M. Iturbe Ponce <sup>83</sup>, A.V. Ivashin <sup>129</sup>,  
 W. Iwanski <sup>39</sup>, H. Iwasaki <sup>65</sup>, J.M. Izen <sup>41</sup>, V. Izzo <sup>103a</sup>, B. Jackson <sup>121</sup>, J.N. Jackson <sup>73</sup>, M. Jackson <sup>73</sup>,  
 P. Jackson <sup>1</sup>, M.R. Jaekel <sup>30</sup>, V. Jain <sup>2</sup>, K. Jakobs <sup>48</sup>, S. Jakobsen <sup>36</sup>, T. Jakoubek <sup>126</sup>, J. Jakubek <sup>127</sup>,  
 D.O. Jamin <sup>152</sup>, D.K. Jana <sup>78</sup>, E. Jansen <sup>77</sup>, H. Jansen <sup>30</sup>, J. Janssen <sup>21</sup>, M. Janus <sup>171</sup>, G. Jarlskog <sup>80</sup>,  
 T. Javurek <sup>48</sup>, L. Jeanty <sup>15</sup>, G.-Y. Jeng <sup>151</sup>, D. Jennens <sup>87</sup>, P. Jenni <sup>48,n</sup>, J. Jentzsch <sup>43</sup>, C. Jeske <sup>171</sup>, S. Jézéquel <sup>5</sup>,  
 H. Ji <sup>174</sup>, W. Ji <sup>82</sup>, J. Jia <sup>149</sup>, Y. Jiang <sup>33b</sup>, M. Jimenez Belenguer <sup>42</sup>, S. Jin <sup>33a</sup>, A. Jinaru <sup>26a</sup>, O. Jinnouchi <sup>158</sup>,  
 M.D. Joergensen <sup>36</sup>, K.E. Johansson <sup>147a</sup>, P. Johansson <sup>140</sup>, K.A. Johns <sup>7</sup>, K. Jon-And <sup>147a,147b</sup>, G. Jones <sup>171</sup>,  
 R.W.L. Jones <sup>71</sup>, T.J. Jones <sup>73</sup>, J. Jongmanns <sup>58a</sup>, P.M. Jorge <sup>125a,125b</sup>, K.D. Joshi <sup>83</sup>, J. Jovicevic <sup>148</sup>, X. Ju <sup>174</sup>,  
 C.A. Jung <sup>43</sup>, R.M. Jungst <sup>30</sup>, P. Jussel <sup>61</sup>, A. Juste Rozas <sup>12,m</sup>, M. Kaci <sup>168</sup>, A. Kaczmarska <sup>39</sup>, M. Kado <sup>116</sup>,  
 H. Kagan <sup>110</sup>, M. Kagan <sup>144</sup>, E. Kajomovitz <sup>45</sup>, S. Kama <sup>40</sup>, N. Kanaya <sup>156</sup>, M. Kaneda <sup>30</sup>, S. Kaneti <sup>28</sup>,  
 T. Kanno <sup>158</sup>, V.A. Kantserov <sup>97</sup>, J. Kanzaki <sup>65</sup>, B. Kaplan <sup>109</sup>, A. Kapliy <sup>31</sup>, D. Kar <sup>53</sup>, K. Karakostas <sup>10</sup>,  
 N. Karastathis <sup>10</sup>, M. Karnevskiy <sup>82</sup>, S.N. Karpov <sup>64</sup>, K. Karthik <sup>109</sup>, V. Kartvelishvili <sup>71</sup>, A.N. Karyukhin <sup>129</sup>,  
 L. Kashif <sup>174</sup>, G. Kasieczka <sup>58b</sup>, R.D. Kass <sup>110</sup>, A. Kastanas <sup>14</sup>, Y. Kataoka <sup>156</sup>, A. Katre <sup>49</sup>, J. Katzy <sup>42</sup>,  
 V. Kaushik <sup>7</sup>, K. Kawagoe <sup>69</sup>, T. Kawamoto <sup>156</sup>, G. Kawamura <sup>54</sup>, S. Kazama <sup>156</sup>, V.F. Kazanin <sup>108</sup>,  
 M.Y. Kazarinov <sup>64</sup>, R. Keeler <sup>170</sup>, P.T. Keener <sup>121</sup>, R. Kehoe <sup>40</sup>, M. Keil <sup>54</sup>, J.S. Keller <sup>42</sup>, H. Keoshkerian <sup>5</sup>,  
 O. Kepka <sup>126</sup>, B.P. Kerševan <sup>74</sup>, S. Kersten <sup>176</sup>, K. Kessoku <sup>156</sup>, J. Keung <sup>159</sup>, F. Khalil-zada <sup>11</sup>,  
 H. Khandanyan <sup>147a,147b</sup>, A. Khanov <sup>113</sup>, A. Khodinov <sup>97</sup>, A. Khomich <sup>58a</sup>, T.J. Khoo <sup>28</sup>, G. Khoriauli <sup>21</sup>,  
 A. Khoroshilov <sup>176</sup>, V. Khovanskiy <sup>96</sup>, E. Khramov <sup>64</sup>, J. Khubua <sup>51b</sup>, H.Y. Kim <sup>8</sup>, H. Kim <sup>147a,147b</sup>,  
 S.H. Kim <sup>161</sup>, N. Kimura <sup>172</sup>, O. Kind <sup>16</sup>, B.T. King <sup>73</sup>, M. King <sup>168</sup>, R.S.B. King <sup>119</sup>, S.B. King <sup>169</sup>, J. Kirk <sup>130</sup>,  
 A.E. Kiryunin <sup>100</sup>, T. Kishimoto <sup>66</sup>, D. Kisielewska <sup>38a</sup>, F. Kiss <sup>48</sup>, T. Kitamura <sup>66</sup>, T. Kittelmann <sup>124</sup>,  
 K. Kiuchi <sup>161</sup>, E. Kladiva <sup>145b</sup>, M. Klein <sup>73</sup>, U. Klein <sup>73</sup>, K. Kleinknecht <sup>82</sup>, P. Klimek <sup>147a,147b</sup>, A. Klimentov <sup>25</sup>,  
 R. Klingenberg <sup>43</sup>, J.A. Klinger <sup>83</sup>, E.B. Klinkby <sup>36</sup>, T. Klioutchnikova <sup>30</sup>, P.F. Klok <sup>105</sup>, E.-E. Kluge <sup>58a</sup>,  
 P. Kluit <sup>106</sup>, S. Kluth <sup>100</sup>, E. Knerner <sup>61</sup>, E.B.F.G. Knoops <sup>84</sup>, A. Knue <sup>53</sup>, T. Kobayashi <sup>156</sup>, M. Kobel <sup>44</sup>,  
 M. Kocian <sup>144</sup>, P. Kodys <sup>128</sup>, P. Koevesarki <sup>21</sup>, T. Koffas <sup>29</sup>, E. Koffeman <sup>106</sup>, L.A. Kogan <sup>119</sup>, S. Kohlmann <sup>176</sup>,  
 Z. Kohout <sup>127</sup>, T. Kohriki <sup>65</sup>, T. Koi <sup>144</sup>, H. Kolanoski <sup>16</sup>, I. Koletsou <sup>5</sup>, J. Koll <sup>89</sup>, A.A. Komar <sup>95,\*</sup>,  
 Y. Komori <sup>156</sup>, T. Kondo <sup>65</sup>, K. Köneke <sup>48</sup>, A.C. König <sup>105</sup>, S. König <sup>82</sup>, T. Kono <sup>65,o</sup>, R. Konoplich <sup>109,p</sup>,  
 N. Konstantinidis <sup>77</sup>, R. Kopeliansky <sup>153</sup>, S. Koperny <sup>38a</sup>, L. Köpke <sup>82</sup>, A.K. Kopp <sup>48</sup>, K. Korcyl <sup>39</sup>,  
 K. Kordas <sup>155</sup>, A. Korn <sup>77</sup>, A.A. Korol <sup>108</sup>, I. Korolkov <sup>12</sup>, E.V. Korolkova <sup>140</sup>, V.A. Korotkov <sup>129</sup>, O. Kortner <sup>100</sup>,  
 S. Kortner <sup>100</sup>, V.V. Kostyukhin <sup>21</sup>, S. Kotov <sup>100</sup>, V.M. Kotov <sup>64</sup>, A. Kotwal <sup>45</sup>, C. Kourkoumelis <sup>9</sup>,  
 V. Kouskoura <sup>155</sup>, A. Koutsman <sup>160a</sup>, R. Kowalewski <sup>170</sup>, T.Z. Kowalski <sup>38a</sup>, W. Kozanecki <sup>137</sup>, A.S. Kozhin <sup>129</sup>,  
 V. Kral <sup>127</sup>, V.A. Kramarenko <sup>98</sup>, G. Kramberger <sup>74</sup>, D. Krasnopevtsev <sup>97</sup>, M.W. Krasny <sup>79</sup>,  
 A. Krasznahorkay <sup>30</sup>, J.K. Kraus <sup>21</sup>, A. Kravchenko <sup>25</sup>, S. Kreiss <sup>109</sup>, M. Kretz <sup>58c</sup>, J. Kretzschmar <sup>73</sup>,  
 K. Kreutzfeldt <sup>52</sup>, P. Krieger <sup>159</sup>, K. Kroeninger <sup>54</sup>, H. Kroha <sup>100</sup>, J. Kroll <sup>121</sup>, J. Kroseberg <sup>21</sup>, J. Krstic <sup>13a</sup>,  
 U. Kruchonak <sup>64</sup>, H. Krüger <sup>21</sup>, T. Kruker <sup>17</sup>, N. Krumnack <sup>63</sup>, Z.V. Krumshteyn <sup>64</sup>, A. Kruse <sup>174</sup>,  
 M.C. Kruse <sup>45</sup>, M. Kruskal <sup>22</sup>, T. Kubota <sup>87</sup>, S. Kuday <sup>4a</sup>, S. Kuehn <sup>48</sup>, A. Kugel <sup>58c</sup>, A. Kuhl <sup>138</sup>, T. Kuhl <sup>42</sup>,  
 V. Kukhtin <sup>64</sup>, Y. Kulchitsky <sup>91</sup>, S. Kuleshov <sup>32b</sup>, M. Kuna <sup>133a,133b</sup>, J. Kunkle <sup>121</sup>, A. Kupco <sup>126</sup>,  
 H. Kurashige <sup>66</sup>, Y.A. Kurochkin <sup>91</sup>, R. Kurumida <sup>66</sup>, V. Kus <sup>126</sup>, E.S. Kuwertz <sup>148</sup>, M. Kuze <sup>158</sup>, J. Kvita <sup>143</sup>,  
 A. La Rosa <sup>49</sup>, L. La Rotonda <sup>37a,37b</sup>, L. Labarga <sup>81</sup>, C. Lacasta <sup>168</sup>, F. Lacava <sup>133a,133b</sup>, J. Lacey <sup>29</sup>, H. Lacker <sup>16</sup>,  
 D. Lacour <sup>79</sup>, V.R. Lacuesta <sup>168</sup>, E. Ladygin <sup>64</sup>, R. Lafaye <sup>5</sup>, B. Laforge <sup>79</sup>, T. Lagouri <sup>177</sup>, S. Lai <sup>48</sup>, H. Laier <sup>58a</sup>,  
 L. Lamourne <sup>77</sup>, S. Lammers <sup>60</sup>, C.L. Lampen <sup>7</sup>, W. Lampl <sup>7</sup>, E. Lançon <sup>137</sup>, U. Landgraf <sup>48</sup>, M.P.J. Landon <sup>75</sup>,  
 V.S. Lang <sup>58a</sup>, C. Lange <sup>42</sup>, A.J. Lankford <sup>164</sup>, F. Lanni <sup>25</sup>, K. Lantzsch <sup>30</sup>, A. Lanza <sup>120a</sup>, S. Laplace <sup>79</sup>,  
 C. Lapoire <sup>21</sup>, J.F. Laporte <sup>137</sup>, T. Lari <sup>90a</sup>, M. Lassnig <sup>30</sup>, P. Laurelli <sup>47</sup>, V. Lavorini <sup>37a,37b</sup>, W. Lavrijen <sup>15</sup>,

- A.T. Law <sup>138</sup>, P. Laycock <sup>73</sup>, B.T. Le <sup>55</sup>, O. Le Dortz <sup>79</sup>, E. Le Guirriec <sup>84</sup>, E. Le Menedeu <sup>12</sup>, T. LeCompte <sup>6</sup>, F. Ledroit-Guillon <sup>55</sup>, C.A. Lee <sup>152</sup>, H. Lee <sup>106</sup>, J.S.H. Lee <sup>117</sup>, S.C. Lee <sup>152</sup>, L. Lee <sup>177</sup>, G. Lefebvre <sup>79</sup>, M. Lefebvre <sup>170</sup>, F. Legger <sup>99</sup>, C. Leggett <sup>15</sup>, A. Lehan <sup>73</sup>, M. Lehacher <sup>21</sup>, G. Lehmann Miotto <sup>30</sup>, X. Lei <sup>7</sup>, A.G. Lester <sup>177</sup>, M.A.L. Leite <sup>24d</sup>, R. Leitner <sup>128</sup>, D. Lellouch <sup>173</sup>, B. Lemmer <sup>54</sup>, K.J.C. Leney <sup>77</sup>, T. Lenz <sup>106</sup>, G. Lenzen <sup>176</sup>, B. Lenzi <sup>30</sup>, R. Leone <sup>7</sup>, K. Leonhardt <sup>44</sup>, S. Leontsinis <sup>10</sup>, C. Leroy <sup>94</sup>, C.G. Lester <sup>28</sup>, C.M. Lester <sup>121</sup>, J. Levêque <sup>5</sup>, D. Levin <sup>88</sup>, L.J. Levinson <sup>173</sup>, M. Levy <sup>18</sup>, A. Lewis <sup>119</sup>, G.H. Lewis <sup>109</sup>, A.M. Leyko <sup>21</sup>, M. Leyton <sup>41</sup>, B. Li <sup>33b,q</sup>, B. Li <sup>84</sup>, H. Li <sup>149</sup>, H.L. Li <sup>31</sup>, S. Li <sup>45</sup>, X. Li <sup>88</sup>, Y. Li <sup>116,r</sup>, Z. Liang <sup>119,s</sup>, H. Liao <sup>34</sup>, B. Liberti <sup>134a</sup>, P. Lichard <sup>30</sup>, K. Lie <sup>166</sup>, J. Liebal <sup>21</sup>, W. Liebig <sup>14</sup>, C. Limbach <sup>21</sup>, A. Limosani <sup>87</sup>, M. Limper <sup>62</sup>, S.C. Lin <sup>152,t</sup>, F. Linde <sup>106</sup>, B.E. Lindquist <sup>149</sup>, J.T. Linnemann <sup>89</sup>, E. Lipeles <sup>121</sup>, A. Lipniacka <sup>14</sup>, M. Lisovyi <sup>42</sup>, T.M. Liss <sup>166</sup>, D. Lissauer <sup>25</sup>, A. Lister <sup>169</sup>, A.M. Litke <sup>138</sup>, B. Liu <sup>152</sup>, D. Liu <sup>152</sup>, J.B. Liu <sup>33b</sup>, K. Liu <sup>33b,u</sup>, L. Liu <sup>88</sup>, M. Liu <sup>45</sup>, M. Liu <sup>33b</sup>, Y. Liu <sup>33b</sup>, M. Livan <sup>120a,120b</sup>, S.S.A. Livermore <sup>119</sup>, A. Lleres <sup>55</sup>, J. Llorente Merino <sup>81</sup>, S.L. Lloyd <sup>75</sup>, F. Lo Sterzo <sup>152</sup>, E. Lobodzinska <sup>42</sup>, P. Loch <sup>7</sup>, W.S. Lockman <sup>138</sup>, T. Loddenkoetter <sup>21</sup>, F.K. Loebinger <sup>83</sup>, A.E. Loevschall-Jensen <sup>36</sup>, A. Loginov <sup>177</sup>, C.W. Loh <sup>169</sup>, T. Lohse <sup>16</sup>, K. Lohwasser <sup>48</sup>, M. Lokajicek <sup>126</sup>, V.P. Lombardo <sup>5</sup>, J.D. Long <sup>88</sup>, R.E. Long <sup>71</sup>, L. Lopes <sup>125a</sup>, D. Lopez Mateos <sup>57</sup>, B. Lopez Paredes <sup>140</sup>, J. Lorenz <sup>99</sup>, N. Lorenzo Martinez <sup>60</sup>, M. Losada <sup>163</sup>, P. Loscutoff <sup>15</sup>, M.J. Losty <sup>160a,\*</sup>, X. Lou <sup>41</sup>, A. Lounis <sup>116</sup>, J. Love <sup>6</sup>, P.A. Love <sup>71</sup>, A.J. Lowe <sup>144,e</sup>, F. Lu <sup>33a</sup>, H.J. Lubatti <sup>139</sup>, C. Luci <sup>133a,133b</sup>, A. Lucotte <sup>55</sup>, F. Luehring <sup>60</sup>, W. Lukas <sup>61</sup>, L. Luminari <sup>133a</sup>, O. Lundberg <sup>147a,147b</sup>, B. Lund-Jensen <sup>148</sup>, M. Lungwitz <sup>82</sup>, D. Lynn <sup>25</sup>, R. Lysak <sup>126</sup>, E. Lytken <sup>80</sup>, H. Ma <sup>25</sup>, L.L. Ma <sup>33d</sup>, G. Maccarrone <sup>47</sup>, A. Macchiolo <sup>100</sup>, B. Maček <sup>74</sup>, J. Machado Miguens <sup>125a,125b</sup>, D. Macina <sup>30</sup>, D. Madaffari <sup>84</sup>, R. Madar <sup>48</sup>, H.J. Maddocks <sup>71</sup>, W.F. Mader <sup>44</sup>, A. Madsen <sup>167</sup>, M. Maeno <sup>8</sup>, T. Maeno <sup>25</sup>, E. Magradze <sup>54</sup>, K. Mahboubi <sup>48</sup>, J. Mahlstedt <sup>106</sup>, S. Mahmoud <sup>73</sup>, C. Maiani <sup>137</sup>, C. Maidantchik <sup>24a</sup>, A. Maio <sup>125a,125b,125d</sup>, S. Majewski <sup>115</sup>, Y. Makida <sup>65</sup>, N. Makovec <sup>116</sup>, P. Mal <sup>137,v</sup>, B. Malaescu <sup>79</sup>, Pa. Malecki <sup>39</sup>, V.P. Maleev <sup>122</sup>, F. Malek <sup>55</sup>, U. Mallik <sup>62</sup>, D. Malon <sup>6</sup>, C. Malone <sup>144</sup>, S. Maltezos <sup>10</sup>, V.M. Malyshев <sup>108</sup>, S. Malyukov <sup>30</sup>, J. Mamuzic <sup>13b</sup>, B. Mandelli <sup>30</sup>, L. Mandelli <sup>90a</sup>, I. Mandić <sup>74</sup>, R. Mandrysch <sup>62</sup>, J. Maneira <sup>125a,125b</sup>, A. Manfredini <sup>100</sup>, L. Manhaes de Andrade Filho <sup>24b</sup>, J.A. Manjarres Ramos <sup>160b</sup>, A. Mann <sup>99</sup>, P.M. Manning <sup>138</sup>, A. Manousakis-Katsikakis <sup>9</sup>, B. Mansoulie <sup>137</sup>, R. Mantifel <sup>86</sup>, S. Manzoni <sup>90a,90b</sup>, L. Mapelli <sup>30</sup>, L. March <sup>168</sup>, J.F. Marchand <sup>29</sup>, F. Marchese <sup>134a,134b</sup>, G. Marchiori <sup>79</sup>, M. Marcisovsky <sup>126</sup>, C.P. Marino <sup>170</sup>, C.N. Marques <sup>125a</sup>, F. Marroquim <sup>24a</sup>, S.P. Marsden <sup>83</sup>, Z. Marshall <sup>15</sup>, L.F. Marti <sup>17</sup>, S. Marti-Garcia <sup>168</sup>, B. Martin <sup>30</sup>, B. Martin <sup>89</sup>, J.P. Martin <sup>94</sup>, T.A. Martin <sup>171</sup>, V.J. Martin <sup>46</sup>, B. Martin dit Latour <sup>49</sup>, H. Martinez <sup>137</sup>, M. Martinez <sup>12,m</sup>, S. Martin-Haugh <sup>130</sup>, A.C. Martyniuk <sup>77</sup>, M. Marx <sup>139</sup>, F. Marzano <sup>133a</sup>, A. Marzin <sup>30</sup>, L. Masetti <sup>82</sup>, T. Mashimo <sup>156</sup>, R. Mashinistov <sup>95</sup>, J. Masik <sup>83</sup>, A.L. Maslennikov <sup>108</sup>, I. Massa <sup>20a,20b</sup>, N. Massol <sup>5</sup>, P. Mastrandrea <sup>149</sup>, A. Mastroberardino <sup>37a,37b</sup>, T. Masubuchi <sup>156</sup>, P. Matricon <sup>116</sup>, H. Matsunaga <sup>156</sup>, T. Matsushita <sup>66</sup>, P. Mättig <sup>176</sup>, S. Mättig <sup>42</sup>, J. Mattmann <sup>82</sup>, J. Maurer <sup>26a</sup>, S.J. Maxfield <sup>73</sup>, D.A. Maximov <sup>108,f</sup>, R. Mazini <sup>152</sup>, L. Mazzaferro <sup>134a,134b</sup>, G. Mc Goldrick <sup>159</sup>, S.P. Mc Kee <sup>88</sup>, A. McCarn <sup>88</sup>, R.L. McCarthy <sup>149</sup>, T.G. McCarthy <sup>29</sup>, N.A. McCubbin <sup>130</sup>, K.W. McFarlane <sup>56,\*</sup>, J.A. McFayden <sup>77</sup>, G. McHedlidze <sup>54</sup>, T. McLaughlan <sup>18</sup>, S.J. McMahon <sup>130</sup>, R.A. McPherson <sup>170,i</sup>, A. Meade <sup>85</sup>, J. Mechnick <sup>106</sup>, M. Medinnis <sup>42</sup>, S. Meehan <sup>31</sup>, R. Meera-Lebbai <sup>112</sup>, S. Mehlhase <sup>36</sup>, A. Mehta <sup>73</sup>, K. Meier <sup>58a</sup>, C. Meineck <sup>99</sup>, B. Meirose <sup>80</sup>, C. Melachrinos <sup>31</sup>, B.R. Mellado Garcia <sup>146c</sup>, F. Meloni <sup>90a,90b</sup>, L. Mendoza Navas <sup>163</sup>, A. Mengarelli <sup>20a,20b</sup>, S. Menke <sup>100</sup>, E. Meoni <sup>162</sup>, K.M. Mercurio <sup>57</sup>, S. Mergelmeyer <sup>21</sup>, N. Meric <sup>137</sup>, P. Mermod <sup>49</sup>, L. Merola <sup>103a,103b</sup>, C. Meroni <sup>90a</sup>, F.S. Merritt <sup>31</sup>, H. Merritt <sup>110</sup>, A. Messina <sup>30,w</sup>, J. Metcalfe <sup>25</sup>, A.S. Mete <sup>164</sup>, C. Meyer <sup>82</sup>, C. Meyer <sup>31</sup>, J-P. Meyer <sup>137</sup>, J. Meyer <sup>30</sup>, R.P. Middleton <sup>130</sup>, S. Migas <sup>73</sup>, L. Mijović <sup>137</sup>, G. Mikenberg <sup>173</sup>, M. Mikestikova <sup>126</sup>, M. Mikuž <sup>74</sup>, D.W. Miller <sup>31</sup>, C. Mills <sup>46</sup>, A. Milov <sup>173</sup>, D.A. Milstead <sup>147a,147b</sup>, D. Milstein <sup>173</sup>, A.A. Minaenko <sup>129</sup>, M. Miñano Moya <sup>168</sup>, I.A. Minashvili <sup>64</sup>, A.I. Mincer <sup>109</sup>, B. Mindur <sup>38a</sup>, M. Mineev <sup>64</sup>, Y. Ming <sup>174</sup>, L.M. Mir <sup>12</sup>, G. Mirabelli <sup>133a</sup>, T. Mitani <sup>172</sup>, J. Mitrevski <sup>99</sup>, V.A. Mitsou <sup>168</sup>, S. Mitsui <sup>65</sup>, A. Miucci <sup>49</sup>, P.S. Miyagawa <sup>140</sup>, J.U. Mjörnmark <sup>80</sup>, T. Moa <sup>147a,147b</sup>, K. Mochizuki <sup>84</sup>, V. Moeller <sup>28</sup>, S. Mohapatra <sup>35</sup>, W. Mohr <sup>48</sup>, S. Molander <sup>147a,147b</sup>, R. Moles-Valls <sup>168</sup>, K. Mönig <sup>42</sup>, C. Monini <sup>55</sup>, J. Monk <sup>36</sup>, E. Monnier <sup>84</sup>, J. Montejo Berlinguen <sup>12</sup>, F. Monticelli <sup>70</sup>, S. Monzani <sup>133a,133b</sup>, R.W. Moore <sup>3</sup>, C. Mora Herrera <sup>49</sup>, A. Moraes <sup>53</sup>, N. Morange <sup>62</sup>, J. Morel <sup>54</sup>, D. Moreno <sup>82</sup>, M. Moreno Llácer <sup>54</sup>, P. Morettini <sup>50a</sup>, M. Morgenstern <sup>44</sup>, M. Morii <sup>57</sup>, S. Moritz <sup>82</sup>, A.K. Morley <sup>148</sup>, G. Mornacchi <sup>30</sup>, J.D. Morris <sup>75</sup>, L. Morvaj <sup>102</sup>, H.G. Moser <sup>100</sup>, M. Mosidze <sup>51b</sup>, J. Moss <sup>110</sup>, R. Mount <sup>144</sup>, E. Mountricha <sup>25</sup>, S.V. Mouraviev <sup>95,\*</sup>, E.J.W. Moyse <sup>85</sup>, S.G. Muanza <sup>84</sup>,

- R.D. Mudd 18, F. Mueller 58a, J. Mueller 124, K. Mueller 21, T. Mueller 28, T. Mueller 82, D. Muenstermann 49, Y. Munwes 154, J.A. Murillo Quijada 18, W.J. Murray 171,c, E. Musto 153, A.G. Myagkov 129,x, M. Myska 126, O. Nackenhorst 54, J. Nadal 54, K. Nagai 61, R. Nagai 158, Y. Nagai 84, K. Nagano 65, A. Nagarkar 110, Y. Nagasaka 59, M. Nagel 100, A.M. Nairz 30, Y. Nakahama 30, K. Nakamura 65, T. Nakamura 156, I. Nakano 111, H. Namasivayam 41, G. Nanava 21, R. Narayan 58b, T. Nattermann 21, T. Naumann 42, G. Navarro 163, R. Nayyar 7, H.A. Neal 88, P.Yu. Nechaeva 95, T.J. Neep 83, A. Negri 120a,120b, G. Negri 30, M. Negrini 20a, S. Nektarijevic 49, A. Nelson 164, T.K. Nelson 144, S. Nemecek 126, P. Nemethy 109, A.A. Nepomuceno 24a, M. Nessi 30,y, M.S. Neubauer 166, M. Neumann 176, R.M. Neves 109, P. Nevski 25, F.M. Newcomer 121, P.R. Newman 18, D.H. Nguyen 6, R.B. Nickerson 119, R. Nicolaïdou 137, B. Nicquevert 30, J. Nielsen 138, N. Nikiforou 35, A. Nikiforov 16, V. Nikolaenko 129,x, I. Nikolic-Audit 79, K. Nikolic 49, K. Nikolopoulos 18, P. Nilsson 8, Y. Ninomiya 156, A. Nisati 133a, R. Nisius 100, T. Nobe 158, L. Nodulman 6, M. Nomachi 117, I. Nomidis 155, S. Norberg 112, M. Nordberg 30, J. Novakova 128, S. Nowak 100, M. Nozaki 65, L. Nozka 114, K. Ntekas 10, G. Nunes Hanninger 87, T. Nunnemann 99, E. Nurse 77, F. Nuti 87, B.J. O'Brien 46, F. O'grady 7, D.C. O'Neil 143, V. O'Shea 53, F.G. Oakham 29,d, H. Oberlack 100, T. Obermann 21, J. Ocariz 79, A. Ochi 66, M.I. Ochoa 77, S. Oda 69, S. Odaka 65, H. Ogren 60, A. Oh 83, S.H. Oh 45, C.C. Ohm 30, H. Ohman 167, T. Ohshima 102, W. Okamura 117, H. Okawa 25, Y. Okumura 31, T. Okuyama 156, A. Olariu 26a, A.G. Olchevski 64, S.A. Olivares Pino 46, D. Oliveira Damazio 25, E. Oliver Garcia 168, D. Olivito 121, A. Olszewski 39, J. Olszowska 39, A. Onofre 125a,125e, P.U.E. Onyisi 31,z, C.J. Oram 160a, M.J. Oreglia 31, Y. Oren 154, D. Orestano 135a,135b, N. Orlando 72a,72b, C. Oropeza Barrera 53, R.S. Orr 159, B. Osculati 50a,50b, R. Ospanov 121, G. Otero y Garzon 27, H. Otomo 69, M. Ouchrif 136d, E.A. Ouellette 170, F. Ould-Saada 118, A. Ouraou 137, K.P. Oussoren 106, Q. Ouyang 33a, A. Ovcharova 15, M. Owen 83, V.E. Ozcan 19a, N. Ozturk 8, K. Pachal 119, A. Pacheco Pages 12, C. Padilla Aranda 12, M. Pagáčová 48, S. Pagan Griso 15, E. Paganis 140, C. Pahl 100, F. Paige 25, P. Pais 85, K. Pajchel 118, G. Palacino 160b, S. Palestini 30, D. Pallin 34, A. Palma 125a,125b, J.D. Palmer 18, Y.B. Pan 174, E. Panagiotopoulou 10, J.G. Panduro Vazquez 76, P. Pani 106, N. Panikashvili 88, S. Panitkin 25, D. Pantea 26a, L. Paolozzi 134a,134b, Th.D. Papadopoulou 10, K. Papageorgiou 155,k, A. Paramonov 6, D. Paredes Hernandez 34, M.A. Parker 28, F. Parodi 50a,50b, J.A. Parsons 35, U. Parzefall 48, E. Pasqualucci 133a, S. Passaggio 50a, A. Passeri 135a, F. Pastore 135a,135b,\* Fr. Pastore 76, G. Pásztor 49,aa, S. Pataraia 176, N.D. Patel 151, J.R. Pater 83, S. Patricelli 103a,103b, T. Pauly 30, J. Pearce 170, M. Pedersen 118, S. Pedraza Lopez 168, R. Pedro 125a,125b, S.V. Peleganchuk 108, D. Pelikan 167, H. Peng 33b, B. Penning 31, J. Penwell 60, D.V. Perepelitsa 25, E. Perez Codina 160a, M.T. Pérez García-Estañ 168, V. Perez Reale 35, L. Perini 90a,90b, H. Pernegger 30, R. Perrino 72a, R. Peschke 42, V.D. Peshekhonov 64, K. Peters 30, R.F.Y. Peters 83, B.A. Petersen 87, J. Petersen 30, T.C. Petersen 36, E. Petit 42, A. Petridis 147a,147b, C. Petridou 155, E. Petrolo 133a, F. Petracci 135a,135b, M. Petteni 143, N.E. Pettersson 158, R. Pezoa 32b, P.W. Phillips 130, G. Piacquadio 144, E. Pianori 171, A. Picazio 49, E. Piccaro 75, M. Piccinini 20a,20b, S.M. Piec 42, R. Piegaia 27, D.T. Pignotti 110, J.E. Pilcher 31, A.D. Pilkington 77, J. Pina 125a,125b,125d, M. Pinamonti 165a,165c,ab, A. Pinder 119, J.L. Pinfold 3, A. Pingel 36, B. Pinto 125a, S. Pires 79, C. Pizio 90a,90b, M.-A. Pleier 25, V. Pleskot 128, E. Plotnikova 64, P. Plucinski 147a,147b, S. Poddar 58a, F. Podlyski 34, R. Poettgen 82, L. Poggioli 116, D. Pohl 21, M. Pohl 49, G. Polesello 120a, A. Policicchio 37a,37b, R. Polifka 159, A. Polini 20a, C.S. Pollard 45, V. Polychronakos 25, K. Pommès 30, L. Pontecorvo 133a, B.G. Pope 89, G.A. Popeneciu 26b, D.S. Popovic 13a, A. Poppleton 30, X. Portell Bueso 12, G.E. Pospelov 100, S. Pospisil 127, K. Potamianos 15, I.N. Potrap 64, C.J. Potter 150, C.T. Potter 115, G. Poulard 30, J. Poveda 60, V. Pozdnyakov 64, R. Prabhu 77, P. Pralavorio 84, A. Pranko 15, S. Prasad 30, R. Pravahan 8, S. Prell 63, D. Price 83, J. Price 73, L.E. Price 6, D. Prieur 124, M. Primavera 72a, M. Proissl 46, K. Prokofiev 109, F. Prokoshin 32b, E. Protopapadaki 137, S. Protopopescu 25, J. Proudfoot 6, M. Przybycien 38a, H. Przysiezniak 5, E. Ptacek 115, E. Pueschel 85, D. Puldon 149, M. Purohit 25,ac, P. Puzo 116, Y. Pylypchenko 62, J. Qian 88, G. Qin 53, A. Quadt 54, D.R. Quarrie 15, W.B. Quayle 165a,165b, D. Quilty 53, A. Qureshi 160b, V. Radeka 25, V. Radescu 42, S.K. Radhakrishnan 149, P. Radloff 115, P. Rados 87, F. Ragusa 90a,90b, G. Rahal 179, S. Rajagopalan 25, M. Rammensee 30, M. Rammes 142, A.S. Randle-Conde 40, C. Rangel-Smith 79, K. Rao 164, F. Rauscher 99, T.C. Rave 48, T. Ravenscroft 53, M. Raymond 30, A.L. Read 118, N.P. Readioff 73, D.M. Rebuzzi 120a,120b, A. Redelbach 175, G. Redlinger 25, R. Reece 138, K. Reeves 41, L. Rehnisch 16, A. Reinsch 115, H. Reisin 27, M. Relich 164, C. Rembser 30, Z.L. Ren 152, A. Renaud 116, M. Rescigno 133a, S. Resconi 90a, B. Resende 137, P. Reznicek 128, R. Rezvani 94, R. Richter 100, M. Ridel 79,

- P. Rieck <sup>16</sup>, M. Rijssenbeek <sup>149</sup>, A. Rimoldi <sup>120a,120b</sup>, L. Rinaldi <sup>20a</sup>, E. Ritsch <sup>61</sup>, I. Riu <sup>12</sup>, F. Rizatdinova <sup>113</sup>, E. Rizvi <sup>75</sup>, S.H. Robertson <sup>86,i</sup>, A. Robichaud-Veronneau <sup>119</sup>, D. Robinson <sup>28</sup>, J.E.M. Robinson <sup>83</sup>, A. Robson <sup>53</sup>, C. Roda <sup>123a,123b</sup>, L. Rodrigues <sup>30</sup>, S. Roe <sup>30</sup>, O. Røhne <sup>118</sup>, S. Rolli <sup>162</sup>, A. Romaniouk <sup>97</sup>, M. Romano <sup>20a,20b</sup>, G. Romeo <sup>27</sup>, E. Romero Adam <sup>168</sup>, N. Rompotis <sup>139</sup>, L. Roos <sup>79</sup>, E. Ros <sup>168</sup>, S. Rosati <sup>133a</sup>, K. Rosbach <sup>49</sup>, A. Rose <sup>150</sup>, M. Rose <sup>76</sup>, P.L. Rosendahl <sup>14</sup>, O. Rosenthal <sup>142</sup>, V. Rossetti <sup>147a,147b</sup>, E. Rossi <sup>103a,103b</sup>, L.P. Rossi <sup>50a</sup>, R. Rosten <sup>139</sup>, M. Rotaru <sup>26a</sup>, I. Roth <sup>173</sup>, J. Rothberg <sup>139</sup>, D. Rousseau <sup>116</sup>, C.R. Royon <sup>137</sup>, A. Rozanov <sup>84</sup>, Y. Rozen <sup>153</sup>, X. Ruan <sup>146c</sup>, F. Rubbo <sup>12</sup>, I. Rubinskiy <sup>42</sup>, V.I. Rud <sup>98</sup>, C. Rudolph <sup>44</sup>, M.S. Rudolph <sup>159</sup>, F. Rühr <sup>48</sup>, A. Ruiz-Martinez <sup>63</sup>, Z. Rurikova <sup>48</sup>, N.A. Rusakovich <sup>64</sup>, A. Ruschke <sup>99</sup>, J.P. Rutherford <sup>7</sup>, N. Ruthmann <sup>48</sup>, Y.F. Ryabov <sup>122</sup>, M. Rybar <sup>128</sup>, G. Rybkin <sup>116</sup>, N.C. Ryder <sup>119</sup>, A.F. Saavedra <sup>151</sup>, S. Sacerdoti <sup>27</sup>, A. Saddique <sup>3</sup>, I. Sadeh <sup>154</sup>, H.F-W. Sadrozinski <sup>138</sup>, R. Sadykov <sup>64</sup>, F. Safai Tehrani <sup>133a</sup>, H. Sakamoto <sup>156</sup>, Y. Sakurai <sup>172</sup>, G. Salamanna <sup>75</sup>, A. Salamon <sup>134a</sup>, M. Saleem <sup>112</sup>, D. Salek <sup>106</sup>, P.H. Sales De Bruin <sup>139</sup>, D. Salihagic <sup>100</sup>, A. Salnikov <sup>144</sup>, J. Salt <sup>168</sup>, B.M. Salvachua Ferrando <sup>6</sup>, D. Salvatore <sup>37a,37b</sup>, F. Salvatore <sup>150</sup>, A. Salvucci <sup>105</sup>, A. Salzburger <sup>30</sup>, D. Sampsonidis <sup>155</sup>, A. Sanchez <sup>103a,103b</sup>, J. Sánchez <sup>168</sup>, V. Sanchez Martinez <sup>168</sup>, H. Sandaker <sup>14</sup>, H.G. Sander <sup>82</sup>, M.P. Sanders <sup>99</sup>, M. Sandhoff <sup>176</sup>, T. Sandoval <sup>28</sup>, C. Sandoval <sup>163</sup>, R. Sandstroem <sup>100</sup>, D.P.C. Sankey <sup>130</sup>, A. Sansoni <sup>47</sup>, C. Santoni <sup>34</sup>, R. Santonico <sup>134a,134b</sup>, H. Santos <sup>125a</sup>, I. Santoyo Castillo <sup>150</sup>, K. Sapp <sup>124</sup>, A. Sapronov <sup>64</sup>, J.G. Saraiva <sup>125a,125d</sup>, B. Sarrazin <sup>21</sup>, G. Sartisohn <sup>176</sup>, O. Sasaki <sup>65</sup>, Y. Sasaki <sup>156</sup>, I. Satsounkevitch <sup>91</sup>, G. Sauvage <sup>5,\*</sup>, E. Sauvan <sup>5</sup>, P. Savard <sup>159,d</sup>, D.O. Savu <sup>30</sup>, C. Sawyer <sup>119</sup>, L. Sawyer <sup>78,l</sup>, D.H. Saxon <sup>53</sup>, J. Saxon <sup>121</sup>, C. Sbarra <sup>20a</sup>, A. Sbrizzi <sup>3</sup>, T. Scanlon <sup>30</sup>, D.A. Scannicchio <sup>164</sup>, M. Scarcella <sup>151</sup>, J. Schaarschmidt <sup>173</sup>, P. Schacht <sup>100</sup>, D. Schaefer <sup>121</sup>, R. Schaefer <sup>42</sup>, A. Schaelicke <sup>46</sup>, S. Schaepe <sup>21</sup>, S. Schaetzl <sup>58b</sup>, U. Schäfer <sup>82</sup>, A.C. Schaffer <sup>116</sup>, D. Schaille <sup>99</sup>, R.D. Schamberger <sup>149</sup>, V. Scharf <sup>58a</sup>, V.A. Schegelsky <sup>122</sup>, D. Scheirich <sup>128</sup>, M. Schernau <sup>164</sup>, M.I. Scherzer <sup>35</sup>, C. Schiavi <sup>50a,50b</sup>, J. Schieck <sup>99</sup>, C. Schillo <sup>48</sup>, M. Schioppa <sup>37a,37b</sup>, S. Schlenker <sup>30</sup>, E. Schmidt <sup>48</sup>, K. Schmieden <sup>30</sup>, C. Schmitt <sup>82</sup>, C. Schmitt <sup>99</sup>, S. Schmitt <sup>58b</sup>, B. Schneider <sup>17</sup>, Y.J. Schnellbach <sup>73</sup>, U. Schnoor <sup>44</sup>, L. Schoeffel <sup>137</sup>, A. Schoening <sup>58b</sup>, B.D. Schoenrock <sup>89</sup>, A.L.S. Schorlemmer <sup>54</sup>, M. Schott <sup>82</sup>, D. Schouten <sup>160a</sup>, J. Schovancova <sup>25</sup>, M. Schram <sup>86</sup>, S. Schramm <sup>159</sup>, M. Schreyer <sup>175</sup>, C. Schroeder <sup>82</sup>, N. Schuh <sup>82</sup>, M.J. Schultens <sup>21</sup>, H.-C. Schultz-Coulon <sup>58a</sup>, H. Schulz <sup>16</sup>, M. Schumacher <sup>48</sup>, B.A. Schumm <sup>138</sup>, Ph. Schune <sup>137</sup>, A. Schwartzman <sup>144</sup>, Ph. Schwengler <sup>100</sup>, Ph. Schwemling <sup>137</sup>, R. Schwienhorst <sup>89</sup>, J. Schwindling <sup>137</sup>, T. Schwindt <sup>21</sup>, M. Schwoerer <sup>5</sup>, F.G. Sciacca <sup>17</sup>, E. Scifo <sup>116</sup>, G. Sciolla <sup>23</sup>, W.G. Scott <sup>130</sup>, F. Scuri <sup>123a,123b</sup>, F. Scutti <sup>21</sup>, J. Searcy <sup>88</sup>, G. Sedov <sup>42</sup>, E. Sedykh <sup>122</sup>, S.C. Seidel <sup>104</sup>, A. Seiden <sup>138</sup>, F. Seifert <sup>127</sup>, J.M. Seixas <sup>24a</sup>, G. Sekhniaidze <sup>103a</sup>, S.J. Sekula <sup>40</sup>, K.E. Selbach <sup>46</sup>, D.M. Seliverstov <sup>122,\*</sup>, G. Sellers <sup>73</sup>, N. Semprini-Cesari <sup>20a,20b</sup>, C. Serfon <sup>30</sup>, L. Serin <sup>116</sup>, L. Serkin <sup>54</sup>, T. Serre <sup>84</sup>, R. Seuster <sup>160a</sup>, H. Severini <sup>112</sup>, F. Sforza <sup>100</sup>, A. Sfyrla <sup>30</sup>, E. Shabalina <sup>54</sup>, M. Shamim <sup>115</sup>, L.Y. Shan <sup>33a</sup>, J.T. Shank <sup>22</sup>, Q.T. Shao <sup>87</sup>, M. Shapiro <sup>15</sup>, P.B. Shatalov <sup>96</sup>, K. Shaw <sup>165a,165c</sup>, P. Sherwood <sup>77</sup>, S. Shimizu <sup>66</sup>, C.O. Shimmin <sup>164</sup>, M. Shimojima <sup>101</sup>, T. Shin <sup>56</sup>, M. Shiyakova <sup>64</sup>, A. Shmeleva <sup>95</sup>, M.J. Shochet <sup>31</sup>, D. Short <sup>119</sup>, S. Shrestha <sup>63</sup>, E. Shulga <sup>97</sup>, M.A. Shupe <sup>7</sup>, S. Shushkevich <sup>42</sup>, P. Sicho <sup>126</sup>, D. Sidorov <sup>113</sup>, A. Sidoti <sup>133a</sup>, F. Siegert <sup>44</sup>, Dj. Sijacki <sup>13a</sup>, O. Silbert <sup>173</sup>, J. Silva <sup>125a,125d</sup>, Y. Silver <sup>154</sup>, D. Silverstein <sup>144</sup>, S.B. Silverstein <sup>147a</sup>, V. Simak <sup>127</sup>, O. Simard <sup>5</sup>, Lj. Simic <sup>13a</sup>, S. Simion <sup>116</sup>, E. Simioni <sup>82</sup>, B. Simmons <sup>77</sup>, R. Simonello <sup>90a,90b</sup>, M. Simonyan <sup>36</sup>, P. Sinervo <sup>159</sup>, N.B. Sinev <sup>115</sup>, V. Sipica <sup>142</sup>, G. Siragusa <sup>175</sup>, A. Sircar <sup>78</sup>, A.N. Sisakyan <sup>64,\*</sup>, S.Yu. Sivoklokov <sup>98</sup>, J. Sjölin <sup>147a,147b</sup>, T.B. Sjursen <sup>14</sup>, L.A. Skinnari <sup>15</sup>, H.P. Skottowe <sup>57</sup>, K.Yu. Skovpen <sup>108</sup>, P. Skubic <sup>112</sup>, M. Slater <sup>18</sup>, T. Slavicek <sup>127</sup>, K. Sliwa <sup>162</sup>, V. Smakhtin <sup>173</sup>, B.H. Smart <sup>46</sup>, L. Smestad <sup>118</sup>, S.Yu. Smirnov <sup>97</sup>, Y. Smirnov <sup>97</sup>, L.N. Smirnova <sup>98,ad</sup>, O. Smirnova <sup>80</sup>, K.M. Smith <sup>53</sup>, M. Smizanska <sup>71</sup>, K. Smolek <sup>127</sup>, A.A. Snesarev <sup>95</sup>, G. Snidero <sup>75</sup>, J. Snow <sup>112</sup>, S. Snyder <sup>25</sup>, R. Sobie <sup>170,i</sup>, F. Socher <sup>44</sup>, J. Sodomka <sup>127</sup>, A. Soffer <sup>154</sup>, D.A. Soh <sup>152,s</sup>, C.A. Solans <sup>30</sup>, M. Solar <sup>127</sup>, J. Solc <sup>127</sup>, E.Yu. Soldatov <sup>97</sup>, U. Soldevila <sup>168</sup>, E. Solfaroli Camillocci <sup>133a,133b</sup>, A.A. Solodkov <sup>129</sup>, O.V. Solovyev <sup>129</sup>, V. Solovyev <sup>122</sup>, P. Sommer <sup>48</sup>, H.Y. Song <sup>33b</sup>, N. Soni <sup>1</sup>, A. Sood <sup>15</sup>, V. Sopko <sup>127</sup>, B. Sopko <sup>127</sup>, V. Sorin <sup>12</sup>, M. Sosebee <sup>8</sup>, R. Soualah <sup>165a,165c</sup>, P. Soueid <sup>94</sup>, A.M. Soukharev <sup>108</sup>, D. South <sup>42</sup>, S. Spagnolo <sup>72a,72b</sup>, F. Spanò <sup>76</sup>, W.R. Spearman <sup>57</sup>, R. Spighi <sup>20a</sup>, G. Spigo <sup>30</sup>, M. Spousta <sup>128</sup>, T. Spreitzer <sup>159</sup>, B. Spurlock <sup>8</sup>, R.D. St. Denis <sup>53</sup>, S. Staerz <sup>44</sup>, J. Stahlman <sup>121</sup>, R. Stamen <sup>58a</sup>, E. Stanecka <sup>39</sup>, R.W. Stanek <sup>6</sup>, C. Stanescu <sup>135a</sup>, M. Stanescu-Bellu <sup>42</sup>, M.M. Stanitzki <sup>42</sup>, S. Stapnes <sup>118</sup>, E.A. Starchenko <sup>129</sup>, J. Stark <sup>55</sup>, P. Staroba <sup>126</sup>, P. Starovoitov <sup>42</sup>, R. Staszewski <sup>39</sup>, P. Stavina <sup>145a,\*</sup>, G. Steele <sup>53</sup>, P. Steinberg <sup>25</sup>, I. Stekl <sup>127</sup>, B. Stelzer <sup>143</sup>, H.J. Stelzer <sup>30</sup>, O. Stelzer-Chilton <sup>160a</sup>, H. Stenzel <sup>52</sup>, S. Stern <sup>100</sup>, G.A. Stewart <sup>53</sup>,

- J.A. Stillings <sup>21</sup>, M.C. Stockton <sup>86</sup>, M. Stoebe <sup>86</sup>, K. Stoerig <sup>48</sup>, G. Stoicea <sup>26a</sup>, P. Stolte <sup>54</sup>, S. Stonjek <sup>100</sup>,  
 A.R. Stradling <sup>8</sup>, A. Straessner <sup>44</sup>, J. Strandberg <sup>148</sup>, S. Strandberg <sup>147a,147b</sup>, A. Strandlie <sup>118</sup>, E. Strauss <sup>144</sup>,  
 M. Strauss <sup>112</sup>, P. Strizenec <sup>145b</sup>, R. Ströhmer <sup>175</sup>, D.M. Strom <sup>115</sup>, R. Stroynowski <sup>40</sup>, S.A. Stucci <sup>17</sup>,  
 B. Stugu <sup>14</sup>, N.A. Styles <sup>42</sup>, D. Su <sup>144</sup>, J. Su <sup>124</sup>, HS. Subramania <sup>3</sup>, R. Subramaniam <sup>78</sup>, A. Succurro <sup>12</sup>,  
 Y. Sugaya <sup>117</sup>, C. Suhr <sup>107</sup>, M. Suk <sup>127</sup>, V.V. Sulin <sup>95</sup>, S. Sultansoy <sup>4c</sup>, T. Sumida <sup>67</sup>, X. Sun <sup>33a</sup>,  
 J.E. Sundermann <sup>48</sup>, K. Suruliz <sup>140</sup>, G. Susinno <sup>37a,37b</sup>, M.R. Sutton <sup>150</sup>, Y. Suzuki <sup>65</sup>, M. Svatos <sup>126</sup>,  
 S. Swedish <sup>169</sup>, M. Swiatlowski <sup>144</sup>, I. Sykora <sup>145a</sup>, T. Sykora <sup>128</sup>, D. Ta <sup>89</sup>, K. Tackmann <sup>42</sup>, J. Taenzer <sup>159</sup>,  
 A. Taffard <sup>164</sup>, R. Tafirout <sup>160a</sup>, N. Taiblum <sup>154</sup>, Y. Takahashi <sup>102</sup>, H. Takai <sup>25</sup>, R. Takashima <sup>68</sup>, H. Takeda <sup>66</sup>,  
 T. Takeshita <sup>141</sup>, Y. Takubo <sup>65</sup>, M. Talby <sup>84</sup>, A.A. Talyshев <sup>108,f</sup>, J.Y.C. Tam <sup>175</sup>, M.C. Tamsett <sup>78,ae</sup>, K.G. Tan <sup>87</sup>,  
 J. Tanaka <sup>156</sup>, R. Tanaka <sup>116</sup>, S. Tanaka <sup>132</sup>, S. Tanaka <sup>65</sup>, A.J. Tanasijczuk <sup>143</sup>, K. Tani <sup>66</sup>, B.B. Tannenwald <sup>110</sup>,  
 N. Tannoury <sup>84</sup>, S. Tapprogge <sup>82</sup>, S. Tarem <sup>153</sup>, F. Tarrade <sup>29</sup>, G.F. Tartarelli <sup>90a</sup>, P. Tas <sup>128</sup>, M. Tasevsky <sup>126</sup>,  
 T. Tashiro <sup>67</sup>, E. Tassi <sup>37a,37b</sup>, A. Tavares Delgado <sup>125a,125b</sup>, Y. Tayalati <sup>136d</sup>, C. Taylor <sup>77</sup>, F.E. Taylor <sup>93</sup>,  
 G.N. Taylor <sup>87</sup>, W. Taylor <sup>160b</sup>, F.A. Teischinger <sup>30</sup>, M. Teixeira Dias Castanheira <sup>75</sup>, P. Teixeira-Dias <sup>76</sup>,  
 K.K. Temming <sup>48</sup>, H. Ten Kate <sup>30</sup>, P.K. Teng <sup>152</sup>, S. Terada <sup>65</sup>, K. Terashi <sup>156</sup>, J. Terron <sup>81</sup>, S. Terzo <sup>100</sup>,  
 M. Testa <sup>47</sup>, R.J. Teuscher <sup>159,i</sup>, J. Therhaag <sup>21</sup>, T. Theveneaux-Pelzer <sup>34</sup>, S. Thoma <sup>48</sup>, J.P. Thomas <sup>18</sup>,  
 J. Thomas-Wilsker <sup>76</sup>, E.N. Thompson <sup>35</sup>, P.D. Thompson <sup>18</sup>, P.D. Thompson <sup>159</sup>, A.S. Thompson <sup>53</sup>,  
 L.A. Thomesen <sup>36</sup>, E. Thomson <sup>121</sup>, M. Thomson <sup>28</sup>, W.M. Thong <sup>87</sup>, R.P. Thun <sup>88,\*</sup>, F. Tian <sup>35</sup>, M.J. Tibbetts <sup>15</sup>,  
 V.O. Tikhomirov <sup>95,af</sup>, Yu.A. Tikhonov <sup>108,f</sup>, S. Timoshenko <sup>97</sup>, E. Tiouchichine <sup>84</sup>, P. Tipton <sup>177</sup>,  
 S. Tisserant <sup>84</sup>, T. Todorov <sup>5</sup>, S. Todorova-Nova <sup>128</sup>, B. Toggerson <sup>164</sup>, J. Tojo <sup>69</sup>, S. Tokár <sup>145a</sup>,  
 K. Tokushuku <sup>65</sup>, K. Tollefson <sup>89</sup>, L. Tomlinson <sup>83</sup>, M. Tomoto <sup>102</sup>, L. Tompkins <sup>31</sup>, K. Toms <sup>104</sup>,  
 N.D. Topilin <sup>64</sup>, E. Torrence <sup>115</sup>, H. Torres <sup>143</sup>, E. Torró Pastor <sup>168</sup>, J. Toth <sup>84,aa</sup>, F. Touchard <sup>84</sup>, D.R. Tovey <sup>140</sup>,  
 H.L. Tran <sup>116</sup>, T. Trefzger <sup>175</sup>, L. Tremblet <sup>30</sup>, A. Tricoli <sup>30</sup>, I.M. Trigger <sup>160a</sup>, S. Trincaz-Duvold <sup>79</sup>,  
 M.F. Tripiana <sup>70</sup>, N. Triplett <sup>25</sup>, W. Trischuk <sup>159</sup>, B. Trocmé <sup>55</sup>, C. Troncon <sup>90a</sup>, M. Trottier-McDonald <sup>143</sup>,  
 M. Trovatelli <sup>135a,135b</sup>, P. True <sup>89</sup>, M. Trzebinski <sup>39</sup>, A. Trzupek <sup>39</sup>, C. Tsarouchas <sup>30</sup>, J.C.-L. Tseng <sup>119</sup>,  
 P.V. Tsiareshka <sup>91</sup>, D. Tsionou <sup>137</sup>, G. Tsipolitis <sup>10</sup>, N. Tsirintanis <sup>9</sup>, S. Tsiskaridze <sup>12</sup>, V. Tsiskaridze <sup>48</sup>,  
 E.G. Tskhadadze <sup>51a</sup>, I.I. Tsukerman <sup>96</sup>, V. Tsulaia <sup>15</sup>, S. Tsuno <sup>65</sup>, D. Tsybychev <sup>149</sup>, A. Tua <sup>140</sup>,  
 A. Tudorache <sup>26a</sup>, V. Tudorache <sup>26a</sup>, A.N. Tuna <sup>121</sup>, S.A. Tupputi <sup>20a,20b</sup>, S. Turchikhin <sup>98,ad</sup>, D. Turecek <sup>127</sup>,  
 I. Turk Cakir <sup>4d</sup>, R. Turra <sup>90a,90b</sup>, P.M. Tuts <sup>35</sup>, A. Tykhonov <sup>74</sup>, M. Tylmad <sup>147a,147b</sup>, M. Tyndel <sup>130</sup>,  
 K. Uchida <sup>21</sup>, I. Ueda <sup>156</sup>, R. Ueno <sup>29</sup>, M. Ughetto <sup>84</sup>, M. Ugland <sup>14</sup>, M. Uhlenbrock <sup>21</sup>, F. Ukegawa <sup>161</sup>,  
 G. Unal <sup>30</sup>, A. Undrus <sup>25</sup>, G. Unel <sup>164</sup>, F.C. Ungaro <sup>48</sup>, Y. Unno <sup>65</sup>, D. Urbaniec <sup>35</sup>, P. Urquijo <sup>21</sup>, G. Usai <sup>8</sup>,  
 A. Usanova <sup>61</sup>, L. Vacavant <sup>84</sup>, V. Vacek <sup>127</sup>, B. Vachon <sup>86</sup>, N. Valencic <sup>106</sup>, S. Valentini <sup>20a,20b</sup>,  
 A. Valero <sup>168</sup>, L. Valery <sup>34</sup>, S. Valkar <sup>128</sup>, E. Valladolid Gallego <sup>168</sup>, S. Vallecorsa <sup>49</sup>, J.A. Valls Ferrer <sup>168</sup>,  
 R. Van Berg <sup>121</sup>, P.C. Van Der Deijl <sup>106</sup>, R. van der Geer <sup>106</sup>, H. van der Graaf <sup>106</sup>, R. Van Der Leeuw <sup>106</sup>,  
 D. van der Ster <sup>30</sup>, N. van Eldik <sup>30</sup>, P. van Gemmeren <sup>6</sup>, J. Van Nieuwkoop <sup>143</sup>, I. van Vulpen <sup>106</sup>,  
 M.C. van Woerden <sup>30</sup>, M. Vanadia <sup>133a,133b</sup>, W. Vandelli <sup>30</sup>, A. Vaniachine <sup>6</sup>, P. Vankov <sup>42</sup>, F. Vannucci <sup>79</sup>,  
 G. Vardanyan <sup>178</sup>, R. Vari <sup>133a</sup>, E.W. Varnes <sup>7</sup>, T. Varol <sup>85</sup>, D. Varouchas <sup>79</sup>, A. Vartapetian <sup>8</sup>, K.E. Varvell <sup>151</sup>,  
 V.I. Vassilakopoulos <sup>56</sup>, F. Vazeille <sup>34</sup>, T. Vazquez Schroeder <sup>54</sup>, J. Veatch <sup>7</sup>, F. Veloso <sup>125a,125c</sup>,  
 S. Veneziano <sup>133a</sup>, A. Ventura <sup>72a,72b</sup>, D. Ventura <sup>85</sup>, M. Venturi <sup>48</sup>, N. Venturi <sup>159</sup>, A. Venturini <sup>23</sup>,  
 V. Vercesi <sup>120a</sup>, M. Verducci <sup>139</sup>, W. Verkerke <sup>106</sup>, J.C. Vermeulen <sup>106</sup>, A. Vest <sup>44</sup>, M.C. Vetterli <sup>143,d</sup>,  
 O. Viazlo <sup>80</sup>, I. Vichou <sup>166</sup>, T. Vickey <sup>146c,ag</sup>, O.E. Vickey Boeriu <sup>146c</sup>, G.H.A. Viehhauser <sup>119</sup>, S. Viel <sup>169</sup>,  
 R. Vigne <sup>30</sup>, M. Villa <sup>20a,20b</sup>, M. Villaplana Perez <sup>168</sup>, E. Vilucchi <sup>47</sup>, M.G. Vincter <sup>29</sup>, V.B. Vinogradov <sup>64</sup>,  
 J. Virzi <sup>15</sup>, O. Vitells <sup>173</sup>, I. Vivarelli <sup>150</sup>, F. Vives Vaque <sup>3</sup>, S. Vlachos <sup>10</sup>, D. Vladoiu <sup>99</sup>, M. Vlasak <sup>127</sup>,  
 A. Vogel <sup>21</sup>, P. Vokac <sup>127</sup>, G. Volpi <sup>47</sup>, M. Volpi <sup>87</sup>, H. von der Schmitt <sup>100</sup>, H. von Radziewski <sup>48</sup>,  
 E. von Toerne <sup>21</sup>, V. Vorobel <sup>128</sup>, M. Vos <sup>168</sup>, R. Voss <sup>30</sup>, J.H. Vossebeld <sup>73</sup>, N. Vranjes <sup>137</sup>,  
 M. Vranjes Milosavljevic <sup>106</sup>, V. Vrba <sup>126</sup>, M. Vreeswijk <sup>106</sup>, T. Vu Anh <sup>48</sup>, R. Vuillermet <sup>30</sup>, I. Vukotic <sup>31</sup>,  
 Z. Vykydal <sup>127</sup>, W. Wagner <sup>176</sup>, P. Wagner <sup>21</sup>, S. Wahr mund <sup>44</sup>, J. Wakabayashi <sup>102</sup>, J. Walder <sup>71</sup>,  
 R. Walker <sup>99</sup>, W. Walkowiak <sup>142</sup>, R. Wall <sup>177</sup>, P. Waller <sup>73</sup>, B. Walsh <sup>177</sup>, C. Wang <sup>152</sup>, C. Wang <sup>45</sup>,  
 F. Wang <sup>174</sup>, H. Wang <sup>15</sup>, H. Wang <sup>40</sup>, J. Wang <sup>42</sup>, J. Wang <sup>33a</sup>, K. Wang <sup>86</sup>, R. Wang <sup>104</sup>, S.M. Wang <sup>152</sup>,  
 T. Wang <sup>21</sup>, X. Wang <sup>177</sup>, A. Warburton <sup>86</sup>, C.P. Ward <sup>28</sup>, D.R. Wardrope <sup>77</sup>, M. Warsinsky <sup>48</sup>,  
 A. Washbrook <sup>46</sup>, C. Wasicki <sup>42</sup>, I. Watanabe <sup>66</sup>, P.M. Watkins <sup>18</sup>, A.T. Watson <sup>18</sup>, I.J. Watson <sup>151</sup>,  
 M.F. Watson <sup>18</sup>, G. Watts <sup>139</sup>, S. Watts <sup>83</sup>, B.M. Waugh <sup>77</sup>, S. Webb <sup>83</sup>, M.S. Weber <sup>17</sup>, S.W. Weber <sup>175</sup>,  
 J.S. Webster <sup>31</sup>, A.R. Weidberg <sup>119</sup>, P. Weigell <sup>100</sup>, B. Weinert <sup>60</sup>, J. Weingarten <sup>54</sup>, C. Weiser <sup>48</sup>, H. Weits <sup>106</sup>,

P.S. Wells<sup>30</sup>, T. Wenaus<sup>25</sup>, D. Wendland<sup>16</sup>, Z. Weng<sup>152,s</sup>, T. Wengler<sup>30</sup>, S. Wenig<sup>30</sup>, N. Wermes<sup>21</sup>, M. Werner<sup>48</sup>, P. Werner<sup>30</sup>, M. Wessels<sup>58a</sup>, J. Wetter<sup>162</sup>, K. Whalen<sup>29</sup>, A. White<sup>8</sup>, M.J. White<sup>1</sup>, R. White<sup>32b</sup>, S. White<sup>123a,123b</sup>, D. Whiteson<sup>164</sup>, D. Wicke<sup>176</sup>, F.J. Wickens<sup>130</sup>, W. Wiedenmann<sup>174</sup>, M. Wielaers<sup>130</sup>, P. Wienemann<sup>21</sup>, C. Wiglesworth<sup>36</sup>, L.A.M. Wiik-Fuchs<sup>21</sup>, P.A. Wijeratne<sup>77</sup>, A. Wildauer<sup>100</sup>, M.A. Wildt<sup>42,ah</sup>, H.G. Wilkens<sup>30</sup>, J.Z. Will<sup>99</sup>, H.H. Williams<sup>121</sup>, S. Williams<sup>28</sup>, C. Willis<sup>89</sup>, S. Willocq<sup>85</sup>, J.A. Wilson<sup>18</sup>, A. Wilson<sup>88</sup>, I. Wingerter-Seez<sup>5</sup>, S. Winkelmann<sup>48</sup>, F. Winklmeier<sup>115</sup>, M. Wittgen<sup>144</sup>, T. Wittig<sup>43</sup>, J. Wittkowski<sup>99</sup>, S.J. Wollstadt<sup>82</sup>, M.W. Wolter<sup>39</sup>, H. Wolters<sup>125a,125c</sup>, B.K. Wosiek<sup>39</sup>, J. Wotschack<sup>30</sup>, M.J. Woudstra<sup>83</sup>, K.W. Wozniak<sup>39</sup>, M. Wright<sup>53</sup>, S.L. Wu<sup>174</sup>, X. Wu<sup>49</sup>, Y. Wu<sup>88</sup>, E. Wulf<sup>35</sup>, T.R. Wyatt<sup>83</sup>, B.M. Wynne<sup>46</sup>, S. Xella<sup>36</sup>, M. Xiao<sup>137</sup>, D. Xu<sup>33a</sup>, L. Xu<sup>33b,ai</sup>, B. Yabsley<sup>151</sup>, S. Yacoob<sup>146b,aj</sup>, M. Yamada<sup>65</sup>, H. Yamaguchi<sup>156</sup>, Y. Yamaguchi<sup>156</sup>, A. Yamamoto<sup>65</sup>, K. Yamamoto<sup>63</sup>, S. Yamamoto<sup>156</sup>, T. Yamamura<sup>156</sup>, T. Yamanaka<sup>156</sup>, K. Yamauchi<sup>102</sup>, Y. Yamazaki<sup>66</sup>, Z. Yan<sup>22</sup>, H. Yang<sup>33e</sup>, H. Yang<sup>174</sup>, U.K. Yang<sup>83</sup>, Y. Yang<sup>110</sup>, S. Yanush<sup>92</sup>, L. Yao<sup>33a</sup>, W-M. Yao<sup>15</sup>, Y. Yasu<sup>65</sup>, E. Yatsenko<sup>42</sup>, K.H. Yau Wong<sup>21</sup>, J. Ye<sup>40</sup>, S. Ye<sup>25</sup>, A.L. Yen<sup>57</sup>, E. Yildirim<sup>42</sup>, M. Yilmaz<sup>4b</sup>, R. Yoosoofmiya<sup>124</sup>, K. Yorita<sup>172</sup>, R. Yoshida<sup>6</sup>, K. Yoshihara<sup>156</sup>, C. Young<sup>144</sup>, C.J.S. Young<sup>30</sup>, S. Youssef<sup>22</sup>, D.R. Yu<sup>15</sup>, J. Yu<sup>8</sup>, J.M. Yu<sup>88</sup>, J. Yu<sup>113</sup>, L. Yuan<sup>66</sup>, A. Yurkewicz<sup>107</sup>, B. Zabinski<sup>39</sup>, R. Zaidan<sup>62</sup>, A.M. Zaitsev<sup>129,x</sup>, A. Zaman<sup>149</sup>, S. Zambito<sup>23</sup>, L. Zanello<sup>133a,133b</sup>, D. Zanzi<sup>100</sup>, A. Zaytsev<sup>25</sup>, C. Zeitnitz<sup>176</sup>, M. Zeman<sup>127</sup>, A. Zemla<sup>38a</sup>, K. Zengel<sup>23</sup>, O. Zenin<sup>129</sup>, T. Ženiš<sup>145a</sup>, D. Zerwas<sup>116</sup>, G. Zevi della Porta<sup>57</sup>, D. Zhang<sup>88</sup>, F. Zhang<sup>174</sup>, H. Zhang<sup>89</sup>, J. Zhang<sup>6</sup>, L. Zhang<sup>152</sup>, X. Zhang<sup>33d</sup>, Z. Zhang<sup>116</sup>, Z. Zhao<sup>33b</sup>, A. Zhemchugov<sup>64</sup>, J. Zhong<sup>119</sup>, B. Zhou<sup>88</sup>, L. Zhou<sup>35</sup>, N. Zhou<sup>164</sup>, C.G. Zhu<sup>33d</sup>, H. Zhu<sup>33a</sup>, J. Zhu<sup>88</sup>, Y. Zhu<sup>33b</sup>, X. Zhuang<sup>33a</sup>, A. Zibell<sup>99</sup>, D. Ziemska<sup>60</sup>, N.I. Zimine<sup>64</sup>, C. Zimmermann<sup>82</sup>, R. Zimmermann<sup>21</sup>, S. Zimmermann<sup>21</sup>, S. Zimmermann<sup>48</sup>, Z. Zinonos<sup>54</sup>, M. Ziolkowski<sup>142</sup>, R. Zitoun<sup>5</sup>, G. Zobernig<sup>174</sup>, A. Zoccoli<sup>20a,20b</sup>, M. zur Nedden<sup>16</sup>, G. Zurzolo<sup>103a,103b</sup>, V. Zutshi<sup>107</sup>, L. Zwalski<sup>30</sup>

<sup>1</sup> Department of Physics, University of Adelaide, Adelaide, Australia<sup>2</sup> Physics Department, SUNY Albany, Albany, NY, United States<sup>3</sup> Department of Physics, University of Alberta, Edmonton, AB, Canada<sup>4</sup> (a) Department of Physics, Ankara University, Ankara; (b) Department of Physics, Gazi University, Ankara; (c) Division of Physics, TOBB University of Economics and Technology, Ankara;<sup>d</sup> Turkish Atomic Energy Authority, Ankara, Turkey<sup>5</sup> LAPP, CNRS/IN2P3 and Université de Savoie, Annecy-le-Vieux, France<sup>6</sup> High Energy Physics Division, Argonne National Laboratory, Argonne, IL, United States<sup>7</sup> Department of Physics, University of Arizona, Tucson, AZ, United States<sup>8</sup> Department of Physics, The University of Texas at Arlington, Arlington, TX, United States<sup>9</sup> Physics Department, University of Athens, Athens, Greece<sup>10</sup> Physics Department, National Technical University of Athens, Zografou, Greece<sup>11</sup> Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan<sup>12</sup> Institut de Física d'Altes Energies and Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain<sup>13</sup> (a) Institute of Physics, University of Belgrade, Belgrade; (b) Vinca Institute of Nuclear Sciences, University of Belgrade, Belgrade, Serbia<sup>14</sup> Department for Physics and Technology, University of Bergen, Bergen, Norway<sup>15</sup> Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley, CA, United States<sup>16</sup> Department of Physics, Humboldt University, Berlin, Germany<sup>17</sup> Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland<sup>18</sup> School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom<sup>19</sup> (a) Department of Physics, Bogazici University, Istanbul; (b) Department of Physics, Dodus University, Istanbul; (c) Department of Physics Engineering, Gaziantep University, Gaziantep, Turkey<sup>20</sup> (a) INFN Sezione di Bologna; (b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy<sup>21</sup> Physikalisches Institut, University of Bonn, Bonn, Germany<sup>22</sup> Department of Physics, Boston University, Boston, MA, United States<sup>23</sup> Department of Physics, Brandeis University, Waltham, MA, United States<sup>24</sup> (a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (b) Federal University of Juiz de Fora (UFJF), Juiz de Fora; (c) Federal University of São João del Rei (UFSJ), São João del Rei; (d) Instituto de Física, Universidade de São Paulo, São Paulo, Brazil<sup>25</sup> Physics Department, Brookhaven National Laboratory, Upton, NY, United States<sup>26</sup> (a) National Institute of Physics and Nuclear Engineering, Bucharest; (b) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; (c) University Politehnica Bucharest, Bucharest; (d) West University in Timisoara, Timisoara, Romania<sup>27</sup> Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina<sup>28</sup> Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom<sup>29</sup> Department of Physics, Carleton University, Ottawa, ON, Canada<sup>30</sup> CERN, Geneva, Switzerland<sup>31</sup> Enrico Fermi Institute, University of Chicago, Chicago, IL, United States<sup>32</sup> (a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile<sup>33</sup> (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Department of Modern Physics, University of Science and Technology of China, Anhui;<sup>c</sup> Department of Physics, Nanjing University, Jiangsu; (d) School of Physics, Shandong University, Shandong; (e) Physics Department, Shanghai Jiao Tong University, Shanghai, China<sup>34</sup> Laboratoire de Physique Corpusculaire, Clermont Université and Université Blaise Pascal and CNRS/IN2P3, Clermont-Ferrand, France<sup>35</sup> Nevis Laboratory, Columbia University, Irvington, NY, United States<sup>36</sup> Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark<sup>37</sup> (a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; (b) Dipartimento di Fisica, Università della Calabria, Rende, Italy

- <sup>38</sup> <sup>(a)</sup> AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; <sup>(b)</sup> Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland
- <sup>39</sup> The Henryk Niewodniczanski Institute of Nuclear Physics, Polish Academy of Sciences, Krakow, Poland
- <sup>40</sup> Physics Department, Southern Methodist University, Dallas, TX, United States
- <sup>41</sup> Physics Department, University of Texas at Dallas, Richardson, TX, United States
- <sup>42</sup> DESY, Hamburg and Zeuthen, Germany
- <sup>43</sup> Institut für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany
- <sup>44</sup> Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany
- <sup>45</sup> Department of Physics, Duke University, Durham, NC, United States
- <sup>46</sup> SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom
- <sup>47</sup> INFN Laboratori Nazionali di Frascati, Frascati, Italy
- <sup>48</sup> Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany
- <sup>49</sup> Section de Physique, Université de Genève, Geneva, Switzerland
- <sup>50</sup> <sup>(a)</sup> INFN Sezione di Genova; <sup>(b)</sup> Dipartimento di Fisica, Università di Genova, Genova, Italy
- <sup>51</sup> <sup>(a)</sup> E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; <sup>(b)</sup> High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia
- <sup>52</sup> II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany
- <sup>53</sup> SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom
- <sup>54</sup> II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany
- <sup>55</sup> Laboratoire de Physique Subatomique et de Cosmologie, Université Joseph Fourier and CNRS/IN2P3 and Institut National Polytechnique de Grenoble, Grenoble, France
- <sup>56</sup> Department of Physics, Hampton University, Hampton, VA, United States
- <sup>57</sup> Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge, MA, United States
- <sup>58</sup> <sup>(a)</sup> Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; <sup>(b)</sup> Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg;
- <sup>59</sup> ZITI Institut für technische Informatik, Ruprecht-Karls-Universität Heidelberg, Mannheim, Germany
- <sup>60</sup> Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan
- <sup>61</sup> Department of Physics, Indiana University, Bloomington, IN, United States
- <sup>62</sup> Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria
- <sup>63</sup> University of Iowa, Iowa City, IA, United States
- <sup>64</sup> Department of Physics and Astronomy, Iowa State University, Ames, IA, United States
- <sup>65</sup> Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia
- <sup>66</sup> KEK, High Energy Accelerator Research Organization, Tsukuba, Japan
- <sup>67</sup> Graduate School of Science, Kobe University, Kobe, Japan
- <sup>68</sup> Faculty of Science, Kyoto University, Kyoto, Japan
- <sup>69</sup> Kyoto University of Education, Kyoto, Japan
- <sup>70</sup> Department of Physics, Kyushu University, Fukuoka, Japan
- <sup>71</sup> Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina
- <sup>72</sup> Physics Department, Lancaster University, Lancaster, United Kingdom
- <sup>73</sup> INFN Sezione di Lecce; <sup>(b)</sup> Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy
- <sup>74</sup> Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom
- <sup>75</sup> Department of Physics, Jožef Stefan Institute and University of Ljubljana, Ljubljana, Slovenia
- <sup>76</sup> School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom
- <sup>77</sup> Department of Physics, Royal Holloway University of London, Surrey, United Kingdom
- <sup>78</sup> Department of Physics and Astronomy, University College London, London, United Kingdom
- <sup>79</sup> Louisiana Tech University, Ruston, LA, United States
- <sup>80</sup> Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France
- <sup>81</sup> Fysiska institutionen, Lunds universitet, Lund, Sweden
- <sup>82</sup> Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain
- <sup>83</sup> Institut für Physik, Universität Mainz, Mainz, Germany
- <sup>84</sup> School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom
- <sup>85</sup> CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France
- <sup>86</sup> Department of Physics, University of Massachusetts, Amherst, MA, United States
- <sup>87</sup> Department of Physics, McGill University, Montreal, QC, Canada
- <sup>88</sup> School of Physics, University of Melbourne, Victoria, Australia
- <sup>89</sup> Department of Physics, The University of Michigan, Ann Arbor, MI, United States
- <sup>90</sup> Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States
- <sup>91</sup> INFN Sezione di Milano; <sup>(b)</sup> Dipartimento di Fisica, Università di Milano, Milano, Italy
- <sup>92</sup> B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus
- <sup>93</sup> National Scientific and Educational Centre for Particle and High Energy Physics, Minsk, Belarus
- <sup>94</sup> Department of Physics, Massachusetts Institute of Technology, Cambridge, MA, United States
- <sup>95</sup> Group of Particle Physics, University of Montreal, Montreal, QC, Canada
- <sup>96</sup> P.N. Lebedev Institute of Physics, Academy of Sciences, Moscow, Russia
- <sup>97</sup> Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia
- <sup>98</sup> Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia
- <sup>99</sup> D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia
- <sup>100</sup> Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany
- <sup>101</sup> Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany
- <sup>102</sup> Nagasaki Institute of Applied Science, Nagasaki, Japan
- <sup>103</sup> Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan
- <sup>104</sup> INFN Sezione di Napoli; <sup>(b)</sup> Dipartimento di Fisica, Università di Napoli, Napoli, Italy
- <sup>105</sup> Department of Physics and Astronomy, University of New Mexico, Albuquerque, NM, United States
- <sup>106</sup> Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands
- <sup>107</sup> Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands
- <sup>108</sup> Department of Physics, Northern Illinois University, DeKalb, IL, United States
- <sup>109</sup> Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia
- <sup>110</sup> Department of Physics, New York University, New York, NY, United States
- <sup>111</sup> Ohio State University, Columbus, OH, United States
- <sup>112</sup> Faculty of Science, Okayama University, Okayama, Japan
- <sup>113</sup> Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman, OK, United States
- <sup>114</sup> Department of Physics, Oklahoma State University, Stillwater, OK, United States
- <sup>115</sup> Palacký University, Olomouc, Czech Republic

- 115 Center for High Energy Physics, University of Oregon, Eugene, OR, United States  
 116 LAL, Université Paris-Sud and CNRS/IN2P3, Orsay, France  
 117 Graduate School of Science, Osaka University, Osaka, Japan  
 118 Department of Physics, University of Oslo, Oslo, Norway  
 119 Department of Physics, Oxford University, Oxford, United Kingdom  
 120 <sup>(a)</sup> INFN Sezione di Pavia; <sup>(b)</sup> Dipartimento di Fisica, Università di Pavia, Pavia, Italy  
 121 Department of Physics, University of Pennsylvania, Philadelphia, PA, United States  
 122 Petersburg Nuclear Physics Institute, Gatchina, Russia  
 123 <sup>(a)</sup> INFN Sezione di Pisa; <sup>(b)</sup> Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy  
 124 Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA, United States  
 125 <sup>(a)</sup> Laboratorio de Instrumentacao e Fisica Experimental de Particulas – LIP, Lisboa; <sup>(b)</sup> Faculdade de Ciências, Universidade de Lisboa, Lisboa; <sup>(c)</sup> Department of Physics, University of Coimbra, Coimbra; <sup>(d)</sup> Centro de Física Nuclear da Universidade de Lisboa, Lisboa; <sup>(e)</sup> Departamento de Física, Universidade do Minho, Braga; <sup>(f)</sup> Departamento de Física Teórica y del Cosmos and CAFPE, Universidad de Granada, Granada (Spain); <sup>(g)</sup> Dep Física and CEFITEC of Faculdade de Ciencias e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal  
 126 Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic  
 127 Czech Technical University in Prague, Praha, Czech Republic  
 128 Faculty of Mathematics and Physics, Charles University in Prague, Praha, Czech Republic  
 129 State Research Center Institute for High Energy Physics, Protvino, Russia  
 130 Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom  
 131 Physics Department, University of Regina, Regina, SK, Canada  
 132 Ritsumeikan University, Kusatsu, Shiga, Japan  
 133 <sup>(a)</sup> INFN Sezione di Roma; <sup>(b)</sup> Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy  
 134 <sup>(a)</sup> INFN Sezione di Roma Tor Vergata; <sup>(b)</sup> Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy  
 135 <sup>(a)</sup> INFN Sezione di Roma Tre; <sup>(b)</sup> Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy  
 136 <sup>(a)</sup> Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca; <sup>(b)</sup> Centre National de l'Energie des Sciences Techniques Nucléaires, Rabat; <sup>(c)</sup> Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA, Marrakech; <sup>(d)</sup> Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda; <sup>(e)</sup> Faculté des sciences, Université Mohammed V-Agdal, Rabat, Morocco  
 137 DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France  
 138 Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz, CA, United States  
 139 Department of Physics, University of Washington, Seattle, WA, United States  
 140 Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom  
 141 Department of Physics, Shinshu University, Nagano, Japan  
 142 Fachbereich Physik, Universität Siegen, Siegen, Germany  
 143 Department of Physics, Simon Fraser University, Burnaby, BC, Canada  
 144 SLAC National Accelerator Laboratory, Stanford, CA, United States  
 145 <sup>(a)</sup> Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava; <sup>(b)</sup> Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic  
 146 <sup>(a)</sup> Department of Physics, University of Cape Town, Cape Town; <sup>(b)</sup> Department of Physics, University of Johannesburg, Johannesburg; <sup>(c)</sup> School of Physics, University of the Witwatersrand, Johannesburg, South Africa  
 147 <sup>(a)</sup> Department of Physics, Stockholm University; <sup>(b)</sup> The Oskar Klein Centre, Stockholm, Sweden  
 148 Physics Department, Royal Institute of Technology, Stockholm, Sweden  
 149 Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook, NY, United States  
 150 Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom  
 151 School of Physics, University of Sydney, Sydney, Australia  
 152 Institute of Physics, Academia Sinica, Taipei, Taiwan  
 153 Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel  
 154 Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel  
 155 Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece  
 156 International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan  
 157 Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan  
 158 Department of Physics, Tokyo Institute of Technology, Tokyo, Japan  
 159 Department of Physics, University of Toronto, Toronto, ON, Canada  
 160 <sup>(a)</sup> TRIUMF, Vancouver, BC; <sup>(b)</sup> Department of Physics and Astronomy, York University, Toronto, ON, Canada  
 161 Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan  
 162 Department of Physics and Astronomy, Tufts University, Medford, MA, United States  
 163 Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia  
 164 Department of Physics and Astronomy, University of California Irvine, Irvine, CA, United States  
 165 <sup>(a)</sup> INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine; <sup>(b)</sup> ICTP, Trieste; <sup>(c)</sup> Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy  
 166 Department of Physics, University of Illinois, Urbana, IL, United States  
 167 Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden  
 168 Instituto de Física Corpuscular (IFIC) and Departamento de Física Atómica, Molecular y Nuclear and Departamento de Ingeniería Electrónica and Instituto de Microelectrónica de Barcelona (IMB-CNM), University of Valencia and CSIC, Valencia, Spain  
 169 Department of Physics, University of British Columbia, Vancouver, BC, Canada  
 170 Department of Physics and Astronomy, University of Victoria, Victoria, BC, Canada  
 171 Department of Physics, University of Warwick, Coventry, United Kingdom  
 172 Waseda University, Tokyo, Japan  
 173 Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel  
 174 Department of Physics, University of Wisconsin, Madison, WI, United States  
 175 Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany  
 176 Fachbereich C Physik, Bergische Universität Wuppertal, Wuppertal, Germany  
 177 Department of Physics, Yale University, New Haven, CT, United States  
 178 Yerevan Physics Institute, Yerevan, Armenia  
 179 Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France

<sup>a</sup> Also at Department of Physics, King's College London, London, United Kingdom.

<sup>b</sup> Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.

<sup>c</sup> Also at Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom.

<sup>d</sup> Also at TRIUMF, Vancouver, BC, Canada.

<sup>e</sup> Also at Department of Physics, California State University, Fresno, CA, United States.

- <sup>f</sup> Also at Novosibirsk State University, Novosibirsk, Russia.  
<sup>g</sup> Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.  
<sup>h</sup> Also at Università di Napoli Parthenope, Napoli, Italy.  
<sup>i</sup> Also at Institute of Particle Physics (IPP), Canada.  
<sup>j</sup> Also at Department of Physics and Astronomy, Michigan State University, East Lansing, MI, United States.  
<sup>k</sup> Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.  
<sup>l</sup> Also at Louisiana Tech University, Ruston, LA, United States.  
<sup>m</sup> Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.  
<sup>n</sup> Also at CERN, Geneva, Switzerland.  
<sup>o</sup> Also at Ochanomizu Academic Production, Ochanomizu University, Tokyo, Japan.  
<sup>p</sup> Also at Manhattan College, New York, NY, United States.  
<sup>q</sup> Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.  
<sup>r</sup> Also at Department of Physics, Nanjing University, Jiangsu, China.  
<sup>s</sup> Also at School of Physics and Engineering, Sun Yat-sen University, Guangzhou, China.  
<sup>t</sup> Also at Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan.  
<sup>u</sup> Also at Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France.  
<sup>v</sup> Also at School of Physical Sciences, National Institute of Science Education and Research, Bhubaneswar, India.  
<sup>w</sup> Also at Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy.  
<sup>x</sup> Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.  
<sup>y</sup> Also at Section de Physique, Université de Genève, Geneva, Switzerland.  
<sup>z</sup> Also at Department of Physics, The University of Texas at Austin, Austin, TX, United States.  
<sup>aa</sup> Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.  
<sup>ab</sup> Also at International School for Advanced Studies (SISSA), Trieste, Italy.  
<sup>ac</sup> Also at Department of Physics and Astronomy, University of South Carolina, Columbia, SC, United States.  
<sup>ad</sup> Also at Faculty of Physics, M.V. Lomonosov Moscow State University, Moscow, Russia.  
<sup>ae</sup> Also at Physics Department, Brookhaven National Laboratory, Upton, NY, United States.  
<sup>af</sup> Also at Moscow Engineering and Physics Institute (MEPhI), Moscow, Russia.  
<sup>ag</sup> Also at Department of Physics, Oxford University, Oxford, United Kingdom.  
<sup>ah</sup> Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany.  
<sup>ai</sup> Also at Department of Physics, The University of Michigan, Ann Arbor, MI, United States.  
<sup>aj</sup> Also at Discipline of Physics, University of KwaZulu-Natal, Durban, South Africa.  
\* Deceased.