

UvA-DARE (Digital Academic Repository)

Can working memory be non-conscious?

Stein, T.; Kaiser, D.; Hesselmann, G.

DOI 10.1093/nc/niv011

Publication date 2016

Document Version Final published version

Published in Neuroscience of Consciousness

License CC BY-NC

Link to publication

Citation for published version (APA):

Stein, T., Kaiser, D., & Hesselmann, G. (2016). Can working memory be non-conscious? *Neuroscience of Consciousness*, *2016*(1), [niv011]. https://doi.org/10.1093/nc/niv011

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: https://uba.uva.nl/en/contact, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

UvA-DARE is a service provided by the library of the University of Amsterdam (https://dare.uva.nl)



Neuroscience of Consciousness, 2016, 1-3

doi: 10.1093/nc/niv011 Spotlight Commentary

Can working memory be non-conscious?

Timo Stein^{1,*}, Daniel Kaiser¹, and Guido Hesselmann²

¹Center for Mind/Brain Sciences (CIMeC), University of Trento, 38068 Rovereto, Italy and ²Visual Perception Laboratory, Department of Psychiatry and Psychotherapy, Charité-Universitätsmedizin, 10117 Berlin, Germany

*Correspondence address. Center for Mind/Brain Sciences, University of Trento, 38068 Rovereto, Italy. Tel: +390461288727; E-mail: timo@timostein.de

Abstract

Working memory (WM) is closely linked to conscious awareness: In most conceptions of WM, the inputs to WM need to be conscious. The findings of some recent studies, however, have been taken to suggest that WM can indeed operate on non-conscious inputs. Here, we argue that these findings can easily be accommodated by conventional conceptions of non-conscious perception and conscious WM. We conclude that these studies do not provide conclusive evidence for non-conscious WM. It is thus too early to dismiss the traditional view of a tight link between WM and conscious awareness.

Key words: working memory; consciousness; conscious awareness; non-conscious perception

Working memory (WM) is a concept widely used in psychology and cognitive neuroscience to describe the short-term storage and transformation of information that is not currently present in the environment. A prime example of WM function is remembering a phone number by continuously rehearsing the digit. WM is thought to be involved in most of our everyday activities, such as preparing one's own contribution to a debate while following the other discussants and incorporating their arguments. Thus, WM corresponds well to our everyday phenomenology of 'keeping in mind' some information over a short period of time. From this phenomenology, it seems clear that WM is intricately interwoven with conscious awareness. It is difficult to imagine a situation in which we are not consciously aware of the stimuli that enter WM. Indeed, prominent conceptions of WM and consciousness propose that all WM operations, from input to recall, are conscious (Baars and Franklin, 2003), and that WM provides the global workspace for conscious awareness (Baddeley, 2003). This notion of a tight mesh between WM and conscious awareness has recently been challenged by a series of studies suggesting that WM can operate on non-conscious input (Bergström and Eriksson, 2014, 2015; Dutta et al., 2014; Soto et al., 2011). As these studies call for a revision of our understanding of both WM and consciousness (Soto and Silvanto, 2014), here we critically revisit and evaluate their approach, methodology, and implications.

The general paradigm used to provide evidence for nonconscious WM is illustrated in Fig. 1: A memory cue, such as an oriented grating or a letter, is presented with low visibility, e.g. through backward masking. Following a delay period (usually between 1.4 and 15 s, sometimes filled with visible distractors), a probe is presented and participants provide both a performance-based, objective response (e.g. indicate orientation of the probe relative to the memory cue) as well as a subjective rating of their awareness of the memory cue (e.g. perceptual awareness scale; Overgaard et al., 2010). Evidence for non-conscious WM has been inferred from a dissociation between the subjective and the objective measure: In those trials in which participants reported no subjective awareness of the memory cue (the subjective, appearance-based measure), they showed above-chance performance in the memory test (the objective, performance-based measure). For example, in a subset of trials in which participants indicated not having seen the memory cue, they were nevertheless better than chance in evaluating whether the probe was tilted clockwise or counterclockwise relative to the memory cue (Soto et al., 2011). This dissociation between the objective and the subjective measure was taken to imply that observers encoded a non-conscious input in WM for later use in the memory test, thereby challenging the notion that inputs to WM need to be conscious (Baars and Franklin, 2003).

Submitted: 28 October 2015; Revised (in revised form): 4 December 2015. Accepted: 8 December 2015

[©] The Author 2016. Published by Oxford University Press.

This is an Open Access article distributed under the terms of the Creative Commons Attribution Non-Commercial License (http://creativecommons.org/ licenses/by-nc/4.0/), which permits non-commercial re-use, distribution, and reproduction in any medium, provided the original work is properly cited. For commercial re-use, please contact journals.permissions@oup.com

However, such dissociations between objective and subjective measures are common in studies on the perception of lowvisibility stimuli and do not need to reflect non-conscious WM. Subjective ratings of stimulus visibility are prone to response biases, such that observers may systematically indicate invisibility of a stimulus that they can at least partially see (Schmidt, 2015). Thus, above-chance performance in the objective measure does not provide evidence for maintenance of nonconscious stimulus information in WM, but could simply reflect residual awareness of the memory cue. Such weakly conscious information of the memory cue could have been maintained in 'conscious WM' over the delay period and then applied in the objective memory test to yield above-chance performance.

Note that even if bias-free measures of subjective awareness (Barrett et al., 2013) were applied in future studies to demonstrate that observers had no subjective awareness of the memory cue, this would not provide evidence for non-conscious WM. Consider the following scenario: If observers have no subjective awareness of the memory cue, they need to guess the task-relevant property of the memory cue (e.g. the grating's orientation, or the letter's identity). If guessing performance were above chance while a bias-free measure of subjective awareness were at chance, this would represent evidence for blindsight-like non-conscious perception (e.g. Kunimoto et al., 2001; but see Peters and Lau, 2015). However, evidence for non-conscious perception does not entail evidence for non-conscious WM. Even with an additional delay period between the memory cue and the memory test, non-conscious perception and conscious WM are sufficient to account for objective-subjective dissociations. Non-conscious perception would result in the conscious representation of a guess, and this guess would be maintained in conscious WM during the delay period, until it would be applied in the objective memory test. Thus, there is no need to invoke an additional process of nonconscious WM to account for dissociations between objective and subjective measures of awareness.

Therefore, to provide evidence for non-conscious WM, above-chance performance in the memory test needs to be accompanied by null sensitivity for the memory cue. Although this situation seems unlikely to occur in practice, two studies indeed claimed to have demonstrated such a dissociation between memory performance and objectively assessed awareness of the memory cue (Dutta et al., 2014; Soto et al., 2011). In these studies, a memory cue was presented in only 50% of the trials. For the critical analyses, only those trials in which participants indicated no subjective awareness of the memory cue were included. The proportion of trials in which the memory cue was present was then compared with the proportion of trials in which the memory cue was absent. The underlying reasoning is that if participants could not discriminate between the presence and the absence of the memory cue, both trial types should similarly often be categorized as yielding no subjective awareness. However, although the metric for comparing these proportions has been labeled 'd" in these studies, these analyses are not grounded in signal detection theory, where d'is the most commonly used bias-free measure of detection sensitivity. The pseudo-d' computed in these studies on non-conscious WM is not invariant to bias, but varies depending on the observer's response criterion, and tends to underestimate actual sensitivity for conservative observers (Fig. 2; see Online Supplementary Material for detailed analyses). Thus, because the metric used in these studies does not represent a valid measure of bias-free detection sensitivity, evidence for a dissociation between memory performance and objectively assessed awareness of the memory cue is lacking.

In summary, the studies covered in our mini-review do not provide conclusive evidence for non-conscious WM. Findings of above-chance memory test performance in the absence of subjective awareness of the memory cue can be explained by blindsight-like non-conscious perception and the maintenance of a




Figure 1. Illustration of an example paradigm used to demonstrate non-conscious WM (cf. Soto *et al.*, 2011, Experiment 1). A memory cue (e.g. an oriented grating) is presented with low visibility, e.g. through backward masking. Following a delay period (usually between 1.4 and 15 s, sometimes filled with visible distractors), participants provide a performance-based, objective response to the visible memory test (e.g. indicate orientation relative to the memory cue) and a subjective rating of their awareness of the memory cue.




Figure 2. The new index (pseudo-d') used by the two studies on nonconscious WM (Dutta *et al.*, 2014; Soto *et al.*, 2011) to estimate detection sensitivity, plotted for different values of actual d' as a function of response criterion *c*. The dotted lines represent standard d'. Pseudo-d' varies with the response criterion (see Online Supplementary Material for details). Thus, in contrast to actual d'the new index pseudo-d' does not represent a bias-free measure of detection sensitivity. For relatively conservative observers (positive values of the response criterion *c*) pseudo-d' underestimates true sensitivity.

guess in conscious WM, without the need to invoke nonconscious WM processes. To provide conclusive evidence for the existence of non-conscious WM processes, null sensitivity for the memory cue needs to be demonstrated with objective, performance-based measures. However, evidence for above-chance memory test performance in the absence of objectively assessed sensitivity for the memory cue is still lacking. Thus, although these recent studies on non-conscious WM opened an exciting new avenue for research on the interplay between consciousness and WM, it would be premature to revise our current understanding of a tight link between WM and conscious awareness.

Supplementary data

Supplementary data are available at NCONCC Journal online.

Acknowledgments

The research leading to these results has received funding from the People Programme (Marie Curie Actions) of the European Union's Seventh Framework Programme (FP7/2007-2013) under REA grant agreement number 329363. T.S. and G.H. were supported by the German Research Foundation (grants STE 2239/1-1 and HE 6244/1-2).

Conflict of interest statement. None declared.

References

Baars BJ, Franklin S. How conscious experience and working memory interact. Trends Cogn Sci 2003;7:166–72.

- Baddeley A. Working memory: Looking back and looking forward. Nat Rev Neurosci, 2003;4:829–39.
- Barrett AB, Dienes U, Seth AK. Measures of metacognition on signal-detection theoretic models. *Psychol Methods*, 2013;**18**:535–52.
- Bergström F, Eriksson J. Maintenance of non-consciously presented information engages the prefrontal cortex. Front Human Neurosci, 2014;**8**:938.
- Bergström F, Eriksson J. The conjunction of non-consciously perceived object identity and spatial position can be retained during a visual short-term memory task. Front Psychol, 2015;6:1470.
- Dutta A, Shah K, Silvanto J, Soto D. Neural basis of non-conscious visual working memory. *Neuroimage*, 2014;**91**:336–43.
- Kunimoto C, Miller J, Pashler H. Confidence and accuracy of near-threshold discrimination responses. Conscious Cogn, 2001;10:294–340.
- Overgaard M, Timmermans B, Sandberg K, et al. Optimizing subjective measures of consciousness. *Consious Cogn*, 2010;19: 682–4.
- Peters MAK, Lau H. Human observers have optimal introspective access to perceptual processes even for visually masked stimuli. *eLife*, 2015. doi:10.7554/eLife.09651.
- Schmidt T. Invisible stimuli, implicit thresholds: Why invisibility judgments cannot be interpreted in isolation. *Adv Cogn Psychol*, 2015;**11**:31–41.
- Soto D, Mäntylä T, Silvanto J. Working memory without consciousness. Curr Biol, 2011;21:R912–3.
- Soto D, Silvanto J. Reappraising the relationship between working memory and conscious awareness. *Trends Cogn Sci*, 2014; 18:520–5.