

Factors facilitating the self- and shared-management of JIA by children, young people, their families, and professionals involved in their care: a realist evaluation. (Abstract only)

STONES, S, SWALLOW, Veronica and MILNES, L

Available from Sheffield Hallam University Research Archive (SHURA) at:

http://shura.shu.ac.uk/29805/

This document is the author deposited version. You are advised to consult the publisher's version if you wish to cite from it.

## **Published version**

STONES, S, SWALLOW, Veronica and MILNES, L (2021). Factors facilitating the self- and shared-management of JIA by children, young people, their families, and professionals involved in their care: a realist evaluation.(Abstract only). Annals of the rheumatic diseases, 80 (Sup 1), p. 290.

# Copyright and re-use policy

See <a href="http://shura.shu.ac.uk/information.html">http://shura.shu.ac.uk/information.html</a>

### Abstract N°: 1286

Factors facilitating the self- and shared-management of JIA by children, young people, their families, and professionals involved in their care: A realist evaluation

Simon Stones\*1, Veronica Swallow2, Linda Milnes1

<sup>1</sup>University of Leeds, School of Healthcare, Leeds, United Kingdom, <sup>2</sup>Sheffield Hallam University, Department of Nursing & Midwifery, Sheffield, United Kingdom

## **Background:**

Juvenile idiopathic arthritis (JIA) is a long-term condition, often requiring some element of lifelong management. Therefore, it is logical that children and young people are empowered to become competent at self-managing their health and wellbeing, while families are supported in their shared-management role during childhood, relinquishing control at age-and developmentally appropriate periods in their child's development. However, there are limited theoretical foundations underpinning optimal self- and shared-management support for children, young people and families living with JIA.

## **Objectives:**

To explain the factors facilitating the self- and shared-management of JIA by children, young people, and their families, with professional support from healthcare professionals, third sector organisations, and education professionals.

### Methods:

Guided by the Individual and Family Self-management Theory and the Shared Management Model, a three-stage realist evaluation was undertaken: 1) initial JIA self- and shared-management question theories were elicited from a document review, integrative review, and stakeholder insights [1]; 2) seven initial question theories were tested using qualitative research methods with 20 participants (young people, families, healthcare professionals, education professionals, and third sector representatives); 3) analysis of findings using a theory-driven approach to thematic analysis, in order to identify demi-regularities to extend or refute the initial question theories. The analysis drew on deductive, inductive, and retroductive reasoning.

### Results:

There were six refined JIA self- and shared-management question theories: 1) meaningful and bespoke self-management support across the life course for children and young people with JIA; 2) recognised and valued shared-management support for the families of children and young people with JIA, with autonomy in mind; 3) individual healthcare plans as a shared management communication tool to facilitate optimal management of JIA; 4) consistent recognition, value, and encourage of self- and shared-management support from the paediatric rheumatology multi-disciplinary team and associated professionals; 5) child, young-person, and family-focused paediatric rheumatology care and support services across

the lifecourse; and 6) bespoke and inclusive approaches by education providers to enable children and young people with JIA to feel safe, supported, and able to fulfil their potential.

### Conclusion:

There is an increasing recognition of the importance of self- and shared-management of JIA. However, there is a lack of an overall, cohesive approach to self- and shared-management between healthcare providers, education providers, and the third sector. Findings from this study illuminate the factors facilitating JIA self- and shared-management at individual, interpersonal, institutional and infrastructural levels. Further work is required to empirically test these refined question theories with interventions designed to enhance JIA care, education, and support.

### References:

 Stones et al. (2020). A realist approach to eliciting the initial programme theories for the self- and shared-management of juvenile idiopathic arthritis by children, young people, families and professionals involved in their care. Pediatric Rheumatology 18(Suppl 2): O062.

**Acknowledgements:** The authors thank all of the participants who helped to shape the findings of this study. This work formed part of a PhD study funded by the University of Leeds.

**Disclosure of interest:** Simon Stones Speakers bureau: Janssen, Consultant of: Parexel, Envision Pharma Group, 67 Health, On The Pulse Consultancy, Veronica Swallow: None declared, Linda Milnes: None declared