

Spatial Monitoring and Reporting Tool (SMART) in Mid-Zambezi Valley, Zimbabwe: Implementation challenges and practices

Blessing Kavhu^{1,2,3}  | Kudzai Shaun Mpakairi⁴ 

¹Scientific Services Unit, Zimbabwe Parks and Wildlife Management Authority, Headquarters, Harare, Zimbabwe

²Department of Geography and Environmental Studies, Stellenbosch University, Matieland, South Africa

³Centre for Sustainability Transitions, Stellenbosch University, Stellenbosch, South Africa

⁴Institute of Water Studies, Department of Earth Sciences, University of the Western Cape, Bellville, South Africa

Correspondence

Blessing Kavhu, Zimbabwe Parks and Wildlife Management Authority, Scientific Services Unit, Headquarters, P. O. Box 140 Causeway, Harare, Zimbabwe.
Email: kavhublessing@gmail.com

Abstract

Biodiversity monitoring and data-management technologies can enhance the protection of persecuted species, such as African elephants (*Loxodonta africana*), through providing management-relevant information. Implementing these technologies, however, often presents several capacity and resource challenges for field staff in protected areas. In the Mid-Zambezi Valley, Zimbabwe, the Zimbabwe Parks and Wildlife Management Authority (ZPWMA) is in the process of adopting the Spatial Monitoring and Reporting Tool (SMART) as law enforcement and data management tool for adaptive management. With the support of several conservation partners, ZPWMA was able to acquire SMART equipment (computers and handheld cyber-tracker devices) as well as train rangers and officers on how to use SMART in the region. Following the training and provision of SMART equipment, most protected areas (6 out of 7) in the Mid-Zambezi Valley have adopted SMART for law enforcement and relevant data are being collected. This study draws from the first-hand experience of training workshops, interviews with field staff, observations from support visits, and discussions with conservation partners in the Zambezi Valley. We observed that the introduction of SMART was marred by (a) technical and capacity challenges, (b) behavioral and human dynamics challenges, and (c) resources challenges. These were linked to ineptness among patrol rangers and officers, discomfort with the new technology, and uneven distribution of resources to implement SMART. To help overcome some of the challenges, we propose the development of an integrated SMART implementation plan, motivation of field staff, learning from implementation models of institutions that have successfully implemented SMART, and the provision of more SMART equipment.

This is an open access article under the terms of the Creative Commons Attribution License, which permits use, distribution and reproduction in any medium, provided the original work is properly cited.

© 2021 The Authors. Conservation Science and Practice published by Wiley Periodicals LLC. on behalf of Society for Conservation Biology

1 | INTRODUCTION

Wildlife management, a key component of biodiversity conservation, strives to maintain high species diversity and richness of wildlife resources. To achieve this, least threatened species like waterbuck (*Kobus ellipsiprymus*) and persecuted species like elephants (*Loxodonta africana*) both need to be protected (Konate et al., 2021; Riddle, Schulte, Desai, & van der Meer, 2010). Adaptive management and the use of data management technologies (e.g., Management Information Systems [MIST], and Spatial Monitoring and Reporting Tool [SMART]) can plausibly make wildlife management more effective. Nonetheless, the applicability and success of these technologies in effectively conserving wildlife resources varies geographically (Saunders, 2011; Schmitt & Sallee, 2002).

There has been growing use of SMART (<https://smartconservationtools.org/>) technology to monitor anti-poaching patrols in many wildlife areas (Moreto, 2015; Stokes, 2010; Wilfred, Kayeye, Magige, Kisingo, & Nahonyo, 2019). SMART has been widely adopted to monitor law enforcement efforts and allow adaptive management in the conservation of wildlife resources (Kuiper, Kavhu, Ms, Mandisodza-Chikerema, & Milner-Gulland, 2020; Lynam, Singh, & Chimuti, 2016). While data from SMART informs law enforcement locally, it has also been relevant to the global conservation of several endangered species (Gray et al., 2018; Hoette et al., 2016).

Although SMART implementation has grown in different countries, in developing countries such as Zimbabwe, it is still in its infancy. Lack of capacity on emerging technology and resources to support the technology are the key problems in adopting SMART over the traditional (paper-based) systems (Wilfred et al., 2019). This has been the case for some protected areas in the Mid-Zambezi Valley (MZV). In this study, we evaluate the implementation of SMART in MZV, Zimbabwe. Our specific objectives were to (a) evaluate the implementation success and challenges of SMART and (b) suggest solutions to current challenges. The setting of the study is a complex of protected areas that have adopted SMART in MZV and these include six Safari Areas (Chewore, Charara, Dande, Sapi, Hurungwe, Doma) and one National Park (Mana Pools) (Figure 1). We draw insights from discussions with conservation partners during workshops, first-hand experience of training, and interviews with field staff (patrol rangers and wildlife officers, and managers).

2 | IMPLEMENTATION OF SMART IN THE MID-ZAMBEZI VALLEY

The study was carried out in the MZV, northern Zimbabwe. The MZV is 1,187,900 ha in size and is bordered by Zambia and Mozambique (Figure 1). The MZV is characterized by a mix of photographic tourism and hunting,




FIGURE 1 Location of protected areas in the Mid-Zambezi Valley

and some wild fauna of conservation value such as lion (*Panthera leo*), leopard (*Panthera pardus*), buffalo (*Synceus caffer*), and elephant. The MZV is a world heritage site and part of the UNESCO Man and Biosphere Programme. Protected areas in the MZV started the adoption of SMART in 2015 and the implementation was done by ZPWMA through the support of several non-governmental conservation partners (e.g., African Wildlife Foundation, Tashinga initiative, Panthera, CITES MIKE, North Carolina Zoo, UNDP GEF 6 Project).

Ten training workshops and seven follow-up visits (to seven stations) were delivered to 46 Wildlife Rangers and 10 Wildlife Officers (ranger supervisors with some managerial responsibilities) between January 2017 and December 2019. Participants were drawn from management stations found in the MZV. The training and field visits were meant to equip wildlife rangers and officers with expertise on how to (a) collect law enforcement data using cyber-trackers, a GPS enabled hand-held device that facilitates data collection (www.cybertracker.org), (b) upload data into the SMART database, (c) analyze data, (d) produce reports, and (e) integrate SMART reports in developing strategic law enforcement patrols. The training was also meant to enhance adaptive management toward law enforcement in the MZV. Adaptive management is the process of learning from monitoring data to change your strategies and make more strategic management decisions.

Most wildlife rangers and officers in the MZV were not acquainted with the new technology and required training. SMART equipment used during the implementation included 10 Computers and 39 cyber-trackers. The detailed procedure used during training, field visits, interviews, and discussions are provided in Data S1. This initiative advanced the integration of SMART into law enforcement patrols. However, the distribution of SMART equipment was uneven since some stations (e.g., Chewore Safari Area and Mana Pools National Park) received direct support from conservation partners while others (e.g., Dande Safari Area, Doma Safari Area, and Sapi Safari Area) did not, resulting in the SMART equipment and expertise required to set up a SMART database for law enforcement patrols not being available. The uneven distribution of SMART equipment greatly affected the complete adoption of SMART in the MZV.

3 | CHALLENGES FACED WHEN IMPLEMENTING SMART

Several challenges were observed and reported by rangers and officers during the interviews and discussions

concerning the implementation of SMART in the MZV. These challenges were grouped into technical, capacity, behavioral, and resource challenges.

3.1 | Technical and capacity challenges with SMART implementation

Technical challenges reported by rangers and officers with regards to the use of SMART, ranked from the most reported to the least reported, include: (a) transfer of trained staff from Chewore Safari area to other protected areas, (b) poor internet connection to submit data collected to the main server for central storage (based at the head office) and evaluation of progress by the directorate, and (c) cyber-trackers had problems with connecting to GPS satellites when put inside pockets during patrols. Capacity challenges include the failure to (a) add new patrol members to the database, (b) update patrol mandates and teams in the database, (c) mark GPS locations of the start and the end of the patrol, (d) update configurable data models for cyber-trackers, (e) set up roles for different database users, and (f) generate SMART queries and reports.

3.2 | Behavioral and human dynamics challenges with SMART implementation

Rangers, wildlife officers, and managers generally showed appreciation of SMART as a valuable and useful tool that had the potential to enhance law enforcement data collection and decision-making. However, there were behavioral challenges that were observed to be driving resistance amongst some rangers, and this include: (a) discomfort with the new technology linked to poor capacity and the misconception that SMART is meant to police ranger activity, without seeing its potential in enhancing their performance through providing data relevant to adaptive management, (b) reluctance to collect SMART data as the recording of observation data is said to be time-consuming, and (c) favoritism in selecting SMART administrators and assigning SMART duties among patrol rangers.

3.3 | Resource challenges with SMART implementation

Resource challenges observed to be affecting SMART implementation include lack of (a) a sufficient number of cyber-tracker units to collect field data, (b) sufficient number of computers to store and manipulate SMART

data, (c) digital screens to present data summaries and maps to draw spatial and temporal patterns from data, and (d) backup power sources for cyber-trackers especially when conducting extended patrols.

3.4 | The way forward

This study is among the few attempts to report some of the challenges of using SMART in protecting wildlife resources in Sub-Saharan Africa. In Zimbabwe, SMART implementation in other protected areas such as Gonarezhou and Chizarira National Parks, which are co-managed by ZPWMA and other external partners (Gonarezhou Conservation Trust and National Park Rescue), has been successful. Although not published, implementation and management regimes that were adopted in these protected areas would aid in dealing with the technical and behavioral challenges associated with SMART implementation in MZV. A look and learn exercise from these sites with a successful implementation story including other institutions with similar management regimes could be critical going forward.

Given the challenges associated with SMART implementation in the MZV, we propose the following key action areas:

1. Development of an integrated SMART implementation plan focused on improving ranger engagement, establish a SMART support team, and set procedures for performance assessment in areas with SMART (Kuiper, Kavhu, et al., 2020). The development process of this plan will involve learning from institutions that have successfully implemented SMART locally, including Gonarezhou Conservation Trust and National Park Rescue and internationally (e.g., Uganda Wildlife Authority). Additionally, the plan will entail constantly reviewing institutional capacity, stakeholder engagement, and lobbying for the prioritization of SMART adoption and rationalizing support of all the protected areas. Lessons drawn from other institutions together with consolidated technical and resource needs from the implementation plan could provide a model that can potentially be adopted at a national level. Going forward, the plan will provide a guide towards ensuring coordinated adoption of the national SMART data model, consistent utilization of SMART for law enforcement duties, and adoption of standard operating procedures for the use of SMART devices to safeguard from abuse. Overall, the plan will allow uniformity in the data collected and will improve the efficient use of SMART for law enforcement monitoring and adaptive management.
2. Acquisition of more SMART equipment. Integral to the successful implementation of SMART in the MZV is the provision of adequate SMART equipment for rangers and officers with a possible ratio of two individuals per SMART device (cyber-trackers). Additionally, there would be the need for webbing jackets with a pouch to attach cyber-trackers at positions that allow them to connect to GPS signals during patrols. Setting up a stable internet connection can be achieved from engagement with conservation partners.
3. Enhance capacity. Site-based SMART training workshops to address station-specific capacity challenges. Unlike previous training sessions, we propose a strategy which will address concerns raised by previous participants such as (a) usually there are multi-day SMART workshops and some cannot attend the full schedule, (b) wildlife officers and managers may not be comfortable being with juniors during training, and (c) more time and effort is required to practice SMART which may require a selected person to work full-time as an officer on-site leading to the uptake and implementation of SMART with a group of dedicated rangers. We propose sensitization of the human resources office on transfers that involve SMART administrators from SMART wildlife areas. Skills mapping through setting up a database of SMART users and their competencies in SMART will help in coming up with different roles at each site based on user abilities.
4. Motivate field staff with feedback. Observations by Kuiper, Massé, et al. (2021) in this landscape suggested that the provision of feedback on collected data helps to motivate field staff. To address some of the human dynamics and behavioral challenges, we, therefore, propose the introduction of monthly SMART performance reports, which provide feedback through an overall summary of collected data and high-level management decisions/contributions drawn from such data. These could be coupled with a consistent reward system for top-performing stations and patrol rangers to promote buy-in and ownership by field staff.

ACKNOWLEDGMENTS

We would like to thank all of the individuals and organizations who participated during the collection of data for this work. We thank the Zimbabwe Parks and Wildlife Management Authority in the Mid-Zambezi Valley for access to the protected areas and SMART databases. We also thank the United Nations Development Programme (UNDP) through the GEF 6 project for supporting station visits. Our appreciation goes to the editors and three

anonymous reviewers for their constructive comments on an earlier version of the manuscript.

CONFLICT OF INTERESTS

The authors declare that there exist no competing financial interests or personal relationships that could have appeared to influence the work reported in this study.

AUTHOR CONTRIBUTIONS

Blessing Kavhu conceived the idea and designed methodology; Blessing Kavhu collected the data; Blessing Kavhu analyzed the data; Blessing Kavhu and Kudzai S. Mpakairi led the writing of the manuscript. All authors contributed critically to the drafts and gave final approval for publication.

DATA AVAILABILITY STATEMENT

Interview responses cannot be made public due to agreed procedures under the ethical conditions provided for this research (ZIMPARKS research policy).

ETHICS STATEMENT

The research presented in this article was approved by the directorate at the first author's organization.

ORCID

Blessing Kavhu  <https://orcid.org/0000-0003-2065-4485>
Kudzai Shaun Mpakairi  <https://orcid.org/0000-0002-1929-1464>

REFERENCES

- Gray, T. N. E., Hughes, A. C., Laurance, W. F., Long, B., Lynam, A. J., O'Kelly, H., ... Wilkinson, N. M. (2018). The wildlife snaring crisis: An insidious and pervasive threat to biodiversity in Southeast Asia. *Biodiversity and Conservation*, 27(4), 1031–1037. <https://doi.org/10.1007/s10531-017-1450-5>.
- Hoette, M. H. H., Kolodin, I. A., Bereznuk, S. L., Slaght, J. C., Kerley, L. L., Soutyrina, S. V., ... Miquelle, D. G. (2016). Indicators of success for smart law enforcement in protected areas: A case study for Russian Amur tiger (*Panthera tigris altaica*) reserves. *Integrative Zoology*, 11(1), 2–15. <https://doi.org/10.1111/1749-4877.12168>.
- Konate, S., Sirima, D., Ardjima, L., Sanou, Y., Hema, E. M., Kabre, B. G., ... Petrozzi, F. (2021). Long-term changes in population size and the age structure and sex ratio of waterbuck in a Sudanian savannah of Burkina Faso. *African Journal of Ecology*, 59(1), 132–141. <https://doi.org/10.1111/aje.12793>.

- Kuiper, T., Kavhu, B., Ms, N. A. N., Mandisodza-Chikerema, R., & Milner-Gulland, E. J. (2020). Rangers and modellers collaborate to build and evaluate spatial models of African elephant poaching. *Biological Conservation*, 243, 108486. <https://doi.org/10.1016/j.biocon.2020.108486>.
- Kuiper, T., Massé, F., Ngwenya, N. A., Kavhu, B., Mandisodza-Chikerema, R. L., & Milner-Gulland, E. J. (2021). Ranger perceptions of, and engagement with, monitoring of elephant poaching. *People and Nature*, 3(1), 148–161. <https://doi.org/10.1002/pan3.10154>.
- Lynam, A. J., Singh, R., & Chimuti, T. (2016). *The SMART approach for tackling poaching, illegal trade and other forest crime: Examples from developing Asia and Africa*. Cambodian Journal of Natural History.
- Moreto, W. D. (2015). Introducing intelligence-led conservation: Bridging crime and conservation science. *Crime Science*, 4(1), 1–11. <https://doi.org/10.1186/s40163-015-0030-9>.
- Riddle, H. S., Schulte, B. A., Desai, A. A., & van der Meer, L. (2010). Elephants—a conservation overview. *Journal of Threatened Taxa*, 2(1), 653–661. <https://doi.org/10.11609/jott.o2024.653-61>.
- Saunders, L. (2011). Estimating effectiveness of law enforcement on tiger prey poaching from anti-poaching patrol data (MSc thesis in Biometry).
- Schmitt, K., & Sallee, K. (2002). "Information and knowledge management in nature conservation." Supporting planning, decision-making, monitoring and evaluation in wildlife management in Uganda with a spatial management information system (MIST) UWA-GTZ 33.
- Stokes, E. J. (2010). Improving effectiveness of protection efforts in tiger source sites: Developing a framework for law enforcement monitoring using MIST. *Integrative Zoology*, 5(4), 363–377. <https://doi.org/10.1111/j.1749-4877.2010.00223.x>.
- Wilfred, P., Kayeye, H., Magige, F. J., Kisingo, A., & Nahonyo, C. L. (2019). Challenges facing the introduction of SMART patrols in a game reserve, western Tanzania. *African Journal of Ecology*, 57, 523–530.

SUPPORTING INFORMATION

Additional supporting information may be found online in the Supporting Information section at the end of this article.

How to cite this article: Kavhu, B., & Mpakairi, K. S. (2021). Spatial Monitoring and Reporting Tool (SMART) in Mid-Zambezi Valley, Zimbabwe: Implementation challenges and practices. *Conservation Science and Practice*, 3(9), e492. <https://doi.org/10.1111/csp2.492>