



**Universiteit  
Leiden**  
The Netherlands

**eNose analysis for early immunotherapy response monitoring in non-small cell lung cancer (vol 160, pg 36, 2021)**

Buma, A.I.G.; Muller, M.; Vries, R. de; Sterk, P.J.; Noort, V. van der; Wolf-Lansdorf, M.; ... ; Heuvel, M.M. van den

**Citation**


Buma, A. I. G., Muller, M., Vries, R. de, Sterk, P. J., Noort, V. van der, Wolf-Lansdorf, M., ... Heuvel, M. M. van den. (2021). eNose analysis for early immunotherapy response monitoring in non-small cell lung cancer (vol 160, pg 36, 2021). *Lung Cancer*, 162, 211-211. doi:10.1016/j.lungcan.2021.10.005

Version: Publisher's Version

License: [Creative Commons CC BY 4.0 license](#)

Downloaded from: <https://hdl.handle.net/1887/3276327>

**Note:** To cite this publication please use the final published version (if applicable).



Corrigendum

Corrigendum to “eNose analysis for early immunotherapy response monitoring in non-small cell lung cancer” [Lung Cancer 160 (2021) 36–43]

Alessandra I.G. Buma<sup>a,1</sup>, Mirte Muller<sup>b,1</sup>, Rianne de Vries<sup>c,d</sup>, Peter J. Sterk<sup>c</sup>, Vincent van der Noort<sup>b</sup>, Marguerite Wolf-Lansdorf<sup>b</sup>, Niloufar Farzan<sup>d</sup>, Paul Baas<sup>b</sup>, Michel M. van den Heuvel<sup>a,\*</sup>

<sup>a</sup> Radboud University Medical Centre, Nijmegen, the Netherlands

<sup>b</sup> Netherlands Cancer Institute, Amsterdam, the Netherlands

<sup>c</sup> Amsterdam University Medical Center, Amsterdam, the Netherlands

<sup>d</sup> Breathomix B.V. ([www.breathomix.com](http://www.breathomix.com)), Leiden, the Netherlands

The authors regret that absolute sensor differences were not calculated “by subtracting sensor values measured after six weeks of treatment from sensor values measured at baseline for each sensor”, as mentioned in the “Statistical analysis” section, page 3 of the

Supplementary appendix, but “by subtracting sensor values measured at baseline from sensor values measured after six weeks of treatment for each sensor”.

The authors would like to apologise for any inconvenience caused.



DOI of original article: <https://doi.org/10.1016/j.lungcan.2021.07.017>.

\* Corresponding author at: Department of Respiratory Medicine, Radboud University Medical Centre, Nijmegen, Geert Grooteplein Zuid 10, 6500 HB Nijmegen, the Netherlands.

E-mail address: [michel.vandenheuvel@radboudumc.nl](mailto:michel.vandenheuvel@radboudumc.nl) (M.M. van den Heuvel).

<sup>1</sup> These authors contributed equally.

<https://doi.org/10.1016/j.lungcan.2021.10.005>

Available online 23 October 2021

0169-5002/© 2021 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>).