AMPL-2021

PULSED LASERS AND LASER APPLICATIONS

September 12–17, 2021 Tomsk, Russia

ABSTRACTS

GENERAL SPONSOR

Special Systems. Photonics, St. Petersburg, Russia

CONFERENCE ORGANIZERS

Institute of Atmospheric Optics SB RAS Institute of High Current Electronics SB RAS Tomsk State University Tomsk Polytechnic University

CONFERENCE SPONSORS

Ministry of Education and Science of Russian Federation, Russia Russian Academy of Sciences, Russia Siberian Branch of Russian Academy of Science, Russia Laser Association, Russia

CONFERENCE SPONSORS

TOPAZ Research and Inculcation Enterprise, Tomsk, Russia Young Scientists Counsil IAO SB RAS, Tomsk, Russia SP Equipment, Novosibirsk, Russia Azimut Photonics, Moscow, Russia LOTIS TII, Minsk, Belarus Special Systems. Photonics, St.-Petersburg, Russia CLZ Ltd, Moscow, Russia Leningrad Laser Systems, St.-Petersburg, Russia

MEDIA SPONSORS

Atmospheric and Oceanic Optics Journal, Tomsk, Russia Photonics Journal, Moscow, Russia



Tomsk, 2021

SESSION G

Multiphoton microscopy (MFM) is a promising method of visualization of wound healing. Multiphoton microscopy techniques, like second harmonic generation (SHG), autofluorescence (AF), have emerged as useful approaches to evaluate epithelial tissues and offer advantages in in-depth visualization and study dynamics of metabolism in the wound.

The goal of the work is to study the effect of photodynamic therapy on the wound healing process using 5-aminolevulinic acid as a photosensitizer by multiphoton microscopy techniques.

This work was supported by the Government of the Russian Federation, proposal No. 2020-220-08-2389 to support scientific research projects implemented under the supervision of leading scientists at Russian institutions, Russian institutions of higher education.

G-4

PHYSIOLOGICAL ACTION OF UVB RADIATION ON WHEAT SEEDS AND SPROUTS (TRITICUM AESTIVUM L.)

E.A. Sosnin^{1,2}, A.A. Burenina², E.N. Surnina², Yu.Yu. Fadeeva², and T.P. Astaphyrova²

¹Institute of High Current Electronics SB RAS, 2/3 Akademicheskiy Ave., 634055, Tomsk, Russia, badik@loi.hcei.tsc.ru;

²Tomsk State University, 36 Lenin Ave., 634050, Tomsk, Russia;

³Botanic garden of Tomsk State University, 36 Lenin Ave., 634050, Tomsk, Russia

This work continues the cycle of our research on the physiological effect of UVB radiation on plants [1, 2]. Two research cycles were conducted. In the first case, XeCl excilamp radiation (model XeCl BD P), (308 nm) was used for pre sowing treatment of seeds of soft spring wheat (Triticum *aestivum L.*, Iren cultivar) at doses of 0.5 and 1.4 J/cm^2 . Then the seeds were sown and their physiological parameters were recorded during growth. In the climate conditions of 2020 the UVB irradiation of seeds at a dose of 0.5 J/cm^2 had a stimulating effect on wheat plants (grain yield increased by 5.2% relative to the control), and at a dose of 1.4 J/cm^2 inhibition had place. In the second cycle of studies, 6 day old wheat seedlings were irradiated with doses of 0.5, 1.4, and 2.7 J/cm^2 . At all radiation doses, the height of the plants and the area of the assimilating surface decreased, and the root mass increased. Also with increasing doses of UVB radiation was observed to decrease in parameters of photosynthesis both through direct effects on the photosystem, and by reducing pigment content and leaf area. It is concluded that at a radiation dose of 0.5 J/cm^2 , plants are able to adapt to UVB radiation treatment. The degree of their damage, determined by the content of proline, ascorbic acid and chlorophylls a and b, is insignificant. This means that the hardening of seedlings with UVB radiation should be carried out at even lower doses than were chosen in the experiments. The study was carried out within the framework of Project No. 8.1.29.2018 (TSU Competitiveness Improvement Program) and partially within the framework of the state task for the ISE SB RAS, Project No. 13.1.4.

- 1. Sosnin E.A., Gorbunkov V.I., Goltsova P.A., Voronkova N.A., Victorova I.A., Panarin V.A., Pechenitsin D.S., Skakun V.S., Tarasenko V.F., and Chudinova Yu.V. Presowing XeCl excilamp irradiation of crops: field research and prospects // Proc. SPIE 10614 "XIII International Conference on Atomic and Molecular Pulsed Lasers" 106141N. 16 April, 2018. DOI: 10.1117/12.2301012.
- 2. Sosnin E.A., Gol'tsova P.A., Chudinova Y.V., Lyasheva L.V., Panarin V.A., Prok I.A., Skakun V.S., Viktorova I.A., and Astaphyrova T.P. Photoregulation of agricultural plants growth and development by XeCl excilamp // Proc. SPIE "XIV International Conference on Pulsed Lasers and Laser Applications". 11 December, 2019. V. 11322. 1132226. DOI: 10.1117/12.2541532.
- 3. *Thomas D., Jos T.T. and Puthur T.* UV radiation priming: A means of amplifying the inherent potential for abiotic stress tolerance in crop plants // Environmental and Experimental Botany. 2017. V. 138, No. 6. P. 57–66.