

SCHOOL OF CIVIL ENGINEERING



JOINT HIGHWAY
RESEARCH PROJECT


JHRP-76-29

TRAFFIC SPEED REPORT NO. 97

A. A. Gadallah
G. K. Stafford



PURDUE
INDIANA STATE UNIVERSITY
HIGHWAY COMMISSION



Digitized by the Internet Archive
in 2011 with funding from

LYRASIS members and Sloan Foundation; Indiana Department of Transportation

TRAFFIC SPEED REPORT NO. 97

The attached Progress Report No. 97 on Traffic Speeds is the report of the April-June quarterly study of free-flowing automobile and truck speeds on rural, tangent, level sections of Interstate, 4-lane and 2-lane and on urban interstate highways in Indiana. The report has been prepared by Mr. A. A. Gadallah, a Graduate Instructor in Research on our staff, under the direction of Professor H. L. Michael. The data were collected by Mr. G. K. Stafford and a number of graduate assistants on our staff.

The results indicate similar speeds for all passenger cars as those of the January-March 1976 Study. The speeds of heavy trucks, however, were found to average 1.7 mph higher for this period than for the last quarter.

Copies of the report will be sent to the Federal Highway Administration and the ISHC for review, comment and acceptance as fulfillment of the objectives of this HPR Part I Study. Copies of the report are requested for release to the Indiana State Police and the Indiana Office of Traffic Safety as a normal procedure for these reports.

Respectfully submitted,

Harold L. Michael
Harold L. Michael
Associate Director

HLM/ss

cc:	W. L. Dolch	M. L. Hayes	C. F. Scholer
	R. L. Eskew	K. R. Hoover	M. B. Scott
	G. D. Gibson	G. A. Leonards	K. C. Sinha
	W. H. Goetz	C. W. Lovell	L. E. Wood
	M. J. Gutzwiller	R. D. Miles	E. J. Yoder
	G. K. Hallock	P. L. Owens	S. R. Yoder
	D. E. Hancher	G. T. Satterly	

Interim Report
TRAFFIC SPEED REPORT NO. 97
by

A. A. Gadallah
Graduate Instructor in Research
and

George K. Stafford
Traffic Engineering Technician

Joint Highway Research Project

File No.: 8-3-3

Project No.: C-36-10C

Prepared as Part of an Investigation

Conducted by

Joint Highway Research Project
Engineering Experiment Station
Purdue University

in cooperation with the
Indiana State Highway Commission

and the

U. S. Department of Transportation
Federal Highway Administration

The opinions, findings and conclusions expressed in this publication are those of the authors and not necessarily those of the Federal Highway Administration.

Purdue University
West Lafayette, Indiana
October 5, 1976

TECHNICAL REPORT STANDARD TITLE PAGE

1. Report No. JHRP-76-29	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle TRAFFIC SPEED REPORT NO. 97		5. Report Date October 5, 1976	
7. Author(s) A. A. Gadallah and G. K. Stafford		6. Performing Organization Code JHRP-76-29	
9. Performing Organization Name and Address Joint Highway Research Project Civil Engineering Building Purdue University West Lafayette, Indiana 47907		10. Work Unit No.	
12. Sponsoring Agency Name and Address Indiana State Highway Commission State Office Building 100 North Senate Avenue Indianapolis, Indiana 46204		11. Contract or Grant No. HPR-1(14) Part I	
		13. Type of Report and Period Covered Interim Report April-June 1976	
15. Supplementary Notes Conducted in cooperation with the U. S. Dept. of Transportation, Federal Highway Administration. Planning Study titled "Speed Trends for Indiana Highways".		14. Sponsoring Agency Code	
16. Abstract This report is another on the continuing study of speeds of vehicles on Indiana Highways. Observations of spot speeds were taken on interstate, four-lane and two-lane highways throughout the state during the month of June 1976.			
 Analysis of the speeds showed the overall average speed for all vehicles was 56.8 mph. The overall average speed for passenger cars and all trucks was 57.1 mph and 56.1 mph, respectively. These overall average speeds were similar for passenger cars and 0.5 mph faster for trucks to the speeds found in the January-March 1976 Study (Speed Report No. 96). This increase in truck speeds resulted from a 1.7 mph increase in the average speeds of heavy trucks between the two periods.			
17. Key Words Speeds, Highway Speeds, Rural Highway Speeds, Speed Trends, 55 mph Speed Effect		18. Distribution Statement No restrictions. This document is available to the public through the National Technical Information Service, Springfield, Virginia 22161.	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages	22. Price

TRAFFIC SPEED REPORT NO. 97

This report is an analysis of spot speed observations made during June 1976. All observations were made of free-flowing vehicles on level, tangent sections of rural and urban highways during daylight and under favorable conditions.

The speed monitoring stations for each highway classification were divided into two groups. The first group is identified as "control stations" and studied from the same locations on selected Federal and State highways as used in the previous annual studies. These "control stations" will be used in each quarterly study. The second group is selected at random for each quarterly study.

Fourteen speed monitoring stations were used for the reported study. Seven of these stations were the control stations noted above. The other seven stations were selected at random for this quarterly study.

Stations were classified as two-lane, four-lane, rural interstate, or urban interstate highways. A representative sample of spot speeds was obtained at each station in each classification. The site locations were as follows: (See Figure A)

Rural Interstate Highways

- *RI-21 (I-69) 3.3 miles south of junction of SR 18
- *RI-6 (I-65) 7.5 miles north of junction of SR 160
- RI-26 (I-90)-TR** Between Jct. SR 3 and SR 13 at Co. Rd. 1200W
- RI-28 (I-90)-TR** Between Jct. U.S. 31 and SR 39 at Olive Road

Four-lane Highways

- *4L-32 (U.S. 30) 2.0 miles east of junction of SR 49
- *4L-17 (U.S. 52) 1.0 mile west of Klondike
- 4L-18 (U.S. 52) 1.4 mile south of Kentland
- 4L-19 (U.S. 52) 4.3 miles north of Kentland

Two-lane Highways

- *2L-18 (U.S. 35) 1.5 miles east of junction of I-69
- *2L-54 (U.S. 231) 1.0 mile south of junction of SR 234
- 2L-56 (S.R. 24) 3.0 miles east of junction of U.S. 41
- 2L-62 (S.R. 37) 1.4 mile north of junction of SR 237

Urban Interstate Highways


- *UI-6 (I-65) East of White River Bridge
- UI-4 (I-465) Indianapolis, at mile post 015

The vehicles were classified as Indiana or Non-Indiana Passenger Cars and Light (less than 5000 lbs. gross weight) or Heavy (equal to or more than 5000 lbs. gross weight) Trucks. The analysis was performed as classified and combined, passenger cars or trucks.

The maximum speed limit in Indiana is 55 miles per hour, both on Interstate and other rural highways.

* Control stations

** Toll Road

NOTE:

- Control stations
- Random stations

FIGURE A , LOCATIONS OF SPEED-STUDY STATIONS

Equipment and Field Procedure

The observations for this study were obtained by use of a Radar Speed Meter. The meter was placed approximately four feet from the edge of the pavement at angles less than 10° with the highway center line. No corrections of speeds were necessary at these small angles. At the beginning of the study the accuracy of the meter was checked and any constant discrepancy of readings was corrected accordingly.

RESULTS OF ANALYSIS

The data collected were analyzed and are summarized in Tables 1 to 14 in the Appendix. Tables 15, 16, 17 and 18 summarize the data for rural interstate, four lane, two lane and urban interstate highways, respectively. Table 19 is the summary for all highways. Tables 20 through 34 are summaries in an FHWA format which is desired.

The average speed for each classification of vehicles on each type of highway for this study was as follows:

	<u>Interstate</u>		<u>Other</u>	
	<u>Urban</u>	<u>Rural</u>	<u>Four Lane</u>	<u>Two Lane</u>
			<u>Rural</u>	<u>Rural</u>
<u>Passenger Cars:</u>				
Indiana	57.5	58.1	57.1	55.3
Non-Indiana	57.8	58.9	57.2	55.3
All Passenger Cars	57.5	58.6	57.1	55.3
85 Percentile (all)	61.6	67.5	61.9	60.7
<u>Trucks:</u>				
Less than 5000 lbs.	56.4	57.1	56.6	53.5
5000 lbs. or more	54.8	58.7	57.0	53.5
<u>All Vehicles:</u>				
Average	57.0	58.5	57.0	54.7
85 Percentile	61.3	62.5	62.0	60.3

The percent of vehicles exceeding the speed limit (55 mph) for each classification of vehicle and each type of highway was as follows:

	<u>Interstate</u>		<u>Other</u>	
	<u>Urban</u>	<u>Rural</u>	<u>Four Lane</u>	<u>Two Lane</u>
			<u>Rural</u>	<u>Rural</u>
<u>Passenger Cars:</u>				
Indiana	66	73	63	49
Non-Indiana	67	78	67	51
All Passenger Cars	66	76	63	49
<u>Trucks:</u>				
Less than 5000 lbs.	58	62	62	39
5000 lbs. or more	51	76	63	41
<u>All Vehicles:</u>				
	63	74	63	46

The percent of vehicles traveling more than 5 mph above the speed limit (exceeding 60 mph) for each case was as follows:

	<u>Interstate</u>		<u>Other</u>	
	<u>Urban</u>	<u>Rural</u>	<u>Four Lane</u>	<u>Two Lane</u>
			<u>Rural</u>	<u>Rural</u>
<u>Passenger Cars:</u>				
Indiana	23	27	26	19
Non-Indiana	30	32	27	17
All Passenger Cars	24	30	26	19
<u>Trucks:</u>				
Less than 5000 lbs.	22	21	24	13
5000 lbs. or more	13	35	26	12
<u>All Vehicles:</u>	23	30	25	16

The percent of vehicles traveling more than 10 miles per hour above the speed limit (exceeding 65 mph) for each case was as follows:

	<u>Interstate</u>		<u>Other</u>	
	<u>Urban</u>	<u>Rural</u>	<u>Four Lane</u>	<u>Two Lane</u>
			<u>Rural</u>	<u>Rural</u>
<u>Passenger Cars:</u>				
Indiana	5	6	7	6
Non-Indiana	3	7	6	3
All Passenger Cars	5	6	7	5
<u>Trucks:</u>				
Less than 5000 lbs.	4	4	5	3
5000 lbs. or more	1	8	8	3
<u>All Vehicles:</u>	4	7	7	5

Summary and Conclusions

The overall average speed for all vehicles and passenger cars in this study was found to be 56.8 and 57.1 mph, respectively. The overall average speeds for heavy trucks and for all trucks were found to be 56.6 mph and 56.1 mph, respectively. These overall average speeds are about the same for all vehicles and passenger cars as the results of February-March 1976. However, the overall average speeds for heavy trucks and for all trucks are 1.7 mph and 0.5 mph, respectively, more than the results fo the February-March 1976 study.

Table A presents a comparison of the overall speed results with that of the previous two studies. The 85th percentile speed of passenger cars was about the same for the three periods under consideration.

A comparison of April-June 1976 speed data with that for other recent periods for several types of highway for passenger cars and trucks is shown in Tables B, C, D and E.

The increase in the average speed for heavy trucks occurred mainly on rural interstate and four-lane highways (as compared to the February-March 1976 study). On the other hand, the average speeds and 85th percentile speeds for passenger cars were about the same on all types of highway except for the rural interstate highways where there was a slight increase from the February-March 1976 study.

TABLE A
COMPARISON OF THE OVERALL SPEED RESULTS

	<u>April-June</u> <u>1976</u>	<u>Feb.-March</u> <u>1976</u>	<u>Oct.-Nov.</u> <u>1975</u>
<u>Average:</u>			
All Passenger Cars	57.1	57.3	57.8
Heavy Trucks	56.6	54.9	56.3
All Trucks	56.1	55.6	56.3
<u>85 Percentile:</u>			
All Passenger Cars	61.8	61.5	61.8
Heavy Trucks	61.9	59.5	60.5
All Trucks	61.4	60.2	60.7
<u>15 Percentile:</u>			
Heavy Trucks	50.5	49.3	51.2

TABLE B
AVERAGE SPEEDS ON INTERSTATE HIGHWAYS (URBAN)

	April-June 1976	Feb.-March 1976	Oct.-Nov. 1975	July-Sept. 1975
<u>Passenger Cars:</u>				
Indiana	57.5	57.2	59.1	59.7
Non-Indiana	57.8	57.5	58.8	60.9
All Passenger Cars	57.5	57.2	59.0	60.0
85 Percentile (all)	61.6	61.0	62.3	64.2
<u>Trucks:</u>				
Less than 5000 lbs.	56.4	57.0	61.0	58.6
5000 lbs. or more	54.8	54.4	58.1	58.7

TABLE C
AVERAGE SPEEDS ON INTERSTATE HIGHWAYS (RURAL)

	April-June 1976	Feb.-March 1976	Oct.-Nov. 1975	July-Sept. 1975
<u>Passenger Cars:</u>				
Indiana	58.1	57.4	56.8	59.7
Non-Indiana	58.9	58.0	57.1	60.2
All Passenger Cars	58.6	57.5	56.9	59.9
85 Percentile (all)	62.5	61.8	60.4	64.2
<u>Trucks:</u>				
Less than 5000 lbs.	57.1	56.5	55.9	58.2
5000 lbs. or more	58.7	56.7	56.5	59.3

TABLE D
AVERAGE SPEEDS ON OTHER FOUR-LANE HIGHWAYS

	April-June 1976	Feb.-March 1976	Oct.-Nov. 1975	July-Sept. 1975
<u>Passenger Cars:</u>				
Indiana	57.1	57.7	58.2	57.6
Non-Indiana	57.2	58.6	58.7	58.1
All Passenger Cars	57.1	57.8	58.3	57.7
85 Percentile (all)	61.9	62.2	62.3	62.0
<u>Trucks:</u>				
Less than 5000 lbs.	56.6	57.0	56.0	56.4
5000 lbs. or more	57.0	54.9	55.7	55.9

TABLE E
AVERAGE SPEEDS ON TWO-LANE HIGHWAYS

	April-June 1976	Feb.-March 1976	Oct.-Nov. 1975	July-Sept. 1975
<u>Passenger Cars:</u>				
Indiana	55.3	56.4	57.5	57.2
Non-Indiana	55.3	55.9	57.1	57.4
All Passenger Cars	55.3	56.4	57.4	57.8
85 Percentile (all)	60.7	60.5	62.5	62.5
<u>Trucks:</u>				
Less than 5000 lbs.	53.5	55.2	56.4	57.5
5000 lbs. or more	53.5	53.4	55.4	56.2

APPENDIX A

Speed Data (Tables 1 to 19)

TABLE I SPEED DATA

Station	<u>RI-21</u>	Highway	<u>I-69</u>
No. of Lanes	<u>4</u>	Type of Surface	
This Observation		Date	<u>6/2/76</u>
		Time	<u>10:35 - 11:35AM & 12:05-1:2</u>

Location 3.3 miles South of Junction of SR 18

Weather Clear

Last Previous Observation (Speed Report No. 96)

Date 6/2 /76
Time 10:35 - 11:35AM & 12:05-1:20PM

TABLE 2 SPEED DATA

Station RI-6	Highway I-65	Type of Surface	Location 7.5 miles North of Junction of SR 160
No. of Lanes	4	Portland Cement Concrete	Weather Hazy
This Observation			Last Previous Observation (Speed Report No. __)
Date 6/10/76		Date	
Time 12:00-12:50PM & 1:15-2:05PM		Time	

OBSERVATION	PASSENGER CARS						TRUCKS					
	All	Indiana	Non-Indiana	All	< 5000 lbs.	> 5000 lbs.	Pres-ent	Last	Pres-ent	Last	Pres-ent	Last
No. of vehicles obs.	Last	Pres-ent	Last	Pres-ent	Last	Pres-ent	Last	Pres-ent	Last	Pres-ent	Last	Pres-ent
Ave. speed (m.p.h.)	58.74	58.22	58.99	58.07	57.51	57.51	58.82	58.82	58.82	58.82	58.82	58.82
Standard deviation	4.211	3.809	4.373	4.835	4.583	4.583	5.110	5.110	5.110	5.110	5.110	5.110
24 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
44 m.p.h.	0.66	0.0	0.97	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
49 m.p.h.	0.99	0.0	1.46	0.08	4.41	4.41	6.00	6.00	6.00	6.00	6.00	6.00
54 m.p.h.	14.57	16.67	13.59	25.42	27.94	27.94	22.00	22.00	22.00	22.00	22.00	22.00
59 m.p.h.	62.25	67.71	59.71	56.78	64.71	64.71	46.00	46.00	46.00	46.00	46.00	46.00
64 m.p.h.	91.06	93.75	89.81	92.37	94.12	94.12	90.00	90.00	90.00	90.00	90.00	90.00
69 m.p.h.	98.68	100.0	98.06	99.15	100.0	100.0	98.00	98.00	98.00	98.00	98.00	98.00
74 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
79 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
84 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
89 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of vehicles obs.	155	51	104	55	30	30	25	25	25	25	25	25
Average speed	59.09	58.69	59.29	59.75	58.57	58.57	61.16	61.16	61.16	61.16	61.16	61.16
No. of vehicles obs.	147	45	102	63	38	38	25	25	25	25	25	25
Average speed	58.37	57.69	58.68	56.60	56.68	56.68	56.48	56.48	56.48	56.48	56.48	56.48

TABLE 3 SPEED DATA

Station RI-26 Highway I-90(Toll Road) Location Between Jct. SR 3 and SR 13, at Co.Rd. 1200 W
 No. of Lanes 4 Type of Surface Portland Cement Concrete Weather Clear
 This Observation Date 6/8/76
 Time 11:45 - 2:10 PM

OBSERVATION	PASSENGER CARS				TRUCKS			
	All	Indiana	Non-Indiana	All	< 5000 lbs.	5000 - 10,000 lbs.	> 10,000 lbs.	
No. of vehicles obs.	All	Present	Present	All	Present	Present	Present	
Ave. speed (m.p.h.)	Last	Last	Last	Last	Last	Last	Last	
Standard deviation								
24 m.p.h.	238	42	196	194	38		156	
29 m.p.h.	59.39	58.26	59.63	58.90	57.16		59.33	
34 m.p.h.	4.699	4.559	4.704	4.402	4.162		4.366	
39 m.p.h.	0.0	0.0	0.0	0.0	0.0		0.0	
44 m.p.h.	0.0	0.0	0.0	0.0	0.0		0.0	
49 m.p.h.	1.26	0.0	1.53	1.03	2.63		0.64	
54 m.p.h.	14.29	23.81	12.24	14.43	21.05		12.82	
59 m.p.h.	50.84	64.29	47.96	56.70	73.68		52.56	
64 m.p.h.	86.13	85.71	86.22	88.66	94.74		87.18	
69 m.p.h.	97.06	97.62	96.94	99.48	100.0		99.36	
74 m.p.h.	99.58	100.0	99.49	100.0	100.0		100.0	
79 m.p.h.	100.0	100.0	100.0	100.0	100.0		100.0	
84 m.p.h.	100.0	100.0	100.0	100.0	100.0		100.0	
89 m.p.h.	100.0	100.0	100.0	100.0	100.0		100.0	
No. of vehicles obs.	113	22	91	103	22		81	
Average speed	58.77	57.77	59.01	58.63	58.14		58.77	
No. of vehicles obs.	125	20	105	91	16		75	
Average speed	59.95	58.80	60.17	59.21	55.81		59.93	

TABLE 4 SPEED DATA

Station RI-28	Highway I-90(Toll Road)	Location Between Jct. US 31 and SR 39, at Olive Road
No. of Lanes 4	Type of Surface Portland Cement Concrete	Weather Clear
This Observation Date 6/8/76	Previous Observation Date 6/8/76	(Speed Report No. ____)
Time 3:10-5:20 PM	Time	

OBSERVATION	PASSENGER CARS				TRUCKS				
	All	Indiana	Non-Indiana	All	< 5000 lbs.	Present	Last	Present	Last
No. of vehicles obs.	252	90	162	174	39				
Ave. speed (m.p.h.)	58.56	59.06	58.28	58.08	56.15				
Standard deviation	4.343	4.283	4.364	4.757	4.069				
24 m.p.h.	0.0	0.0	0.0	0.0	0.0				
29 m.p.h.	0.0	0.0	0.0	0.0	0.0				
34 m.p.h.	0.0	0.0	0.0	0.0	0.0				
39 m.p.h.	0.0	0.0	0.0	0.0	0.0				
44 m.p.h.	0.40	0.0	0.62	0.57	0.0				
49 m.p.h.	1.59	1.11	1.85	3.45	5.13				
54 m.p.h.	13.89	8.89	16.67	21.26	30.77				
59 m.p.h.	63.10	57.78	66.05	65.52	82.05				
64 m.p.h.	91.67	90.00	92.59	89.66	97.44				
69 m.p.h.	98.02	97.78	98.15	98.85	100.0				
74 m.p.h.	99.60	100.0	99.38	100.0	100.0				
79 m.p.h.	100.0	100.0	100.0	100.0	100.0				
84 m.p.h.	100.0	100.0	100.0	100.0	100.0				
89 m.p.h.	100.0	100.0	100.0	100.0	100.0				
No. of vehicles obs.	122	44	78	89	17				
Average speed	58.63	59.39	58.21	59.11	57.24				
No. of vehicles obs.	130	46	84	85	22				
Average speed	58.48	58.74	58.35	57.00	55.32				

TABLE 5 SPEED DATA

Station 4U-32	Highway U.S. 30	Location 2.0 Miles East of Junction of SR 49
No. of Lanes 4	Type of Surface Asphalt Concrete	
This Observation Date 6/3/76		Last Previous Observation (Speed Report No. 96)
Time 10:50-1:45 PM		Date 3/18/76
		Time 10:55 - 2:10 PM

Weather Clear

OBSERVATION	PASSENGER CARS				TRUCKS			
	All	Indiana	Non-Indiana	All	< 5000 lbs.	> 5000 lbs.	Present	Present
No. of vehicles obs.	312	296	213	78	83	111	127	60
Ave. speed (m.p.h.)	58.22	56.50	58.04	56.21	58.76	57.24	57.02	56.79
Standard deviation less than 10% of average speed	4.389	4.546	4.494	4.554	4.039	4.466	4.967	4.503
24 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
44 m.p.h.	0.0	0.34	0.0	0.0	0.0	1.20	0.0	0.0
49 m.p.h.	2.56	7.77	2.99	7.51	1.28	8.43	7.21	3.15
54 m.p.h.	19.23	33.78	20.09	37.56	16.67	24.10	29.73	32.28
59 m.p.h.	62.82	74.32	66.24	76.53	52.56	68.67	72.97	72.44
64 m.p.h.	93.59	95.27	93.59	95.31	93.59	95.18	92.79	94.49
69 m.p.h.	99.68	99.66	99.57	99.53	100.0	100.0	98.20	99.21
74 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
79 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
84 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
89 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
No. of vehicles obs.	153	158	115	113	38	45	58	53
Average speed	58.80	55.91	58.62	55.58	59.37	56.76	57.95	56.38
No. of vehicles obs.	159	138	119	100	40	38	53	74
Average speed	57.66	57.17	57.49	56.93	58.17	57.82	56.00	57.08

TABLE 6 SPEED DATA

Station 4L-17 Highway U.S. 52

No. of Lanes 4 Type of Surface Asphalt Concrete

This Observation

Date 6/15/76

Time 9:10-11:10 AM & 11:30-1:00 PM

Location 1.0 Mile West of Klondike

Last Previous Observation (Speed Report No. 96)

Date 3/26/76

Time 8:53-1:10

Weather Hazy

OBSERVATION

Date 3/26/76

Time 8:53-1:10

Report No. 96

	PASSENGER CARS						TRUCKS											
	All			Indiana			Non-Indiana			All			<5000 lbs.	>5000 lbs.				
OBSERVATION	Last	Pres-ent	Last	Last	Pres-ent	Last	Last	Pres-ent	Last	Last	Pres-ent	Last	Last	Pres-ent	Last	Last	Pres-ent	
No. of vehicles obs.	368	303	349	285	19	18	113	137	63	86	50	51						
Ave. speed (m.p.h.)	57.49	56.54	57.45	56.58	58.16	55.89	55.07	54.75	56.37	55.02	53.44	54.29						
Standard deviation	5.482	6.617	5.467	6.550	5.862	7.775	6.676	6.696	7.285	7.318	5.463	5.529						
24 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
29 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
34 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
39 m.p.h.	0.0	1.65	0.0	1.75	0.0	0.0	1.77	1.46	3.17	2.33	0.0	0.0						
44 m.p.h.	1.09	4.29	1.15	4.56	0.0	0.0	6.19	5.84	3.17	5.81	10.00	5.88						
49 m.p.h.	6.52	12.21	6.59	11.23	5.26	27.78	15.93	18.98	15.87	18.60	16.00	19.61						
54 m.p.h.	29.08	33.66	29.23	32.28	26.32	55.56	46.02	46.72	38.10	44.19	56.00	50.98						
59 m.p.h.	66.03	67.99	66.19	68.42	63.16	61.11	75.22	73.72	65.08	68.60	88.00	82.35						
64 m.p.h.	90.49	89.44	91.12	89.82	78.95	83.33	91.15	97.81	85.71	96.51	98.00	100.0						
69 m.p.h.	98.10	99.01	98.28	99.30	94.74	94.44	100.0	98.54	100.0	97.67	100.0	100.0						
74 m.p.h.	100.0	99.67	100.0	99.65	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
79 m.p.h.	100.0	99.67	100.0	99.65	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
84 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
89 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
No. of vehicles obs.	205	160	195	155	10	5	56	57	31	37	25	20						
Average speed	58.62	57.36	58.57	57.39	59.70	56.60	56.50	55.46	58.03	54.95	54.60	56.40						
No. of vehicles obs.	163	143	154	130	9	13	57	80	32	49	25	31						
Average speed	56.06	55.62	56.03	55.62	56.44	55.62	53.67	54.25	54.75	55.08	52.28	52.94						

Station 4L-18 Highway U.S. 52 Type of Unit Concrete
No. of Lanes 4 Date 6/4/76 Time 10:00-12:30 PM & 1:25-3:25 PM
This Observation

Location 1.4 Mile South of Kentland

Portland Cement Concrete
Last Previous Observation (Speed Report No. 1)
Date 6/4/76
Time 10:00-12:30 PM & 1:25-3:25 PM

Clear

Weather

OBSERVATION

No. of vehicles obs.	Ave. speed (ft/h.)	Standard deviation	All Vehicles	PASSENGER CARS			TRUCKS		
				Indiana	Non-Indiana	All	<5000 lbs.	>5000 lbs.	Pres. ent
263	210	210	263	53	53	167	102	65	Pres. ent
58.53	58.52	58.52	58.53	58.55	58.55	57.29	57.90	56.34	Pres. ent
5.852	6.036	6.036	5.852	5.109	5.109	6.281	6.280	6.211	Pres. ent
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	Pres. ent
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	Pres. ent
0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	Pres. ent
0.38	0.48	0.48	0.38	0.48	0.48	0.60	0.60	0.60	Pres. ent
1.14	1.43	1.43	1.14	1.43	1.43	1.80	1.96	1.96	Pres. ent
1.46	1.76	1.76	1.46	1.76	1.76	2.77	2.98	2.98	Pres. ent
1.54	1.76	1.76	1.54	1.76	1.76	3.77	3.77	3.77	Pres. ent
22.81	22.86	22.86	22.81	22.86	22.86	22.64	28.14	28.14	Pres. ent
61.60	61.43	61.43	61.60	61.43	61.43	62.26	68.86	68.86	Pres. ent
86.69	85.71	85.71	86.69	85.71	85.71	90.57	91.02	92.16	Pres. ent
96.58	96.19	96.19	96.58	96.19	96.19	98.11	95.81	94.12	Pres. ent
98.86	98.57	98.57	98.86	98.57	98.57	100.0	98.20	97.06	Pres. ent
99.62	99.52	99.52	99.62	99.52	99.52	100.0	99.40	99.02	Pres. ent
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	Pres. ent
100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	Pres. ent
No. of vehicles obs.	143	100	143	100	100	100.0	100.0	100.0	100.0
Average speed	58.66	58.67	58.66	58.63	58.63	56.26	57.27	54.16	25
No. of vehicles obs.	120	110	120	110	110	100	90	50	40
Average speed	58.37	58.39	58.37	59.20	59.20	58.18	58.56	57.70	57.70

TABLE 8 SPEED DATA

Station 4L-19 Highway U.S. 52
 No. of Lanes 4 Type of Surface Asphalt Concrete
 This Observation Date 6/18/76
 Time 9:20-11:20 AM

Location 4.3 Miles North of Kentland

Last Previous Observation (Speed Report No. __)
 Date _____
 Time _____

Weather Clear

OBSERVATION	PASSENGER CARS				TRUCKS			
	All	Indiana	Non-Indiana	All	< 5000 lbs.	5000-10000 lbs.	> 10000 lbs.	
No. of vehicles obs.	260	201	59	179	67		112	
Ave. speed (m.p.h.)	57.12	57.31	56.47	57.80	56.13		58.79	
Standard deviation	5.880	6.078	5.144	6.440	6.218		6.391	
24 m.p.h.	0.0	0.0	0.0	0.0	0.0		0.0	
29 m.p.h.	0.0	0.0	0.0	0.0	0.0		0.0	
34 m.p.h.	0.0	0.0	0.0	0.0	0.0		0.0	
39 m.p.h.	0.38	0.50	0.0	1.12	1.49		0.89	
44 m.p.h.	1.54	1.49	1.69	4.47	5.97		3.57	
49 m.p.h.	8.46	8.96	6.78	8.38	11.94		6.25	
54 m.p.h.	30.00	29.85	30.51	21.23	26.87		17.86	
59 m.p.h.	66.15	65.17	69.49	63.13	74.63		56.25	
64 m.p.h.	91.54	90.05	96.61	85.47	94.03		80.36	
69 m.p.h.	98.08	97.51	100.0	97.77	98.51		97.32	
74 m.p.h.	99.23	99.00	100.0	100.0	100.0		100.0	
79 m.p.h.	99.62	99.50	100.0	100.0	100.0		100.0	
84 m.p.h.	100.0	100.0	100.0	100.0	100.0		100.0	
89 m.p.h.	100.0	100.0	100.0	100.0	100.0		100.0	
All Vehicles								
No. of vehicles obs.	130	96	34	81	29		52	
Average speed	56.59	56.86	55.82	57.78	56.59		58.44	
No. of vehicles obs.	130	105	25	98	38		60	
Average speed	57.65	57.71	57.36	57.82	55.79		59.10	

TABLE 9 SPEED DATA

Station 2L-18	Highway U.S. 35	Type of Surface Asphalt Concrete	Location 1.5 Miles east of Jct. of I-69
No. of Lanes 2	This Observation		Weather Clear
	Date 6/2/76		Last Previous Observation (Speed Report No. 96)
	Time 2:25-5:20 PM		Date 3/23/76
			Time 10:40-1:40 PM

OBSERVATION	PASSENGER CARS						TRUCKS					
	All			Indiana			Non-Indiana			All		
	Last	Pres-ent	Last	Last	Pres-ent	Last	Last	Pres-ent	Last	Last	Pres-ent	Last
No. of vehicles obs.	310	305	270	256	40	49	126	128	76	78	50	50
Ave. speed (m.p.h.)	56.05	55.74	56.06	55.96	56.00	53.61	53.66	54.42	54.54	55.27	52.32	53.10
Standard deviation	5.466	6.022	5.398	6.064	5.979	5.726	5.533	5.692	5.639	5.886	5.137	5.160
or less												
24 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39 m.p.h.	0.32	0.33	0.37	0.39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
44 m.p.h.	1.29	2.30	0.74	1.56	5.00	6.12	7.94	5.47	6.58	3.85	10.0	8.00
49 m.p.h.	8.71	14.10	8.15	12.89	12.50	20.41	18.25	14.06	14.47	12.82	24.00	16.00
54 m.p.h.	37.74	42.95	37.78	42.19	37.50	46.94	55.56	49.22	48.68	42.31	66.00	60.00
59 m.p.h.	80.97	76.39	81.48	75.78	77.50	79.59	87.30	84.38	84.21	79.49	92.00	92.00
64 m.p.h.	93.23	94.10	93.33	93.36	92.50	97.96	97.62	97.66	96.05	96.15	100.0	100.0
69 m.p.h.	97.42	97.38	97.41	96.88	97.50	100.0	99.21	99.22	98.68	98.72	100.0	100.0
74 m.p.h.	99.35	99.02	99.26	98.83	100.0	100.0	99.22	100.0	98.72	100.0	100.0	100.0
79 m.p.h.	100.0	99.34	100.0	99.22	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
84 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
89 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
than of vehicles traveling at or less												
All Vehicles	152	149	127	124	25	69	66	44	41	25	25	25
Average speed	57.29	55.15	57.18	55.32	57.84	54.28	55.04	53.62	56.41	54.66	52.64	51.92
No. of vehicles obs.	158	156	143	132	15	24	57	62	32	37	25	25
Average speed	54.85	56.31	55.06	56.55	52.93	54.96	51.98	55.27	51.97	55.95	52.00	54.28

TABLE 10 SPEED DATA

Station 2L-54 Highway U.S. 231
 No. of Lanes 2 Type of Surface Asphalt Concrete
 This Observation Date 6/25/76
 Time 9:45-12:30 PM

Location 1.0 mile South of Jct. SR 234
 Last Previous Observation (Speed Report No. ____)
 Date _____
 Time _____

		PASSENGER CARS				TRUCKS			
		All	Indiana	Non-Indiana	All	<5000 lbs.	>5000 lbs.	Cloudy	
OBSERVATION		Last	Pres-ent	Pres-ent	Last	Pres-ent	Last	Pres-ent	
No. of vehicles obs.		271	241	30	150	91	59		
Ave. speed (m.p.h.)		56.86	56.95	56.20	55.63	55.67	55.56		
Standard deviation		6.298	7.209	5.034	6.253	6.927	5.097		
24 m.p.h.		0.0	0.0	0.0	0.0	0.0	0.0		
29 m.p.h.		0.0	0.0	0.0	0.0	0.0	0.0		
34 m.p.h.		0.0	0.0	0.0	0.0	0.0	0.0		
39 m.p.h.		0.74	0.83	0.0	0.0	0.0	0.0		
44 m.p.h.		2.21	2.49	0.0	4.00	5.49	1.69		
49 m.p.h.		9.96	9.96	10.00	13.33	15.38	10.17		
54 m.p.h.		33.95	34.02	33.33	43.33	43.96	42.37		
59 m.p.h.		75.65	75.10	80.00	79.33	81.32	76.27		
64 m.p.h.		89.30	88.80	93.33	95.33	93.41	98.31		
69 m.p.h.		95.94	95.44	100.0	98.0	96.70	100.0		
74 m.p.h.		97.79	97.51	100.0	98.0	96.70	100.0		
79 m.p.h.		98.89	98.76	100.0	99.33	98.90	100.0		
84 m.p.h.		99.26	99.17	100.0	100.0	100.0	100.0		
89 m.p.h.		99.63	99.59	100.0	100.0	100.0	100.0		
No. of vehicles obs.		142	122	20	68	43	25		
Average speed		57.29	57.39	56.70	55.97	56.00	55.92		
No. of vehicles obs.		129	119	10	82	48	34		
Average speed		56.40	56.50	55.20	55.34	55.37	55.29		

TABLE II SPEED DATA

Station 2L-56	Highway S.R. 24	Location 3.0 Miles East of Jct. of U.S. 41
No. of Lanes 2	Type of Surface Asphalt Concrete	Weather Clear
This Observation Date 6/7/76	Last Previous Observation (Speed Report No. ____)	Date _____
Time 11:10 - 2:30 PM	Time _____	Time _____

OBSERVATION	PASSENGER CARS				TRUCKS			
	All	Indiana	Non-Indiana	All	< 5000	1 lbs.	> 5000	1 lbs.
	Last	Pres-ent	Last	Pres-ent	Last	Pres-ent	Last	Pres-ent
No. of vehicles obs.	267	164	103	154	74	80		
Ave. speed (m.p.h.)	56.86	57.33	56.11	55.09	54.61	55.54		
Standard deviation	5.652	5.817	5.321	6.182	5.965	6.380		
24 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0		
29 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0		
34 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0		
39 m.p.h.	0.37	0.61	0.0	1.30	0.0	2.50		
44 m.p.h.	2.25	1.83	2.91	3.90	2.70	5.00		
49 m.p.h.	8.99	9.15	8.74	17.53	21.62	13.75		
54 m.p.h.	31.46	26.83	38.83	40.91	50.00	32.50		
59 m.p.h.	70.04	67.07	71.76	79.22	81.08	77.50		
64 m.p.h.	92.13	90.85	94.17	94.16	95.95	92.50		
69 m.p.h.	98.13	96.95	100.0	99.35	98.65	100.0		
74 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0		
79 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0		
84 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0		
89 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0		
No. of vehicles obs.	137	73	64	73	33	40		
Average speed	56.93	57.70	56.06	54.86	54.09	55.50		
No. of vehicles obs.	130	91	39	81	41	40		
Average speed	56.78	57.03	56.18	55.30	55.02	55.27		

TABLE 12 SPEED DATA

Station 2L-62 Highway S.R. 37 Location 1.4 miles north of Jct. SR. 237
 No. of Lanes 2 Type of Surface Asphalt Concrete Weather Hazy
 This Observation Date 6/11/76 Previous Observation (Speed Report No. ____)
 Date 6/11/76 Time 8:20-11:40 A.M.

OBSERVATION	PASSENGER CARS						TRUCKS					
	All			Indiana			Non-Indiana			All		
	Last	Pres-ent	Last	Last	Pres-ent	Last	Last	Pres-ent	Last	Last	Pres-ent	Last
No. of vehicles obs.	258	235		23			162			112		50
Ave. speed (m.p.h.)	51.48	51.44		51.91			49.37			49.82		48.36
Standard deviation	6.766	6.910		5.178			6.518			6.761		5.875
24 m.p.h.	0.0	0.0		0.0			0.0			0.0		0.0
29 m.p.h.	0.0	0.0		0.0			0.0			0.0		0.0
34 m.p.h.	0.78	0.85		0.0			1.23			1.79		0.0
39 m.p.h.	3.10	2.98		4.35			9.26			8.93		10.00
44 m.p.h.	12.02	12.77		4.35			19.14			19.64		18.00
49 m.p.h.	38.37	38.72		34.78			51.23			47.32		60.00
54 m.p.h.	70.54	71.91		56.52			77.78			73.21		88.00
59 m.p.h.	90.70	90.21		95.65			94.44			93.75		96.00
64 m.p.h.	96.90	96.60		100.0			98.77			98.21		100.0
69 m.p.h.	98.84	98.72		100.0			100.0			100.0		100.0
74 m.p.h.	99.61	99.57		100.0			100.0			100.0		100.0
79 m.p.h.	99.61	99.57		100.0			100.0			100.0		100.0
84 m.p.h.	99.61	99.57		100.0			100.0			100.0		100.0
89 m.p.h.	99.61	99.57		100.0			100.0			100.0		100.0
No. of vehicles obs.	128	109		19			82			57		25
Average speed	51.02	50.93		51.53			48.76			49.51		47.04
No. of vehicles obs.	130	126		4			80			55		25
Average speed	51.95	51.89		53.75			50.00			50.15		49.68

TABLE 13 SPEED DATA

Station UI-6 Highway I-65 Location East of White River Bridge
 No. of Lanes 4 Type of Surface Portland Cement Concrete Weather Hazy
 This Observation Date 6/17/76 Time 10:22-12:20 P.M.

Last Previous Observation (Speed Report No. 96)
 Date 3/19/76 Time 11:02-12:53 P.M.

		PASSENGER CARS						TRUCKS											
		A11			Indiana			Non-Indiana			A11			< 5000 lbs.			> 5000 lbs.		
OBSERVATION		Last	Pres-ent	Last	Pres-ent	Last	Pres-ent	Last	Pres-ent	Last	Pres-ent	Last	Pres-ent	Last	Pres-ent	Last	Pres-ent		
No. of vehicles obs.		373	350	342	302	31	48	87	95	35	42	52	53						
Ave. speed (m.p.h.)		57.21	57.83	57.18	57.81	57.52	57.96	55.40	55.33	56.97	56.69	54.35	54.25						
Standard deviation		4.164	5.032	4.187	5.093	3.957	4.681	4.644	6.594	4.409	6.059	4.537	6.853						
24 m.p.h.		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
29 m.p.h.		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
34 m.p.h.		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.11	0.0	0.0	0.0						
39 m.p.h.		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.11	0.0	0.0	0.0						
44 m.p.h.		0.0	0.86	0.0	0.99	0.0	0.0	0.0	1.15	8.42	0.0	7.14	1.92						
49 m.p.h.		1.61	4.00	1.75	4.30	0.0	2.08	11.49	14.74	2.86	11.90	17.31	16.98						
54 m.p.h.		25.47	22.57	25.15	21.52	29.03	29.17	33.33	41.05	22.86	33.33	40.38	47.17						
59 m.p.h.		72.39	66.29	72.81	66.23	67.74	66.67	86.21	72.63	74.29	66.67	94.23	77.36						
64 m.p.h.		96.78	91.71	96.49	91.72	100.0	91.67	97.70	95.79	94.29	90.48	100.0	100.0						
69 m.p.h.		99.20	98.86	99.12	98.68	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
74 m.p.h.		99.73	99.43	99.71	99.34	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
79 m.p.h.		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
84 m.p.h.		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
89 m.p.h.		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						
No. of vehicles obs.		197	179	183	152	14	27	49	49	23	23	26	26						
Average speed		57.75	57.67	57.72	57.61	58.07	58.00	55.55	54.55	57.13	55.96	54.15	53.31						
No. of vehicles obs.		176	171	159	150	17	21	38	46	12	19	26	27						
Average speed		56.61	57.99	56.56	58.01	57.06	57.90	55.21	56.15	57.58	54.54	55.75							

TABLE I4 SPEED DATA

Station	<u>UI-4</u>	Highway	<u>I-465</u>	L
No. of Lanes	<u>4</u>	Type of Surface	<u>Pc</u>	
This Observation				
Date	<u>6/1/1976</u>			
Time	<u>1:50-2:30 P.M. & 3:00-3:40 P.M.</u>			

<u>Location</u>	<u>Indianapolis</u>	<u>at milepost</u>	<u>015</u>
<u>Portland Cement Concrete</u>		<u>Wea</u>	
<u>Last Previous Observation</u>			
<u>Date</u>			
<u>Time</u>			

Last Previous Observation (Speed Report No.)
Date Time

		PASSENGER CARS						TRUCKS											
		All			Indiana			Non-Indiana			All			<5000 lbs.			>5000 lbs.		
OBSERVATION		Pres-ent	Last	Pres-ent	Last	Pres-ent	Last	Pres-ent	Last	Pres-ent	Last	Pres-ent	Last	Pres-ent	Last	Pres-ent	Last		
No. of vehicles obs.		301		257		44		122		71		51							
Ave. speed (m.p.h.)		57.15		57.09		57.52		55.87		56.17		55.45							
Standard deviation		4.810		4.848		4.623		4.648		4.638		4.675							
- 24 m.p.h.		0.0		0.0		0.0		0.0		0.0		0.0							
29 m.p.h.		0.0		0.0		0.0		0.0		0.0		0.0							
34 m.p.h.		0.0		0.0		0.0		0.0		0.0		0.0							
39 m.p.h.		0.0		0.0		0.0		0.0		0.0		0.0							
44 m.p.h.		0.66		0.78		0.0		0.82		1.41		0.0							
49 m.p.h.		4.32		3.11		11.36		8.20		7.04		9.80							
54 m.p.h.		26.91		27.63		22.73		39.34		33.80		47.06							
59 m.p.h.		71.76		74.32		56.82		79.51		78.87		80.39							
64 m.p.h.		95.02		94.55		97.73		96.72		97.18		96.08							
69 m.p.h.		98.01		97.67		100.0		100.0		100.0		100.0							
74 m.p.h.		99.34		99.22		100.0		100.0		100.0		100.0							
79 m.p.h.		99.67		99.61		100.0		100.0		100.0		100.0							
84 m.p.h.		100.0		100.0		100.0		100.0		100.0		100.0							
89 m.p.h.		100.0		100.0		100.0		100.0		100.0		100.0							
All Vehicles																			
No. of vehicles obs.		145		126		19		66		41		25							
Average speed		56.50		56.52		56.32		56.59		57.54		55.04							
No. of vehicles obs.		156		131		25		56		30		26							
Average speed		57.76		57.63		58.44		55.02		54.30		55.85							

TABLE 15 SPEED DATA

Station	Highway Interstate, Rural Location		See individual stations		Weather
No. of Lanes	Type of Surface				
This Observation					Last Previous Observation (Speed Report No. 96)
Date April-June 1976					Date Feb.-March 1976
Time					Time

OBSERVATION	PASSENGER CARS						TRUCKS											
	All			Indiana			Non-Indiana			All			< 5000 lbs.			> 5000 lbs.		
Last	Pres-ent	Last	Pres-ent	Last	Last	Pres-ent	Last	Last	Pres-ent	Last	Last	Pres-ent	Last	Last	Pres-ent	Last	Pres-ent	
No. of vehicles obs.	661	1127	481	427	180	700	211	574	108	183	103	391						
Ave. speed (m.p.h.)	57.54	58.60	57.39	58.11	57.96	58.90	56.55	58.16	56.45	57.05	56.66	58.67						
Standard deviation	4.760	4.566	4.931	4.333	4.254	4.680	4.723	4.650	4.446	4.562	5.017	4.606						
24 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
29 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
34 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
39 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						
44 m.p.h.	0.30	0.27	0.42	0.0	0.0	0.0	0.43	0.0	0.35	0.0	0.55	0.0						
49 m.p.h.	3.48	1.86	4.37	1.87	1.11	1.86	5.21	3.14	3.70	4.37	6.80	2.56						
54 m.p.h.	26.32	15.88	27.86	18.27	22.22	14.43	35.07	21.25	34.26	28.42	35.92	17.90						
59 m.p.h.	68.08	60.96	69.44	65.81	64.44	58.00	72.51	62.20	76.85	71.58	67.96	57.80						
64 m.p.h.	93.80	90.95	93.97	92.51	93.33	90.00	95.26	90.77	96.30	94.54	94.17	89.00						
69 m.p.h.	98.49	98.05	98.34	98.59	98.89	97.71	92.05	99.30	99.07	100.0	99.03	98.98						
74 m.p.h.	99.70	99.65	99.58	100.00	100.0	99.43	100.0	100.0	100.0	100.0	100.0	100.0						
79 m.p.h.	99.85	99.91	99.79	100.0	100.0	99.86	100.0	100.0	100.0	100.0	100.0	100.0						
84 m.p.h.	100.0	99.91	100.0	100.0	100.0	99.86	100.0	100.0	100.0	100.0	100.0	100.0						
89 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0						

All Vehicles
of Vehicles
traveling at or
less than

TABLE 16 SPEED DATA

Station	Highway 4-Lane, RURAL		Location	See individual stations
No. of Lanes	Type of Surface			
This Observation				Last Previous Observation (Speed Report No. 96)
Date	April-June 1976		Date	Feb.-March 1976
Time			Time	

		PASSENGER CARS				TRUCKS							
		A11		Indiana		Non-Indiana		A11		<5000 lbs.		>5000 lbs.	
OBSERVATION		Press-ent	Last	Press-ent	Last	Press-ent	Last	Press-ent	Last	Press-ent	Last	Press-ent	Last
No. of vehicles obs.	680	1122	583	909	97	213	224	610	123	331	101	279	
Ave. speed (m.p.h.)	57.82	57.13	57.69	57.10	58.64	57.24	56.04	56.77	56.96	56.58	54.91	56.98	
Standard deviation	5.020	5.821	5.103	5.961	4.426	5.191	5.959	6.196	6.337	6.333	5.278	6.033	
24 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
29 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
34 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
39 m.p.h.	0.0	0.62	0.0	0.77	0.0	0.0	0.89	0.82	1.63	1.21	0.0	0.36	
44 m.p.h.	0.59	1.87	0.69	2.09	0.0	0.94	3.13	3.11	1.63	3.32	4.95	2.87	
49 m.p.h.	4.71	8.38	5.15	8.36	2.06	8.45	11.61	9.84	9.76	9.97	13.86	9.68	
54 m.p.h.	24.56	30.30	25.56	30.80	18.56	28.17	37.95	31.15	34.96	30.51	41.58	31.90	
59 m.p.h.	64.56	67.74	66.21	67.99	54.64	66.67	74.11	69.02	66.67	69.18	83.17	68.82	
64 m.p.h.	91.91	90.82	92.11	90.21	90.72	93.43	91.96	91.64	87.80	93.66	97.03	89.25	
69 m.p.h.	98.82	98.40	98.80	98.24	98.97	99.06	99.11	97.70	98.37	96.98	100.0	98.57	
74 m.p.h.	100.0	92.47	100.0	99.34	100.0	100.0	99.51	100.0	99.09	100.0	100.0	100.0	
79 m.p.h.	100.0	99.73	100.0	99.67	100.0	100.0	99.84	100.0	99.70	100.0	100.0	100.0	
84 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	
89 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	

A11 Vehicles

than
of vehicles

TABLE 17 SPEED DATA

Station	Highway 2-Lane, Rural			Location	See individual stations		
No. of Lanes	Type of Surface						
This Observation	Date	April-June 1976	Time				
	Last	Previous	Observation				
	Date	Feb.-March 1976	Time				
No. of vehicles obs.	629	1101	575	896	54	205	252
Ave. speed (m.p.h.)	56.36	55.29	56.39	55.94	55.29	54.45	53.52
Standard deviation	5.116	6.717	5.096	6.969	5.357	5.497	5.209
24 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34 m.p.h.	0.16	0.18	0.17	0.22	0.0	0.0	0.34
39 m.p.h.	0.32	1.02	0.35	1.23	0.0	0.49	0.0
44 m.p.h.	1.11	4.54	0.87	4.80	3.70	3.41	4.37
49 m.p.h.	5.88	17.53	5.57	18.19	9.26	14.63	14.68
54 m.p.h.	25.93	44.41	36.00	44.98	35.19	41.95	51.98
59 m.p.h.	79.81	78.02	79.83	77.79	79.63	79.02	85.32
64 m.p.h.	94.44	93.10	90.43	92.52	94.44	95.61	97.22
69 m.p.h.	98.09	97.55	98.09	96.99	98.15	100.0	99.21
74 m.p.h.	99.68	99.09	99.65	98.88	100.0	100.0	99.33
79 m.p.h.	100.0	99.46	100.0	99.33	100.0	100.0	99.83
84 m.p.h.	100.0	99.73	100.0	99.67	100.0	100.0	100.0
89 m.p.h.	100.0	99.82	100.0	99.78	100.0	100.0	100.0

OBSERVATION	PASSENGER CARS			TRUCKS			Weather
	All		Indiana	Non-Indiana		All	
	Last	Present	Last	Present	Last	Present	
No. of vehicles obs.	629	1101	575	896	54	205	252
Ave. speed (m.p.h.)	56.36	55.29	56.39	55.94	55.29	54.45	53.52
Standard deviation	5.116	6.717	5.096	6.969	5.357	5.497	5.209
24 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34 m.p.h.	0.16	0.18	0.17	0.22	0.0	0.0	0.34
39 m.p.h.	0.32	1.02	0.35	1.23	0.0	0.49	0.0
44 m.p.h.	1.11	4.54	0.87	4.80	3.70	3.41	4.37
49 m.p.h.	5.88	17.53	5.57	18.19	9.26	14.63	14.68
54 m.p.h.	25.93	44.41	36.00	44.98	35.19	41.95	51.98
59 m.p.h.	79.81	78.02	79.83	77.79	79.63	79.02	85.32
64 m.p.h.	94.44	93.10	90.43	92.52	94.44	95.61	97.22
69 m.p.h.	98.09	97.55	98.09	96.99	98.15	100.0	99.21
74 m.p.h.	99.68	99.09	99.65	98.88	100.0	100.0	99.33
79 m.p.h.	100.0	99.46	100.0	99.33	100.0	100.0	99.83
84 m.p.h.	100.0	99.73	100.0	99.67	100.0	100.0	100.0
89 m.p.h.	100.0	99.82	100.0	99.78	100.0	100.0	100.0

of Vehicles
traveling at or
less than

All Vehicles

TABLE 18 SPEED DATA

Station	Highway	Interstate, Urban	Location	See individual stations	Weather
No. of Lanes		Type of Surface			
This Observation		Last Previous Observation (Speed Report No. 96)			
Date April-June 1976		Date Feb.-March 1976			
Time		Time			

PASSENGER CARS						TRUCKS											
All			Indiana			Non-Indiana			All			<5000 lbs.			>5000 lbs.		
OBSERVATION	Last	Present	Last	Present	Last	Last	Present	Last	Last	Present	Last	Last	Present	Last	Last	Present	Last
No. of vehicles obs.	373	651	342	559	31	92	87	217	35	113	52	104					
Ave. speed (m.p.h.)	57.21	57.51	57.18	57.48	57.52	57.75	55.40	55.63	56.97	56.36	54.35	54.84					
Standard deviation	4.164	4.239	4.187	4.990	3.957	4.633	4.644	5.576	4.409	5.191	4.537	5.889					
24 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0					
29 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0					
34 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0					
39 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0					
44 m.p.h.	0.0	0.77	0.0	0.89	0.0	0.0	0.0	1.15	4.15	0.0	3.54	1.92					
49 m.p.h.	1.61	4.15	1.75	3.76	0.0	6.52	11.49	11.06	2.86	8.85	17.31	17.31					
54 m.p.h.	25.47	24.58	25.15	24.33	29.03	26.09	33.33	40.09	22.86	33.63	40.38	47.12					
59 m.p.h.	72.39	68.82	72.81	69.95	67.74	61.96	86.21	76.50	74.29	74.34	94.23	78.85					
64 m.p.h.	96.78	93.24	96.49	93.02	100.0	94.57	97.70	96.31	94.29	94.69	100.0	98.08					
69 m.p.h.	99.20	98.46	99.12	98.21	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0					
74 m.p.h.	99.73	99.39	99.71	99.28	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0					
79 m.p.h.	100.0	99.85	100.0	99.82	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0					
84 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0					
89 m.p.h.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0					

All Vehicles

TABLE 19 SPEED DATA

Station	Highway Indiana System			Location	See individual stations
No. of Lanes	Type of Surface	This Observation	Date	Time	Weather
			April-June 1976		Last Previous Observation (Speed Report No. 96)
			Feb.-March 1976		Date
				Time	

OBSERVATION	PASSENGER CARS												TRUCKS			
	All			Indiana			Non-Indiana			All			<5000 lbs.		>5000 lbs.	
	Last	Pres-ent	Last	Last	Pres-ent	Last	Last	Pres-ent	Last	Pres-ent	Last	Pres-ent	Last	Pres-ent	Last	Pres-ent
No. of vehicles obs.	2343	4001	1981	2791	362	1210	774	1995	418	982	356	1013				
Ave. speed (m.p.h.)	57.25	57.10	57.15	56.75	57.80	57.91	55.59	56.08	56.18	55.54	54.90	56.60				
Standard deviation	4.878	5.771	4.936	6.009	4.519	5.091	5.315	6.163	5.422	6.329	5.109	5.955				
24 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
29 m.p.h.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				
34 m.p.h.	0.04	0.05	0.05	0.07	0.0	0.0	0.26	0.30	0.48	0.31	0.0	0.30				
39 m.p.h.	0.09	0.47	0.10	0.64	0.0	0.08	0.26	1.25	0.48	1.43	0.0	1.09				
44 m.p.h.	0.55	1.97	0.56	2.40	0.55	0.99	2.45	4.01	1.91	4.89	3.09	3.16				
49 m.p.h.	4.18	8.37	4.49	9.60	2.49	5.54	10.85	12.53	8.37	14.66	13.76	10.46				
54 m.p.h.	28.25	22.19	29.08	32.14	23.76	22.40	41.21	35.89	37.56	39.00	45.51	32.87				
59 m.p.h.	70.89	68.83	72.08	71.19	64.36	63.39	78.68	72.48	75.60	75.87	82.30	69.20				
64 m.p.h.	93.90	91.88	93.99	91.87	93.37	91.90	95.22	93.33	93.54	94.81	97.19	91.91				
69 m.p.h.	98.59	98.08	98.54	97.89	98.90	98.51	99.22	98.85	98.80	98.47	99.72	99.21				
74 m.p.h.	99.79	99.40	99.75	99.28	100.0	99.67	100.0	99.65	100.0	99.29	100.0	100.0				
79 m.p.h.	99.96	99.73	99.95	99.64	100.0	99.92	100.0	99.90	100.0	99.80	100.0	100.0				
84 m.p.h.	100.0	99.90	100.0	99.89	100.0	99.92	100.0	100.0	100.0	100.0	100.0	100.0				
89 m.p.h.	100.0	99.95	100.0	99.93	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0				

All Vehicles
of Vehicles traveling at or less than

APPENDIX B

Speed Data Summary as Furnished to FHWA
For Quarterly Speed Monitoring
(Tables 20 to 34)

Monitoring of Speed
(Statistical Summary)

Quarterly Report--Calendar Quarter Ending June 30, 1976

or

Annual Report--Year Ending _____

STATE Indiana

Miles	Number of Monitor Locations	Number of Vehicles Measured	Duration of Measurement Session (Hours)	Average Speed (MPH)	Median Speed (MPH)	85th Percentile Speed (MPH)	Percent of Motorists Exceeding		
							55 MPH	60 MPH	65 MPH
Interstate Urban	218	2	868	3.5	57.1	56.5	61.3	63	23
Interstate Rural	849	4	1701	7.8	58.5	57.7	62.5	74	30
Multi-lane, Divided	657	4	1732	14.8	57.0	56.5	62.0	63	25
Multi-lane, Undivided (included in multi-lane, Divided classification)									7
2-Lane, Rural	8030	4	1695	12.5	54.7	54.4	60.3	46	16
State Total	9754	14	5996	38.6	56.8	56.4	61.6	62	24
									6

SPEED MONITORING STATION SUMMARY

HIGHWAY CATEGORY Interstate, Rural

STATION NUMBER RI-6 LOCATION I-65, 7.5 miles north of Junction of SR 160

NUMBER OF SESSIONS 1 DATES 6/10/76 VEHICLES MEASURED 420

AVERAGE SPEED (MPH) 58.6 STANDARD DEVIATION (MPH) 4.4

MEDIAN SPEED (MPH) 58.2 85TH PERCENTILE SPEED (MPH) 62.5

PERCENTAGE OF VEHICLES EXCEEDING:

55 MPH: 76 60 MPH: 30 65 MPH: 6

SPEED MONITORING STATION SUMMARY

HIGHWAY CATEGORY Interstate, RuralSTATION NUMBER RI-21 LOCATION I-69, 3.3 miles south of Junction of SR 18NUMBER OF SESSIONS 1 DATES 6/2/76 VEHICLES MEASURED 423AVERAGE SPEED (MPH) 57.7 STANDARD DEVIATION (MPH) 4.8MEDIAN SPEED (MPH) 56.5 85TH PERCENTILE SPEED (MPH) 61.7

PERCENTAGE OF VEHICLES EXCEEDING:

55 MPH: 67 60 MPH: 25 65 MPH: 5

SPEED MONITORING STATION SUMMARY

HIGHWAY CATEGORY Interstate, Rural

STATION NUMBER RI-26 LOCATION I-90 (Toll Road), between Jct SR 3 and SR 13*

NUMBER OF SESSIONS 1 DATES 6/8/76 VEHICLES MEASURED 432

AVERAGE SPEED (MPH) 59.2 STANDARD DEVIATION (MPH) 4.6

MEDIAN SPEED (MPH) 58.6 85TH PERCENTILE SPEED (MPH) 63.4

PERCENTAGE OF VEHICLES EXCEEDING:

55 MPH: 78 60 MPH: 37 65 MPH: 8

*at County Road 1200W

SPEED MONITORING STATION SUMMARY

HIGHWAY CATEGORY Interstate, Rural
STATION NUMBER RI-28 LOCATION I-90 (Toll Road), between Jct US 31 and SR 39 *

NUMBER OF SESSIONS 1 DATES 6/8/76 VEHICLES MEASURED 426

AVERAGE SPEED (MPH) 58.4 STANDARD DEVIATION (MPH) 4.5

MEDIAN SPEED (MPH) 57.5 85TH PERCENTILE SPEED (MPH) 62.1

PERCENTAGE OF VEHICLES EXCEEDING:

55 MPH: 76 60 MPH: 29 65 MPH: 7

*at Olive Road

SPEED MONITORING STATION SUMMARY

HIGHWAY CATEGORY Multi-lane, Divided (Rural)
STATION NUMBER 4L-17 LOCATION US 52, 1.0 mile west of Klondike

NUMBER OF SESSIONS 1 DATES 6/15/76 VEHICLES MEASURED 440
AVERAGE SPEED (MPH) 56.0 STANDARD DEVIATION (MPH) 6.7
MEDIAN SPEED (MPH) 55.9 85TH PERCENTILE SPEED (MPH) 61.7

PERCENTAGE OF VEHICLES EXCEEDING:

55 MPH: 55 60 MPH: 24 65 MPH: 6

SPEED MONITORING STATION SUMMARY

HIGHWAY CATEGORY Multi-lane, Divided (Rural)

STATION NUMBER 4L-18 LOCATION US 52, 1.4 miles south of Kentland

NUMBER OF SESSIONS 1 DATES 6/4/76 VEHICLES MEASURED 430

AVERAGE SPEED (MPH) 58.1 STANDARD DEVIATION (MPH) 6.0

MEDIAN SPEED (MPH) 57.1 85TH PERCENTILE SPEED (MPH) 63.0

PERCENTAGE OF VEHICLES EXCEEDING:

55 MPH: 70 60 MPH: 30 65 MPH: 9

SPEED MONITORING STATION SUMMARY

HIGHWAY CATEGORY Multi-lane, Divided (Rural)

STATION NUMBER 4L-19 LOCATION US 52, 4.3 miles north of Kentland

NUMBER OF SESSIONS 1 DATES 6/18/76 VEHICLES MEASURED 439

AVERAGE SPEED (MPH) 57.4 STANDARD DEVIATION (MPH) 6.1

MEDIAN SPEED (MPH) 56.8 85TH PERCENTILE SPEED (MPH) 63.0

PERCENTAGE OF VEHICLES EXCEEDING:

55 MPH: 65 60 MPH: 29 65 MPH: 8

SPEED MONITORING STATION SUMMARY

HIGHWAY CATEGORY Multi-lane, Divided (Rural)

STATION NUMBER 4L-32 LOCATION US 30, 2.0 miles east of Junction of SR 49

NUMBER OF SESSIONS 1 DATES 6/3/76 VEHICLES MEASURED 423

AVERAGE SPEED (MPH) 56.6 STANDARD DEVIATION (MPH) 4.5

MEDIAN SPEED (MPH) 56.0 85TH PERCENTILE SPEED (MPH) 60.6

PERCENTAGE OF VEHICLES EXCEEDING:

55 MPH: 61 60 MPH: 18 65 MPH: 4

SPEED MONITORING STATION SUMMARY

HIGHWAY CATEGORY Two-lane, Rural
STATION NUMBER 2L-18 LOCATION US 35, 1.5 miles east of Junction of I-69
NUMBER OF SESSIONS 1 DATES 6/2/76 VEHICLES MEASURED 433
AVERAGE SPEED (MPH) 55.4 STANDARD DEVIATION (MPH) 5.9
MEDIAN SPEED (MPH) 54.8 85TH PERCENTILE SPEED (MPH) 60.6
PERCENTAGE OF VEHICLES EXCEEDING:
55 MPH: 49 60 MPH: 19 65 MPH: 4

SPEED MONITORING STATION SUMMARY

HIGHWAY CATEGORY Two-lane, Rural
STATION NUMBER 2L-54 LOCATION US 231, 1.0 mile south of Junction of SR 234
NUMBER OF SESSIONS 1 DATES 6/25/76 VEHICLES MEASURED 421
AVERAGE SPEED (MPH) 56.4 STANDARD DEVIATION (MPH) 6.8
MEDIAN SPEED (MPH) 55.7 85TH PERCENTILE SPEED (MPH) 60.9
PERCENTAGE OF VEHICLES EXCEEDING:
55 MPH: 55 60 MPH: 19 65 MPH: 7

SPEED MONITORING STATION SUMMARY

HIGHWAY CATEGORY Two-lane, RuralSTATION NUMBER 2L-56 LOCATION SR 24, 3 miles east of Junction US 41NUMBER OF SESSIONS 1 DATES 6/7/76 VEHICLES MEASURED 421AVERAGE SPEED (MPH) 56.2 STANDARD DEVIATION (MPH) 5.9MEDIAN SPEED (MPH) 56.1 85TH PERCENTILE SPEED (MPH) 61.5

PERCENTAGE OF VEHICLES EXCEEDING:

55 MPH: 58 60 MPH: 22 65 MPH: 5

SPEED MONITORING STATION SUMMARY

HIGHWAY CATEGORY Two-lane, Rural

STATION NUMBER 2L-62 LOCATION SR 37, 1.4 mile north of SR 237

NUMBER OF SESSIONS 1 DATES 6/11/76 VEHICLES MEASURED 420

AVERAGE SPEED (MPH) 50.7 STANDARD DEVIATION (MPH) 6.7

MEDIAN SPEED (MPH) 50.1 85TH PERCENTILE SPEED (MPH) 56.6

PERCENTAGE OF VEHICLES EXCEEDING:

55 MPH: 22 60 MPH: 6 65 MPH: 2

SPEED MONITORING STATION SUMMARY

HIGHWAY CATE GORY	Interstate, Urban				
STATION NUMBER	<u>UI-4</u>	LOCATION	<u>I-465, Indianapolis, NW corner south to SE corner*</u>		
NUMBER OF SESSIONS	<u>1</u>	DATES	<u>6/1/76</u>	VEHICLES MEASURED	<u>423</u>
AVERAGE SPEED (MPH)	<u>56.8</u>	STANDARD DEVIATION (MPH)	<u>4.8</u>		
MEDIAN SPEED (MPH)	<u>56.1</u>	85TH PERCENTILE SPEED (MPH)	<u>60.7</u>		

PERCENTAGE OF VEHICLES EXCEEDING:

55 MPH:	<u>60</u>	60 MPH:	<u>20</u>	65 MPH:	<u>3</u>
---------	-----------	---------	-----------	---------	----------

*at milepost 015

SPEED MONITORING STATION SUMMARY

HIGHWAY CATEGORY Interstate, Urban
STATION NUMBER I-65 LOCATION I-65 in Indianapolis, just east of White River Bridge
NUMBER OF SESSIONS 1 DATES 6/17/76 VEHICLES MEASURED 445
AVERAGE SPEED (MPH) 57.3 STANDARD DEVIATION (MPH) 5.5
MEDIAN SPEED (MPH) 57.0 85TH PERCENTILE SPEED (MPH) 62.0

PERCENTAGE OF VEHICLES EXCEEDING:

55 MPH: 67 60 MPH: 26 65 MPH: 4

COVER DESIGN BY ALDO GIORGINI