



Extended results of Tornado: A Run-Fail-Grow approach for Dynamic Application Tayloring

Guillermo Polito, Stéphane Ducasse, Noury Bouraqadi, Luc Fabresse

► To cite this version:

Guillermo Polito, Stéphane Ducasse, Noury Bouraqadi, Luc Fabresse. Extended results of Tornado: A Run-Fail-Grow approach for Dynamic Application Tayloring. [Research Report] Inria. 2014. hal-00996908v3

HAL Id: hal-00996908

<https://hal.archives-ouvertes.fr/hal-00996908v3>

Submitted on 15 Jul 2014

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

MINES-TELECOM INSTITUTE, MINES DOUAI
RMOD INRIA LILLE NORD EUROPE

TECHNICAL REPORT

Extended results of Tornado
A Run-Fail-Grow approach
for
Dynamic Application Tailoring

Author:
Guillermo POLITO
Version: 1.1

Supervisors:
Stéphane DUCASSE
Noury BOURAQADI
Luc FABRESE

July 15, 2014

Abstract

Producing a small deployment version of an application is a challenge because static abstractions such as packages cannot anticipate the use of their parts. As such, an application often occupies more memory than actually needed. To solve this problem we propose Tornado, a technique to dynamically tailor applications to only embed code (classes and methods) they use. Tornado uses a run-fail-grow approach to prepare an application for deployment. It launches minimal version of an application and installs a minimal set of statements that will start the user's application. This application is run and these statements are executed. When the application fails because there are classes or methods missing, the necessary code is installed. The application is executed until it reaches a stable point, allowing possibly human interaction for applications with UIs. Thus, Tornado creates minimal memory footprint versions of applications by tailoring the whole application's code, including run-time and third party libraries.

In this report, we present the results we obtained from using Tornado to tailor two different applications. We succeeded to tailor a *hello world* application to occupy 1% of its original size. We also experimented with a Seaside web application tailoring in one case only the application's and framework's code and the whole application's code in the other case. In this latter example, we reached memory savings of about 97%. In this report we present an overview on Tornado, and we give details of the results we obtained.

Contents

1	Used Methodology	3
2	Hello World Application	3
3	Seaside Web Application	3
A	Appendix: Method List of a Nurtured Hello World Application	6
B	Appendix: Entry Points to Tailor the Seaside Web Application	8
C	Appendix: Method List of Seaside Counter Application with Full Pharo Seed	9
D	Appendix: Method List of Seaside Counter Application with Empty Seed	15

1 Used Methodology

We tested our Tornado implementation by tailoring two different Pharo applications: a hello world application and a simple but yet interactive web application based on the Seaside framework [1]. Our methodology consisted in: setting up a seed for the application, preparing the application entry points and executing the application. In the case of the interactive web application, we interacted with it through a web browser. Once we finished the process, we extracted the resulting application by making a snapshot of it in a Pharo image file. We tested the generated snapshots to verify they work properly (under the assumption that only the previously used features of the application should work).

Finally, to present our results we measured the size of the generated snapshots files and compared them with the snapshots of the full applications under Pharo’s production option¹. The results prove the soundness of our solution.

2 Hello World Application

We used Tornado to tailor a *hello world* application writing 10 times the ‘hello world’ string to the standard output (stdout). In this case study we used an empty seed to grow both base libraries and the application’s code. Figure 1 shows the installed entry point to tailor this application. Table 1 shows our results for this case. We succeed to reduce the application’s size to 1% of its original counterpart.

```
1 FileStream startUp: true.  
2 1 to: 10 do: [ :i | FileStream stdout nextPutAll: 'hello'; crlf ].
```

Figure 1: Entry point of the Hello World application with an empty seed.

	Size(KB)	Occupied(%)	Saved(%)
Reference	12872	100%	0%
Tailored	131	1%	99%

Table 1: Results of the tailored Hello World application.

3 Seaside Web Application

We also used Tornado to tailor a simple web application consisting in a webpage with a counter containing two buttons. These two buttons perform requests to the web server to increase and decrease the counter. The Seaside application framework was configured with its default values, without making any customizations.

¹Pharo allows to prepare a snapshot for production. This option cleans some caches and removes some well known objects from the system, thus, freeing space.

In this case, we used two different seeds for tailoring: a seed containing all Pharo base libraries and an empty seed. Appendix B presents the entry points for these both seeds. The tailoring was done by starting the application and exercising it by generating requests through a web browser, clicking on its decrease and increase buttons.

	Size (KB)		
Ref. Pharo Base Libraries (P)			12872
Ref. Seaside Framework (S)			4326
Ref. Counter Application (R)			52
Total Ref. Application ($P+S+C$)			17250
	Size (KB)	Occupied (%)	Saved (%)
$P'+S'+C' / P+S+C$	573	3%	97%
$P''+S''+C'' / P+S+C$	13090	76%	24%
$S''+C'' / S+C$	218	5%	95%

Table 2: **Results of second case study.** Results of tailoring a web application with two different seeds. On the left, the total sizes of the original application deployment components (base libraries, application framework and counter application). On the right, our results when applying after tailoring. The first two results rows are compared against the total of the reference application. The third row presents the comparison without including base libraries, already inside the seed.

Table 2 shows the results obtained when tailoring this application with each of these two seeds. Figure 2 presents a tailoring map illustrating how Tornado selects the code units from a reference application given a seeds. This figure also presents the notation we use in Table 2: P is the Pharo base libraries, S is the Seaside Framework and C is the Counter application code units present in the reference application. P' , S' and C' are their counterparts selected by Tornado when using an empty seed. P'' , S'' and C'' are their counterparts, as selected by Tornado when using a seed with all base libraries. In the latter, we can note that $P=P''$.




Figure 2: **Tailoring Map.** Tailoring map describing the Seaside application generated with the empty seed (left) and the full Pharo seed (right).

Acknowledgements. This work was supported by Ministry of Higher Education and Research, Nord-Pas de Calais Regional Council, FEDER via the 'Contrat de Projets Etat Region

(CPER) 2007-2013', the Cutter ANR project, ANR-10-BLAN-0219.

References

- [1] A. Bergel, S. Ducasse, and L. Renggli. Seaside – advanced composition and control flow for dynamic web applications. *ERCIM News*, 2008.

A Appendix: Method List of a Nurtured Hello World Application

List of methods extracted from the nurtured Hello World application. This list includes all methods installed from the Pharo base libraries and the simple Hello World application.

Array class»new:	FileStream»openOnHandle:name:forWrite:Standard
ArrayedCollection»size	FileStream»primWrite:from:startingAt:count:Standard
Association class»key:value:	GreekEnvironment class»supportedLanguages
Association»value:	HashTableSizes class»atLeast:
Association»value	HashTableSizes class»sizes
BlockClosure»on:do:	HashedCollection class»newProto
BlockClosure»repeat	HashedCollection»atNewIndex:put:
BlockClosure»valueNoContextSwitch	HashedCollection»findElementOrNil:
ByteString class»compare:with:collated:	HashedCollection»fullCheck
ByteString class»findFirstInString:inSet:startingAt:	HashedCollection»grow
ByteString class»stringHash:initialHash:	HashedCollection»initialize:
ByteString»at:put:	Integer»asCharacter
ByteString»at:	JapaneseEnvironment class»supportedLanguages
ByteString»isByteString	KoreanEnvironment class»supportedLanguages
ByteString»replaceFrom:to:with:startingAt:	LanguageEnvironment class»currentPlatform
ByteTextConverter class»unicodeToByteTable	LanguageEnvironment class»defaultSystemConverter
ByteTextConverter»nextPut:toStream:	LanguageEnvironment class»initKnownEnvironments
ByteTextConverter»unicodeToByte:	LanguageEnvironment class»knownEnvironments
Character class»cr	LanguageEnvironment class»localeID:
Character class»lf	LanguageEnvironment»localeID:
Character class»value:	Latin1Environment class»supportedLanguages
Character»=	Latin2Environment class»supportedLanguages
Character»asInteger	Latin9Environment class»supportedLanguages
Character»asciiValue	Latin9Environment class»systemConverterClass
Character»charCode	Locale class»currentPlatform
Collection»detect:ifNone:	Locale class»determineCurrentLocale
Dictionary»at:ifAbsent:	Locale»determineLocaleID
Dictionary»at:ifPresent:	Locale»determineLocale
Dictionary»at:put:	Locale»fetchISO2Language
Dictionary»noCheckAdd:	Locale»languageEnvironment
Dictionary»scanFor:	Locale»localeID:
FileStream class»newForStdio	Locale»localeID
FileStream class»new	Locale»primCountry
FileStream class»standardIOStreamNamed:forWrite	Locale»primLanguage
FileStream class»startUp:	LocaleID class»isoLanguage:isoCountry:
FileStream class»stdioHandles	LocaleID class»isoLanguage:
FileStream class»stdoutCharacter»isCharacter	LocaleID class»isoString:
FileStream class»voidStdioFiles	LocaleID»=
FileStream»collectionSpeciesStandard	LocaleID»hash
FileStream»enableReadBufferingSmalltalkImage»vm	LocaleID»isoCountry
FileStream»isBinaryStandard	LocaleID»isoLanguage:isoCountry:
FileStream»next:putAll:startingAt:Standard	LocaleID»isoLanguage
FileStream»nextPut:Standard	LookupKey class»key:

LookupKey»key:	Semaphore»critical:
LookupKey»key	SequenceableCollection»copyFrom:to:
Magnitude»max:	SequenceableCollection»copyUpTo:
MultiByteFileStream»basicNext:putAll:startingAt:	SequenceableCollection»do:
MultiByteFileStream»basicNextPut:	SequenceableCollection»first:
MultiByteFileStream»converter:	SequenceableCollection»first
MultiByteFileStream»converter	SequenceableCollection»identityIndexOf:ifAbsent:
MultiByteFileStream»installLineEndConventionInCornerRadius:	SequenceableCollection»identityIndexOf:
MultiByteFileStream»nextPut:	SequenceableCollection»indexOf:ifAbsent:
MultiByteFileStream»nextPutAll:	SequenceableCollection»second
Number»negative	SequenceableCollection»writeStream
OSPlatform class»isWin32	SimplifiedChineseEnvironment class»supportedLanguages
OSPlatform class»platformName	SmallInteger»bitXor:
Object»=	SmallInteger»hash
Object»at:put:Object»isCharacter	Stream»basicNextPut:
Object»at:	String class»new:
Object»class	String class»with:
Object»hash	String»=
Object»isInteger	String»compare:with:collated:
Object»species	String»findDelimiters:startingAt:
Object»~~	String»findTokens:
OrderedCollection class»arrayType	String»hash
OrderedCollection class»new:	String»indexOf:startingAt:ifAbsent:
OrderedCollection class»new	String»isString
OrderedCollection»add:	String»skipDelimiters:startingAt:
OrderedCollection»addLast:	TextConverter class»defaultSystemConverter
OrderedCollection»at:	TextConverter class»initializeLatin1 MapAndEncodings
OrderedCollection»ensureBoundsFrom:to:	TextConverter class»latin1 Encodings
OrderedCollection»resetTo:	TextConverter class»latin1 Map
OrderedCollection»reset	TextConverter»initialize
OrderedCollection»setCollection:	TextConverter»installLineEndConvention:
OrderedCollection»size	TextConverter»nextPutAll:toStream:
PositionableStream class»on:	TextConverter»nextPutByteString:toStream:
PositionableStream»isBinary	VirtualMachine class»getSystemAttribute:
PositionableStream»on:	WriteStream»contentsStandard
ProtoObject»basicIdentityHash	WriteStream»CrLf
ProtoObject»flag:	WriteStream»nextPut:
ProtoObject»identityHash	WriteStream»on:
ProtoObject»initialize	WriteStream»reset
RussianEnvironment class»supportedLanguages	

B Appendix: Entry Points to Tailor the Seaside Web Application

Entry points as used to tailor the Seaside web application with a full Pharo seed and an empty seed. The first one (Figure 3) only consists in starting the web server as the base libraries are initialized and available in the seed. The latter one (Figure 4) includes the initialization of the minimal runtime needed to do networking.

```
1 ZnZincServerAdaptor startOn: 8888.
```

Figure 3: Entry point of the Seaside application with a full Pharo seed.

```
1 "We initialize some classes of the system"
2 SmalltalkImage initializeForTornado.
3 Symbol initializeForTornado.
4 Object initialize.
5 ExternalSemaphoreTable initialize.
6 Socket initialize.
7 Delay initialize.
8 Delay startUp: true.
9 Delay shutDown: true.
10 OSPlatform initialize.
11 DiskStore initialize.
12 FileStream initialize.
13 NetNameResolver initialize.
14 DateAndTime initialize.
15 ProcessorScheduler initialize.
16 WeakFinalizationList initialize.
17 UUIDGenerator initialize.
18 WeakArray initialize.
19 GRPharoRandomProvider initialize.
20 WASlime initialize.
21 UIManager basicDefault: DummyUIManager new.
22 ZnServer initialize.
23 WAServerManager initialize.
24 Smalltalk instVarNamed: 'session' put: Smalltalk newSessionObject.
25 Smalltalk startupImage: true snapshotWorked: true.
26
27 "Finally we start the web server"
28 ZnZincServerAdaptor startOn: 8888.
```

Figure 4: Entry point of the Seaside application with an empty seed.

C Appendix: Method List of Seaside Counter Application with Full Pharo Seed

List of methods extracted from the nurtured Web application when using a seed containing all base libraries from Pharo. This list includes all methods installed from Seaside framework and the counter application. The list of methods part of the base library are excluded as it is the same list of the methods found in Pharo base library.

WAAccessIntervalReapingStrategy»defaultConfiguration	WAAccessIntervalReapingStrategy»initializeWithKey:
WAAccessIntervalReapingStrategy»initialize	WAAccessIntervalReapingStrategy»isAttributeInheritedOn:
WAAccessIntervalReapingStrategy»interval	WAAccessIntervalReapingStrategy»isAttributeLocalOn:
WAAccessIntervalReapingStrategy»reap	WAAccessIntervalReapingStrategy»key
WAAccessIntervalReapingStrategy»stored:key:	WABrush»initialize
WAActionCallback»block:	WABrush»parent
WAActionCallback»evaluateWithArgument:	WABrush»setParent:canvas:
WAActionCallback»isEnabledFor:	WABrush»with:
WAActionCallback»signalRenderNotification	WABufferedResponse class»on:
WAActionPhaseContinuation»continue	WABufferedResponse»contents
WAActionPhaseContinuation»handleRequest	WABufferedResponse»destroy
WAActionPhaseContinuation»renderContext:	WABufferedResponse»initializeOn:
WAActionPhaseContinuation»renderContext	WABufferedResponse»stream
WAActionPhaseContinuation»runCallbacks	WACache»at:ifAbsent:
WAActionPhaseContinuation»shouldRedirect	WACache»expiryPolicy
WAAAdmin class»defaultServerManager	WACache»initializeCollections
WAAAdmin class»serverAdaptors	WACache»initializeMutex
WAAAnchorTag»callback:	WACache»initialize
WAAAnchorTag»tag	WACache»keyAtValue:ifAbsent:
WAAAnchorTag»url	WACache»keyAtValue:
WAAAnchorTag»with:	WACache»keySize
WAAApplication»contentType	WACache»missStrategy
WAAApplication»doesHandlerSupportCookies:	WACache»notifyRemoved:key:
WAAApplication»handleDefault:	WACache»notifyRetrieved:key:
WAAApplication»handleFiltered:	WACache»notifyStored:key:
WAAApplication»isApplication	WACache»pluginsDo:
WAAApplication»isImplemented:	WACache»reapingStrategy
WAAApplication»keyField	WACache»reap
WAAApplication»libraries	WACache»removalAction
WAAApplication»mainClass	WACache»setExpiryPolicy:
WAAApplication»mimeType	WACache»setMissStrategy:
WAAApplication»newSession	WACache»setReapingStrategy:
WAAApplication»resourceBaseUrl	WACache»setRemovalAction:
WAAApplication»sessionClass	WACache»store:
WAAApplicationConfiguration»parents	WACacheCapacityConfiguration»describeOn:
WAAAttributeSearchContext class»key:target:	WACacheMissStrategy»missed:
WAAAttributeSearchContext»at:ifPresent:	WACachePlugin»configuration
WAAAttributeSearchContext»at:put:	WACachePlugin»defaultConfiguration
WAAAttributeSearchContext»attribute	WACachePlugin»initialize
WAAAttributeSearchContext»cachedValues	WACachePlugin»removed:key:
WAAAttributeSearchContext»findAttributeAndSelectAndStore	WACachePlugin»retrieved:key:

WACachePlugin»setCache:
 WACachePlugin»stored:key:
 WACacheReapingStrategy»reap
 WACallback class»on:
 WACallback»convertKey:
 WACallback»evaluateWithFieldValues:
 WACallback»key
 WACallback»setKey:callbacks:
 WACallback»valueForField:
 WACallbackRegistry»advanceKey
 WACallbackRegistry»handle:
 WACallbackRegistry»increaseKey
 WACallbackRegistry»initialize
 WACallbackRegistry»nextKey
 WACallbackRegistry»store:
 WACanvas»brush:
 WACanvas»flush
 WACanvas»nest:
 WACanvas»render:
 WACanvas»text:
 WAComponent»accept:
 WAComponent»acceptDecorated:
 WAComponent»decoration
 WAComponent»initialize
 WAComponent»updateStates:
 WAConfigurationDescription»add.to:
 WAConfigurationDescription»addAttribute:
 WAConfigurationDescription»attributes
 WAConfigurationDescription»expressions
 WAConfigurationDescription»initialize
 WAConfigurationDescription»integer:
 WAConfiguredRequestFilter»configuration
 WACounter»count:
 WACounter»decrease
 WACounter»increase
 WACounter»initialize
 WACounter»renderContentOn:
 WACounter»states
 WADefaultScriptGenerator»close:on:
 WADefaultScriptGenerator»open:on:
 WADevelopmentConfiguration»parents
 WADispatcher class»default
 WADispatcher»handleFiltered:named:
 WADispatcher»handleFiltered:
 WADispatcher»handlerAt:ifAbsent:
 WADispatcher»handlerAt:with:
 WADispatcher»handlers
 WADispatcher»nameOfHandler:
 WADispatcher»urlFor:
 WADocument class»on:codec:
 WADocument»close
 WADocument»destroy
 WADocument»initializeWithStream:codec:
 WADocument»nextPut:
 WADocument»nextPutAll:
 WADocument»open:
 WADynamicVariable class»use:during:
 WADynamicVariable class»value
 WAEncoder class»on:table:
 WAEncoder class»on:
 WAEncoder»initializeOn:table:
 WAEncoder»nextPut:
 WAErrorHandler class»exceptionSelector
 WAExampleComponent»rendererClass
 WAExceptionFilter»exceptionHandler
 WAExceptionFilter»handleFiltered:
 WAExceptionHandler class»context:
 WAExceptionHandler class»exceptionSelector
 WAExceptionHandler class»handleExceptionsDuring:context:
 WAExceptionHandler class»handles:
 WAExceptionHandler»handleExceptionsDuring:
 WAExceptionHandler»handles:
 WAExceptionHandler»initializeWithContext:
 WAHeaderFields»checkValue:
 WAHeaderFields»privateAt:put:
 WAHeadingTag»initialize
 WAHeadingTag»level1
 WAHeadingTag»level
 WAHeadingTag»tag
 WAHtmlAttributes»encodeOn:
 WAHtmlAttributes»privateAt:put:
 WAHtmlCanvas»anchor
 WAHtmlCanvas»heading:
 WAHtmlCanvas»heading
 WAHtmlCanvas»spaceEntity
 WAHtmlDocument»scriptGenerator:
 WAHtmlDocument»scriptGenerator
 WAHtmlElement class»root:
 WAHtmlElement»attributeAt:put:
 WAHtmlElement»attributes
 WAHtmlElement»encodeBeforeOn:
 WAHtmlElement»encodeOn:
 WAHtmlElement»initializeWithRoot:
 WAHtmlElement»isClosed
 WAHtmlRoot»add:
 WAHtmlRoot»beXhtml10Strict
 WAHtmlRoot»bodyAttributes
 WAHtmlRoot»closeOn:
 WAHtmlRoot»docType:
 WAHtmlRoot»htmlAttributes

WAHtmlRoot»initialize	WAMimeType»greaseString
WAHtmlRoot»meta	WAMimeType»main:
WAHtmlRoot»openOn:	WAMimeType»main
WAHtmlRoot»title:	WAMimeType»parameters
WAHtmlRoot»writeElementsOn:	WAMimeType»sub:
WAHtmlRoot»writeFootOn:	WAMimeType»sub
WAHtmlRoot»writeHeadOn:	WAMutex»critical:
WAHtmlRoot»writeScriptsOn:	WAMutex»initialize
WAHtmlRoot»writeStylesOn:	WAMutualExclusionFilter»handleFiltered:
WAHttpVersion class»fromString:	WAMutualExclusionFilter»initialize
WAHttpVersion class»major:minor:	WAMutualExclusionFilter»shouldTerminate:
WAHttpVersion class»readFrom:	WANotifyRemovalAction»removed:key:
WAHttpVersion»initializeWithMajor:minor:	WAOBJECT»application
WAInitialRequestVisitor class»request:	WAOBJECT»requestContext
WAInitialRequestVisitor»initializeWithRequest:	WAOBJECT»session
WAInitialRequestVisitor»request	WAPainter»renderWithContext:
WAInitialRequestVisitor»visitPresenter:	WAPainter»updateRoot:
WAKeyGenerator class»current	WAPainter»updateUrl:
WAKeyGenerator»keyOfLength:	WAPainterVisitor»visitComponent:
WALastAccessExpiryPolicy»defaultConfiguration	WAPainterVisitor»visitDecorationsOfComponent:
WALastAccessExpiryPolicy»initialize	WAPainterVisitor»visitPainter:
WALastAccessExpiryPolicy»isExpired:key:	WAPainterVisitor»visitPresenter:
WALastAccessExpiryPolicy»retrieved:key:	WAPathConsumer class»path:
WALastAccessExpiryPolicy»stored:key:	WAPathConsumer»atEnd
WALastAccessExpiryPolicy»timeout	WAPathConsumer»initializeWith:
WALeastRecentlyUsedExpiryPolicy»defaultConfiguration	WAPathConsumer»next
WALeastRecentlyUsedExpiryPolicy»initialize	WAPathConsumer»upToEnd
WALeastRecentlyUsedExpiryPolicy»isExpired:key:	WAPresenter»childrenDo:
WALeastRecentlyUsedExpiryPolicy»maximumAge	WAPresenter»children
WALeastRecentlyUsedExpiryPolicy»removed:key:	WAPresenter»initialRequest:
WALeastRecentlyUsedExpiryPolicy»retrieved:key:	WAPresenter»script
WALeastRecentlyUsedExpiryPolicy»stored:key:	WAPresenter»style
WAMergedRequestFields class»on:	WAPresenter»updateRoot:
WAMergedRequestFields»allAt:	WAPresenter»updateStates:
WAMergedRequestFields»at:ifAbsent:	WAPresenterGuide class»client:
WAMergedRequestFields»includesKey:	WAPresenterGuide»client
WAMergedRequestFields»initializeOn:	WAPresenterGuide»initializeWithClient:
WAMergedRequestFields»keysAndValuesDo:	WAPresenterGuide»visit:
WAMergedRequestFields»keysDo:	WAPresenterGuide»visitPainter:
WAMetaElement»content:	WRegistryConfiguration»parents
WAMetaElement»contentScriptType:	WRenderContext»actionBaseUrl:
WAMetaElement»contentType:	WRenderContext»actionUrl:
WAMetaElement»encodeBeforeOn:	WRenderContext»actionUrl
WAMetaElement»responseHeaderName:	WRenderContext»callbacks
WAMetaElement»tag	WRenderContext»defaultVisitor
WAMimeType class»fromString:	WRenderContext»destroy
WAMimeType class»main:sub:	WRenderContext»document:
WAMimeType class»text.Javascript	WRenderContext»document
WAMimeType class»text.Plain	WRenderContext»initialize
WAMimeType»charset:	WRenderContext»resourceUrl:

WARenderContext»visitor:	WARRequest»setHeaders:
WARenderContext»visitor	WARRequest»setPostFields:
WARenderLoopConfiguration»parents	WARRequest»setRemoteAddress:
WARenderLoopContinuation»createActionContinuation	WARRequest»uri
WARenderLoopContinuation»createRenderContinuation	WARRequest»url
WARenderLoopContinuation»presenter	WARRequestContext class»request:response:codec:
WARenderLoopContinuation»toPresenterSendRoot:	WARRequestContext»application
WARenderLoopContinuation»updateRoot:	WARRequestContext»charSet
WARenderLoopContinuation»updateStates:	WARRequestContext»codec
WARenderLoopContinuation»updateUrl:	WARRequestContext»consumer
WARenderLoopContinuation»withNotificationHandler	WARRequestContext»destroy
WARenderLoopMain»createRoot	WARRequestContext»handlers
WARenderLoopMain»prepareRoot:	WARRequestContext»handler
WARenderLoopMain»rootClass	WARRequestContext»initializeWithRequest:response:codec:
WARenderLoopMain»rootDecorationClasses	WARRequestContext»newDocument
WARenderLoopMain»start	WARRequestContext»push:during:
WARenderPhaseContinuation»createHtmlRootWithContent	WARRequestContext»registry
WARenderPhaseContinuation»createRenderContext	WARRequestContext»request
WARenderPhaseContinuation»handleRequest	WARRequestContext»respond:
WARenderPhaseContinuation»processRendering:	WARRequestContext»respond
WARenderVisitor class»context:	WARRequestContext»responseGenerator
WARenderVisitor»initializeWithContext:	WARRequestContext»response
WARenderVisitor»renderContext	WARRequestContext»session
WARenderVisitor»visitPainter:	WARRequestFilter»handleFiltered:
WARenderer class»context:	WARRequestFilter»initialize
WARenderer»actionUrl	WARRequestFilter»next
WARenderer»callbacks	WARRequestFilter»setNext:
WARenderer»context	WARRequestFilter»updateStates:
WARenderer»document	WARRequestHandler»addFilter:
WARenderer»flush	WARRequestHandler»addFilterLast:
WARenderer»initializeWithContext:	WARRequestHandler»basicUrl
WARenderer»render:	WARRequestHandler»configuration:
WARenderer»text:	WARRequestHandler»configuration
WARRequest class»method:uri:version:	WARRequestHandler»defaultConfiguration
WARRequest»at:ifAbsent:	WARRequestHandler»documentClass
WARRequest»cookiesAt:	WARRequestHandler»filters
WARRequest»cookies	WARRequestHandler»filter
WARRequest»destroy	WARRequestHandler»handle:
WARRequest»fields	WARRequestHandler»initialize
WARRequest»headerAt:ifAbsent:	WARRequestHandler»isApplication
WARRequest»headerAt:	WARRequestHandler»isRoot
WARRequest»initializeWithMethod:uri:version:	WARRequestHandler»parent
WARRequest»isGet	WARRequestHandler»preferenceAt:
WARRequest»isPrefetch	WARRequestHandler»responseGenerator
WARRequest»isXmlHttpRequest	WARRequestHandler»serverHostname
WARRequest»method	WARRequestHandler»serverPath
WARRequest»postFields	WARRequestHandler»serverPort
WARRequest»queryFields	WARRequestHandler»serverProtocol
WARRequest»setBody:	WARRequestHandler»setFilter:
WARRequest»setCookies:	WARRequestHandler»setParent:

WARequestHandler»url	WAServerAdaptor»requestHandler
WResponse class»messageForStatus:	WAServerAdaptor»responseFor:
WResponse class»statusFound	WAServerAdaptor»start
WResponse»contentType:	WAServerManager class»default
WResponse»contentType	WAServerManager»adaptors
WResponse»cookies	WAServerManager»canStart:
WResponse»destroy	WAServerManager»register:
WResponse»found	WAServerManager»start:
WResponse»headerAt:ifAbsent:	WASession»actionField
WResponse»headerAt:put:	WASession»actionUrlForContinuation:
WResponse»headers	WASession»actionUrlForKey:
WResponse»initializeOn:	WASession»application
WResponse»initialize	WASession»clearJumpTo
WResponse»location:	WASession»createCache
WResponse»redirectTo:	WASession»handleFiltered:
WResponse»status:message:	WASession»initializeFilters
WResponse»status:	WASession»initialize
WResponse»status	WASession»isSession
WResponseGenerator class»on:	WASession»presenter
WResponseGenerator»expiredRegistryKey	WASession»properties
WResponseGenerator»initializeOn:	WASession»start
WResponseGenerator»requestContext	WASession»unknownRequest
WResponseGenerator»request	WASession»updateRoot:
WResponseGenerator»respond	WASession»updateStates:
WResponseGenerator»response	WASession»updateUrl:
WRoot class»context:	WASession»url
WRoot»setContext:	WASessionContinuation»basicValue
WScriptGenerator»initialize	WASessionContinuation»captureAndInvoke
WScriptGenerator»loadScripts	WASessionContinuation»captureState
WScriptGenerator»writeLoadScriptsOn:	WASessionContinuation»redirectToContinuation:
WScriptGenerator»writeScriptTag:on:	WASessionContinuation»registerForUrl:
WAServerAdaptor class»default	WASessionContinuation»registerForUrl
WAServerAdaptor class»manager:	WASessionContinuation»request
WAServerAdaptor class»new	WASessionContinuation»respond:
WAServerAdaptor class»port:	WASessionContinuation»setStates:
WAServerAdaptor class»startOn:	WASessionContinuation»states
WAServerAdaptor»codec	WASessionContinuation»updateStates:
WAServerAdaptor»contextFor:	WASessionContinuation»updateUrl:
WAServerAdaptor»defaultPort	WASessionContinuation»value
WAServerAdaptor»defaultRequestHandler	WASessionContinuation»withUnregisteredHandlerDo:
WAServerAdaptor»handle:	WASnapshot»initialize
WAServerAdaptor»handlePadding:	WASnapshot»register:
WAServerAdaptor»handleRequest:	WASnapshot»reset
WAServerAdaptor»initializeWithManager:	WASnapshot»restore
WAServerAdaptor»initialize	WATagBrush»after
WAServerAdaptor»manager	WATagBrush»attributes
WAServerAdaptor»port:	WATagBrush»before
WAServerAdaptor»port	WATagBrush»close Tag
WAServerAdaptor»process:	WATagBrush»document
WAServerAdaptor»requestFor:	WATagBrush»isClosed

WATagBrush»openTag
 WATagBrush»storeCallback:
 WATagBrush»with:
 WATagCanvas»space
 WAUnescapedDocument»initializeWithStream:codec
 WAUpdateRootVisitor class»root:
 WAUpdateRootVisitor»initializeWithRoot:
 WAUpdateRootVisitor»root
 WAUpdateRootVisitor»visitPainter:
 WAUpdateStatesVisitor class»snapshot:
 WAUpdateStatesVisitor»initializeWithSnapshot:
 WAUpdateStatesVisitor»snapshot
 WAUpdateStatesVisitor»visitPresenter:
 WAUpdateUrlVisitor class»url:
 WAUpdateUrlVisitor»initializeWithUrl:
 WAUpdateUrlVisitor»url
 WAUpdateUrlVisitor»visitPainter:
 WUrl class»absolute:
 WUrl class»decodePercent:
 WUrl»addAllToPath:
 WUrl»addField:value:
 WUrl»addField:
 WUrl»addToPath:
 WUrl»decode:
 WUrl»decodedWith:
 WUrl»encodeOn:
 WUrl»encodePathOn:
 WUrl»encodeQueryOn:
 WUrl»encodeSchemeAndAuthorityOn:
 WUrl»fragment
 WUrl»initializeFromString:
 WUrl»initialize
 WUrl»isSeasideField:
 WUrl»parsePath:
 WUrl»parseQuery:
 WUrl»password
 WUrl»path:
 WUrl»pathElementsIn:do:
 WUrl»path
 WUrl»postCopy
 WUrl»printOn:
 WUrl»queryFields:
 WUrl»queryFields
 WUrl»seasideUrl
 WUrl»slash:
 WUrl»subStringsIn:splitBy:do:
 WUrl»user
 WUrlEncoder class»on:codec:
 WUrlEncoder»nextPutAll:
 WUserConfiguration»addParent:
 WUserConfiguration»canAddParent:
 WUserConfiguration»expressionAt:ifAbsent:
 WUserConfiguration»initialize
 WUserConfiguration»localAttributeAt:ifAbsent:
 WUserConfiguration»parents
 WValueExpression»determineValueWithContext:configuration:
 WValueExpression»value
 WValueHolder class»with:
 WValueHolder»contents:
 WValueHolder»contents
 WVisiblePresenterGuide»visitPresenter:
 WVisitor»start:
 WVisitor»visit:
 WXmlDocument»closeTag:
 WXmlDocument»destroy
 WXmlDocument»initializeWithStream:codec:
 WXmlDocument»openTag:attributes:closed:
 WXmlDocument»openTag:attributes:
 WXmlDocument»openTag:
 WXmlDocument»print:
 WXmlDocument»urlEncoder
 WXmlDocument»xmlEncoder
 WXmlEncoder»nextPutAll:
 ZnSeasideServerAdaptorDelegate class»with:
 ZnSeasideServerAdaptorDelegate»adaptor:
 ZnSeasideServerAdaptorDelegate»adaptor
 ZnSeasideServerAdaptorDelegate»handleRequest:
 ZnZincServerAdaptor»basicStart
 ZnZincServerAdaptor»configureDelegate
 ZnZincServerAdaptor»configureServerForBinaryReading
 ZnZincServerAdaptor»defaultCodec
 ZnZincServerAdaptor»defaultDelegate
 ZnZincServerAdaptor»defaultZnServer
 ZnZincServerAdaptor»isStopped
 ZnZincServerAdaptor»requestAddressFor:
 ZnZincServerAdaptor»requestBodyFor:
 ZnZincServerAdaptor»requestCookiesFor:
 ZnZincServerAdaptor»requestFieldsFor:
 ZnZincServerAdaptor»requestHeadersFor:
 ZnZincServerAdaptor»requestMethodFor:
 ZnZincServerAdaptor»requestUrlFor:
 ZnZincServerAdaptor»requestVersionFor:
 ZnZincServerAdaptor»responseFrom:
 ZnZincServerAdaptor»server

D Appendix: Method List of Seaside Counter Application with Empty Seed

List of methods extracted from the nurtured Web application when using an empty seed. This list includes all methods installed from Seaside framework, the Counter application and the base library of Pharo.

Array class»new:	BlockClosure»renderOn:
Array»isSelfEvaluating	BlockClosure»repeatWithGClf:
Array»printOn:	BlockClosure»repeat
Array»replaceFrom:to:with:startingAt:	BlockClosure»startpc
Array»shouldBePrintedAsLiteral	BlockClosure»value:value:value:
ArrayedCollection class»new:withAll:	BlockClosure»value:value:
ArrayedCollection class»new	BlockClosure»valueNoContextSwitch
ArrayedCollection class»with:with:with:	BlockClosure»valueWithArguments:
ArrayedCollection class»with:with:	BlockClosure»valueWithPossibleArguments:
ArrayedCollection class»with:	ByteArray»asByteArray
ArrayedCollection»mergeSortFrom:to:by:	ByteArray»replaceFrom:to:with:startingAt:
ArrayedCollection»size	ByteString class»compare:with:collated:
ArrayedCollection»sort:	ByteString class»findFirstInString:inSet:startingAt:
Association class»key:value:	ByteString class»indexOfAscii:inString:startingAt:
Association class»key:value:	ByteString class»stringHash:initialHash:
Association»expireWeakKey	ByteString class»translate:from:to:table:
Association»expiredWeakKey	ByteString»asByteArray
Association»key:WeakKey	ByteString»at:put:
Association»key:value:WeakKey	ByteString»at:
Association»keyWeakKey	ByteString»beginsWith:
Association»value:WeakKey	ByteString»byteAt:put:
Association»value:	ByteString»byteSize
Association»valueWeakKey	ByteString»findSubstring:in:startingAt:matchTable:
Association»value	ByteString»findSubstringViaPrimitive:in:startingAt:matchTable:
BlockClosure»argumentCount	ByteString»isByteString
BlockClosure»asContextWithSender:	ByteString»isOctetString
BlockClosure»asContext	ByteString»replaceFrom:to:with:startingAt:
BlockClosure»assert	ByteSymbol class»stringHash:initialHash:
BlockClosure»cull:	ByteSymbol»at:
BlockClosure»ensure:	ByteSymbol»findSubstring:in:startingAt:matchTable:
BlockClosure»fixCallbackTemps	ByteSymbol»isByteString
BlockClosure»forkAt:named:	ByteSymbol»privateAt:put:
BlockClosure»forkAt:	ByteSymbol»species
BlockClosure»ifCurtailed:	ByteSymbol»string:
BlockClosure»ifError:	CNGBTextConverter class»encodingNames
BlockClosure»isClosure	CP1250TextConverter class»encodingNames
BlockClosure»newProcess	CP1253TextConverter class»encodingNames
BlockClosure»numArgs	ChangesLog class»default
BlockClosure»numCopiedValues	ChangesLog»recordStartupStamp
BlockClosure»on:do:	Character class»codePoint:
BlockClosure»on:fork:	Character class»cr
BlockClosure»outerContext	Character class»lf

Character class»space
 Character class»value:
 Character»=
 Character»asCharacter
 Character»asInteger
 Character»asSymbol
 Character»asUppercase
 Character»asciiValue
 Character»charCode
 Character»characterSet
 Character»codePoint
 Character»digitValue
 Character»greaseInteger
 Character»isAlphaNumeric
 Character»isCharacter
 Character»isDigit
 Character»isLetter
 Character»isOctetCharacter
 Character»isSeparator
 Character»isVowel
 Character»leadingChar
 Character»to:
 Collection class»withAll:
 Collection»addAll:
 Collection»allSatisfy:
 Collection»anySatisfy:
 Collection»asArray
 Collection»detect:ifNone:
 Collection»emptyCheck
 Collection»inject:into:
 Collection»isCollection
 Collection»isEmptyOrNull
 Collection»isEmpty
 Collection»noneSatisfy:
 Collection»notEmpty
 Collection»printElementsOn:
 Collection»printNameOn:
 Collection»printOn:
 Collection»removeAll:
 Collection»removeAllFoundIn:
 Collection»sorted:
 Collection»sorted
 CommandLineUIManager class»replacing:
 CommandLineUIManager»initialize
 CommandLineUIManager»replacing:
 CompiledMethod»frameSize
 CompiledMethod»header
 CompiledMethod»initialPC
 CompiledMethod»isPrimitive
 CompiledMethod»numLiterals
 CompiledMethod»numTemps
 CompiledMethod»objectAt:
 CompiledMethod»primitive
 CompoundTextConverter class»encodingNames
 ContextPart class»contextEnsure:
 ContextPart class»contextOn:do:
 ContextPart class»newForMethod:
 ContextPart class»theReturnMethod
 ContextPart»activateMethod:withArgs:receiver:class:
 ContextPart»activateReturn:value:
 ContextPart»at:put:
 ContextPart»at:
 ContextPart»bottomContext
 ContextPart»cut:
 ContextPart»doPop
 ContextPart»exceptionClass
 ContextPart»exceptionHandlerBlock
 ContextPart»exceptionHandlerIsActive:
 ContextPart»exceptionHandlerIsActive
 ContextPart»findContextSuchThat:
 ContextPart»findNextHandlerContextStarting
 ContextPart»findNextUnwindContextUpTo:
 ContextPart»handleSignal:
 ContextPart»insertSender:
 ContextPart»isDead
 ContextPart»jump
 ContextPart»methodReturnTop
 ContextPart»nextHandlerContext
 ContextPart»pop
 ContextPart»privSender:
 ContextPart»push:
 ContextPart»pushTemporaryVariable:
 ContextPart»releaseTo:
 ContextPart»resume:through:
 ContextPart»resume:
 ContextPart»return:from:
 ContextPart»return:through:
 ContextPart»return:
 ContextPart»runUntilErrorOrReturnFrom:
 ContextPart»sender
 ContextPart»singleRelease
 ContextPart»stackp:
 ContextPart»stepToCallee
 ContextPart»step
 ContextPart»terminateTo:
 Date class»fromSeconds:
 Date class»fromString:
 Date class»readFrom:
 Date class»starting:
 Date class»year:month:day:

Date»dayMonthYearDo:	DateAndTime»second
Date»monthIndex	DateAndTime»setJdn:seconds:nano:offset:
Date»printOn:format:	DateAndTime»ticks:offset:DateAndTime»dayOfWeek
Date»printOn:	DateAndTime»ticks
DateAndTime class»clock	DateAndTime»year
DateAndTime class»fromSeconds:offset:	Delay class»forMilliseconds:
DateAndTime class»fromSeconds:	Delay class»handleTimerEvent
DateAndTime class»fromString:	Delay class»initialize
DateAndTime class»initializeOffsets	Delay class»primSignal:atMilliseconds:
DateAndTime class»initialize	Delay class»restoreResumptionTimes
DateAndTime class»localOffset	Delay class»runTimerEventLoop
DateAndTime class»localTimeZone	Delay class»saveResumptionTimes
DateAndTime class»milliSecondsSinceMidnight	Delay class»scheduleDelay:
DateAndTime class»millisecondClockValue	Delay class»shutDown
DateAndTime class»now	Delay class»startTimerEventLoop
DateAndTime class»readFrom:	Delay class»startUp
DateAndTime class»readOptionalSeparatorFrom:	Delay class»stopTimerEventLoop
DateAndTime class»readTimezoneOffsetFrom:	Delay class»unscheduleDelay:
DateAndTime class»readTwoDigitIntegerFrom:	Delay»beingWaitedOn:
DateAndTime class»startUp:	Delay»beingWaitedOn
DateAndTime class»todayAtMilliSeconds:	Delay»delayDuration
DateAndTime class»waitForOffsets	Delay»resumptionTime:
DateAndTime class»year:month:day:hour:minute:offset:	Delay»resumptionTime
DateAndTime class»year:month:day:hour:minute:seconds:offset:	Delay»seconds:offset:
DateAndTime class»year:month:day:hour:minute:seconds:offset:	Delay»signalDelay:forSemaphore:
DateAndTime class»year:month:day:hour:minute:seconds:offset:	Delay»signalWaitingProcess
DateAndTime class»year:month:day:hour:minute:seconds:offset:	Delay»unschedule
DateAndTime class»year:month:day:offset:	Delay»wait
DateAndTime class»year:month:day:	DelayWaitTimeout»isExpired
DateAndTime»<	DelayWaitTimeout»setDelay:forSemaphore:
DateAndTime»asDateAndTime	DelayWaitTimeout»signalWaitingProcess
DateAndTime»asTimeStamp	DelayWaitTimeout»wait
DateAndTime»asUTC	Dictionary»addAll:GRSmall
DateAndTime»dayMonthYearDo:	Dictionary»associationsDo:
DateAndTime»dayOfMonth	Dictionary»at:ifAbsent:GRSmall
DateAndTime»dayOfWeekAbbreviation	Dictionary»at:ifAbsent:Small
DateAndTime»dayOfWeekName	Dictionary»at:ifAbsent:
DateAndTime»hour24	Dictionary»at:ifAbsentPut:GRSmall
DateAndTime»hour	Dictionary»at:ifAbsentPut:
DateAndTime»julianDayNumber	Dictionary»at:ifPresent:GRSmall
DateAndTime»julianDayOffset	Dictionary»at:ifPresent:
DateAndTime»localSeconds	Dictionary»at:put:GRSmall
DateAndTime»minute	Dictionary»at:put:Small
DateAndTime»monthAbbreviation	Dictionary»at:put:
DateAndTime»monthName	Dictionary»at:
DateAndTime»month	Dictionary»do:
DateAndTime»normalize:ticks:base:	Dictionary»findIndexFor:GRSmall
DateAndTime»offset:DateAndTime»midnight	Dictionary»findIndexForKey:Small
DateAndTime»offset	Dictionary»fixCollisionsFrom:
DateAndTime»printHMSON:	Dictionary»includesKey:GRSmall

Dictionary»includesKey:	Exception class»,
Dictionary»initialize:GRSmall	Exception class»handles:
Dictionary»initializeSmall	Exception class»signal:
Dictionary»isEmptyGRSmall	Exception class»signal
Dictionary»keyAtValue:ifAbsent:	Exception»description
Dictionary»keysAndValuesDo:SmallDictionary	Exception»isResumable
class»new	Exception»messageText:
Dictionary»keysAndValuesDo:	Exception»messageText
Dictionary»keysAndValuesDo:	Exception»printOn:
Dictionary»keysDo:GRSmall	Exception»privHandlerContext:
Dictionary»noCheckAdd:	Exception»receiver
Dictionary»postCopyGRSmall	Exception»resume:
Dictionary»privateAt:put:GRSmall	Exception»resumeUnchecked:
Dictionary»privateAt:put:Small	Exception»signal:
Dictionary»rehash	Exception»signalerContext
Dictionary»removeKey:ifAbsent:	Exception»signal
Dictionary»scanFor:	ExceptionSet»,
Dictionary»seasideRequestFieldsGRSmall	ExceptionSet»add:
Dictionary»sizeGRSmall	ExceptionSet»handles:
Dictionary»valuesDo:	ExceptionSet»initialize
DiskStore class»checkVMVersion	ExtendedNumberParser»allowPlusSign
DiskStore class»initialize	ExtendedNumberParser»nextNumber
DiskStore class»reset	ExternalSemaphoreTable class»clearExternalObjects
DiskStore class»shutDown:	ExternalSemaphoreTable class»collectionBasedOn:withRoomFor:
DiskStore class»startUp:	ExternalSemaphoreTable class»freedSlotsIn:ratherThanIncreaseSizeTo:
DiskStore class»useFilePlugin	ExternalSemaphoreTable class»initialize
Duration class»days:hours:minutes:seconds:nanoSeconds:	ExternalSemaphoreTable class»registerExternalObject:
Duration class»days:hours:minutes:seconds:	ExternalSemaphoreTable class»safelyRegisterExternalObject:
Duration class»days:	ExternalSemaphoreTable class»safelyUnregisterExternalObject:
Duration class»nanoSeconds:	ExternalSemaphoreTable class»slotFor:in:
Duration class»seconds:nanoSeconds:	ExternalSemaphoreTable class»unprotectedExternalObjects:
Duration class»seconds:	ExternalSemaphoreTable class»unprotectedExternalObjects
Duration»+	ExternalSemaphoreTable class»unregisterExternalObject:
Duration»-	False»not
Duration»asDuration	False»
Duration»asMilliSeconds	FilePath class»pathName:isEncoded:
Duration»asNanoSeconds	FilePath»asSqueakPathName
Duration»asSeconds	FilePath»pathName:isEncoded:
Duration»days	FilePath»pathName
Duration»isZero	FileStream class»flushAndVoidStdioFiles
Duration»negated	FileStream class»initialize
Duration»seconds:nanoSeconds:	FileStream class»shutDown:
Duration»ticks	FileStream class»startUp:
DynamicVariable class»value:during:	FileStream class»stdioHandles
DynamicVariable»value:during:	FileStream class»voidStdioFiles
EUCJPTTextConverter class»encodingNames	Float class»precision
EUCKRTextConverter class»encodingNames	Float»adapToInteger:andSend:
EncodedCharSet class»charsetAt:	Float»asFloat
EventManager class»actionMaps	Float»isInfinite
EventManagerclass»flushEvents	Float»timesTwoPower:

Float»truncated	GRSmallDictionary class»withAll:
Fraction class»numerator:denominator:	HashTableSizes class»atLeast:
Fraction»>=	HashTableSizes class»sizes
Fraction»reduced	HashedCollection class»new:
Fraction»setNumerator:denominator:	HashedCollection class»new
Fraction»truncated	HashedCollection class»sizeFor:
GRCodecStream class»on:	HashedCollection»array
GRCodecStream»atEnd	HashedCollection»atNewIndex:put:
GRCodecStream»initializeOn:	HashedCollection»findElementOrNil:
GRNullCodec class»codecName	HashedCollection»fullCheck
GRNullCodec class»supportsEncoding:	HashedCollection»grow
GRNullCodec»encoderFor:	HashedCollection»initialize:
GRNullCodec»url	HashedCollection»size
GRNullCodecStream»nextPutAll:	Heap class»withAll:sortBy:
GRObject class»new	Heap»add:
GRObject»initialize	Heap»do:
GROrderedMultiMap»allAt:	Heap»downHeapSingle:
GROrderedMultiMap»at:add:	Heap»growHeap»reSort
GRPharoConverterCodecStream class»on:converter:	Heap»growSize
GRPharoConverterCodecStream»contents	Heap»growTo:
GRPharoConverterCodecStream»initializeOn:converter:	Heap»isEmpty
GRPharoConverterCodecStream»size	Heap»privateRemoveAt:
GRPharoGenericCodec class»supportedEncodingNames:	Heap»remove;ifAbsent:
GRPharoGenericCodec class»supportsEncoding:	Heap»removeFirst
GRPharoLatin1Codec class»supportedEncodingNames:	Heap»setCollection:tally:
GRPharoLatin1Codec class»supportsEncoding:	Heap»size
GRPharoPlatform»addToShutDownList:	Heap»sortBy:
GRPharoPlatform»addToStartUpList:	Heap»sorts:before:
GRPharoPlatform»includesUnsafeUrlCharacter:	Heap»upHeap:
GRPharoPlatform»includesUnsafeXmlCharacter:	Heap»updateObjectIndex:
GRPharoPlatform»semaphoreClass	ISO885915TextConverter class»encodingNames
GRPharoRandomProvider class»initialize	ISO88592TextConverter class»encodingNames
GRPharoRandomProvider class»nextInt:	IdentitySet»scanFor:
GRPharoRandomProvider class»randomClass	InstructionStream»interpretExtension:in:for:
GRPharoRandomProvider class»startUp	InstructionStream»interpretNextInstructionFor:
GRPharoUtf8Codec class»basicForEncoding:	Integer class»readFrom:base:
GRPharoUtf8Codec class»supportsEncoding:	Integer class»readFrom:
GRPharoUtf8Codec»decode:	Integer»*
GRPharoUtf8Codec»decoderFor:	Integer»+
GRPharoUtf8Codec»encoderFor:	Integer»<
GRPharoUtf8Codec»name	Integer»=
GRPharoUtf8Codec»url	Integer»>>
GRPharoUtf8CodecStream»encodeFast:	Integer»asCharacter
GRPharoUtf8CodecStream»next:	Integer»asInteger
GRPharoUtf8CodecStream»nextPut:	Integer»copyto:
GRPharoUtf8CodecStream»nextPutAll:	Integer»denominator
GRPlatform class»current	Integer»digitCompare:
GRPlatform»reducedConflictDictionary	Integer»digitDiv:neg:
GRSmallDictionary class»new:	Integer»digitMultiply:neg:
GRSmallDictionary class»new	Integer»digitSubtract:

Integer»floor	MethodContext»blockReturnTop
Integer»isFraction	MethodContext»closure
Integer»isInteger	MethodContext»contextTag
Integer»noMask:	MethodContext»methodReturnContext
Integer»normalize	MethodContext»method
Integer»numerator	MethodContext»privRefresh
Integer»printOn:	MethodContext»receiver
Integer»printStringBase:length:padded:	MethodContext»setSender:receiver:method:arguments:
Integer»printStringLength:padded:	MethodContext»setSender:receiver:method:closure:startpc:
Integer»quo:	MethodContext»tempAt:put:
Integer»rounded	MethodContext»tempAt:
Integer»timesRepeat:	MethodDictionary»at:ifAbsent:
Integer»truncated	MethodDictionary»includesKey:
Interval class»from:to:by:	MethodDictionary»scanFor:
Interval class»new	Month class»daysInMonth:forYear:
Interval»collect:	Month class»indexOfMonth:
Interval»setFrom:to:by:	Month class»nameOfMonth:
Interval»size	Mutex»critical:
Interval»species	Mutex»initialize
KOI8RTextConverter class»encodingNames	NetNameResolver class»initializeNetwork
LanguageEnvironment class»defaultFileNameConversion	NetNameResolver class»initialize
LargeNegativeInteger»negative	NetNameResolver class»primNameResolverStatus
LargeNegativeInteger»normalize	NetNameResolver class»resolverStatus
LargePositiveInteger>*	Number class»one
LargePositiveInteger»+	Number class»readFrom:
LargePositiveInteger»-	Number»//
LargePositiveInteger»//	Number»%
LargePositiveInteger»<	Number»\
LargePositiveInteger»asFloat	Number»abs
LargePositiveInteger»digitAt:	Number»asDuration
LargePositiveInteger»digitLength	Number»floor
LargePositiveInteger»highBitOfMagnitude	Number»fractionPart
LargePositiveInteger»negated	Number»integerPart
LargePositiveInteger»negative	Number»isNumber
LargePositiveInteger»normalize	Number»isZero
LargePositiveInteger»quo:	Number»negated
LimitedWriteStream»nextPut:	Number»negative
LimitedWriteStream»nextPutAll:	Number»quo:
LimitedWriteStream»setLimit:limitBlock:	Number»raisedToInteger:
LookupKey class»key:	Number»rem:
LookupKey»key:	Number»strictlyPositive
LookupKey»key	Number»to:
MacOSXPlatform class»isActivePlatform	NumberParser class»on:
MacRomanTextConverter class»encodingNames	NumberParser»nextElementaryLargeIntegerBase:
Magnitude»>	NumberParser»nextIntegerBase:
Magnitude»between:and:	NumberParser»nextUnsignedIntegerBase:
Magnitude»max:	NumberParser»nextUnsignedIntegerOrNilBase:
Magnitude»min:	NumberParser»on:
MethodContext class»sender:receiver:method:arguments:	NumberParser»peekSignIsMinus
MethodContext»aboutToReturn:through:	NumberParser»readExponent

OSPlatform class»determineActivePlatformStartingAt	Object»perform.withArguments.inSuperclass:
OSPlatform class»initialize	Object»perform.withArguments:
OSPlatform class»isMacOS	Object»perform:
OSPlatform class»platformName	Object»postCopy
OSPlatform class»shutDown:	Object»printOn:
OSPlatform class»startUp:ISO88597	Object»printStringLimitedTo:
OSPlatform class»version	Object»printString
OSPlatform»shutDown:	Object»readFromString:
OSPlatform»startUp:	Object»renderOn:
Object class»flushDependents	Object»respondsTo:
Object class»flushEvents	Object»restoreFromSnapshot:
Object class»initializeDependentsFields	Object»shallowCopy
Object class»initialize	Object»shouldBePrintedAsLiteral
Object class»newFrom:	Object»snapshotCopy
Object»=	Object»species
Object»actAsExecutor	Object»split:do:
Object»as:	Object»split:
Object»asSetElement	Object»value
Object»asString	Object»yourself
Object»assert:	Object»~=
Object»at:put:	OrderedCollection class»arrayType
Object»at:	OrderedCollection class»new:
Object»basicAt:put:	OrderedCollection class»new
Object»basicAt:	OrderedCollection»add:
Object»basicSize	OrderedCollection»addAll:
Object»breakDependents	OrderedCollection»addAllLast:
Object»class	OrderedCollection»addFirst:
Object»copyFrom:	OrderedCollection»addLast:
Object»copySameFrom:	OrderedCollection»asArray
Object»copy	OrderedCollection»at:
Object»enclosedSetElement	OrderedCollection»collect:
Object»encodeOn:	OrderedCollection»copyEmpty
Object»executor	OrderedCollection»do:
Object»greaseString	OrderedCollection»ensureBoundsFrom:to:
Object»hash	OrderedCollection»growAtLast
Object»instVarAt:put:	OrderedCollection»makeRoomAtFirst
Object»instVarAt:	OrderedCollection»makeRoomAtLast
Object»instVarNamed:put:	OrderedCollection»postCopy
Object»isArray	OrderedCollection»remove:ifAbsent:
Object»isCharacter	OrderedCollection»removeFirst
Object»isInteger	OrderedCollection»removeIndex:
Object»isKindOf:	OrderedCollection»resetTo:
Object»isLiteral	OrderedCollection»reset
Object»isMemberOf:	OrderedCollection»reverseDo:
Object»isSelfEvaluating	OrderedCollection»select:
Object»isString	OrderedCollection»setCollection:
Object»isSymbol	OrderedCollection»size
Object»myDependents:	PositionableStream class»on:
Object»notNil	PositionableStream»atEnd
Object»perform:with:	PositionableStream»isBinary

PositionableStream»isEmpty	ProtoObject»identityHash
PositionableStream»on:	ProtoObject»initialize
PositionableStream»originalContents	ProtoObject»instVarsInclude:
PositionableStream»peekFor:	ProtoObject»isNil
PositionableStream»peek	ProtoObject»pointsTo:
PositionableStream»position:	ProtoObject»~~
PositionableStream»position	Random»initialize
PositionableStream»reset	Random»nextInt:
PositionableStream»skip:	Random»nextValue
PositionableStream»skipSeparators	Random»next
PositionableStream»skipTo:	ReadStream class»on:from:to:
Process class»forContext:priority:	ReadStream»next
Process»activateReturn:value:	ReadStream»on:from:to:
Process»calleeOf:	ReadStream»upTo:
Process»complete:	ReadStream»upToEnd
Process»isActiveProcess	Semaphore class»forMutualExclusion
Process»name:	Semaphore class»new
Process»popTo:	Semaphore»critical:ifError:
Process»primitiveResume	Semaphore»critical:
Process»priority:	Semaphore»initSignals
Process»priority	Semaphore»signal
Process»psValueAt:put:	Semaphore»waitTimeoutMsecs:
Process»psValueAt:	Semaphore»wait
Process»resume	SequenceableCollection class»new:streamContents:
Process»return:value:	SequenceableCollection class»ofSize:
Process»suspendedContext:	SequenceableCollection class»streamContents:limitedTo:
Process»suspendingList	SequenceableCollection class»streamContents:
Process»suspend	SequenceableCollection class»streamSpecies
Process»terminate	SequenceableCollection»,
ProcessLocalVariable class»value:	SequenceableCollection»allButFirst:
ProcessLocalVariable»value:	SequenceableCollection»at:ifAbsent:
ProcessSpecificVariable class»soleInstance	SequenceableCollection»atAllPut:
ProcessSpecificVariable class»value	SequenceableCollection»copyAfter:
ProcessSpecificVariable»default	SequenceableCollection»copyFrom:to:
ProcessSpecificVariable»value	SequenceableCollection»copyReplaceFrom:to:with:
ProcessorScheduler class»idleProcess	SequenceableCollection»copyUpTo:
ProcessorScheduler class»initialize	SequenceableCollection»do:separatedBy:
ProcessorScheduler class»relinquishProcessorForMsecs»relinquish:	SequenceableCollection»do:
ProcessorScheduler class»startUp	SequenceableCollection»doWithIndex:
ProcessorScheduler»activePriority	SequenceableCollection»first:
ProcessorScheduler»activeProcess	SequenceableCollection»first
ProcessorScheduler»highIOPriority	SequenceableCollection»from:to:put:
ProcessorScheduler»highestPriority	SequenceableCollection»grownBy:
ProcessorScheduler»lowIOPriority	SequenceableCollection»includes:
ProcessorScheduler»lowestPriority	SequenceableCollection»indexOf:ifAbsent:
ProcessorScheduler»terminateActive	SequenceableCollection»indexOf:startingAt:ifAbsent:
ProcessorScheduler»timingPriority	SequenceableCollection»indexOf:
ProcessorScheduler»userInterruptPriority	SequenceableCollection»indexOfSubCollection:startingAt:
ProtoObject»basicIdentityHash	SequenceableCollection»keysAndValuesDo:
ProtoObject»flag:	SequenceableCollection»last

SequenceableCollection»readStream	SmalltalkImage»logStartupErrorDuring:into:tryDebugger:
SequenceableCollection»replaceFrom:to:with:	SmalltalkImage»lowSpaceThreshold
SequenceableCollection»reverseDo:	SmalltalkImage»lowSpaceWatcher
SequenceableCollection»second	SmalltalkImage»newSessionObject
SequenceableCollection»select:	SmalltalkImage»primImagePath
SequenceableCollection»split:indicesDo:	SmalltalkImage»primSignalAtBytesLeft:
SequenceableCollection»splitOn:	SmalltalkImage»primitiveGetSpecialObjectsArray
SequenceableCollection»swap:with:	SmalltalkImage»processShutDownList:
SequenceableCollection»withIndexDo:	SmalltalkImage»processStartupList:
SequenceableCollection»writeStream	SmalltalkImage»recordStartupStamp
Set class»new	SmalltalkImage»registerExternalObject:
Set»add:	SmalltalkImage»send:toClassesNamedIn:with:
Set»do:	SmalltalkImage»shutDownImage:
Set»fixCollisionsFrom:	SmalltalkImage»specialObjectsArray
Set»grow	SmalltalkImage»startupImage:snapshotWorked:
Set»includes:	SmalltalkImage»unregisterExternalObject:
Set»noCheckAdd:	SmalltalkImage»vm
Set»remove:ifAbsent:	SmalltalkImage»wordSize
Set»scanFor:	Socket class»acceptFrom:
SmallInteger class»maxValCP1252	Socket class»initializeNetwork
SmallInteger»*	Socket class»initialize
SmallInteger»/	Socket class»newTCP
SmallInteger»asFloat	Socket class»register:
SmallInteger»decimalDigitLength	Socket class»registry
SmallInteger»gcd:	Socket class»standardTimeout
SmallInteger»hashMultiply	Socket class»unregister:
SmallInteger»hash	Socket»acceptFrom:
SmallInteger»highBitOfPositiveReceiver	Socket»accept
SmallInteger»highBit	Socket»closeAndDestroy:
SmallInteger»identityHash	Socket»closeAndDestroy
SmallInteger»isLarge	Socket»close
SmallInteger»numberOfDigitsInBase:	Socket»dataAvailable
SmallInteger»printOn:base:length:padded:	Socket»destroy
SmallInteger»printOn:base:	Socket»initialize:
SmallInteger»printString	Socket»isConnected
SmallInteger»quo:	Socket»isOtherEndClosed
SmalltalkImage class»initializeForTornado	Socket»isValid
SmalltalkImage»addDeferredStartupAction:	Socket»listenOn:backlogSize:
SmalltalkImage»addToShutDownList:	Socket»primAcceptFrom:receiveBufferSize:sendBufSize:semalIndex:readSemalIndex:writeSemalIndex:
SmalltalkImage»addToStartupList:	Socket»primSocket:receiveDataInto:startingAt:count:
SmalltalkImage»at:ifAbsent:	Socket»primSocket:sendData:startIndex:count:
SmalltalkImage»at:	Socket»primSocket:setOption:value:
SmalltalkImage»clearExternalObjects	Socket»primSocketConnectionStatus:
SmalltalkImage»executeDeferredStartupActions:	Socket»primSocketDestroy:
SmalltalkImage»garbageCollectMost	Socket»primSocketReceiveDataAvailable:
SmalltalkImage»imagePath	Socket»primSocketRemoteAddress:
SmalltalkImage»includesKey:	Socket»primSocketSendDone:
SmalltalkImage»installLowSpaceWatcher	Socket»readSemaphore
SmalltalkImage»isHeadless	Socket»register
SmalltalkImage»isInteractive	Socket»remoteAddress

Socket»sendSomeData:startIndex:count:for:	String»isString
Socket»sendSomeData:startIndex:count:	String»isWideString
Socket»setOption:value:	String»match:
Socket»socketHandle	String»putOn:
Socket»unregister	String»renderOn:
Socket»waitForAcceptFor:	String»sameAs:
Socket»waitForConnectionFor:ifTimedOut:	String»seasideMimeType
Socket»waitForDataFor:ifClosed:ifTimedOut:	String»startingAt:match:startingAt:
Socket»waitForDataFor:	String»subStrings:
Socket»waitForDisconnectionFor:	String»translateFrom:to:table:
Socket»waitForSendDoneFor:	String»translateToLowercase
SparseLargeTable»at:	String»translateToUppercase
SparseLargeTable»noCheckAt:	String»translateWith:
SparseLargeTable»pvtCheckIndex:	String»trimBoth:
SparseLargeTable»size	String»trimBoth
SqNumberParser»allowPlusSign	String»trimLeft:right:
SqNumberParser»makeIntegerOrScaledInteger	Symbol class»initializeForTornadoWATagCanvas»space
SqNumberParser»readScale	Symbol class»intern:
Stream»basicNext	Symbol class»internCharacter:
Stream»nextPutAll:	Symbol class»lookup:
Stream»print:	Symbol class»shutDown:
String class»crlf	Symbol»=
String class»empty	Symbol»asString
String class»new:	TextConverter class»allEncodingNames
String»startingAt:	TextConverter class»encodingNames
String»=	TextConverter class»encodingNames
String»asDateAndTime	TextConverter class»encodingNames
String»asDate	TextConverter class»encodingNames
String»asLowercase	TextConverter class»encodingNames
String»asNumber	TextConverter class»encodingNames
String»asString	TextConverter class»latin1Encodings
String»asSymbol	TextConverter class»latin1MapGRCCodec
String»asUppercase	class»forEncoding:
String»asZnMimeType	TextConverter»initialize
String»asZnUrl	TextConverter»nextFromStream:UTF8
String»compare:caseSensitive:	Time class»dateAndTimeFromSeconds:
String»compare:with:collated:	Time class»dateAndTimeNow
String»convertFromWithConverter:	Time class»fromSeconds:
String»encodeOn:	Time class»hour:minute:second:nanoSecond:
String»findString:startingAt:caseSensitive:	Time class»millisecondClockValue
String»findString:	Time class»milliseconds:since:
String»find	Time class»millisecondsSince:
String»greaseInteger	Time class»primSecondsClock
String»hash	Time class»readFrom:
String»includesSubstring:	Time class»seconds:nanoSeconds:
String»indexOf:startingAt:ifAbsent:	Time class»secondsWhenClockTicks
String»indexOf:startingAt:	Time class»totalSeconds
String»indexOf:	Time»hour24
String»indexOfSubCollection:startingAt:ifAbsent:	Time»hour
String»indexOfSubCollection:	Time»minute

WABrush»with:
 WABufferedResponse class»on:
 WABufferedResponse»contents
 WABufferedResponse»destroy
 WABufferedResponse»initializeOn:
 WABufferedResponse»stream
 WACache»at:ifAbsent:
 WACache»expiryPolicy
 WACache»initializeCollections
 WACache»initializeMutex
 WACache»initialize
 WACache»keyAtValue:ifAbsent:
 WACache»keyAtValue:
 WACache»keySize
 WACache»missStrategy
 WACache»notifyRemoved:key:
 WACache»notifyRetrieved:key:
 WACache»notifyStored:key:
 WACache»pluginsDo:
 WACache»reapingStrategy
 WACache»reap
 WACache»removalAction
 WACache»setExpiryPolicy:
 WACache»setMissStrategy:
 WACache»setReapingStrategy:
 WACache»setRemovalAction:
 WACache»store:
 WACacheCapacityConfiguration»describeOn:
 WACachePlugin»configuration
 WACachePlugin»defaultConfiguration
 WACachePlugin»initialize
 WACachePlugin»removed:key:
 WACachePlugin»retrieved:key:
 WACachePlugin»setCache:
 WACachePlugin»stored:key:
 WACacheReapingStrategy»reap
 WACallback class»on:
 WACallback»convertKey:
 WACallback»evaluateWithFieldValues:
 WACallback»key
 WACallback»setKey:callbacks:
 WACallback»valueForField:
 WACallbackRegistry»advanceKey
 WACallbackRegistry»handle:
 WACallbackRegistry»increaseKey
 WACallbackRegistry»initialize
 WACallbackRegistry»nextKey
 WACallbackRegistry»store:
 WACanvas»brush:
 WACanvas»flush
 WACanvas»nest:
 WACanvas»render:
 WACanvas»text:
 WAComponent»accept:
 WAComponent»acceptDecorated:
 WAComponent»decoration
 WAComponent»initialize
 WAComponent»updateStates:
 WAConfigurationDescription»add:to:
 WAConfigurationDescription»addAttribute:
 WAConfigurationDescription»attributes
 WAConfigurationDescription»expressions
 WAConfigurationDescription»initialize
 WAConfigurationDescription»integer:
 WAConfiguredRequestFilter»configuration
 WACounter»count:
 WACounter»decrease
 WACounter»increase
 WACounter»initialize
 WACounter»renderContentOn:
 WACounter»states
 WADefaultScriptGenerator»close:on:
 WADefaultScriptGenerator»open:on:
 WADevelopmentConfiguration»parents
 WADispatcher class»default
 WADispatcher»handleFiltered:named:
 WADispatcher»handleFiltered:
 WADispatcher»handlerAt:ifAbsent:
 WADispatcher»handlerAt:with:
 WADispatcher»handlers
 WADispatcher»nameOfHandler:
 WADispatcher»urlFor:
 WADocument class»on:codec:
 WADocument class»on:
 WADocument»closeWADocument»destroy
 WADocument»initializeWithStream:codec:
 WADocument»nextPut:
 WADocument»nextPutAll:
 WADocument»open:
 WADynamicVariable class»use:during:
 WADynamicVariable class»value
 WAEncoder class»on:table:
 WAEncoder class»on:
 WAEncoder»initializeOn:table:
 WAEncoder»nextPut:
 WAErrorHandler class»exceptionSelector
 WAExampleComponent»rendererClass
 WAExceptionFilter»exceptionHandler
 WAExceptionFilter»handleFiltered:
 WAExceptionHandler class»context:

WAPainterVisitor»visitComponent:	WARenderPhaseContinuation»processRendering:
WAPainterVisitor»visitDecorationsOfComponent:	WARenderVisitor class»context:
WAPainterVisitor»visitPainter:	WARenderVisitor»initializeWithContext:
WAPainterVisitor»visitPresenter:	WARenderVisitor»renderContext
WAPathConsumer class»path:	WARenderVisitor»visitPainter:
WAPathConsumer»atEnd	WARenderer class»context:
WAPathConsumer»initializeWith:	WARenderer»actionUrl
WAPathConsumer»next	WARenderer»callbacks
WAPresenter»childrenDo:	WARenderer»context
WAPresenter»children	WARenderer»document
WAPresenter»initialRequest:	WARenderer»flush
WAPresenter»script	WARenderer»initializeWithContext:
WAPresenter»style	WARenderer»render:
WAPresenter»updateRoot:	WARenderer»text:
WAPresenter»updateStates:	WARRequest class»method.uri.version:GRSmall
WAPresenterGuide class»client:	WARRequest»at.ifAbsent:
WAPresenterGuide»client	WARRequest»cookiesAt:
WAPresenterGuide»initializeWithClient:	WARRequest»cookies
WAPresenterGuide»visit:	WARRequest»destroy
WAPresenterGuide»visitPainter:	WARRequest»fields
WARegistryConfiguration»parents	WARRequest»headerAt.ifAbsent:
WARenderContext»actionBaseUrl:	WARRequest»headerAt:
WARenderContext»actionUrl:	WARRequest»initializeWithMethod.uri.version:
WARenderContext»actionUrl	WARRequest»isGet
WARenderContext»callbacks	WARRequest»isPrefetch
WARenderContext»defaultVisitor	WARRequest»isXmlHttpRequest
WARenderContext»destroy	WARRequest»method
WARenderContext»document:	WARRequest»postFields
WARenderContext»document	WARRequest»queryFields
WARenderContext»initialize	WARRequest»setBody:
WARenderContext»resourceUrl:	WARRequest»setCookies:
WARenderContext»visitor:	WARRequest»setHeaders:
WARenderContext»visitor	WARRequest»setPostFields:
WARenderLoopConfiguration»parents	WARRequest»setRemoteAddress:
WARenderLoopContinuation»createActionContinuation:	WARRequest»uri
WARenderLoopContinuation»createRenderContinuation:	WARRequest»url
WARenderLoopContinuation»presenter	WARRequestContext class»request.response.codec:
WARenderLoopContinuation»toPresenterSendRoot:	WARRequestContext»application
WARenderLoopContinuation»updateRoot:	WARRequestContext»charSet
WARenderLoopContinuation»updateStates:	WARRequestContext»codec
WARenderLoopContinuation»updateUrl:	WARRequestContext»consumer
WARenderLoopContinuation»withNotificationHandle:	WARRequestContext»destroy
WARenderLoopMain»createRoot	WARRequestContext»handlers
WARenderLoopMain»prepareRoot:	WARRequestContext»handler
WARenderLoopMain»rootClass	WARRequestContext»initializeWithRequest.response.codec:
WARenderLoopMain»rootDecorationClasses	WARRequestContext»newDocument
WARenderLoopMain»start	WARRequestContext»push.during:
WARenderPhaseContinuation»createHtmlRootWithContext:	WARRequestContext»request
WARenderPhaseContinuation»createRenderContext:	WARRequestContext»respond:
WARenderPhaseContinuation»handleRequest	WARRequestContext»respond

WRequestContext»responseGenerator	WResponse»status
WRequestContext»response	WResponseGenerator class»on:ShiftJIS
WRequestContext»session	WResponseGenerator»initializeOn:
WRequestFilter»handleFiltered:	WResponseGenerator»notFound
WRequestFilter»initialize	WResponseGenerator»requestContext
WRequestFilter»next	WResponseGenerator»request
WRequestFilter»setNext:	WResponseGenerator»respond
WRequestFilter»updateStates:	WResponseGenerator»response
WRequestHandler»addFilter:	WRoot class»context:
WRequestHandler»addFilterLast:	WRoot»setContext:
WRequestHandler»basicUrl	WScriptGenerator»initialize
WRequestHandler»configuration:	WScriptGenerator»loadScripts
WRequestHandler»configuration	WScriptGenerator»writeLoadScriptsOn:
WRequestHandler»defaultConfiguration	WScriptGenerator»writeScriptTag:on:
WRequestHandler»documentClass	WServerAdaptor class»defaultSmall
WRequestHandler»filters	WServerAdaptor class»manager:
WRequestHandler»filter	WServerAdaptor class»new
WRequestHandler»handle:	WServerAdaptor class»port:
WRequestHandler»initialize	WServerAdaptor class»startOn:
WRequestHandler»isApplication	WServerAdaptor»codec
WRequestHandler»isRoot	WServerAdaptor»contextFor:
WRequestHandler»parent	WServerAdaptor»defaultPort
WRequestHandler»preferenceAt:	WServerAdaptor»defaultRequestHandler
WRequestHandler»responseGenerator	WServerAdaptor»handle:
WRequestHandler»serverHostname	WServerAdaptor»handlePadding:
WRequestHandler»serverPath	WServerAdaptor»handleRequest:
WRequestHandler»serverPort	WServerAdaptor»initializeWithManager:
WRequestHandler»serverProtocol	WServerAdaptor»initialize
WRequestHandler»setFilter:	WServerAdaptor»manager
WRequestHandler»setParent:	WServerAdaptor»port:
WRequestHandler»url	WServerAdaptor»port
WResponse class»messageForStatus:	WServerAdaptor»process:
WResponse class»statusFound	WServerAdaptor»requestFor:
WResponse class»statusNotFound	WServerAdaptor»requestHandler
WResponse»contentType:	WServerAdaptor»responseFor:
WResponse»contentType	WServerAdaptor»start
WResponse»cookies	WServerManager class»default
WResponse»destroy	WServerManager class»initialize
WResponse»found	WServerManager class»shutDown
WResponse»headerAt:ifAbsent:	WServerManager class»startUp
WResponse»headerAt:put:	WServerManager»adaptors
WResponse»headers	WServerManager»canStart:
WResponse»initializeOn:	WServerManager»register:
WResponse»initialize	WServerManager»start:
WResponse»location:	WSession»actionField
WResponse»nextPutAll:	WSession»actionUrlForContinuation:
WResponse»notFound	WSession»actionUrlForKey:
WResponse»redirectTo:	WSession»application
WResponse»status:message:	WSession»clearJumpTo
WResponse»status:	WSession»createCache

WASession»handleFiltered:
 WASession»initializeFilters
 WASession»initialize
 WASession»isSession
 WASession»presenter
 WASession»properties
 WASession»start
 WASession»updateRoot:
 WASession»updateStates:
 WASession»updateUrl:
 WASession»url
 WASessionContinuation»basicValue
 WASessionContinuation»captureAndInvoke
 WASessionContinuation»captureState
 WASessionContinuation»redirectToContinuation:
 WASessionContinuation»registerForUrl:
 WASessionContinuation»registerForUrl
 WASessionContinuation»request
 WASessionContinuation»respond:
 WASessionContinuation»setStates:
 WASessionContinuation»states
 WASessionContinuation»updateStates:
 WASessionContinuation»updateUrl:
 WASessionContinuation»value
 WASessionContinuation»withUnregisteredHandlerD
 WASlime class»initialize
 WASlime class»startUp
 WASnapshot»initialize
 WASnapshot»register:
 WASnapshot»resetWASnapshot»restore
 WATagBrush»after
 WATagBrush»attributes
 WATagBrush»before
 WATagBrush»closeTag
 WATagBrush»document
 WATagBrush»isClosed
 WATagBrush»openTag
 WATagBrush»storeCallback:
 WATagBrush»with:
 WAUpdateRootVisitor class»root:WeakKey
 WAUpdateRootVisitor»initializeWithRoot:
 WAUpdateRootVisitor»root
 WAUpdateRootVisitor»visitPainter:
 WAUpdateStatesVisitor class»snapshot:
 WAUpdateStatesVisitor»initializeWithSnapshot:
 WAUpdateStatesVisitor»snapshot
 WAUpdateStatesVisitor»visitPresenter:
 WAUpdateUrlVisitor class»url:
 WAUpdateUrlVisitor»initializeWithUrl:
 WAUpdateUrlVisitor»url
 WAUpdateUrlVisitor»visitPainter:
 WAUrl class»absolute:
 WAUrl class»decodePercent:
 WAUrl»addField:value:
 WAUrl»addField:
 WAUrl»addToPath:
 WAUrl»decode:
 WAUrl»decodedWith:
 WAUrl»encodeOn:
 WAUrl»encodePathOn:
 WAUrl»encodeQueryOn:
 WAUrl»encodeSchemeAndAuthorityOn:
 WAUrl»fragment
 WAUrl»initializeFromString:
 WAUrl»initialize
 WAUrl»parsePath:
 WAUrl»parseQuery:
 WAUrl»password
 WAUrl»path:
 WAUrl»pathElementsIn:do:
 WAUrl»pathString
 WAUrl»path
 WAUrl»postCopy
 WAUrl»printOn:
 WAUrl»queryFields:
 WAUrl»queryFields
 WAUrl»seasideUrl
 WAUrl»slash:
 WAUrl»subStringsIn:splitBy:do:
 WAUrl»user
 WAUrlEncoder class»on:codec:
 WAUrlEncoder»nextPutAll:
 WAUserConfiguration»addParent:
 WAUserConfiguration»canAddParent:
 WAUserConfiguration»expressionAt:ifAbsent:
 WAUserConfiguration»initialize
 WAUserConfiguration»localAttributeAt:ifAbsent:
 WAUserConfiguration»parents
 WAValueExpression»determineValueWithContext:configuration:
 WAValueExpression»value
 WAValueHolder class»with:
 WAValueHolder»contents:
 WAValueHolder»contents
 WAVisiblePresenterGuide»visitPresenter:
 WAVisitor»visit:WAVisitor»start:
 WAXmlDocument»closeTag:
 WAXmlDocument»destroy
 WAXmlDocument»initializeWithStream:codec:
 WAXmlDocument»openTag:attributes:closed:
 WAXmlDocument»openTag:attributes:

WAXmlDocument»openTag:	WriteStream»cr
WAXmlDocument»print:	WriteStream»growTo:
WAXmlDocument»urlEncoder	WriteStream»nextPut:
WAXmlDocument»xmlEncoder	WriteStream»nextPutAll:
WAXmlEncoder»nextPutAll:	WriteStream»on:
WeakAnnouncementSubscription class»finalizationList	WriteStream»pastEndPut:
WeakAnnouncementSubscription class»finalizeValue	WriteStream»reset
WeakArray class»finalizationProcess	WriteStream»size
WeakArray class»initialize	WriteStream»space
WeakArray class»restartFinalizationProcess	ZdcAbstractSocketStream class»on:
WeakArray class»startUp:	ZdcAbstractSocketStream»SocketSendData:startingAt:count:
WeakFinalizationList class»hasNewFinalization	ZdcAbstractSocketStream»SocketWaitForData
WeakFinalizationList class»initialize	ZdcAbstractSocketStream»autoFlush:
WeakFinalizationList class»startUp:	ZdcAbstractSocketStream»binary
WeakFinalizationList»swapWithNil	ZdcAbstractSocketStream»bufferSize:
WeakFinalizerItem class»new	ZdcAbstractSocketStream»close
WeakFinalizerItem»add:	ZdcAbstractSocketStream»flush
WeakFinalizerItem»list:object:	ZdcAbstractSocketStream»initializeBuffers
WeakIdentityKeyDictionary»compare:to:	ZdcAbstractSocketStream»initialize
WeakIdentityKeyDictionary»startIndexFor:	ZdcAbstractSocketStream»isBinary
WeakKeyDictionary»associationsDo:	ZdcAbstractSocketStream»nextPut:
WeakKeyDictionary»finalizeValues	ZdcAbstractSocketStream»nextPutAll:
WeakKeyDictionary»fullCheck	ZdcAbstractSocketStream»next
WeakKeyDictionary»grow	ZdcAbstractSocketStream»on:
WeakKeyDictionary»initialize:	ZdcAbstractSocketStream»peek
WeakKeyDictionary»noCheckAdd:	ZdcAbstractSocketStream»shouldSignal:
WeakKeyDictionary»overridingAt:put:	ZdcAbstractSocketStream»socketClose
WeakKeyDictionary»rehash	ZdcAbstractSocketStream»socketIsConnected
WeakKeyDictionary»removeKey:ifAbsent:	ZdcAbstractSocketStream»socketIsDataAvailable
WeakKeyDictionary»scanFor:	ZdcAbstractSocketStream»socketReceiveDataInto:startingAt:count:
WeakKeyDictionary»scanForKeyOrNil:	ZdcAbstractSocketStream»socket
WeakRegistry»add:executor:	ZdcAbstractSocketStream»timeout:
WeakRegistry»add:	ZdcAbstractSocketStream»timeout
WeakRegistry»finalizeValues	ZdcIOBuffer class»on:
WeakRegistry»protected:	ZdcIOBuffer class»onByteArrayOfSize:
WeakRegistry»remove:ifAbsent:	ZdcIOBuffer»advanceWritePointer:
WeakSet»add:	ZdcIOBuffer»availableForReading
WeakSet»do:	ZdcIOBuffer»availableForWriting
WeakSet»growTo:	ZdcIOBuffer»bufferSize
WeakSet»grow	ZdcIOBuffer»buffer
WeakSet»initialize:	ZdcIOBuffer»compact
WeakSet»like:	ZdcIOBuffer»contentsStart
WeakSet»noCheckNoGrowFillFrom:	ZdcIOBuffer»freeSpaceStart
WeakSet»scanFor:	ZdcIOBuffer»isEmpty
WeakSet»scanForEmptySlotFor:	ZdcIOBuffer»isFull
Week class»nameOfDay:	ZdcIOBuffer»next:putAll:startingAt:
WideString»at:	ZdcIOBuffer»nextPut:
WideString»wordAt:	ZdcIOBuffer»next
WriteStream»«	ZdcIOBuffer»on:
WriteStream»contents	ZdcIOBuffer»peek

ZdcIOBuffer»reset	ZnEntityReader»headers:
ZdcSimpleSocketStream»atEnd	ZnEntityReader»headers
ZdcSimpleSocketStream»fillBytes:startingAt:count:	ZnEntityReader»isChunked
ZdcSimpleSocketStream»fillReadBufferNoWait	ZnEntityReader»readEntity
ZdcSimpleSocketStream»fillReadBuffer	ZnEntityReader»stream:
ZdcSimpleSocketStream»flushBytes:startingAt:count:	ZnEntityWriter»headers:
ZdcSimpleSocketStream»flushWriteBuffer	ZnEntityWriter»headers
ZdcSimpleSocketStream»isConnected	ZnEntityWriter»isChunked
ZdcSocketStream»next:putAll:startingAt:	ZnEntityWriter»isGzipped
ZnBivalentWriteStream class»on:	ZnEntityWriter»stream:
ZnBivalentWriteStream»isBinary	ZnEntityWriter»writeEntity:
ZnBivalentWriteStream»nextPut:	ZnHeaders class»defaultResponseHeaders
ZnBivalentWriteStream»nextPutAll:	ZnHeaders class»readFrom:
ZnBivalentWriteStream»on:	ZnHeaders»acceptEntityDescription:
ZnBivalentWriteStream»space	ZnHeaders»at:add:
ZnByteArrayEntity class»bytes:	ZnHeaders»at:ifAbsent:
ZnByteArrayEntity class»designatedMimeType	ZnHeaders»at:put:
ZnByteArrayEntity»bytes:	ZnHeaders»clearContentLength
ZnByteArrayEntity»bytes	ZnHeaders»clearContentType
ZnByteArrayEntity»writeOn:	ZnHeaders»contentLength:
ZnCharacterEncoder class»newForEncoding:	ZnHeaders»contentType:
ZnCharacterEncoder»beLenient	ZnHeaders»headersDo:
ZnCharacterEncoder»encodedByteCountForString:	ZnHeaders»headers
ZnConstants class»defaultHTTPVersion	ZnHeaders»includesKey:
ZnConstants class»defaultMaximumEntitySize	ZnHeaders»isDescribingEntity
ZnConstants class»defaultServerString	ZnHeaders»isEmpty
ZnConstants class»frameworkNameAndVersion	ZnHeaders»normalizeHeaderKey:
ZnConstants class»frameworkName	ZnHeaders»readFrom:
ZnConstants class»frameworkVersion	ZnHeaders»readOneHeaderFrom:
ZnConstants class»httpStatusCodes	ZnHeaders»removeKey:ifAbsent:
ZnConstants class»knownHTTPMethods	ZnHeaders»writeOn:
ZnConstants class»knownHTTPVersions	ZnLineReader class»on:
ZnConstants class»maximumLineLength	ZnLineReader»growBuffer
ZnConstants class»remoteAddressHeader	ZnLineReader»limit:
ZnEntity class»byteArrayEntityClass	ZnLineReader»nextLine
ZnEntity class»bytes:	ZnLineReader»on:
ZnEntity class»new	ZnLineReader»processNext
ZnEntity class»stringEntityClass	ZnLineReader»reset
ZnEntity class»text:	ZnLineReader»store:
ZnEntity class»textCRLF:	ZnLogSupport»debug:
ZnEntity class»type:length:	ZnLogSupport»disable
ZnEntity class»type:	ZnLogSupport»enabled:
ZnEntity»contentLength:	ZnLogSupport»enabled
ZnEntity»contentLength	ZnLogSupport»info:
ZnEntity»contentType:	ZnLogSupport»initialize
ZnEntity»contentType	ZnLogSupport»transaction:
ZnEntityReader»allowsReadingUpToEnd	ZnManagingMultiThreadedServer»closeConnections
ZnEntityReader»binary	ZnManagingMultiThreadedServer»closeSocketStream:
ZnEntityReader»canReadContent	ZnManagingMultiThreadedServer»connections
ZnEntityReader»hasContentLength	ZnManagingMultiThreadedServer»lock

ZnManagingMultiThreadedServer»socketStreamOn:	ZnMultiValueDictionary»at:add:
ZnManagingMultiThreadedServer»stop:	ZnMultiValueDictionary»at:put:
ZnMessage class»readBinaryFrom:UTF8	ZnMultiValueDictionary»checkLimitForKey:
ZnMessage»entity:	ZnMultiValueDictionary»defaultLimit
ZnMessage»entityReaderOn:	ZnMultiValueDictionary»initialize:
ZnMessage»entityWriterOn:	ZnMultiValueDictionary»keysAndValuesDo:
ZnMessage»entity	ZnMultiValueDictionary»limit
ZnMessage»hasEntity	ZnNetworkingUtils class»defaultSocketStreamTimeout
ZnMessage»hasHeaders	ZnNetworkingUtils class»default
ZnMessage»headers:	ZnNetworkingUtils class»ipAddressToString:
ZnMessage»headersDo:	ZnNetworkingUtils class»listenBacklogSize
ZnMessage»headers	ZnNetworkingUtils class»serverSocketOn:
ZnMessage»isConnectionClose	ZnNetworkingUtils class»socketBufferSize
ZnMessage»readBinaryFrom:	ZnNetworkingUtils class»socketStreamOn:
ZnMessage»readHeaderFrom:	ZnNetworkingUtils class»socketStreamTimeout
ZnMessage»setConnectionClose	ZnNetworkingUtils»bufferSize
ZnMessage»wantsConnectionClose	ZnNetworkingUtils»serverSocketOn:
ZnMessage»writeOn:	ZnNetworkingUtils»setServerSocketOptions:
ZnMimeType class»applicationOctetStream	ZnNetworkingUtils»setSocketStreamParameters:
ZnMimeType class»fromString:	ZnNetworkingUtils»socketStreamClass
ZnMimeType class»main:sub:parameters:	ZnNetworkingUtils»socketStreamOn:
ZnMimeType class»main:sub:	ZnNetworkingUtils»timeout
ZnMimeType class»textPlain	ZnNullEncoder class»handlesEncoding:
ZnMimeType»=	ZnPercentEncoder»characterEncoder:
ZnMimeType»asZnMimeType	ZnPercentEncoder»characterEncoder
ZnMimeType»charSet:	ZnPercentEncoder»decode:to:
ZnMimeType»charSet	ZnPercentEncoder»decode:
ZnMimeType»main:	ZnPercentEncoder»encode:to:
ZnMimeType»main	ZnPercentEncoder»encode:
ZnMimeType»parameterAt:ifAbsent:	ZnPercentEncoder»safeSet:
ZnMimeType»parameters:	ZnPercentEncoder»safeSet
ZnMimeType»parameters	ZnRequest»isHttp10
ZnMimeType»printOn:	ZnRequest»method
ZnMimeType»setCharSetUTF8	ZnRequest»readHeaderFrom:
ZnMimeType»sub:	ZnRequest»requestLine:
ZnMimeType»sub	ZnRequest»requestLine
ZnMultiThreadedServer»augmentResponse:forRequest:	ZnRequest»uri
ZnMultiThreadedServer»closeSocketStream:	ZnRequest»wantsConnectionClose
ZnMultiThreadedServer»exceptionSet:	ZnRequestLine class»readFrom:
ZnMultiThreadedServer»executeOneRequestResponse:	ZnRequestLine»isHttp10
ZnMultiThreadedServer»executeRequestResponseLine:	ZnRequestLine»method:
ZnMultiThreadedServer»listenLoop	ZnRequestLine»method
ZnMultiThreadedServer»readRequestBadException:	ZnRequestLine»readFrom:
ZnMultiThreadedServer»readRequestSafely:	ZnRequestLine»uri:
ZnMultiThreadedServer»readRequestTerminationException:	ZnRequestLine»uri
ZnMultiThreadedServer»serveConnectionsOn:	ZnRequestLine»version:
ZnMultiThreadedServer»workerProcessName	ZnRequestLine»version
ZnMultiThreadedServer»writeResponseBad:on:	ZnResourceMetaUtils class»decodePercent:
ZnMultiThreadedServer»writeResponseSafely:on:	ZnResourceMetaUtils class»encodePercent:safeSet:encoding:
ZnMultiThreadedServer»writeResponseTerminationException:	ZnResourceMetaUtils class»parseQueryFrom:

ZnResourceMetaUtils class»queryKeyValueSafeSet	ZnSingleThreadedServer»logResponse:
ZnResourceMetaUtils class»urlPathSafeSet	ZnSingleThreadedServer»log
ZnResourceMetaUtils class»writeQueryFields:on:	ZnSingleThreadedServer»noteAcceptWaitTimedOut
ZnResourceMetaUtils class»writeQueryFields:withText	ZnSingleThreadedServer»periodicTasks
ZnResponse»setConnectionCloseFor:	ZnSingleThreadedServer»process
ZnResponse»setKeepAliveFor:	ZnSingleThreadedServer»readRequest:
ZnResponse»statusLine:	ZnSingleThreadedServer»releaseServerSocket
ZnResponse»statusLine	ZnSingleThreadedServer»serverProcessName
ZnResponse»useConnection:	ZnSingleThreadedServer»serverSocket
ZnResponse»writeOn:	ZnSingleThreadedServer»socketStreamOn:
ZnSeasideServerAdaptorDelegate class»with:	ZnSingleThreadedServer»start
ZnSeasideServerAdaptorDelegate»adaptor:	ZnSingleThreadedServer»stop:
ZnSeasideServerAdaptorDelegate»adaptor	ZnSingleThreadedServer»withMaximumEntitySizeDo:
ZnSeasideServerAdaptorDelegate»handleRequest:	ZnSingleThreadedServer»writeResponse:on:
ZnServer class»defaultServerClass	ZnStatusLine class»badRequest
ZnServer class»initialize	ZnStatusLine class»code:
ZnServer class»managedServers	ZnStatusLine»code:
ZnServer class»on:	ZnStatusLine»code
ZnServer class»shutDown:	ZnStatusLine»reason
ZnServer class»startUp:	ZnStatusLine»version:
ZnServer class»unregister:	ZnStatusLine»version
ZnServer»authenticator	ZnStatusLine»writeOn:
ZnServer»bindingAddress	ZnStringEntity class»designatedMimeType
ZnServer»delegate:	ZnStringEntity class»text:
ZnServer»delegate	ZnStringEntity»computeContentLength
ZnServer»maximumEntitySize	ZnStringEntity»contentLength
ZnServer»optionAt:ifAbsent:	ZnStringEntity»encoder:
ZnServer»optionAt:ifAbsentPut:	ZnStringEntity»encoder
ZnServer»optionAt:put:	ZnStringEntity»hasEncoder
ZnServer»port:	ZnStringEntity»initializeEncoder
ZnServer»port	ZnStringEntity»string:
ZnServer»reader:	ZnStringEntity»string
ZnServer»reader	ZnStringEntity»writeOn:
ZnServer»stop	ZnUTF8Encoder class»handlesEncoding:
ZnServer»unregister	ZnUTF8Encoder class»newForEncoding:
ZnServer»useGzipCompressionAndChunking	ZnUTF8Encoder»decodeBytes:
ZnSignalProgress class»enabled	ZnUTF8Encoder»encodedByteCountFor:
ZnSingleThreadedServer class»default	ZnUTF8Encoder»findFirstNonASCIIIn:startingAt:
ZnSingleThreadedServer class»on:Latin1	ZnUTF8Encoder»next:putAll:startingAt:toStream:
ZnSingleThreadedServer»acceptWaitTimeout	ZnUTF8Encoder»next:putAllASCII:startingAt:toStream:
ZnSingleThreadedServer»augmentResponse:forRequest:	ZnUTF8Encoder»next:putAllByteString:startingAt:toStream:
ZnSingleThreadedServer»authenticateAndDelegateToUse:	ZnUTF8Encoder»nextFromStream:
ZnSingleThreadedServer»authenticateRequest:do:	ZnUTF8Encoder»nextPut:toStream:
ZnSingleThreadedServer»closeDelegate	ZnUnknownHttpMethod class»method:
ZnSingleThreadedServer»handleRequest:	ZnUnknownHttpMethod»method:
ZnSingleThreadedServer»handleRequestProtected:	ZnUrl class»fromString:
ZnSingleThreadedServer»initializeServerSocket	ZnUrl class»schemesNotUsingPath
ZnSingleThreadedServer»isRunning	ZnUrl»addPathSegment:
ZnSingleThreadedServer»logRequest:response:startDate:	ZnUrl»decodePercent:
ZnSingleThreadedServer»logRequest:	ZnUrl»encodePath:on:

ZnUrl»enforceKnownScheme
ZnUrl»hasFragment
ZnUrl»hasHost
ZnUrl»hasPath
ZnUrl»hasPort
ZnUrl»hasQuery
ZnUrl»hasScheme
ZnUrl»hasUsername
ZnUrl»isSchemeUsingPath
ZnUrl»parseFrom:defaultScheme:
ZnUrl»parseFrom:
ZnUrl»parsePath:
ZnUrl»printAuthorityOn:
ZnUrl»printOn:
ZnUrl»printPathOn:
ZnUrl»printPathQueryFragmentOn:
ZnUrl»printQueryOn:
ZnUrl»query:
ZnUrl»query
ZnUrl»scheme
ZnUtils class»httpDate:
ZnUtils class»httpDate
ZnUtils class»nextPutAll:on:
ZnUtils class»signalProgress:total:
ZnUtils class»streamingBufferSize
ZnZincServerAdaptor»basicStart
ZnZincServerAdaptor»configureDelegate
ZnZincServerAdaptor»configureServerForBinaryReading
ZnZincServerAdaptor»defaultCodec
ZnZincServerAdaptor»defaultDelegate
ZnZincServerAdaptor»defaultZnServer
ZnZincServerAdaptor»isRunning
ZnZincServerAdaptor»isStopped
ZnZincServerAdaptor»requestAddressFor:
ZnZincServerAdaptor»requestBodyFor:
ZnZincServerAdaptor»requestCookiesFor:
ZnZincServerAdaptor»requestFieldsFor:
ZnZincServerAdaptor»requestHeadersFor:
ZnZincServerAdaptor»requestMethodFor:
ZnZincServerAdaptor»requestUrlFor:
ZnZincServerAdaptor»requestVersionFor:
ZnZincServerAdaptor»responseFrom:
ZnZincServerAdaptor»server
ZnZincServerAdaptor»shutDown
ZnZincServerAdaptor»startUp