



GAMA: A Spatially Explicit, Multi-level, Agent-Based Modeling and Simulation Platform

Alexis Drogoul, Edouard Amouroux, Philippe Caillou, Benoit Gaudou, Arnaud Grignard, Nicolas Marilleau, Patrick Taillandier, Maroussia Vavasseur, Duc-An Vo, Jean-Daniel Zucker

► To cite this version:

Alexis Drogoul, Edouard Amouroux, Philippe Caillou, Benoit Gaudou, Arnaud Grignard, et al.. GAMA: A Spatially Explicit, Multi-level, Agent-Based Modeling and Simulation Platform. Practical Applications of Agents and Multi-Agent Systems, 2013, Spain. Springer Berlin Heidelberg, 7879, pp.271-274, 2013, Lecture Notes in Computer Science. <hal-00834494>

HAL Id: hal-00834494

<https://hal.archives-ouvertes.fr/hal-00834494>

Submitted on 6 Aug 2013

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

GAMA: a spatially explicit, multi-level, agent-based modeling and simulation platform

Alexis Drogoul¹, Edouard Amouroux, Philippe Caillou, Benoit Gaudou, Arnaud Grignard, Nicolas Marilleau, Patrick Taillandier, Maroussia Vavasseur, Duc-An Vo, and Jean-Daniel Zucker

IRD, UMI UMMISCO 209, 32 av. H. Varagnat, 93143 Bondy, France
alexis.drogoul@gmail.com

Abstract. Agent-based modeling is now widely used to investigate complex systems but still lacks integrated and generic tools to support the representation of features usually associated with real complex systems, namely rich, dynamic and realistic environments or multiple levels of agency. The GAMA platform has been developed to address such issues and allow modelers, thanks to the use of a high-level modeling language, to build, couple and reuse complex models combining various agent architectures, environment representations and levels of abstraction.

Keywords: Simulation platform, Agent-based modeling, GIS data, Multi-level model

1 Introduction

Agent-based modeling (ABM) has brought a new way to study complex systems by allowing to represent multiple heterogeneous entities interacting in a non-linear fashion in a shared environment. Although it is now used in different domains, ABM still struggles with two issues. First the lack of a comprehensive and common representation of the environment(s) in which agents interact, which limits its usefulness for models where the environment itself is to be represented as a complex entity. Secondly a difficulty to go beyond the classical Object-Oriented Paradigm to express interactions between agents at different levels of abstractions (e.g. agents composed of agents). Even though tools have been proposed in the recent years, they are too complex for domain experts to build their models without a strong support from computer scientists. For instance, building a realistic model that relies on GIS data at different geographical scales still involves complicated coding tasks in most ABM environments.

The GAMA (GIS & Agent-based Modeling Architecture) modeling and simulation platform has been proposed to address such shortcomings. On one hand, this open source platform allows the definition of agent-based models with complex environment representations and generic multi-level capabilities. On the other hand, it provides field experts, modelers, and computer scientists with a complete modeling and simulation environment for building spatially explicit

agent-based models with ready-to-use abstractions for the most common needs (e.g. decision architectures, generic behaviors, such as movements regardless on the environment representation), which are accessible through a dedicated high-level modeling language (GAML) and remains extensible by Java programmers.

2 Main purpose

GAMA is based on: (i) a meta-model [5] dedicated to complex environment representation and multi-level models; (ii) a modeling language (GAML) and its related elements (parser and compiler); (iii) an efficient virtual machine to execute model and to interact with the simulation. Compared to other frameworks such as NetLogo [6] or Repast Symphony [2], its main advantage is to provide this multi-level architecture (extendable via plug-in), and a very complex environment representation easily defined via GAML.

Multi-level modeling. Multi-level agent-based modeling requires to manipulate agents at different levels of representation w.r.t. to time, space and behavior. Our approach of multi-level modeling is based on three principles. (1) An agent represents a level of organization which is associated with a spatial and temporal scale. (2) Levels are hierarchically organised to define privileged interactions between embedded levels. (3) Organizations can be dynamic: some agents can move from an organization to another in order to adapt their representation level dynamically.

The GAMA meta-model [5] has been designed to fulfill these three features. An agent is an instance of a species (the kind of agent, as in classes and instances in OOP). Every agent possesses a spatial representation (its shape) that is located in an environment. An agent, as organization level, can host populations of micro-agents. Its topology defines the spatial environment of hosted agents. Similarly, the macro-agent defines the execution time scale of hosted agents by specifying the way they will be scheduled. This thus defines a hierarchical structure of the model: any agent is hosted by another agent and possibly hosts populations of other agents. The macro-agent will manage the relations between its behavior and micro-agent behavior: it is indeed allowed to redefine the behavior of hosted agents. A top-level agent (the world) has been introduced. It manages the global variables and parameters of the simulation and its shape defines the reference environment. Finally, agents can dynamically migrate from a population to another one (by changing species); this allows agents to change their organization level, and thus representation level during the simulation course.

Environment representation. GAMA is particularly powerful concerning the management of complex environments. It allows to define several environments with different topologies (grid, graph or continuous). One continuous environment is used as reference to synchronize all of them. Each GAMA agent has a shape, that is a 3D simple (point, polyline or polygon) or complex (composed of several geometries) geometry.

A particularly interesting feature of GAMA is the possibility to create agents and to define their attributes (in particular their shape) from real data using shapefiles. Conversely, this allows the modeler to integrate geographical data into models under the form of active agents (one agent is created by geometry of a shapefile). In addition, GAMA manages the spatial projection of the data (to get a spatially coherent model) and the reading of attribute values. In order to ease geometries use and manipulation, high-level geometry transformations (e.g. buffer, convex-hull, etc.) and movement primitives (e.g. shortest path computation) are readily available in GAML.

3 Demonstration

GAMA can be used for lots of purposes including teaching, conceptual modeling and applied research. We illustrate its power with applied and abstract uses¹.

Applied models. GAMA has already been used in various large scale applications that share a strong focus on the interactions between agents and complex environments. Epidemiological models have been developed to study avian flu persistence in North Vietnam and rift valley fever propagation in Senegal. It has been used to assess the effectiveness of control policies on the recurrent invasions of insects in the Mekong delta, to simulate rescue management in Hanoi after an earthquake or evacuation organisation in case of a tsunami in Nha Trang (Vietnam). The MAELIA project [3] uses it to study socio-ecological impacts of water management policy in the Adour-Garonne Basin (France).

GAMA can manage a large number of agents for real-scale applications, for example, nearby 200 000 for the MIRO model (Figure 1) [1]. This model addresses the issue of sustainable cities by focusing on one of its very central components, daily mobility. Therefore, improving urban accessibility merely results in increasing the traffic and its negative externalities (congestion, accidents, pollution, noise...), while reducing at the end the accessibility of people to the city. For that, an ABM has been developed and applied to Dijon and Grenoble, two mid-sized cities (nearby 120 000 inhabitant) in France. The simulator is used to realise scenarios determined by geographers for quantifying, for example, service accessibility and to organise serious game sessions for identifying cities management strategies.

Abstract models. As presented in previous section, GAMA offers several modeling capabilities, like multi-level simulation, seamless integration of GIS Data or extensible architecture with plugin. Very simple conceptual models can be developed and used for demonstration or conceptual proof. For example, the multi-level architecture can be illustrated by a flocking example with Flock agent dynamically created when nearby boids converge (an illustration can be watched

¹ Link to a video: <http://code.google.com/p/gama-platform/wiki/VideosPresentation>

in the video). The Flock agent captures boids agents and computes its own geometry from their individual data. Boids will be released when the Flock will disappear (when it moves toward an obstacle).




Fig. 1. MIRO simulation interface

4 Conclusion

The latest version of GAMA, bundled with a set of example models, as well as its source code, can be downloaded from its website². The site also provides users with a complete modeler guide, several tutorials, the GAML language reference, as well as a guide for developers to extend the platform with their own plugins.

References

1. Banos, A., Marilleau, N. and MIRO team: Improving individual accessibility to the city: an agent-based modelling approach. Proc. of ECCS, Bruxelles. (2012)
2. North, M., Howe, T., Collier, N., Vos, J.: A declarative model assembly infrastructure for verification and validation. Proc. of Advancing Social Simulation: 1st World Congress. (2007)
3. Taillandier, P., Therond, O., Gaudou B.: A new BDI agent architecture based on the belief theory. Application to the modelling of cropping plan decision-making. Proc. of IEMs, Germany, pp. 107-116. (2012)
4. Taillandier, P., Vo, D-A., Amouroux, E., Drogoul, A.: GAMA: a simulation platform that integrates geographical information data, agent-based modeling and multi-scale control. Proc. of the PRIMA'12 conf. (2012)
5. Vo, D-A.: An operational architecture to handle multiple levels of representation in agent-based models. PhD thesis. Université P&M Curie, Paris. (2012)
6. Wilensky, U.: Netlogo. Technical report, Center for Connected Learning and Computer-Based Modeling, Northwestern University, Evanston, IL. (1999)

² <http://gama-platform.googlecode.com>