University of Vermont ScholarWorks @ UVM

Family Medicine Scholarly Works

5-11-2012

Lyme Disease Prophylaxis: IDSA guidelines

Kristine Cruz MD Fletcher Allen Health Care and the University of Vermont

Follow this and additional works at: http://scholarworks.uvm.edu/fammed Part of the <u>Primary Care Commons</u>

Recommended Citation

Cruz, Kristine MD, "Lyme Disease Prophylaxis: IDSA guidelines" (2012). *Family Medicine Scholarly Works*. Paper 4. http://scholarworks.uvm.edu/fammed/4

This Evidence Review is brought to you for free and open access by ScholarWorks @ UVM. It has been accepted for inclusion in Family Medicine Scholarly Works by an authorized administrator of ScholarWorks @ UVM. For more information, please contact donna.omalley@uvm.edu.

Lyme Disease Prophylaxis: IDSA guidelines

Clinical Question: When should patients be given antibiotics for lyme prophylaxis after a tick bite?

To provide antibiotic prophylaxis for Lyme disease ALL of these criteria should be met:

- Tick identified as an adult or nymphal deer tick
- Attached for > or = 36 hours (by engorgement or time of exposure)
- Treatment started within 72 hours of tick removal
- Local rate of infection of ticks with B. Bourgdorferi >=20% (assumed in Vermont)
- Doxyclycline is not contraindicated, patients this applies:
 - <8 years of age
 - o pregnant
 - \circ lactating
 - Amoxicillin is not recommended in these groups because of lack of data on efficacy, effectiveness of treatment of lyme disease if it does develop, and higher incidence of side effects with multi-day antibiotic regiments.

Recommended prophylaxis is a single 200 mg dose of doxycycline (4 mg/kg in children over age 8)

Strength of Recommendation: B (estimate based on description of IDSA grading compared to AAFP)

References:

From the Infectious Diseases Society of America http://www.idsociety.org/uploadedFiles/IDSA/Topics_of_Interest/Lyme_Disease/IDSALy_meDiseaseFinalReport.pdf

From the Vermont Department of Health:

http://healthvermont.gov/pubs/IDB/documents/IDB_2010_Spring_Supplement_lymedisea se.pdf

By Kristine Cruz, MD PGY-2