

2015

UVM Big Data? Aggregating Campus Databases and Creating a Data Warehouse to Improve Student Retention Rates at the University of Vermont

Emily Bates

University of Vermont, elbates@uvm.edu

Follow this and additional works at: <http://scholarworks.uvm.edu/hcoltheses>

Recommended Citation

Bates, Emily, "UVM Big Data? Aggregating Campus Databases and Creating a Data Warehouse to Improve Student Retention Rates at the University of Vermont" (2015). *UVM Honors College Senior Theses*. Paper 86.

This Honors College Thesis is brought to you for free and open access by the Undergraduate Theses at ScholarWorks @ UVM. It has been accepted for inclusion in UVM Honors College Senior Theses by an authorized administrator of ScholarWorks @ UVM. For more information, please contact donna.omalley@uvm.edu.

**UVM Big Data? Aggregating Campus Databases and Creating a Data
Warehouse to Improve Student Retention Rates at the University of Vermont**

Undergraduate Honors Thesis in Management Information Systems

University of Vermont, School of Business Administration

Burlington, VT, USA

Emily Bates, *Bachelor of Science in Business Administration*

May 2015

TABLE OF CONTENTS

ABSTRACT 3

FIGURES AND TABLES 4

INTRODUCTION..... 5

DATABASE AND DATA WAREHOUSE TERMINOLOGY 8

STUDENT DATA AT UVM 11

STUDENT RETENTION AT UVM..... 13

DATA WAREHOUSES AT OTHER ACADEMIC INSTITUTIONS 17

PREPARING FOR A DATA WAREHOUSE AT UVM..... 19

DATA WAREHOUSE DESIGN AND SCHEMA 22

FINANCIAL AND LOGISTICAL CONSIDERATIONS..... 29

OPPORTUNITIES FOR EXPANSION..... 31

RISKS AND OBSTACLES 32

CONCLUSIONS AND DISCUSSIONS 33

REFERENCES..... 35

ABSTRACT

One of the biggest concerns of universities across the United States is the student retention rate. Because it is much more cost effective to keep an existing student enrolled than to enroll a new student, improving a university's retention rate translates to a saving in costs for that institution. UVM's first-year retention rate is currently 85.8%, which places them above many other public universities, but below most of UVM's aspirant schools. UVM conducted a study in 2011 in an effort to determine causes of students leaving after their first year, but retention rates since the study have only marginally increased. Some universities have been using data mining techniques to determine factors correlated with student retention, such as living off campus or an income level below the poverty line. This thesis recommends that UVM create a data warehouse aggregating all student-related data from across campus in an attempt to improve student retention. There is currently no central repository of student-related data from sources such as Residential Life, Blackboard, Student Health Services, and Undergraduate Admissions. Data mining techniques could be used with this data warehouse to discover patterns between different fields of data and a student's likelihood to withdraw from UVM. For example, what if there is a correlation between a student's dorm view room and their likelihood to leave UVM? How does a student's frequency of Blackboard use impact their chance of staying enrolled? This thesis explores the technical and logistical considerations involved in a large data warehousing project. While building a data warehouse may seem operationally daunting, the insights it could generate would be very beneficial for decision support for many years.

FIGURES AND TABLES

FIGURES

Figure 1. Data Warehouse Diagram.....9

Figure 2. Star Schema Diagram.....11

Figure 3. UVM Data Sources Across Campus.....12

Figure 4. Example of Data Cleansing.....22

Figure 5. Entity-Relationship Diagram.....28

TABLES

Table 1. Student Retention Rates at UVM’s Peer and Aspirant Universities.....14

Table 2. Preliminary List of Student-Related Data Sources.....20

Table 3. Data Fields to be Included in the Data Warehouse.....23

Table 4. Costs Related to a Data Warehouse Solution.....29

INTRODUCTION

One of the biggest concerns of universities across the United States is the student retention rate. Keeping first-year students coming back for their second year of college can have a significant impact on the financial state of the institution. It is much more cost effective for a university to keep an existing student enrolled than to enroll a new student; in other words, improving a university's retention rate translates to a saving in costs for that institution (Culver). While most universities have historically focused a big portion of their budget on admissions (Raisman), many educational institutions are now shifting their focus to maintaining their enrollment.

The retention rate at the University of Vermont (UVM) for first-time, first-year students after one year is approximately 85.8 percent ("Retention Rates"). Compared to the national average for public four-year institutions, 64.2 percent ("2014 Retention/Completion"), UVM's retention rate seems promising; but compared to some higher-ranked public universities, improvements could be made. Boosting student retention is not only a cost-saving measure for a university - it also influences the school's rank on lists released by the U.S. News & World Report and other distinguished organizations.

UVM is currently working to improve its retention rate, and has set a goal to increase its first-year retention to 92 percent by the year 2020 (Student Success). A study conducted by Art & Science Group, LLC in 2011 concluded that the biggest factors in students leaving the university were academic and financial; students who left often expressed dissatisfaction with the rigor of coursework, academic opportunities in their field, and the financial value of an undergraduate education from UVM ("University of Vermont Retention Study"). The data collected in the study were self-reported from students who had already left UVM, so it's possible that the conclusions were biased and did not capture the whole story of why a student chooses to leave the school. In response to the study's findings, UVM has implemented some new strategies such as an "Engage UVM" program and enhanced career services. Despite these initiatives, retention rates have only improved marginally since the study was conducted in 2011 (Johnson; "Retention Rates").

This thesis proposes that UVM consider aggregating its various student data into a data warehouse solution. Currently, student-related data are collected by dozens of offices and departments across campus, and these data sources operate completely independently of each other. There is no central repository of student-related data from sources such as Residential Life, Blackboard, Student Health Services, and Undergraduate Admissions. A data warehouse would integrate much of the student data across campus into a single centralized data store. Once these data are aggregated, data mining, the process of searching for patterns or systemic relationships across large amounts of data (“What is Data Mining?”), could help UVM determine which factors besides academic and financial standing influence a student’s likelihood to stay enrolled.

Many universities across the country have been using data mining solutions to improve student retention (“How Data Mining Helped”). For example, the University of Alabama used data mining techniques to determine that students who commuted to campus were more likely to withdraw from the university, and subsequently established a policy requiring all first-year students to live on campus (“Alabama”). Likewise, Sinclair Community College in Ohio used a data warehouse to determine that a combination of factors such as an income level below the poverty line, an undeclared major, and full-time employment made a student more likely to drop out (Little). As a result of these successes, more and more universities are implementing data warehouses in an attempt to raise their retention rates and lower their costs.

There is currently no system in place at UVM that helps to answer some of the questions that other universities have been asking, because UVM cannot easily access all the different sources of student-related data. There are likely factors that influence student retention at UVM that haven’t been considered. For example, what if living in a dorm room with a mountain view increases a student’s chances of returning to UVM their sophomore year? What if students who choose a points-based meal plan instead of an unlimited access plan are more likely to drop out? What if the number of times a student logs into Blackboard throughout the semester is directly correlated with retention? A data

warehouse that aggregates much of the student-related data across campus could help to provide the answers to these questions and many more. Being able to determine all of the elements that influence student retention would give UVM the power to take action and create policies that mitigate the impact of these factors. UVM could use these data to determine which first-year students may be at a high risk for dropping out, and work with these students to improve their experience before they choose to leave UVM.

Implementing a data warehouse at UVM would be a considerable task. First, UVM would need to determine all of the potentially relevant data sources to be pooled into the warehouse, and then make sure these various data sources are using consistent record-keeping procedures. Second, from the list of all relevant student-related data sources, a complete list of data fields would need to be generated, and a star schema design of the warehouse would be created as a design starting point. Finally, once the warehouse has been designed, UVM would need to calculate the financial implications of completing such a large project. This requires a dedicated team of employees to manage the establishment and implementation of the data warehouse.

Though building a data warehouse requires a large investment of both time and financial capital, this tool would give decision-makers at UVM the power to analyze many different factors influencing a student's likelihood to withdraw from UVM. If the university is able to identify at-risk students early on in their university career, they may be able to prevent students from dropping out before the decision has even been made by the student. Improved student retention translates to a cost savings for UVM, as well as a better reputation among public universities. While the costs associated with a data warehouse are non-trivial, a data warehouse would likely be a worthwhile investment for many years to come, as it has the potential to have a major positive impact on the student retention rate at UVM. If UVM intends to place so much emphasis on student retention, the university needs to improve its ability to readily access and analyze the student data it collects.

DATABASE AND DATA WAREHOUSE TERMINOLOGY

At an academic institution like a university, an abundance of data is constantly being collected. Every time a student signs up for a class, joins a club, or purchases lunch at a dining hall, a log of that event is typically recorded. The amount of data a university collects about each student over their college tenure is immense, and includes information related to academic records, health records, financial aid information, residential living assignments, campus activity involvement, and much more. Most of the data that are collected across university campuses are organized and then stored in one or more digital databases.

A *database* is an organized collection of data. One of the most widely used types of database is the *relational database*, which uses the relational model of data first proposed by E.F. Codd in 1970. In a relational database, data are organized into a number of data tables. Related data fields are linked together with a *key*, which establishes a relationship between two separate tables of data (Codd). The relationships between tables are maintained as data are added or deleted from the tables, which makes relational databases easily scalable. An important element of relational databases is the *metadata* that accompanies the data tables; metadata, or “data about data”, specifies data types and data structures that are allowed in each field of the table. Data types can vary from Boolean values, integers, or character strings, so it is important to clarify what type of data is expected in each of the data fields to maximize efficiency and consistency (“Metadata”). The nature of relational databases reduces redundancy in data and makes adding, editing, and deleting data very efficient (Codd).

In the late 1980’s, IBM researchers Barry Devlin and Paul Murphy developed the concept of a *data warehouse*. Their idea was to provide a model for the flow of information from various operational databases to an environment that could be used for decision support. Before this concept, large organizations often had multiple decision support environments with separate sets of data, and there was an abundance of redundancy between them (Roebuck). A data warehouse addresses these problems of redundancy by pooling all of an organization’s databases into just one central data store.

Data warehouses can be used for the process of *data mining*, discovering patterns and relationships in large data sets. Data mining is typically an automatic or semi-automatic task carried out by a data warehouse using statistical analysis techniques (“What is Data Mining?”). Data mining is incredibly useful in decision support situations, as the user is able to see the impact of a decision on many factors. A diagram of a simple data warehouse can be seen in Figure 1.




Figure 1. Data Warehouse Diagram. In a data warehouse, the information from several databases is aggregated into one principal data store. The data from the warehouse can then be used for data mining and analytics.

Unlike a relational database, which provides a snapshot of the current state of a subject and is constantly changing, data warehouses can provide powerful predictive modeling abilities. A comprehensive data warehouse is *subject-oriented*, *integrated*, *time-variant*, and *non-volatile* (Inmon). Those four key elements can be defined in the following ways:

- **Subject-oriented:** All of the information in the data warehouse addresses a particular topic. Any databases containing data on this topic are aggregated into the data warehouse.

- Integrated: The data in a warehouse are integrated from many different databases in order to be the most useful decision-making tool possible.
- Time-variant: The data stored in a warehouse are across a period of time, rather than a snapshot at a current point in time. Time information can be stored as metadata with each record.
- Non-volatile: A data warehouse is kept separate from the databases it aggregates and does not update as frequently as an operational database would. Additionally, old data are not erased when new data are added, unless an expiration rule is configured for that data warehouse.

Although both a database and a data warehouse are collections of data, data warehouses and databases are structured very differently. This distinction is necessary due to the different purposes of databases and data warehouses; databases are optimized for adding, editing, and deleting data, as databases are frequently used in operational contexts. In contrast, data warehouses are mainly used for decision support, and are therefore optimized for reading and compiling data.

The simplest style of data warehouse schema is the *star schema*. In a star schema, a data warehouse aggregates most of the data into one main table, called the *fact table*. Depending on the nature of the data warehouse, there may also be several *dimension tables* related to the fact table; dimension tables and fact tables are related to each other using keys, in a manner similar to how data tables are related to each other in a relational database (“Schemas”). Dimension tables are a valuable addition to a data warehouse when there is a collection of data related to an attribute that does not vary. A star schema diagram can be seen in Figure 2. A *snowflake schema* is an extension of the star schema, where each dimension table can have several more tables related to it. Snowflake schema are more advanced and require additional maintenance efforts, so they are best suited for situations where the data complexity levels requires a more expansive architecture (“Snowflake Schema”).




Figure 2. Star Schema Diagram. In a typical data warehouse implemented with the star schema, most of the data attributes are stored in the fact table. There can also be smaller dimension tables related to the fact table.

STUDENT DATA AT UVM

Currently at UVM, there are a multitude of departments and offices that collect student data. Throughout an undergraduate student's years at UVM, thousands of data records are collected and logged. Elements of a student's profile and experience such as residential living assignments, grades and GPA, extracurricular enrollment, parking citations, and many more are all currently recorded in different databases around campus. Some of these databases overlap with each other in multiple ways by storing the same basic information about students, including student ID number (95 number), name, and contact information. Simultaneously, there is a huge disconnect in the data stored in these separate databases. Many pieces of student information are only accessible through one specific office or department's database. Figure 3 shows how these data sources are geographically dispersed across UVM's large campus.




Figure 3. UVM Data Sources Across Campus. This map shows some of the important student-related offices that are currently disjointed and spread out across campus. While these data sources are widely scattered, there is also plenty of data redundancy present between them.

(“University of Vermont Campus Map”)

Despite the vast amount of student data collected across the UVM campus, there has been little effort to aggregate these disconnected databases into a centralized data warehouse. There is presently no decision support environment that allows data mining of all student data at the same time (“UVM Office”). Due to the extensive volume of student-related data across campus, aggregating these data would be a major project for UVM to undertake. But the large quantity of data also means there is a big opportunity for UVM to learn more about how aspects of a student’s time at UVM impact each other. If UVM were to implement a data warehouse solution, it would give administrators a powerful insight into the relationships between different pieces of a student’s experience. These insights could help the

university improve its reputation, increase student satisfaction, or reduce costs. An ideal application of a data warehouse would be improving the student retention rate at UVM.

STUDENT RETENTION AT UVM

A university's retention rate goes beyond student satisfaction – it can also have a significant influence on a school's reputation. Retention rates are factored into university rankings by U.S. News & World Report and other organizations, which are widely regarded as trustworthy and unbiased. The retention rate is also usually posted on a university's profile page on websites such as CollegeBoard and CollegeView (Bigfuture, Collegeview). These rankings and statistics related to retention can be important considerations for students when they begin to apply for college.

The financial impact of an increase in student retention is also very important. A quick, back-of-the-envelope calculation using UVM's current cost of tuition and average financial aid packages can show just how large the increases in revenue can be. For undergraduate students at UVM, the average cost of tuition and fees across both in-state and out of state students is approximately \$45,862 ("University of Vermont Undergraduate Tuition"). The university also provides an average financial package of \$24,308 to each student (Bigfuture). This means that the average undergraduate student pays \$21,554 to UVM each year. With approximately 2,300 students in the first-year class, this means that an increase of just 1% in student retention translates to a \$495,742 increase in revenue. If UVM were to achieve retention improvement beyond 1%, the revenues would continue to grow.

To create a benchmark for various college performance factors, UVM has developed a list of self-identified peer and aspirant public universities based on similarity of academic units ("Academic"). This benchmark allows UVM to make comparisons to and among other universities on criteria such as acceptance rate, tuition cost, and retention rate. UVM's thirteen peer universities are schools with a similar level of academic quality and reputation to UVM. Its seven aspirant universities were selected for

offering a high quality education, having a strong public reputation, and promoting a similar mission to UVM (“A Benchmarking Study”).

Of UVM’s thirteen self-identified peer institutions, seven have a higher first-year retention rate than UVM. More importantly, of UVM’s seven aspirant institutions, six have a significantly higher first-year retention rate. These findings can be seen in Table 1.

Institution	Peer/Aspirant	First-Year Retention Rate
University of Vermont	n/a	85.8%
Clemson University	Peer	90.5%
Kansas State University	Peer	81.0%
Miami University – Oxford	Peer	89.3%
Oklahoma State University-Main Campus	Peer	79.0%
SUNY at Albany	Peer	84.3%
SUNY at Binghamton	Peer	91.0%
University of Connecticut	Peer	93.0%
University of Delaware	Peer	92.3%
University of Maine	Peer	78.5%
University of Massachusetts – Amherst	Peer	88.8%
University of New Hampshire - Main Campus	Peer	87.0%
University of Rhode Island	Peer	81.0%
Washington State University	Peer	82.0%
College of William and Mary	Aspirant	95.5%
Pennsylvania State University - Main Campus	Aspirant	92.0%
University of Colorado at Boulder	Aspirant	84.5%
University of Michigan - Ann Arbor	Aspirant	96.5%
University of North Carolina at Chapel Hill	Aspirant	96.8%
University of Virginia - Main Campus	Aspirant	96.8%
University of Wisconsin – Madison	Aspirant	94.8%

Table 1. Student Retention Rates at UVM’s Peer and Aspirant Universities. This table includes all of UVM’s thirteen peer and seven aspirant schools. The gray rows signify universities with a higher first-year retention rate than that of UVM. All retention rate figure were gathered from U.S. News & World Report.

In 2011, UVM worked with education consulting firm Art & Science Group, LLC to determine ways in which it could improve its retention rate. The steps in this study included conducting on-campus interviews with students, faculty, staff, and administrators; conducting twenty-five detailed phone

interviews with students who had left the university; collecting key data from various sources on campus; and compiling the aforementioned information into a report (“University of Vermont Retention”).

The 2011 study concluded that the biggest reasons students withdrew from the university were academic factors. Students rated the academic factors of UVM as more significant than any other factors. Academic issues for many students included lack of challenge or rigor in coursework and limited academic opportunities in their desired field. The study also found that UVM students were generally satisfied with social and non-academic factors of UVM life, including proximity to nature and outdoor recreation, access to campus clubs and activities, and quality of life in Burlington (“University of Vermont Retention”).

Financial considerations also play a part in students leaving the university; the value of a UVM education was rated very low compared to other criteria, and only one fifth of students stated they could easily afford UVM’s tuition. The study found additional factors, but attributed most retention issues to academic and financial considerations.

The study recommended that UVM focus on several action steps moving forward, including:

- Creating a program branded as “Engage UVM” that encourages student and faculty collaboration and involvement;
- Enhance on-campus career services and integrate these with the Engage UVM program;
- Develop a way to identify at-risk students early on in their college career in order to prevent withdrawals before they are seriously considered.

Though UVM has followed most of the recommendations of the 2011 study, the university’s retention rate have only slightly increased over the past four years, and UVM is still lagging with respect to retention rates behind its aspirant universities. The two biggest factors affecting student retention at UVM, academic rigor and cost, are not easily rectifiable. An increase in academic quality could translate to higher costs for the university, and consequently higher tuition. As one of the most expensive public universities in the country (“10”), UVM knows its students might not stand for an even higher price of

education. If UVM is hoping to improve retention without increasing tuition costs, the administration will have to be creative in its methods.

One obvious bias in the 2011 study was that most of the data compiled were self-reported. While some of the data were collected from record-keeping databases on campus, this was not the focus of the data collection effort, and it is not exactly clear which data sources were used. The majority of the information used by the Art & Science Group was gathered via student interviews and surveys. Because of inherent biases, self-reported data are not usually as accurate as impartial record-keeping (“The Dangers”). In a study of this nature, self-reporting is also troubling because it may be difficult for students to identify exactly what motivated them to withdraw from the university when many factors are at play. It may also be difficult to know how their feelings would have changed if they had taken different actions while a student. For example, maybe a student would have ultimately stayed at UVM if they had had fewer roommates or had visited the gym more frequently; it is often impossible to know how a different path would have affected their desire to continue at UVM.

One important recommendation of the 2011 study was for UVM to identify at-risk students early, ideally within their first semester, in order to curb withdrawals before students have already made the decision to leave (“University of Vermont Retention”). There is currently no system in place at the university that enables at-risk students to be identified. Establishing a data warehouse of all student-related data would allow administrators to use data mining to see the patterns in behavior of students who choose to leave UVM. While students have self-reported that academic and financial considerations were their biggest reasons for withdrawing, there may be other factors or a combination of factors increasing their motivation to leave.

Mining several years of student data could help the university to identify patterns or relationships between different elements of a student’s UVM experience and their choice to stay or leave. There may be factors that influence student retention related to not only a student’s financial or academic experience, but also their living arrangement, health center visits, schedule type, athletic facility use, and much more.

Creating a comprehensive data warehouse of all student data is the only way to get the complete picture of what makes a student choose not to return to UVM.

DATA WAREHOUSES AT OTHER ACADEMIC INSTITUTIONS

Multiple universities across the country have started to implement data warehouse solutions for reporting and decision-making purposes. Many of these schools have found success identifying risk factors of withdrawal. At the University of Alabama, for example, students in a data-mining course worked with the data analytics company SAS to improve enrollment rates at the university. One conclusion of their analysis was that students who commute to campus are more likely to withdraw. The University of Alabama developed strategies such as requiring all first-year students to live on campus and reaching out to at-risk students to participate in specialized programs on campus (“Alabama”). The university is now experiencing all-time high enrollment rates as their graduation rates grow.

Tiffin University in Ohio made similar strides after using data mining to create predictive models. Tiffin found that it was not just one factor that influenced retention; academic, financial, and social elements all influenced a student’s choice to leave the university. Their new analytical tools have allowed them to identify students at risk of dropping out and offer them personal mentors or automated email messages informing them of on-campus activities. In just five years, Tiffin’s retention rate increased from 51 percent to 63 percent (“How Data Mining Helped”).

Sinclair Community College in Dayton, OH established the Student Success Plan (SSP) in 2004 with the intention of improving student retention, and overall student experience. The SSP is a web-based management and reporting system that works much like a data warehouse. This system helped administrators determine four warning signs for at-risk students: placing out of developmental courses, income level below the poverty line, full-time employment, and an undecided major. When any of these indicators are triggered, an Individual Learning Plan is automatically generated for the student which involves course enrollment planning, personality testing, and tutor referrals. The SSP has been incredibly

successful, and retention rates at Sinclair are now over 93 percent, a staggeringly high number for a community college (Little).

Yet another example of utilizing data mining to improve retention can be seen at Purdue University. The university has developed a program called “Signals” that identifies students at risk of withdrawal using a number of criteria and notifies the student if they are green (low risk), yellow (potential risk), or red (high risk). Professors are able to send custom emails to students in each risk group, helping yellow and red students access campus support services. Unlike other universities who maintain a student’s withdrawal risk level as confidential, Purdue students can see their signal color through their Blackboard portal, encouraging them to stay on track (“How Data Mining Helped”).

Like most public universities, UVM has numerous databases across various departments and organizations. While it is not unusual for universities to have many databases, UVM may be at a disadvantage in the way it manages its core student data. Most large public universities rely on a single software system to manage academic and administrative student data. This would mean that information such as a student’s name, address, and financial aid is accessible through the same user interface as that student’s GPA, class schedule, and transcript. UVM has a slightly more complicated system, using both PeopleSoft and their Banner environment for core student data (“UVM Business Process”). Separating this information, along with many of the other secondary databases on campus, poses a further logistical hurdle for the university to implement a data warehouse.

As creating a data warehouse can be expensive and time-consuming, many universities are choosing to use off-the-shelf data warehousing solutions from companies like Oracle or SAS. These companies are able to offer advanced, thorough solutions that require little customization from the university. Oracle, for example, offers cloud-based management for the consolidation of many warehouses. These solutions also pride themselves on being incredibly secure and reliable, with little downtime for end users. For universities that don’t have a lot of experience with data warehouses and data mining, an off-the-shelf solution is an easy way to get a warehouse established quickly (“Oracle”).

PREPARING FOR A DATA WAREHOUSE AT UVM

Due to the extensive amount of student data collected around UVM's campus, designing and establishing a thorough data warehouse would be a very time-intensive project. It's important for the university to carefully consider every decision along the way to ensure the success of such a project. One of the first, and most important, steps in a data warehousing project is to determine the business objectives of the project (Walls). This thesis focuses on creating a data warehouse for the purpose of improving student retention, but UVM may decide to utilize the data mining capabilities for other objectives, too. Some schools, like Ball State University in Indiana, have been using data mining to reward students who participate in certain on-campus activities tracked by a custom mobile app. Georgia State University has been using data analysis to run their "major matcher" system, which advises students which major they may be likely succeed in based on their previous grades (Blumenstyk). Decision-makers at UVM would need to determine all of their motives for collecting student-related data into a data warehouse.

The next step in creating a data warehouse at UVM would be to compile a complete list of all of the offices and departments managing student-related data on campus. As many of the student-related data sources are spread out across campus, all of the databases containing student data would need to be compiled to guarantee the completeness of this project. Interviews and consultations with different offices on campus would likely be required to ensure that no data were missed. After conducting several interviews and researching the different divisions of UVM, a preliminary list of all student-related offices has been created, as can be seen in Table 2.

Student-Related Data Sources at UVM		
Banner	Office of the Registrar	ACCESS Office
Blackboard	Campus Recreation Office	CatCard Office
Department of Student Life	Police Services	Residential Life
Police Services	Student Financial Services	Student Health Services
Transportation & Parking Services	Undergraduate Admissions	Office of International Education

Table 2. Preliminary List of Student-Related Data Sources. This table shows a tentative list of all offices and departments at UVM that collect student-related data. This list would be reviewed by university administration to ensure it is thorough and complete before moving forward with the creation of the data warehouse. Note: these sources are not listed in any particular order.

Compiling data from so many sources that have been operating independently for many years would likely present some challenges. To minimize disruption of employees' normal work flow, the intention of this project would be to make as few changes as possible to the data entry and management processes of data managers. The goal of the project is that a data warehouse would provide beneficial data mining abilities without substantially disrupting the current operations of so many departments. With that being said, some level of standardization would be required in the data sources before being compiled into the data warehouse.

One potential major difficulty associated with this project would be the different record-keeping software that departments currently use to manage their student data. Because all of the student-related departments have operated independently for so many years, the different departments use a variety of methods for logging their data. Some departments store their records in a spreadsheet using an application like Microsoft Excel. Data stored in a spreadsheet or plain text format are sometimes referred to as *flat files* due to their lack of structured relationships ("Flat File"). Other departments on campus use Microsoft Access, a basic database management system, to store their data. Microsoft Access has simple relational database capabilities, but is not as robust as some enterprise-level database management systems. Some departments use Banner, an enterprise resources planning system designed by Ellucian specifically for higher education. Banner has many capabilities beyond a rudimentary database system and even has some data mining potential built-in (Ellucian).

A crucial requirement for moving forward with this project would be to ensure that all of the data sources feeding into the data warehouse are managing their own data in a somewhat homogenous method, most likely using a relational database model. It is not possible to aggregate all of the data into a warehouse if they are being collected in vastly different ways. Proposing a change in data collection methods for these different student-related departments may be met with resistance from some groups on campus; this will be discussed in more detail in the Risks & Obstacles section of this thesis.

Beyond ensuring that all of the feeding data sources are recording their data in a consistent matter, another layer of standardization would have to take place. *Data cleansing* is a key step in preparing data for mining in a data warehouse. Data cleansing often takes place after the data have been collected from the various sources, which means cleansing has little to no impact on the normal routines of student-related departments. It is possible for a database administrator to cleanse data manually, by reading through entries in the databases and looking for inconsistencies, mistakes, and redundancies; for large amounts of data, this is very time consuming. Fortunately, there are software solutions available that perform the data cleansing automatically, saving a database administrator a lot of time. These software data cleansers use tools such as rules, algorithms, and look-up tables to correct mistakes in records (Rouse). Figure 4 shows a simple example of data before and after cleansing.

First Name	Last Name	Phone Number	Date of Birth
amy	acker	4089880150	March 8 1987
Ronald M.	Brown	423-488-1244	7/12/79
Mary	Scott	804-4979595	12/4/1996

↓ Data Cleansing

First Name	Last Name	Phone Number	Date of Birth
Amy	Acker	408-988-0150	03/08/1987
Ronald	Brown	423-488-1244	07/12/1979
Mary	Scott	804-497-9595	12/04/1996

Figure 4. Example of Data Cleansing. Cleansing these data helped remove inconsistencies in the format. The new data table has consistent capitalization, phone number format, and date format; also, the middle initial was removed from one of the names for uniformity.

DATA WAREHOUSE DESIGN AND SCHEMA

After all of the data preparations have been completed, the design of the data warehouse is to be considered. One of the first steps in the design process is to choose a schema for the data warehouse to follow. In this thesis, a star schema is used for the development of the warehouse model. For this schema, there is not a substantial need for the dimension tables in the data warehouse to be normalized into additional tables, like in a snowflake schema. This will be demonstrated with the complete list of data fields below. For this reason, a star schema was selected for this data warehouse design.

Another key decision is the level of granularity to be used in the fact table. In a data warehouse, *granularity* is the lowest level of information that can be stored (“Fact”). For this project, it’s clear that the data warehouse should capture data on an individual student level, as opposed to by major or graduating class. A bigger question is the level of granularity resolution for time. Is it necessary to record student information on a weekly basis? Is an annual record frequent enough? Given the nature of the data being collected and the goal being to improve student retention, a time granularity of one semester has

been selected for this data warehouse. Much of the student data such as dining plan, residential hall assignment, and parking citations change semesterly. There may be benefits to designing the warehouse on another granularity level, such as further separating records by course, but the student-semester level of granularity is the most appropriate for the majority of the data being collected. The data warehouse will partition information based on a specific student/semester combination.

When preparing to create the data warehouse, a preliminary collection of all data sources was gathered. From this collection, a preliminary list of all relevant data fields to be used in the warehouse can be developed. This list of data fields includes all of the elements of student-related data (and some semester-related data) that would be appropriate to include in the data warehouse. Similar to the list of data sources that was created in the preparation steps, this list of data fields may have some omissions; it would be important for UVM administrators to validate the completeness of the list of data fields before moving forward with the data warehouse process. The name, data type, source, and description of each of the data sources can be seen in Table 3.

Field Name	Data Type	Data Source	Description
<u>Student_ID</u>	INTEGER	Banner	Student's ID number (often referred to as 95 number)
<u>Semester_ID</u>	VARCHAR	Office of the Registrar	Alphanumeric indication of the semester (Example: FA12, SP15)
ACCESS	BOOLEAN	ACCESS Office	This field will be True if the student utilizes any of the ACCESS services through the Academic Success Office, and False if they do not.
Major	VARCHAR	Banner	Student's academic major
Minor	VARCHAR	Banner	Student's academic minor
ACE	SMALLINT	Banner	A student's ACE score is an estimate of their ability to succeed in college based on several factors including high school class rank, standardized test scores, and high school index.
SAT	SMALLINT	Banner	Student's SAT score (this field may be blank if the student did not send SAT scores to UVM)
ACT	SMALLINT	Banner	Student's ACT score (this field may be blank if the student did not send ACT scores to UVM)
Home_Zip_Code	SMALLINT	Banner	Student's home zip code when they first enrolled at UVM
Cum_Gpa	DECIMAL	Banner	Student's cumulative GPA from all semesters
Semester_GPA	DECIMAL	Banner	Student's semester GPA
Class_Standing	VARCHAR	Banner	Student's credit-based class standing at the beginning of the semester (this may be different from the number of years they have been enrolled at UVM)
Semester_Credits	SMALLINT	Banner	The number of credits the student is enrolled in

As	SMALLINT	Banner	The number of A's the student received as final grades
Bs	SMALLINT	Banner	The number of B's the student received as final grades
Cs	SMALLINT	Banner	The number of C's the student received as final grades
Ds	SMALLINT	Banner	The number of D's the student received as final grades
Fs	SMALLINT	Banner	The number of F's the student received as final grades
Ws	SMALLINT	Banner	The number of courses the student withdrew from
First_Course_Registration_Delay	INTEGER	Banner	The number of minutes after the course registration period opened that the student registered for their first course (This value may be affected by holds on a student's account, along with a student choosing to register at a later time)
Schedule_Type_Code	SMALLINT	Banner	This field expresses the general arrangement of the student's academic schedule. This field would require the creation of several classes of schedule format. Some of these classes could include: -Mostly MWF classes -Mostly TR classes -Even distribution of classes through the week
Average_Course_Evaluation_Ratings	DECIMAL	Banner	The field is the mean of the average course evaluation ratings for all of the student's currently enrolled classes. It would only be possible to capture these data if the Banner system were to offer a standardized course evaluation system to all first-year students. Implementing such a system would be of great value to a data warehousing project like this.
Blackboard_Average_Weekly_Logins	SMALLINT	Blackboard	The average number of times per week that the student logs into their Blackboard portal
Intramural_Sport_Enrollment	SMALLINT	Campus Recreation Office	The number of intramural sports teams the student is enrolled in
Group_Fitness_Pass	BOOLEAN	Campus Recreation Office	This field will be True if the student has purchased a group fitness pass through the Campus Recreation Office, and False if they have not.
Athletic_Facility_Use	SMALLINT	CatCard Office	The number of times a student used their CatCard to access campus athletic facilities in the Patrick Gymnasium
Out_Of_Business_Hours_Academic_Building_Use	SMALLINT	CatCard Office	The number of times a student used their CatCard to access campus academic buildings after hours
Club_Enrollment	SMALLINT	Department of Student Life	The number of SGA-sponsored clubs a student is enrolled in
Studied_Abroad	BOOLEAN	Office of International Education	This field will be True if the student has studied abroad in this or any previous semester at UVM, and False if the student has not.
Season_Fall	BOOLEAN	Office of the Registrar	This field will be True if the season of the semester is fall, and False if the season of the semester is spring.
Weeks_After_Thanksgiving	SMALLINT	Office of the Registrar	Due to changes in the Gregorian calendar, some fall semesters are scheduled so there is one full week of class between Thanksgiving break and final exams, and other semesters have two full weeks between Thanksgiving break and the start

			of finals. This field expresses how many full weeks of classes take place between Thanksgiving break and the start of final exams. (This field is null if Season_Fall is False).
Start_Before_MLK_Day	BOOLEAN	Office of the Registrar	Due to changes in the Gregorian calendar, some spring semesters are scheduled so Martin Luther King Jr. day takes place before classes start, and other semesters have Martin Luther King Jr. day taking place one week after classes start. This field will be True if classes begin before Martin Luther King Jr. Day, and False if classes begin after the holiday. (This field is null if Season_Fall is True).
Police_Alcohol_Citations	SMALLINT	Police Services	This field expresses the number of alcohol-related citations a student has received from Campus Police Services.
Police_Drug_Citations	SMALLINT	Police Services	This field expresses the number of drug-related citations a student has received from Campus Police Services.
Police_Vandalism_Citations	SMALLINT	Police Services	This field expresses the number of vandalism-related citations a student has received from Campus Police Services.
Police_Other_Citations	SMALLINT	Police Services	This field expresses the number of other citations a student has received from Campus Police Services.
Meal_Plan_Code	INTEGER	Residential Life	UVM currently offers three meal plans to on-campus students: 1. Residential Dining Unlimited Access plus 325 points and 3 guest meals 2. Residential Dining Unlimited Access plus 100 points and 3 guest meals 3. 1366 points and 25 meals at Residential Dining Facilities This field expresses which of the three meal plans the student has purchased with the number 1, 2, or 3. (For students who live off-campus without a residential dining plan, this field will hold 0).
On_Campus_Residence	BOOLEAN	Residential Life	This field will be True if the student lives in a UVM residence hall, and False if the student lives off campus.
Roommates	SMALLINT	Residential Life	The number of roommates a student shares their room with (this field will be null if On_Campus_Residence is False)
Residential_Hall	VARCHAR	Residential Life	The residence hall that a student lives in (this field will be null if On_Campus_Residence is False)
Room_Number	VARCHAR	Residential Life	The room number of the student's residential hall room (this field will be null if On_Campus_Residence is False)
Floor	SMALLINT	Residential Life	The floor of the student's residential hall room (this field will be null if On_Campus_Residence is False)
View_Category_Code	VARCHAR	Residential Life	There is currently no metric in place to assess the quality of the view from a student's residential hall room. This field would require the creation of several classes of a room's view. Each room on campus would need to be assigned a view category, such as: -Mountain View -Green/Grass View

			-Parking Lot View -Building View etc. (this field will be null if On_Campus_Residence is False)
ResLife_Alcohol_Citations	SMALLINT	Residential Life	This field expresses the number of alcohol-related citations a student has received from their Resident Advisor or another employee in their residential hall.
ResLife_Drug_Citations	SMALLINT	Residential Life	This field expresses the number of drug-related citations a student has received from their Resident Advisor or another employee in their residential hall.
ResLife_Vandalism_Citations	SMALLINT	Residential Life	This field expresses the number of vandalism-related citations a student has received from their Resident Advisor or another employee in their residential hall.
ResLife_Other_Citations	SMALLINT	Residential Life	This field expresses the number of other citations a student has received from their Resident Advisor or another employee in their residential hall.
Scholarship_Value	INTEGER	Student Financial Services	The total monetary value of the student's merit-based scholarships
Financial_Aid_Value	INTEGER	Student Financial Services	The total monetary value of the student's financial aid package
Health_Center_Visits	SMALLINT	Student Health Services	The number of times the student visited an on-campus health clinic
Parking_Citations	SMALLINT	Transportation & Parking Services	The number of parking-related citations a student has received from Transportation & Parking Services
Parking_Permit	BOOLEAN	Transportation & Parking Services	This field will be True if the student has purchased an on-campus parking permit from Transportation & Parking Services, and False if they have not.
Early_Action_Application	BOOLEAN	Undergraduate Admissions	This field will be True if the student applied to UVM by the early action deadline, and False if the student did not.
Returning	BOOLEAN	Banner	This field will be True if the student is returning to UVM the next semester, and False if the student is not. The value of this field will be determined by whether or not a student has notified their academic dean that they are not returning.

Table 3. Data Fields to be Included in the Data Warehouse. This table contains the name, data type, data source, and a brief description of each of the data fields to be included in the data warehouse. This list is preliminary, and may be missing some key data fields; it would be important to ensure the entirety of this list before moving forward.

In creating the list of all data fields, certain fields stand out as making more sense being placed in a dimension table. There are certain fields related to a semester, such as Start_Before_MLK_Day and Weeks_After_Thanksgiving that are always constant with a single Semester_ID. Likewise, there are

fields related to a student and to a residential room that do not need to be included in every entry to the data warehouse. For these reasons, this thesis proposes that the data warehouse contain three dimension tables: dimSemester, dimStudent, and dimRoom. There does not appear to be a need to normalize any data into additional tables off of the dimension tables, so the design will contain one fact table and three dimension tables.

Using the list of all data fields and the star schema, an entity-relationship diagram was created to model this data warehouse, as can be seen in Figure 5. The fact table has two primary keys, Student_ID and Semester_ID, as this data warehouse operates on a student-semester level of granularity. The three dimension tables – dimStudent, dimSemester, and dimRoom – include fields that do not change when the foreign key remains constant.




Figure 5. Entity-Relationship Diagram. The ERD for this data warehouse includes a fact table and three dimension tables.

FINANCIAL AND LOGISTICAL CONSIDERATIONS

One of the more daunting implications of such a major project is the financial capital required for such an investment. Creating a data warehouse to improve student retention may have a positive long-term impact on the financial state of UVM. However, it does not change the fact that a high level of initial costs, as well as some recurring costs, are expected. Financial limitations are likely a major reason that UVM has not yet implemented a data warehouse at this time.

The costs related to creating a data warehouse can be divided into two categories: one time and recurring. The one-time costs are typically much higher than recurring costs, given the scalability of a data warehouse once it has been established. However, maintaining a heavily-used, widely-accessed system always carries some expenses. A summary of some anticipated costs can be seen in Table 4.

One-Time Costs	Recurring Costs
Hardware Software Data warehouse design Integration programs DBMS Definition and protocol establishments	Hardware maintenance Software maintenance Refreshment Data model maintenance Archiving data Maintenance of meta-data User support

Table 4. Costs Related to a Data Warehouse Solution. Costs associated with a data warehouse can be classified as either one-time or recurring.

The financial implications of a data warehouse don't have to be all bad for UVM. The data mining capabilities of a thorough and complete data warehouse are incredibly valuable in decision-making for the university. The ability to identify factors that influence a student to drop out gives UVM the power to make changes to its operations that could directly impact student retention. The creation of a data warehouse would definitely be an investment for UVM; though the up-front costs are high, UVM could see much bigger positive financial impacts in the years to follow. UVM should weigh their

commitment to student retention versus data warehousing costs when deciding whether or not a data warehouse is worth the financial investment.

An important logistical matter to consider in this project is the team of people that is required to create and maintain the data warehouse. A project of this scope would require employees in a variety of roles, including project managers, database administrators, quality assurance specialists, and IT specialists to dedicate their time to the data warehouse. UVM could consider three main options for the staffing of this project:

1. Employing a team from an existing UVM department, like the Office of Institutional Research, to take on this project;
2. Hiring a new team from outside of UVM to create a new Data Warehouse Management Office;
3. Enlist a third-party company like Oracle to create, maintain, and support the data warehouse environment.

Based on the size of this project, Option 3 may be the best choice for UVM to pursue. Finding a team with the available resources to manage such a big project would be very challenging, and hiring a new set of employees to handle the project is another time-consuming task that could lead to a lot of unknowns. Because UVM's data warehouse needs are not uncommon or unusual for a well-established organization specializing in data warehouse applications, this project would be well-suited to a third party team who could provide a well-tested off-the-shelf solution. This option reduces the stress of this project for UVM while still ensuring that it will be completed to the highest level of quality possible.

It is of value to note that UVM currently hosts a lot of its data remotely, at a secure off-site data center. This data center provides a high level of data security and reliability; its geographic location puts it at low risk for natural disasters, and two underground cable routes lead data from the warehouse safely back to campus. If UVM chose to manage its own hardware for this project, its current data center would be a great resource in ensuring the reliability of the data warehouse.

OPPORTUNITIES FOR EXPANSION

Although the proposal in this thesis would act as a comprehensive starting point for the implementation of a data warehouse, there are always ways that the project could be expanded to provide even more value to UVM. The biggest opportunity to enhance this project would be to design the data warehouse to operate at a lower level of granularity. The current model proposes that the warehouse operate at a student-semester level, but additional insights could be gained from data mining if the warehouse also tracked data on a course level. In other words, the warehouse would operate at a student-semester-course level.

An additional level of course granularity would be able to determine how a student's enrollment or performance in a particular class impacts student retention. The current model is only able to count how many A's, B's, C's, etc. a student receives throughout a semester. There is not a way to consider the impact of a precise course on the student's likelihood to stay at UVM. For example, maybe enrolling in a particular class makes a student more likely to return to UVM the next semester. Perhaps taking a different class has the adverse effect, lowering a student's interest in continuing at UVM. This information would be incredibly valuable in evaluating the quality of courses offered at UVM, and would not be available at the semester level granularity.

Working at the course of granularity opens the door for other possibilities, too. Table 3 included a field entitled "Average_Course_Evaluation_Ratings", the mean of all of the average course evaluation scores for a student's semester. There is currently not a way to capture these data with UVM's course evaluation system, as there is no standardized evaluation process for all courses across all departments. If a standardized course evaluation system were to be implemented, a student-semester-course granularity level would be able to determine how the individual student's course evaluation score compared to the average from all students. Likewise, the "First_Course_Registration_Delay" field could be taken to the next level, and the data warehouse could capture the registration delay for each individual course, as opposed to just the first course the student registered for.

Adding a course level of granularity could provide important insights, but as discussed earlier, it does not make sense with the majority of the data fields included in the data warehouse. Fields such as Semester_GPA, Schedule_Type_Code, Parking_Citations, and Roommates would all remain the same across multiple courses. This would lead to an increase in redundant data in the warehouse. While it is recommended that UVM pursue the student-semester level of granularity for this project, additional levels should be considered for the sake of exhausting all possibilities.

RISKS AND OBSTACLES

In a project as large as this one, there are always risks to consider and obstacles to work around. To successfully implement this data warehouse, many teams and departments at UVM would need to be supportive of the project. One of the biggest risks identified would be a result of transitioning to a relatively standardized method of data collection at the level of the individuals departments or offices. This standardization is necessary to prepare all of the data across campus to be aggregated into the data warehouse. It is not possible to combine all of the sending data if they are in drastically different formats.

It's reasonable to anticipate that some of the data managers of the various departments on campus would be hesitant to change their normal procedures in order to conform to the new data warehousing guidelines. If a department had been using Excel to collect and organize their data for many years, transitioning to a relational database system would be a significant change to their customary routine. This could lead to a loss in productivity or recording accuracy for that department as they adjust to the new data standards.

Risks of this nature are certainly typical for projects like this, but there are ways to mitigate the harshness of the conversion. A key element of this project would be to prioritize communicating with the relevant departments and offices to make sure all affected employees are informed of what to expect. Giving staff a generous timeline to adjust to the new systems would also help make the transition go more smoothly. For employees who are intimidated by learning a new system, training session and support

could be made widely available. And while some change in behavior would be required for the implementation of this warehouse, it would be important to emphasize that the goal of this project is to affect current operations as little as possible.

Another considerable risk for this project would be gaining student, faculty, and community support in taking on such a costly endeavor. With one of the highest public university tuition rates in the country, UVM has faced backlash in the past for expenses seen as frivolous. A massive data warehouse project would almost certainly raise doubts in the university community about the value of such a large investment.

In order to gain campus and community-wide support the key again is in communication. While the establishment of a data warehouse would be an expensive endeavor, many universities have shown how powerful of a tool it can be in improving student retention, which can lead to cost savings for the university in the future. Presenting the data warehouse project as a long-term investment for UVM and the state of Vermont, which could ultimately save the university money and increase student satisfaction, would emphasize the true value of a project of this nature. It is possible that UVM may be able to reduce funds to other campus initiatives in order to put more funding toward the data warehouse project if the administration felt it were a worthwhile endeavor.

CONCLUSIONS AND DISCUSSIONS

The purpose of this thesis was to explore the technical and logistical implications of creating a data warehouse at UVM in an effort to improve the student retention rate. Though UVM is making efforts to improve its student retention, the university is struggling to raise their rates to be competitive with that of their aspirant universities. Initiatives up until this point have focused on collecting self-reported data from students who have already left the university. This thesis argues that those data may not be telling the full story of what causes students to withdraw from UVM. In order to consider a wide variety of factors contributing to student withdrawals, the university should create a data warehouse that combines data from a variety of databases and data sources across campus. Once these data has been aggregated,

data mining techniques can help reveal patterns or systemic relationships between certain elements of a student's UVM experience and their likelihood to withdraw.

The proposed solution emphasized the importance of including all student-related databases on campus in order to be as thorough as possible. The data warehouse cannot be considered complete until all elements of a student's time at UVM are collected. Data cleansing would need to take place before the warehouse is ready to be built. The thesis suggested implementing a star schema data warehouse model to organize all of the fields of student data across campus; the entity-relationship diagram presented a large fact table and three smaller dimension tables. UVM would also have to consider the financial implications and some logistical details of the warehousing process to ensure the procedure runs smoothly.

Though this thesis is purely hypothetical in nature, it can be used as a starting point if UVM chooses to consider implementing a data warehouse solution. Though establishing such a large data warehouse would be a major investment, other universities have shown how the power of data mining can directly translate to an increase in student retention, and ultimately, substantial cost savings for that school.

REFERENCES

- "10 Most Expensive Universities for Out-Of-State Students." *U.S. News & World Report*. N.p., 2 Dec. 2014. Web. 31 Mar. 2015.
- "2014 Retention/Completion Summary Tables." *ACT*. ACT, Inc., 2014. Web. 14 Mar. 2015.
- "Academic Calendar Configuration Guidelines Recommendation." *University of Vermont*. Student Affairs Committee, Faculty Senate, 12 Mar. 2015. Web. 22 Apr. 2015.
- "Alabama Posts Gains with Recruiting, Retention." *SAS*. N.p., n.d. Web. 13 Mar. 2015.
- "A Benchmarking Study Using Peer and Competitive Analysis." *University of Vermont*. Paulien & Associates, Inc., Aug. 2005. Web. 22 Apr. 2015.
- Blumenstyk, Goldie. "Blowing Off Class? We Know." *The New York Times*. The New York Times, 02 Dec. 2014. Web. 07 May 2015.
- Codd, E. F. "A Relational Model of Data for Large Shared Data Banks." *Communications of the ACM* 13.6 (1970): 377-87. Web. 6 May 2015.
- Culver, Tim. "Is Student Retention an Expense or an Investment?" *Noel Levitz*. N.p., 24 Mar. 2011. Web. 14 Mar. 2015.
- "The Dangers of Self-report." *Science for All Brainwaves*. British Science Association, 3 Mar. 2012. Web. 7 May 2015.
- Ellucian. *BANNER by Ellucian: The World's Leading Higher Education ERP System*. N.p.: Ellucian, 2014. Print.
- "Fact Table Granularity." *Ikeydata*. N.p., n.d. Web. 6 May 2015.
- "Flat File." *TechTerms.com*. N.p., n.d. Web. 7 May 2015.
- "How Data Mining Helped 11 Universities Improve Student Retention Strategies." *Hanover Research*. N.p., n.d. Web. 13 Mar. 2015.
- Inmon, William H., and Chuck Kelley. *Rdb/VMS: Developing the Data Warehouse*. N.p.: n.p., 1993. Print.

Johnson, Tim. "Retention and Academic Quality at UVM." *Tim Johnson's Vermont Higher Education Blog*. Burlington Free Press, 11 May 2011. Web. 23 May 2015.

Little, Russell. "The Student Success Plan: Case Management and Intervention Software." *EDUCAUSEreview*. N.p., 15 Dec. 2011. Web. 2 May 2015.

"Metadata Basics." *Dublin Core Metadata Initiative*. N.p., n.d. Web. 4 May 2015.

"National University Rankings." *U.S. News & World Report*. N.p., n.d. Web. 16 Mar. 2015.

"Oracle Database." *Oracle*. N.p., n.d. Web. 5 May 2015.

Raisman, Neal. "The Power of Retention." *University Business Magazine*. N.p., Jan. 2008. Web. 14 Mar. 2015.

"Retention Rates after One, Two, and Three Years for First-Time, Year Year Student Entering Fall 2004 to 2013." *Office of Institutional Research*. University of Vermont, n.d. Web. 14 Mar. 2015.

Roebuck, Kevin. *Data Warehousing: High-Impact Strategies - What You Need to Know: Definitions, Adoptions, Impact, Benefits, Maturity, Vendors*. N.p.: n.p., 2011. Print.

Rouse, Margaret. "Data Scrubbing (Data Cleansing)." *Tech Target Search Data Management*. N.p., n.d. Web. 6 May 2015.

"Schemas." *Oracle 8i Data Warehousing Guide*. Oracle, n.d. Web. 6 May 2015.

"Snowflake Schema." *Ikeydata*. N.p., n.d. Web. 6 May 2015.

"Student Success and Satisfaction at UVM." *University of Vermont*. N.p., n.d. Web. 23 Mar. 2015.

"University of Vermont." *Bigfuture*. CollegeBoard, n.d. Web. 05 May 2015.

"University of Vermont Campus Map 2010." *University of Vermont*. N.p.: n.p., 2010. N. pag. Print.

"University of Vermont." *CollegeView*. N.p., n.d. Web. 6 May 2015.

"University of Vermont Retention Study." Art & Science Group, LLC, 10 Feb. 2011. Web. 22 Mar. 2015.

"University of Vermont Undergraduate Tuition and Fees." *University of Vermont*. N.p., n.d. Web. 22 Apr. 2015.

"UVM Business Process Re-Engineering Team on Data Warehousing." Personal interview. 3 Oct. 2014.

"UVM Office of Institutional Research and a Potential Enterprise Data Warehouse." Personal interview. 5 Sept. 2014.

Walls, David, and Mark D. Scott. "7 Steps to Data Warehousing." *SQL Server Pro*. N.p., 20 Dec. 1999. Web. 4 May 2015.

"What Is Data Mining?" *Data Mining Concepts*. Oracle, n.d. Web. 2 May 2015.