



Virginia Commonwealth University
VCU Scholars Compass

CyanoNews

1997

CyanoNews (Vol. 13, No. 1, July 1997)

Jeff Elhai

Virginia Commonwealth University, elhaij@vcu.edu

Follow this and additional works at: <http://scholarscompass.vcu.edu/cyanonews>

 Part of the [Bacteriology Commons](#)

© The Author(s)

Downloaded from

<http://scholarscompass.vcu.edu/cyanonews/5>

This Bulletin is brought to you for free and open access by VCU Scholars Compass. It has been accepted for inclusion in CyanoNews by an authorized administrator of VCU Scholars Compass. For more information, please contact libcompass@vcu.edu.

CYANONEWS

Volume 13 Number 1 July 1997

CYANONEWS - a newsletter intended to provide cyanobacteriologists with a forum for rapid informal communication, unavailable through journals. Everything you read in this newsletter is contributed by readers like yourself. Published occasionally, two or three times per year.

SUBSCRIPTIONS - No charge for electronic version. \$10/year for hard copy (see address label for expiration date). See last page for details.

CONTRIBUTIONS - Expected every couple of years: a new result, an upcoming meeting or a summary of a past meeting, a post-doctoral opening, a new publication, a request for strains, a change of life... something. See last page for addresses you can send news to.

HOW TO FIND OUT MORE ABOUT SOMETHING YOU READ
Each news item contains, prominently displayed, the name of a contact person. A Directory of Cyanobacteriologists is distributed every two years or on request.

INSTRUCTIONS TO AUTHORS - Send news.

COPYRIGHT - This newsletter is not copyrighted and no rights are reserved. You are encouraged to reproduce or to transmit any part of this publication by whatever means at your disposal, no permission required.

BULLETIN BOARD

- * More cyanobacterial Web sites
- * Matters Arising: Culture collections, photosynthesis reference collection, new publications
- * Meetings
- * Positions offered

TRANSITIONS

NEWS

- * Phytochrome from *Synechocystis* characterized
- * Clues found to function of heterocyst regulator
- * Insecticidal protein from *Scytonema*
- * Unusual livestock poisonings in South Africa
- * Meeting Report: Internat'l Congress on Symbiosis

LATEST REFERENCES

BULLETIN BOARD*BULLETIN BOARD*BULLETIN BOARD*BULLETIN BOARD*BULLETIN BOARD*BULLETI

Cyanobacteria on the World Wide Web

The past couple of issues of *CyanoNews* have featured different sites on the world wide web having some relation to cyanobacteria. What follows is a continuation of what must be considered a highly incomplete listing. If you have run across a web site (maybe your own!) that describes some aspect of cyanobacteriology, please send it in.

CYANOSITE: In addition to useful protocols and other matters of cyanobacterial concern, Cyanosite now makes available a bibliography of references of interest to the cyanobacterially inclined. The list, called CyBib v1.0, contains 4148 references at last count, is downloadable in formats compatible with most platforms, and can be directly imported into commercial reference managing programs. It cannot at this time be searched directly at the web site. To download the bibliography, you must have UNZIP (or equivalent), a program that can bring compressed files back to their original form. Also, be warned that the file is huge, causing problems for those who are unable to receive large files.

<http://WWW-Cyanosite.Bio.Purdue.Edu>

TOXIC CYANOBACTERIA SITE: Ben Long is trying to expand the site to include a page devoted to common methods used in cyanotoxin research. If you have a protocol or method that you wish to share with others or ia request for help on a particular subject, contact Ben (FAX: 61-3-9479-1188; E-MAIL: BotBML @Lure.Latrobe.Edu.Au) and he'll post it on the web page.

<http://Luff.Latrobe.Edu.Au/~BotBML/Cyanotox.Html>

CYANOBASE SITE: The complete sequence of *Synechocystis* PCC 6803 is now available. So is much else regarding analysis of the sequence. You can scan the sequence on line, looking for regions similar to a sequence you submit.

<http://www.kazusa.or.jp/cyano/cyano.html>

RECONSTRUCTION OF SYNECHOCYSTIS: Those who want some help in wading through the 3.57 Mb sequence of *Synechocystis* (see CYANOBASE) might also pay a visit to a site put together by Natalia Maltsev and Bob Haselkorn. They have attempted to reconstruct the metabolic capabilities of *Synechocystis* through an analysis of its sequence. The site is still evolving, and anyone with additions or corrections is invited to submit them to Natalia (Maltsev@mcs.anl.gov).

Genes organized by metabolic function:
www.mcs.anl.gov/home/compbio/wit/Summaries/Synechocystis_sp./metabolism.html

Discussion of metabolic pathways:
www.mcs.anl.gov/home/compbio/wit/synechocystis.html

PASTEUR CULTURE COLLECTION: The PCC now has a web site describing strains within its collection.
<http://www.pasteur.fr/Bio/PCC/>

ALGAL TOXINS FORUM: The Foundation for Water Research/Algal Toxins Forum has as its aim to facilitate the coordination of research activity on algal toxins occurring in recreational and potable waters in the UK.
<http://www.atlas.co.uk/listons/algalttox.htm>

NUTRITIONAL ALGAE: Those interested in the nutritional uses of *Aphanizomenon flos-aquae* can pay a visit to a page featuring the comments of William Barry. Links from this page puts you in contact with other aspects, both medicinal and business.
<http://www.dnai.com/~algae/algae70.html>

Matters Arising

The 1997 Directory of Cyanobacteriologists is available in draft form from the FTP site given below. After a couple of months to allow additions and corrections to accumulate, a final version will be posted at the FTP site, CyanoSite, the Toxic Cyanobacteria site, and perhaps elsewhere.

FTP SITE: Cyanonew@Servax.Fiu.Edu
CYANOSITE: WWW-CyanoSite.Bio.Purdue.Edu
TOXIC CYANOBACTERIA SITE: Luff.Latrobe.Edu.Au/~BotBML/
Cyanotox.Html

.....
Micronostix, currently a private lab but soon to be a nonprofit foundation, is the brainchild of Norman Lazaroff. The foundation will obtain, maintain, and distribute cultures of axenic, photoinducible cyanobacteria. At present, most strains in the collection are Nostocales chosen for their abilities to form motile hormogonia in response to red-light and for their interesting morphogenetic characteristics. In addition, there are also antibiotic or regulatory mutants. If you think you might someday wish to avail yourself of the cultures in the collection, now is an excellent time to say so, since expressions of interest may be used to convince funding agencies to support the endeavor.

CONTACT: Norman Lazaroff, Micronostix, 312 Front St., Vestal, NY
13850 U.S.A. TEL/FAX: 1-607-785-3093;
E-MAIL: Nostoc@Bingvmb.Cc.Binghamton.Edu

.....
Uli Fischer has brought to our attention that there exists an extensive culture collection of unicellular and filamentous cyanobacteria (about 80 strains) at the Marine Microbiology Department at Bremen University. The organisms were isolated and enriched from German shallow coastal waters of the southern Baltic Sea. Characterization and classification of the isolates were done with axenic cultures.

CONTACT: Uli Fischer, Universität Bremen, FB2, Zentrum für
Umweltforschung und Technologie, Abteilung Marine
Mikrobiologie, Leobener Strasse, 28359 Bremen, GERMANY.
TEL: 49-421-218-7221; FAX: 49-421-218-7222;
E-MAIL: Marina@Biotec.Uni-Bremen.De

As part of an ongoing effort to assess the effects of water treatment processes on algal toxin release, Bill Parr is surveying reputed anatoxin-a producers for their abilities to produce toxin. He has found many strains now produce negligible concentrations (< 10 µg/l) of toxin either intracellularly or extracellularly, as judged by HPLC. Others (e.g. Geoff Codd and Jeff Zeicus) have also found that their anatoxin-a-producing strains spontaneously stopped producing this toxin.

Bill would like to extend the survey to other anatoxin-a-producing strains whose ability to produce the toxin has recently been demonstrated or reconfirmed. Anyone willing to send him such strains should contact him.

CONTACT: Bill Parr, Water Research Centre Plc, Henley Road,
Medmenham, Marlow, Bucks SL7 2HD, U.K.
TEL: 44-1491-571531; FAX: 44-1491-579094;
E-MAIL: Parr_W@Wrcplc.Co.Uk

.....
Pascal Meunier has put together a hefty collection of references (2200 at present) related to photosynthesis, but it's still not large enough for his tastes. He wants to know if others might like to pool their references with his to create a giant, freely distributable data base. His collection is in Reference Manager format..

CONTACT: Pascal Meunier, Dept. of Biological Sciences, Purdue
University, West Lafayette, IN 47907 U.S.A. TEL: 317-494-0560;
FAX: 317-496-1496; E-MAIL: PMeunier@Bilbo.Bio.Purdue.Edu

.....
A pamphlet entitled *A Decade of Cyanobacterial Research in India (1985-'95)* has been published, based on information compiled by P. Malliga and G. Subramanian. The pamphlet is broken up into three parts: published articles (subdivided into areas of interest), culture collections (listing several hundred strains), and addresses of researchers. The ultimate goal is to maintain the database in a form accessible electronically.

CONTACT: G. Subramanian, National Facility for Marine
Cyanobacteria, Bharathidasan University, Tiruchirapalli -
620 024, INDIA. TEL: 91-431-896351; FAX: 91-431-96245

The Journal of Scientific & Industrial Research has published a special issue (Volume 55, Numbers 8-9, Aug-Sep 1996) devoted to Cyanobacterial Photosynthesis: Concepts and Applications. It contains fifteen reviews on topics of both theoretical and practical interest, encompassed by a very liberal interpretation of "photosynthesis". In the first category, for example, are general reviews on electron transport, cyanobacterial toxins, and the ecology of freshwater and terrestrial cyanobacteria. Articles in the second category include reviews of biotechnological applications of cyanobacteria in pollution control and applications of genetic techniques towards various applied goals. A single copy costs US\$100.

CONTACT: Publications & Information Directorate, KS Krishnan
Marg, New Delhi 110 012, INDIA. TEL: 91-11-5746024; FAX: 91-11-5787062; E-MAIL: Pid@Sirnetd.Ernet.In

.....
Cyanobacterial Nitrogen Metabolism & Environmental Biotechnology (ISBN 3-540-61305-6), is a newly released volume edited by Ashwani K Rai. It combines basic as well as applied aspects, both environmental and biotechnological.

CONTACT: Springer for Science, P.O.Box 503,1970AM Ijmuiden,
THE NETHERLANDS; E-MAIL: Orders@Springer.De

OR Narosa Publishing House, 6 Community Centre, Panchsheel
Park, New Delhi-110017, INDIA

Spirulina Platensis (Arthrospira): Physiology, Cell-biology and Biotechnology, edited by Avigad Vonshak, has just been published. The first part of the book focuses on the physiology, morphology, photosynthesis and genetics of laboratory cultures. Part two discusses the practical uses of *Spirulina* in biotechnology. Chapters discuss the cultivation of the cyanobacterium in closed photobioreactors, mass cultures in open outdoor ponds, and uses in wastewater treatment, offering critiques of the problems encountered and discussions of the future commercial prospects for large scale production.

TO ORDER, CONTACT: Taylor & Francis, Rankine Road, Basingstoke,
Hampshire RG24 8PR, U.K. TEL: 44-1256-813000; FAX: 44-1256-479438; E-MAIL: BookOrders@Tandf.Co.Uk;
WEB: www.tandf.co.uk

FOR MORE INFORMATION, CONTACT: Huw.Neill@Tandf.Co.Uk

.....
Volume 4 of *Advances in Photosynthesis*, edited by D.R.Ort and C.F.Yocum, entitled *Oxygenic Photosynthesis: The Light Reactions*, has now been released by Kluwer Academic Publishers. Its ISBN is: 0-7923-3684-4 (paper back); 0-7923-3683-6 (hard-cover).

CONTACT: Kluwer Academic Publishers, 101 Philip Drive, Norwell,
MA 02061, U.S.A.

or PO Box 322, 3300 AH Dordrecht, The Netherlands.

Meetings

(Anyone wishing to contribute a report on any meeting of cyanobacterial relevance is cordially invited to do so!)

Perhaps it's not too late to get to the VIth INTERNATIONAL PHYCOLOGICAL CONGRESS in Leiden, Netherlands, 9-16 Aug, 1997. There will be several contributions of cyanobacterial interest, including talks ranging from photosynthesis to integrated water management. The cost of registration is Dfl 550 (Dutch guilders), or Dfl 275 for students.

CONTACT: Leids Congress Bureau P.O. Box 16065 2301 GB Leiden
The Netherlands. Tel: 31-71-5148203; Fax: 31-71-5128095,
E-mail: Prudhomme@RuLrhh.LeidenUniv.NL or
C.van.Hoek@Biol.Rug.NL; Web: Seaweed.Ucg.ie/Phycologia/
SixthIPC. HTML

.....
Rounding out the summer is the IXth INTERNATIONAL SYMPOSIUM ON PHOTOTROPHIC PROKARYOTES, 6-12 September 1997, University of Vienna, Austria.

CONTACT: Symposium Secretariat, IXth ISPP Vienna 1997,
Institute of Physical Chemistry, University of Vienna,
UZA2, Althanstrasse 14, A-1090 Vienna, AUSTRIA.
E-MAIL: Georg.Schmetterer@UniVie.Ac.At

An International Symposium on MARINE CYANOBACTERIA and related organisms is scheduled for 24-28 November 1997 at the Institut Oceanographique in Paris. The symposium will focus on new techniques that have become available over the past few years, such as molecular phylogeny and cell sorting, and symposia will be devoted to the following topics: taxonomy and phylogeny, environment, nutrient relations, productivity, harmful blooms and natural products, aquaculture and genetic manipulation. The registration fee is 2,000 French francs.

CONTACT: Looc Charpy, ORSTOM, Centre d'Océanologie de
Marseille, Rue de la Batterie des Lions, 13007 France. FAX
(before 18 Oct): 33-91.04.16.35; FAX (after 18 Oct): 33-04.91.04.16.35; E-MAIL: Charpy@Orstom.Rio.Net;
WEB (French): <http://com.univ-mrs.fr/orstom/charpy.html>
WEB (English): http://com.univ-mrs.fr/orstom/charpy_e.html

The VITH CYANOBACTERIAL WORKSHOP is scheduled for July 24-27, 1998. The Workshop has evidently found a home, since it, like its previous two incarnations, will be held at the Asilomar Conference Center, California

CONTACT: Susan Golden, Texas A&M University, Department of Biology, College Station, TX 77843-3258 U.S.A. TEL: 409-845-9824; FAX: 409-845-2891; E-MAIL: SGolden@Tamu.Edu

or Stephanie Curtis, Dept. of Genetics, Box 7614, North Carolina State University, Raleigh, NC 27695 U.S.A. TEL: 919-515-5747; FAX: 919-515-3355; E-MAIL: SECurtis@Ncsu.Edu

.....
The XITH INTERNATIONAL CONGRESS ON PHOTOSYNTHESIS will take place August 15-20, 1998, in Budapest, Hungary. Current information on the Congress and its satellites, including an electronic pre-registration form, can be obtained from either of the two web sites listed below. Potential participants seeking for financial assistance should approach the appropriate UNESCO regional or country offices.

CONTACT: Secretariat of the Xith International Congress on Photosynthesis, Biological Research Center, Hungarian Academy of Sciences, H-6701 Szeged, P.O.Box 521 HUNGARY. TEL: 36-62-433-131 or 432-232/ext 244; FAX: 36-62-433-434 or 432-576, E-MAIL: Photosyn@Everx.Szbg.U-Szeged.Hu
WEB: <http://biophy.physx.u-szeged.hu/photosyn.htm>
WEB: <http://www.life.uiuc.edu/plantbio/ispr>

The VIIIth INTERNATIONAL SYMPOSIUM ON MICROBIAL ECOLOGY will be held 9-14 Aug 1998 in Halifax. Some of the many topics that will be covered in symposia are molecular evolution and phylogeny, anaerobic ecosystems, biogeochemistry, plant-microbe interactions, and attached microorganisms.

CONTACT: Colin Bell, E-MAIL: ISME8@acadiau.ca;
WEB: Dragon.Acadiau.Ca/~CBell/isme8.html

.....
For those who are arranging their schedules for Fall of 1999, both the Second EUROPEAN PHYCOLOGICAL CONGRESS (EPC 2) and the 8th INTERNATIONAL CONFERENCE ON APPLIED ALGOLOGY (8th ICAA) will be held in Montecatini Terme (Italy), the EPC 2 on 20-26 September and the 8th ICAA on 26 September - 1 October 1999.

CONTACT EPC 2 Secretariat: Francesco Cinelli, Dipartimento di Scienze dell'Uomo e dell'Ambiente, Università di Pisa, Via A. Volta, 6; I-56126 Pisa, ITALY. TEL: 39-50-23054; FAX: 39-50-49694; E-MAIL: Cinelli@Discat.Unipi.it

CONTACT 8th ICAA Secretariat: Mario Tredici, Dipartimento di Scienze e Tecnologie, Alimentari e Microbiologiche - Università di Firenze, P.le delle Cascine, 27, I-50144 Firenze, ITALY. TEL: 39-55-3288306; FAX: 39-55-330431; E-MAIL: Tredici@Cisma.Fi.Cnr.it

Positions Offered

POSITION OFFERED: Post-Doc

CONTACT: Fevzi Daldal, University of Pennsylvania, Department of Biology, 204 Mudd Bldg., Philadelphia PA 19104-6018, U.S.A. TEL: 1-215-898-4394; FAX: 1-215-898-8780; E-MAIL: FDaldal@Sas.UPenn.Edu; WEB: <http://www.sas.upenn.edu/biology/>

RESEARCH: Structure, function, regulation and biogenesis of cytochrome complexes of photosynthetic bacteria, with emphasis on molecular genetic and biochemical approaches. [See references on cytochrome c_y [J Bacteriol (1995) 177:608-6139], cytochrome bc_1 complex [Biochemistry (1994) 34:15979-16012; Biochim Biophys Acta (1996) 1275:61-69], cytochrome cbb_3 oxidase [Biochem (1993) 33:3120-3127], and cytochrome c biogenesis [J Bacteriol (1996) 178:5279-5290].

REQUIREMENTS: Solid background in either bacterial molecular genetics or protein biochemistry and spectroscopy, and a desire to learn multi-disciplinary approaches.

SEND: CV, description of research accomplishments, and references.

POSITION OFFERED: Post-Doc

CONTACT FOR INFORMATION:

Tony Crofts, Center for Biophysics and Computational Biology, 388 Morrill Hall, 505 S. Goodwin, Urbana IL 61801, U.S.A., TEL: 1-217-333-2043; FAX: 1-217-244-6615; E-MAIL: A-Crofts@Uiuc.Edu; WEB: <http://ahab.life.uiuc.edu/>

or Govindjee, E-MAIL: Gov@Uiuc.Edu; WEB: <http://www.life.uiuc.edu/govindjee/>

CONTACT TO APPLY: Colin Wraight, Director, Integrative Photosynthesis Training Grant, Department of Plant Biology, 190 ER Madigan Laboratory, 1201 West Gregory Drive, Urbana, IL 61801, U.S.A. Mark application CROFTS-GOVINDJEE position

RESEARCH: Biophysical, molecular engineering and biochemical studies of the mechanism of photoprotection by plants and algae.

REQUIREMENTS: U.S. citizen or permanent resident

SEND: Personal vitae, a brief statement of research interests and experience

POSITION OFFERED: Post-Doc (many available)
CONTACT: Patrick J. Burkhart, Office of the Senior Vice President and Provost, Arizona State University, Tempe, AZ 85287-3403, U.S.A.
WEB: Photoscience.La.asu.edu/photosyn/ingenhousz
RESEARCH: Aim is to catalyze interactive research between groups in engineering, the chemical and life sciences, and industry, applications
AVAILABLE: Initial appointments will be 1.5 - 2 years, extendible.
SEND: Letter, a detailed curriculum vitae, and list of the names, addresses and telephone numbers of three professional references

.....
POSITION OFFERED: Industrial Liaison
CONTACT: Patrick J. Burkhart, Office of the Senior Vice President and Provost, Arizona State University, Tempe, AZ 85287-3403, U.S.A.
WEB: Photoscience.La.Asu.Edu/Photosyn/Ingenhouz
REQUIREMENTS: Expected to have academic and industrial experience in a field related to light-driven biological or chemical processes, and/or to have extensive industrial experience and a keen interest in science.
SEND: Letter, a detailed curriculum vitae, and list of the names, addresses and telephone numbers of three professional references

.....
POSITION OFFERED: Post-Doc
CONTACT: Parag R. Chitnis, Department of Biochemistry and Biophysics, 4156 Molecular Biology Building, Iowa State University, Ames, IA 50011 U.S.A. FAX: 1-515-294-0453;
E-MAIL: Chitnis@iastate.Edu;
WEB: molebio.iastate.edu/bbhtml/chitnis.html
RESEARCH: Structure-function relations in photosystem I. The research will involve site-directed and random mutagenesis in *Synechocystis* sp. PCC 6803.
REQUIREMENTS: Experience in molecular biology, protein biochemistry, cyanobacterial molecular genetics, and/or photosynthesis research is desirable.
SEND: resume and the names, E-Mail addresses and phone numbers of three referees.

POSITION OFFERED: Post-Doc
CONTACT: Larry Orr, Admin. Associate, Dept. of Chemistry and Biochemistry, Arizona State University, Tempe, AZ 85287-1604, U.S.A.
TEL: 602-965-1963; FAX: 602-965-2747;
E-MAIL: Larry.Orr@ASU.edu;
WEB: photoscience.la.asu.edu/rtg
RESEARCH: Light-driven biochemical mechanisms and their application to the engineering of new electronic, optical, chemical, or biological devices. See the web site for more information.
REQUIREMENTS: U.S. citizen or U.S. permanent resident.

.....
POSITION OFFERED: Post-Doc
CONTACT: Mike Evans, Dept of Biology, University College London, Gower St, London WC1E 6BT, U.K. TEL: 44-171-380-7312; FAX: 44-171-380-7096;
E-MAIL: Mike.Evans@Ucl.Ac.Uk
RESEARCH: Spectroscopic analysis of the quinone (A1) binding site in photosystem 1, using EPR, ENDOR, pulsed EPR and FTIR to analyze quinone protein interactions in wild-type and mutant PS1 reaction centers.
REQUIREMENTS: A background in biophysics, biochemistry or physical chemistry, with experience of advanced spectroscopic techniques would be an advantage.
SEND: Application, including CV and names of two referees.

.....
POSITION OFFERED: Senior faculty (3 positions)
CONTACT: Patrick J. Burkhart, Office of the Senior Vice President and Provost, Arizona State University, Tempe, AZ 85287-3403, U.S.A.
WEB: Photoscience.La.Asu.Edu/Photosyn/Ingenhouz
RESEARCH: Highly visible programs in areas that may include light-mediated aspects of: molecular electronics, biomolecular devices, biotechnology, bioremediation, and biomedical research.
SEND: Letter, a detailed curriculum vitae, and list of the names, addresses and telephone numbers of three professional references

TRANSITIONS*TRANSITIONS*TRANSITIONS*TRANSITIONS*TRANSITIONS*TRANSITIONS*TRANSITION

KARIN NYHUS, formerly a graduate student in Himadri Pakrasi's lab at Washington University, St. Louis, is now at Veteran's Administration Hospital, Richmond, Virginia, investigating the possibility of using *Anabaena* in organ transplants... no, just a fantasy. Unfortunately she's left our field, having turned her attentions to pathogenic yeast.
Dept. of Research Services, Hunter Holmes McGuire Dept. of Veterans Affairs Medical Center, Box 151, Richmond VA

ALEXEY VEPRITSKIY is continuing his slow journey from the middle of the U.S. to its eastern seaboard, having moved from Peter Wolk's lab at Michigan State University to the lab of Tanya Kuritz in Oak Ridge, Tennessee, and now to New York, to work with Sandy Nierzwicki-Bauer.
Department of Biology, Science Center Building, Rensselaer Polytechnic Inst., Troy, NY 12180-3590 U.S.A. TEL: 1-518-276-8440; FAX: 1-518-276-2344; E-MAIL: VepriA@Rpi.Edu

WOLFGANG HESS has moved from Roscoff to Humboldt University-Berlin

Humboldt-University Berlin, Institute of Biology/Genetics,
Chaussestr. 117, D-10115 Berlin GERMANY.
TEL: 49-30-2093-8144/ -8145/ -8146; FAX 49-30-2093-8141;
E-MAIL: Wolfgang=Hess@Rz.HU-Berlin.De or
Wolf.Hess@Snafu.Berlin.De

CONRAD MULLINEAUX is now at University College London, where he hopes to stay for the foreseeable future.

Dept. of Biology, University College London, Darwin Building,
Gower Street, London WC1E 6BT, UK.
TEL: 44-171-387-7050 x2326; FAX 44-171-380-7096;
E-MAIL: C.Mullineaux@UCL.Ac.Uk

SVEN JANSON has left Birgitta Bergman's lab in Stockholm for a post-doc with Jeff Elhai at University of Richmond, studying nitrogen fixation in the marine cyanobacterium *Microcoleus* sp.


Department of Biology, University of Richmond, Richmond VA
23173 U.S.A. TEL: 1-804-289-8412; FAX 1-804-289-8233;
E-MAIL: Sjanson@Richmond.Edu

ANDREY MATVEYEV has also left Birgitta's lab for Stockholm West. He is working with Jeff Elhai on the association of a *Nostoc* with wheat.

Department of Biology, University of Richmond, Richmond VA
23173 U.S.A. TEL: 1-804-289-8412; FAX 1-804-289-8233;
E-MAIL: AMatveye@URVax.URich.Edu

MARK SCHNEEGURT has traded a post-doc position at Purdue University for one a hundred miles north at Notre Dame, doing research in environmental microbiology.

Dept. of Biological Sciences, University of Notre Dame, Notre
Dame IN 46556 U.S.A. E-MAIL: Mark.A.Schneegurt.1@ND.Edu



SHI LIANG has also switched post-doc positions, moving from Wayne Carmichael's lab at Wright State University to work with Peter Kennelly at Virginia Polytechnic. He will be studying protein phosphorylation in prokaryotes, including cyanobacteria.

Virginia Polytechnic Institute and State University, Dept. of
Biochemistry and Anaerobic Microbiology, Blacksburg VA
24061 U.S.A. E-MAIL: LiangShi@Vt.Edu

ANNICK WILMOTTE has returned to the academic life, leaving the Vlaamse Instelling voor Technologisch Onderzoek (VITO) for the University of Liège. She remains committed to the study of cyanobacterial taxonomy and evolution.

Lab of Algology, Mycology, and Experimental Systematics,
Dept of Botany B22, University of Liège, B-4000 Liège,
BELGIUM. TEL: 32-4-366-38-56; FAX 32-4-366-28-53;
E-MAIL: AWilmotte@ULg.Ac.Be

TINEKE BURGER-WIERSMA has reversed Annick's path, leaving academia and the University of Amsterdam to work in a small consulting firm that specializes in the ecology and toxicology of surface waters.

AquaSense, P.O. Box 95125, 1090 HC Amsterdam, The
NETHERLANDS. TEL: 020-5922244, FAX 020-5922249;
E-MAIL: TBurger@Aquasense.Com

NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS*NEWS

Anabaena knows where mosquitos live

The crystal protein found within *Bacillus thuringiensis* var. *israelensis* (*Bti*) is toxic to mosquitos, but its application to the control of populations is limited to the short persistence of *Bti* in waters where mosquitos breed. Wu Xiaoqiang and Sammy Boussiba (Ben Gurion U.) tells us of their efforts to extend the effectiveness of *Bti* toxin by expressing it in a cyanobacterium.

Genes *cryIVA*, *cryIVD*, and *cryIVR*, encoding the δ -endotoxin from *Bti*, was subcloned in various combinations into a plasmid, pRL488p, carrying the *Nostoc* replicon pDU1, placed downstream from the strong promoter of *psbA* taken from *Amaranthus hybridus*. The recombinant plasmids were transferred into *Anabaena* PCC 7120 by conjugation. The resulting strains were tested for their abilities to kill larvae of

the mosquito *Aedes aegypti*. Plasmids carrying *cryIVA*, with or without the other *cry* genes, killed 95% to 100% of the mosquito larvae, while *cryIVD* alone was much less efficient.

Many groups have expressed *Bti* toxin and related toxins in laboratory strains of cyanobacteria [Chungjatupornchai (1990) *Curr Microbiol* 21:283-288; Murphy & Stevens (1992) *Appl Environ Microbiol* 58:1650-1655; Soltes-Rak et al (1993) *Appl Environ Microbiol* 59:2404-2410; Xu et al (1993) *FEMS Microbiol Lett* 107:247-250], but the question has remained whether these strains can persist in the field [Sangthongpitag et al (1996) *Biotechnol Lett* 18:175-180]. Wu and coworkers are working to move the plasmids they have tested to *Anabaena siamensis*, a strain originally isolated from a rice field in Thailand. The strain might be well suited to bring the toxin to the areas most affected by malaria.

Insecticidal peptides found in *Scytonema*

The cyanobacteria are a rich source of bioactive compounds, and a great deal of effort has been expended documenting their effects on humans and other mammals. Many laboratories have sought to expand the cyanobacterial arsenal by expressing in blue-greens genes encoding toxins from *Bacillus thuringiensis*, thereby making the organisms toxic to certain classes of insects. P. Sathiyamoorthy (Ben Gurion University) and S. Shanmugasundaram (Madurai Kamaraj University), wondered whether cyanobacterial toxins were already sufficient for that task. Their screen turned up a toxin from the cyanobacterium *Scytonema* MKU 106, active against a major agricultural pest.

The active substance was purified and found to be a glycine-rich peptide. The small peptide (molecular weight less than 12 kDa) had a UV absorption maximum at 228 nm. A 0.001% preparation of crude peptide killed 80% of a population of American boll worm (*Helicoverpa armigera*) after 84 h of treatment. Purified peptide gave a mortality rate half that of the crude preparation. A higher concentration (0.01%) was able to kill larvae of leaf rollers (*Stylepta derogata*) on cotton crops. The toxicity of the peptide to mammals has not been determined.

The Origins of Genera

Where did what we now call "cyanobacteria" come from? That's a deep question, one that will occupy many of us for a long time to come. But, what we now call cyanobacteria – their names – where did they come from? This would seem to be the easier question, since we humans made up those names ourselves, and a relatively short time ago. But, as it turns out, not so.

The names of most cyanobacteria are readily comprehensible. Naturally enough, most generic names describe how the organism looks. Some filamentous cyanobacteria are *-thrixes* ("hairlike"): *Calo-* ("beautiful"), *Tolypo-* ("wooly"), or *Prochloro-* ("primitive and green"). Others are *-nemas* ("threads"): *Scyto-* (leathery) or *Plecto-* ("twisted"). Some cyanobacteria are named after a father of cyanobacteriology: *Fischerella* (B. Fischer, 1852-1915) or *Lyngbya* (HC Lynbgye, 1782-1837). Bergey's Manual is a good source for such insights.

One genus stands out, however. Bergey's Manual throws up its hands when confronted with *Nostoc* ("origin uncertain", it says, Greek for "haven't a clue"). It is difficult to guess even from what language the name comes.

Malcolm Potts has recently proposed a solution to this dilemma [Internatl J Syst Bacteriol (1997) 47:584], tracing the origins of "*Nostoc*" back to the 15th century alchemist, Paracelsus. Paracelsus was a native German speaker and not at all the stuffy academic.

Livestock Poisoned from Surprising Source

Eight reported incidents since 1993 mark the first times that cyanobacteria have been implicated in the poisoning of livestock in the south and southwestern regions of South Africa. Bill Harding (Scientific Services, South Africa) has compiled a summary of these poisonings and notes some surprises.

First, although *Microcystis* and *Anabaena* species generally dominate cyanobacterial blooms in the region, some of the incidents could be attributed to toxic *Oscillatoria*. In these cases, the toxin was identified as a hydrophobic microcystin that was toxic at significantly lower levels than hydrophilic microcystins. In one case, the level of the hydrophobic microcystin was only 71 mg/l, while in cases with hydrophilic microcystins, the level was typically around 1500 mg/l.

Second, the cyanobacterial source of the toxin was sometimes identified as mats on the wall of dams or cement drinking troughs, rather than buoyant scums. Clearly, the agricultural community in South Africa must now have heightened vigilance towards the appearance of toxic cyanobacteria and must not be lulled into a false sense of security by the absence of obvious blooms

He was impressed by the characteristic appearance of what we now call *Nostoc commune*. I won't tell all of Malcolm's tale, but suffice to say that Paracelsus combined common English and German to form a most graphic and human evocation of green slime.

Tumor Killer Expressed in Cyanobacterium

Tumor Necrosis Factor (TNF) is a member of the class of proteins called cytokines and has been shown to selectively kill tumor cells. The difficulty in obtaining sufficient TNF from natural sources for research and therapy has led to the cloning of the gene encoding TNF and its expression in *E. coli*. Noting that *E. coli* can be expensive to grow and may contain toxic proteins, complicating efforts at purification of expressed protein, Liu Fen-Long (Academia Sinica, Beijing) has sought to express TNF in a cyanobacterium.

Liu placed cDNA encoding TNF from rhesus monkey downstream from the strong *psbA* promoter on a plasmid capable of replicating in both *E. coli* and *Anabaena* PCC 7120. The plasmid, pDC-TNF, which expressed high levels of TNF (15%) in *E. coli*, was transferred into *Anabaena* to obtain a strain that produced a protein recognized by TNF-alpha monoclonal antibody. Expression of the protein had no measurable effect on the growth of the cyanobacterium, but transfer of energy from phycobilisomes was altered.

Function Sought for HetR, Master Differentiation Switch

Many filamentous cyanobacteria, including those within the genus *Anabaena*, differentiate in response to nitrogen deprivation well spaced heterocysts, sites of nitrogen fixation. Mutant *Anabaena* defective in the gene *hetR* are blocked early in the process of differentiation, while strains that carry extra copies of the gene form an overabundance of heterocysts with irregular spacing [Buikema & Haselkorn (1991) *Genes & Develop* 5:321-330]. Although the gene product of *hetR* is clearly important in the regulation of heterocyst differentiation, surprisingly little is known about the protein, which bears no obvious similarity to other characterized proteins.

ZHOU Ruan-bao and ZHAO Jindong, hoping to shed some light on HetR function, have exploited antibodies raised against the protein. The *hetR* gene from *Anabaena* PCC 7120 was overexpressed in *E. coli* and the HetR protein purified to homogeneity. Sequencing of the N-terminus of the protein confirmed the identity of the protein and showed that the initial methionine residue was posttranslationally removed. Antibodies were raised in rabbit against purified HetR and used for characterization of the native HetR protein in *Anabaena*.

Native HetR from *Anabaena* was compared with recombinant HetR overexpressed in *E. coli*. The two were found to have the same molecular mass, as judged by Western blotting, indicating that the start codon of the *hetR* gene assigned by Buikema and Haselkorn is correct. Although the native and recombinant proteins have approximately the same size, they differ in charge. Western blotting after isoelectrofocusing electrophoresis showed that HetR protein isolated from *Anabaena* starved for nitrogen exhibited an isoelectric point (pI) of approximately 3.5 while recombinant HetR exhibited a

pI of 6.5. While Zhou and Zhao do not know the reason for the difference in charge, protein phosphorylation is one intriguing possibility.

Antibody against HetR was also used to study the regulation of *hetR*. Western blotting showed that *Anabaena* filaments grown in the presence of nitrate and ammonium contained detectable levels of HetR protein. Shifting the culture to a nitrogen-free medium resulted in an increase of HetR by a factor of about three. This small increase does not, however, reflect the true magnitude of induction, but rather an increase averaged over both vegetative cells and heterocysts. Heterocysts alone contained about 20-fold more HetR than did vegetative cells grown with nitrate.

A clue as to HetR function may come from the observation that the purified protein is rapidly degraded *in vitro*. The degradation is blocked by phenylmethylsulfonyl fluoride (PMSF), a compound known to covalently bind to and inhibit serine proteases. PMSF was also found to react with a serine of HetR, and the sequence of amino acids around the binding site suggests that HetR is indeed a serine protease.

Overexpression of the protein offers the possibility of analyzing the structure of HetR. Recombinant HetR was found to form a homodimer *in vitro* upon removal of dithiothreitol from the solution. Circular dichroism spectrum taken of the protein indicated that the secondary structure of HetR expressed in *E. coli* contains 24% α -helices, 10% β -sheets, and 20% turns. Several salts were able to crystallize HetR. The crystals formed were mostly diamond shaped, and they were large enough (>0.25mm) for X-ray diffraction.

Spirulina Movement Energized by Na⁺ Gradient

Motility by many bacteria, e.g. *E. coli*, is driven by the electrochemical proton gradient, $\Delta\mu_{H^+}$. Hirota and Imae [*J Biol Chem* (1983) 258:10577] demonstrated that motility of an alkaliphilic strain of *Bacillus* instead exhibits an energetic requirement for sodium and is partially resistant to uncouplers that deplete the proton gradient. Igor Brown, SG Karakis, and DI Pogorelov, of Odessa State University, considered the possibility that alkaliphilic cyanobacteria, faced with the similar conditions as the *Bacillus* strain, might have found a similar solution: using the electrochemical sodium gradient, $\Delta\mu_{Na^+}$, to drive light-induced movement.

The maximal rate of light-induced movement of the alkaliphilic cyanobacterium, *Spirulina platensis* (*Arthrospira*) was observed when the medium had a pH between 10 and 12 and the sodium concentration was at least 10 mM. The pH for all further observations was set at 10.5.

If the proton gradient, $\Delta\mu_{H^+}$, drives motility in *Spirulina* as it does in *E. coli*, then the proton ionophore carbonyl cyanide *m*-chlorophenylhydrazone (CCCP), a classical uncoupler, would be expected to block trichome movement. Brown and colleagues found that even at as high a concentration as 400 mM CCCP, *Spirulina* trichomes remained motile if 200 mM sodium were present. On the other hand, an 8-fold lower level of CCCP completely arrested motility in the presence of the sodium ionophore monensin. Monensin alone decreased motility only by 30%. The photosystem II inhibitor DCMU prevented CCCP-resistant movement of *Spirulina* trichomes that had been starved by extended preincubation in darkness.

Brown and his colleagues concluded that light-induced gliding of *Spirulina* is indeed driven by $\Delta\mu_{Na^+}$ rather than by $\Delta\mu_{H^+}$.

Cyanobacterial Phytochrome Unmasked

Tom Börner (Humboldt University) and John Hughes and Tilman Lamparter of Berlin's Free University have made considerable progress in understanding the phytochrome response in *Synechocystis* PCC 6803. First, they expressed in *E. coli* the putative phytochrome gene that had previously been detected by Kaneko et al [DNA Res (1996) 3:109-136] during the sequencing of the *Synechocystis* genome (see **CyanoBase** in BULLETIN BOARD). The soluble product thus obtained was able to fold spontaneously and bind the chromophore, phycocyanobilin, in vitro.

In these respects, the cyanobacterial gene product differs markedly from plant phytochrome, which does not fold correctly in *E. coli*. The resulting product was a chromoprotein, which behaved as a

spectrally functional phytochrome after red/far red irradiation. A more detailed account of its properties has been published [Hughes et al (1997) Nature 386:683].

Their second step was finding a gene in *Synechocystis* that shows similarity to domains of phytochrome genes and to bacterial histidine kinases, including one from *Calothrix* [Kehoe & Grossman (1996) Science 273:1409-1412]. Knocking out this gene produced a mutant of *Synechocystis* that grows like the wildtype under red and far red light, slower than the wild-type under white light and, surprisingly, does not grow at all under blue light. This inability to grow under blue light could be overcome by addition of glucose to the medium. A report on this work has recently appeared [FEBS Lett (1997) 406:89-92].

Meeting Report: 2nd International Congress on Symbiosis

The congress, held at Woods Hole, U.S.A., April 13-18, 1997 started and ended (very suitably from our point of view) with presentations on the *Nostoc-Gunnera* symbiosis. First out was Birgitta Bergman who reported on the isolation of three genes from a subtractive cDNA library prepared from plant-induced mRNA of *Nostoc* PCC 9229. These genes were interpreted as encoding a protein kinase, anthranilate synthase (*TrpE*), and a receptor/transporter of carbohydrates. The induced expression of *trpE* by the plant led to speculations that the gene product could be involved in the synthesis by *Nostoc* of the plant hormone auxin.

The last speaker, Warwick Silvester, related some ways in which *Nostoc punctiforme* in association with *Gunnera* spp differs biochemically from free-living *Nostoc*. First, he showed data supporting the view that *Nostoc* within *Gunnera* do not have a functional photosystem II. Second, *Nostoc* leaks ammonia when provided with excess energy in the form of light (through photosystem I). Finally, the activity of nitrogenase (as measured by acetylene reduction) is five-fold higher in associated *Nostoc* than in free-living isolates.

In between, Johanna Wouters and Birgitta Bergman presented a poster session describing a gene isolated from the previously mentioned subtractive cDNA library. The gene appears to encode an α -amylase and is apparently expressed during the infection process.

Cyanobacterial lichens were also duly represented. Eckhard Loos showed that the kinetics of glucose excretion by *Nostoc* sp. from *Peltigera horizontalis* decreased rapidly after isolation [Lichenologist (1996) 28:67-78]. That inspired him and his co-worker (R. Wastlhuber) to isolate a homologue to

the glucose transporter (*gtr*) from *Synechocystis*, which they showed by reverse transcriptase-PCR to be expressed specifically in the lichen and in freshly isolated *Nostoc*.

Probably the oldest record of a cyanobacterial lichen was reported by Thomas Taylor, who found a 400 million years old fossil from the Lower Devonian Rhynie chert. This fossil shows remarkable resemblance to present day cyanolichens of the Lichinaceae family, containing unicellular *Gloeocapsa*-like cyanobionts.

One of the major themes in this congress was marine symbioses, and cyanobacterial associations were, on occasion, the center of attention. John Lee gave a plenary lecture on algal symbiosis in Foraminifera, reporting that the large *Amphisora* contains small unicellular cyanobacteria with conspicuous red pigmentation. In the poster session, John Lee and co-workers (S. Bacus and J. Morales) also reported that the giant protozoan, *Marginopora vertebralis*, contains in addition to dinoflagellates, two types of cyanobacteria, one unicellular and one with heterocysts (!). M. Sara concluded that the sponge *Petrosia ficiformis* contains both cyanobacteria and heterotrophic bacteria and that these affect the morphology and physiology of the sponge.

This congress had representatives from a broad span of disciplines, and many interesting systems were presented, even some not involving cyanobacteria (hopefully, these are being reported elsewhere). To hear more about them, try the 3rd International Congress on Symbiosis, to be held in the year 2000 in Marburg, Germany. For further information contact Hans Weber, FB Biology, Philips-University, Marburg, 35032, Germany.

Sven Janson and Johanna Wouters

TAXONOMY

- Alvarez SB, Bazan GI, Wenzel MT (1993). *Woronichinia elorantae* Komarek, J and Komarkova-Legenerova a new record from Argentina and South America. Phys Sec B Aguas Continent Organism 51:23-24 (Spanish)
- Billi D, Caiola MG (1996). Effects of nitrogen limitation and starvation on *Chroococciopsis* sp. (Chroococcales). New Phytol 133:563-571
- Bolch CJS, Blackburn SI (1996). Isolation and purification of Australian isolates of the toxic cyanobacterium *Microcystis aeruginosa* Kutz. J Appl Phycol 8:5-13
- Bolch CJ, Blackburn SI, Neilan BA, Grewe PM (1996). Genetic characterization of strains of cyanobacteria using PCR-RFLP of the *cpbA* intergenic spacer and flanking regions. J Phycol 32:445-451
- Branco LHZ, Sant'anna CL, Azevedo MTDP, Sormus L (1996). Cyanophyte flora from Cardoso Island mangroves, Sao Paulo State, Brazil: 1. Chroococcales. Arch Hydrobiol Suppl 112:99-111
- Erdugan H, Aysel V, Guner H (1996). Marine algae between Rize and Sarp, Black Sea, Turkey. Turk J Bot 20(Suppl.):103-108 (Turkish)
- Garcia-Pichel F, Prufert-Bebout L, Muyzer G (1996). Phenotypic and phylogenetic analyses show *Microcoleus chthonoplastes* to be a cosmopolitan cyanobacterium. Appl Environ Microbiol 62:3284-3291
- Kebede E, Willen E (1996). *Anabaenopsis abijatae*, a new cyanophyte from Lake Abijata, an alkaline, saline lake in the Ethiopian Rift Valley. Arch Hydrobiol Suppl 112:1-8
- Leitao MS, Santos MF, Sergio C, Ormonde J, Carvalho GM (1996). Cryptogams in the atmosphere at Coimbra, Portugal. Anal Jardin Bot Madrid 54:30-36 (Portuguese)
- N'Yeurt ADR, South GR, Keats DW (1996). A revised checklist of the benthic marine algae of the Fiji Island. South Pacific (including the Island of Rotuma). Micronesica 29:49-98
- Pinevich AV, Gavrilova OV, Saitseva AA, Averina SG, Usova TV (1997). *Pseudanabaena* sp., a brown-pigmented cyanophyte (cyanobacterium) with the phycobilisomes of uncommon type. Algal Studies (accepted)
- Potts M (1997). Etymology of the genus name *Nostoc* (cyanobacteria). International Journal of Systematic Bacteriology 47:584
- Voloshko LN, Mamkaeva KA, Gromov BV (1996). Characterization of *Mastigocladus laminosus* var. *indica* (Cyanophyceae, Stigonematales) in culture. Arch Hydrobiol Suppl 112:123-127
- Watanabe M (1996). Studies on planktonic blue-green algae 7. *Anabaena pseudocompacta* sp. nov. from eutrophic lakes in central Japan. Bull Natl Sci Museum B 22:93-97
- Watanabe MM, Sawaguchi T (1995). Cryopreservation of a water-bloom forming cyanobacterium, *Microcystis aeruginosa* f. *aeruginosa*. Phycol Res 43:111-116
- Wenzel MT, Alvarez SB, Bazan GI (1993). Preliminary studies of the Cyanophyceae from Casa de Piedra Dum (La Pampa, Province). Argentina. Phys Sec B Aguas Continent Organism 51:9-16 (Spanish)

EVOLUTION and PROCHLOROPHYTES

- Delwiche CF, Palmer JD (1996). Rampant horizontal transfer and duplication of rubisco genes in eubacteria and plastids. Molec Biol Evol 13:873-882
- Gegenheimer P (1995). Structure, mechanism and evolution of chloroplast transfer RNA processing systems. Molec Biol Rep 22:147-150
- Mimuro M (1996). Phylogeny and evolution of proteins functioning in algal photosynthetic systems. Jap J Phycol 44:75-86 (Japanese)
- Mushegian AR, Koonin EV (1996). Gene order is not conserved in bacterial evolution. Trends Genet 12:289-290
- Pietrokovski S (1996). A new intein in cyanobacteria and its significance for the spread of inteins. Trends Genet 12:287-288
- Pinevich AV (1994). Membrane system pattern as applied to cytological conceptualism: is the prokaryote-(eu)karyote dichotomy to be rejected? Endocyt Cell Res 10:159-163
- Stiller JW, Hall BD (1997). The origin of red algae: Implications for plastid evolution. Proc Natl Acad Sci USA 94:4520-4525
- Tanaka K, Oikawa K, Ohta N, Kuroiwa H, Kuroiwa T, Takahashi H (1996). Nuclear encoding of a chloroplast RNA polymerase sigma subunit in a red alga. Science 272:1932-1935
- Hess WR, Partensky F, Van DSGWM, Garcia FJM, Borner T, Vault D (1996). Coexistence of phycoerythrin and a chlorophyll a/b antenna in a marine prokaryote. Proc Natl Acad Sci USA 93:11126-11130
- Palenik B, Swift H (1996). Cyanobacterial evolution and prochlorophyte diversity as seen in DNA-dependent RNA polymerase gene sequences. J Phycol 32:638-646
- Pinevich AV, Matthijs HCP, Gavrilova OV, Averina SG, Velichko NV (1996). New ultrastructural aspects of membranes and cell inclusions in *Prochlorothrix hollandica* (Prochlorales, Cyanobacteria). Microbios 87:217-225

ECOLOGY

- Adhikary SP (1996). Ecology of freshwater and terrestrial cyanobacteria. J Sci Ind Res 55:753-762
- Adhikary SP, Satapathy DP (1996). *Tolypothrix byssoidea* (Cyanophyceae/Cyanobacteria) from temple rock surfaces of coastal Orissa, India. Nov Hedwig 62:419-423
- Antoine SE, Antoine R (1996). Sediment characteristics and epipellic algal population dynamics of the River Usk, South Wales, UK. Limnol 26:235-243
- Ayukai T (1996). Possible limitation of the dilution technique for estimating growth and grazing mortality rates of picoplanktonic cyanobacteria in oligotrophic tropical waters. J Exp Mar Biol Ecol 198:101-111
- Beklioglu M, Moss B (1996). Mesocosm experiments on the interaction of sediment influence, fish predation and aquatic plants with the structure of phytoplankton and zooplankton communities. Freshwater Biol 36:315-325
- Blanchot J, Rodier M (1996). Picophytoplankton abundance and biomass in the western tropical Pacific Ocean during the 1992 El Nino year: Results from flow cytometry. Deep-Sea Research Part I Oceanographic Research Papers 43:877-895
- Bowling LC, Baker PD (1996). Major cyanobacterial bloom in the Barwon-Darling River, Australia, in 1991, and underlying limnological conditions. Marine Freshwat Res 47:643-657
- Brown II, Sirenko LA (1997). The role of the sodium cycle of energy coupling in the emergence and persistence of natural foci of modern cholera. Biochem (Moscow) 62:225-230
- Calijuri MC, Santos ACAD (1996). Short-term changes in the Barra Bonita reservoir (Sao Paulo, Brazil): Emphasis on the phytoplankton communities. Hydrobiol 330:163-175
- Carmouze JP, Sampaio CD, Domingos P (1996). Evolution of the pools of organic matter and nutrients in a Brazilian lagoon during a fish kill period. Rev Hydrobiol Tropicale 27:217-234 (French)
- Che LM, Campion-Alsumard TL, Boury-Esnault N, Payri C, Golubic S, Bezac C (1996). Biodegradation of shells of the black pearl oyster, *Pinctada margaritifera* var. *cumingii*, by microborers and sponges of French Polynesia. Marine Biol 126:509-519

- Chen W, Nauwerck A (1996). A note on composition and feeding of the crustacean zooplankton of Lake Taihu, Jiangsu Province, China. *Limnol* 26:275-279
- Claps MC (1996). Structure and dynamics of epipelagic algae from a plain river (Samborombon River, Buenos Aires, Argentina). *Arch Hydrobiol* 137:251-263
- Curran CA, Joye SB, Paerl HW (1996). Diel rates of N-2-fixation and denitrification in a transplanted *Spartina alterniflora* Marsh: Implications for N-flux dynamics. *Estuar Coast Shelf Sci* 42:597-616
- Davis JS, Hein MK, Millgate JE (1996). *Cladophora* (green algae) balls and *Phormidium* (blue-green algae) mounds from permanently hypersaline water. *Florida Scientist* 59:169-173
- Dodds WK, Gudder DA, Mollenbauer D (1995). The ecology of *Nostoc*. *J Phycol* 31:2-18 (English)
- Druviete I (1995). Phytoplankton periodicity in different trophic state lakes in Latvia. *Proc Latv Acad Sci B*:98-100
- El-Bestawy E, Bellinger EG, Sigee DC (1996). Elemental composition of phytoplankton in a subtropical lake: X-ray microanalytical studies on the dominant algae *Spirulina platensis* (Cyanophyta) and *Cyclotella meneghiniana* (Bacillariophyceae). *Eur J Phycol* 31:157-166
- Epp GT (1996). Grazing on filamentous cyanobacteria by *Daphnia pulicaria*. *Limnol Oceanogr* 41:560-567
- Evans JC, Prepas EE (1996). Potential effects of climate change on ion chemistry and phytoplankton communities in prairie saline lakes. *Limnol Oceanogr* 41:1063-1076
- Fabbro LD, Duivenvoorden LJ (1996). Profile of a bloom of the cyanobacterium *Cylindrospermopsis raciborskii* (Woloszynska) seenaya and Subba Raju in the Fitzroy River in tropical central Queensland. *Marine Freshwat Res* 47:685-694
- Faust MA, Gullede RA (1996). Associations of microalgae and meiofauna in floating detritus at a mangrove island, Twin Cays, Belize. *J Exp Mar Biol Ecol* 197:159-175
- Fernandez M, Merino V, Garcia J, Hernandez-Marine M (1996). Cyanoprokaryota and algal flora from Punta de la Mora (Tarragona, E Spain). *Folia Bot Misc* 10:21-46 (Spanish)
- Findlay DL, Kasian SEM (1996). The effect of incremental pH recovery on the Lake 223 phytoplankton community. *Can J Fish Aquat Sci* 53:856-864
- Frigaard NU, Larsen KL, Cox RP (1996). Spectrochromatography of photosynthetic pigments as a fingerprinting technique for microbial phototrophs. *FEMS Microbiol Ecol* 20:69-77
- Giovannoni SJ, Rappe MS, Vergin KL, Adair NL (1996). 16S rRNA genes reveal stratified open ocean bacterioplankton populations related to the green non-sulfur bacteria. *Proc Natl Acad Sci USA* 93:7979-7984
- Gokpinar S, Cirik S, Sunlu U, Metin C (1996). Phytoplankton and fisheries in Karine Lagoon. *Turk J Biol* 20(Suppl.):87-97
- Goma RH, Aizaki M, Fukushima T, Otsuki A (1996). Significance of zooplankton grazing activity as a source of dissolved organic nitrogen, urea and dissolved free amino acids in a eutrophic shallow lake: Experiments using outdoor continuous flow pond systems. *Jap J Limnol* 57:1-13
- Grotzinger JP, Rothman DH (1996). An abiotic model for stromatolite morphogenesis. *Nature* 383:423-425
- Gu B, Alexander V (1996). Stable carbon isotope evidence for atmospheric CO₂ uptake by cyanobacterial surface scums in a eutrophic lake. *Appl Environ Microbiol* 62:1803-1804
- Gu B, Schelske CL, Brenner M (1996). Relationship between sediment and plankton isotope ratios ($\Delta^{13}\text{C}$ and $\Delta^{15}\text{N}$) and primary productivity in Florida lakes. *Can J Fish Aquat Sci* 53:875-883
- Habicht KS, Canfield DE (1996). Sulphur isotope fractionation in modern microbial mats and the evolution of the sulphur cycle. *Nature* 382:342-343
- Harris GP, Baxter G (1996). Interannual variability in phytoplankton biomass and species composition in a subtropical reservoir. *Freshwater Biol* 35:545-560
- Havens KE, Aumen NG, James RT, Smith VH (1996). Rapid ecological changes in a large subtropical lake undergoing cultural eutrophication. *Ambio* 25:150-155
- Haworth EY, Pinder LC V, Lishman JP, Duigan CA (1996). The Anglesey lakes, Wales, UK: A palaeolimnological study of the eutrophication and nature conservation status. *Aquat Conserv* 6:61-80
- Heaney SI, Parker JE, Butterwick C, Clarke KJ (1996). Interannual variability of algal populations and their influence on lake metabolism. *Freshwater Biol* 35:561-577
- Hickman M, Schweger CE (1996). The late quaternary palaeoenvironmental history of a presently deep freshwater lake in east-central Alberta, Canada and palaeoclimate implications. *Palaeogeogr Palaeoclimatol Palaeoecol* 123:161-178
- Holopainen AL, Huttunen P, Letanskaya GI, Protopopova EV (1996). The trophic state of Lake Ladoga as indicated by late summer phytoplankton. *Hydrobiol* 322:9-16
- Ibelings BW (1996). Changes in photosynthesis in response to combined irradiance and temperature stress in cyanobacterial surface waterblooms. *J Phycol* 32:549-557
- Karnieli A, Sarafis V (1996). Reflectance spectrophotometry of cyanobacteria within soil crusts: A diagnostic tool. *Int J Remote Sensing* 17:1609-1615
- Kassim TI, Sabri AW, Al-Lami AA, Abood SM (1996). The impacts of sewage treatment plant on phytoplankton of Diyala and Tigris rivers. *J Environ Sci Health A* 31:1067-1088
- Klochenko PD, Medved' VA (1996). Some peculiarities of chlorophyll a and inorganic compound dynamics in the water environment during the period of algae vegetation. *Gidrobiologicheskii Zhurnal* 32:48-53 (Russian)
- Knowlton MF, Jones JR (1996). Nutrient addition experiments in a nitrogen-limited high plains reservoir where nitrogen-fixing algae seldom bloom. *J Freshwater Ecol* 11:123-130
- Komarkova J, Hejzlar J (1996). Summer maxima of phytoplankton in the Rimov reservoir in relation to hydrologic parameters and phosphorus loading. *Arch Hydrobiol* 136:217-236
- Krestin S V, Rozenberg GS (1996). About one of the mechanisms of "flowering of water" in flat tape reservoir. *Biofizika* 41:650-654 (Russian)
- Krienitz L, Kasprzak P, Koschel R (1996). Long term study on the influence of eutrophication, restoration and biomanipulation on the structure and development of phytoplankton communities in Feldberger Haussee (Baltic Lake District, Germany). *Hydrobiol* 330:89-110
- Levich AP (1996). The role of nitrogen-phosphorus ratio in selecting for dominance of phytoplankton by cyanobacteria or green algae and its application to reservoir management. *J Aquat Ecosyst Health* 5:55-61
- Lin HJ, Nixon SW, Taylor DI, Granger SL, Buckley BA (1996). Responses of epiphytes on eelgrass, *Zostera marina* L., to separate and combined nitrogen and phosphorus enrichment. *Aquatic Bot* 52:243-258
- Lopez-Rodriguez MD, Perez-Cirera JL (1996). Cyanophyta in environments affected by industrial pollution in the north-western Iberian Peninsula. *Anal Jardin Bot Madrid* 54:43-49 (Spanish)
- Lukesova A, Hoffmann L (1996). Soil algae from acid rain impacted forest areas of the Krusne hory Mts. 1: Algal communities. *Vegetatio* 125:123-136
- Macintyre HL, Geider RJ, Miller DC (1996). Microphytobenthos: The ecological role of the "Secret Garden" of unvegetated, shallow-water marine habitats: I. Distribution, abundance and primary production. *Estuaries* 19:186-201
- Menezes M, Domingos P (1996). Planktonic flora of a tropical lagoon (Brazil). *Rev Hydrobiol Tropicale* 27:273-297 (French)
- Nagata T, Takai K, Kawabata KI, Nakanishi M, Urabe J (1996). The trophic transfer via a picoplankton-flagellate-copepod food chain during a picocyanobacterial bloom in Lake Biwa. *Arch Hydrobiol* 137:145-160

- Neuman CM, Maxwell CD, Boulton JW (1996). Wind transport of sand surfaces crusted with photoautotrophic microorganisms. *Catena* 27:229-247
- Ning XR, Vaulot D (1996). Simultaneous estimates of *Synechococcus* spp. growth and grazing mortality rates in the English Channel. *Chinese J Oceanol Limnol* 14:8-16
- Nogueroles-Seoane A, Rifon-Lastra AB (1996). On the epilithic phycoflora of monuments in north-western Spain. A study of the Samos Monastery (Lugo). *Anal Jardin Bot Madrid* 54:37-42 (Spanish)
- Odebrecht C, Djurfeldt L (1996). The role of nearshore mixing on phytoplankton size structure off Cape Santa Marta Grande, southern Brazil (Spring 1989). *Arch Fishery Mar Res* 43:217-230
- Paerl HW, Fitzpatrick M, Bebout BM (1996). Seasonal nitrogen fixation dynamics in a marine microbial mat: Potential roles of cyanobacteria and microheterotrophs. *Limnol Oceanogr* 41:419-427
- Pentecost A (1995). Significance of the biomineralizing microniche in a *Lyngbya* (Cyanobacterium) travertine. *Geomicrobiol J* 13:213-222
- Phillips A, Lambert G, Granger JE, Steinke TD (1996). Vertical zonation of epiphytic algae associated with *Avicennia marina* (Forssk.) Vierh. pneumatophores at beechwood mangroves nature reserve, Durban, South Africa. *Botanica Marina* 39:167-175
- Porter KG, Saunders PA, Haberyan KA, Macubbin AE, Jacobsen TR, Hodson RE (1996). Annual cycle of autotrophic and heterotrophic production in a small, monomictic Piedmont lake (Lake Oglethorpe): Analog for the effects of climatic warming on dimictic lakes. *Limnol Oceanogr* 41:1041-1051
- Presing M, Herodek S, Voros L, Kobor I (1996). Nitrogen fixation, ammonium and nitrate uptake during a bloom of *Cylindrospermopsis raciborskii* in Lake Balaton. *Arch Hydrobiol* 136:553-562
- Proulx M, Pick FR, Mazumder A, Hamilton PB, Lean DRS (1996). Effect of nutrients and planktivorous fish on the phytoplankton of shallow and deep aquatic systems. *Ecol* 77:1556-1572
- Ramirez JJ (1996). Autecology of *Cyanocataena bicudo* sp. nova, a new Cyanophyceae from Parque Norte lagoon, Colombia. *Arch Hydrobiol Suppl* 112:21-34
- Sevrin-Reyssac J, Pletikovic M (1990). Cyanobacteria in fish ponds. *Aquacult* 88:1-20
- Shabana YM, Charudattan R (1996). Microorganisms associated with hydrilla in ponds and lakes in North Florida. *J Aquatic Plant Management* 34:60-68
- Sloth NP, Riemann B, Nielsen LP, Blackburn TH (1996). Resilience of pelagic and benthic microbial communities to sediment resuspension in a coastal ecosystem, Knebel Vig, Denmark. *Estuar Coast Shelf Sci* 42:405-415
- Sorokin YI, Ghelli F (1996). Dynamics of inorganic phosphate in pelagic communities of lagoonal ecosystem, transformed under the influence of eutrophication. *Dokl Akad Nauk* 347:427-430 (Russian)
- Sorokin YI, Sorokin PY (1996). Plankton and primary production in the Lena River Estuary and in the southern-eastern Laptev Sea. *Estuar Coast Shelf Sci* 43:399-418
- Sorokin YI, Sorokin PY, Gnes A (1996). Ecological catastrophe in the Comacchio Lagoons (Italy) induced by quasi-permanent "bloom" of picocyanobacteria. *Dokl Akad Nauk* 347:570-573 (Russian)
- Sorokin YI, Sorokin PY, Gnes A (1996). Structure and functioning of the anthropogenically transformed Comacchio lagoonal ecosystem (Ferrara, Italy). *Marine Ecol Progr Ser* 133:57-71
- Stal LJ, Behrens SB, Villbrandt M, van Bergeijk S, Kruyning F (1996). The biogeochemistry of two eutrophic marine lagoons and its effect on microphytobenthic communities. *Hydrobiol* 329:185-198
- Thompson RC, Wilson BJ, Tobin ML, Hill AS, Hawkins SJ (1996). Biologically generated habitat provision and diversity of rocky shore organisms at a hierarchy of spatial scales. *J Exp Mar Biol Ecol* 202:73-84
- Trave A, Serra KJ, Zamarreno I (1996). Paleocological interpretation of transitional environments in Eocene carbonates (NE Spain). *Palaios* 11:141-160
- Vinebrooke RD, Leavitt PR (1996). Effects of ultraviolet radiation on periphyton in an alpine lake. *Limnol Oceanogr* 41:1035-1040
- Visser PM, Ibelings BW, van der Veer B, Koedood J, Mur LR (1996). Artificial mixing prevents nuisance blooms of the cyanobacterium *Microcystis* in Lake Nieuwe Meer, the Netherlands. *Freshwater Biol* 36:435-450
- Vlaski A, van Breemen AN, Alaerts GJ (1996). The algae problem in the Netherlands from a water treatment perspective. *Aqua* 45:184-194
- Watanabe M (1996). Studies on planktonic blue-green algae 6. Bloom-forming species in Lake Biwa (Japan) in the summer of 1994. *Bull Natl Sci Museum B* 22:1-10
- Woitke P, Schiwietz T, Teubner K, Kohl JG (1996). Annual profiles of photosynthetic lipophilic pigments in four freshwater lakes in relation to phytoplankton counts as well as to nutrient data. *Arch Hydrobiol* 137:363-384
- Yelloly JM, Whitton BA (1996). Seasonal changes in ambient phosphate and phosphatase activities of the cyanobacterium *Rivularia atra* in intertidal pools at Tyne Sands, Scotland. *Hydrobiol* 325:201-212
- Yoshida Y, Nakahara H, Kuwae A (1996). Mechanisms on the occurrence of *Microcystis* bloom at harbors in the north Basin of Lake Biwa. *Nippon Suisan Gakkaishi* 62:230-235
- Yoshida Y, Okino T (1996). Relationships between the occurrence of *Microcystis* bloom and DON:DIN ratios in Lake Suwa. *Nippon Suisan Gakkaishi* 62:631-637 (Japanese)
- Yuan XL, Wang QF, Zhang Y (1993). Late Precambrian Weng'an Biota from Guizhou, southwest China. *Acta Micropalaeontol Sinica* 10:409-420
- Zhang Y, Prepas EE (1996). Regulation of the dominance of planktonic diatoms and cyanobacteria in four eutrophic hardwater lakes by nutrients, water column stability, and temperature. *Can J Fish Aquat Sci* 53:621-633
- Zhang Y, Prepas EE (1996). Short-term effects of Ca(OH)₂ additions on phytoplankton biomass: A comparison of laboratory and in situ experiments. *Water Res* 30:1285-1294
- Zhang Y, Tian Y, Zhang X (1995). Studies on phytoplankton in Lake Baiyangdian. *Acta Hydrobiol Sinica* 19:317-326 (Chinese)

SYMBIOSIS

- Bewley CA, Holland ND, Faulkner DJ (1996). Two classes of metabolites from *Theonella swinhoei* are localized in distinct populations of bacterial symbionts. *Experientia* 52:716-722
- de las Heras J, Herranz JM, Guerra J (1996). The role of bryophytes in the nitrogen dynamics of soils affected by fire in Mediterranean forests (southeastern Spain). *Ecosci* 3:199-204
- de los Rios A, Ramirez R, Estevez P (1996). Polygalacturonase isozymes in the cyanolichen *Peltigera canina*. *J Plant Physiol* 147:637-640
- Gehrig H, Schuessler A, Kluge M (1996). *Geosiphon pyriforme*, a fungus forming endocytobiosis with *Nostoc* (Cyanobacteria) is an ancestral member of the glomales: Evidence by SSU rRNA analysis. *J Molec Evol* 43:71-81
- Jeyasingh DEP, Kumarasamy D (1995). *Aphanocapsa Nageli* in symbiosis with *Cycas beddomei* Dyer. *Phytomorph* 45:247-251
- Knight CD, Adams DG (1996). A method for studying chemotaxis in nitrogen fixing cyanobacterium-plant symbioses. *Physiol Molec Plant Pathol* 49:73-77

- Leisner JMR, Bilger W, Lange OL (1996). Chlorophyll fluorescence characteristics of the cyanobacterial lichen *Peltigera rufescens* under field conditions. *Flora* 191:261-273
- Palmqvist K, Badger MR (1996). Carbonic anhydrase(s) associated with lichens: In vivo activities, possible locations and putative roles. *New Phytol* 132:627-639
- Rai AN, Borthakur M, Paul D (1996). Symbiotic cyanobacteria: Biotechnological applications. *J Sci Ind Res* 55:742-752
- Rasmussen U, Johansson C, Renglin A, Petersson C, Bergman B (1996). A molecular characterization of the *Gunnera-Nostoc* symbiosis: Comparison with *Rhizobium*- and *Agrobacterium*-plant interactions. *New Phytol* 133:391-398
- Silvester WB, Parsons R, Watt PW (1996). Direct measurement of release and assimilation of ammonia in the *Gunnera-Nostoc* symbiosis. *New Phytol* 132:617-625
- Zenkeler EK (1995). Micropropagation of *Polypodium vulgare* L. by rhizome explants. *Bull Polish Acad Sci Biol Sci* 43:77-84

TOXINS and NATURAL SUBSTANCES

- Annala A, Lehtimäki J, Mattila K, Eriksson JE, Sivonen K, Rantala TT, Drakenberg T (1996). Solution structure of nodularin: An inhibitor of serine/threonine-specific protein phosphatases. *J Biol Chem* 271:16695-16702
- Arment AR, Carmichael WW (1996). Evidence that microcystin is a thio-template product. *J Phycol* 32:591-597
- Bagchi SN (1996). Cyanobacterial toxins. *J Sci Ind Res* 55:715-727
- Chen G, Yu S, Wei G, et al. (1996). Studies on microcystin contents in different drinking water in highly endemic area of liver cancer. *Zhonghua Yufang Yixue Zazhi* 30:6-9
- Conte ED, Conway SC, Miller DW, Perschbacher PW (1996). Determination of methylisoborneol in channel catfish pond water by solid phase extraction followed by gas chromatography-mass spectrometry. *Water Res* 30:2125-2127
- de Muys JM, Rej R, Nguyen D, Go B, Fortin S, Lavallee JF (1996). Synthesis and in vitro cytotoxicity of cryptophycins and related analogs. *Bioorg Med Chem Lett* 6:1111-1116
- Gromov BV, Vepriřsky AA, Mamkaeva KA, Voloshko LN (1996). A survey of toxicity of cyanobacterial blooms in Lake Ladoga and adjacent water bodies. *Hydrobiol* 322:149-151
- Hagmann L, Juettner F (1996). Fischerellin A, a novel photosystem-II-inhibiting allelochemical of the cyanobacterium *Fischerella muscicola* with antifungal and herbicidal activity. *Tetrahedron Lett* 37:6539-6542
- Harada KI, Murata H, Qiang Z, Suzuki M, Kondo F (1996). Mass spectrometric screening method for microcystins in cyanobacteria. *Toxicon* 34:701-710
- He J, Li L, Yu J, Zhao Y, Liu Y (1996). Preliminary studies on a Chinese new record of blue-green algae: *Microcystis wesenbergii* and its toxicity. *Acta Hydrobiol Sinica* 20:192-194 (Chinese)
- Hemscheidt T, Rapala J, Sivonen K, Skulberg OM (1995). Biosynthesis of anatoxin-a in *Anabaena flos-aquae* and homoanatoxin-a in *Oscillatoria formosa*. *J Chem Soc, Chem Commun*:1361-1362
- Ishida K, Matsuda H, Murakami M, Yamaguchi K (1996). Kawaguchipeptin A, a novel cyclic undecapeptide from cyanobacterium *Microcystis aeruginosa* (NIES-88). *Tetrahedron* 52:9025-9030
- Jakobi C, Rinehart KL, Codd GA, Carmienke I, Weckesser J (1996). Occurrence of toxic water blooms containing microcystins in a German lake over a three year period. *Syst Appl Microbiol* 19:249-254
- James KJ, Sherlock IR (1996). Determination of the cyanobacterial neurotoxin, anatoxin-a, by derivatisation using 7-fluoro-4-nitro-2,1,3-benzoxadiazole (NBD-F) and HPLC analysis with fluorimetric detection. *Biomed Chromatogr* 10:46-47
- Kaya K, Sano T, Beattie KA, Codd GA (1996). Nostocyclin, a novel 3-amino-6-hydroxy-2-piperidone-containing cyclic depsipeptide from the cyanobacterium *Nostoc* sp. *Tetrahedron Lett* 37:6725-6728
- Klein D, Braekman JC, Daloz D, Hoffmann L, Demoulin V (1996). Laingolide, a novel 15-membered macrolide from *Lyngbya bouillonii* (Cyanophyceae). *Tetrahedron Lett* 37:7519-7520
- Lai JY, Yu J, Mekonnen B, Falck JR (1996). Synthesis of curacin A, an antimitotic cyclopropane-thiazoline from the marine cyanobacterium *Lyngbya majuscula*. *Tetrahedron Lett* 37:7167-7170
- Lambert TW, Holmes CFB, Hrudey SE (1996). Absorption of microcystin-LR by activated carbon and removal in full scale water treatment. *Water Res* 30:1411-1422
- Llopiz P, Juergens UJ, Rohmer M (1996). Prokaryotic triterpenoids: Bacterioplanetetrol glycuronosides from the thermophilic cyanobacterium *Synechococcus* PCC 6907. *FEMS Microbiol Lett* 140:199-202
- Mansell HL (1996). Synthetic approaches to anatoxin-a. *Tetrahedron* 52:6025-6061
- Mazumder PK, Dube SN (1996). Marine toxins as molecular probes for biological interactions: A review. *Ind J Physiol Allied Sci* 50:34-47
- Nagai H, Yasumoto T, Hokama Y (1996). Aplysiatoxin and debromoaplysiatoxin as the causative agents of a red alga *Gracilaria coronopifolia* poisoning in Hawaii. *Toxicon* 34:753-761
- Nagle DG, Paul VJ, Roberts MA (1996). Ypaamide, a new broadly acting feeding deterrent from the marine cyanobacterium *Lyngbya majuscula*. *Tetrahedron Lett* 37:6263-6266
- Parsons PJ, Camp NP, Underwood JM, Harvey DM (1996). Tandem reactions of anions: A short and efficient route to racemic anatoxin-a. *Tetrahedron* 52:11637-11642
- Rao PVL, Bhaskar ASB, Bhattacharya R (1996). Effects of nutrient media and culture duration on growth, macromolecular composition and toxicity in batch cultures of *Microcystis aeruginosa*. *Microbios* 86:95-104
- Sano T, Kaya K (1996). Oscillatorin, a chymotrypsin inhibitor from toxic *Oscillatoria agardhii*. *Tetrahedron Lett* 37:6873-6876
- Sathiyamoorthy P, Shanmugasundaram S (1995). Screening for biologically active compounds from S. Indian cyanobacterial cultures. In: *Internatl. Symp. Swi. Biomed. Res. University of Maryland, Maryland, U.S.A.*
- Shin HJ, Matsuda H, Murakami M, Yamaguchi K (1996). Agardhipeptins A and B, two new cyclic hepta- and octapeptide, from the cyanobacterium *Oscillatoria agardhii* (NIES-204). *Tetrahedron* 52:13129-13136
- Shin HJ, Murakami M, Matsuda H, Yamaguchi K (1996). Microviridins D-F, serine protease inhibitors from the cyanobacterium *Oscillatoria agardhii* (NIES-204). *Tetrahedron* 52:8159-8168
- Skulberg OM (1996) Toxins produced by cyanophytes in Norwegian inland waters -- health and environment. In: *Chemical data as a basis of geomedical investigations. Norwegian Academy of Science and Letters, Oslo, Norway*
- Tsuji K, Setsuda S, Watanuki T, Kondo F, Nakazawa H, Suzuki M, Harada KI (1996). Microcystin levels during 1992-95 for Lakes Sagami and Tsukui-Japan. *Natural Toxins* 4:189-194
- Ueno Y, Nagata S, Tsutsumi T, Hasegawa A, Watanabe MF, Park HD, Chen GC, Chen G, Yi SZ (1996). Detection of microcystins, a blue-green algal hepatotoxin in drinking water sampled in Haimen and Fusui, endemic areas of primary liver cancer in China, by highly sensitive immunoassay. *Carcinogen* 17:1317-1321
- Utkilen H, Skulberg OM, Underdal B, Gjølme N, Skulberg R, Kotai J (1996). The rise and fall of a toxigenic population of *Microcystis aeruginosa* (cyanophyceae/cyanobacteria) -- a decade of observations in Lake Akersvatnet, Norway. *Phycol* 35:189-197
- Wagner B, Beugelmans R, Zhu J (1996). Synthesis of hapalysin and 8-deoxy-hapalysin. *Tetrahedron Lett* 37:6557-6560
- Weckesser J, Martin C, Jakobi C (1996). Cyanopeptolins, depsipeptides from cyanobacteria. *Syst Appl Microbiol* 19:133-138

TOXINS and NATURAL SUBSTANCES (Physiological Effects)

- Aas P, Eriksen S, Kolderup Jø, Lundy P, Haugen John-E, Skulberg OM, Fonnum F (1996). Enhancement of acetylcholine release by homoanatoxin-a from *Oscillatoria formosa*. *Environ Toxicol Pharmacol* 2:223-232
- Abe T, Lawson T, Weyers JDB, Codd GA (1996). Microcystin-LR inhibits photosynthesis of *Phaseolus vulgaris* primary leaves: Implications for current spray irrigation practice. *New Phytol* 133:651-658
- Azevedo SMFD, Carmouze JP (1996). Mortality of fishes in a tropical coastal lagoon (Brazil) during a bloom of Cyanophyta: Coincidence or consequence? *Rev Hydrobiol Tropicale* 27:265-272 (French)
- Bury NR, Eddy FB, Codd GA (1996). Stress responses of brown trout, *Salmo trutta* L., to the cyanobacterium, *Microcystis aeruginosa*. *Environ Toxicol Water Qual* 11:187-193
- Carbis CR, Rawlin GT, Mitchell GF, Anderson JW, McCauley I (1996). The histopathology of carp, *Cyprinus carpio* L., exposed to microcystins by gavage, immersion and intraperitoneal administration. *J Fish Dis* 19:199-207
- de Mule MCZ, de Caire GZ, de Cano MS (1996). Bioactive substances from *Spirulina platensis* (Cyanobacteria). *Phyton (Buenos Aires)* 58:93-96
- Domingos P, Huszar VLM, Carmouze JP (1996). Composition and biomass of the phytoplanktonic community of a tropical coastal lagoon (Brazil) characterized by a fish mortality. *Rev Hydrobiol Tropicale* 27:235-250 (French)
- Filali-Mouhim R, Hours M (1995). Antiviral activities of sulfated polysaccharides. *Acta Bot Gallica* 142:125-130 (French)
- Hayakawa Y, Hayashi T, Hayashi K, Hayashi T, Ozawa T, Niiya K, Sakuragawa N (1996). Heparin cofactor II-dependent antithrombin activity of calcium spirulan. *Blood Coagul Fibrinol* 7:554-560
- Hayashi K, Hayashi T, Kojima I (1996). A natural sulfated polysaccharide, calcium spirulan, isolated from *Spirulina platensis*: In vitro and ex vivo evaluation of anti-herpes simplex virus and anti-human immunodeficiency virus activities. *AIDS Res Hum Retrovir* 12:1463-1471
- Mohan VR, Kumar V (1995). Induction of growth in the cyanobacterium, *Spirulina* species by the seaweed extract SM3. *Biomed Lett* 52:277-279
- Sathiyamoorthy P, Shanmugasundaram S (1996). Preparation of cyanobacterial peptide toxin as biopesticide against cotton pest. *Appl Microbiol Biotechnol* (in press)
- Shirahashi H, Morimoto T, Nagatsu A, Murakami N, Tatta K, Sakakibara J, Tokuda H, Nishino H (1996). Antitumor-promoting activities of various synthetic 1-O-acyl-3-O-(6'-O-acyl-beta-D-galactopyranosyl)-sn-glycerols related to natural product from freshwater cyanobacterium *Anabaena flos-aquae* f. *flos-aquae*. *Chem Pharm Bull Tokyo* 44:1404-1406
- Smith PT (1996). Toxic effects of blooms of marine species of *Oscillatoriales* on farmed prawns (*Penaeus monodon*, *Penaeus japonicus*) and brine shrimp (*Artemia salina*). *Toxicol* 34:857-869
- Tokuda H, Nishino H, Shirahashi H, Murakami N, Nagatsu A, Sakakibara J (1996). Inhibition of 12-O-tetradecanoylphorbol-13-acetate promoted mouse skin papilloma by digalactosyl diacylglycerols from the fresh water cyanobacterium *Phormidium tenue*. *Cancer Lett* 104:91-95
- Vezie C, Sivonen K, Brient L, Bertru G, Lefeuvre JC (1996). Development of toxic cyanobacteria in western France. Detection of toxicity with *Artemia salina* tests. *Annal Limnol* 32:123-128 (French)
- Wang HB, Zhu HG (1996). Promoting activity of microcystins extracted from waterblooms in SHE cell transformation assay. *Biomed Environ Sci* 9:46-51

PHYSIOLOGY

- Aslanidi KB, Vachadze DM, Zamyatnin AA Jr, Pozharskaya TR, Rochev YA, Selezneva II, Tsyganov MA, Chailakhyan LM (1996). Compartmentation determines the dynamics of multicellular system's growth. *Biologicheskie Membrany (Moscow)* 13:289-298 (Russian)
- Bartsevich V V, Pakrasi HB (1996). Manganese transport in the cyanobacterium *Synechocystis* sp. PCC 6803. *J Biol Chem* 271:26057-26061
- Bhaya D (1996). Molecular responses of cyanobacteria to macronutrient limitation. *J Sci Ind Res* 55:630-637
- Brahamsha B (1996). An abundant cell-surface polypeptide is required for swimming by the nonflagellated marine cyanobacterium *Synechococcus*. *Proc Natl Acad Sci USA* 93:6504-6509
- Ehlers KM, Samuel ADT, Berg HC, Montgomery R (1996). Do cyanobacteria swim using traveling surface waves? *Proc Natl Acad Sci USA* 93:8340-8343
- Falkner G, Wagner F, Falkner R (1996). The bioenergetic coordination of a complex biological system is revealed by its adaptation to changing environmental conditions. *Acta Biotheor* 44:283-299
- Guo H, Song W, Jin C (1996). A study on the isolation of spheroplasts from 7 species (5 genera) of blue-green algae. *Acta Hydrobiol Sinica* 20:93-94 (Chinese)
- Husaini Y, Rai LC, Mallick N (1996). Impact of aluminium, fluoride and fluoroaluminate complex on ATPase activity of *Nostoc linckia* and *Chlorella vulgaris*. *Biometals* 9:277-283
- Husaini Y, Rai LC, Mallick N (1996). Nutrient uptake and its kinetics in *Nostoc linckia* in presence of aluminium and fluoride at different pH. *J Gen Appl Microbiol* 42:263-270
- Jensen TE (1996). Lack of pinocytotic activity in colloidal-gold, BSA-gold and concanavalin A-gold exposed cells of *Plectonema boryanum* and *Micrococcus luteus*. *Cytobios* 85:111-130
- Jin C, Song L, Li S (1996). The mixotrophic growth of *Anabaena* sp. HB1017. *Acta Hydrobiol Sinica* 20:134-137 (Chinese)
- Labbe JP, Harricane MC, Boyer M, Derancourt J, Roustan C, Benyamin Y (1996). Biochemical evidence for the presence of an unconventional actin protein in a prokaryotic organism. *Comp Biochem Physiol B* 114:287-293
- Martin BB, Martin DF, Bisnauth LD (1996). A preliminary examination of the effects of a magnetic field on the viability of four algae. *Biomed Lett* 53:23-28
- Navarro F, Florencio FJ (1996). The cyanobacterial thioredoxin gene is required for both photoautotrophic and heterotrophic growth. *Plant Physiol* 111:1067-1075
- Parpais J, Marie D, Partensky F, Morin P, Vaultot D (1996). Effect of phosphorus starvation on the cell cycle of the photosynthetic prokaryote *Prochlorococcus* spp. *Marine Ecol Progr Ser* 132:265-274
- Rabenstein A, Rethmeier J, Fischer U (1995). Sulphite as intermediate sulphur compound in anaerobic sulphide oxidation to thiosulphate by marine cyanobacteria. *Z Naturforsch C* 50c:769-774
- Walsby AE, Avery A (1996). Measurement of filamentous cyanobacteria by image analysis. *J Microbiol Methods* 26:11-20
- Watson GMF, Scanlan DJ, Mann NH (1996). Characterization of the genes encoding a phosphate-regulated two component sensory system in the marine cyanobacterium *Synechococcus* sp. WH7803. *FEMS Microbiol Lett* 142:105-109
- Yashiro K, Sakamoto T, Ohmori M (1996). Molecular characterization of an adenylate cyclase gene of the cyanobacterium *Spirulina platensis*. *Plant Molec Biol* 31:175-181

STRESS RESPONSES

- Chen XJ, Guo HL (1995). Complementary effect of osmotic stabilizers and their roles in degradation cell walls on blue-green algae. *Acta Bot Sinica* 37:786-790
- Hagemann M, Richter S, Zuther E, Schoor A (1996). Characterization of a glucosylglycerol-phosphate-accumulating, salt-sensitive mutant of the cyanobacterium *Synechocystis* sp. strain PCC 6803. *Arch Microbiol* 166:83-91
- Karsten U (1996). Growth and organic osmolytes of geographically different isolates of *Microcoleus chthonoplastes* (Cyanobacteria) from benthic microbial mats: Response to salinity change. *J Phycol* 32:501-506
- Mikkat S, Hagemann M, Schoor A (1996). Active transport of glucosylglycerol is involved in salt adaptation of the cyanobacterium *Synechocystis* sp. strain PCC 6803. *Microbiol (UK)* 142:1725-1732
- Potts M (1996). The anhydrobiotic cyanobacterial cell. *Physiol Plant* 97:788-794
- Schlesinger P, Belkin S, Boussiba S (1996). Sodium deprivation under alkaline conditions causes rapid death of the filamentous cyanobacterium *Spirulina platensis*. *J Phycol* 32:608-613
- Vonshak A, Kancharaksa N, Bunnag B, Tanticharoen M (1996). Role of light and photosynthesis on the acclimation process of the cyanobacterium *Spirulina platensis* to salinity stress. *J Appl Phycol* 8:119-124
- Chadd HE, Newman J, Mann NH, Carr NG (1996). Identification of iron superoxide dismutase and a copper/zinc superoxide dismutase enzyme activity within the marine cyanobacterium *Synechococcus* sp. WH 7803. *FEMS Microbiol Lett* 138:161-165
- Erbe JL, Taylor KB, Hall LM (1996). Expression of mouse metallothionein in the cyanobacterium *Synechococcus* PCC7942. *J Ind Microbiol* 17:41-46
- Gupta A, Singhal GS (1996). Changes in ultrastructure and inhibition of electron transport activity induced by thallium in *Nostoc muscorum*. *Photosynthetica* 32:393-398
- Gupta A, Singhal GS (1996). Effect of heavy metals on phycobiliproteins of *Anacystis nidulans*. *Photosynthetica* 32:545-548
- Gupta A, Singhal GS (1996). Heavy metal induced changes in the spectral properties of *Anacystis nidulans*. *Biol Plant* 38:275-280
- Hammouda O, Borbely G (1996). Temperature shift induced synthesis of specific ¹⁴C-labeled proteins and alterations in light absorption spectrum and photosynthetic activity, in *Synechococcus* sp. *Microbiol Res* 151:121-126
- Khalil Z (1994). Interactions of nickel, lead and calcium on growth criteria and metabolic aspects in *Phormidium fragile*. *Egypt J Microbiol* 29:193-205
- Lee LH, Lustigman B (1996). Effect of barium and nickel on the growth of *Anacystis nidulans*. *Bull Environ Contam Toxicol* 56:985-992
- Moffett JW, Brand LE (1996). Production of strong, extracellular Cu chelators by marine cyanobacteria in response to Cu stress. *Limnol Oceanogr* 41:388-395
- Mutsuda M, Ishikawa T, Takeda T, Shigeoka S (1996). The catalase-peroxidase of *Synechococcus* PCC 7942: Purification, nucleotide sequence analysis and expression in *Escherichia coli*. *Biochem J* 316:251-257
- Rai LC, Husaini Y, Mallick N (1996). Physiological and biochemical responses of *Nostoc linckia* to combined effects of aluminium, fluoride and acidification. *Environ Exp Bot* 36:1-12
- Robinson NJ, Wilson JR, Turner JS (1996). Expression of the type 2 metallothionein-like gene MT2 from *Arabidopsis thaliana* in Zn²⁺-metallothionein-deficient *Synechococcus* PCC 7942: Putative role for MT2 in Zn²⁺ metabolism. *Plant Molec Biol* 30:1169-1179
- Shibata H, Noda T, Ogura Y, Suginaka K, Matsui Y, Ozoe Y, Sawa Y, Kono Y (1996). A soluble-form of pro-oxidant lumazine isolated from cyanobacterial cells generates superoxide anion under near-UV irradiation. *Biochim Biophys Acta* 1274:129-134
- Turner JS, Glands PD, Samson ACR, Robinson NJ (1996). Zn²⁺-sensing by the cyanobacterial metallothionein repressor SmtB: Different motifs mediate metal-induced protein-DNA dissociation. *Nucl Acids Res* 24:3714-3721
- Eriksson MJ, Clarke AK (1996). The heat shock protein ClpB mediates the development of thermotolerance in the cyanobacterium *Synechococcus* sp. strain PCC 7942. *J Bacteriol* 178:4839-4846
- Furuki M, Tanaka N, Hiyama T, Nakamoto H (1996). Cloning, characterization and functional analysis of *groEL*-like gene from thermophilic cyanobacterium *Synechococcus vulcanus*, which does not form an operon with *groES*. *Biochim Biophys Acta* 1294:106-110
- Gombos Z, Hideg E, Zsiros O, Wada H, Murata N (1995). The role of lipid desaturation in protection mechanism against temperature stresses. *Acta Phytopathol Entomol Hungar* 30:89-92
- Ishizaki-Nishizawa O, Fujii T, Azuma M, Sekiguchi K, Murata N, Ohtani T, Toguri T (1996). Low-temperature resistance of higher plants is significantly enhanced by a nonspecific cyanobacterial desaturase. *Nature Biotechnol* 14:1003-1006
- Mustardy L, Los DA, Gombos Z, Murata N (1996). Immunocytochemical localization of acyl-lipid desaturases in cyanobacterial cells: Evidence that both thylakoid membranes and cytoplasmic membranes are sites of lipid desaturation. *Proc Natl Acad Sci USA* 93:10524-10527
- Panoff Jean-M, Lucas I (1996). Response to cold shock: transcriptional and translational control? *Microbiol* 142:2985-2986
- Pinevich AV (1996). Intracytoplasmic membrane structures in bacteria (a review). *Endocyt Cell Res* (accepted)
- Reddy KJ, Soper BW, Tang J, Bradley RL (1996). Phenotypic variation in exopolysaccharide production in the marine, aerobic nitrogen-fixing unicellular cyanobacterium *Cyanothece* sp. *World J Microbiol Biotechnol* 12:311-318
- Selstam E, Campbell D (1996). Membrane lipid composition of the unusual cyanobacterium *Gloeobacter violaceus* sp. PCC 7421, which lacks sulfoquinovosyl diacylglycerol. *Arch Microbiol* 166:132-135
- Varkonyi Z, Zsiros O, Gombos Z (1996). The application of genetically manipulated cyanobacterial strains in the study of glycerolipid unsaturation of photosynthetic membranes in the tolerance of photosynthetic machinery to temperature stresses. *J Sci Ind Res* 55:658-668

CELL CYCLE and CIRCADIAN RHYTHM

- Chen HM, Chien CY, Huang TC (1996). Regulation and molecular structure of a circadian oscillating protein located in the cell membrane of the prokaryote *Synechococcus* RF-1. *Planta* 199:520-527
- Johnson CH, Golden SS, Ishiura M, Kondo T (1996). Circadian clocks in prokaryotes. *Mol Microbiol* 21:5-11
- Liu Y, Tsinoremas NF, Golden SS, Kondo T, Johnson CH (1996). Circadian expression of genes involved in the purine biosynthetic pathway of the cyanobacterium *Synechococcus* sp. strain PCC 7942. *Mol Microbiol* 20:1071-1081
- Marie D, Vaultot D, Partensky F (1996). Application of the novel nucleic acid dyes YOYO-1, YO-PRO-1, and PicoGreen for flow cytometric analysis of marine prokaryotes. *Appl Environ Microbiol* 62:1649-1655

- Mori T, Binder B, Johnson CH (1996). Circadian gating of cell division in cyanobacteria growing with average doubling times of less than 24 hours. *Proc Natl Acad Sci USA* 93:10183-10188
- Pichard SL, Campbell L, Kang JB, Tabita FR, Paul JH (1996). Regulation of ribulose biphosphate carboxylase gene expression in natural phytoplankton communities: I. Diel rhythms. *Marine Ecol Progr Ser* 139:257-265
- Rensing L, Monnerjahn C (1996). Heat shock proteins and circadian rhythms. *Chronobiol Internatl* 13:239-250

- Tsinoremas NF, Ishiura M, Kondo T, Andersson CR, Tanaka K, Takahashi H, Johnson CH, Golden SS (1996). A sigma factor that modifies the circadian expression of a subset of genes in cyanobacteria. *EMBO J* 15:2488-2495
- Vaulot D, Lebot N, Marie D, Fukai E (1996). Effect of phosphorus on the *Synechococcus* cell cycle in surface Mediterranean waters during summer. *Appl Environ Microbiol* 62:2527-2533

NITROGEN METABOLISM and DIFFERENTIATION

- Bockholt R, Masephol B, Kruff V, Wittmann-Liebold B, Pistorius EK (1995). Partial amino acid sequence of an L-amino acid oxidase from the cyanobacterium *Synechococcus* PCC 6301, cloning and DNA sequence analysis of the *aoxA* gene. *Biochim Biophys Acta* 1264:289-293
- Bockholt R, Scholten-Beck G, Pistorius EK (1996). Construction and partial characterization of an L-amino acid oxidase-free *Synechococcus* PCC 7942 mutant and localization of the L-amino acid oxidase in the corresponding wild type. *Biochim Biophys Acta* 1307:111-121
- Kikuchi H, Aichi M, Suzuki I, Omata T (1996). Positive regulation by nitrite of the nitrate assimilation operon in the cyanobacteria *Synechococcus* sp. strain PCC 7942 and *Plectonema boryanum*. *J Bacteriol* 178:5822-5825
- Liou S, Campbell D, Castets AM, Houmard J, Tandeau de Marsac N (1996). Modification of the P-II protein in response to carbon and nitrogen availability in filamentous heterocystous cyanobacteria. *FEMS Microbiol Lett* 144:185-190
- Liu KK, Su MJ, Hsueh CR, Gong GC (1996). The nitrogen isotopic composition of nitrate in the Kuroshio water northeast of Taiwan: Evidence for nitrogen fixation as a source of isotopically light nitrate. *Marine Chem* 54:273-292
- Muro-Pastor MI, Reyes JC, Florencio FJ (1996). The NADP⁺-isocitrate dehydrogenase gene (*icd*) is nitrogen regulated in cyanobacteria. *J Bacteriol* 178:4070-4076
- Ochoa de Alda JAG, Tapia MI, Llama MJ, Serra JL (1996). Changes in photosynthetic yield, amino acids, and organic acids are induced by ammonium addition to cells of *Phormidium laminosum* (Cyanophyceae). *J Phycol* 32:602-608
- Ramaswamy KS, Endley S, Golden JW (1996). Nitrate reductase activity and heterocyst suppression on nitrate in *Anabaena* sp. strain PCC 7120 require *moeA*. *J Bacteriol* 178:3893-3898
- Sallal AKJ (1996). The presence of glutamine synthetase in the thylakoids of nitrogen-fixing cyanobacterium *Nostoc muscorum*. *J Basic Microbiol* 36:113-119

- Singh BB, Pandey PK, Singh S, Bisen PS (1996). Evidence for the nitrate assimilation-dependent nitrite excretion in cyanobacterium *Nostoc* MAC. *World J Microbiol Biotechnol* 12:285-287
- Suzuki I, Sugiyama T, Omata T (1996). Regulation by cyanate of the genes involved in carbon and nitrogen assimilation in the cyanobacterium *Synechococcus* sp. strain PCC 7942. *J Bacteriol* 178:2688-2694
- Anand N, Murugesan VSR (1996). Nitrogen fixation at night in nature. *Curr Sci* 70:119-120
- Apte SK (1996). Inter-relationship between photosynthesis and nitrogen fixation in cyanobacteria. *J Sci Ind Res* 55:583-595
- Chen HM, Huang TC, Chien CY (1996). Nucleotide sequence of the *nifHDK* operon in the aerobic nitrogen-fixing unicellular *Synechococcus* RF-1. *Bot Bull Acad Sinica* 37:99-105
- Kumar A, Sinha RP, Haeder DP (1996). Effect of UV-B on enzymes of nitrogen metabolism in the cyanobacterium *Nostoc calcicola*. *J Plant Physiol* 148:86-91
- Thiel T (1996). Isolation and characterization of the *vnfEN* genes of the cyanobacterium *Anabaena variabilis*. *J Bacteriol* 178:4493-4499
- Tuli R, Naithani S, Misra HS (1996). Cyanobacterial photosynthesis and the problem of oxygen in nitrogen-fixation: A molecular genetic view. *J Sci Ind Res* 55:638-657
- Zehr JP, Braun S, Chen Y, Mellon M (1996). Nitrogen fixation in the marine environment: Relating genetic potential to nitrogenase activity. *J Exp Mar Biol Ecol* 203:61-73
- Braune W, Doehler G (1996). 15N-uptake, influenced by UV-B radiation, and pattern of amino-acid pools during akinete germination in *Anabaena variabilis* (Cyanobacteria). *J Basic Microbiol* 36:219-227
- Van DW, Hart BT (1996). Akinete differentiation in *Anabaena circinalis* (Cyanophyta). *J Phycol* 32:557-565

HYDROGEN METABOLISM

- Boison G, Schmitz O, Mikheeva L, Shestakov S, Bothe H (1996). Cloning, molecular analysis and insertional mutagenesis of the bidirectional hydrogenase genes from the cyanobacterium *Anacystis nidulans*. *FEBS Letters* 394:153-158
- Gu TQ, Zhang HM, Sun SH (1996). Isolation, purification and characterization of the hydrogen evolution promoting factor of hydrogenase of *Spirulina platensis*. *Chinese J Oceanol Limnol* 14:27-30
- Markov SA (1996). Efficiency of light energy conversion in hydrogen production by cyanobacterium *Anabaena variabilis*. *J Mar Biotechnol* 4:57-60
- Markov SA, Thomas AD, Bazin MJ, Hall DO (1997). Photoproduction of hydrogen by cyanobacteria under partial vacuum in batch culture or in a photobioreactor. *Int J Hydrogen Energy* 22:521-524

- Markov SA, Weaver P, Seibert M (1996) Hydrogen production using microorganisms in hollow-fiber bioreactors. In: Veziroglu TN, Winter CJ, Baselt JP, Kreysa G (eds) *Hydrogen Energy Progress XI*. International Association for Hydrogen Energy, Stuttgart
- Skulberg OM (1995) Biophotolysis, hydrogen production and algal culture technology. In: Yürüm Y (ed) *Hydrogen Energy System*. Kluwer Academic Pub., Netherlands
- Troshina OY, Serebryakova LT, Lindblad P (1996). Induction of H₂-uptake and nitrogenase activities in the cyanobacterium *Anabaena variabilis* ATCC 29413: Effects of hydrogen and organic substrate. *Curr Microbiol* 33:11-15
- Yih W, Takeyama H, Mitsui A (1996). Hydrogen photoproduction by the synchronously grown marine unicellular cyanobacterium *Synechococcus* sp. Miami BG 043511 under extremely high oxygen concentration. *J Korean Soc Oceanogr* 31:18-22

CARBON METABOLISM

- Gibson JL, Tabita FR (1996). The molecular regulation of the reductive pentose phosphate pathway in proteobacteria and cyanobacteria. *Arch Microbiol* 166:141-150
- Gleason FK (1996). Glucose-6-phosphate dehydrogenase from the cyanobacterium, *Anabaena* sp. PCC 7120: Purification and kinetics of redox modulation. *Arch Biochem Biophys* 334:277-283
- Katoh A, Lee KS, Fukuzawa H, Ohyama K, Ogawa T (1996). *cemA* homologue essential to CO₂ transport in the cyanobacterium *Synechocystis* PCC 6803. *Proc Natl Acad Sci USA* 93:4006-4010
- Katoh A, Sonoda M, Katoh H, Ogawa T (1996). Absence of light-induced proton extrusion in a *cotA*-less mutant of *Synechocystis* sp. strain PCC6803. *J Bacteriol* 178:5452-5455
- Kleman GL, Horken KM, Tabita FR, Strohl WR (1996). Overproduction of recombinant ribulose 1,5-bisphosphate carboxylase/oxygenase from *Synechococcus* sp. strain PCC6301 in glucose-controlled high-cell-density fermentations by *Escherichia coli* K-12. *Appl Environ Microbiol* 62:3502-3507
- Lama L, Nicolaus B, Calandrelli V, Manca MC, Romano I, Gambacorta A (1996). Effect of growth conditions on endo- and exopolymers biosynthesis in *Anabaena cylindrica* 10 C. *Phytochem* 42:655-659
- Reddy KJ, Soper BW, Tang J, Bradley RL (1996). Phenotypic variation in exopolysaccharide production in the marine, aerobic nitrogen-fixing unicellular cyanobacterium *Cyanothece* sp. *World J Microbiol Biotechnol* 12:311-318
- Tamoi M, Ishikawa T, Takeda T, Shigeoka S (1996). Enzymic and molecular characterization of NADP-dependent glyceraldehyde-3-phosphate dehydrogenase from *Synechococcus* PCC 7942: Resistance of the enzyme to hydrogen peroxide. *Biochem J* 316:685-690
- Tamoi M, Ishikawa T, Takeda T, Shigeoka S (1996). Molecular characterization and resistance to hydrogen peroxide to two fructose-1,6-bisphosphatases from *Synechococcus* PCC 7942. *Arch Biochem Biophys* 334:27-36
- Tyrrell PN, Kandasamy RA, Crotty CM, Espie GS (1996). Ethoxylamide differentially inhibits CO₂ uptake and Na⁺-independent and Na⁺-dependent HCO₃⁻ uptake in the cyanobacterium *Synechococcus* sp. UTEX 625. *Plant Physiol* 112:79-88
- Uemura K, Suzuki Y, Shikanai T, Wadano A, Jensen RG, Chmara W, Yokota A (1996). A rapid and sensitive method for determination of relative specificity of RuBisCO from various species by anion-exchange chromatography. *Plant Cell Physiol* 37:325-331
- Yaguchi T, Oguni A, Ouchiyama N, Igarashi Y, Kodama T (1996). A non-radioisotopic anion-exchange chromatographic method to measure the CO₂/O₂ specificity factor for ribulose bisphosphate carboxylase/oxygenase. *Biosci Biotechnol Biochem* 60:942-944
- Zeng HP, Guo BJ (1995). Chemical studies on the polysaccharide from *Spirulina platensis*. *Yaoxue Xuebao* 30:858-861 [Chinese]

PHOTOSYNTHESIS and PHOTOSYSTEMS

- Babu TS, Mohanty P (1996). Light regulation of photosynthetic apparatus in cyanobacteria. *J Sci Ind Res* 55:728-741
- Banerjee M, Hader DP (1996). Effects of UV radiation on the rice field cyanobacterium, *Aulosira fertilissima*. *Environ Exp Bot* 36:281-291
- Fujita Y (1996). Flexibility of energy conversion process in thylakoids of cyanobacteria. *J Sci Ind Res* 55:618-629
- Gomez-Lojero C, Krogmann DW (1996). Large scale preparations of photosynthetic catalysts from cyanobacteria. *Photosyn Res* 47:293-299
- Kumar A, Tyagi MB, Srinivas G, Singh N, Kumar HD, Sinha RP, Haeder DP (1996). UVB shielding role of FeCl₃ and certain cyanobacterial pigments. *Photochemistry and Photobiology* 64:321-325
- Ochoa de Alda JAG, Tapia MI, Franck F, Llama MJ, Serra JL (1996). Changes in nitrogen source modify distribution of excitation energy in the cyanobacterium *Phormidium laminosum*. *Physiol Plant* 97:69-78
- Papageorgiou GC (1996). The photosynthesis of cyanobacteria (Blue Bacteria) from the perspective of signal analysis of chlorophyll a fluorescence. *J Sci Ind Res* 55:596-617
- Rai LC, Tyagi B, Mallick N (1996). Alternation in photosynthetic characteristics of *Anabaena doliolum* following exposure to UVB and Pb. *Photochemistry and Photobiology* 64:658-663
- Terjung F, Maier K, Otteken D, Meyer B, Fischer U (1996). Influence of sulfide on oxygenic photosynthesis of cyanobacteria: Investigations by chlorophyll fluorescence decay measurements. *Photosynthetica* 32:455-461
- Wulf K, Trissl HW (1996). Competition between annihilation and trapping leads to strongly reduced yields of photochemistry under ps-flash excitation. *Photosyn Res* 48:255-262
- Armbrust TS, Chitnis PR, Guikema JA (1996). Organization of photosystem I polypeptides examined by chemical cross-linking. *Plant Physiol* 111:1307-1312
- Baba K, Itoh S, Hastings G, Hoshina S (1996). Photoinhibition of Photosystem I electron transfer activity in isolated Photosystem I preparations with different chlorophyll contents. *Photosyn Res* 47:121-130
- Baumann B, Sticht H, Schaerpf M, Sutter M, Haehnel W, Roesch P (1996). Structure of *Synechococcus elongatus* (Fe₂S₂) ferredoxin in solution. *Biochem* 35:12831-12841
- Chitnis VP, Jung YS, Albee L, Golbeck JH, Chitnis PR (1996). Mutational analysis of photosystem I polypeptides: Role of Psad and the lysyl₁₀₆ residue in the reductase activity of photosystem I. *J Biol Chem* 271:11772-11780
- Fromme P, Witt HT, Schubert WD, Klukas O, Saenger W, Krauss N (1996). Structure of Photosystem I at 4.5 Å resolution: A short review including evolutionary aspects. *Biochim Biophys Acta* 1275:76-83
- Hanley J, Setif P, Bottin H, Lagoutte B (1996). Mutagenesis of photosystem I in the region of the ferredoxin cross-linking site: Modifications of positively charged amino acids. *Biochem* 35:8563-8571
- Heathcote P, Moenne-Loccoz P, Rigby SEJ, Evans MCW (1996). Photoaccumulation in photosystem I does product a phylloquinone (A-1.-) radical. *Biochem* 35:6644-6650
- Jekow P, Schubert WD, Fromme P, Kruij J, Chitnis PR, Roegner M, Saenger W (1996). Crystallization of intact and subunit L-deficient monomers from *Synechocystis* PCC 6803 photosystem I. *Z Naturforsch C* 51:195-199
- Karrasch S, Typke D, Walz T, Miller M, Tsiotis G, Engel A (1996). Highly ordered two-dimensional crystals of photosystem I reaction center from *Synechococcus* sp.: Functional and structural analyses. *J Mol Biol* 262:336-348
- Klevanik A (1996). Magnetic-field effects on primary reactions in Photosystem I. *Biochim Biophys Acta* 1275:237-243
- Mac M, Tang XS, Diner BA, McCracken J, Babcock GT (1996). Identification of histidine as an axial ligand to P-700. *Biochem* 35:13288-13293

- Makewicz A, Radunz A, Schmid GH (1996). Comparative immunological detection of lipids and carotenoids on peptides of Photosystem I from higher plants and cyanobacteria. *Z Naturforsch C* 51:319-328
- Olson JM (1996). Iron-sulfur-type reaction centers. Introduction. *Photochemistry and Photobiology* 64:1-4
- Palsson LO, Dekker JP, Schlodder E, Monshouwer R, Van GR (1996). Polarized site-selective fluorescence spectroscopy of the long-wavelength emitting chlorophylls in isolated Photosystem I particles of *Synechococcus elongatus*. *Photosyn Res* 48:239-246
- Rigby SEJ, Evans MCW, Heathcote P (1996). ENDOR and special triple resonance spectroscopy of A-1- of photosystem 1. *Biochem* 35:6651-6656
- Schluchter WM, Shen G, Zhao J, Bryant DA (1996). Characterization of *psaI* and *psaL* mutants of *Synechococcus* sp. strain PCC 7002: A new model for state transitions in cyanobacteria. *Photochemistry and Photobiology* 64:53-66
- Trinkunas G, Holzwarth AR (1996). Kinetic modeling of exciton migration in photosynthetic systems. 3. Application of genetic algorithms to simulations of excitation dynamics in three-dimensional photosystem I core antenna/reaction center complexes. *Biophys J* 71:351-364
- Burda K, Schmid GH (1996). On the determination of the S-state distribution in the Kok model. *Z Naturforsch C* 51:329-341
- Campbell D, Bruce D, Carpenter C, Gustafsson P, Oquist G (1996). Two forms of the Photosystem II D1 protein alter energy dissipation and state transitions in the cyanobacterium *Synechococcus* sp. PCC 7942. *Photosyn Res* 47:131-144
- Campbell D, Oquist G (1996). Predicting light acclimation in cyanobacteria from nonphotochemical quenching of photosystem II fluorescence, which reflects state transitions in these organisms. *Plant Physiol* 111:1293-1298
- Constant S, Perewoska I, Nedbal L, Miranda T, Etienne AL, Kirilovsky D (1996). A new phenotype for a herbicide resistant mutant of *Synechocystis* 6714 with a high sensitivity to photoinhibition. *Plant Sci* 115:165-174
- Delphin E, Duval JC, Etienne AL, Kirilovsky D (1996). State transitions or Δ pH-dependent quenching of photosystem II fluorescence in red algae. *Biochem* 35:9435-9445
- Huner NPA, Maxwell DP, Gray GR, Savitch L V, Krol M, Ivanov AG, Falk S (1996). Sensing environmental temperature change through imbalances between energy supply and energy consumption: Redox state of photosystem II. *Physiol Plant* 98:358-364
- Kretschmann H, Schlodder E, Wit HT (1996). Net charge oscillation and proton release during water oxidation in photosynthesis. An electrochromic band shift study at pH 5.5-7.0. *Biochim Biophys Acta* 1274:1-8
- Ma C, Barry BA (1996). Electron paramagnetic resonance characterization of tyrosine radical, M⁺, in site-directed mutants of photosystem II-t. *Biophys J* 71:1961-1972
- Michel KP, Thole HH, Pistorius EK (1996). IdiA, a 34 kDa protein in the cyanobacteria *Synechococcus* sp. strains PCC 6301 and PCC 7942, is required for growth under iron and manganese limitations. *Microbiol (UK)* 142:2635-2645
- Narusaka Y, Murakami A, Saeki M, Kobayashi H, Satoh K (1996). Preliminary characterization of a photo-tolerant mutant of *Synechocystis* sp. PCC 6803 obtained by in vitro random mutagenesis of *psbA2*. *Plant Sci* 115:261-266
- Nedunchezian N, Kulandaivelu G (1996). Effects of ultraviolet-B radiation in the CO₂ fixation, photosystem II activity and spectroscopic properties of the wild and mutant *Anacystis* cells. *Acta Physiol Plant* 18:39-45
- Nonnengiesser K, Schuster A, Koenig F (1996). Carotenoids and reaction center II-D1 protein in light regulation of the photosynthetic apparatus in *Aphanocapsa*. *Bot Acta* 109:115-124
- Papageorgiou GC, Alygizaki-Zorba A, Loukas S, Brody SS (1996). Photodynamic effects of hypericin on photosynthetic electron transport and fluorescence of *Anacystis nidulans* (*Synechococcus* 6301). *Photosyn Res* 48:221-226
- Patzlaff JS, Barry BA (1996). Pigment quantitation and analysis by HPLC reverse phase chromatography: A characterization of antenna size in oxygen-evolving photosystem II preparations for cyanobacteria and plants. *Biochem* 35:7802-7811
- Tyystjarvi T, Mulo P, Maenpaa P, Aro EM (1996). D1 polypeptide degradation may regulate *psbA* gene expression at transcriptional and translational levels in *Synechocystis* sp. PCC 6803. *Photosyn Res* 47:111-120
- Vass I, Govindjee (1996). Thermoluminescence from the photosynthetic apparatus. *Photosyn Res* 48:117-126
- Vermaas WFJ, Shen G, Ohad I (1996). Chimaeric CP47 mutants of the cyanobacterium *Synechocystis* sp. PCC 6803 carrying spinach sequences: Construction and function. *Photosyn Res* 48:147-162
- Xiong J, Subramaniam S, Govindjee (1996). Modeling of the D1/D2 proteins and cofactors of the photosystem II reaction center: Implications for herbicide and bicarbonate binding. *Protein Sci* 5:2054-2073

PHYCOBILISOMES and OTHER PIGMENTS

- Chernenko VY, Kyrushyn A V, Lukash LL (1996). Phycobiliprotein pigments for biomolecules. 1. Preparative fractionation and spectral characteristics. *Biopolimery i Kletka* 12:88-93 (Ukrainian)
- Edwards MR, Maccoll R, Eisele LE (1996). Some physical properties of an unusual C-phycoyanin isolated from a photosynthetic thermophile. *Biochim Biophys Acta* 1276:64-70
- Gantt E (1996). Pigment protein complexes and the concept of the photosynthetic unit: Chlorophyll complexes and phycobilisomes. *Photosyn Res* 48:47-53
- Kehoe DM, Grossman AR (1996). Similarity of a chromatic adaptation sensor to phytochrome and ethylene receptors. *Science* 273:1409-1412
- Lao K, Glazer AN (1996). Ultraviolet-B photodestruction of a light-harvesting complex. *Proc Natl Acad Sci USA* 93:5258-5263
- Roth LG, Berns DS, Chen CH (1996). Comparative thermodynamic elucidation of the structural stability of thermophilic proteins. *Biophys Chem* 60:89-97 (phycoyanin)
- Wang G, Zhou BC, Tseng CK (1996). The excitation energy transfer in an artificial R-phycoerythrin-allophycocyanin conjugate. *Photosynthetica* 32:609-612
- Zhao DX, Rong SY, Fang ZX (1996). Studies on the energy transfer from phycobilisome to thylakoid membrane of cyanobacteria. *Acta Bot Sinica* 38:216-222 (Chinese)
- Addlesee HA, Gibson LCD, Jensen PE, Hunter CN (1996). Cloning, sequencing and functional assignment of the chlorophyll biosynthesis gene, *chlP*, of *Synechocystis* sp. PCC 6803. *FEBS Letters* 389:126-130
- Bollivar DW, Beale SI (1996). The chlorophyll biosynthetic enzyme Mg-protoporphyrin IX monomethyl ester (oxidative) cyclase. *Plant Physiol* 112:105-114
- Fujita Y, Takagi H, Hase T (1996). Identification of the *chlB* gene and the gene product essential for the light-independent chlorophyll biosynthesis in the cyanobacterium *Plectonema boryanum*. *Plant Cell Physiol* 37:313-323
- Gilbert SM, Allison GG, Rogers LJ, Smith AJ (1996). Expression of genes involved in phycocyanin biosynthesis following recovery of *Synechococcus* PCC 6301 from nitrogen starvation, and the effect of gabaculine on *cpcBa* transcript levels. *FEMS Microbiol Lett* 140:93-98
- Hughes J, Lamparter T, Mittmann F, Hartmann E, Gärtner W, Wilde A, Börner T (1997). A prokaryotic phytochrome. *Nature* 386:663

- Jensen PE, Gibson LCD, Henningsen KW, Hunter CN (1996). Expression of the *chlI*, *chlD*, and *chlH* genes from the cyanobacterium *Synechocystis* PCC6803 in *Escherichia coli* and demonstration that the three cognate proteins are required for magnesium-protoporphyrin chelatase activity. *J Biol Chem* 271:16662-16667
- Kim JS, Jeon EK, Park YM, Chang NK (1996). Relation between pigment contents and photosystem I in the cyanobacterium *Synechocystis* sp. PCC 6803. *Photosynthetica* 32:587-594
- Merzlyak MN, Pogosyan SI, Lehimena L, Zhigalova TV, Khozina IF, Cohen Z, Khrushchev SS (1996). Spectral characteristics of chlorophyll photooxidation products in a solution and as a result of photodamage of the cyanobacterium *Anabaena variabilis*. *Fiziologiya Rastenii* (Moscow) 43:186-195 (Russian)
- Reinbothe S, Reinbothe C, Apel K, Lebedev N (1996). Evolution of chlorophyll biosynthesis-the challenge to survive photooxidation. *Cell* 86:703-705
- Smith CA, Suzuki JY, Bauer CE (1996). Cloning and characterization of the chlorophyll biosynthesis gene *chlM* from *Synechocystis* PCC 6803 by complementation of a bacteriochlorophyll biosynthesis mutant of *Rhodobacter capsulatus*. *Plant Molec Biol* 30:1307-1314

ELECTRON TRANSPORT and BIOENERGETICS

- Koike H, Satoh K (1996). Respiration and photosynthetic electron transport system in cyanobacteria-recent advances. *J Sci Ind Res* 55:564-582
- Peschek GA (1996). Cytochrome oxidase and the *cta* operon of cyanobacteria. *Biochim Biophys Acta* 1275:27-32
- Wagner MJ, Packer JCL, Howe CJ, Bendall DS (1996). Some characteristics of cytochrome *f* in the cyanobacterium *Phormidium laminosum*: Its sequence and charge properties in the reaction with plastocyanin. *Biochim Biophys Acta* 1276:246-252
- Genzor CG, Beldarrain A, Gomez-Moreno C, Lopez-Lacomba JL, Cortijo M, Sancho J (1996). Conformational stability of apoflavodoxin. *Protein Sci* 5:1376-1388
- Hibino T, Lee BH, Yajima T, Odani A, Yamauchi O, Takabe T (1996). Kinetic and cross-linking studies on the interactions of negative patch mutant plastocyanin from *Silene pratensis* with photosystem I complexes from cyanobacteria, green algae and plants. *J Biochem* 120:556-563
- Hurley JK, Schmeits JL, Genzor C, Gomez-Moreno C, Tollin G (1996). Charge reversal mutations in a conserved acidic patch in *Anabaena* ferredoxin can attenuate or enhance electron transfer to ferredoxin:NADP⁺ reductase by altering protein/protein orientation within the intermediate complex. *Arch Biochem Biophys* 333:243-250
- Lelong C, Boekema EJ, Kruip J, Bottin H, Roegner M, Setif P (1996). Characterization of a redox active cross-linked complex between cyanobacterial photosystem I and soluble ferredoxin. *EMBO J* 15:2160-2168
- Razquin P, Fillat MF, Schmitz S, Stricker O, Bohme H, Gomez-Moreno C, Peleato ML (1996). Expression of ferredoxin-NADP⁺ reductase in heterocysts from *Anabaena* sp. *Biochem J* 316:157-160
- Searle MS, Zerella R, Williams DH, Packman LC (1996). Native-like beta-hairpin structure in an isolated fragment from ferredoxin: NMR and CD studies of solvent effects on the N-terminal 20 residues. *Protein Eng* 9:559-565
- Serre L, Vellieux FMD, Medina M, Gomez-Moreno C, Fontecilla-Camps JC, Frey M (1996). X-ray structure of the ferredoxin:NADP⁺ reductase from the cyanobacterium *Anabaena* PCC 7119 at 1.8Å resolution, and crystallographic studies of NADP⁺ binding at 2.25 Å resolution. *J Mol Biol* 263:20-39
- Vidakovic M, Germanas JP (1996). Electrostatic effects in electron transfer reactions of (2Fe-2S) ferredoxins with inorganic reagents. *Protein Sci* 5:1793-1799
- Bakels RHA, van Wielink JE, Krab K, van Walraven HS (1996). The effect of sulfite on the ATP hydrolysis and synthesis activities in chloroplasts and cyanobacterial membrane vesicles can be explained by competition with phosphate. *Arch Biochem Biophys* 332:170-174
- Howitt CA, Whelan J, Price GD, Day DA (1996). Cloning, analysis and inactivation of the *ndhK* gene encoding a subunit of NADH quinone oxidoreductase from *Anabaena* PCC 7120. *Eur J Biochem* 240:173-180
- Mohapatra PK, Schubert H, Schiewer U (1996). Short term toxicity effect of dimethoate on transthylakoid pH gradient of intact *Synechocystis* sp. PCC 6803 cells. *Bull Environ Contam Toxicol* 57:722-728
- Scholts MJC, Aardewijn P, van Walraven HS (1996). Membrane vesicles from *Synechocystis* 6803 showing proton and electron transport and high ATP synthase activities. *Photosyn Res* 47:301-305
- Moezelaar R, Bijvank SM, Stal LJ (1996). Fermentation and sulfur reduction in the mat-building cyanobacterium *Microcoleus chthonoplastes*. *Appl Environ Microbiol* 62:1752-1758

MOLECULAR GENETICS, EPISOMES, AND METABOLISM OF MACROMOLECULES

- Fan L, Devi KS, Chitnis VP, Chitnis PR (1996). Molecular genetics of cyanobacteria: New avenues in biotechnology. *J Sci Ind Res* 55:555-563
- Kaneko T, Matsubayashi T, Sugita M, Sugiura M (1996). Physical and gene maps of the unicellular cyanobacterium *Synechococcus* sp. strain PCC6301 genome. *Plant Molec Biol* 31:193-201
- Brahamsha B (1996). A genetic manipulation system for oceanic cyanobacteria of the genus *Synechococcus*. *Appl Environ Microbiol* 62:1747-1751
- Howitt CA (1996). Amplification of DNA from whole cells of cyanobacteria using PCR. *Biotechniques* 21:32,34
- Muehlenhoff U, Chauvat F (1996). Gene transfer and manipulation in the thermophilic cyanobacterium *Synechococcus elongatus*. *Mol Gen Genet* 252:93-100
- Anandan S, Nalty MS, Cogdell DE, Golden SS (1996). Identification of two classes of transcriptional regulator genes in the cyanobacterium *Synechococcus* sp. strain PCC 7942. *Arch Microbiol* 166:58-63
- Kuo LY, Cech TR (1996). Conserved thermochemistry of guanosine nucleophile binding for structurally distinct group I ribozymes. *Nucl Acids Res* 24:3722-3727
- Pascual A, Vioque A (1996). Cloning purification and characterization of the protein subunit of ribonuclease P from the cyanobacterium *Synechocystis* sp. PCC 6803. *Eur J Biochem* 241:17-24
- Sode K, Hatano N, Tatara M (1996). Cloning of a marine cyanobacterial promoter for foreign gene expression using a promoter probe vector. *Appl Biochem Biotechnol* 59:349-360
- Hammouda O (1996). Effect of heat shock on DNA-dependent RNA polymerase from the cyanobacterium *Synechococcus* sp. *Folia Microbiol* 41:357-362

- Kaneko T, Sato S, Kotani H, Tanaka A, Asamizu E, Nakamura Y, Miyajima N, Hirose M, Sugiura M, Sasamoto S, Kimura T, Hosouchi T, Matsuno A, Muraki A, Nakazaki N, Naruo K, Okumura S, Shimpo S, Takeuchi C, Wada T, Watanabe A, Yamada M, Yasuda M, Tabata S (1996). Sequence analysis of the genome of the unicellular cyanobacterium *Synechocystis* sp. strain PCC6803. II. Sequence determination of the entire genome and assignment of potential protein-coding regions. DNA Res 3:109-136
- Kaneko T, Sato S, Kotani H, Tanaka A, Asamizu E, Nakamura Y, Miyajima N, Hirose M, Sugiura M, Sasamoto S, Kimura T, Hosouchi T, Matsuno A, Muraki A, Nakazaki N, Naruo K, Okumura S, Shimpo S, Takeuchi C, Wada T, Watanabe A, Yamada M, Yasuda M, Tabata S (1996). Sequence analysis of the genome of the unicellular cyanobacterium *Synechocystis* sp. strain PCC6803. II. Sequence determination of the entire genome and assignment of potential protein-coding regions (supplement). DNA Res 3:185-209
- Kaneko T, Tanaka A, Sato S, Kotani H, Sazuka T, Miyajima N, Sugiura M, Tabata S (1995). Sequence analysis of the genome of the unicellular cyanobacterium *Synechocystis* sp. strain PCC6803. I. Sequence features in the 1 Mb region from map positions 64% to 92% of the genome (supplement). DNA Res 2:191-198
- Liu Y, Tsinoremas NF (1996). An unusual gene arrangement for the putative chromosome replication origin and circadian expression of *dnaN* in *Synechococcus* sp. strain PCC 7942. Gene (Amsterdam) 172:105-109
- Masephol B, Gortitz K, Bohme H (1996). Long tandemly repeated repetitive (LTRR) sequences in the filamentous cyanobacterium *Anabaena* sp. PCC 7120. Biochim Biophys Acta 1307:26-30
- Piechula S, Piosik J, Bielawski K, Podhajska AJ (1996). Isolation and characterization of the restriction endonuclease *PpeI* from *Phormidium persicinum*. Molec Biotechnol 5:97-99
- Sarma TA, Singh DP (1996). Temperature-sensitive photosynthesis-deficient mutants of *Anabaena variabilis* show enhanced ultraviolet sensitivity and loss of repair mechanism. Folia Microbiol 41:181-186
- Fujishiro T, Kaneko T, Sugiura M, Sugita M (1996). Organization and transcription of a putative gene cluster encoding ribosomal protein S14 and an oligopeptide permease-like protein in the cyanobacterium *Synechococcus* sp. strain PCC 6301. DNA Res 3:165-169
- Berges JA, Falkowski PG (1996). Cell-associated proteolytic enzymes from marine phytoplankton. J Phycol 32:566-574
- Clarke AK, Eriksson MJ (1996). The cyanobacterium *Synechococcus* sp. PCC 7942 possesses a close homologue to the chloroplast ClpC protein of higher plants. Plant Molec Biol 31:721-730
- Cranenburgh RM, Robinson NJ (1996). Phenylalanyl-tRNA synthetase gene, *pheT*, from *Synechococcus* PCC 7942. J Appl Phycol 8:81-82
- Howell LD, Griffiths C, Slade LW, Potts M, Kennelly PJ (1996). Substrate specificity of IphP, a cyanobacterial dual-specificity protein phosphatase with MAP kinase phosphatase activity. Biochem 35:7566-7572
- Umeda H, Aiba H, Mizuno T (1996). *somA*, a novel gene that encodes a major outer-membrane protein of *Synechococcus* sp. PCC 7942. Microbiol (UK) 142:2121-2128
- Koltukova NV, Lysenko TG, Mendzhul MI, Perepelitsa SI, Shainskaya OA (1996). Certain physicochemical properties of proteolytic complexes of intact and cyanophage-infected culture *Plectonema boryanum*. Mikrobiol Zhurn 58:50-57 (Russian)
- Mendzhul MI, Koltukova NV, Lysenko TG, Shainskaya OA, Perepelitsa SI (1995). Effect of reproduction of cyanophage LPP-3 on activity of glutamate dehydrogenase and glutamine synthetase in the cells of cyanobacterium *Plectonema boryanum*. Ukrain Biokhim Zhur 67:33-38 (Russian)
- Ohki K, Fujita Y (1996). Occurrence of a temperate cyanophage lysogenizing the marine cyanophyte *Phormidium persicinum*. J Phycol 32:365-370
- Wilson WH, Carr NG, Mann NH (1996). The effect of phosphate status on the kinetics of cyanophage infection in the oceanic cyanobacterium *Synechococcus* sp. WH7803. J Phycol 32:506-516

APPLIED CYANOBACTERIOLOGY

- Allnutt FCT (1996). Cyanobacterial (bluegreen algal) biotechnology: Past, present and future. J Sci Ind Res 55:693-714
- Cecal AL, Rudic V, Gulea A, Palamaru I, Humelnicu D, Goanta M, Salaru V V (1995). Purification of some radioactive effluents by means of microorganisms. Rev Roumaine Biochim 32:9-12
- Dubost N, Masson G, Moreteau JC (1996). Temperate freshwater fouling on floating net cages: Method of evaluation, model and composition. Aquacult 143:303-318
- Hall DO, Markov SA, Watanabe Y, Rao KK (1995). The potential applications of cyanobacteria for clean technologies. Photosyn Res 46:159-167
- Patterson GML (1996). Biotechnological applications of cyanobacteria. J Sci Ind Res 55:669-684
- Suzuki T, Miyake M, Tokiwa Y, Saegusa H, Saito T, Asada Y (1996). A recombinant cyanobacterium that accumulates poly-(hydroxybutyrate). Biotechnol Lett 18:1047-1050
- Tsoglin LN, Gabel' B V, Fal'kovich TN, Semenenko VE (1996). Closed photobioreactors for cultivating microalgae. Fiziologiya Rastenii (Moscow) 43:149-155 (Russian)
- Uma D, Kannaiyan S (1996). Effect of the systemic fungicide, Bavistin on the nitrogen status of cyanobacteria under immobilized state in polyurethane foam. S Afr J Bot 62:127-132
- Chandra S, Kehri HK (1995). Microbial technology for wasteland development. Proc Natl Acad Sci India B 65:123-145
- Deluca TH, Drinkwater LE, Wiefling BA, Denicola DM (1996). Free-living nitrogen-fixing bacteria in temperate cropping systems: Influence of nitrogen source. Biol Fertil Soils 23:140-144
- Rueda Jasso RA (1996). Nutritional effect of three microalgae and one cyanobacteria on the culture of the rotifer *Brachionus plicatilis* Mueller: 1786. Ciencias Marinas 22:313-328 (Spanish)
- Sabater C, Carrasco JM (1996). Effects of thiobencarb on the growth of three species of phytoplankton. Bull Environ Contam Toxicol 56:977-984
- Sakamoto K, Okimasu E, Amemura A (1996). Isolation of a microalga, *Synechocystis* sp. SY-4, potentially useful as a rotifer feed. J Ferment Bioeng 82:157-160
- Singh S, Prasad R, Sharma SN (1995). Effect of blue green algae, nitrogen levels and modified urea materials on yield attributes and yield of wetland rice (*Oryza sativa*). Indian J Agron 40:594-597
- Sinha RP, Haeder DP (1996). Response of a rice field cyanobacterium *Anabaena* sp. to physiological stressors. Environ Exp Bot 36:147-155
- Bolsunovskii AY, Zotina TA (1996). Effect of salinity on the growth of the cyanobacterium *Spirulina platensis* in mono- and mixed cultures. Mikrobiol 65:421-422 (Russian)
- Chauhan VS, Ramamurthy V (1996). Enhanced *Spirulina* growth in outdoor ponds correlates with daily reduction in oxygen production rate. Bioproc Eng 15:9-12
- Gladyshev MI, Sushchik NN, Kalacheva GS (1996). Extra-cellular free fatty acids in batch culture of *Spirulina platensis* at increased and decreased temperature. Dokl Akad Nauk 347:834-836 (Russian)

- Li X, Yuan X, Wu K, Su J (1996). Effect of *Spirulina* on serum lipid in experimental hyperlipidemic rats. *Acta Nutrimenta Sinica* 18:206-208 (Chinese)
- Qiang H, Richmond A (1996). Productivity and photosynthetic efficiency of *Spirulina platensis* as affected by light intensity, algal density and rate of mixing in a flat plate photobioreactor. *J Appl Phycol* 8:139-145
- Qureshi MA, Ali RA (1996). *Spirulina platensis* exposure enhances macrophage phagocytic function in cats. *Immunopharmacol Immunotoxicol* 18:457-463
- Qureshi MA, Garlich JD, Kidd MT (1996). Dietary *Spirulina platensis* enhances humoral and cell-mediated immune functions in chickens. *Immunopharmacol Immunotoxicol* 18:465-476
- Qureshi MA, Kidd MT, Ali RA (1995). *Spirulina platensis* extract enhances chicken macrophage functions after in vitro exposure. *J Nutr Immunol* 3:35-45
- Ramamoorthy A, Premakumari S (1996). Effect of supplementation of *Spirulina* on hypercholesterolemic patients. *J Food Sci Technol* 33:124-127
- Salazar M, Chamorro GA, Salazar S, Steele CE (1996). Effect of *Spirulina maxima* consumption on reproduction and peri- and postnatal development in rats. *Food Chem Toxicol* 34:353-359
- Vonshak A, Chanawongse L, Bunnag B, Tanticharoen M (1996). Light acclimation and photoinhibition in three *Spirulina platensis* (cyanobacteria) isolates. *J Appl Phycol* 8:35-40
- Dash AK, Mishra PC (1996). Changes in pigment and protein content of *Westiellopsis prolifica*, a blue-green alga grown in paper mill waste water. *Microbios* 85:257-266
- Krasovskii GN, Egorova NA (1996). Methodology of choosing the priority parameters of water bodies pollution with oil-containing waste waters. *Meditcina Truda i Promyshlennaya Ekologiya*:26-29 (Russian)
- Lincoln EP, Wilkie AC, French BT (1996). Cyanobacterial process for renovating dairy wastewater. *Biomass Bioenerg* 10:63-68
- Rose PD, Maart BA, Dunn KM, Rowsell RA, Britz P (1996). High rate algal oxidation ponding for the treatment of tannery effluents. *Water Sci Technol* 33:219-227
- Subramanian G, Uma L (1996). Cyanobacteria in pollution control. *J Sci Ind Res* 55:685-692
- Sylvestre S, Lessard P, de la Noue J (1996). Removal performance of nitrogen and phosphorus compounds by a photobioreactor using a biomass of cyanobacteria *Phormidium bohneri*. *Environ Technol* 17:697-706 (French)
- Vlaski A, Van BAN, Alaerts GJ (1996). Optimisation of coagulation conditions for the removal of cyanobacteria by dissolved air flotation or sedimentation. *Aqua* 45:253-261
- Yusoff FM, Om AD, Cheah SH (1996). Use of agro-industry effluent in augmenting microalgae production and fish fry growth in hatchery tanks. *J Aquacult Tropics* 11:119-126
- Hu Q, Guterman H, Richmond A (1996). A flat inclined modular photobioreactor for outdoor mass cultivation of photoautotrophs. *Biotechnology and Bioengineering* 51:51-60
- Sathiyamoorthy P, Shanmugasundaram S (1993). A low-cost culture vessel for cyanobacterial mass production. *J Microb Biotechnol* 8:51-55
- Sathiyamoorthy P, Shanmugasundaram S (1994). A low-cost bioreactor for cyanobacterial biomass production. *Bioresource Technol* 49:279-280
- Sathiyamoorthy P, Shanmugasundaram S (1995). Experimental design for optimization of cyanobacterial biomass production

ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*ADDRESSES*

Send CONTRIBUTIONS and SUBSCRIPTION requests to one of the addresses listed below. To SUBSCRIBE, send your name, telephone and fax numbers, E-Mail address, Web site (if any), and a brief description of your research interests for inclusion in the next Directory of Cyanobacteriologists. There is no charge to receive the newsletter electronically. To receive a printed copy, send \$10 U.S. (please, no checks except in U.S. currency). If it is difficult for you to send U.S. currency, that's OK. Send a note. Maybe we can find a creative solution.

AUSTRALIA/ NEW ZEALAND	Steve Delaney	Department of Biotechnology, University of New South Wales, P.O. Box 1, Kensington, New South Wales AUSTRALIA 2033. TEL: 02-697-2056
AUSTRIA	Georg Schmetterer	Membrane Protein Group, Institute of Physical Chem., University of Vienna, UZA 2, Nordbergstrasse 17, A-1090 Wien. TEL: 43-1-31336-1548, E-MAIL: Georg.Schmetterer@UniVie.Ac.At
CANADA	Neil Straus	Dept. of Botany, University of Toronto Toronto, Ontario M5S 1A1. TEL: 416-978-3532/5563, FAX: 416-978-5878, E-MAIL: Straus@Botany.UToronto.Ca
P.R.CHINA	Chao-Tsi Tseng	Centre of Marine Sciences, Department of Biology, Nanjing University, Nanjing. TEL: 637551-2551, FAX: 086025-302728
FRANCE	Nicole Tandeau de Marsac	Physiologie Microbienne, Institut Pasteur, 29 rue du Dr. Roux, 75724 Paris Cedex 15. TEL: 1-45 68 8415, FAX: 1-40 61 3042, E-MAIL: NTMarsac@Pasteur.Fr
GERMANY	Wolfgang Lockau	Biochemie der Pflanzen, Fachbereich Biologie, Humboldt-Universität, Chaussestr. 117, D-10115 Berlin. TEL: 49-30-2897-2686, FAX: 49-30-2897-2641
INDIA	Joe Thomas	Biotechnology Division, SPIC Science Foundation, 110 Mount Road, Madras 600 032. TEL: 432342, FAX: 432163
ISRAEL	Elisha Tel-Or	Dept. of Agricultural Botany, The Hebrew University, Rehovot 76100. TEL: 08-481262
ITALY	Mario Tredici	Departamento di Scienze e Tecnologie Alimentari e Microbiologiche. Università degli Studi di Firenze P.le. delle Cascine 27 51044 Firenze. TEL: 055-352051, FAX: 055-330431, E-MAIL: Tredici@Csma.Fi.Cnr.it
NETHERLANDS	Luuc Mur	Laboratorium voor Microbiologie, Universiteit voor Amsterdam, Nieuwe Achtergracht 127, 1018 WS Amsterdam. TEL: 31-20-525-7056, FAX: 31-20-525-5802, E-MAIL: A417LMur@Horus.Sara.NL
SCANDANAVIA	Olav Skulberg	Culture Collection of Algae, Norwegian Institute for Water Research, P.O. Box 173, Kjelsås, N-0411 Oslo TEL: 47-22-185100, FAX: 47-22-185200
U.K.	Tony Walsby	Dept. of Botany, University of Bristol, Bristol BS8 1UG. TEL: 0272-303030, E-MAIL: Biology.Dept@Bristol.Ac.Uk
ANYWHERE ELSE	Jeff Elhai	Dept. of Biology, University of Richmond, Richmond Virginia 23173 U.S.A. TEL: 1-804-289-8412, FAX: 1-804-289-8233, E-MAIL Cyano@URVax.URich.Edu