

METEOROLOGICAL DATA AT ASUKA STATION, ANTARCTICA
IN 1989

Shigemi MESHIDA ,

(Japan Meteorological Agency, Tokyo 101)

Nobuhiko AZUMA ,

(Nagaoka University of Technology, Nagaoka 940-21)

Akira YUKIMATSU

(Faculty of Science, Kyoto University, Kyoto 606)

and

Takashi YAMANOUCHI

(National Institute of Polar Research, Tokyo 173)

I. Introduction

Surface meteorological observations have been made continuously since January 1987 at Asuka Station. The station was established as the third Japanese Antarctic station in December 1984 at 71° 32' S and 24° 08' E at an elevation of 965 m a.s.l. The international index number (WMO) 89524 was given.

The present report contains the surface synoptic data taken by the 30 th Japanese Antarctic Research Expedition (JARE-30) in 1989. The automatic meteorological observation system was installed at the station at the beginning of January 1987. Observers were Akira Yukimatsu, Nobuhiko Azuma and Shigemi Meshida. Surface synoptic reports (FM12-VIII-EXT.-SYNOP) at 00, 06 and 12 GMT and monthly summaries (FM71-VI-CLIMAT) were sent to Melbourne, Australia through Syowa and Mawson Stations.

2. Instrumentation

The automatic meteorological observation system (Nakaasa Inst. Co.) is composed of sensors and data recording unit as shown in Fig. 1. Atmospheric pressure, temperature, dew-point temperature, wind direction and speed and global solar radiation are measured automatically. The specifications of the sensors are as shown in Table 1.

A windmill type anemometer with a wind vane (aerovane) was installed on a meteorological tower at a height of 10 m above the snow surface. A platinum resistance type thermometer to measure the air temperature was placed inside an instrument shelter with mounted in ventilated cylinder at a height 1.5 m above the snow surface. A Dewcel type dew-point thermometer was also placed inside the shelter. The instrument shelter was installed on the snow surface equipped with lifting mechanism to maintain the height above the surface in case of a rise of the snow surface by the snow drift (Yamanouchi and Takabe, 1989). A pyranometer to measure the global radiation is mounted on the roof of the observation hut and a barometer is set inside the hut together with recording instruments.

Analog signals from the sensors are converted to the digital data through transducers and collected by the data logger and recorded on the floppy disk through personal computer every hour. Also the analog data are monitored by the pen recorders (Fig. 1).

The visibility, cloud amount, genus of cloud and weather phenomena are observed visually according to the WMO standards, four times a day at 03, 09, 15 and 21 LT for the period from March 30 to September 30 and three times a day at 09, 15 and 21 LT for the rest of year.

3. Notation in Tables

1) Tables 2 and 3

PST, Pst	: Daily or monthly mean station pressure for 6 hourly observations
TM, T	: Daily or monthly mean air temperature for 3 hourly observations
TX, TN	: Daily maximum or minimum air temperature
Tx, Tn	: Monthly mean of maximum or minimum air temperature
Txx, Tnn	: Extreme of maximum or minimum air temperature
UM, U	: Daily or monthly mean relative humidity of 6 hourly observations
VM, V	: Daily or monthly mean wind speed
VX, Vxx	: Daily or monthly maximum instantaneous wind speed (Gust)
NM, N	: Daily or monthly mean cloud amount
PHENOMENA	: Number 0 - 8 means atmospheric phenomena as follows.
	0 = No phenomena
	1 = Drifting snow (+)
	2 = Blowing snow (+)
	3 = Snow and blowing snow (+)
	4 = Snow (✕)
	5 = Fog (≡)
	6 = Mist (=)
	7 = Halo (⊕)
	8 = Lunar halo (⊕)

2) Table 4

LT	: Local standard time (GMT + 3h)
Pst	: Pressure at station level
T	: Air temperature
Td	: Dew point temperature
U	: Relative humidity
WD	: Wind direction
V	: Wind speed (10-minute mean)
a	: Characteristic of the barometric tendency for the preceding 3 hours (WMO code)
pp	: Amount of pressure change in the preceding 3 hours
Vis	: Visibility
ww	: Present weather (WMO code)
N	: Total amount of cloud in tenths
CLMH	: Genus of cloud (WMO code)
N1, N2, N3, N4	: Amount of cloud in tenths reported by the next "C"
C	: Genus of cloud
d	: Direction from which clouds move
h	: Cloud base height above ground level in hundreds of meters

--- in Table means lack of data and x means indistinctness.

Reference

Yamanouchi, T. and Takabe, H. (1989) : Dai-28-ji Nankyoku Chiiki Kansokutai ni yoru Nankyoku kikô hendô kenkyû (ACR) kansoku hôkoku (Report on the ACR observation by the 28th Japanese Antarctic Research Expedition). Nankyoku Shiryô (Antarct. Rec.), 33, 53-72.




Fig. 1. Block diagram of automatic meteorological observation system.

Table 1. Sensor specifications.

Item	Type	Device	Range	Accuracy	Height
Wind direction and speed	Koshin Electric Co. Koshin vane KE-500 (Windmill with vane)	Wind speed : AC generator Wind direction: Synchronous motor Wind movement: 60 m contacts	2 - 60 m/s 0 - 540°	± 0.5 m/s (+5%) $\pm 5^\circ$	10 m (above surface)
Temperature	Nakaasa Inst. Co. Platinum resistance E-732-01	Pt 100 /0°C	-70 - 30°C	$\pm 0.2^\circ\text{C}$	1.5 m
Dew point temperature	Nakaasa Inst. Co. Dewcel type E-771-20	LiCl solution	-50 - 40°C		1.5 m
Global radiation	Eko Inst. Co. Pyranometer MS-43F	Thermopile ₂ 7 mV/kW m	0 - 2 kW/m ²	$\pm 2\%$ (within 45° zenith angle)	5 m
Pressure	Nakaasa Inst. Co. Vibrating cylinder type barometer F-451	Resonance frequency of vibrating cylinder	830 - 930 mb	± 0.2 mb	967 m a.s.l.

Table 2. Monthly summaries of surface meteorological data in 1989.

	Jan.	Feb.	Mar.	Apr.	May.	Jun.	Jul.	Aug.	Sep.	Oct.	Nov.	Dec.	Annual
\bar{P}_{st} (mb)	878.1	869.9	871.9	874.0	863.0	866.1	862.7	869.4	870.4	865.1	872.8	876.8	870.0
\bar{T} (°C)	-9.2	-11.5	-17.2	-19.6	-29.2	-24.3	-23.5	-24.9	-27.3	-19.0	-13.7	-7.7	-18.9
\bar{T}_x (°C)	-6.5	-9.1	-14.8	-17.2	-26.3	-21.3	-21.5	-22.8	-24.1	-16.4	-11.2	-4.2	-16.3
T_{xx} (°C)	-2.6	0.0	-9.3	-10.9	-18.1	-15.0	-9.2	-17.4	-14.4	-6.6	-5.6	0.3	0.3
Date	12	4	6	24	4	30	2	31	16	23	27	23	Dec.23
\bar{T}_n (°C)	-12.8	-14.3	-20.7	-22.4	-32.9	-27.4	-25.8	-27.4	-31.5	-22.8	-16.8	-11.6	-22.2
T_{nn} (°C)	-18.8	-24.4	-33.3	-32.3	-42.9	-40.0	-34.0	-36.2	-44.3	-35.8	-32.9	-16.8	-44.3
Date	31	22	13	30	26	24	19	2	13	9	2	1	Sep.13
\bar{U} (%)	82	83	67	68	59	61	65	58	51	60	72	77	67
\bar{V} (m/s)	9.9	13.7	13.7	12.4	8.1	11.8	15.6	15.4	10.7	13.4	14.4	9.6	12.4
V_{xx} (Gust)(m/s)	33.0	40.4	30.2	32.7	24.5	34.3	35.5	39.5	37.2	29.0	32.1	25.0	40.4
Direction	ESE	ESE	SE	ESE	ESE	ESE	ESE	ESE	ESE	SE	ESE	E	ESE
Date	10	3	7	10	30	9	13	25	17	28	15	28	Feb. 3
\bar{N}	5.4	6.0	5.3	4.5	3.0	3.3	3.9	3.6	2.6	4.2	5.8	4.9	4.4

Table 3. Daily summaries of surface meteorological data in 1989.

DATE	JANUARY							1989		
	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)	NM	PHENOMENA	
1	873.4	-7.7	-6.0	-11.6	84	6.7	10.1	ESE	-	6
2	872.9	-9.7	-6.1	-13.9	78	6.1	10.3	ESE	4.0	0
3	874.9	-10.0	-6.9	-15.5	87	6.0	8.5	ENE	10.0	47
4	876.2	-9.4	-7.0	-13.8	85	7.6	11.2	E	5.7	2
5	879.2	-8.8	-6.1	-14.7	80	7.7	10.9	E	4.7	4
6	878.2	-8.4	-3.2	-14.1	80	4.4	8.5	ESE	6.0	0
7	883.1	-9.1	-5.8	-13.5	87	6.7	11.4	ESE	-	5
8	883.0	-7.4	-3.7	-11.2	82	7.6	10.4	E	5.7	0
9	880.9	-7.7	-5.9	-10.3	79	13.9	17.1	ESE	4.3	2
10	878.2	-6.7	-4.8	-9.2	X	21.3	27.8	ESE	X	23
MEAN	878.0	-8.5	-5.5	-12.8	82	8.8			5.8	
11	876.1	-5.4	-4.6	-6.5	X	19.8	24.0	ESE	X	23
12	876.0	-4.9	-2.6	-7.6	X	11.6	17.9	ESE	6.0	27
13	875.3	-5.6	-3.7	-9.0	93	12.6	15.2	ESE	-	23
14	875.4	-7.6	-6.1	-9.3	90	8.0	11.4	ESE	9.7	0
15	874.9	-8.8	-5.7	-12.4	85	7.4	10.4	E	3.7	0
16	877.4	-11.1	-8.1	-14.2	87	10.1	12.7	ESE	7.3	27
17	882.3	-10.2	-7.7	-15.1	X	14.5	18.8	ESE	X	2
18	881.5	-8.3	-6.3	-9.6	X	14.2	16.3	ESE	8.0	2
19	880.2	-8.5	-6.5	-9.7	89	11.3	14.8	ESE	10.0	0
20	881.9	-9.8	-7.3	-11.6	85	11.5	14.5	ESE	4.3	0
MEAN	878.1	-8.0	-5.9	-10.5	88	12.1			7.0	
21	879.0	-8.8	-6.3	-11.9	87	12.9	16.1	ESE	4.3	0
22	878.0	-7.0	-5.2	-9.9	84	10.6	13.4	ESE	8.7	0
23	879.8	-7.4	-4.7	-10.1	79	11.6	14.8	SE	0.3	0
24	879.3	-9.6	-7.1	-12.0	77	11.2	13.5	ESE	1.0	0
25	879.5	-11.4	-8.4	-15.3	81	11.0	15.2	ESE	1.3	0
26	877.5	-12.6	-8.7	-17.5	77	7.9	12.4	ESE	1.0	0
27	878.6	-13.5	-9.9	-17.7	80	8.5	13.0	ESE	2.0	0
28	876.3	-11.9	-8.5	-17.3	75	6.4	8.5	E	9.7	0
29	873.9	-11.9	-8.5	-17.6	74	6.2	8.0	SE	9.3	0
30	878.4	-12.4	-9.4	-17.4	92	5.8	8.8	ESE	8.3	46
31	880.9	-14.2	-10.5	-18.8	67	7.2	10.3	E	0.0	0
MEAN	878.3	-11.0	-7.9	-15.0	79	9.0			4.2	
MONTHLY MEAN	878.1	-9.2	-6.5	-12.8	82	9.9			5.4	

FEBRUARY 1989

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)		NM	PHENOMENA
1	877.8	-12.2	-10.4	-16.9	X	15.0	21.2	ESE	X	23
2	870.5	-8.7	-5.2	-11.9	X	22.0	25.4	ESE	X	3
3	858.4	-3.0	-1.0	-5.8	X	24.8	32.0	ESE	X	3
4	867.9	-2.2	0.0	-4.2	85	17.1	20.8	ESE	X	23
5	875.6	-6.8	-2.7	-10.6	X	14.6	20.3	ESE	-	27
6	878.6	-12.9	-10.7	-14.5	89	15.7	19.8	ESE	2.3	2
7	876.8	-12.9	-10.8	-15.5	88	15.2	18.0	ESE	3.0	2
8	878.1	-11.8	-9.4	-13.3	86	14.1	18.3	ESE	1.7	2
9	875.6	-12.3	-10.3	-14.7	84	12.8	15.0	ESE	3.0	2
10	874.2	-11.9	-10.1	-14.3	87	12.6	15.4	ESE	2.3	2
MEAN	873.4	-9.5	-7.1	-12.2	87	16.4			2.5	
11	875.4	-11.2	-9.5	-13.5	87	14.1	16.8	ESE	9.3	2
12	873.8	-11.7	-9.7	-13.2	82	14.0	16.7	ESE	8.0	2
13	873.9	-11.9	-10.0	-13.9	80	13.4	16.2	ESE	2.3	12
14	873.9	-12.2	-8.3	-16.7	72	7.4	9.9	SE	4.7	0
15	866.1	-15.9	-9.2	-21.2	X	3.7	7.8	SE	0.0	0
16	873.5	-13.0	-10.9	-19.2	X	13.8	17.5	ESE	6.0	23
17	869.5	-11.7	-10.6	-12.5	X	15.9	19.1	ESE	10.0	23
18	868.9	-12.9	-11.5	-14.9	X	13.6	15.9	ESE	9.3	23
19	865.0	-11.3	-9.9	-13.2	X	13.1	15.6	ESE	10.0	23
20	867.3	-15.6	-13.2	-17.6	82	10.8	14.1	E	4.7	7
MEAN	870.7	-12.7	-10.3	-15.6	81	12.0			6.4	
21	870.1	-17.6	-13.4	-21.8	68	7.3	10.1	ESE	0.3	0
22	870.5	-17.9	-14.8	-24.4	68	9.9	13.5	ESE	8.7	3
23	872.4	-13.1	-11.4	-15.1	X	12.4	14.4	ESE	10.0	123
24	867.4	-12.5	-11.3	-14.2	89	16.5	18.7	ESE	10.0	3
25	851.1	-9.2	-7.4	-11.4	90	17.9	24.5	ESE	7.5	23
26	862.6	-7.9	-6.9	-8.9	93	12.5	19.0	ESE	10.0	3
27	866.9	-10.0	-8.3	-12.4	89	12.0	15.1	SE	6.7	127
28	856.5	-11.3	-9.2	-13.8	82	12.4	16.9	SE	9.7	12
MEAN	864.7	-12.4	-10.3	-15.2	83	12.6			7.6	
MONTHLY MEAN	869.9	-11.5	-9.1	-14.3	83	13.7			6.0	

MARCH 1989

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)		NM	PHENOMENA
1	863.6	-15.1	-11.2	-21.6	81	11.3	17.9	ESE	4.3	23
2	864.3	-19.4	-14.5	-23.9	57	5.6	8.7	SSE	2.0	0
3	873.8	-16.8	-13.6	-24.0	62	11.3	14.8	ESE	8.3	0
4	872.9	-13.6	-11.3	-17.1	X	19.2	21.9	ESE	10.0	23
5	879.3	-10.4	-9.3	-11.7	X	19.6	21.1	ESE	10.0	3
6	881.5	-9.7	-9.3	-10.0	X	18.5	20.5	ESE	X	23
7	873.0	-11.2	-9.7	-13.0	X	21.9	25.0	SE	X	23
8	875.4	-14.5	-12.6	-17.4	X	14.4	19.8	ESE	2.7	2
9	862.6	-16.5	-14.6	-18.8	75	11.1	16.8	ESE	3.0	0
10	858.3	-19.3	-17.0	-21.4	71	15.2	22.6	SE	X	2
MEAN	870.5	-14.6	-12.3	-17.9	69	14.8			5.8	
11	865.9	-18.6	-15.3	-27.3	68	8.4	16.6	SE	-	0
12	872.9	-25.3	-20.2	-30.3	59	4.6	8.6	SE	0.0	0
13	880.6	-22.5	-17.0	-33.3	65	9.0	18.3	ESE	7.3	0
14	883.6	-19.0	-15.3	-26.0	64	9.3	18.9	ESE	0.7	0
15	880.9	-15.5	-14.1	-16.9	78	20.1	23.0	ESE	6.3	2
16	872.6	-16.6	-15.4	-17.6	75	19.1	21.7	ESE	8.0	2
17	875.3	-14.4	-13.2	-16.4	80	18.4	22.4	ESE	10.0	23
18	872.0	-13.1	-12.4	-14.2	81	17.6	20.5	ESE	-	2
19	869.6	-13.6	-12.9	-15.0	77	17.9	20.8	ESE	7.8	2
20	869.3	-17.5	-15.1	-20.2	57	13.7	17.4	ESE	2.8	0
MEAN	874.3	-17.6	-15.1	-21.7	70	13.8			5.4	
21	864.7	-19.3	-16.5	-20.8	58	13.2	19.0	ESE	2.5	0
22	864.1	-17.7	-16.6	-21.4	65	11.2	15.4	ESE	9.8	23
23	867.7	-19.3	-17.5	-22.0	66	9.8	14.2	ESE	7.8	2
24	869.5	-24.4	-21.4	-28.6	53	6.4	9.7	ESE	1.3	8
25	871.4	-23.2	-19.0	-30.1	52	9.9	16.0	ESE	1.5	0
26	873.5	-22.9	-19.2	-27.2	48	8.8	12.4	ESE	3.3	0
27	865.8	-20.4	-18.0	-23.0	69	16.6	19.7	ESE	3.3	28
28	869.7	-15.8	-14.4	-18.1	78	17.1	22.2	ESE	X	2
29	880.6	-15.1	-14.2	-16.4	76	16.5	20.4	ESE	6.3	23
30	877.1	-14.3	-13.3	-15.9	80	18.1	23.1	ESE	9.5	23
31	878.0	-18.4	-15.1	-21.1	57	11.5	19.0	ESE	3.0	0
MEAN	871.1	-19.2	-16.8	-22.2	64	12.6			4.8	
MONTHLY MEAN	871.9	-17.2	-14.8	-20.7	67	13.7			5.3	

APRIL

1989

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)		NM	PHENOMENA
1	886.7	-18.3	-15.8	-21.9	59	10.3	15.2	ESE	7.8	1
2	877.5	-24.8	-21.6	-29.0	51	6.2	8.6	SE	4.8	0
3	869.7	-23.5	-21.2	-28.5	58	13.2	19.7	ESE	3.5	12
4	869.2	-23.3	-21.5	-26.2	55	10.1	13.8	ESE	2.3	0
5	875.7	-20.2	-16.4	-24.0	54	11.8	16.4	ESE	2.8	4
6	879.4	-21.4	-18.0	-25.4	52	10.3	12.8	SE	2.5	0
7	876.2	-18.7	-16.8	-24.0	59	12.4	15.9	SE	3.5	12
8	883.9	-18.0	-16.6	-23.3	76	11.4	14.0	ESE	8.5	23
9	882.8	-22.6	-20.4	-25.3	61	9.7	15.3	ESE	1.8	2
10	870.6	-17.8	-14.2	-21.4	75	18.9	27.2	ESE	6.3	23
MEAN	877.2	-20.9	-18.2	-24.9	60	11.4			4.4	
11	876.0	-13.1	-12.0	-14.9	89	20.3	25.6	ESE	10.0	3
12	882.7	-13.5	-12.0	-14.2	82	17.6	20.4	ESE	5.8	23
13	875.1	-15.9	-14.1	-19.3	75	12.9	17.7	ESE	1.0	12
14	868.4	-21.7	-19.3	-23.3	67	14.3	21.3	ESE	0.0	12
15	873.7	-23.1	-22.1	-24.1	65	12.5	16.0	ESE	0.0	12
16	875.6	-21.9	-19.5	-25.3	66	12.8	18.3	ESE	0.0	12
17	869.0	-16.9	-14.4	-20.3	73	18.3	23.6	SE	6.3	12
18	878.1	-14.0	-13.1	-14.9	80	16.5	23.7	SE	10.0	23
19	882.2	-18.7	-14.6	-21.0	71	5.5	10.3	ESE	1.5	0
20	876.9	-24.5	-21.0	-26.8	65	5.0	7.7	SSE	3.8	0
MEAN	875.8	-18.3	-16.2	-20.4	73	13.6			3.8	
21	877.6	-25.6	-22.1	-28.0	64	7.8	14.6	E	5.0	12
22	880.7	-17.6	-14.5	-22.1	72	17.1	20.7	ESE	10.0	23
23	872.6	-12.6	-11.5	-14.7	84	22.2	23.6	ESE	X	3
24	867.9	-11.9	-10.9	-12.8	87	20.2	25.1	ESE	X	23
25	868.7	-14.3	-11.7	-16.8	78	12.7	16.4	E	6.3	12
26	864.4	-18.0	-15.8	-19.4	70	10.8	15.8	ESE	5.5	1
27	862.6	-20.6	-17.5	-23.5	67	9.2	13.4	ESE	7.0	1
28	863.5	-22.3	-21.2	-24.5	64	9.1	12.0	ESE	4.0	1
29	865.4	-24.2	-21.3	-25.5	62	8.9	13.6	ESE	3.3	1
30	867.5	-27.8	-25.1	-32.3	62	5.3	8.7	SE	1.5	1
MEAN	869.1	-19.5	-17.2	-22.0	71	12.3			5.3	
MONTHLY MEAN	874.0	-19.6	-17.2	-22.4	68	12.4			4.5	

MAY 1989

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)		NM	PHENOMENA
1	875.4	-29.5	-27.4	-32.7	59	8.6	12.0	SE	1.5	1
2	877.7	-26.7	-23.4	-30.4	62	10.3	14.4	ESE	2.0	1
3	867.0	-25.4	-23.3	-28.0	61	10.7	14.6	SE	2.0	1
4	855.0	-21.6	-18.1	-27.9	66	14.6	19.5	ESE	7.5	123
5	857.9	-20.1	-18.9	-23.6	67	11.7	17.9	ESE	7.0	123
6	866.7	-26.9	-22.9	-30.4	59	7.0	11.0	ESE	6.0	0
7	860.9	-23.7	-20.3	-27.8	62	9.1	13.4	ESE	2.3	1
8	862.6	-30.6	-27.6	-35.5	59	4.7	7.0	SSW	0.0	0
9	866.3	-36.2	-35.0	-38.1	61	4.5	6.9	SE	0.3	0
10	869.8	-37.9	-37.0	-38.7	60	3.1	5.0	SSE	0.0	0
MEAN	865.9	-27.9	-25.4	-31.3	62	8.4			2.9	
11	879.8	-31.5	-28.4	-37.7	61	4.8	7.0	SE	1.3	0
12	871.0	-24.8	-21.7	-29.1	63	4.4	12.9	ESE	5.8	1
13	861.1	-19.9	-19.4	-21.9	64	15.6	18.4	ESE	1.5	1
14	857.0	-22.3	-20.0	-24.4	60	13.8	18.7	E	2.8	1
15	860.7	-29.1	-24.3	-32.7	54	9.0	16.5	E	1.0	1
16	862.5	-25.8	-21.2	-32.1	57	8.9	11.3	ESE	5.8	0
17	854.4	-25.1	-21.3	-28.4	59	5.6	9.6	SE	7.5	0
18	855.1	-30.4	-24.3	-33.6	55	6.0	9.7	SSE	3.0	0
19	847.8	-34.3	-32.3	-36.5	56	4.8	7.1	SSE	2.3	0
20	846.1	-29.2	-25.8	-36.8	62	11.2	19.1	ESE	7.3	12
MEAN	859.6	-27.2	-23.9	-31.3	59	8.4			3.8	
21	848.9	-28.0	-24.9	-32.3	57	8.7	13.4	ESE	5.5	1
22	853.7	-26.5	-23.5	-31.9	57	10.1	16.2	ESE	8.0	0
23	861.5	-34.7	-31.9	-38.3	53	7.5	10.1	SE	0.0	0
24	860.3	-36.9	-34.7	-38.6	58	4.1	7.2	SSW	4.3	0
25	860.9	-39.2	-35.8	-42.5	59	5.1	8.0	SE	0.0	0
26	864.9	-41.3	-38.7	-42.9	58	3.5	6.7	SSW	0.0	0
27	870.7	-40.4	-36.8	-42.3	56	3.9	6.4	SW	0.8	0
28	874.4	-31.8	-27.8	-38.6	54	5.9	10.5	SSE	6.3	0
29	866.9	-26.1	-23.6	-29.6	49	9.8	18.2	ESE	1.3	0
30	865.0	-24.2	-23.1	-27.5	59	15.3	19.5	ESE	0.3	12
31	872.0	-25.3	-22.2	-28.4	54	10.2	19.8	ESE	0.8	12
MEAN	863.6	-32.2	-29.4	-35.7	56	7.6			2.5	
MONTHLY MEAN	863.0	-29.2	-26.3	-32.9	59	8.1			3.0	

JUNE 1989

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)		NM	PHENOMENA
1	868.5	-20.2	-19.1	-22.2	69	22.0	25.6	ESE	X	23
2	872.9	-18.0	-16.3	-19.5	74	18.1	20.2	ESE	X	23
3	873.5	-17.1	-16.0	-17.8	74	14.6	18.0	ESE	X	12
4	880.4	-23.0	-17.1	-27.7	66	6.3	13.8	ESE	5.0	1
5	874.0	-21.4	-18.6	-24.7	66	4.7	9.9	SE	6.0	14
6	877.0	-19.9	-18.5	-21.8	56	10.3	14.8	SE	1.8	1
7	884.1	-25.9	-19.5	-29.7	52	6.5	11.3	SE	1.5	0
8	876.1	-24.7	-18.9	-30.0	51	8.0	13.5	SE	0.0	0
9	863.3	-18.7	-16.3	-21.2	56	16.7	27.7	ESE	0.5	2
10	857.1	-18.7	-16.4	-21.2	65	24.3	28.2	ESE	X	2
MEAN	872.7	-20.8	-17.7	-23.6	63	13.2			2.5	
11	868.9	-19.3	-16.1	-22.5	68	12.6	20.0	ESE	X	12
12	871.2	-22.6	-21.2	-24.1	66	13.2	15.6	ESE	2.3	12
13	868.4	-24.4	-23.5	-25.6	66	13.8	18.6	E	3.5	12
14	865.7	-24.4	-21.5	-27.6	61	8.9	12.6	ESE	4.0	1
15	866.6	-24.4	-21.4	-27.9	60	9.8	17.0	ESE	7.3	1
16	870.8	-20.2	-19.6	-21.7	68	14.1	16.5	E	10.0	12
17	864.7	-21.1	-19.8	-22.7	63	12.3	17.6	E	4.3	1
18	858.6	-30.7	-22.2	-35.4	60	4.5	10.2	ESE	0.3	0
19	854.1	-33.5	-30.7	-38.2	53	8.1	13.5	ESE	0.5	0
20	858.8	-30.4	-26.5	-36.9	58	12.8	16.0	ESE	2.3	0
MEAN	864.8	-25.1	-22.2	-28.3	62	11.0			3.8	
21	855.7	-26.1	-24.0	-28.2	54	12.4	16.7	ESE	6.8	0
22	855.5	-27.5	-23.5	-31.0	55	9.5	17.1	ESE	5.5	0
23	861.8	-35.4	-30.2	-37.9	55	5.6	8.3	SE	1.5	0
24	864.9	-38.8	-37.4	-40.0	58	4.6	7.6	SSE	0.3	0
25	866.5	-33.8	-31.5	-37.8	55	8.7	12.4	ESE	0.3	0
26	867.2	-31.3	-26.0	-34.2	49	9.3	13.8	SE	1.0	0
27	865.4	-23.5	-20.4	-28.1	51	14.2	21.2	ESE	1.3	1
28	853.9	-18.4	-15.1	-23.6	59	12.9	18.3	ESE	5.8	12
29	861.3	-19.0	-15.8	-21.5	63	17.1	20.3	ESE	4.8	12
30	856.1	-16.4	-15.0	-21.3	71	18.7	24.4	ESE	6.0	123
MEAN	860.8	-27.0	-23.9	-30.4	57	11.3			3.3	
MONTHLY MEAN	866.1	-24.3	-21.3	-27.4	61	11.8			3.3	

JULY 1989

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)		NM	PHENOMENA
1	865.6	-15.1	-12.8	-17.5	80	17.4	24.3	ESE	10.0	23
2	873.2	-12.6	-9.2	-15.7	90	15.6	18.4	ESE	6.8	23
3	869.4	-18.8	-14.5	-23.8	73	13.6	18.2	ESE	1.5	12
4	866.0	-25.8	-23.7	-27.7	66	16.5	21.6	ESE	2.0	12
5	871.0	-28.3	-24.3	-32.5	63	7.9	12.2	ESE	1.5	1
6	873.4	-32.9	-32.2	-33.9	62	5.9	9.1	SSE	2.0	0
7	864.7	-28.5	-25.9	-32.4	62	8.3	13.0	ESE	4.0	0
8	849.6	-21.5	-19.2	-26.3	67	17.1	19.0	ESE	8.8	12
9	847.2	-16.8	-15.4	-19.3	77	19.0	23.1	ESE	10.0	23
10	849.9	-20.0	-16.7	-21.8	70	11.4	19.3	ESE	2.8	123
MEAN	863.0	-22.0	-19.4	-25.1	71	13.3			4.9	
11	860.8	-17.8	-16.6	-20.4	73	12.3	15.1	ESE	8.0	123
12	872.1	-20.6	-18.3	-22.5	70	14.9	20.4	SE	4.5	123
13	863.6	-22.3	-21.8	-23.1	69	21.9	28.5	ESE	2.8	2
14	865.1	-22.1	-21.1	-22.8	68	20.4	23.9	ESE	2.0	2
15	867.5	-22.5	-20.3	-25.5	67	19.6	26.5	ESE	0.5	12
16	864.5	-26.5	-25.4	-27.5	62	21.6	24.7	ESE	3.5	1
17	866.8	-25.7	-25.2	-27.4	64	17.1	22.0	ESE	2.0	0
18	878.7	-31.0	-25.3	-33.7	61	6.6	13.8	ESE	1.0	0
19	872.3	-27.1	-21.3	-34.0	64	10.3	23.4	ESE	1.5	0
20	862.2	-22.4	-22.1	-22.6	64	19.5	24.3	ESE	1.8	1
MEAN	867.4	-23.8	-21.7	-25.9	66	16.4			2.8	
21	854.6	-22.9	-22.2	-23.5	62	20.3	24.8	ESE	6.3	0
22	855.6	-23.1	-22.2	-24.4	60	17.4	21.1	ESE	8.0	0
23	854.4	-24.1	-23.2	-26.1	61	14.4	18.1	E	1.8	0
24	852.7	-29.5	-26.1	-32.4	57	12.0	17.1	ESE	0.8	0
25	854.4	-25.2	-22.1	-32.1	60	14.3	20.4	ESE	1.0	1
26	858.8	-24.7	-23.3	-25.8	60	17.1	19.9	ESE	1.8	0
27	860.8	-25.3	-24.2	-26.3	57	19.4	22.0	ESE	4.0	14
28	868.8	-25.7	-25.0	-26.4	60	17.6	20.8	ESE	8.3	12
29	861.8	-24.8	-23.2	-26.3	53	18.8	20.6	ESE	1.5	12
30	855.0	-23.0	-21.8	-24.3	51	17.7	21.8	ESE	6.5	0
31	863.2	-22.2	-21.5	-23.2	52	16.5	20.6	ESE	4.0	0
MEAN	858.2	-24.6	-23.2	-26.4	58	16.9			4.0	
MONTHLY MEAN	862.7	-23.5	-21.5	-25.8	65	15.6			3.9	

AUGUST 1989

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)		NM	PHENOMENA
1	865.0	-26.3	-23.2	-30.5	48	14.5	21.0	ESE	2.3	0
2	858.8	-34.0	-29.8	-36.2	52	6.1	9.1	SE	1.5	0
3	857.9	-31.6	-30.1	-35.0	51	8.2	13.4	E	3.3	0
4	865.2	-29.9	-27.8	-31.6	52	13.8	18.3	E	4.3	0
5	862.1	-26.1	-24.3	-28.4	56	20.8	24.0	ESE	9.3	3
6	860.9	-24.4	-23.9	-25.2	63	19.2	21.7	ESE	10.0	23
7	868.0	-25.7	-24.8	-26.6	61	19.8	22.6	ESE	3.0	2
8	877.3	-23.5	-20.9	-25.5	55	18.9	22.3	ESE	0.0	0
9	879.2	-21.0	-20.2	-22.0	55	16.2	20.1	ESE	0.5	0
10	869.2	-21.8	-20.9	-23.4	53	15.9	19.1	E	1.3	0
MEAN	866.4	-26.4	-24.6	-28.4	55	15.3			3.6	
11	866.6	-24.0	-22.9	-25.9	51	16.1	20.9	ESE	2.3	0
12	866.3	-25.6	-24.7	-26.8	48	11.8	16.6	ESE	4.0	0
13	870.3	-27.8	-25.5	-31.5	50	11.2	16.2	E	1.0	0
14	875.1	-25.5	-23.7	-31.5	50	13.6	18.1	E	5.5	0
15	870.6	-22.2	-20.3	-23.8	48	16.8	20.9	ESE	4.8	0
16	851.5	-22.2	-20.3	-23.4	47	21.1	25.2	ESE	7.0	123
17	863.7	-25.0	-21.7	-28.9	70	15.8	23.2	ESE	7.0	13
18	860.7	-28.3	-26.4	-30.6	63	8.5	18.2	SE	0.3	12
19	865.3	-23.1	-21.8	-27.7	68	10.7	13.1	ESE	1.5	1
20	867.3	-24.6	-23.9	-25.5	63	15.7	19.3	ESE	2.0	1
MEAN	865.7	-24.8	-23.1	-27.6	56	14.1			3.5	
21	861.4	-21.6	-18.7	-24.9	66	18.7	24.1	ESE	7.5	23
22	863.9	-18.2	-17.8	-18.7	73	18.0	21.6	ESE	8.5	23
23	863.4	-19.0	-17.6	-21.0	71	15.2	20.0	ESE	2.0	12
24	866.9	-19.2	-17.7	-21.0	70	19.0	22.5	SE	3.8	2
25	863.9	-20.9	-17.8	-23.0	65	23.5	30.8	ESE	4.0	12
26	868.8	-24.9	-22.9	-28.3	57	25.1	28.4	ESE	0.8	12
27	876.3	-25.6	-24.3	-27.9	60	19.4	24.9	ESE	6.0	123
28	885.4	-26.7	-26.2	-27.2	61	18.7	21.5	ESE	2.5	123
29	896.9	-31.1	-27.0	-35.1	58	7.0	16.4	ESE	1.8	0
30	892.6	-30.5	-22.8	-35.9	59	5.9	9.8	ESE	0.0	0
31	891.3	-20.7	-17.4	-26.1	66	11.1	13.8	ESE	5.0	1
MEAN	875.5	-23.5	-20.9	-26.3	64	16.5			3.8	
MONTHLY MEAN	869.4	-24.9	-22.8	-27.4	58	15.4			3.6	

SEPTEMBER 1989

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)		NM	PHENOMENA
1	895.0	-18.0	-15.9	-23.9	64	10.9	13.7	ESE	8.8	0
2	888.4	-28.9	-22.8	-31.0	60	4.2	6.3	SSE	3.5	0
3	876.8	-31.7	-29.1	-33.6	59	4.8	7.1	SSE	1.5	0
4	877.3	-29.0	-25.3	-33.2	55	6.7	10.1	E	3.0	0
5	873.8	-34.6	-31.4	-37.5	57	4.6	7.8	SE	2.0	0
6	871.0	-38.6	-34.4	-41.9	58	3.5	6.1	S	0.3	0
7	874.9	-38.0	-33.5	-42.9	55	4.2	7.0	S	0.0	0
8	870.4	-37.9	-34.4	-43.3	54	5.5	10.0	SE	0.3	0
9	865.2	-33.0	-30.8	-35.9	48	10.7	15.3	ESE	3.8	1
10	868.3	-35.6	-30.1	-42.9	44	6.2	15.2	ESE	2.5	0
MEAN	876.1	-32.5	-28.8	-36.6	55	6.1			2.6	
11	870.1	-39.7	-34.7	-43.0	51	3.8	7.6	SW	0.3	0
12	865.7	-32.6	-27.3	-41.8	48	8.1	14.0	SE	0.0	1
13	866.7	-37.3	-29.8	-44.3	52	4.2	13.6	SE	0.5	0
14	875.0	-22.1	-17.7	-30.3	47	13.2	21.0	SE	1.0	0
15	876.7	-18.1	-16.6	-19.7	42	17.8	26.0	SE	1.0	12
16	876.2	-17.4	-14.4	-22.9	42	14.9	23.1	ESE	1.5	1
17	868.7	-20.5	-18.1	-24.6	43	21.2	30.1	ESE	0.3	1
18	876.9	-24.2	-23.4	-25.2	59	22.2	29.0	ESE	5.5	123
19	875.8	-22.8	-20.1	-24.8	55	12.1	18.4	ESE	1.8	1
20	872.5	-24.4	-22.2	-28.0	50	8.7	14.6	ESE	0.3	0
MEAN	872.4	-25.9	-22.4	-30.5	49	12.6			1.2	
21	882.0	-26.1	-23.5	-31.4	52	10.1	13.9	ESE	0.5	0
22	875.4	-24.1	-20.0	-29.8	50	9.5	13.3	ESE	8.0	0
23	865.6	-21.7	-20.3	-23.3	48	13.9	16.2	E	6.0	0
24	864.8	-21.1	-19.9	-22.4	56	18.0	21.2	ESE	10.0	1
25	861.4	-19.7	-18.5	-20.9	53	15.1	17.8	ESE	6.0	0
26	860.4	-21.6	-19.7	-24.8	49	13.3	16.6	ESE	1.8	0
27	861.4	-24.1	-21.4	-27.8	45	13.9	19.4	ESE	0.5	0
28	857.4	-29.7	-23.8	-36.0	46	6.6	13.9	ESE	1.8	0
29	850.1	-24.4	-22.4	-31.4	43	16.2	20.7	ESE	0.8	1
30	849.3	-23.2	-21.5	-25.3	48	17.3	20.8	ESE	5.8	1
MEAN	862.8	-23.6	-21.1	-27.3	49	13.4			4.1	
MONTHLY MEAN	870.4	-27.3	-24.1	-31.5	51	10.7			2.6	

OCTOBER 1989

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)		NM	PHENOMENA
1	849.6	-22.1	-20.9	-23.8	64	11.6	15.8	ESE	9.7	123
2	859.5	-19.6	-17.5	-21.5	77	12.7	15.8	ESE	9.7	23
3	862.5	-19.8	-18.4	-20.9	76	15.9	19.7	SE	7.7	2
4	867.6	-20.8	-19.1	-22.9	67	13.2	17.3	ESE	5.7	12
5	877.5	-18.5	-16.4	-21.1	56	15.3	18.7	ESE	0.0	12
6	880.1	-17.7	-16.0	-19.6	50	13.5	17.0	ESE	0.0	0
7	879.3	-21.4	-15.9	-31.0	48	6.3	12.5	ESE	0.0	0
8	876.0	-25.5	-21.9	-32.2	46	3.6	8.4	SE	0.0	0
9	874.5	-27.8	-19.1	-35.8	43	3.9	9.8	SE	0.3	0
10	871.9	-24.0	-21.4	-34.6	44	13.8	17.1	ESE	0.0	2
MEAN	869.9	-21.7	-18.7	-26.3	57	11.0			3.3	
11	865.6	-26.5	-23.7	-31.6	45	11.8	15.8	E	0.0	0
12	871.0	-25.1	-22.7	-29.2	47	13.8	18.5	E	4.3	2
13	877.0	-20.0	-18.0	-23.7	51	15.9	19.3	ESE	7.0	0
14	878.7	-19.1	-17.1	-21.1	47	15.6	20.0	E	4.0	1
15	874.9	-17.1	-14.5	-21.9	47	17.2	19.8	ESE	6.7	1
16	866.4	-15.4	-14.3	-16.7	46	19.9	22.8	ESE	9.3	0
17	869.3	-17.7	-15.9	-19.3	44	17.3	20.3	ESE	2.0	0
18	867.9	-19.9	-16.6	-25.0	43	9.5	19.1	SE	0.0	0
19	864.0	-20.8	-17.0	-26.1	47	9.9	14.4	ESE	0.0	0
20	864.2	-20.6	-18.6	-27.1	58	16.6	22.0	ESE	8.7	2
MEAN	869.9	-20.2	-17.8	-24.2	48	14.8			4.2	
21	866.0	-17.0	-14.0	-19.4	59	15.7	19.2	ESE	8.0	2
22	858.5	-14.6	-13.1	-17.5	X	20.0	23.6	ESE	X	23
23	851.0	-10.2	-6.6	-13.3	X	18.0	24.2	SE	X	3
24	859.7	-8.3	-7.2	-8.9	94	11.1	14.7	E	X	3
25	867.0	-10.5	-8.2	-11.4	90	11.8	15.7	ESE	X	23
26	867.8	-13.3	-11.3	-15.6	86	12.6	14.9	ESE	5.7	12
27	850.4	-17.2	-14.7	-21.2	84	12.9	15.9	ESE	0.0	12
28	841.1	-18.9	-17.3	-21.7	76	19.3	23.4	ESE	X	123
29	848.1	-20.4	-18.4	-23.5	72	15.1	19.4	ESE	6.0	123
30	853.3	-21.0	-18.0	-26.3	68	10.1	14.4	ESE	7.0	2
31	857.8	-18.4	-16.1	-21.4	72	12.2	16.5	ESE	6.3	2
MEAN	856.4	-15.4	-13.2	-18.2	78	14.4			5.5	
MONTHLY MEAN	865.1	-19.0	-16.4	-22.8	60	13.4			4.2	

NOVEMBER 1989

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)		NM	PHENOMENA
1	862.8	-22.8	-17.4	-28.4	62	4.4	10.1	SE	0.7	0
2	865.6	-21.8	-15.4	-32.9	57	4.5	16.0	ESE	3.7	1
3	864.6	-15.9	-13.9	-20.1	76	18.6	21.7	ESE	9.7	12
4	864.0	-15.2	-13.6	-17.1	76	17.0	19.8	ESE	9.0	2
5	864.8	-16.2	-13.4	-18.6	69	14.5	18.5	ESE	1.3	2
6	868.3	-17.8	-14.6	-21.7	54	9.1	11.8	E	3.0	0
7	864.9	-17.5	-14.9	-20.6	63	15.9	18.8	ESE	0.3	12
8	865.5	-16.1	-13.5	-19.0	66	16.1	20.7	ESE	5.3	2
9	867.0	-15.1	-12.5	-19.4	62	11.1	14.7	ESE	9.3	0
10	870.8	-15.3	-12.8	-18.8	62	9.6	14.5	E	10.0	0
MEAN	865.8	-17.4	-14.2	-21.7	65	12.1			5.2	
11	873.7	-16.6	-13.8	-21.6	61	10.0	14.1	E	6.3	0
12	878.8	-16.5	-13.8	-22.2	56	11.8	15.4	ESE	9.0	1
13	883.5	-14.5	-12.7	-16.7	59	14.8	17.3	ESE	10.0	12
14	876.1	-11.4	-8.9	-14.8	X	19.8	22.5	ESE	9.3	23
15	866.8	-8.3	-7.3	-9.1	X	18.6	26.5	E	10.0	23
16	877.1	-11.9	-8.1	-13.0	88	17.3	22.2	ESE	6.3	2
17	881.6	-12.0	-9.6	-14.1	86	18.1	21.4	ESE	8.3	2
18	874.5	-11.4	-9.6	-13.9	82	19.6	23.3	ESE	9.3	2
19	869.7	-11.8	-8.8	-14.0	74	18.7	22.3	ESE	1.0	12
20	873.3	-13.5	-11.2	-15.5	65	14.7	18.7	ESE	1.7	0
MEAN	875.5	-12.8	-10.4	-15.5	71	16.3			7.1	
21	874.6	-13.5	-10.7	-15.5	63	12.9	16.7	ESE	8.7	0
22	873.5	-14.1	-11.2	-16.1	65	13.0	16.3	ESE	4.7	0
23	878.9	-13.8	-11.4	-17.5	62	11.1	13.6	ESE	3.3	0
24	879.0	-12.8	-11.1	-16.0	70	15.7	21.1	ESE	2.3	12
25	870.0	-10.0	-7.7	-12.9	89	19.5	24.8	ESE	10.0	123
26	877.4	-6.5	-5.7	-7.8	95	17.0	20.5	E	10.0	23
27	883.2	-6.3	-5.6	-9.2	94	14.0	16.7	ESE	7.3	123
28	881.8	-9.5	-7.7	-11.1	90	16.4	18.7	ESE	0.0	2
29	877.0	-10.7	-8.6	-12.6	88	15.2	18.9	ESE	2.3	2
30	875.2	-12.6	-9.3	-14.6	85	13.2	19.5	ESE	1.0	12
MEAN	877.1	-11.0	-8.9	-13.3	80	14.8			5.0	
MONTHLY MEAN	872.8	-13.7	-11.2	-16.8	72	14.4			5.8	

DECEMBER 1989

DATE	PST (MB)	TM (C)	TX (C)	TN (C)	UM (%)	VM (M/S)	VX (M/S)		NM	PHENOMENA
1	875.0	-11.5	-8.0	-16.8	84	9.2	12.9	ESE	6.0	14
2	872.8	-9.7	-5.9	-12.9	83	9.0	14.2	ESE	7.3	1
3	871.3	-10.5	-7.4	-14.3	78	8.7	14.7	ESE	1.0	1
4	877.2	-10.7	-8.3	-14.7	81	10.2	13.9	ESE	3.7	1
5	882.5	-8.9	-5.1	-16.1	85	7.7	11.7	E	8.3	0
6	874.9	-7.8	-4.7	-10.8	79	9.5	17.3	ESE	6.3	13
7	881.1	-8.4	-6.0	-10.1	83	9.2	14.6	ESE	7.7	13
8	883.2	-6.8	-3.3	-11.6	79	11.4	14.6	ESE	5.3	1
9	881.4	-5.5	-1.9	-8.7	74	13.8	18.3	ESE	0.3	1
10	879.2	-7.0	-4.8	-8.7	82	14.9	20.0	SE	5.3	12
MEAN	877.9	-8.7	-5.5	-12.5	81	10.4			5.1	
11	882.3	-6.7	-2.7	-10.9	80	9.9	13.6	E	5.3	12
12	876.0	-8.4	-5.0	-11.0	72	11.1	15.5	ESE	1.3	1
13	873.7	-8.8	-4.7	-13.6	72	10.0	13.2	ESE	6.7	0
14	872.7	-6.7	-3.6	-10.2	72	9.9	13.5	SE	4.7	0
15	878.5	-6.1	-0.7	-12.1	73	8.1	12.1	ESE	5.3	0
16	875.5	-7.9	-3.7	-11.9	68	7.3	12.2	SE	1.7	0
17	877.8	-8.2	-1.5	-14.5	74	5.0	7.9	ESE	3.7	0
18	873.7	-8.9	-4.4	-14.1	67	6.9	10.5	E	0.7	0
19	870.6	-8.7	-5.4	-12.6	70	10.0	15.2	SE	0.7	2
20	870.6	-9.0	-6.4	-13.1	68	10.2	15.2	ESE	2.0	0
MEAN	875.1	-7.9	-3.8	-12.4	72	8.8			3.2	
21	869.3	-7.5	-4.3	-11.9	72	8.6	12.6	E	7.0	5
22	884.8	-8.3	-5.5	-11.1	82	3.9	7.3	E	9.3	5
23	886.8	-6.5	0.3	-12.6	74	5.0	7.2	SE	3.3	0
24	878.1	-7.4	-3.6	-12.0	65	8.2	13.1	ESE	1.0	0
25	875.9	-9.2	-4.9	-12.1	72	8.5	12.4	E	6.0	123
26	883.7	-7.6	-3.9	-12.2	76	11.0	15.6	ESE	5.7	12
27	874.1	-5.8	-3.3	-9.3	79	15.1	17.5	ESE	4.0	23
28	869.1	-4.9	-2.0	-6.9	89	14.6	19.4	E	9.7	123
29	876.1	-5.7	-4.1	-7.3	90	10.3	16.5	E	9.7	23
30	878.9	-5.1	-1.7	-9.4	84	8.5	14.3	ESE	6.0	0
31	873.7	-5.8	-3.4	-7.5	79	11.6	15.5	ESE	7.0	0
MEAN	877.3	-6.7	-3.3	-10.2	78	9.6			6.2	
MONTHLY MEAN	876.8	-7.7	-4.2	-11.6	77	9.6			4.9	

Table 4. Surface synoptic data in 1989.

JANUARY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
1	3	873.8	-8.4	-10.4	85	ESE	5.7	8	-0.1	--	--	--	- - -					
	6	873.2	-8.4	-10.2	87	ESE	6.7	7	-0.6									
	9	873.2	-7.6	-10.0	83	ESE	8.1	5	0.0	30	02	10-	6 5 x	1 St x x	10-Ac x x			
	12	873.4	-6.6	-8.8	84	ESE	9.9	1	+0.2									
	15	873.4	-6.1	-8.2	85	E	7.8	5	0.0	3.0	10	10-	0 7 x	10-Ac x x				
	18	873.1	-6.2	-8.5	84	ENE	6.5	8	-0.3									
	21	873.0	-6.8	-9.3	82	SE	3.3	5	-0.1	--	--	--	- - -					
	24	872.9	-11.5	-13.2	87	S	3.8	8	-0.1									
2	3	872.6	-13.9	-16.5	81	SSE	4.9	7	-0.3	--	--	--	- - -					
	6	872.1	-12.8	-17.0	71	SE	5.9	7	-0.5									
	9	872.4	-8.7	-13.1	70	ESE	8.3	2	+0.3	50	02	3	0 0 2	3 Ci x x				
	12	872.8	-7.1	-11.6	70	E	9.5	2	+0.4									
	15	873.0	-6.3	-10.2	74	E	6.8	2	+0.2	50	02	4	0 4 2	1 Ac x x	4 Ci x x			
	18	873.1	-7.0	-10.5	76	E	5.8	0	+0.1									
	21	873.7	-8.5	-10.4	86	ESE	3.4	2	+0.6	50	--	5	- - -					
	24	874.1	-13.7	-15.1	89	SE	4.7	2	+0.4									
3	3	874.2	-14.5	-16.2	87	SSE	5.2	0	+0.1	--	--	--	- - -					
	6	874.6	-13.4	-15.1	87	SE	4.7	3	+0.4									
	9	874.7	-10.5	-12.8	83	ESE	5.1	3	+0.1	50	03	10-	6 4 7	0+St x x	1 Ac x x	10-Cs x x		
	12	875.1	-7.9	-10.1	84	E	6.8	2	+0.4									
	15	875.3	-7.4	-9.3	86	ENE	8.0	2	+0.2	10	02	10-	0 7 1	10-Ac x x	x Ci x x			
	18	875.4	-7.5	-8.4	93	ENE	7.3	0	+0.1									
	21	875.5	-8.6	-9.8	91	E	5.6	3	+0.1	1.5	71	10-	- - -					
	24	875.6	-10.0	-11.0	92	ESE	5.1	2	+0.1									
4	3	875.5	-10.0	-11.1	92	ESE	5.6	8	-0.1	--	--	--	- - -					
	6	875.4	-11.3	-13.3	85	E	7.2	6	-0.1									
	9	875.8	-8.8	-10.7	86	E	8.0	3	+0.4	2.0	38	6	0 0 2	6 Ci x x				
	12	876.2	-7.4	-9.7	83	E	11.0	2	+0.4									
	15	876.6	-7.3	-9.8	82	E	10.3	2	+0.4	20	03	9	0 5 x	9 Ac x x				
	18	876.7	-7.8	-10.7	80	E	7.0	0	+0.1									
	21	876.9	-9.1	-11.7	81	ESE	4.4	2	+0.2	40	01	2	0 3 0	2 Ac x x				
	24	877.4	-13.8	-15.6	86	SE	5.5	2	+0.5									
5	3	878.1	-13.4	-15.4	85	ESE	6.5	2	+0.7	--	--	--	- - -					
	6	878.7	-10.6	-13.4	80	ESE	6.3	2	+0.6									
	9	879.5	-8.5	-12.0	76	ESE	8.0	1	+0.8	40	03	10-	6 5 x	1 St x x	10-Ac x x			
	12	880.4	-7.7	-9.2	89	E	8.7	1	+0.9									
	15	880.5	-6.6	-8.7	85	E	10.9	0	+0.1	30	01	3	6 3 0	2 St x x	2 Ac x x			
	18	880.0	-6.5	-8.9	83	ESE	9.3	8	-0.5									
	21	878.8	-8.0	-12.1	72	ESE	8.8	7	-1.2	--	01	1	7 4 0	0+St x x	0+Ac x x			
	24	877.8	-9.4	-12.4	79	SE	7.0	8	-1.0									

JANUARY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
6	3	877.4	-13.0	-15.3	83	ESE	4.8	7	-0.4	--	--	--	-- --					
	6	876.9	-11.8	-14.4	81	SE	4.3	7	-0.5									
	9	877.0	-7.8	-11.6	74	ESE	8.5	3	+0.1	30	02	9	0 5 x	9 Ac x x				
	12	877.8	-6.2	-9.9	75	E	6.8	2	+0.8									
	15	878.6	-5.2	-8.4	78	ENE	5.2	2	+0.8	40	01	2	6 3 0	1 St x x	1 Ac x x			
	18	879.2	-4.4	-7.8	77		0.1	1	+0.6									
	21	879.7	-6.3	-8.3	86	SSW	2.5	2	+0.5	40	03	7	6 5 0	1 St x x	5 Ac x x			
	24	880.5	-12.3	-14.1	87	SE	3.0	2	+0.8									
7	3	881.5	-13.0	-14.9	86	SSE	4.4	2	+1.0	--	--	--	-- --					
	6	882.3	-11.6	-14.2	81	ESE	4.6	2	+0.8									
	9	882.8	-7.6	-11.2	75	ESE	11.4	2	+0.5	50	02	1	0 4 0	1 Ac x x				
	12	883.8	-6.4	-9.9	76	E	10.9	2	+1.0									
	15	884.2	-7.4	-8.6	91	ENE	6.3	2	+0.4	50	02	1	0 3 0	1 Ac x x				
	18	884.0	-8.5	-8.8	98	E	5.6	8	-0.2									
	21	883.7	-9.0	-9.5	96	E	7.1	7	-0.3	--	--	--	-- --					
	24	883.4	-9.0	-9.8	94	ESE	7.0	8	-0.3									
8	3	883.5	-10.5	-11.5	92	ESE	6.3	0	+0.1	--	--	--	-- --					
	6	883.1	-9.4	-12.0	81	ESE	8.8	7	-0.4									
	9	882.9	-8.1	-11.0	80	E	8.1	7	-0.2	50	02	5	0 0 2	5 Ci x x				
	12	882.9	-5.3	-8.9	76	ENE	8.5	4	0.0									
	15	883.0	-4.4	-8.4	74	E	8.6	3	+0.1	50	02	7	0 0 6	7 Cs x x				
	18	882.7	-4.4	-9.2	69	E	7.0	8	-0.3									
	21	882.5	-7.4	-10.2	80	SE	4.0	8	-0.2	--	--	5	-- --					
	24	882.8	-9.5	-14.0	70	SE	7.7	3	+0.3									
9	3	882.5	-10.2	-15.4	66	ESE	9.2	8	-0.3	--	--	--	-- --					
	6	881.8	-9.5	-14.2	68	ESE	11.3	7	-0.7									
	9	880.9	-8.1	-12.2	72	ESE	14.0	7	-0.9	50	02	1	0 0 1	1 Ci x x				
	12	880.6	-7.3	-10.1	80	ESE	15.8	7	-0.3									
	15	880.4	-6.5	-8.3	87	ESE	16.5	7	-0.2	0.4	39	2	0 0 1	2 Ci x x				
	18	879.8	-6.0	-7.6	88	ESE	16.1	7	-0.6									
	21	879.8	-6.9	-8.4	89	ESE	15.9	4	0.0	--	39	10-	0 2 x	10-As x x				
	24	880.5	-7.4	-8.6	91	E	16.8	2	+0.7									
10	3	880.6	-8.8	-9.9	91	ESE	17.1	1	+0.1	--	--	--	-- --					
	6	880.6	-8.9	-9.8	93	ESE	17.5	5	0.0									
	9	880.1	-7.9	x	x	ESE	20.0	8	-0.5	0.01	39	10	0 2 x	10 As x x				
	12	878.7	-6.8	x	x	ESE	23.1	7	-1.4									
	15	877.5	-5.7	x	x	ESE	23.0	8	-1.2	0.01	39	x	x x x					
	18	875.8	-5.3	x	x	ESE	23.9	7	-1.7									
	21	874.6	-5.4	x	x	ESE	26.7	5	-1.2	0.01	73	x	x x x					
	24	875.3	-5.2	x	x	ESE	23.1	0	+0.7									

JANUARY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
11	3	874.4	-5.3	x	x	ESE	22.4	7	-0.9	--	--	--	- - -				
	6	872.9	-5.6	x	x	ESE	22.3	7	-1.5								
	9	873.0	-5.3	x	x	ESE	22.5	3	+0.1	0.01	73	x	x x x				
	12	874.8	-5.2	x	x	E	21.3	2	+1.8								
	15	876.5	-5.0	x	x	E	19.3	2	+1.7	0.01	39	x	x x x				
	18	878.4	-5.3	x	x	E	18.4	2	+1.9								
	21	880.5	-5.4	x	x	E	14.5	2	+2.1	0.03	39	x	x x x				
	24	882.8	-6.5	x	x	ENE	8.7	2	+2.3								
12	3	883.7	-7.6	x	x	E	7.6	2	+0.9	--	--	--	- - -				
	6	882.1	-6.9	x	x	ESE	9.5	8	-1.6								
	9	879.2	-6.6	x	x	ESE	11.5	7	-2.9	40	01	2	0 3 2	2 Ac x x	0+Ci x x		
	12	875.7	-5.1	x	x	ESE	13.7	7	-3.5								
	15	871.4	-3.4	x	x	ESE	17.9	7	-4.3	0.05	39	6	0 4 5	1 Ac x x	5 Cs x x		
	18	869.6	-2.7	x	x	ESE	15.1	7	-1.8								
	21	869.6	-2.9	x	x	ESE	12.2	4	0.0	--	--	10-	- - -				
	24	869.6	-4.0	x	x	ESE	10.7	4	+0.0								
13	3	871.3	-5.5	-6.4	93	ESE	14.5	2	+1.7	--	--	--	- - -				
	6	873.1	-5.1	-6.1	93	ESE	15.2	2	+1.8								
	9	875.5	-5.5	-6.3	94	ESE	15.0	2	+2.4	0.2	71	10	0 2 x	10 As x x			
	12	876.8	-5.3	-6.3	93	ESE	13.2	1	+1.3								
	15	877.1	-4.3	-5.3	93	ESE	10.9	1	+0.3	1.0	38	10-	5 7 x	10-Sc x x	x Ac x x		
	18	876.8	-4.3	-5.3	93	E	12.2	8	-0.3								
	21	877.3	-5.8	-6.8	92	E	11.8	2	+0.5	--	--	--	- - -				
	24	877.2	-9.0	-10.4	89	ESE	10.0	7	-0.1								
14	3	877.4	-8.6	-10.0	90	ESE	9.9	0	+0.2	--	--	--	- - -				
	6	876.3	-8.5	-10.0	89	ESE	10.9	7	-1.1								
	9	875.7	-7.5	-9.0	89	ESE	10.4	7	-0.6	30	02	10-	6 2 x	1 St x x	10-As x x		
	12	875.3	-6.3	-8.1	87	ESE	9.9	5	-0.4								
	15	874.5	-6.3	-7.9	88	ENE	7.9	7	-0.8	40	02	9	1 5 1	0+Cu x x	9 Ac x x	x Ci x x	
	18	873.9	-6.9	-8.1	91	ENE	5.6	8	-0.6								
	21	873.9	-7.4	-8.5	92	E	4.0	5	0.0	--	--	10-	- - -				
	24	874.2	-9.1	-10.5	90	SE	5.8	0	+0.3								
15	3	874.5	-10.5	-11.5	92	SE	6.5	2	+0.3	--	--	--	- - -				
	6	875.0	-9.9	-11.4	89	SE	5.4	2	+0.5								
	9	875.0	-7.4	-10.1	81	ESE	7.6	4	0.0	40	02	8	6 3 0	8 St x x	1 Ac x x		
	12	875.1	-6.1	-9.0	80	E	7.8	2	+0.1								
	15	875.4	-6.9	-8.9	85	E	10.1	3	+0.3	40	01	2	0 3 1	2 Ac x x	0+Ci x x		
	18	875.1	-7.4	-9.7	83	E	8.3	8	-0.3								
	21	874.7	-10.1	-12.4	83	SE	6.5	6	-0.4	--	--	1	- - -				
	24	874.9	-12.4	-15.2	80	ESE	8.2	3	+0.2								

JANUARY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
16	3	874.8	-13.7	-16.9	77	SE	8.8	8	-0.1	--	--	--	- - -					
	6	874.9	-12.8	-16.2	76	ESE	11.0	2	+0.1									
	9	876.1	-11.9	-13.9	85	ESE	12.7	2	+1.2	40	02	4	0 0 2	4 Ci x x				
	12	877.6	-9.8	-11.7	86	ESE	12.5	2	+1.5									
	15	878.7	-8.7	-9.4	95	E	11.7	2	+1.1	0.7	38	10-	6 3 x	8 St x x	x Ac x x			
	18	879.4	-8.6	-9.9	90	E	8.8	2	+0.7									
	21	879.8	-9.9	-11.1	91	E	8.1	3	+0.4	30	02	8	- - -					
	24	880.5	-13.1	-14.8	87	SE	8.1	2	+0.7									
17	3	881.0	-14.9	-16.4	88	SE	8.7	2	+0.5	--	--	--	- - -					
	6	880.8	-14.5	-16.2	87	ESE	9.1	8	-0.2									
	9	881.2	-10.5	x	x	ESE	15.2	2	+0.4	0.3	38	9	5 5 x	8 Sc x x	x Ac x x			
	12	882.2	-8.9	x	x	ESE	17.4	2	+1.0									
	15	882.4	-8.2	x	x	ESE	18.6	3	+0.2	0.01	39	x	x x x					
	18	883.6	-7.7	x	x	ESE	17.6	2	+1.2									
	21	884.7	-7.9	x	x	ESE	15.8	2	+1.1	0.1	38	10-	x x x					
	24	884.3	-8.7	x	x	ESE	14.0	8	-0.4									
18	3	882.9	-9.1	x	x	ESE	14.0	7	-1.4	--	--	--	- - -					
	6	882.4	-9.5	x	x	ESE	16.0	7	-0.5									
	9	882.0	-9.4	x	x	ESE	15.5	5	-0.4	0.05	39	10-	6 5 x	1 St x x	10-Ac x x			
	12	882.0	-8.4	x	x	ESE	15.2	4	0.0									
	15	881.1	-7.0	x	x	ESE	14.9	8	-0.9	0.5	38	10-	6 5 x	2 St x x	10-Ac x x			
	18	880.5	-6.3	x	x	E	12.6	7	-0.6									
	21	880.0	-7.8	x	x	ESE	11.3	8	-0.5	40	01	4	0 7 8	2 Ac x x	3 Cs x x			
	24	879.8	-9.0	-10.1	92	ESE	12.2	7	-0.2									
19	3	879.6	-9.3	-10.6	90	ESE	12.7	6	-0.2	--	--	--	- - -					
	6	879.5	-9.5	-10.8	90	ESE	14.3	8	-0.1									
	9	879.6	-9.4	-10.7	90	ESE	14.2	3	+0.1	40	02	10-	0 5 x	10-Ac x x				
	12	880.2	-8.3	-9.8	89	ESE	12.3	1	+0.6									
	15	880.4	-6.9	-8.3	90	E	11.0	3	+0.2	40	02	10-	0 7 x	10-Ac x x				
	18	880.7	-6.9	-8.6	87	E	8.6	1	+0.3									
	21	881.2	-8.3	-10.3	86	ESE	7.5	2	+0.5	50	02	10-	0 7 x	10-Ac x x				
	24	882.3	-9.6	-11.5	86	ESE	8.6	2	+1.1									
20	3	883.0	-11.2	-13.5	83	ESE	8.1	2	+0.7	--	--	--	- - -					
	6	882.5	-11.6	-13.9	83	ESE	10.7	7	-0.5									
	9	882.6	-10.8	-12.8	85	ESE	14.4	1	+0.1	40	02	3	0 4 2	2 Ac x x	2 Ci x x			
	12	883.0	-9.2	-11.1	86	ESE	12.3	2	+0.4									
	15	881.5	-7.9	-9.8	86	ESE	13.3	7	-1.5	40	02	7	0 3 4	5 Ac x x	5 Ci x x			
	18	880.9	-7.6	-9.8	84	ESE	12.0	8	-0.6									
	21	880.3	-9.0	-11.1	85	E	9.8	5	-0.6	40	01	3	0 4 2	0+Ac x x	3 Ci x x			
	24	880.3	-11.3	-13.7	83	ESE	10.4	4	0.0									

JANUARY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
21	3	880.2	-11.6	-13.4	87	ESE	14.2	8	-0.1	--	--	--	- - -					
	6	879.7	-11.1	-13.0	86	ESE	13.2	7	-0.5									
	9	879.2	-10.1	-11.6	89	ESE	15.2	8	-0.5	40	02	2	0 3 1	1 Ac x x	1 Ci x x			
	12	878.3	-8.6	-10.5	86	ESE	14.8	7	-0.9									
	15	877.7	-6.9	-8.6	87	ESE	13.9	7	-0.6	40	02	3	0 3 1	2 Ac x x	2 Ci x x			
	18	878.2	-6.8	-8.4	89	E	11.6	3	+0.5									
	21	878.8	-7.4	-9.3	86	ESE	10.8	2	+0.6	--	--	8	- - -					
	24	879.3	-8.1	-10.1	86	ESE	9.6	1	+0.5									
22	3	879.1	-9.6	-11.8	84	SE	10.2	8	-0.2	--	--	--	- - -					
	6	878.3	-8.6	-10.8	84	ESE	10.8	7	-0.8									
	9	877.9	-7.1	-9.0	86	ESE	13.4	5	-0.4	40	02	10-	5 x x	10-Sc x x				
	12	878.1	-6.6	-8.7	85	ESE	12.9	0	+0.2									
	15	877.4	-5.8	-7.9	85	ESE	12.6	5	-0.7	50	02	10-	5 x x	10-Sc x x				
	18	877.4	-5.2	-7.8	82	ESE	8.6	4	0.0									
	21	877.7	-5.9	-8.7	80	SE	8.0	3	+0.3	50	01	6	0 7 2	4 Ac x x	3 Ci x x			
	24	878.1	-7.4	-10.3	80	ESE	13.0	3	+0.4									
23	3	878.9	-8.2	-10.9	81	ESE	12.9	2	+0.8	--	--	--	- - -					
	6	879.6	-9.1	-11.8	81	SE	14.8	2	+0.7									
	9	880.2	-8.4	-11.2	80	ESE	13.3	1	+0.6	50	02	0+	0 0 1	0+Ci x x				
	12	880.3	-6.5	-9.4	80	ESE	12.2	1	+0.1									
	15	880.0	-5.1	-8.0	80	ESE	10.3	5	-0.3	50	02	0+	0 0 2	0+Ci x x				
	18	879.7	-5.2	-8.7	76	ESE	11.0	7	-0.3									
	21	880.1	-7.3	-11.4	73	SE	7.6	1	+0.4	50	02	1	0 0 2	1 Ci x x				
	24	880.4	-9.6	-13.8	72	SE	8.6	2	+0.3									
24	3	880.5	-10.3	-15.1	68	ESE	11.0	0	+0.1	--	--	--	- - -					
	6	879.9	-11.2	-15.9	68	ESE	10.2	7	-0.6									
	9	879.5	-10.0	-13.3	77	ESE	12.1	7	-0.4	50	02	3	0 0 2	3 Ci x x				
	12	879.6	-8.6	-11.0	83	E	12.5	2	+0.1									
	15	878.9	-7.5	-10.1	82	ESE	13.0	6	-0.7	50	02	0+	0 0 2	0+Ci x x				
	18	878.2	-7.7	-9.8	85	E	10.7	7	-0.7									
	21	878.2	-9.6	-12.3	81	E	9.9	4	0.0	50	02	0+	0 0 1	1 Ci x x				
	24	878.6	-12.0	-14.6	81	ESE	10.2	1	+0.4									
25	3	878.8	-13.3	-17.2	72	ESE	10.9	1	+0.2	--	--	--	- - -					
	6	878.8	-12.7	-17.0	70	ESE	12.4	4	+0.0									
	9	879.5	-11.8	-13.7	86	ESE	14.0	2	+0.7	35	02	0+	0 5 0	0+Ac x x				
	12	880.2	-10.5	-11.9	89	ESE	15.2	2	+0.7									
	15	880.2	-8.9	-10.8	86	E	11.6	0	0.0	40	03	3	0 5 1	2 Ac x x	1 Ci x x			
	18	879.7	-8.8	-11.1	83	E	8.7	8	-0.5									
	21	879.3	-11.0	-13.9	79	ESE	6.8	7	-0.4	50	02	1	0 7 1	1 Ac x x	0+Ci x x			
	24	879.1	-14.5	-17.5	78	SE	6.7	7	-0.2									

JANUARY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
26	3	878.7	-16.7	-20.6	72	SE	6.5	7	-0.4	--	--	--	- - -					
	6	877.6	-15.9	-19.4	75	SE	6.0	7	-1.1									
	9	877.4	-12.1	-16.7	69	ESE	11.1	6	-0.2	50	02	1	0 3 1	0+Ac x x	0+Ci x x			
	12	877.1	-10.4	-12.9	82	ESE	12.4	7	-0.3									
	15	877.1	-9.2	-11.5	83	ESE	10.8	5	0.0	50	02	1	0 0 1	1 Ci x x				
	18	876.9	-8.8	-11.8	79	ESE	5.6	7	-0.2									
	21	876.7	-11.9	-14.3	82	SE	4.6	5	-0.2	50	02	1	0 0 1	1 Ci x x				
	24	876.9	-15.7	-18.3	81	SE	6.6	2	+0.2									
27	3	877.0	-17.6	-20.3	79	SE	6.8	1	+0.1	--	--	--	- - -					
	6	877.4	-16.3	-20.1	72	SE	7.6	2	+0.4									
	9	878.0	-13.2	-16.6	76	ESE	9.5	2	+0.6	50	02	0+	0 3 1	0+Ac x x	0+Ci x x			
	12	879.0	-11.6	-13.7	85	ESE	13.0	2	+1.0									
	15	879.6	-10.2	-12.5	83	ESE	11.6	2	+0.6	50	02	1	0 5 1	1 Ac x x	0+Ci x x			
	18	879.8	-10.1	-13.0	79	ESE	7.6	0	+0.2									
	21	879.7	-13.6	-16.1	81	SE	5.9	5	-0.1	50	03	5	0 3 6	2 Ac x x	4 Cs x x			
	24	879.3	-15.8	-19.0	77	SE	8.0	7	-0.4									
28	3	878.9	-16.6	-20.1	74	SSE	7.3	8	+0.4	--	--	--	- - -					
	6	877.9	-12.9	-15.3	82	SE	5.8	7	-1.0									
	9	877.1	-11.0	-13.6	81	SE	5.1	7	-0.8	50	02	10	6 5 x	1 St x x	10 Ac x x			
	12	876.3	-9.4	-12.8	76	ESE	7.7	7	-0.8									
	15	875.3	-8.8	-13.4	69	ESE	6.7	7	-1.0	40	02	10-	6 2 x	1 St x x	10-As x x			
	18	874.4	-9.6	-13.3	75	E	8.5	7	-0.9									
	21	873.7	-10.7	-14.3	75	E	4.0	7	-0.7	50	02	9	6 5 x	1 St x x	8 Ac x x			
	24	873.5	-15.9	-19.4	75	SSE	5.1	7	-0.2									
29	3	873.6	-16.1	-21.1	66	SE	7.9	0	+0.1	--	--	--	- - -					
	6	873.7	-14.7	-19.0	70	SE	7.2	0	+0.1									
	9	873.6	-12.6	-17.1	69	SE	7.0	8	-0.1	50	02	9	0 2 x	9 As x x				
	12	873.9	-10.1	-15.0	67	ESE	6.9	1	+0.3									
	15	874.0	-9.1	-13.0	73	ESE	7.6	1	+0.1	45	02	10-	6 7 x	1 St x x	10-Ac x x			
	18	874.2	-8.9	-12.0	78	E	4.4	1	+0.2									
	21	874.5	-11.7	-13.6	86	E	4.5	3	+0.3	45	02	9	6 5 x	2 St x x	8 Ac x x			
	24	875.4	-12.2	-13.3	92	ESE	5.2	2	+0.9									
30	3	876.0	-12.0	-13.1	91	SE	4.3	2	+0.6	--	--	--	- - -					
	6	876.4	-11.9	-13.0	91	ESE	8.7	2	+0.4									
	9	877.6	-11.4	-12.4	92	ESE	8.1	2	+1.2	1.0	10	10	6 x x	10 St x x				
	12	878.8	-10.8	-12.0	91	ESE	7.4	2	+1.2									
	15	879.8	-9.7	-10.8	92	E	5.7	2	+1.0	10	01	9	5 7 2	5 Sc x x	5 Ac x x	6 Ci x x		
	18	880.2	-10.1	-11.2	92	E	3.6	2	+0.4									
	21	880.3	-15.7	-16.7	92	SE	4.4	3	+0.1	30	01	6	- - -					
	24	881.1	-17.4	-18.9	88	SSE	5.8	2	+0.8									

JANUARY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
31	3	881.3	-17.7	-22.2	68	SE	6.3	3	+0.2	--	--	--	- - -				
	6	881.3	-18.5	-24.1	61	SE	5.7	4	0.0								
	9	881.4	-15.3	-21.2	61	SE	4.7	3	+0.1	40	02	0+	1 3 0	0+Cu x x	0+Ac x x		
	12	881.5	-12.2	-15.4	77	E	10.3	2	+0.1								
	15	881.1	-11.0	-14.7	74	E	8.1	8	-0.4	50	02	0+	0 3 0	0+Ac x x			
	18	880.3	-10.8	-15.4	69	ESE	7.8	7	-0.8								
	21	879.9	-13.1	-18.1	66	ESE	8.1	7	-0.4	50	02	0+	0 3 0	0+Ac x x			
	24	880.1	-15.4	-20.6	64	ESE	9.2	1	+0.2								

FEBRUARY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
1	3	880.1	-15.7	x	x	ESE	13.5	4	0.0	--	--	--	- - -					
	6	879.5	-14.4	x	x	ESE	12.6	7	-0.6									
	9	879.1	-12.3	x	x	ESE	15.8	7	-0.4	0.7	38	10	0 7 x	10 Ac x x				
	12	879.5	-11.8	x	x	ESE	15.8	2	+0.4									
	15	877.5	-11.6	x	x	ESE	16.5	7	-2.0	0.5	38	9	0 7 x	9 Ac x x				
	18	876.0	-10.8	x	x	ESE	14.3	7	-1.5									
	21	874.5	-10.7	x	x	ESE	18.4	7	-1.5	--	71	x	x x x					
	24	873.2	-10.6	x	x	ESE	21.2	7	-1.3									
2	3	871.4	-11.8	x	x	ESE	22.0	7	-1.8	--	--	--	- - -					
	6	868.2	-11.2	x	x	ESE	25.4	7	-3.2									
	9	868.9	-10.0	x	x	ESE	23.8	0	+0.7	0.01	73	x	x x x					
	12	870.2	-9.0	x	x	ESE	24.1	3	+1.3									
	15	870.8	-7.9	x	x	E	19.4	0	+0.6	0.01	73	x	x x x					
	18	871.4	-7.0	x	x	E	18.7	2	+0.6									
	21	870.8	-6.9	x	x	ESE	20.1	7	-0.6	0.01	73	x	x x x					
	24	869.0	-5.7	x	x	ESE	21.8	7	-1.8									
3	3	866.6	-4.9	x	x	ESE	21.8	7	-2.4	--	--	--	- - -					
	6	862.6	-5.2	x	x	ESE	23.5	7	-4.0									
	9	858.5	-4.8	x	x	ESE	26.3	7	-4.1	0.01	73	x	x x x					
	12	854.4	-2.5	x	x	ESE	29.0	7	-4.1									
	15	853.8	-1.7	x	x	ESE	27.1	5	-0.6	0.01	73	x	x x x					
	18	853.2	-2.0	-4.6	82	ESE	22.3	8	-0.6									
	21	854.6	-2.1	-3.6	89	E	23.6	3	+1.4	0.01	73	x	x x x					
	24	862.8	-1.0	-2.2	92	ENE	17.4	2	+8.2									
4	3	865.5	-0.2	-2.2	86	E	11.6	1	+2.7	--	--	--	- - -					
	6	865.5	-0.1	x	x	ESE	17.7	4	0.0									
	9	866.3	-0.6	-2.9	84	ESE	19.9	3	+0.8	0.01	71	x	x x x					
	12	867.7	-3.5	-5.5	86	ESE	19.5	2	+1.4									
	15	868.6	-4.1	-6.2	85	ESE	18.6	2	+0.9	0.01	39	x	x x x					
	18	869.7	-3.4	-5.6	85	ESE	16.4	2	+1.1									
	21	871.0	-2.7	-4.9	85	ESE	13.2	2	+1.3	0.1	39	4	0 3 0	4 Ac x x				
	24	872.6	-2.7	-5.0	84	SE	14.8	2	+1.6									
5	3	873.9	-4.4	-6.3	87	ESE	16.3	2	+1.3	--	39	--	- - -					
	6	875.0	-5.8	-7.5	88	ESE	17.1	2	+1.1									
	9	874.7	-6.8	-8.7	86	ESE	18.9	7	-0.3	0.05	39	5	0 4 0	5 Ac x x				
	12	875.9	-6.5	-8.5	86	ESE	16.5	2	+1.2									
	15	876.3	-4.0	-6.6	82	ESE	14.9	3	+0.4	0.2	39	4	0 0 2	4 Ci x x				
	18	876.4	-8.2	x	x	E	12.3	2	+0.1									
	21	877.3	-8.4	x	x	ESE	9.7	2	+0.9	--	--	--	- - -					
	24	878.8	-10.6	-12.3	87	ESE	10.3	2	+1.5									

FEBRUARY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
6	3	879.3	-12.9	-14.7	86	SE	11.4	2	+0.5	--	--	--	- - -				
	6	879.7	-13.6	-15.1	89	SE	15.3	0	+0.4								
	9	879.6	-13.5	-14.8	90	ESE	17.5	8	-0.1	0.05	39	7	0 4 4	4 Ac x x	4 Ci x x		
	12	879.0	-12.9	-14.1	91	ESE	19.8	8	-0.6								
	15	878.0	-11.7	-13.0	90	ESE	17.0	6	-1.0	0.05	39	0+	1 3 0	0+Cu x x	0+Ac x x		
	18	876.8	-11.9	-13.2	90	ESE	18.1	7	-1.2								
	21	877.4	-12.6	-14.0	89	ESE	15.8	2	+0.6	--	--	0+	- - -				
24	877.3	-14.5	-16.3	86	ESE	12.3	8	-0.1									
7	3	876.4	-15.0	-16.7	87	ESE	13.6	7	-0.9	--	--	--	- - -				
	6	876.3	-15.0	-16.5	88	ESE	16.6	7	-0.1								
	9	876.2	-14.3	-15.8	89	ESE	17.3	8	-0.1	0.05	39	0+	0 3 0	0+Ac x x			
	12	876.4	-12.9	-14.6	87	ESE	16.9	3	+0.2								
	15	876.8	-11.5	-12.9	89	ESE	16.2	0	+0.4	0.4	39	0+	0 3 0	0+Ac x x			
	18	877.2	-11.1	-12.3	91	ESE	15.7	3	+0.4								
	21	877.7	-11.6	-13.2	88	ESE	12.5	2	+0.5	2.0	38	9	0 5 2	7 Ac x x	2 Ci x x		
24	878.3	-12.1	-13.8	87	ESE	15.4	2	+0.6									
8	3	878.7	-12.9	-14.7	86	SE	15.9	2	+0.4	--	--	--	- - -				
	6	879.0	-13.2	-14.9	87	ESE	17.1	0	+0.3								
	9	878.9	-12.5	-14.3	86	ESE	17.1	8	-0.1	0.1	39	3	0 3 0	3 Ac x x			
	12	877.9	-11.7	-13.3	88	ESE	16.4	7	-1.0								
	15	877.7	-10.3	-12.0	87	ESE	14.4	8	-0.2	0.5	38	1	0 3 0	1 Ac x x			
	18	876.8	-9.4	-11.3	86	ESE	10.7	7	-0.9								
	21	876.9	-11.7	-13.9	84	SE	7.8	3	+0.1	50	02	1	0 3 0	1 Ac x x			
24	876.6	-12.9	-15.3	82	SE	12.0	8	-0.3									
9	3	876.1	-14.1	-16.5	82	SE	11.7	7	-0.5	--	--	--	- - -				
	6	875.8	-13.9	-16.1	83	ESE	14.7	7	-0.3								
	9	875.7	-12.9	-15.0	84	ESE	13.8	7	-0.1	1.0	38	5	0 3 1	4 Ac x x	2 Ci x x		
	12	875.7	-11.4	-13.5	84	ESE	14.6	4	0.0								
	15	875.5	-10.5	-12.4	86	ESE	13.3	8	-0.2	10	02	2	0 3 2	2 Ac x x	1 Ci x x		
	18	875.1	-10.7	-13.0	83	ESE	13.1	8	-0.4								
	21	874.9	-11.9	-14.4	82	ESE	11.9	5	-0.2	30	02	2	0 3 1	2 Ac x x	0+Ci x x		
24	875.1	-12.8	-15.1	83	ESE	12.1	1	+0.2									
10	3	874.8	-13.5	-15.6	84	ESE	11.6	8	-0.3	--	--	--	- - -				
	6	874.5	-13.4	-15.4	85	ESE	13.0	8	-0.3								
	9	874.3	-13.3	-15.3	85	ESE	13.5	6	-0.2	10	02	3	0 3 0	3 Ac x x			
	12	874.5	-11.9	-13.9	85	ESE	13.0	1	+0.2								
	15	873.9	-11.1	-12.7	88	ESE	15.4	7	-0.6	0.5	38	1	0 3 0	1 Ac x x			
	18	873.3	-10.4	-12.3	86	ESE	13.2	7	-0.6								
	21	873.6	-10.9	-12.4	89	ESE	10.8	3	+0.3	25	02	3	6 3 0	1 St x x	3 Ac x x		
24	874.3	-10.4	-12.0	88	ESE	11.6	2	+0.7									

FEBRUARY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
11	3	874.5	-12.5	-14.1	88	ESE	13.2	2	+0.2	--	--	--	- - -					
	6	874.8	-12.9	-14.6	87	ESE	12.7	2	+0.3									
	9	874.8	-11.7	-13.3	88	ESE	15.1	5	0.0	2.0	38	9	0 3 6	2 Ac x x	7 Cs x x			
	12	875.9	-10.6	-12.1	89	ESE	16.4	2	+1.1									
	15	875.9	-10.0	-11.6	88	ESE	15.8	0	0.0	0.1	39	10	0 1 x	10 As x x				
	18	876.0	-9.7	-11.5	87	ESE	13.8	1	+0.1									
	21	876.4	-10.5	-12.7	84	ESE	11.5	3	+0.4	2.0	38	9	0 5 x	9 Ac x x				
	24	876.0	-11.8	-14.2	82	ESE	14.7	8	-0.4									
12	3	875.1	-12.9	-15.1	84	SE	15.1	7	-0.9	--	--	--	- - -					
	6	874.5	-12.8	-14.8	85	ESE	16.7	7	-0.6									
	9	874.3	-11.7	-13.9	84	ESE	15.2	5	-0.2	2.0	38	9	0 5 x	9 Ac x x				
	12	873.8	-10.9	-13.4	82	ESE	14.6	8	-0.5									
	15	873.4	-10.2	-12.6	83	ESE	11.6	7	-0.4	2.0	38	8	0 5 4	4 Ac x x	5 Ci x x			
	18	872.7	-10.0	-12.8	80	ESE	13.8	7	-0.7									
	21	872.3	-11.8	-14.9	78	ESE	11.1	7	-0.4	10	02	7	0 3 4	3 Ac x x	7 Ci x x			
	24	872.6	-13.2	-16.7	75	SE	9.5	3	+0.3									
13	3	872.1	-13.7	-16.4	80	ESE	14.9	7	-0.5		--	--	- - -					
	6	872.7	-13.7	-16.5	79	ESE	12.4	3	+0.6									
	9	873.3	-12.9	-15.5	81	ESE	15.1	2	+0.6	5.0	36	2	0 3 0	2 Ac x x				
	12	874.2	-11.3	-14.0	81	ESE	15.4	2	+0.9									
	15	874.5	-10.8	-13.5	80	ESE	13.7	2	+0.3	1.0	38	2	0 3 0	2 Ac x x				
	18	874.9	-10.3	-13.4	78	ESE	13.0	2	+0.4									
	21	875.6	-11.4	-14.6	77	ESE	11.9	2	+0.7	20	02	3	0 3 0	3 Ac x x				
	24	876.3	-11.3	-14.5	77	ESE	10.6	1	+0.7									
14	3	876.2	-13.5	-16.9	75	SE	9.9	8	-0.1	--	--	--	- - -					
	6	875.8	-15.3	-18.7	75	SE	7.5	8	-0.4									
	9	875.5	-12.6	-16.1	75	SE	8.2	8	-0.3	40	02	8	0 3 0	8 Ac x x				
	12	875.0	-9.3	-12.9	75	ESE	9.5	7	-0.5									
	15	873.6	-8.4	-12.1	74	SE	6.9	7	-1.4	40	02	3	1 3 1	0+Cu x x	1 Ac x x	2 Ci x x		
	18	872.1	-9.2	-13.5	71	SE	5.2	7	-1.5									
	21	870.3	-12.8	-18.2	64	SE	6.2	7	-1.8	50	02	3	0 0 2	3 Ci x x				
	24	868.6	-16.7	-21.9	64	SSE	5.9	7	-1.7									
15	3	867.2	-18.8	-23.7	65	SSE	4.8	7	-1.4	--	--	--	- - -					
	6	865.9	-19.1	-26.9	50	SW	1.8	7	-1.3									
	9	865.2	-18.5	-24.3	60	SSE	2.2	7	-0.7	50	02	0+	0 0 1	0+Ci x x				
	12	864.8	-13.9	-17.5	74	NNE	3.0	6	-0.4									
	15	864.8	-9.3	x	x			0.1	4	0.0	50	02	0+	0 0 1	0+Ci x x			
	18	865.6	-13.0	x	x	SSW	2.2	2	+0.8									
	21	867.1	-16.2	x	x	SSE	7.2	2	+1.5	50	02	0	0 0 0					
	24	869.2	-18.8	x	x	SSE	7.3	2	+2.1									

FEBRUARY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
16	3	871.6	-19.0	x	x	SSE	7.8	2	+2.4	--	--	--	- - -					
	6	872.5	-16.0	x	x	ESE	11.8	0	+0.9									
	9	874.5	-12.5	x	x	ESE	13.6	2	+2.0	50	02	0	0 0 0					
	12	874.8	-11.0	x	x	ESE	15.0	3	+0.3									
	15	874.9	-11.2	x	x	ESE	17.2	0	+0.1	0.5	38	8	0 0 8	8 Cs	x x			
	18	874.2	-11.3	x	x	E	16.0	6	-0.7									
	21	873.1	-11.5	x	x	ESE	17.5	7	-1.1	0.05	39	10	0 2 x	10 As	x x			
24	871.6	-11.3	x	x	E	17.3	7	-1.5										
17	3	870.4	-11.8	x	x	ESE	19.1	7	-1.2	--	--	--	- - -					
	6	869.5	-12.4	x	x	ESE	18.4	7	-0.9									
	9	869.3	-12.3	x	x	ESE	16.9	6	-0.2	0.01	73	10	0 2 x	10 As	x x			
	12	868.8	-11.5	x	x	ESE	17.9	7	-0.5									
	15	868.8	-10.7	x	x	ESE	17.3	4	0.0	0.01	39	10	0 1 x	10 As	x x			
	18	869.2	-10.8	x	x	ESE	12.4	1	+0.4									
	21	869.4	-11.3	x	x	ESE	11.9	3	+0.2	20	02	10	0 1 x	10 As	x x			
24	869.7	-12.5	x	x	ESE	12.1	1	+0.3										
18	3	869.9	-14.2	x	x	ESE	10.5	1	+0.2	--	--	--	- - -					
	6	869.4	-14.7	x	x	ESE	12.0	7	-0.5									
	9	869.2	-13.6	x	x	ESE	14.8	7	-0.2	20	02	8	0 5 x	8 Ac	x x			
	12	869.1	-12.9	x	x	ESE	15.2	8	-0.1									
	15	868.8	-12.1	x	x	ESE	14.9	6	-0.3	0.1	39	10	0 2 x	10 As	x x			
	18	868.3	-11.5	x	x	ESE	14.1	7	-0.5									
	21	867.8	-11.9	x	x	ESE	14.2	7	-0.5	5.0	38	10	0 2 x	10 As	x x			
24	867.6	-12.5	x	x	ESE	12.4	8	-0.2										
19	3	866.4	-11.9	x	x	ESE	13.1	7	-1.2	--	--	--	- - -					
	6	865.2	-12.4	x	x	ESE	14.3	7	-1.2									
	9	864.6	-11.5	x	x	SE	13.9	7	-0.6	0.5	38	10	0 2 x	10 As	x x			
	12	864.5	-10.9	x	x	ESE	14.8	7	-0.1									
	15	864.4	-10.1	x	x	ESE	15.5	5	-0.1	0.1	72	10	0 2 x	10 As	x x			
	18	864.5	-10.0	x	x	ESE	12.4	0	+0.1									
	21	864.4	-10.5	x	x	ESE	10.4	7	-0.1	30	01	10-	6 1 x	3 St	x x	9 As	x x	
24	864.9	-13.2	x	x	ESE	8.0	1	+0.5										
20	3	864.7	-15.0	-16.1	91	SE	6.9	6	-0.2		--	--	- - -					
	6	865.2	-17.4	-18.7	90	SE	7.4	2	+0.5									
	9	866.0	-15.9	-18.4	81	ESE	13.2	2	+0.8	40	02	4	0 0 2	4 Ci	x x			
	12	867.7	-15.2	-18.0	79	E	13.6	2	+1.7									
	15	868.5	-14.2	-16.8	81	E	12.6	2	+0.8	20	02	7	0 0 2	7 Ci	x x			
	18	869.2	-14.4	-17.4	78	ESE	12.2	1	+0.7									
	21	869.9	-15.9	-19.6	73	ESE	10.5	2	+0.7	40	01	3	- - -					
24	870.9	-17.0	-20.9	72	ESE	9.9	2	+1.0										

FEBRUARY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
21	3	871.0	-18.3	-23.2	66	ESE	8.7	2	+0.1	--	--	--	- - -				
	6	870.7	-20.4	-25.3	65	SE	7.1	7	-0.3								
	9	870.4	-18.6	-23.2	67	SE	7.6	7	-0.3	50	02	1	0 0 1	1 Ci x x			
	12	870.2	-15.7	-19.4	73	SE	6.9	6	-0.2								
	15	869.8	-13.5	-17.1	74	ESE	8.0	7	-0.4	50	02	0+	0 0 1	0+Ci x x			
	18	869.3	-14.5	-18.9	69	ESE	8.2	7	-0.5								
	21	869.0	-18.2	-22.9	66	SE	6.5	5	-0.3	50	02	0	0 0 0				
	24	868.6	-21.8	-27.0	63	SE	6.2	7	-0.4								
22	3	868.8	-23.8	-29.0	62	SE	6.3	1	+0.2	--	--	--	- - -				
	6	869.0	-23.2	-28.7	60	SE	7.3	2	+0.2								
	9	869.5	-20.2	-25.3	64	SE	8.6	3	+0.5	50	02	1	0 0 1	1 Ci x x			
	12	870.5	-16.1	-21.2	65	E	11.5	2	+1.0								
	15	871.3	-15.2	-19.5	70	E	11.4	2	+0.8	20	03	9	0 5 x	9 Ac x x			
	18	871.6	-14.9	-18.8	72	E	12.5	3	+0.3								
	21	872.2	-15.0	-18.5	75	ESE	12.1	2	+0.6	20	03	10	6 2 x	2 St x x	10 As x x		
	24	872.8	-15.1	-17.1	84	ESE	13.5	2	+0.6								
23	3	873.3	-14.4	-16.4	85	ESE	12.7	1	+0.5	--	--	--	- - -				
	6	872.6	-14.6	-16.6	84	ESE	14.4	7	-0.7								
	9	872.8	-13.9	-15.6	87	ESE	13.3	2	+0.2	0.2	39	10	0 0 7	10 Cs x x			
	12	873.2	-12.9	-14.3	89	ESE	12.7	1	+0.4								
	15	872.6	-11.9	x	x	ESE	12.7	7	-0.6	0.4	39	10	0 1 x	10 As x x			
	18	871.7	-11.8	x	x	ESE	11.5	7	-0.9								
	21	870.9	-11.9	x	x	SE	12.0	7	-0.8	10	36	10-	0 1 x	10-As x x			
	24	870.3	-13.2	x	x	ESE	13.0	7	-0.6								
24	3	869.5	-14.0	-15.5	88	ESE	13.9	7	-0.8	--	--	--	- - -				
	6	868.6	-14.2	-15.6	89	ESE	16.2	7	-0.9								
	9	868.2	-13.6	-15.2	88	ESE	17.8	6	-0.4	0.05	73	10	0 2 x	10 As x x			
	12	868.2	-12.6	-14.0	89	ESE	17.0	0	0.0								
	15	867.4	-11.8	-13.1	90	ESE	17.6	7	-0.8	0.05	73	10	0 2 x	10 As x x			
	18	865.8	-11.5	-12.7	91	ESE	16.0	7	-1.6								
	21	864.6	-11.3	-12.4	91	ESE	16.4	7	-1.2	--	--	10-	0 2 1	5 As x x	9 Ci x x		
	24	862.9	-11.4	-12.6	91	ESE	17.8	7	-1.7								
25	3	859.6	-11.1	-12.3	91	ESE	19.4	7	-3.3	0.05	73	--	- - -				
	6	855.4	-10.8	-12.2	89	ESE	17.8	7	-4.2								
	9	851.5	-10.0	-11.6	88	ESE	18.9	7	-3.9	1.0	38	10-	0 7 6	5 Ac x x	9 Cs x x		
	12	846.7	-9.2	-10.4	91	ESE	24.5	7	-4.8								
	15	846.5	-8.9	-10.7	87	SE	17.7	5	-0.2	0.5	38	10	0 2 x	10 As x x			
	18	845.7	-8.2	-9.8	88	SE	15.6	7	-0.8								
	21	846.7	-8.2	-9.2	92	ESE	13.4	2	+1.0	0.08	39	10	x x x				
	24	849.4	-7.4	-8.4	93	ESE	14.2	2	+2.7								

FEBRUARY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
26	3	852.5	-6.9	-7.7	94	E	16.0	2	+3.1	--	--	--	- - -				
	6	854.4	-7.5	-8.1	95	ESE	19.0	2	+1.9								
	9	858.2	-7.6	-8.4	94	ENE	13.1	2	+3.8	0.1	73	10	0 2 x	10 As x x			
	12	862.7	-8.2	-9.1	93	ENE	11.9	2	+4.5								
	15	866.2	-7.9	-8.8	93	E	11.8	2	+3.5	0.5	73	10	0 2 x	10 As x x			
	18	869.6	-7.7	-8.7	92	NE	7.7	2	+3.4								
	21	873.4	-8.8	-9.8	92	E	7.6	2	+3.8	0.5	73	10	0 2 x	10 As x x			
	24	874.7	-8.8	-9.8	92	E	10.2	2	+1.3								
27	3	875.1	-9.0	-10.0	92	E	10.5	0	+0.4	--	--	--	- - -				
	6	873.9	-9.3	-10.3	93	ESE	11.5	8	-1.2								
	9	871.7	-10.3	-11.6	90	SE	13.9	7	-2.2	0.5	38	7	0 5 0	7 Ac x x			
	12	868.6	-9.7	-11.1	89	SE	14.8	7	-3.1								
	15	864.3	-9.5	-11.0	89	SE	10.3	7	-4.3	30	36	9	6 3 6	1 St x x	3 Ac x x	8 Ci x x	
	18	859.7	-9.4	-11.7	83	SE	12.7	7	-4.6								
	21	856.6	-10.7	-13.0	83	SE	12.7	7	-3.1	30	36	4	0 4 1	3 Ac x x	2 Ci x x		
	24	856.1	-12.4	-14.8	82	SE	9.6	6	-0.5								
28	3	855.5	-12.8	-15.2	82	SE	10.6	7	-0.6	--	--	--	- - -				
	6	855.3	-13.5	-15.7	83	SE	10.2	7	-0.2								
	9	856.3	-12.0	-14.2	84	SE	9.8	0	+1.0	20	02	10-	0 7 6	10-Ac x x	x Cs x x		
	12	856.3	-10.2	-12.8	81	SE	13.1	4	0.0								
	15	856.7	-9.4	-12.4	79	SE	14.5	1	+0.4	10	02	9	0 7 6	7 Ac x x	x Cs x x		
	18	856.6	-10.1	-12.7	81	ESE	15.2	7	-0.1								
	21	857.3	-11.0	-13.3	83	ESE	15.4	2	+0.7	0.5	38	10-	0 1 x	10-As x x			
	24	858.3	-11.2	-13.8	81	SE	16.9	2	+1.0								

MARCH

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
1	3	859.2	-12.8	-14.7	86	ESE	17.9	2	+0.9	--	--	--	- - -				
	6	861.9	-13.7	-15.1	89	ESE	16.7	2	+2.7								
	9	864.4	-13.7	-15.6	85	ESE	14.1	2	+2.5	2.0	38	10-	0 5 x	10-Ac	x x		
	12	865.8	-13.3	-15.7	82	ESE	11.8	2	+1.4								
	15	866.1	-12.8	-15.9	77	ESE	9.4	1	+0.3	30	02	2	0 3 0	2 Ac	x x		
	18	865.5	-14.0	-17.5	75	SE	6.3	7	-0.6								
	21	864.8	-19.1	-22.1	77	SE	4.6	7	-0.7	50	01	1	0 4 0	1 Ac	x x		
24	863.7	-21.2	-27.5	57	SE	5.7	7	-1.1									
2	3	863.3	-22.2	-28.4	57	SE	6.3	7	-0.4	--	--	--	- - -				
	6	862.2	-22.1	-28.9	54	SE	6.3	7	-1.1								
	9	862.5	-21.1	-27.0	59	SSE	7.2	3	+0.3	50	02	4	0 3 0	4 Ac	x x		
	12	863.1	-17.2	-22.3	65	S	5.1	2	+0.6								
	15	864.0	-14.7	-21.1	58	SSW	5.6	2	+0.9	50	02	0+	0 3 0	0+Ac	x x		
	18	865.3	-16.0	-22.3	59	SSE	5.9	2	+1.3								
	21	867.4	-19.2	-25.9	55	SSE	5.2	2	+2.1	50	02	2	0 3 1	0+Ac	x x	2 Ci	x x
24	868.8	-22.5	-29.1	54	SSE	5.6	2	+1.4									
3	3	869.9	-22.5	-29.6	52	SSE	6.3	2	+1.1	--	--	--	- - -				
	6	870.9	-20.2	-27.4	53	SE	8.9	2	+1.0								
	9	872.2	-17.2	-23.5	58	SE	8.1	2	+1.3	50	03	10-	0 5 x	10-Ac	x x		
	12	873.8	-13.9	-18.6	67	ESE	13.0	2	+1.6								
	15	875.5	-13.9	-17.6	74	ESE	14.7	2	+1.7	20	03	10-	6 2 x	1 St	x x	10-As	x x
	18	876.6	-13.6	-17.8	71	ESE	13.8	2	+1.1								
	21	877.5	-16.2	-21.5	64	ESE	14.0	2	+0.9	30	01	5	0 3 2	2 Ac	x x	4 Ci	x x
24	878.0	-17.0	-21.8	66	ESE	14.8	2	+0.5									
4	3	877.1	-16.9	-21.2	69	ESE	15.3	7	-0.9	--	--	--	- - -				
	6	875.2	-15.6	-19.5	72	ESE	16.4	7	-1.9								
	9	873.4	-14.3	-17.1	79	ESE	20.1	7	-1.8	0.09	39	10-	0 2 x	10-As	x x		
	12	872.2	-13.9	-16.2	83	ESE	20.8	7	-1.2								
	15	870.9	-13.0	-14.7	87	ESE	21.2	7	-1.3	0.1	73	10	0 2 x	10 As	x x		
	18	869.6	-12.1	-13.4	90	ESE	21.9	7	-1.3								
	21	870.1	-11.4	x	x	ESE	21.5	3	+0.5	0.1	73	10	x x x				
24	870.9	-11.6	x	x	ESE	20.7	2	+0.8									
5	3	873.2	-11.6	x	x	ESE	19.5	2	+2.3	--	--	--	- - -				
	6	875.4	-11.3	x	x	ESE	19.4	2	+2.2								
	9	878.6	-10.9	x	x	ESE	17.6	2	+3.2	0.1	73	10	x x x				
	12	881.1	-10.3	x	x	ESE	18.5	2	+2.5								
	15	882.3	-10.2	x	x	ESE	18.9	2	+1.2	0.1	73	10	x x x				
	18	882.4	-9.9	x	x	ESE	20.3	2	+0.1								
	21	883.0	-9.6	x	x	ESE	20.7	2	+0.6	0.1	73	10	x x x				
24	884.0	-9.4	x	x	ESE	20.5	1	+1.0									

MARCH

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
6	3	884.5	-9.5	x	x	ESE	20.3	2	+0.5	--	--	--	- - -					
	6	884.4	-9.6	x	x	ESE	18.6	7	-0.1									
	9	884.3	-9.8	x	x	ESE	17.8	8	-0.1	0.1	73	10	x x x					
	12	883.0	-9.6	x	x	ESE	18.4	7	-1.3									
	15	881.0	-9.5	x	x	ESE	17.7	7	-2.0	0.1	39	8	0 7 5	5 Ac x x	3 Cs x x			
	18	878.5	-9.9	x	x	ESE	16.4	7	-2.5									
	21	876.1	-9.6	x	x	ESE	20.0	7	-2.4	--	73	x	x x x					
	24	874.3	-10.0	x	x	ESE	20.5	7	-1.8									
7	3	872.2	-9.9	x	x	ESE	21.8	7	-2.1	--	--	--	- - -					
	6	871.6	-10.4	x	x	ESE	22.3	5	-0.6									
	9	872.2	-11.1	x	x	ESE	24.4	2	+0.6	0.1	73	8	0 7 x	8 Ac x x				
	12	873.1	-10.9	x	x	ESE	23.6	2	+0.9									
	15	873.3	-10.8	x	x	ESE	22.6	2	+0.2	0.1	39	3	0 4 0	3 Ac x x				
	18	873.7	-11.2	x	x	ESE	19.5	2	+0.4									
	21	874.2	-12.3	x	x	ESE	21.4	2	+0.5	0.1	73	x	x x x					
	24	875.3	-13.0	x	x	ESE	20.5	2	+1.1									
8	3	876.1	-13.5	x	x	ESE	19.8	3	+0.8	--	--	--	- - -					
	6	876.8	-14.0	x	x	ESE	18.1	1	+0.7									
	9	876.6	-14.9	x	x	ESE	14.8	5	-0.2	0.2	39	2	0 3 0	2 Ac x x				
	12	876.7	-13.6	x	x	ESE	13.2	0	+0.1									
	15	876.3	-13.2	x	x	E	12.2	6	-0.4	2.0	38	1	0 0 1	1 Ci x x				
	18	874.4	-13.5	-14.8	90	ESE	11.7	7	-1.9									
	21	872.4	-16.5	-18.1	87	SE	9.7	7	-2.0	40	02	5	0 3 0	5 Ac x x				
	24	869.8	-16.7	-18.3	87	SE	9.5	7	-2.6									
9	3	867.5	-16.8	-18.9	84	SE	9.2	7	-2.3	50	--	--	- - -					
	6	865.0	-17.6	-21.8	69	SE	10.3	7	-2.5									
	9	863.2	-16.9	-21.0	71	SE	9.7	7	-1.8	50	02	7	0 5 1	4 Ac x x	3 Ci x x			
	12	861.5	-14.9	-18.2	76	SE	11.7	7	-1.7									
	15	860.2	-14.8	-18.8	72	SE	9.7	7	-1.3	30	02	2	1 3 0	0+Cu x x	2 Ac x x			
	18	859.0	-15.6	-19.3	73	SE	12.3	7	-1.2									
	21	859.3	-17.4	-21.4	71	SE	13.5	3	+0.3	40	02	0	0 0 0					
	24	858.4	-18.2	-22.4	70	SE	13.1	6	-0.9									
10	3	857.9	-19.2	-23.4	69	SE	15.2	8	-0.7	--	--	--	- - -					
	6	858.3	-20.1	-24.6	68	SE	11.3	2	+0.4									
	9	858.3	-21.4	-25.4	70	ESE	13.3	5	0.0	0.5	38	1	0 0 1	1 Ci x x				
	12	856.8	-20.2	-23.8	73	SE	19.1	7	-1.5									
	15	857.2	-19.6	-23.1	74	SE	20.0	3	+0.4	0.1	39	x	x x x					
	18	859.2	-18.5	-22.1	73	SE	15.2	2	+2.0									
	21	859.9	-18.5	-22.4	71	SE	13.6	2	+0.7	--	--	--	- - -					
	24	861.1	-17.0	-20.3	75	ESE	15.7	3	+1.2									

MARCH

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	V1s (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
11	3	862.6	-16.7	-20.3	73	SE	13.0	2	+1.5	--	--	--	- - -				
	6	864.1	-16.8	-20.2	75	ESE	11.3	2	+1.5								
	9	865.3	-17.1	-21.2	71	SE	10.2	2	+1.2	50	02	7	0 3 4	3 Ac x x	4 Ci x x		
	12	866.8	-15.6	-20.4	66	SE	7.6	1	+1.5								
	15	867.0	-15.6	-20.2	68	SE	5.8	3	+0.2	50	02	0+	0 4 0	0+Ac x x			
	18	867.2	-17.7	-22.6	65	SE	5.4	3	+0.2								
	21	868.5	-22.6	-28.0	61	SSE	5.9	2	+1.3	--	--	--	- - -				
	24	869.2	-26.6	-32.9	56	SSE	4.3	2	+0.7								
12	3	870.0	-25.2	-31.5	56	SE	7.0	1	+0.4	--	--	--	- - -				
	6	869.9	-28.2	-34.5	55	SSE	6.5	5	-0.1								
	9	870.1	-28.5	-34.5	56	ESE	3.9	0	+0.2	50	02	0	0 0 0				
	12	871.2	-23.3	-28.8	61	SE	3.8	2	+1.1								
	15	873.8	-20.6	-25.6	64	SE	4.5	2	+2.6	50	02	0	0 0 0				
	18	875.6	-21.7	-27.0	62	ESE	5.2	2	+1.8								
	21	877.5	-29.0	-34.1	61	SE	4.5	1	+1.9	50	02	0	0 0 0				
	24	880.1	-25.9	-31.4	61	SE	4.0	1	+2.6								
13	3	880.1	-32.3	-37.6	59	SE	0.8	4	0.0	--	--	--	- - -				
	6	880.0	-27.4	-32.5	62	SE	7.3	8	-0.1								
	9	880.7	-27.3	-34.0	54	SE	6.7	1	+0.7	50	02	7	0 3 4	2 Ac x x	5 Ci x x		
	12	880.8	-21.1	-27.3	57	SE	8.3	0	+0.1								
	15	880.4	-17.5	-21.8	69	ESE	12.8	8	-0.4	30	02	5	0 3 2	1 Ac x x	4 Ci x x		
	18	880.9	-18.2	-21.6	75	E	16.2	1	+0.5								
	21	881.3	-17.3	-20.5	76	SE	15.0	1	+0.4	30	03	10	0 1 x	10 As x x			
	24	882.2	-18.6	-23.1	68	ESE	13.2	1	+0.9								
14	3	883.0	-17.8	-21.8	71	ESE	10.2	3	+0.8	--	--	--	- - -				
	6	883.6	-22.0	-28.1	58	SSE	5.8	1	+0.6								
	9	882.9	-25.4	-31.5	56	SSE	4.3	6	-0.7	50	02	2	0 0 1	2 Ci x x			
	12	884.0	-20.8	-26.8	59	S	4.1	1	+1.1								
	15	884.0	-18.7	-24.7	59	SSE	5.7	0	0.0	30	02	0+	1 0 1	0+Cu x x	0+Ci x x		
	18	883.9	-15.4	-19.7	70	ESE	13.0	5	-0.1								
	21	884.5	-16.2	-20.2	71	ESE	15.8	3	+0.6	30	02	0+	0 0 1	0+Ci x x			
	24	884.8	-16.1	-19.7	74	ESE	18.1	1	+0.3								
15	3	884.6	-16.8	-20.7	72	ESE	16.7	8	-0.2	30	02	0	0 0 0				
	6	883.4	-16.7	-20.0	75	ESE	19.5	7	-1.2								
	9	882.4	-16.0	-19.0	78	ESE	20.3	7	-1.0	0.1	39	7	0 0 4	7 Ci x x			
	12	881.1	-15.1	-17.8	80	ESE	21.5	7	-1.3								
	15	878.9	-14.3	-16.6	83	ESE	22.0	7	-2.2	0.1	39	8	0 0 6	8 Cs x x			
	18	878.5	-14.7	-17.3	81	ESE	20.4	6	-0.4								
	21	877.7	-14.8	-17.7	79	ESE	19.8	7	-0.8	0.1	39	10	0 0 7	10 Cs x x			
	24	877.0	-15.4	-18.3	78	ESE	19.0	6	-0.7								

MARCH

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
16	3	875.6	-15.9	-19.1	76	ESE	19.5	7	-1.4	--	--	--	- - -					
	6	875.0	-16.6	-20.1	74	ESE	17.9	8	-0.6									
	9	873.7	-17.6	-21.2	73	ESE	18.1	7	-1.3	0.8	38	7	0 7 4	2 Ac x x	5 Ci x x			
	12	872.9	-17.1	-20.6	74	ESE	19.0	7	-0.8									
	15	871.5	-16.6	-19.9	75	ESE	18.8	7	-1.4	0.8	38	7	0 7 4	3 Ac x x	4 Ci x x			
	18	870.1	-16.7	-19.9	76	ESE	18.7	6	-1.4									
	21	869.7	-16.6	-19.8	77	ESE	20.6	6	-0.4	0.2	39	10	0 2 x	10 As x x				
	24	869.4	-16.4	-19.5	77	ESE	20.1	6	-0.3									
17	3	869.9	-15.7	-18.5	79	ESE	22.2	3	+0.5	0.1	73	10	0 2 x	10 As x x				
	6	871.6	-15.1	-17.7	81	ESE	20.9	2	+1.7									
	9	874.1	-14.9	-17.7	79	ESE	19.3	2	+2.5	0.1	73	10	0 1 x	10 As x x				
	12	876.4	-14.5	-17.3	79	ESE	18.0	2	+2.3									
	15	877.9	-13.8	-16.4	81	ESE	16.4	2	+1.5	0.4	70	10	0 1 x	10 As x x				
	18	879.0	-13.5	-16.2	80	ESE	16.0	2	+1.1									
	21	879.4	-13.3	-15.8	81	ESE	16.8	1	+0.4	0.3	39	10	0 2 x	10 As x x				
	24	879.8	-13.9	-16.9	78	ESE	15.4	1	+0.4									
18	3	877.8	-13.9	-16.9	78	SE	13.7	7	-2.0	--	01	2	0 3 0	2 Ac x x				
	6	875.6	-13.3	-16.1	80	SE	16.0	7	-2.2									
	9	872.9	-13.1	-15.8	80	ESE	18.6	7	-2.7	0.4	39	10-	0 5 x	10-Ac x x				
	12	870.9	-12.7	-15.2	81	ESE	17.8	7	-2.0									
	15	869.6	-12.7	-15.1	82	ESE	18.7	7	-1.3	0.6	38	10-	0 4 6	2 Ac x x	5 Ci x x	3 Cs x x		
	18	868.6	-12.5	-14.8	83	ESE	19.4	7	-1.0									
	21	867.9	-13.1	-15.6	82	ESE	19.8	6	-0.7	--	39	--	- - -					
	24	868.4	-13.1	-15.6	82	ESE	17.7	0	+0.5									
19	3	868.9	-13.0	-15.5	81	ESE	18.9	3	+0.5	--	39	2	- - -					
	6	868.4	-13.4	-15.9	81	ESE	19.5	6	-0.5									
	9	868.7	-13.4	-16.2	79	ESE	18.4	3	+0.3	0.3	39	10-	0 2 x	10-As x x				
	12	869.4	-13.2	-15.8	81	ESE	17.6	3	+0.7									
	15	869.9	-13.2	-16.4	77	ESE	16.9	1	+0.5	2.0	38	10-	0 1 x	10-As x x				
	18	870.4	-13.4	-17.1	73	ESE	17.0	5	+0.5									
	21	870.9	-14.2	-18.0	73	ESE	17.3	2	+0.5	2.0	38	9	0 9 x	9 Ac x x				
	24	871.0	-15.0	-19.6	68	ESE	17.5	3	+0.1									
20	3	870.9	-15.9	-21.6	62	ESE	15.5	8	-0.1	50	01	2	0 3 0	2 Ac x x				
	6	870.5	-17.1	-23.8	56	E	15.2	8	-0.4									
	9	870.1	-17.4	-24.0	56	E	13.5	7	-0.4	50	02	5	0 3 1	2 Ac x x	3 Ci x x			
	12	869.5	-16.9	-22.7	61	E	14.4	8	-0.6									
	15	868.8	-16.6	-22.5	61	E	14.6	7	-0.7	50	02	3	0 0 2	3 Ci x x				
	18	868.0	-17.3	-24.4	54	E	11.8	7	-0.8									
	21	867.7	-18.6	-25.6	54	ESE	12.6	6	-0.3	50	02	1	0 3 0	1 Ac x x				
	24	867.8	-20.0	-27.6	51	E	11.7	3	+0.1									

MARCH

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
21	3	866.8	-19.9	-26.2	57	ESE	16.9	7	-1.0	50	02	1	0 3 0	1 Ac x x			
	6	865.8	-20.3	-26.2	59	ESE	18.6	6	-1.0								
	9	865.4	-19.5	-25.9	57	ESE	15.0	6	-0.4	50	02	1	0 3 0	1 Ac x x			
	12	864.8	-17.8	-23.5	61	ESE	14.9	7	-0.6								
	15	863.9	-17.3	-24.0	56	ESE	14.9	7	-0.9	50	02	3	0 3 0	3 Ac x x			
	18	863.7	-17.5	-24.3	56	ESE	9.7	6	-0.2								
	21	863.0	-20.2	-26.3	59	SE	6.0	7	-0.7	50	02	5	0 3 0	5 Ac x x			
	24	862.6	-20.6	-27.1	56	SE	8.5	6	-0.4								
22	3	862.3	-19.5	-26.1	56	SE	6.1	6	-0.3	50	02	10-	0 5 x	10-Ac x x			
	6	862.0	-18.2	-25.2	54	ESE	9.2	7	-0.3								
	9	862.4	-17.5	-24.3	56	ESE	11.3	3	+0.4	50	02	9	0 5 x	9 Ac x x			
	12	864.0	-16.7	-22.4	61	E	9.6	2	+1.6								
	15	864.8	-16.9	-20.9	71	ESE	15.1	2	+0.8	2.0	38	10	0 2 x	10 As x x			
	18	866.0	-17.1	-21.3	70	ESE	12.3	2	+1.2								
	21	867.0	-17.5	-20.2	79	ESE	13.6	2	+1.0	0.1	73	10	7 x x	10 St x x			
	24	867.8	-18.1	-21.2	76	ESE	14.1	2	+0.8								
23	3	868.3	-18.9	-22.4	74	ESE	13.2	2	+0.5	0.2	39	10-	0 1 x	10 As x x			
	6	867.9	-19.0	-22.9	71	ESE	10.6	6	-0.4								
	9	867.7	-19.9	-24.1	69	SE	8.2	7	-0.2	30	02	7	6 5 x	2 St x x	5 Ac x x		
	12	867.7	-19.1	-24.2	64	ESE	7.5	4	0.0								
	15	867.5	-17.9	-23.1	64	ESE	10.1	6	-0.2	50	03	10-	0 7 x	7 As x x	3 Ac x x		
	18	867.0	-17.8	-23.2	63	ESE	9.7	6	-0.5								
	21	867.3	-20.1	-26.4	57	SE	8.4	2	+0.3	30	02	4	0 3 0	4 Ac x x			
	24	867.5	-22.0	-27.9	59	SE	8.3	2	+0.2								
24	3	867.7	-23.0	-29.1	57	SE	8.6	2	+0.2	50	02	3	0 3 0	3 Ac x x			
	6	868.0	-24.3	-30.9	55	SE	7.8	3	+0.3								
	9	868.9	-24.3	-31.6	51	SE	6.2	2	+0.9	50	02	2	0 3 0	2 Ac x x			
	12	869.5	-22.4	-29.6	52	SE	5.8	0	+0.6								
	15	870.0	-22.0	-29.0	53	SE	4.8	2	+0.5	50	02	0+	0 0 2	0+Ci x x			
	18	870.3	-24.2	-30.9	54	ESE	4.9	2	+0.3								
	21	871.2	-27.0	-33.8	52	SE	4.3	2	+0.9	50	02	0	0 0 0				
	24	871.6	-27.8	-35.2	50	SE	5.7	1	+0.4								
25	3	871.2	-27.9	-35.2	50	SE	6.3	6	-0.4	50	02	0	0 0 0				
	6	870.5	-27.4	-34.9	49	SE	8.3	8	-0.7								
	9	870.2	-26.0	-33.2	50	SE	9.2	7	-0.3	50	02	0+	0 0 1	0+Ci x x			
	12	870.3	-20.8	-28.3	51	ESE	11.4	3	+0.1								
	15	870.9	-19.0	-24.4	62	ESE	15.9	2	+0.6	30	02	3	0 0 2	3 Ci x x			
	18	871.9	-19.8	-28.1	48	ESE	11.8	2	+1.0								
	21	873.4	-21.7	-30.0	47	ESE	9.1	2	+1.5	40	02	3	0 3 0	3 Ac x x			
	24	873.9	-22.9	-30.9	49	SE	10.1	1	+0.5								

MARCH

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
26	3	874.3	-24.4	-32.4	47	SE	8.6	2	+0.4	50	01	0	0 0 0				
	6	874.1	-25.9	-33.5	49	SE	7.2	7	-0.2								
	9	874.1	-26.3	-34.1	47	SE	7.0	4	0.0	50	02	1	0 3 0	1 Ac x x			
	12	873.8	-21.7	-29.9	47	ESE	7.2	7	-0.3								
	15	873.2	-19.5	-28.2	46	ESE	9.6	6	-0.6	50	02	4	0 4 2	1 Ac x x	3 Ci x x		
	18	872.5	-21.1	-28.9	49	ESE	11.5	7	-0.7								
	21	872.2	-22.9	-30.5	51	ESE	10.5	8	-0.3	35	03	8	0 5 x	8 Ac x x			
	24	871.6	-21.6	-29.5	49	ESE	11.0	8	-0.6								
27	3	870.2	-22.8	-29.0	57	ESE	15.4	7	-1.4	10	02	4	0 3 0	4 Ac x x			
	6	868.5	-22.2	-27.0	64	ESE	15.2	7	-1.7								
	9	867.1	-21.9	-26.2	68	ESE	16.5	7	-1.4	0.6	38	2	0 3 1	1 Ac x x	1 Ci x x		
	12	866.0	-21.0	-24.6	73	ESE	18.5	7	-1.1								
	15	864.5	-19.7	-23.1	74	ESE	18.0	7	-1.5	0.4	39	4	0 3 1	2 Ac x x	2 Ci x x		
	18	862.3	-19.1	-22.5	75	ESE	16.6	7	-2.2								
	21	861.5	-18.8	-22.1	75	ESE	18.5	6	-0.8	0.6	38	3	0 3 1	2 Ac x x	1 Ci x x		
	24	861.6	-18.0	-21.2	76	ESE	18.9	3	+0.1								
28	3	862.8	-17.5	-20.5	77	ESE	20.3	2	+1.2	0.1	39	x	x x x				
	6	866.0	-17.4	-20.5	77	ESE	17.6	2	+3.2								
	9	868.0	-16.3	-19.3	77	SE	17.5	2	+2.0	0.3	39	10-	0 7 8	2 Ac x x	8 Cs x x		
	12	869.4	-14.9	-17.5	80	ESE	17.6	2	+1.4								
	15	871.5	-14.8	-17.2	82	ESE	17.5	2	+2.1	0.4	39	4	0 3 1	3 Ac x x	1 Ci x x		
	18	874.1	-15.2	-18.1	79	ESE	16.0	2	+2.6								
	21	876.5	-15.0	-18.4	75	ESE	15.5	2	+2.4	0.4	39	6	0 7 2	6 Ac x x	3 Ci x x		
	24	877.9	-15.3	-18.3	78	ESE	16.2	2	+1.4								
29	3	879.3	-15.8	-19.8	72	ESE	14.6	2	+1.4	10	01	4	0 5 0	4 Ac x x			
	6	879.9	-15.9	-19.4	75	SE	15.2	2	+0.6								
	9	880.9	-16.2	-20.0	72	ESE	14.5	1	+1.0	1.0	38	2	0 3 0	2 Ac x x			
	12	880.9	-15.0	-17.9	79	ESE	18.9	0	0.0								
	15	881.9	-14.2	-16.9	80	ESE	17.3	1	+1.0	0.3	39	9	0 5 x	9 Ac x x			
	18	880.7	-14.4	-17.0	81	ESE	19.1	7	-1.2								
	21	880.4	-14.6	-17.3	80	ESE	19.4	7	-0.3	0.2	73	10	0 2 x	10 As x x			
	24	879.7	-14.4	-17.1	80	ESE	19.2	8	-0.7								
30	3	877.4	-14.9	-18.1	77	ESE	20.7	7	-2.3	0.1	39	10	0 2 x	10 As x x			
	6	875.8	-14.8	-17.7	79	ESE	19.6	7	-1.6								
	9	876.3	-14.3	-16.5	84	ESE	20.3	3	+0.5	0.1	73	10	0 2 x	10 As x x			
	12	876.7	-13.5	-15.7	83	ESE	19.5	2	+0.4								
	15	877.0	-13.5	-15.5	85	ESE	20.2	3	+0.3	0.1	73	10	0 1 x	10 As x x			
	18	877.2	-13.6	-16.2	81	SE	17.1	3	+0.2								
	21	877.8	-14.1	-17.7	74	SE	9.9	2	+0.6	30	01	8	0 7 2	4 Ac x x	6 Ci x x		
	24	877.5	-15.8	-20.7	66	SE	8.2	7	-0.3								

MARCH

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
31	3	876.1	-16.1	-21.2	65	SE	9.1	7	-1.4	40	03	10-	0 4 7	2 Ac x x	10-Cs x x		
	6	875.3	-17.6	-24.4	55	SE	8.6	8	-0.8								
	9	875.3	-18.7	-25.0	58	SE	8.1	5	0.0	50	02	2	0 3 1	1 Ac x x	1 Ci x x		
	12	876.8	-18.1	-25.3	53	ESE	11.7	3	+1.5								
	15	878.2	-17.6	-24.4	55	ESE	13.3	2	+1.4	40	02	0+	0 4 1	0+Ac x x	0+Ci x x		
	18	879.7	-19.0	-25.9	54	ESE	15.0	1	+1.5								
	21	882.2	-20.6	-28.2	50	ESE	15.7	1	+2.5	40	02	0	0 0 0				
	24	884.1	-19.2	-26.0	55	ESE	15.2	1	+1.9								

APRIL

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
1	3	885.3	-18.8	-25.6	55	ESE	10.1	2	+1.2	30	02	10-	0 7 x	10-Ac	x x			
	6	885.7	-19.6	-26.0	57	SE	8.4	1	+0.4									
	9	886.5	-17.0	-22.7	61	ESE	12.6	1	+0.8	40	03	10	6 2 x	1 St	x x	10 As	x x	
	12	887.6	-16.7	-22.5	61	ESE	10.3	1	+1.1									
	15	887.7	-15.9	-21.6	62	SE	11.1	1	+0.1	40	02	10	6 1 x	1 St	x x	10 As	x x	
	18	887.5	-17.1	-23.1	60	ESE	9.2	8	-0.2									
	21	887.4	-19.4	-25.8	57	SE	10.2	8	-0.1	40	01	1	0 4 0	1 Ac	x x			
	24	886.2	-21.8	-29.2	51	SE	7.7	7	-1.2									
2	3	884.1	-24.0	-31.2	51	SE	7.0	7	-2.1	40	03	8	0 3 0	8 Ac	x x			
	6	881.3	-23.5	-30.7	52	SE	7.4	7	-2.8									
	9	879.1	-22.2	-29.7	50	SE	5.9	7	-2.2	50	02	9	0 7 x	9 Ac	x x			
	12	876.5	-23.7	-31.0	51	SE	5.8	7	-2.6									
	15	874.7	-23.7	-30.8	52	SE	3.9	7	-1.8	50	02	1	0 3 0	1 Ac	x x			
	18	873.3	-25.8	-32.3	55	SE	4.8	7	-1.4									
	21	872.2	-27.3	-34.2	52	SE	7.8	6	-1.1	50	01	1	0 4 0	1 Ac	x x			
	24	871.3	-28.1	-35.1	51	SE	6.9	7	-0.9									
3	3	870.8	-26.0	-32.4	54	SE	10.7	8	-0.5	50	01	1	0 4 0	1 Ac	x x			
	6	869.9	-25.9	-32.9	53	SE	10.2	8	-0.9									
	9	868.9	-24.3	-30.6	56	SE	14.3	7	-1.0	40	36	2	0 3 1	1 Ac	x x	1 Ci	x x	
	12	868.8	-22.2	-26.5	67	ESE	18.4	8	-0.1									
	15	869.3	-21.8	-26.3	67	ESE	17.5	3	+0.5	0.4	39	9	0 5 x	9 Ac	x x			
	18	869.4	-21.4	-26.4	64	ESE	14.6	3	+0.1									
	21	869.6	-22.3	-29.0	54	ESE	11.3	1	+0.2	30	01	2	0 3 0	2 Ac	x x			
	24	869.3	-24.0	-31.1	52	SE	10.6	8	-0.3									
4	3	868.9	-22.9	-29.6	55	SE	10.3	7	-0.4	30	01	4	0 4 0	4 Ac	x x			
	6	868.6	-22.8	-29.5	54	SE	10.5	6	-0.3									
	9	868.7	-25.6	-32.0	55	SE	9.8	2	+0.1	50	02	3	0 7 0	3 Ac	x x			
	12	869.0	-24.5	-30.8	56	SE	9.9	1	+0.3									
	15	869.0	-22.4	-29.1	54	SE	9.2	4	0.0	50	02	2	0 3 2	1 Ac	x x	1 Ci	x x	
	18	869.1	-23.1	-29.7	54	SE	10.4	0	+0.1									
	21	870.1	-24.0	-30.7	55	SE	10.8	2	+1.0	50	02	0+	0 3 0	0+Ac	x x			
	24	871.0	-21.5	-27.6	58	SE	13.6	2	+0.9									
5	3	872.0	-20.5	-27.5	53	ESE	11.4	2	+1.0	35	02	3	0 4 1	1 Ac	x x	2 Ci	x x	
	6	873.1	-20.7	-27.5	54	SE	10.5	3	+1.1									
	9	874.2	-19.6	-27.1	52	ESE	13.8	2	+1.1	50	02	5	0 7 0	5 Ac	x x			
	12	876.1	-17.2	-21.2	71	ESE	16.0	2	+1.9									
	15	877.5	-17.0	-24.1	54	ESE	12.2	2	+1.4	40	01	3	0 7 1	3 Ac	x x	0+Ci	x x	
	18	878.0	-20.1	-26.3	58	SE	9.7	1	+0.5									
	21	879.1	-22.8	-29.2	56	SE	8.6	2	+1.1	50	01	0+	0 3 0	0+Ac	x x			
	24	879.6	-23.9	-30.6	54	SE	7.4	2	+0.5									

APRIL

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
6	3	880.2	-24.2	-30.9	54	SE	9.1	2	+0.6	50	01	0+	0 3 0	0+Ac x x				
	6	880.5	-23.2	-29.9	54	SE	10.2	1	+0.3									
	9	880.6	-21.4	-28.6	52	SE	11.6	1	+0.1	50	02	2	0 3 1	1 Ac x x	1 Ci x x			
	12	880.2	-21.4	-28.3	54	SE	9.7	8	-0.4									
	15	879.4	-18.2	-26.0	51	SE	11.6	7	-0.8	50	02	7	0 3 4	2 Ac x x	5 Ci x x			
	18	878.3	-19.5	-27.0	51	SE	11.0	7	-1.1									
	21	877.3	-20.4	-28.1	50	SE	10.4	7	-1.0	50	02	1	0 4 0	1 Ac x x				
	24	876.1	-23.1	-31.2	47	SE	7.2	7	-1.2									
7	3	875.9	-22.1	-29.9	49	SE	7.4	8	-0.2	50	02	0+	0 3 0	0+Ac x x				
	6	875.9	-20.2	-27.7	51	ESE	14.7	4	+0.0									
	9	875.8	-19.6	-27.7	49	ESE	12.8	6	-0.1	40	03	6	0 7 4	3 Ac x x	3 Ci x x			
	12	875.8	-18.1	-25.0	55	ESE	13.0	4	0.0									
	15	875.9	-17.3	-22.3	65	ESE	14.8	0	+0.1	10	36	6	0 7 6	2 Ac x x	4 Cs x x	2 Ci x x		
	18	876.6	-17.4	-23.4	60	ESE	13.3	3	+0.7									
	21	877.1	-17.5	-21.2	73	ESE	13.6	3	+0.5	8	38	2	0 3 0	2 Ac x x				
	24	878.4	-17.2	-20.9	73	ESE	11.3	2	+1.3									
8	3	879.7	-17.1	-20.4	76	ESE	12.9	2	+1.3	0.3	71	10	0 1 x	10 As x x				
	6	880.9	-16.9	-19.9	77	ESE	12.4	2	+1.2									
	9	882.3	-16.8	-19.7	78	ESE	13.5	2	+1.4	0.2	73	10	0 2 x	10 As x x				
	12	884.4	-16.9	-19.6	80	ESE	12.4	2	+2.1									
	15	886.0	-16.7	-19.4	80	ESE	10.3	2	+1.6	0.2	73	10	0 2 x	10 As x x				
	18	886.6	-17.0	-20.0	77	ESE	10.2	2	+0.6									
	21	887.4	-19.3	-23.5	69	ESE	9.8	2	+0.8	20	01	4	0 7 0	4 Ac x x				
	24	887.7	-23.3	-28.6	62	SE	4.9	2	+0.3									
9	3	887.3	-24.6	-30.4	58	SE	5.9	6	-0.4	20	02	2	0 4 0	2 Ac x x				
	6	885.9	-24.0	-29.9	58	SE	6.7	7	-1.4									
	9	884.7	-25.0	-30.8	58	SE	8.5	7	-1.2	50	02	4	0 7 2	2 Ac x x	2 Ci x x			
	12	883.2	-23.8	-29.4	60	SE	9.3	7	-1.5									
	15	881.6	-20.5	-26.1	61	ESE	11.8	7	-1.6	50	02	1	0 3 0	1 Ac x x				
	18	879.3	-21.2	-25.8	66	ESE	12.2	7	-2.3									
	21	877.4	-20.9	-25.2	68	ESE	14.9	7	-1.9	5.0	38	0+	0 3 0	0+Ac x x				
	24	875.8	-20.6	-24.7	70	ESE	14.7	7	-1.6									
10	3	874.2	-19.4	-23.4	71	ESE	14.7	7	-1.6	5.0	38	1	0 3 0	1 Ac x x				
	6	872.5	-20.6	-24.9	68	SE	15.0	7	-1.7									
	9	871.5	-20.3	-24.4	70	ESE	15.4	5	-1.0	0.3	39	4	0 7 0	4 Ac x x				
	12	871.2	-18.7	-22.4	73	SE	19.5	7	-0.3									
	15	869.7	-16.6	-19.7	77	ESE	20.0	7	-1.5	0.1	73	10	0 2 x	10 As x x				
	18	868.1	-16.1	-18.8	79	ESE	20.6	7	-1.6									
	21	867.0	-15.6	-17.9	82	ESE	25.1	5	-1.1	0.1	73	10	x x x					
	24	866.8	-14.8	-16.4	88	ESE	25.1	5	-0.2									

APRIL

D	LT	PST. (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
11	3	868.6	-14.0	-15.5	88	ESE	24.0	2	+1.8	0.1	73	10	x x x					
	6	871.8	-13.6	-14.7	92	ESE	21.7	2	+3.2									
	9	874.7	-13.5	-14.7	91	ESE	20.4	2	+2.9	0.1	73	10	x x x					
	12	877.0	-13.3	-14.6	90	ESE	20.7	1	+2.3									
	15	878.8	-13.1	-14.8	87	ESE	21.3	2	+1.8	0.1	73	10	0 2 x	10 Ns	x x			
	18	880.6	-13.0	-14.8	86	ESE	18.1	1	+1.8									
	21	882.0	-12.3	-13.8	89	ESE	17.0	2	+1.4	0.1	73	10	0 2 x	10 As	x x			
	24	883.0	-12.1	-13.8	87	ESE	17.6	2	+1.0									
12	3	883.5	-12.5	-14.8	83	ESE	16.4	2	+0.5	0.2	39	2	0 5 0	2 Ac	x x			
	6	883.0	-13.5	-16.0	82	ESE	16.5	8	-0.5									
	9	883.0	-14.0	-16.6	80	ESE	17.9	5	+0.0	0.2	73	10	0 2 x	10 As	x x			
	12	882.5	-13.6	-15.9	83	ESE	17.7	8	-0.5									
	15	882.6	-13.0	-15.2	84	ESE	17.4	3	+0.1	0.3	73	10	0 2 x	10 As	x x			
	18	881.7	-13.2	-15.1	86	ESE	19.4	8	-0.9									
	21	881.8	-14.1	-16.8	80	ESE	19.6	0	+0.1	0.5	38	1	0 3 0	1 Ac	x x			
	24	880.8	-14.1	-16.8	80	ESE	17.8	8	-1.0									
13	3	879.4	-14.3	-17.3	78	ESE	14.2	7	-1.4	0.5	38	1	0 3 0	1 Ac	x x			
	6	878.0	-14.6	-17.8	76	SE	10.4	7	-1.4									
	9	876.8	-15.0	-18.3	76	ESE	14.8	8	-1.2	5.0	36	3	0 3 2	1 Ac	x x	2 Ci	x x	
	12	875.3	-15.2	-18.5	76	ESE	16.3	7	-1.5									
	15	873.7	-15.3	-18.6	76	ESE	15.2	7	-1.6	3.0	38	0+	0 0 2	0+Ci	x x			
	18	871.8	-16.0	-19.6	74	SE	8.6	7	-1.9									
	21	870.3	-17.7	-21.7	71	SE	8.4	7	-1.5	20	02	0	0 0 0					
	24	869.3	-19.3	-23.5	69	SE	9.1	8	-1.0									
14	3	868.2	-20.2	-24.8	67	SE	10.2	7	-1.1	40	02	0	0 0 0					
	6	868.0	-20.8	-25.3	68	SE	9.5	7	-0.2									
	9	867.8	-22.3	-27.0	65	ESE	10.7	5	-0.2	50	36	0	0 0 0					
	12	867.6	-21.4	-25.7	69	ESE	17.5	8	-0.2									
	15	868.4	-22.0	-26.2	69	ESE	19.3	1	+0.8	0.1	39	0+	0 0 1	0+Ci	x x			
	18	868.7	-22.4	-26.8	68	ESE	18.5	3	+0.3									
	21	869.2	-22.5	-26.8	68	ESE	18.5	1	+0.5	0.1	39	0	0 0 0					
	24	870.0	-22.3	-26.7	67	ESE	15.7	2	+0.8									
15	3	870.9	-22.9	-27.3	67	ESE	14.6	2	+0.9	0.2	39	0	0 0 0					
	6	871.5	-23.3	-28.1	65	ESE	11.2	1	+0.6									
	9	872.5	-22.7	-27.6	65	SE	13.3	2	+1.0	50	36	0	0 0 0					
	12	874.0	-23.7	-28.3	66	ESE	14.6	3	+1.5									
	15	874.8	-22.2	-27.0	64	SE	10.7	1	+0.8	5.0	38	0	0 0 0					
	18	875.3	-23.4	-28.2	65	ESE	12.5	0	+0.5									
	21	876.6	-23.3	-28.0	65	ESE	11.5	2	+1.3	8	38	0	0 0 0					
	24	877.1	-23.6	-28.3	66	ESE	9.4	3	+0.5									

APRIL

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h					
16	3	877.0	-25.0	-29.8	64	SE	8.6	5	-0.1	10	36	0	0 0 0									
	6	876.5	-24.7	-29.5	64	SE	10.0	5	-0.5													
	9	876.2	-23.1	-28.0	64	ESE	12.6	6	-0.3	30	36	0+	0 3 0	0+Ac	x	x						
	12	875.5	-21.1	-25.5	68	ESE	17.9	8	-0.7													
	15	875.3	-20.0	-24.3	69	ESE	15.5	8	-0.2	2.0	38	0	0 0 0									
	18	874.5	-20.1	-24.6	68	ESE	12.9	8	-0.8													
	21	873.9	-21.2	-26.0	65	SE	11.9	8	-0.6	20	36	0	0 0 0									
	24	872.7	-20.3	-24.5	69	ESE	18.1	7	-1.2													
17	3	871.6	-19.7	-23.9	69	ESE	19.5	7	-1.1	0.8	38	0	0 0 0									
	6	869.8	-19.9	-24.3	68	SE	15.2	7	-1.8													
	9	869.2	-18.3	-22.6	69	SE	14.8	7	-0.6	0.1	39	10	0 2 x	10 As	x	x						
	12	868.9	-16.6	-20.6	71	SE	15.8	8	-0.3													
	15	868.0	-16.2	-19.5	76	ESE	21.2	7	-0.9	0.1	39	5	0 5 0	5 Ac	x	x						
	18	867.6	-15.6	-19.0	75	SE	17.0	7	-0.4													
	21	867.2	-14.5	-17.4	78	SE	21.4	8	-0.4	0.1	39	10	0 2 x	10 As	x	x						
	24	868.4	-14.7	-16.9	83	SE	23.6	3	+1.2													
18	3	872.0	-14.2	-16.4	83	ESE	20.3	2	+3.6	0.1	39	10	0 2 x	10 As	x	x						
	6	874.7	-13.7	-16.2	81	ESE	15.7	2	+2.7													
	9	876.8	-13.4	-15.9	81	ESE	16.1	2	+2.1	0.1	73	10	0 2 x	10 As	x	x						
	12	878.6	-13.3	-16.0	80	ESE	14.6	2	+1.8													
	15	880.3	-13.9	-16.9	78	ESE	15.9	2	+1.7	0.1	73	10	0 2 x	10 As	x	x						
	18	881.5	-14.2	-17.1	78	ESE	17.4	2	+1.2													
	21	883.4	-14.4	-17.5	77	ESE	14.9	1	+1.9	0.8	38	10	0 1 x	10 As	x	x						
	24	884.5	-14.7	-17.8	77	ESE	10.2	2	+1.1													
19	3	884.7	-16.5	-20.5	71	SE	7.6	0	+0.2	40	02	2	0 3 0	2 Ac	x	x						
	6	884.2	-17.2	-20.9	73	SSE	4.9	8	-0.5													
	9	883.1	-17.7	-21.3	73	SSE	3.9	7	-1.1	50	02	1	0 0 1	1 Ci	x	x						
	12	882.6	-19.2	-23.2	71	SSE	4.1	8	-0.5													
	15	881.3	-19.6	-23.9	69	SSW	6.8	7	-1.3	50	02	2	0 0 2	2 Ci	x	x						
	18	880.4	-18.5	-22.3	72	SW	6.9	7	-0.9													
	21	879.6	-20.0	-24.1	70	SSW	5.2	6	-0.8	50	02	1	0 0 1	1 Ci	x	x						
	24	879.2	-21.0	-25.2	69	SSE	5.1	8	-0.4													
20	3	878.7	-22.5	-26.9	67	SSE	5.5	7	-0.5	50	02	2	0 3 0	2 Ac	x	x						
	6	877.9	-23.4	-27.7	68	SSE	5.3	8	-0.8													
	9	877.5	-24.2	-28.9	64	SSE	5.6	5	-0.4	50	02	2	0 3 1	1 Ac	x	x	1 Ci	x	x			
	12	877.2	-24.3	-28.8	66	SSE	4.8	8	-0.3													
	15	876.4	-24.0	-29.0	64	SSE	4.3	7	-0.8	50	03	8	0 5 6	4 Ac	x	x	5 Cs	x	x	3 Ci	x	x
	18	875.5	-26.2	-31.4	63	S	6.0	7	-0.9													
	21	874.9	-26.2	-31.0	64	SE	5.2	8	-0.6	50	02	3	0 3 1	2 Ac	x	x	2 Ci	x	x			
	24	874.6	-25.5	-30.9	61	SSE	7.7	8	-0.3													

APRIL

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
21	3	874.9	-26.3	-31.6	61	SSE	6.0	0	+0.3	50	02	2	0 3 0	2 Ac x x				
	6	875.5	-26.9	-31.8	63	SSE	4.9	2	+0.6									
	9	876.6	-27.5	-32.5	63	SE	5.0	3	+1.1	50	02	0+	0 3 1	0+Ac x x	0+Ci x x			
	12	878.1	-27.1	-32.4	60	SE	6.0	2	+1.5									
	15	878.5	-25.6	-30.7	63	SE	4.5	1	+0.4	50	03	8	0 0 2	8 Ci x x				
	18	879.3	-25.5	-31.2	58	SE	8.7	2	+0.8									
	21	880.2	-23.8	-28.3	67	E	13.2	2	+0.9	20	36	10	0 3 7	1 Ac x x	10 Cs x x			
	24	880.9	-22.1	-26.6	67	ESE	14.2	2	+0.7									
22	3	881.1	-20.8	-25.1	68	ESE	14.9	0	+0.2	1.0	38	10	0 3 7	1 Ac x x	10 Cs x x			
	6	881.2	-19.9	-24.0	70	ESE	16.6	2	+0.1									
	9	881.1	-18.9	-22.8	71	ESE	17.3	8	-0.1	0.2	73	10	0 2 x	10 As x x				
	12	881.3	-18.0	-21.8	72	ESE	17.6	3	+0.2									
	15	881.0	-17.1	-20.6	74	ESE	17.4	8	-0.3	0.1	73	10	0 2 x	10 As x x				
	18	880.3	-16.1	-19.5	75	ESE	18.4	8	-0.7									
	21	879.5	-15.1	-18.3	76	ESE	18.5	7	-0.8	0.1	73	10	0 2 x	10 As x x				
	24	877.5	-14.7	-17.5	79	ESE	20.6	8	-2.0									
23	3	875.6	-14.1	-16.8	80	ESE	21.8	7	-1.9	0.1	73	10	0 2 x	10 As x x				
	6	874.1	-13.6	-16.0	82	ESE	22.1	7	-1.5									
	9	873.0	-12.9	-15.0	84	ESE	22.6	7	-1.1	0.1	73		x x x x					
	12	872.6	-12.7	-14.8	84	ESE	23.3	8	-0.4									
	15	872.3	-12.2	-14.2	85	ESE	22.4	7	-0.3	0.1	73		x x x x					
	18	871.3	-12.2	-14.3	84	ESE	20.9	7	-1.0									
	21	869.6	-11.8	-13.8	85	ESE	21.2	7	-1.7	0.1	73		x x x x					
	24	867.4	-11.6	-13.2	88	ESE	23.5	8	-2.2									
24	3	867.5	-12.5	-14.8	83	ESE	21.5	3	+0.1	0.1	73		x x x x					
	6	866.8	-12.0	-13.8	87	ESE	21.9	8	-0.7									
	9	866.8	-11.4	-12.8	90	ESE	22.0	4	0.0	0.1	73		x x x x					
	12	867.3	-11.2	-12.9	87	ESE	20.5	0	+0.5									
	15	868.4	-11.3	-13.0	87	ESE	19.4	2	+1.1	0.1	73		x x x x					
	18	869.2	-12.3	-14.4	85	ESE	18.9	1	+0.8									
	21	868.8	-11.9	-13.8	86	ESE	18.4	8	-0.4	0.2	39	3	0 0 5	3 Cs x x	0+Ci x x			
	24	869.6	-12.8	-15.5	80	ESE	13.5	1	+0.8									
25	3	869.3	-12.1	-14.4	83	ESE	12.6	7	-0.3	10	02	10-	0 3 7	3 Ac x x	10-Cs x x			
	6	868.9	-12.1	-14.3	84	ESE	10.7	8	-0.4									
	9	869.1	-13.2	-15.9	80	ESE	10.4	3	+0.2	40	36	4	0 3 2	2 Ac x x	2 Ci x x			
	12	869.0	-15.1	-18.4	76	ESE	13.1	8	-0.1									
	15	868.8	-15.4	-18.7	76	E	13.3	8	-0.2	0.4	39	8	0 7 2	5 Ac x x	4 Ci x x			
	18	868.6	-15.9	-19.4	75	E	12.2	8	-0.2									
	21	867.9	-16.4	-20.0	74	E	15.7	7	-0.7	10	02	3	0 7 0	3 Ac x x				
	24	867.3	-15.9	-19.5	74	ESE	10.3	8	-0.6									

APRIL

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
26	3	866.3	-17.8	-22.5	67	SE	9.1	7	-1.0	40	02	1	0 3 0	1 Ac x x				
	6	865.2	-18.9	-23.9	65	SE	7.3	7	-1.1									
	9	864.5	-18.4	-22.2	72	ESE	11.2	7	-0.7	40	02	3	0 3 2	2 Ac x x	1 Ci x x			
	12	864.1	-17.7	-21.8	70	ESE	11.1	8	-0.4									
	15	863.6	-18.5	-22.5	71	E	12.9	7	-0.5	20	03	9	0 7 2	9 Ac x x	1 Ci x x			
	18	863.2	-17.6	-21.4	72	ESE	11.2	5	-0.4									
	21	863.2	-17.6	-21.5	71	E	11.6	5	0.0	15	02	9	0 7 x	9 Ac x x				
	24	862.7	-17.6	-21.3	73	ESE	13.3	8	-0.5									
27	3	862.7	-18.6	-22.5	72	ESE	10.0	4	0.0	10	36	10	0 7 x	10 Ac x x				
	6	862.2	-18.5	-22.4	71	ESE	11.5	6	-0.5									
	9	862.4	-18.8	-22.9	70	E	8.8	2	+0.2	20	36	10-	0 7 6	7 Ac x x	5 Cs x x	3 Ci x x		
	12	862.4	-19.1	-23.5	68	ESE	6.6	4	0.0									
	15	862.5	-20.5	-25.7	63	SE	7.6	1	+0.1	40	36	4	6 3 2	0+St x x	2 Ac x x	3 Ci x x		
	18	862.7	-23.2	-28.6	61	SE	7.7	2	+0.2									
	21	862.9	-23.0	-28.1	64	SE	7.1	3	+0.2	40	36	4	0 5 2	3 Ac x x	3 Ci x x			
	24	863.2	-23.1	-28.3	63	SE	7.5	1	+0.3									
28	3	863.2	-22.1	-27.2	64	ESE	8.6	5	0.0	40	36	4	0 3 0	4 Ac x x				
	6	863.4	-21.4	-26.2	65	ESE	9.5	1	+0.2									
	9	863.7	-22.1	-27.4	63	ESE	9.8	2	+0.3	40	36	2	0 3 0	2 Ac x x				
	12	863.7	-22.0	-26.8	66	ESE	10.5	4	0.0									
	15	863.6	-21.7	-26.6	65	ESE	9.3	6	-0.1	50	36	7	0 3 1	3 Ac x x	6 Ci x x			
	18	863.3	-21.4	-26.6	63	SE	8.0	8	-0.3									
	21	863.4	-23.5	-28.8	62	SE	7.6	2	+0.1	50	36	3	3 0 0					
	24	863.5	-24.5	-29.9	61	SE	8.3	2	+0.1									
29	3	863.9	-24.8	-30.2	61	SE	7.0	1	+0.4	50	36	2	0 3 0	2 Ac x x				
	6	863.5	-25.4	-30.9	60	SE	7.9	6	-0.4									
	9	864.2	-25.4	-30.9	60	SE	7.0	3	+0.7	50	02	2	0 0 2	2 Ci x x				
	12	865.1	-25.1	-30.3	61	SE	8.0	2	+0.9									
	15	866.2	-21.5	-26.3	66	ESE	13.5	2	+1.1	20	36	7	0 3 2	1 Ac x x	7 Ci x x			
	18	866.7	-22.0	-27.1	64	SE	11.3	1	+0.5									
	21	867.3	-24.1	-29.7	60	SE	7.9	1	+0.6	50	36	2	0 4 1	0+Ac x x	2 Ci x x			
	24	867.9	-25.3	-30.8	60	SE	7.2	1	+0.6									
30	3	867.8	-26.0	-31.5	60	SSE	7.0	7	-0.1	50	02	0+	0 3 0	0+Ac x x				
	6	867.3	-27.1	-32.6	60	SSE	5.9	8	-0.5									
	9	867.0	-26.7	-31.8	62	SE	4.4	5	-0.3	40	02	4	0 4 1	3 Ac x x	2 Ci x x			
	12	867.0	-27.2	-31.5	67	SW	3.6	4	0.0									
	15	867.1	-25.7	-30.6	63	SW	6.1	2	+0.1	50	02	2	0 3 0	2 Ac x x				
	18	867.4	-27.9	-32.7	63	ESE	3.9	2	+0.3									
	21	868.2	-29.5	-34.3	64	SE	4.3	2	+0.8	50	02	0	0 0 0					
	24	869.7	-32.3	-37.8	59	SSE	4.0	2	+1.5									

MAY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
1	3	871.0	-30.8	-36.2	60	SE	8.5	2	+1.3	50	02	1	0 4 0	1 Ac x x				
	6	872.0	-29.6	-34.9	60	SE	10.4	2	+1.0									
	9	874.0	-30.0	-35.6	59	SE	8.6	2	+2.0	30	02	2	0 7 0	2 Ac x x				
	12	875.5	-27.9	-33.4	60	SE	10.1	2	+1.5									
	15	877.3	-27.7	-33.1	60	ESE	8.6	2	+1.8	25	36	2	0 7 0	2 Ac x x				
	18	878.2	-29.3	-34.9	59	SE	8.8	2	+0.9									
	21	879.3	-30.4	-36.0	57	SE	7.3	1	+1.1	40	02	1	0 3 0	1 Ac x x				
	24	879.6	-30.0	-35.6	59	SE	9.7	0	+0.3									
2	3	880.3	-28.7	-34.0	61	ESE	10.0	0	+0.7	50	02	0	0 0 0					
	6	879.6	-28.9	-34.6	59	SE	9.5	8	-0.7									
	9	879.1	-30.1	-35.8	58	SE	8.4	7	-0.5	50	36	2	0 0 1	2 Ci x x				
	12	878.1	-28.7	-33.4	65	ESE	10.1	7	-1.0									
	15	877.0	-25.5	-30.3	64	ESE	11.8	7	-1.1	40	36	4	0 0 1	4 Ci x x				
	18	875.5	-24.4	-29.5	62	ESE	10.1	7	-1.5									
	21	874.4	-23.7	-28.7	63	ESE	13.8	8	-1.1	40	36	2	0 0 1	2 Ci x x				
	24	873.4	-23.4	-28.4	63	ESE	11.6	7	-1.0									
3	3	871.9	-25.1	-30.8	59	SE	9.1	7	-1.5	40	36	0+	0 3 0	0+Ac x x				
	6	870.3	-25.4	-30.9	60	ESE	9.3	7	-1.6									
	9	869.0	-24.4	-29.2	65	ESE	11.7	7	-1.3	50	36	3	0 7 1	2 Ac x x	1 Ci x x			
	12	867.4	-24.2	-29.6	61	ESE	13.4	8	-1.6									
	15	865.6	-24.5	-30.0	61	SE	11.5	7	-1.8	40	36	3	0 3 2	2 Ac x x	1 Ci x x			
	18	863.4	-24.4	-29.5	62	ESE	10.0	7	-2.2									
	21	861.3	-27.2	-32.8	59	SE	8.8	6	-2.1	40	36	2	0 3 1	1 Ac x x	2 Ci x x			
	24	859.2	-27.8	-33.8	57	ESE	9.0	7	-2.1									
4	3	857.9	-25.8	-30.9	63	ESE	12.1	6	-1.3	20	36	7	0 3 0	7 Ac x x				
	6	856.3	-24.3	-29.7	61	SE	12.4	7	-1.6									
	9	855.0	-23.2	-28.3	63	SE	17.9	7	-1.3	0.2	39	10	0 2 x	10 As x x				
	12	854.8	-21.9	-26.4	67	ESE	18.3	7	-0.2									
	15	854.0	-20.2	-24.8	67	ESE	16.2	8	-0.8	0.3	73	10	0 2 x	10 As x x				
	18	853.6	-19.0	-23.6	66	ESE	14.2	6	-0.4									
	21	853.1	-18.4	-22.4	71	ESE	14.2	8	-0.5	5.0	38	3	0 3 0	3 Ac x x				
	24	853.1	-20.0	-24.9	65	ESE	15.0	0	0.0									
5	3	853.3	-19.7	-24.2	67	ESE	15.7	3	+0.2	0.8	39	6	0 5 0	6 Ac x x				
	6	854.2	-19.9	-24.8	65	ESE	15.0	2	+0.9									
	9	855.6	-19.3	-23.6	68	ESE	15.2	2	+1.4	0.1	73	10	0 2 x	10 As x x				
	12	857.5	-19.1	-23.4	69	ESE	14.2	2	+1.9									
	15	859.2	-19.0	-23.5	67	ESE	12.6	2	+1.7	2.0	38	10-	0 1 x	10-As x x				
	18	860.8	-19.8	-25.1	63	SE	7.8	2	+1.6									
	21	863.3	-21.3	-26.0	66	SE	3.6	2	+2.5	20	01	2	0 4 0	2 Ac x x				
	24	864.9	-22.9	-27.8	64	SE	3.6	2	+1.6									

MAY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
6	3	866.7	-28.1	-33.5	59	SSE	4.5	2	+1.8	50	02	0+	0 3 0	0+Ac x x				
	6	867.7	-30.2	-35.7	58	SSE	6.1	2	+1.0									
	9	868.0	-29.5	-34.9	60	SSE	5.6	0	+0.3	50	03	9	0 7 x	9 Ac x x				
	12	868.0	-27.5	-32.9	61	SE	6.2	0	0.0									
	15	867.0	-27.1	-32.9	58	SE	8.8	7	-1.0	50	02	10-	0 3 2	2 Ac x x	8 Ci x x			
	18	866.1	-25.5	-31.2	58	SE	9.1	8	-0.9									
	21	865.2	-24.1	-30.0	59	SE	9.2	8	-0.9	40	01	5	0 0 8	5 Cs x x				
	24	865.3	-23.2	-29.2	58	ESE	9.2	0	+0.1									
7	3	864.2	-22.6	-27.3	65	ESE	11.3	8	-1.1	30	36	2	0 3 0	2 Ac x x				
	6	862.4	-22.2	-27.0	64	ESE	11.9	7	-1.8									
	9	860.2	-21.3	-26.0	66	ESE	12.5	7	-2.2	20	36	5	0 3 2	2 Ac x x	3 Ci x x			
	12	859.5	-20.4	-25.5	64	ESE	10.5	6	-0.7									
	15	859.4	-23.5	-29.4	59	SE	7.7	7	-0.1	50	02	1	0 3 0	1 Ac x x				
	18	859.4	-25.6	-31.5	58	SSE	6.3	4	0.0									
	21	859.7	-26.6	-32.3	59	SSE	6.4	3	+0.3	50	02	1	0 3 0	1 Ac x x				
	24	860.3	-27.8	-32.9	63	S	4.0	2	+0.6									
8	3	860.5	-28.9	-34.2	61	SSE	3.8	1	+0.2	50	02	0+	0 3 0	0+Ac x x				
	6	860.7	-28.8	-34.4	58	SSW	6.6	3	+0.2									
	9	861.3	-29.1	-35.1	56	S	6.5	2	+0.6	50	02	0	0 0 0					
	12	862.5	-29.4	-35.0	57	SSW	6.1	2	+1.2									
	15	863.3	-29.4	-34.6	61	S	2.6	0	+0.8	50	02	0	0 0 0					
	18	864.5	-30.9	-36.2	60	SSE	4.0	2	+1.2									
	21	865.1	-33.7	-38.8	58	SSE	3.1	2	+0.6	50	02	0	0 0 0					
	24	865.6	-35.0	-40.1	61	SSE	5.2	1	+0.5									
9	3	866.3	-35.5	-40.5	60	SE	4.3	2	+0.7	50	02	0	0 0 0					
	6	866.1	-35.6	-40.6	60	SSE	5.0	7	-0.2									
	9	866.1	-36.0	-41.1	61	SE	6.2	4	0.0	50	02	0+	0 3 0	0+Ac x x				
	12	866.2	-36.3	-41.5	57	SE	6.0	3	+0.1									
	15	866.3	-35.4	-40.3	60	SE	5.3	0	+0.1	50	02	1	0 3 2	1 Ac x x	1 Ci x x			
	18	866.4	-35.5	-40.5	60	SSE	5.3	0	+0.1									
	21	866.6	-36.9	-41.7	62	S	3.1	2	+0.2	50	02	0+	0 3 0	0+Ac x x				
	24	866.7	-38.1	-42.1	65	SSE	3.6	1	+0.1									
10	3	867.2	-38.4	-43.3	59	SE	1.1	2	+0.5	50	02	0	0 0 0					
	6	867.3	-37.4	-42.7	56	SSE	4.0	3	+0.1									
	9	868.2	-37.6	-42.4	63	SE	3.5	2	+0.9	50	02	0+	0 3 0	0+Ac x x				
	12	869.3	-38.1	-42.8	61	S	2.8	1	+1.1									
	15	870.6	-38.1	-42.7	61	SE	3.6	2	+1.3	50	02	0	0 0 0					
	18	871.7	-38.0	-42.7	61	S	3.0	1	+1.1									
	21	873.3	-37.7	-42.6	58	SSE	3.7	2	+1.6	50	02	0	0 0 0					
	24	875.2	-37.6	-42.1	63	SSE	2.5	2	+1.9									

MAY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
11	3	876.8	-36.0	-40.3	64	S	2.1	2	+1.6	50	02	0	0 0 0					
	6	878.4	-34.1	-39.4	59	SSW	1.7	3	+1.6									
	9	880.1	-32.7	-37.9	59	SSE	6.1	2	+1.7	50	02	0	0 0 0					
	12	881.5	-31.0	-35.4	65	SSW	2.3	0	+1.4									
	15	881.7	-30.9	-36.0	60	SSE	5.7	2	+0.2	50	02	3	0 3 1	2 Ac x x	1 Ci x x			
	18	881.2	-29.8	-35.5	58	SSE	6.4	8	-0.5									
	21	880.7	-29.1	-34.6	60	SSE	5.8	8	-0.5	50	02	2	0 3 1	2 Ac x x	1 Ci x x			
	24	879.2	-28.7	-34.1	60	SSE	5.1	7	-1.5									
12	3	876.8	-28.1	-33.1	62	W	5.4	7	-2.4	40	02	1	0 3 0	1 Ac x x				
	6	874.2	-26.1	-31.8	59	S	5.8	7	-2.6									
	9	872.3	-24.8	-30.0	62	S	4.7	7	-1.9	50	02	10	0 0 7	10 Cs x x				
	12	870.2	-23.7	-28.8	63	S	5.3	7	-2.1									
	15	868.5	-24.2	-28.6	67	SE	0.7	7	-1.7	50	02	10-	0 2 x	10-As x x				
	18	867.4	-23.8	-28.7	63		0.0	8	-1.1									
	21	866.3	-25.6	-31.1	61	S	5.8	8	-1.1	50	01	2	0 3 8	1 Ac x x	2 Cs x x			
	24	864.7	-21.9	-27.7	59	SE	9.7	7	-1.6									
13	3	863.3	-20.6	-26.3	61	ESE	13.8	7	-1.4	20	36	0+	0 3 0	0+Ac x x				
	6	862.6	-19.7	-24.4	66	ESE	14.9	7	-0.7									
	9	862.0	-19.4	-24.5	64	ESE	14.1	5	-0.6	20	36	3	0 3 2	2 Ac x x	1 Ci x x			
	12	861.1	-19.7	-24.9	63	ESE	17.8	8	-0.9									
	15	859.9	-20.0	-24.6	67	ESE	15.9	7	-1.2	30	36	1	0 3 0	1 Ac x x				
	18	859.6	-19.9	-24.8	65	ESE	15.6	7	-0.3									
	21	859.2	-20.1	-25.4	63	ESE	16.1	8	-0.4	20	36	2	0 3 0	2 Ac x x				
	24	858.9	-20.1	-25.0	65	ESE	14.2	7	-0.3									
14	3	858.7	-20.8	-25.6	65	ESE	15.2	5	-0.2	20	36	1	0 3 0	1 Ac x x				
	6	857.9	-21.0	-26.1	64	ESE	16.9	8	-0.8									
	9	857.0	-21.0	-26.5	61	ESE	17.0	7	-0.9	20	36	5	0 3 2	2 Ac x x	3 Ci x x			
	12	856.3	-21.6	-27.5	59	ESE	17.4	7	-0.7									
	15	856.5	-22.0	-27.8	59	ESE	10.3	3	+0.2	40	36	3	0 3 0	3 Ac x x				
	18	855.9	-23.4	-29.6	57	E	9.2	5	-0.6									
	21	855.9	-24.2	-30.4	56	E	11.1	4	0.0	35	36	2	0 3 0	2 Ac x x				
	24	856.8	-24.4	-30.1	59	E	9.7	2	+0.9									
15	3	857.6	-25.4	-32.2	53	SE	8.0	2	+0.8	40	02	2	0 3 0	2 Ac x x				
	6	858.0	-25.6	-31.4	59	E	16.1	2	+0.4									
	9	859.4	-26.3	-32.9	54	ESE	8.4	2	+1.4	50	02	1	0 3 0	1 Ac x x				
	12	860.5	-28.6	-34.9	55	SE	8.0	2	+1.1									
	15	862.0	-31.0	-37.1	54	SE	6.7	2	+1.5	50	02	0+	0 3 0	0+Ac x x				
	18	863.0	-31.5	-37.8	55	SE	7.2	1	+1.0									
	21	863.9	-32.4	-38.6	55	SE	7.3	2	+0.9	50	02	1	0 3 0	1 Ac x x				
	24	864.6	-31.7	-38.3	54	SE	8.2	2	+0.7									

MAY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
16	3	864.7	-31.3	-37.7	53	SE	7.1	0	+0.1	50	02	0	0 0 0				
	6	864.3	-30.7	-37.4	52	SE	8.7	8	-0.4								
	9	863.8	-29.6	-36.5	51	SE	8.3	6	-0.5	40	03	3	0 5 0	3 Ac x x			
	12	863.2	-25.7	-32.5	53	SE	9.2	7	-0.6								
	15	862.2	-23.7	-29.0	62	ESE	10.7	7	-1.0	40	03	10	6 7 x	2 St x x	8 As x x	2 Ac x x	
	18	860.6	-22.4	-28.7	56	ESE	10.2	7	-1.6								
	21	859.1	-21.8	-27.3	61	SE	8.9	7	-1.5	40	02	10	0 0 7	10 Cs x x			
	24	857.4	-21.3	-27.0	60	ESE	9.1	7	-1.7								
17	3	856.3	-21.8	-27.7	59	ESE	6.9	7	-1.1	40	02	10	0 0 7	10 Cs x x			
	6	854.8	-22.7	-28.9	57	SE	6.9	7	-1.5								
	9	853.9	-25.8	-31.9	56	SE	6.4	7	-0.9	40	02	5	0 3 2	3 Ac x x	2 Ci x x		
	12	853.8	-25.1	-31.1	58	SSE	4.6	7	-0.1								
	15	853.8	-25.5	-31.6	57	S	5.0	4	0.0	50	02	7	0 7 6	5 Ac x x	4 Cs x x		
	18	853.1	-26.8	-33.2	54	SSE	5.1	7	-0.7								
	21	853.4	-28.0	-33.1	62	SE	3.4	2	+0.3	50	03	8	0 3 9	4 Ac x x	7 Cc x x		
	24	853.7	-25.4	-31.3	58	SE	4.7	1	+0.3								
18	3	854.2	-24.4	-29.6	62	SSW	3.5	2	+0.5	50	02	10-	0 5 x	10-Ac x x			
	6	855.0	-26.9	-34.1	50	SE	4.9	2	+0.8								
	9	855.6	-29.7	-35.9	56	SE	3.6	3	+0.6	50	02	2	0 0 2	2 Ci x x			
	12	856.3	-32.3	-39.3	49	SSE	6.7	2	+0.7								
	15	856.0	-33.0	-40.1	50	SSE	6.0	8	-0.3	50	02	0+	0 3 0	0+Ac x x			
	18	855.4	-31.8	-39.0	49	SSE	8.6	6	-0.6								
	21	854.5	-32.2	-39.1	51	SSE	6.5	6	-0.9	50	02	0+	0 3 0	0+Ac x x			
	24	853.3	-33.3	-39.8	51	SSE	5.8	8	-1.2								
19	3	851.5	-32.7	-38.8	54	SSE	6.3	7	-1.8	50	02	5	0 0 8	5 Cs x x			
	6	849.8	-33.3	-39.4	54	S	4.5	7	-1.7								
	9	848.3	-34.4	-40.7	55	SE	6.3	7	-1.5	50	02	3	0 3 0	3 Ac x x			
	12	847.1	-33.2	-39.0	57	SSE	5.7	7	-1.2								
	15	846.2	-33.6	-39.4	56	SSE	3.4	6	-0.9	50	02	1	0 3 1	1 Ac x x	0+Ci x x		
	18	845.5	-35.1	-40.7	58	SSE	5.3	6	-0.7								
	21	845.1	-35.7	-41.1	59	SE	4.8	5	-0.4	50	02	0+	0 3 0	0+Ac x x			
	24	845.2	-36.3	-41.2	61	S	2.2	0	+0.1								
20	3	845.4	-34.7	-39.9	59	SSW	4.5	3	+0.2	50	03	10-	0 3 7	4 Ac x x	10-Cs x x		
	6	845.3	-33.9	-40.1	54	SE	6.7	8	-0.1								
	9	844.9	-30.6	-35.0	65	ESE	16.2	6	-0.4	0.5	38	7	0 3 2	4 Ac x x	6 Ci x x		
	12	845.4	-28.0	-32.8	64	ESE	18.5	3	+0.5								
	15	846.1	-26.9	-31.9	62	ESE	16.2	3	+0.7	0.8	38	7	0 3 6	2 Ac x x	7 Cs x x		
	18	847.0	-26.0	-31.2	61	ESE	13.5	2	+0.9								
	21	848.0	-26.1	-31.5	60	ESE	11.4	0	+1.0	10	36	5	0 3 0	5 Ac x x			
	24	848.7	-27.7	-34.0	56	SE	5.9	1	+0.7								

MAY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
21	3	849.3	-29.3	-35.9	54	SE	7.4	0	+0.6	30	36	1	0 3 0	1 Ac x x				
	6	848.8	-29.6	-35.8	55	SE	4.5	8	-0.5									
	9	848.9	-31.7	-37.6	56	SE	5.9	2	+0.1	50	02	1	0 3 0	1 Ac x x				
	12	848.7	-29.8	-35.2	60	ESE	12.2	7	-0.2									
	15	848.8	-26.4	-31.9	59	ESE	10.9	2	+0.1	40	03	10-	0 7 6	3 Ac x x	5 Cs x x	3 Ci x x		
	18	848.7	-26.2	-31.5	61	ESE	9.9	7	-0.1									
	21	848.6	-25.5	-31.5	57	ESE	8.5	5	-0.1	40	02	10-	0 3 2	3 Ac x x	10-Ci x x			
	24	848.9	-25.3	-31.7	54	SE	8.2	1	+0.3									
22	3	849.7	-24.7	-30.3	59	ESE	9.4	2	+0.8	40	02	10-	0 3 4	4 Ac x x	10-Ci x x			
	6	850.4	-24.9	-30.2	62	E	14.5	3	+0.7									
	9	851.4	-24.3	-29.7	61	ESE	15.0	2	+1.0	20	02	10	0 7 6	3 Ac x x	5 Cs x x	3 Ci x x		
	12	853.2	-23.6	-30.1	55	ESE	11.6	1	+1.8									
	15	855.1	-23.7	-30.3	54	SE	7.6	2	+1.9	20	02	10	0 2 x	10 As x x				
	18	857.2	-28.4	-35.1	53	SE	5.2	2	+2.1									
	21	858.4	-30.7	-37.2	52	SE	6.3	2	+1.2	50	01	2	0 3 0	2 Ac x x				
	24	860.2	-31.9	-38.5	52	SSE	5.4	2	+1.8									
23	3	861.6	-33.4	-40.2	51	SE	6.1	2	+1.4	50	02	0+	0 3 0	0+Ac x x				
	6	862.1	-34.3	-41.0	50	SE	7.3	1	+0.5									
	9	862.4	-34.2	-40.4	53	SE	8.9	3	+0.3	50	02	0+	0 3 0	0+Ac x x				
	12	862.2	-33.8	-40.5	51	SE	8.7	8	-0.2									
	15	861.8	-35.2	-41.6	52	SE	8.0	7	-0.4	50	02	0+	0 3 0	0+Ac x x				
	18	861.3	-35.7	-41.3	59	SE	7.0	6	-0.5									
	21	860.3	-34.5	-40.4	55	SE	6.2	7	-1.0	50	02	0+	0 3 0	0+Ac x x				
	24	859.9	-36.9	-45.4	42	SE	5.5	7	-0.4									
24	3	859.4	-38.1	-43.6	57	S	4.9	5	-0.5	50	02	0	0 0 0					
	6	859.2	-38.1	-43.5	57	SSW	5.1	5	-0.2									
	9	859.9	-38.1	-43.5	57	SSW	3.9	1	+0.7	50	02	0+	0 3 0	0+Ac x x				
	12	861.1	-36.8	-41.9	58	ESE	1.8	1	+1.2									
	15	861.6	-35.7	-40.9	59	NNE	0.3	2	+0.5	50	02	7	0 0 2	7 Ci x x				
	18	861.0	-34.7	-40.0	59	SE	2.0	8	-0.6									
	21	860.2	-35.5	-40.6	60	SE	2.2	8	-0.8	50	03	10-	0 3 7	3 Ac x x	10-Cs x x			
	24	859.2	-38.5	-44.3	55	SSE	5.9	6	-1.0									
25	3	859.8	-39.5	-45.5	55	S	5.1	2	+0.6	50	02	0	0 0 0					
	6	860.4	-39.7	-45.5	55	SSE	6.7	2	+0.6									
	9	860.9	-38.4	-44.1	55	SE	6.0	1	+0.5	50	02	0	0 0 0					
	12	861.4	-36.0	-41.5	57	SE	6.6	1	+0.5									
	15	861.6	-37.9	-42.9	61	SSE	5.1	3	+0.2	50	02	0	0 0 0					
	18	861.3	-40.7	-46.5	50	S	2.8	7	-0.3									
	21	861.4	-41.6	-46.1	63	SE	3.8	2	+0.1	50	02	0+	0 3 0	0+Ac x x				
	24	862.1	-39.5	-44.8	55	SE	5.0	1	+0.7									

MAY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
26	3	862.8	-39.2	-44.2	57	S	3.9	1	+0.7	50	02	0	0 0 0					
	6	862.9	-41.4	-46.6	56	S	2.8	0	+0.1									
	9	863.7	-41.3	-46.1	59	SW	3.9	2	+0.8	50	02	0	0 0 0					
	12	864.6	-41.5	-46.7	56	SE	4.9	3	+0.9									
	15	865.6	-41.9	-47.0	60	SW	0.5	3	+1.0	50	02	0	0 0 0					
	18	866.7	-42.0	-47.2	60	SE	4.5	2	+1.1									
	21	867.4	-42.8	-47.9	57	SE	5.0	0	+0.7	50	02	0	0 0 0					
	24	868.2	-40.0	-43.3	68	NW	4.2	2	+0.8									
27	3	868.9	-39.4	-44.8	55	S	1.9	1	+0.7	50	02	0	0 0 0					
	6	869.4	-40.8	-46.1	59	SE	3.9	1	+0.5									
	9	870.0	-41.3	-46.7	53	SSW	5.7	0	+0.6	50	02	0	0 0 0					
	12	870.9	-41.7	-46.2	63	SE	0.7	3	+0.9									
	15	871.5	-42.3	-46.9	60	SE	3.5	3	+0.6	50	02	2	0 3 2	1 Ac x x	1 Ci x x			
	18	871.7	-41.2	-46.5	53	SSE	4.6	1	+0.2									
	21	872.3	-39.1	-44.3	57	S	2.9	2	+0.6	50	02	1	0 3 0	1 Ac x x				
	24	873.4	-37.8	-43.3	54	SE	3.5	2	+1.1									
28	3	873.7	-37.3	-42.9	56	SSE	3.9	3	+0.3	50	02	0+	0 3 0	0+Ac x x				
	6	874.3	-32.5	-39.8	48	SE	8.0	2	+0.6									
	9	874.7	-32.4	-38.7	55	SSE	4.9	2	+0.4	50	02	7	0 0 6	4 Cs x x	3 Ci x x			
	12	875.5	-32.6	-39.3	50	SE	6.5	1	+0.8									
	15	875.2	-30.5	-37.5	49	SE	7.3	8	-0.3	50	02	8	0 5 2	4 Ac x x				
	18	873.9	-30.2	-36.9	52	SE	6.9	7	-1.3									
	21	873.8	-30.7	-36.5	56	SE	4.0	8	-0.1	50	02	10-	0 0 7	10-Cs x x				
	24	872.5	-27.9	-34.4	53	SE	5.4	7	-1.3									
29	3	870.8	-27.1	-34.0	52	SSW	5.9	7	-1.7	50	01	4	0 3 6	2 Ac x x	4 Cs x x			
	6	869.1	-29.1	-36.4	49	SSE	7.8	7	-1.7									
	9	867.7	-27.1	-35.0	46	SE	9.3	7	-1.4	50	02	1	0 3 0	1 Ac x x				
	12	866.8	-24.9	-33.1	47	SE	11.8	8	-0.9									
	15	865.6	-26.0	-33.4	50	SE	9.1	8	-1.2	50	02	0+	0 3 0	0+Ac x x				
	18	863.4	-23.8	-31.7	48	SE	12.0	7	-2.2									
	21	863.4	-26.0	-33.6	49	SE	8.4	4	0.0	50	02	0+	0 3 0	0+Ac x x				
	24	863.4	-25.1	-30.5	61	ESE	15.9	4	0.0									
30	3	863.6	-26.5	-32.9	56	SE	13.1	2	+0.2	10	02	1	0 3 1	0+Ac x x	1 Ci x x			
	6	863.4	-25.8	-31.1	61	ESE	17.1	7	-0.2									
	9	863.0	-24.1	-29.7	60	ESE	18.4	5	-0.4	5.0	38	0+	0 3 0	0+Ac x x				
	12	863.2	-23.4	-28.7	61	ESE	17.5	3	+0.2									
	15	864.9	-23.2	-28.8	60	ESE	15.9	3	+1.7	2.0	38	0+	0 3 0	0+Ac x x				
	18	866.7	-23.1	-28.3	63	ESE	15.8	3	+1.8									
	21	868.3	-23.7	-29.6	58	SE	14.4	2	+1.6	5.0	38	0+	0 3 0	0+Ac x x				
	24	870.1	-23.8	-30.1	56	SE	11.7	2	+1.8									

MAY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
31	3	870.8	-25.3	-31.7	54	SE	12.1	1	+0.7	50	36	0+	0 3 0	0+Ac	x	x	
	6	871.3	-24.6	-31.4	54	SE	11.8	0	+0.5								
	9	872.1	-26.5	-33.3	53	SE	8.2	1	+0.8	50	36	0+	0 3 0	0+Ac	x	x	
	12	872.3	-27.9	-34.7	52	SE	5.2	3	+0.2								
	15	872.6	-26.9	-34.1	50	SE	8.8	1	+0.3	50	02	3	0 0 2	3 Ci	x	x	
	18	872.9	-25.8	-31.7	57	ESE	8.1	3	+0.3								
	21	872.3	-23.5	-29.2	60	ESE	17.2	8	-0.6	5.0	38	0+	0 3 0	0+Ac	x	x	
	24	872.1	-22.2	-28.0	59	ESE	18.7	5	-0.2								

JUNE

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
1	3	870.8	-21.2	-27.6	57	ESE	20.6	7	-1.3	2.0	38	1	0 3 0	1 Ac x x				
	6	869.0	-21.1	-25.5	68	ESE	22.9	8	-1.8									
	9	867.6	-20.9	-25.1	69	ESE	23.6	7	-1.4	0.1	39	x	x x x					
	12	866.7	-20.7	-25.0	69	ESE	22.9	6	-0.9									
	15	867.0	-19.9	-23.3	75	ESE	22.9	0	+0.3	0.1	73	x	x x x					
	18	866.9	-19.2	-22.5	75	ESE	21.8	8	-0.1									
	21	868.4	-19.3	-22.5	76	ESE	21.6	3	+1.5	0.1	73	x	x x x					
	24	870.1	-19.4	-23.0	73	ESE	20.0	3	+1.7									
2	3	871.9	-19.1	-22.8	73	ESE	19.3	2	+1.8	0.1	39	x	x x x					
	6	873.5	-19.1	-22.8	73	ESE	17.9	3	+1.6									
	9	873.8	-18.9	-22.7	72	ESE	17.9	2	+0.3	5.0	38	10-	0 1 x	10-As x x				
	12	873.8	-18.9	-22.7	72	ESE	18.6	4	0.0									
	15	873.3	-18.0	-21.6	73	ESE	18.1	8	-0.5	0.2	73	10	0 2 x	10 As x x				
	18	872.6	-17.1	-20.6	74	ESE	18.4	6	-0.7									
	21	872.7	-16.4	-19.7	76	ESE	17.6	3	+0.1	0.1	39	x	x x x					
	24	873.0	-16.4	-19.6	77	ESE	14.6	0	+0.3									
3	3	872.7	-16.7	-20.5	72	ESE	16.3	6	-0.3	0.1	39	x	x x x					
	6	872.4	-16.7	-20.5	72	ESE	17.0	8	-0.3									
	9	872.6	-17.2	-20.7	74	ESE	16.2	3	+0.2	2.0	38	10	0 2 x	10 As x x				
	12	872.9	-16.9	-20.3	75	ESE	16.7	3	+0.3									
	15	873.9	-17.0	-20.4	75	ESE	14.3	2	+1.0	1.0	38	10	0 2 x	10 As x x				
	18	874.2	-16.9	-20.3	75	ESE	14.3	3	+0.3									
	21	874.9	-17.8	-21.2	75	ESE	12.0	1	+0.7	30	36	4	0 3 0	4 Ac x x				
	24	875.8	-17.3	-20.9	73	ESE	9.2	2	+0.9									
4	3	875.9	-17.8	-22.1	69	ESE	13.7	1	+0.1	25	36	6	0 3 0	6 Ac x x				
	6	877.4	-19.6	-24.9	62	SE	8.6	2	+1.5									
	9	879.0	-21.8	-26.3	67	SE	3.4	2	+1.6	40	02	3	0 0 2	3 Ci x x				
	12	880.0	-24.0	-28.9	64	SSE	5.0	3	+1.0									
	15	881.8	-26.4	-31.6	62	SE	6.1	2	+1.8	50	02	1	0 3 2	0+Ac x x	0+Ci x x			
	18	883.7	-26.9	-31.7	63	SE	5.0	2	+1.9									
	21	884.7	-25.9	-30.6	65	SSW	6.1	2	+1.0	50	02	10-	0 0 7	10-Cs x x				
	24	884.3	-21.7	-25.9	69	S	3.4	8	-0.4									
5	3	882.2	-20.5	-25.1	67	WNW	5.0	8	-2.1	40	02	10	0 0 7	10 Cs x x				
	6	878.2	-19.4	-23.3	71	SW	4.8	7	-4.0									
	9	874.8	-19.0	-22.7	72	ENE	2.4	7	-3.4	10	70	10	0 7 6	5 Ac x x	5 Ci x x			
	12	871.3	-19.2	-23.0	72	ENE	2.9	7	-3.5									
	15	869.5	-23.9	-29.1	62	SSW	6.3	8	-1.8	50	01	1	0 3 1	1 Ac x x	0+Ci x x			
	18	869.5	-23.9	-29.4	61	SSE	7.5	5	0.0									
	21	869.6	-23.9	-29.2	62	SSE	5.4	3	+0.1	50	02	3	0 3 0	3 Ac x x				
	24	869.2	-21.8	-27.4	61	SE	8.8	8	-0.4									

JUNE

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
6	3	869.7	-19.2	-24.0	66	ESE	9.2	3	+0.5	20	36	2	0 3 0	2 Ac x x				
	6	872.8	-20.6	-26.3	61	SE	9.9	2	+3.1									
	9	875.3	-20.6	-27.4	55	SSE	12.5	1	+2.5	50	02	0+	0 3 0	0+Ac x x				
	12	877.5	-19.9	-26.8	55	SE	13.3	1	+2.2									
	15	879.7	-18.9	-26.3	52	SE	11.6	1	+2.2	50	02	2	0 0 1	2 Ci x x				
	18	882.1	-19.7	-27.0	52	SE	12.0	2	+2.4									
	21	883.5	-20.1	-27.0	54	SSE	6.7	2	+1.4	40	02	3	0 3 2	2 Ac x x	2 Ci x x			
	24	884.3	-20.1	-27.5	52	SE	9.8	0	+0.8									
7	3	885.1	-22.2	-29.5	51	S	7.4	1	+0.8	40	02	2	0 3 2	1 Ac x x	2 Ci x x			
	6	884.9	-21.6	-28.1	56	SE	6.8	5	-0.2									
	9	884.7	-22.9	-30.8	49	SSE	7.9	5	-0.2	50	02	1	0 3 0	1 Ac x x				
	12	885.3	-26.0	-32.0	57	S	4.7	0	+0.6									
	15	884.7	-28.4	-35.3	51	S	6.7	8	-0.6	50	02	2	0 3 2	1 Ac x x	1 Ci x x			
	18	883.3	-27.7	-33.5	57	S	5.4	8	-1.4									
	21	881.8	-29.4	-35.3	56	SSE	5.6	7	-1.5	50	02	1	0 3 0	1 Ac x x				
	24	880.9	-29.2	-35.7	53	SSE	5.9	8	-0.9									
8	3	879.3	-29.4	-36.2	52	SSE	6.8	7	-1.6	50	02	0+	0 3 0	0+Ac x x				
	6	878.1	-28.3	-34.8	53	SSE	6.8	7	-1.2									
	9	877.3	-27.5	-34.4	52	SE	6.4	7	-0.8	50	02	0+	0 3 0	0+Ac x x				
	12	875.8	-25.5	-32.4	52	SE	8.6	7	-1.5									
	15	875.0	-23.9	-31.2	51	SE	9.7	8	-0.8	50	02	0+	0 0 1	0+Ci x x				
	18	874.2	-22.9	-30.6	50	SE	9.8	8	-0.8									
	21	872.9	-20.0	-28.3	48	SE	10.7	8	-1.3	40	02	0+	0 3 0	0+Ac x x				
	24	872.2	-19.8	-27.7	49	SE	11.6	7	-0.7									
9	3	870.6	-20.0	-27.8	50	SE	11.8	7	-1.6	50	02	0+	0 3 0	0+Ac x x				
	6	868.5	-19.3	-27.8	47	SE	13.9	8	-2.1									
	9	866.3	-17.4	-26.0	47	ESE	14.5	7	-2.2	40	02	0+	0 3 0	0+Ac x x				
	12	863.4	-17.5	-25.6	49	ESE	20.0	8	-2.9									
	15	860.6	-16.6	-22.7	59	ESE	16.2	7	-2.8	50	02	1	0 3 0	1 Ac x x				
	18	856.8	-18.9	-25.9	54	ESE	11.6	7	-3.8									
	21	855.6	-19.2	-23.9	66	ESE	20.2	5	-1.2	40	02	1	0 3 0	1 Ac x x				
	24	856.4	-21.1	-25.1	70	ESE	25.8	2	+0.8									
10	3	856.3	-20.4	-26.9	56	ESE	23.3	5	-0.1	40	02	2	0 3 0	2 Ac x x				
	6	855.9	-20.5	-27.4	54	ESE	21.2	5	-0.4									
	9	854.8	-19.7	-26.2	56	ESE	24.5	6	-1.1	20	02	3	0 3 0	3 Ac x x				
	12	855.2	-19.4	-23.3	71	ESE	26.9	1	+0.4									
	15	855.8	-18.5	-22.6	70	ESE	26.3	3	+0.6	0.1	39	7	0 7 6	4 Ac x x	4 Cs x x	3 Ci x x		
	18	857.9	-17.7	-20.9	76	ESE	25.8	2	+2.1									
	21	861.4	-16.7	-19.5	79	ESE	21.8	2	+3.5	0.05	39	x	x x x					
	24	864.7	-16.4	-19.4	78	ESE	19.3	2	+3.3									

JUNE

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
11	3	866.9	-16.3	-19.5	76	ESE	19.0	2	+2.2	0.03	39	x	x x x					
	6	868.0	-16.9	-20.6	73	ESE	16.5	2	+1.1									
	9	868.7	-17.1	-20.8	73	ESE	14.8	1	+0.7	0.6	38	4	0 7 6	3 Ac x x	3 Cs x x	1 Ci x x		
	12	869.1	-19.6	-24.3	66	SE	8.0	0	+0.4									
	15	869.6	-19.5	-24.7	63	SE	9.1	1	+0.5	50	02	6	0 7 2	5 Ac x x	1 Ci x x			
	18	869.7	-20.7	-25.9	63	SE	8.0	0	+0.1									
	21	870.3	-22.5	-27.9	61	SE	7.8	0	+0.6	40	02	4	0 3 6	2 Ac x x	3 Cs x x			
	24	870.8	-21.5	-26.0	67	ESE	13.6	3	+0.5									
12	3	870.9	-21.3	-25.8	67	ESE	15.4	0	+0.1	1.0	38	3	0 3 0	3 Ac x x				
	6	871.6	-21.9	-26.6	66	ESE	12.0	1	+0.7									
	9	871.6	-22.3	-26.8	67	ESE	13.0	4	0.0	10	38	2	0 3 0	2 Ac x x				
	12	871.5	-22.2	-27.1	64	ESE	13.5	8	-0.1									
	15	871.5	-23.1	-27.7	66	ESE	12.5	4	0.0	2.0	38	2	0 3 0	2 Ac x x				
	18	871.0	-23.0	-27.6	67	ESE	13.2	7	-0.5									
	21	870.9	-23.2	-27.8	65	ESE	14.7	8	-0.1	5.0	38	2	0 3 0	2 Ac x x				
	24	870.8	-24.1	-28.9	64	ESE	12.2	7	-0.1									
13	3	870.4	-24.1	-28.7	66	ESE	14.6	8	-0.4	2.0	38	1	0 3 0	1 Ac x x				
	6	870.1	-24.6	-29.6	63	E	12.3	8	-0.3									
	9	869.1	-25.6	-30.6	63	E	10.6	6	-1.0	20	36	2	0 3 0	2 Ac x x				
	12	868.4	-24.6	-29.3	64	ESE	14.3	8	-0.7									
	15	867.6	-24.4	-28.9	66	E	16.0	6	-0.8	0.6	38	7	0 7 6	5 Ac x x	4 Cs x x	3 Ci x x		
	18	866.8	-23.9	-28.5	66	ESE	16.5	7	-0.8									
	21	866.6	-24.0	-28.5	67	ESE	13.6	8	-0.2	10	36	4	0 3 2	3 Ac x x	2 Ci x x			
	24	866.1	-23.8	-28.6	64	ESE	12.5	6	-0.5									
14	3	865.8	-25.1	-30.3	61	ESE	10.5	8	-0.3	20	36	1	0 3 0	1 Ac x x				
	6	865.8	-26.2	-31.6	61	SE	7.6	4	0.0									
	9	865.6	-27.3	-32.7	60	SE	7.7	5	-0.2	30	02	1	0 3 0	1 Ac x x				
	12	865.8	-26.0	-31.4	61	ESE	9.5	1	+0.2									
	15	865.8	-25.0	-30.4	61	ESE	6.9	4	0.0	30	02	5	0 7 2	3 Ac x x	5 Ci x x			
	18	865.8	-22.2	-27.2	64	ESE	9.5	4	0.0									
	21	865.5	-21.8	-27.4	61	ESE	8.8	8	-0.3	30	03	9	0 7 x	9 Ac x x				
	24	865.7	-21.9	-27.3	61	SE	7.7	0	+0.2									
15	3	865.9	-21.9	-27.8	59	SE	8.9	1	+0.2	30	02	10-	0 7 x	10-Ac x x				
	6	865.6	-23.3	-29.5	56	SE	7.4	8	-0.3									
	9	866.3	-26.5	-32.7	56	SE	7.4	1	+0.7	40	02	3	0 3 2	2 Ac x x	2 Ci x x			
	12	866.7	-27.8	-33.5	58	SE	6.6	2	+0.4									
	15	866.6	-27.1	-32.9	58	SE	6.1	8	-0.1	40	02	6	0 3 2	1 Ac x x	5 Ci x x			
	18	866.9	-24.1	-28.7	66	E	14.8	2	+0.3									
	21	867.4	-22.9	-27.4	67	ESE	16.2	2	+0.5	10	36	10-	0 0 7	10-Cs x x				
	24	868.1	-21.4	-25.8	68	ESE	13.8	2	+0.7									

JUNE

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
16	3	868.9	-21.1	-25.3	69	ESE	13.1	1	+0.8	10	36	10-	0 0 7	10-Cs x x				
	6	869.6	-20.6	-25.2	66	ESE	13.6	1	+0.7									
	9	871.0	-20.1	-24.7	67	ESE	15.0	3	+1.4	2.0	38	10	0 2 x	10 As x x				
	12	871.7	-20.1	-24.7	67	ESE	13.8	1	+0.7									
	15	872.0	-19.8	-24.3	67	E	14.4	0	+0.3	20	36	10	6 2 x	1 St x x	10 As x x			
	18	871.7	-19.9	-24.5	67	E	14.7	8	-0.3									
	21	871.3	-20.2	-24.5	68	E	15.8	7	-0.4	10	36	10	0 1 x	10 As x x				
	24	870.3	-19.9	-24.1	69	ESE	16.3	8	-1.0									
17	3	869.1	-19.9	-24.0	70	E	15.5	7	-1.2	10	36	10	0 1 x	10 As x x				
	6	866.9	-20.0	-24.4	68	E	14.9	8	-2.2									
	9	865.5	-20.3	-25.1	66	E	14.8	7	-1.4	40	01	3	0 3 1	2 Ac x x	2 Ci x x			
	12	864.1	-20.5	-25.1	67	ESE	12.4	8	-1.4									
	15	862.8	-21.5	-27.4	59	ESE	8.8	7	-1.3	40	02	2	0 3 1	1 Ac x x	1 Ci x x			
	18	861.7	-21.8	-26.7	65	ESE	11.7	7	-1.1									
	21	861.2	-22.6	-28.7	57	ESE	6.9	8	-0.5	50	02	2	0 3 1	1 Ac x x	1 Ci x x			
	24	860.3	-22.4	-27.2	65	ESE	9.7	7	-0.9									
18	3	860.1	-25.5	-32.1	55	SE	6.5	5	-0.2	50	02	0+	0 3 0	0+Ac x x				
	6	859.5	-27.9	-33.9	57	SE	4.9	8	-0.6									
	9	858.9	-28.1	-33.0	62	SE	2.8	7	-0.6	50	02	0+	0 3 0	0+Ac x x				
	12	858.8	-32.0	-36.3	67	S	2.9	5	-0.1									
	15	858.4	-32.4	-36.5	68	SE	2.1	8	-0.4	50	02	1	0 3 1	0+Ac x x	1 Ci x x			
	18	857.6	-32.4	-37.9	58	S	3.3	8	-0.8									
	21	857.1	-35.3	-41.4	53	SE	5.6	7	-0.5	50	02	0	0 0 0					
	24	856.0	-32.2	-38.6	54	ESE	9.8	7	-1.1									
19	3	855.0	-31.6	-38.3	52	ESE	9.9	7	-1.0	50	02	0+	0 3 0	0+Ac x x				
	6	854.4	-31.9	-38.2	55	SE	10.6	7	-0.6									
	9	853.6	-31.9	-38.9	50	SE	8.8	5	-0.8	50	02	0+	0 3 0	0+Ac x x				
	12	853.1	-32.9	-39.3	51	SE	5.4	7	-0.5									
	15	853.4	-34.3	-40.5	53	SE	6.2	3	+0.3	50	02	1	0 0 1	1 Ci x x				
	18	853.2	-33.0	-39.9	50	SE	9.5	8	-0.2									
	21	854.4	-37.0	-42.5	58	SE	5.5	3	+1.2	50	02	1	0 3 1	0+Ac x x	0+Ci x x			
	24	855.1	-35.8	-41.5	55	SE	5.4	2	+0.7									
20	3	856.5	-35.1	-41.0	55	SE	9.5	2	+1.4	50	02	0	0 0 0					
	6	857.8	-33.2	-38.4	60	ESE	14.5	1	+1.3									
	9	858.9	-32.3	-37.7	59	ESE	13.3	2	+1.1	50	02	0	0 0 0					
	12	859.8	-30.6	-36.9	54	ESE	14.2	1	+0.9									
	15	860.0	-29.3	-35.4	56	ESE	15.5	0	+0.2	40	02	3	0 3 2	2 Ac x x	1 Ci x x			
	18	859.9	-28.7	-34.8	56	ESE	14.4	8	-0.1									
	21	859.7	-27.1	-32.5	60	ESE	14.4	8	-0.2	40	03	6	0 3 2	3 Ac x x	4 Ci x x			
	24	858.6	-26.6	-32.2	59	ESE	11.5	7	-1.1									

JUNE

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
21	3	857.7	-27.6	-34.2	53	ESE	11.0	8	-0.9	40	02	4	0 3 1	2 Ac x x	3 Ci x x		
	6	857.1	-26.6	-33.2	53	SE	11.1	7	-0.6								
	9	856.1	-26.7	-33.3	54	ESE	11.7	7	-1.0	20	02	10	0 1 x	10 As x x			
	12	855.7	-26.2	-32.2	57	ESE	12.4	8	-0.4								
	15	855.0	-26.7	-33.5	52	ESE	13.3	7	-0.7	20	02	3	6 3 2	1 St x x	1 Ac x x	2 Ci x x	
	18	854.7	-25.8	-32.2	55	SE	12.7	8	-0.3								
	21	854.0	-25.0	-31.1	57	SE	10.6	8	-0.7	20	03	10	6 3 7	0+St x x	1 Ac x x	10 Cs x x	
	24	853.2	-24.0	-29.4	61	ESE	16.6	7	-0.8								
22	3	853.8	-23.7	-29.1	60	ESE	14.3	3	+0.6	20	02	10	6 0 7	1 St x x	10 Cs x x		
	6	854.4	-23.8	-30.7	53	ESE	12.1	2	+0.6								
	9	854.6	-26.3	-33.0	53	SE	6.9	1	+0.2	40	02	3	0 0 2	3 Ci x x			
	12	855.2	-27.6	-34.4	52	SE	7.5	1	+0.6								
	15	855.8	-28.7	-35.3	53	SE	6.4	2	+0.6	50	01	4	0 0 6	3 Cs x x	2 Ci x x		
	18	856.8	-30.2	-37.3	50	SE	7.5	3	+1.0								
	21	857.6	-29.4	-36.2	52	SE	9.6	2	+0.8	50	02	5	0 0 8	5 Cs x x			
	24	858.8	-30.5	-37.0	53	SE	7.9	2	+1.2								
23	3	859.6	-31.6	-38.3	52	SE	6.9	1	+0.8	50	02	3	0 3 2	1 Ac x x	2 Ci x x		
	6	860.4	-34.4	-41.1	52	SSE	5.5	2	+0.8								
	9	861.4	-34.6	-40.5	55	SSE	4.0	3	+1.0	50	02	3	0 3 2	1 Ac x x	2 Ci x x		
	12	862.1	-36.1	-41.4	57	SSE	5.4	2	+0.7								
	15	862.8	-35.8	-41.8	55	SE	6.0	2	+0.7	50	02	0+	0 0 2	0+Ci x x			
	18	863.3	-35.3	-41.1	57	SSW	4.5	1	+0.5								
	21	863.5	-37.5	-42.7	58	SSE	3.8	0	+0.2	50	02	0+	0 0 2	0+Ci x x			
	24	863.7	-37.8	-43.7	54	SSE	5.3	3	+0.2								
24	3	863.9	-37.8	-42.9	58	S	3.0	0	+0.2	50	02	0+	0 3 0	0+Ac x x			
	6	864.3	-38.3	-43.2	57	SSE	4.1	3	+0.4								
	9	864.5	-39.0	-44.1	57	SSE	3.9	3	+0.2	50	02	0	0 0 0				
	12	865.2	-39.7	-44.3	60	SE	3.4	3	+0.7								
	15	865.4	-39.5	-44.4	60	SSE	5.2	1	+0.2	50	02	1	0 0 1	1 Ci x x			
	18	865.8	-39.3	-44.7	55	SE	5.9	1	+0.4								
	21	865.8	-39.2	-44.6	57	SSE	6.6	4	0.0	50	02	0	0 0 0				
	24	865.9	-37.9	-43.6	57	SE	6.9	3	+0.1								
25	3	866.3	-35.9	-42.0	52	ESE	7.1	2	+0.4	50	02	0	0 0 0				
	6	866.2	-33.1	-38.0	61	ESE	11.3	8	-0.1								
	9	866.4	-32.2	-37.2	61	ESE	10.8	3	+0.2	50	02	0+	0 0 1	0+Ci x x			
	12	866.7	-33.1	-39.1	55	SE	6.7	1	+0.3								
	15	866.8	-34.5	-40.5	55	SE	8.1	0	+0.1	50	02	1	0 3 2	1 Ac x x	0+Ci x x		
	18	866.3	-33.7	-40.0	53	SE	8.5	7	-0.5								
	21	866.7	-33.8	-40.2	54	SE	8.0	2	+0.4	50	02	0+	0 0 2	0+Ci x x			
	24	866.7	-34.1	-40.8	50	SE	7.7	4	0.0								

JUNE

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
26	3	866.6	-33.0	-39.8	50	SE	7.7	6	-0.1	50	02	0+	0 0 0	0+Ac x x				
	6	866.1	-33.1	-40.6	47	SE	9.7	7	-0.5									
	9	866.5	-33.5	-40.9	47	SE	8.8	1	+0.4	50	02	1	0 0 2	1 Ci x x				
	12	867.3	-33.2	-40.2	51	SE	9.8	2	+0.8									
	15	867.5	-31.6	-38.8	48	SE	9.4	3	+0.2	50	02	2	0 3 2	1 Ac x x	1 Ci x x			
	18	867.9	-30.5	-37.7	49	SE	10.0	3	+0.4									
	21	868.2	-29.1	-36.0	51	SE	10.8	3	+0.3	50	02	1	0 0 1	1 Ci x x				
	24	868.3	-26.4	-34.0	49	ESE	11.7	3	+0.1									
27	3	868.4	-27.6	-35.7	45	ESE	10.7	0	+0.1	40	02	0+	0 0 1	0+Ci x x				
	6	867.5	-27.2	-35.0	47	SE	12.2	8	-0.9									
	9	867.3	-23.4	-30.6	52	SE	18.4	8	-0.2	50	02	1	0 0 2	1 Ci x x				
	12	866.8	-21.9	-28.3	57	ESE	20.1	8	-0.5									
	15	865.4	-20.7	-27.5	54	ESE	18.5	7	-1.4	50	02	3	0 3 1	2 Ac x x	1 Ci x x			
	18	863.6	-22.3	-29.4	52	SE	12.7	7	-1.8									
	21	860.6	-21.7	-28.7	53	SE	11.4	7	-3.0	50	02	1	0 0 2	1 Ci x x				
	24	856.9	-23.5	-30.6	52	SE	9.0	7	-3.7									
28	3	854.7	-22.4	-29.5	52	SE	10.2	7	-2.2	50	02	1	0 0 2	1 Ci x x				
	6	852.8	-19.7	-27.3	50	SE	13.2	7	-1.9									
	9	852.7	-21.2	-28.3	53	SE	12.6	7	-0.1	50	02	2	0 3 2	1 Ac x x	1 Ci x x			
	12	852.7	-20.7	-27.2	56	SE	12.0	4	0.0									
	15	852.9	-17.1	-23.0	60	SE	11.4	2	+0.2	20	03	10	0 9 x	10 Ac x x				
	18	853.7	-15.4	-20.9	63	ESE	15.9	3	+0.8									
	21	855.1	-15.2	-19.4	70	ESE	15.9	2	+1.4	20	36	10	0 2 x	10 As x x				
	24	856.3	-15.8	-19.2	75	ESE	17.8	2	+1.2									
29	3	858.1	-17.5	-21.4	72	ESE	18.8	2	+1.8	0.5	38	1	0 3 0	1 Ac x x				
	6	859.5	-18.6	-22.9	69	ESE	17.9	1	+1.4									
	9	861.2	-18.2	-22.7	68	ESE	18.5	1	+1.7	0.4	39	10	0 1 x	10 As x x				
	12	862.7	-18.3	-22.8	68	ESE	19.6	2	+1.5									
	15	863.7	-19.0	-24.9	59	ESE	19.3	1	+1.0	20	01	6	6 4 2	2 St x x	3 Ac x x	6 Ci x x		
	18	863.8	-19.0	-25.8	55	ESE	19.0	0	+0.1									
	21	862.0	-20.4	-27.6	53	SE	11.7	8	-1.8	40	01	2	0 4 0	2 Ac x x				
	24	859.2	-21.4	-28.5	53	SE	10.7	7	-2.8									
30	3	857.0	-19.1	-25.7	56	ESE	17.9	7	-2.2	2.0	38	2	0 3 0	2 Ac x x				
	6	854.7	-17.2	-24.0	55	ESE	22.8	7	-2.3									
	9	853.3	-16.4	-21.1	67	ESE	22.8	7	-1.4	2.0	38	10	0 2 x	10 As x x				
	12	853.9	-15.9	-20.3	69	ESE	20.8	2	+0.6									
	15	855.2	-15.4	-18.3	78	ESE	17.9	1	+1.3	0.05	73	10	0 2 x	10 As x x				
	18	857.1	-15.2	-18.4	77	ESE	14.7	2	+1.9									
	21	858.7	-15.5	-17.7	84	ESE	21.4	2	+1.6	0.1	39	2	0 3 0	2 Ac x x				
	24	860.3	-16.3	-19.4	77	ESE	19.0	1	+1.6									

JULY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
1	3	859.2	-16.7	-19.6	78	ESE	21.4	8	-1.1	0.1	39	10	0 0 7	10 Cs x x				
	6	860.0	-16.2	-18.5	83	E	21.9	3	+0.8									
	9	863.4	-14.0	-16.7	80	ESE	19.4	1	+3.4	0.1	73	10	0 2 x	10 As x x				
	12	865.5	-16.0	-19.5	74	E	20.6	2	+2.1									
	15	868.7	-15.9	-19.2	76	E	16.7	2	+3.2	0.1	73	10	0 2 x	10 As x x				
	18	870.3	-14.8	-16.7	86	ENE	12.9	2	+1.6									
	21	871.0	-14.1	-15.8	87	E	12.9	2	+0.7	0.2	73	10	0 2 x	10 As x x				
	24	871.1	-12.8	-14.1	90	E	15.6	2	+0.1									
2	3	871.9	-11.6	-12.3	94	E	14.4	2	+0.8	0.1	73	10	0 2 x	10 As x x				
	6	872.9	-9.3	-10.1	94	ESE	16.9	2	+1.0									
	9	874.0	-10.4	-11.7	90	ESE	16.0	2	+1.1	0.1	73	10	0 2 x	10 As x x				
	12	874.2	-11.2	-12.4	91	ESE	14.1	0	+0.2									
	15	874.0	-13.0	-14.7	87	ESE	14.4	8	-0.2	0.4	39	4	0 4 2	2 Ac x x	4 Ci x x			
	18	872.7	-14.8	-16.4	88	ESE	16.7	6	-1.3									
	21	872.7	-15.2	-16.8	88	ESE	17.5	0	0.0	0.2	39	3	0 4 2	1 Ac x x	3 Ci x x			
	24	872.5	-15.7	-19.1	75	ESE	17.6	5	-0.2									
3	3	872.4	-15.4	-18.3	78	ESE	17.7	8	-0.1	0.2	39	2	0 4 2	1 Ac x x	1 Ci x x			
	6	871.2	-14.6	-17.2	80	ESE	16.9	8	-1.2									
	9	871.3	-16.5	-20.0	74	SE	13.3	3	+0.1	0.4	39	2	0 3 2	1 Ac x x	1 Ci x x			
	12	871.2	-17.2	-20.9	73	SE	11.7	8	-0.1									
	15	868.9	-20.3	-24.1	71	SE	10.0	7	-2.3	40	36	1	0 0 1	1 Ci x x				
	18	866.7	-21.3	-25.5	69	SE	10.4	7	-2.2									
	21	865.1	-21.7	-26.1	68	SE	10.7	6	-1.6	50	02	1	0 0 2	2 Ci x x				
	24	863.7	-23.8	-28.3	67	ESE	16.1	7	-1.4									
4	3	865.3	-25.9	-30.6	65	ESE	15.0	0	+1.6	5.0	38	2	0 0 2	2 Ci x x				
	6	864.3	-27.1	-31.8	64	ESE	18.9	6	-1.0									
	9	864.9	-27.6	-32.2	64	SE	16.2	2	+0.6	0.4	39	2	0 0 2	2 Ci x x				
	12	865.3	-26.8	-31.2	65	ESE	20.9	1	+0.4									
	15	866.0	-25.4	-29.8	67	SE	19.7	2	+0.7	0.05	39	2	0 0 2	2 Ci x x				
	18	866.7	-24.7	-29.0	68	SE	16.2	2	+0.7									
	21	867.6	-24.1	-28.4	68	ESE	13.9	3	+0.9	10	36	2	0 0 2	2 Ci x x				
	24	868.5	-24.6	-29.2	66	ESE	11.6	2	+0.9									
5	3	869.1	-24.6	-29.2	66	SE	7.9	3	+0.6	20	36	2	0 0 2	2 Ci x x				
	6	869.9	-24.3	-28.9	65	ESE	8.7	2	+0.8									
	9	870.5	-26.1	-30.9	64	SE	8.7	2	+0.6	20	36	2	0 0 2	2 Ac x x				
	12	871.3	-28.0	-33.0	62	SE	7.5	3	+0.8									
	15	871.6	-29.6	-34.8	60	SE	6.8	3	+0.3	50	02	1	0 3 1	0+Ac x x	1 Ci x x			
	18	872.0	-30.9	-36.0	60	SE	6.9	2	+0.4									
	21	872.6	-30.6	-35.8	60	SE	7.4	1	+0.6	50	02	1	0 0 1	1 Ci x x				
	24	873.1	-32.5	-37.6	60	SSE	7.0	1	+0.5									

JULY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
6	3	873.6	-33.1	-38.2	61	SSE	5.7	3	+0.5	50	02	0	0 0 0				
	6	874.2	-33.7	-38.7	61	S	6.2	1	+0.6								
	9	874.0	-32.7	-37.6	62	SSE	6.3	5	-0.2	50	02	1	0 3 0	1 Ac x x			
	12	874.1	-32.5	-37.6	60	SSE	6.7	0	+0.1								
	15	874.2	-33.2	-38.3	62	SSE	5.6	3	+0.1	50	02	4	0 0 1	4 Ci x x			
	18	872.7	-32.9	-37.6	62	S	5.1	6	-1.5								
	21	871.9	-32.7	-37.6	62	SSE	6.0	7	-0.8	50	02	3	0 0 1	3 Ci x x			
	24	871.2	-32.3	-37.1	61	S	3.3	8	-0.7								
7	3	870.1	-31.9	-37.0	62	SSE	5.9	7	-1.1	50	02	2	0 0 1	2 Ci x x			
	6	868.7	-30.6	-35.5	63	SSE	5.9	7	-1.4								
	9	867.0	-29.1	-34.3	62	SE	6.7	7	-1.7	40	02	4	0 3 2	2 Ac x x	4 Ci x x		
	12	865.2	-28.1	-33.3	61	SE	7.9	7	-1.8								
	15	863.2	-27.7	-32.9	62	SE	8.6	7	-2.0	50	03	7	0 3 6	2 Ac x x	4 Cs x x	3 Ci x x	
	18	860.7	-27.4	-32.6	62	SE	10.2	7	-2.5								
	21	858.4	-26.6	-31.6	63	SE	12.5	7	-2.3	40	01	3	0 3 1	2 Ac x x	2 Ci x x		
	24	856.2	-26.4	-31.3	63	ESE	12.2	7	-2.2								
8	3	854.7	-24.6	-29.3	64	ESE	14.9	7	-1.5	10	36	5	0 3 2	3 Ac x x	3 Ci x x		
	6	851.9	-23.8	-28.5	66	ESE	18.3	7	-2.8								
	9	850.6	-22.7	-27.5	65	ESE	18.6	7	-1.3	0.1	39	10	0 1 x	10 As x x			
	12	849.4	-21.8	-26.2	67	ESE	17.8	7	-1.2								
	15	847.7	-20.9	-25.2	68	ESE	18.1	7	-1.7	0.1	39	10	0 1 x	10 As x x			
	18	846.2	-19.9	-23.9	71	ESE	17.3	7	-1.5								
	21	845.5	-19.5	-23.6	69	ESE	17.6	7	-0.7	0.1	39	10	0 1 x	10 As x x			
	24	844.7	-19.2	-23.3	70	ESE	17.8	6	-0.8								
9	3	843.6	-18.3	-21.7	75	ESE	19.1	7	-1.1	0.1	39	10	0 1 x	10 As x x			
	6	842.5	-17.7	-21.1	75	ESE	22.2	6	-1.1								
	9	844.7	-17.3	-20.3	77	ESE	20.3	3	+2.2	0.05	73	10	0 2 x	10 As x x			
	12	847.2	-16.7	-19.9	76	ESE	17.7	2	+2.5								
	15	849.0	-15.7	-18.7	78	ESE	18.1	2	+1.8	0.05	73	10	0 2 x	10 As x x			
	18	849.8	-15.8	-18.7	78	ESE	18.2	0	+0.8								
	21	851.3	-16.1	-19.2	77	ESE	17.5	2	+1.5	0.1	73	10	0 2 x	10 As x x			
	24	852.1	-16.7	-19.9	76	ESE	18.9	2	+0.8								
10	3	852.0	-17.7	-21.3	73	ESE	14.6	8	-0.1	0.1	39	3	0 3 2	2 Ac x x	2 Ci x x		
	6	850.4	-18.2	-21.7	74	ESE	14.1	7	-1.6								
	9	849.5	-19.2	-23.2	71	SE	11.5	7	-0.9	20	36	3	0 0 2	3 Ci x x			
	12	849.1	-21.3	-25.6	68	SE	7.6	8	-0.4								
	15	848.3	-21.3	-25.6	68	SE	10.8	7	-0.8	50	36	3	0 0 2	3 Ci x x			
	18	848.3	-20.9	-25.3	68	SE	10.2	4	0.0								
	21	849.6	-21.3	-25.5	69	SE	10.9	2	+1.3	30	36	2	0 0 2	2 Ci x x			
	24	851.2	-20.4	-24.4	70	SE	14.0	3	+1.6								

JULY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
11	3	853.4	-19.3	-23.1	72	ESE	11.9	2	+2.2	10	36	2	0 0 2	2 Ci x x			
	6	855.6	-17.5	-21.0	74	ESE	11.4	2	+2.2								
	9	858.2	-17.6	-21.3	73	ESE	11.8	2	+2.6	2.0	38	10	0 1 x	10 As x x			
	12	861.0	-18.0	-21.7	73	ESE	12.9	2	+2.8								
	15	863.4	-17.1	-20.6	74	ESE	12.1	2	+2.4	0.6	71	10	0 2 x	10 As x x			
	18	865.8	-16.9	-20.4	74	ESE	10.0	2	+2.4								
	21	868.2	-17.3	-21.0	73	ESE	11.7	2	+2.4	0.5	71	10	0 2 x	10 As x x			
	24	870.4	-18.5	-22.4	71	ESE	13.8	2	+2.2								
12	3	871.6	-18.4	-22.2	72	ESE	15.5	1	+1.2	0.2	39	10	0 2 x	10 As x x			
	6	872.7	-18.4	-22.2	72	ESE	16.5	2	+1.1								
	9	873.5	-19.0	-23.0	70	ESE	13.2	1	+0.8	20	36	3	0 0 2	3 Ci x x			
	12	873.7	-20.8	-25.3	68	SE	10.7	0	+0.2								
	15	873.2	-21.6	-26.0	68	SE	10.8	8	-0.5	10	36	2	0 3 1	1 Ac x x	1 Ci x x		
	18	871.8	-22.2	-26.6	67	SE	17.2	8	-1.4								
	21	870.1	-22.0	-26.2	69	SE	18.5	7	-1.7	0.5	39	3	0 3 2	2 Ac x x	2 Ci x x		
	24	868.2	-22.4	-26.6	69	SE	18.6	8	-1.9								
13	3	866.1	-22.3	-26.4	69	SE	18.2	8	-2.1	0.2	39	2	0 3 2	1 Ac x x	1 Ci x x		
	6	862.8	-21.9	-26.0	70	SE	19.8	7	-3.3								
	9	861.5	-21.9	-25.8	71	ESE	25.8	7	-1.3	0.4	39	3	0 0 2	3 Ci x x			
	12	861.5	-21.9	-25.7	72	ESE	25.5	4	0.0								
	15	862.9	-22.7	-26.9	69	ESE	23.1	3	+1.4	0.01	39	3	0 0 2	3 Ci x x			
	18	863.3	-22.6	-26.8	69	ESE	23.8	2	+0.4								
	21	863.9	-22.8	-27.1	68	ESE	23.1	1	+0.6	0.1	39	3	0 0 2	3 Ci x x			
	24	864.0	-22.2	-26.4	68	ESE	20.0	0	+0.1								
14	3	864.1	-21.7	-26.0	69	ESE	19.3	0	+0.1	0.2	39	2	0 0 2	2 Ci x x			
	6	863.3	-21.4	-25.7	69	ESE	21.1	8	-0.8								
	9	863.4	-21.8	-26.2	67	ESE	21.9	3	+0.1	0.1	39	2	0 0 2	2 Ci x x			
	12	865.0	-21.7	-26.0	69	ESE	19.3	3	+1.6								
	15	865.3	-22.5	-26.8	68	ESE	21.3	1	+0.3	0.1	39	2	0 0 1	2 Ci x x			
	18	866.3	-22.4	-27.0	66	ESE	20.1	2	+1.0								
	21	867.4	-22.5	-27.1	66	ESE	19.2	3	+1.1	0.1	39	2	0 0 2	2 Ci x x			
	24	867.6	-22.6	-27.1	67	ESE	18.6	1	+0.2								
15	3	868.5	-23.0	-27.6	67	ESE	18.9	1	+0.9	0.1	39	1	0 0 2	1 Ci x x			
	6	868.5	-22.2	-26.6	67	ESE	18.1	4	0.0								
	9	868.3	-21.3	-25.8	67	ESE	16.3	8	-0.2	20	36	1	0 0 2	1 Ci x x			
	12	867.7	-20.8	-25.3	68	ESE	16.2	8	-0.6								
	15	867.3	-20.9	-25.2	68	ESE	15.6	5	-0.4	20	36	0+	0 0 1	0+Ci x x			
	18	865.7	-22.2	-27.1	64	ESE	22.4	8	-1.6								
	21	865.8	-24.4	-29.3	64	ESE	25.9	2	+0.1	20	36	0+	0 0 2	3 Ci x x			
	24	866.5	-25.4	-30.5	63	ESE	24.2	2	+0.7								

JULY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
16	3	866.7	-26.6	-31.7	61	ESE	21.3	2	+0.2	20	36	6	0 0 2	6 Ci x x				
	6	864.6	-26.5	-31.4	64	ESE	23.8	7	-2.1									
	9	864.2	-26.0	-31.0	62	ESE	22.7	5	-0.4	40	02	1	0 0 2	1 Ci x x				
	12	864.5	-26.3	-31.1	64	ESE	20.0	2	+0.3									
	15	864.1	-26.2	-31.3	63	ESE	18.9	7	-0.4	40	02	3	0 3 1	1 Ac x x	2 Ci x x			
	18	862.6	-26.6	-31.7	61	ESE	21.7	6	-1.5									
	21	863.0	-26.7	-31.8	62	ESE	21.8	2	+0.4	40	02	4	0 3 2	4 Ac x x	2 Ci x x			
	24	863.1	-27.3	-32.8	60	ESE	20.9	3	+0.1									
17	3	862.7	-26.5	-31.4	64	ESE	20.6	5	-0.4	40	02	3	0 3 2	2 Ac x x	2 Ci x x			
	6	863.4	-25.6	-30.5	65	ESE	19.1	2	+0.7									
	9	864.2	-25.4	-30.2	64	ESE	17.8	0	+0.8	40	02	2	0 3 1	2 Ac x x	1 Ci x x			
	12	866.2	-25.7	-30.7	63	ESE	16.8	2	+2.0									
	15	868.2	-26.1	-30.8	64	ESE	17.5	1	+2.0	50	02	2	0 4 1	2 Ac x x	0+Ci x x			
	18	870.2	-25.5	-30.2	65	ESE	17.2	2	+2.0									
	21	872.0	-25.5	-30.3	64	ESE	13.4	2	+1.8	50	02	1	0 3 1	1 Ac x x	0+Ci x x			
	24	874.0	-25.7	-30.7	63	ESE	11.4	2	+2.0									
18	3	876.2	-25.8	-30.9	63	ESE	10.0	2	+2.2	50	02	1	0 3 0	1 Ac x x				
	6	877.5	-26.5	-31.6	63	SE	4.9	1	+1.3									
	9	878.7	-30.8	-36.1	60	SSE	5.1	1	+1.2	50	02	0	0 0 0					
	12	879.3	-32.4	-37.5	60	SSE	6.0	2	+0.6									
	15	879.9	-33.2	-38.4	60	S	4.3	2	+0.6	50	02	2	0 0 1	2 Ci x x				
	18	880.4	-33.3	-38.1	62	SE	5.9	2	+0.5									
	21	880.1	-32.5	-37.6	60	S	4.9	6	-0.3	50	02	1	0 0 1	1 Ci x x				
	24	879.5	-33.3	-38.3	62	SSE	6.3	7	-0.6									
19	3	878.0	-33.2	-38.2	62	S	6.6	8	-1.5	50	02	1	0 0 1	1 Ci x x				
	6	876.1	-32.3	-37.3	61	SSE	7.2	8	-1.9									
	9	873.8	-30.6	-35.4	63	SSE	6.4	7	-2.3	50	02	2	0 0 1	2 Ci x x				
	12	871.5	-27.1	-32.1	63	SE	5.9	7	-2.3									
	15	869.7	-25.9	-30.8	64	SE	9.3	7	-1.8	50	02	2	0 0 1	2 Ci x x				
	18	868.3	-24.4	-29.1	65	ESE	13.7	7	-1.4									
	21	867.8	-21.4	-26.3	65	ESE	20.9	5	-0.5	50	02	1	0 0 1	1 Ci x x				
	24	867.2	-22.2	-26.9	65	ESE	22.7	8	-0.6									
20	3	866.3	-22.6	-27.5	64	ESE	21.3	7	-0.9	40	02	1	0 0 1	1 Ci x x				
	6	865.0	-22.3	-27.0	65	ESE	21.0	8	-1.3									
	9	863.4	-22.5	-27.3	64	ESE	19.2	6	-1.6	50	02	0	0 0 0					
	12	861.8	-22.3	-27.0	65	ESE	19.1	7	-1.6									
	15	860.4	-22.5	-27.4	64	ESE	19.0	7	-1.4	50	02	3	0 3 2	1 Ac x x	2 Ci x x			
	18	859.9	-22.3	-27.0	65	ESE	18.5	8	-0.5									
	21	858.8	-22.5	-27.2	65	ESE	17.5	7	-1.1	50	02	3	0 0 2	3 Ci x x				
	24	857.3	-22.4	-27.1	66	ESE	18.1	7	-1.5									

JULY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
21	3	856.1	-22.3	-27.2	64	ESE	19.7	6	-1.2	40	02	5	0 3 8	2 Ac x x	5 Cs x x			
	6	855.3	-23.1	-28.6	60	ESE	20.3	8	-0.8									
	9	854.4	-23.1	-28.2	63	ESE	24.6	5	-0.9	20	02	7	0 0 6	4 Cs x x	3 Ci x x			
	12	855.0	-23.0	-28.2	63	ESE	21.4	1	+0.6									
	15	854.5	-23.5	-29.1	60	ESE	18.4	8	-0.5	40	02	7	0 0 6	4 Cs x x	3 Ci x x			
	18	853.7	-23.3	-29.2	59	ESE	20.1	8	-0.8									
	21	853.5	-22.8	-28.5	60	ESE	19.4	7	-0.2	40	02	6	0 0 6	5 Cs x x	3 Ci x x			
	24	853.4	-22.4	-28.1	60	ESE	20.2	5	-0.1									
22	3	854.0	-22.5	-27.8	61	ESE	17.9	3	+0.6	40	02	10-	0 0 7	10-Cs x x				
	6	854.1	-22.2	-27.7	61	ESE	17.9	0	+0.1									
	9	855.2	-22.2	-27.8	60	ESE	18.1	3	+1.1	30	02	10-	0 1 x	10-As x x				
	12	856.1	-22.8	-28.4	60	ESE	17.8	2	+0.9									
	15	857.1	-23.3	-29.0	60	SE	14.7	3	+1.0	40	02	8	6 9 6	2 St x x	4 Ac x x	5 Cs x x	2 Ci x x	
	18	856.7	-23.7	-29.6	58	ESE	15.9	8	-0.4									
	21	855.9	-24.3	-30.2	58	SE	17.0	5	-0.8	40	02	4	0 3 2	3 Ac x x	2 Ci x x			
	24	855.8	-24.1	-29.8	60	ESE	17.4	8	-0.1									
23	3	856.7	-23.7	-28.9	62	ESE	12.8	2	+0.9	50	02	2	0 0 2	2 Ci x x				
	6	855.5	-23.7	-29.2	60	ESE	14.1	8	-1.2									
	9	855.3	-23.6	-29.3	59	ESE	12.3	7	-0.2	50	02	0+	0 3 0	0+Ac x x				
	12	854.6	-23.5	-28.5	64	ESE	12.9	8	-0.7									
	15	853.4	-23.5	-28.8	62	E	16.2	7	-1.2	50	02	3	0 3 1	2 Ac x x	1 Ci x x			
	18	852.9	-24.1	-29.3	62	E	14.1	8	-0.5									
	21	852.3	-25.0	-30.3	60	E	16.4	6	-0.6	50	02	2	0 0 2	2 Ci x x				
	24	851.5	-26.1	-31.9	58	ESE	17.3	7	-0.8									
24	3	851.6	-26.7	-32.2	59	ESE	13.4	1	+0.1	50	02	1	0 0 2	1 Ci x x				
	6	852.3	-27.8	-33.6	58	ESE	12.6	3	+0.7									
	9	852.3	-27.8	-33.5	58	ESE	15.2	5	0.0	50	02	0+	0 3 0	0+Ac x x				
	12	853.2	-28.5	-34.1	58	ESE	14.0	2	+0.9									
	15	853.4	-29.9	-36.0	55	SE	8.2	0	+0.2	50	02	1	0 3 1	1 Ac x x	0+Ci x x			
	18	853.2	-31.8	-37.9	54	SE	6.7	8	-0.2									
	21	853.5	-32.3	-38.1	56	SE	8.3	3	+0.3	50	02	1	0 3 0	1 Ac x x				
	24	853.5	-31.4	-37.0	58	SE	8.5	4	0.0									
25	3	853.3	-30.5	-36.0	57	SE	8.7	8	-0.2	50	02	0+	0 0 2	0+Ci x x				
	6	852.6	-29.0	-34.8	57	SE	10.1	8	-0.7									
	9	852.1	-27.1	-32.9	58	SE	10.5	5	-0.5	50	02	0+	0 3 0	0+Ac x x				
	12	852.9	-24.2	-29.7	60	SE	15.9	2	+0.8									
	15	854.4	-22.1	-27.2	64	ESE	19.3	2	+1.5	10	36	3	6 7 2	1 St x x	2 Ac x x	1 Ci x x		
	18	857.0	-22.2	-27.2	64	ESE	17.3	2	+2.6									
	21	857.7	-22.9	-28.2	62	ESE	19.0	2	+0.7	20	02	1	0 0 2	1 Ci x x				
	24	858.9	-23.3	-28.6	62	ESE	18.3	2	+1.2									

JULY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
26	3	858.9	-24.1	-29.5	61	ESE	19.7	4	0.0	20	02	1	0 0 2	1 Ci x x				
	6	859.5	-24.2	-29.4	62	ESE	17.8	3	+0.6									
	9	859.4	-24.5	-29.9	61	ESE	16.0	5	-0.1	20	02	3	0 7 2	2 Ac x x	3 Ci x x			
	12	858.7	-25.4	-31.4	58	ESE	14.7	8	-0.7									
	15	858.9	-25.7	-31.5	58	ESE	15.9	3	+0.2	40	02	2	0 3 2	2 Ac x x	1 Ci x x			
	18	857.9	-24.9	-31.0	57	ESE	18.1	6	-1.0									
	21	858.0	-24.3	-30.1	58	ESE	16.3	0	+0.1	40	02	1	0 3 0	1 Ac x x				
	24	858.0	-24.2	-30.5	56	ESE	17.7	4	0.0									
27	3	857.6	-24.8	-31.6	54	ESE	20.3	7	-0.4	40	02	1	0 0 2	1 Ci x x				
	6	858.3	-25.9	-32.5	54	ESE	19.7	3	+0.7									
	9	859.3	-26.2	-32.6	56	ESE	20.8	3	+1.0	40	02	2	0 4 0	2 Ac x x				
	12	860.8	-25.7	-31.6	58	ESE	17.6	2	+1.5									
	15	861.9	-25.2	-31.1	58	ESE	19.6	2	+1.1	2.0	71	10-	6 7 x	2 St x x	10-Ac x x			
	18	863.4	-25.0	-31.0	57	ESE	18.3	2	+1.5									
	21	864.5	-24.9	-30.6	59	ESE	19.7	3	+1.1	10	02	3	6 3 0	1 St x x	2 Ac x x			
	24	866.3	-25.0	-30.8	58	ESE	20.7	2	+1.8									
28	3	867.3	-25.3	-30.9	60	ESE	17.5	2	+1.0	20	02	10-	6 0 7	1 St x x	10-Cs x x			
	6	867.9	-25.4	-31.4	58	ESE	19.1	2	+0.6									
	9	868.4	-25.7	-31.7	57	ESE	17.4	0	+0.5	20	02	6	6 7 2	2 St x x	2 Ac x x	4 Ci x x		
	12	869.4	-25.7	-31.9	55	ESE	16.2	2	+1.0									
	15	869.9	-25.9	-31.5	60	ESE	15.9	1	+0.5	2.0	38	9	6 7 6	2 St x x	5 Ac x x	5 Cs x x	3 Ci x x	
	18	869.7	-26.2	-31.9	58	ESE	17.3	8	-0.2									
	21	869.5	-25.9	-31.4	61	ESE	18.9	8	-0.2	5.0	38	8	6 7 6	1 St x x	3 Ac x x	4 Cs x x	4 Ci x x	
	24	869.3	-25.8	-31.4	60	ESE	19.1	7	-0.2									
29	3	868.2	-26.1	-32.0	58	ESE	18.7	7	-1.1	20	36	3	0 7 2	2 Ac x x	1 Ci x x			
	6	866.2	-26.2	-32.5	56	ESE	18.6	7	-2.0									
	9	864.1	-25.7	-32.5	53	ESE	19.4	7	-2.1	50	02	1	0 3 0	1 Ac x x				
	12	862.4	-24.9	-31.8	53	ESE	18.6	7	-1.7									
	15	859.7	-24.6	-32.1	50	ESE	19.1	7	-2.7	50	02	1	0 3 2	0+Ac x x	1 Ci x x			
	18	856.9	-23.8	-31.4	50	ESE	18.5	7	-2.8									
	21	855.3	-23.5	-31.2	49	ESE	18.2	8	-1.6	50	02	1	0 3 0	1 Ac x x				
	24	854.3	-23.3	-31.2	48	ESE	19.1	7	-1.0									
30	3	854.0	-24.0	-32.0	48	ESE	20.3	5	-0.3	50	02	2	0 3 1	2 Ac x x	0+Ci x x			
	6	853.9	-24.2	-31.8	49	ESE	15.7	7	-0.1									
	9	853.6	-23.4	-30.8	51	ESE	16.0	8	-0.3	40	02	4	0 3 2	2 Ac x x	2 Ci x x			
	12	853.7	-22.7	-30.0	52	ESE	17.0	2	+0.1									
	15	854.5	-22.8	-30.0	52	ESE	18.2	3	+0.8	40	02	10-	0 1 x	10 As x x				
	18	856.3	-22.7	-29.6	54	ESE	14.5	3	+1.8									
	21	857.8	-22.2	-29.5	51	SE	16.9	2	+1.5	40	02	10	0 0 7	10 Cs x x				
	24	858.9	-22.1	-29.4	52	SE	16.5	2	+1.1									

JULY

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
31	3	860.3	-22.4	-29.5	52	ESE	16.9	0	+1.4	40	01	4	0 7 0	4 Ac x x			
	6	861.4	-21.7	-28.3	56	ESE	17.0	0	+1.1								
	9	862.6	-21.6	-28.4	54	ESE	14.3	3	+1.2	40	02	6	6 7 6	2 St x x	3 Ac x x	3 Cs x x	3 Ci x x
	12	863.1	-22.0	-29.1	52	ESE	15.2	0	+0.5								
	15	863.5	-22.0	-29.4	51	ESE	19.2	1	+0.4	40	02	3	0 3 2	2 Ac x x	1 Ci x x		
	18	864.9	-21.7	-28.0	57	ESE	17.5	2	+1.4								
	21	866.2	-22.9	-30.1	52	ESE	16.8	1	+1.3	40	02	3	0 3 1	2 Ac x x	1 Ci x x		
	24	866.4	-23.2	-30.3	52	ESE	16.5	2	+0.2								

AUGUST

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
1	3	866.3	-24.1	-31.9	48	ESE	16.5	8	-0.1	40	02	4	0 7 0	4 Ac x x				
	6	865.6	-24.5	-32.5	48	ESE	17.7	5	-0.7									
	9	865.1	-25.6	-33.8	46	ESE	17.2	8	-0.5	40	02	1	0 3 1	1 Ac x x	0+Ci x x			
	12	864.7	-26.2	-33.7	50	ESE	12.8	8	-0.4									
	15	864.7	-26.1	-33.8	48	ESE	13.2	4	0.0	50	02	3	0 3 1	2 Ac x x	1 Ci x x			
	18	864.2	-26.4	-33.9	49	ESE	14.0	8	-0.5									
	21	864.0	-27.3	-35.0	48	ESE	13.0	8	-0.2	50	02	1	0 3 0	1 Ac x x				
	24	863.7	-30.5	-37.3	51	SE	6.7	8	-0.3									
2	3	862.4	-31.0	-38.2	50	SE	6.8	6	-1.3	50	02	0+	0 3 0	0+Ac x x				
	6	860.9	-32.5	-39.5	50	SE	6.1	7	-1.5									
	9	859.6	-33.8	-40.5	51	SSE	6.0	7	-1.3	50	02	0+	0 0 1	0+Ci x x				
	12	858.1	-35.2	-41.4	52	SSE	5.4	7	-1.5									
	15	856.9	-35.1	-41.3	55	SE	6.2	7	-1.2	50	02	3	0 3 2	1 Ac x x	2 Ci x x			
	18	856.1	-35.9	-42.3	52	SE	4.7	6	-0.8									
	21	856.1	-33.5	-40.2	53	SSE	6.3	4	0.0	50	02	3	0 3 2	2 Ac x x	1 Ci x x			
	24	855.7	-35.0	-41.7	52	SE	6.2	6	-0.4									
3	3	855.5	-31.2	-38.2	51	SE	8.4	5	-0.2	50	02	2	0 3 0	2 Ac x x				
	6	855.6	-32.8	-39.6	51	SE	7.6	2	+0.1									
	9	856.0	-32.1	-39.3	48	SE	8.2	2	+0.4	50	02	4	0 3 2	2 Ac x x	2 Ci x x			
	12	857.5	-30.4	-37.2	51	SE	7.4	2	+1.5									
	15	858.5	-30.7	-37.8	50	ESE	7.8	3	+1.0	50	02	4	0 3 2	2 Ac x x	2 Ci x x			
	18	860.4	-32.6	-39.8	48	SE	6.4	1	+1.9									
	21	861.6	-32.9	-39.0	54	SE	7.3	2	+1.2	50	02	3	0 3 2	2 Ac x x	2 Ci x x			
	24	863.0	-30.5	-37.0	53	E	13.4	2	+1.4									
4	3	864.0	-30.9	-37.5	51	E	13.5	2	+1.0	50	02	2	0 3 0	2 Ac x x				
	6	864.9	-30.3	-36.2	57	E	12.9	1	+0.9									
	9	865.3	-31.0	-37.9	50	E	13.7	1	+0.4	40	02	3	0 3 2	1 Ac x x	2 Ci x x			
	12	865.7	-31.2	-37.9	51	E	12.2	0	+0.4									
	15	865.9	-30.6	-37.1	52	E	11.6	0	+0.2	40	02	7	6 3 2	1 St x x	3 Ac x x	5 Ci x x		
	18	865.6	-28.8	-36.0	49	ESE	14.3	8	-0.3									
	21	865.5	-27.9	-34.5	53	ESE	16.5	8	-0.1	40	02	5	0 3 6	2 Ac x x	2 Cs x x	2 Ci x x		
	24	865.2	-28.2	-33.9	58	ESE	18.0	8	-0.3									
5	3	864.5	-27.7	-34.2	54	ESE	20.0	7	-0.7	40	02	10	0 0 7	10 Cs x x				
	6	864.1	-27.1	-33.7	54	ESE	20.6	8	-0.4									
	9	862.8	-26.9	-33.4	54	ESE	22.3	6	-1.3	40	02	10-	0 4 6	2 Ac x x	6 Cs x x	4 Ci x x		
	12	861.9	-26.7	-32.0	61	ESE	23.4	8	-0.9									
	15	861.4	-26.0	-31.8	58	ESE	20.8	8	-0.5	2.0	71	10-	6 7 6	2 St x x	5 Ac x x	5 Cs x x	4 Ci x x	
	18	860.8	-25.4	-31.7	55	ESE	20.1	5	-0.6									
	21	859.7	-24.8	-31.0	56	ESE	19.2	7	-1.1	30	02	7	0 0 6	7 Cs x x				
	24	858.8	-24.3	-31.3	52	ESE	18.2	7	-0.9									

AUGUST

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
6	3	858.7	-24.6	-31.7	51	ESE	19.5	8	-0.1	30	02	10-	0 0 7	10 Cs x x			
	6	858.4	-24.2	-30.6	55	ESE	20.1	7	-0.3								
	9	859.5	-24.0	-28.7	65	ESE	20.0	2	+1.1	0.1	73	10	0 2 x	10 As x x			
	12	861.0	-23.9	-28.3	67	ESE	19.0	2	+1.5								
	15	861.6	-24.2	-28.1	70	ESE	18.5	3	+0.6	0.05	73	10	0 2 x	10 As x x			
	18	862.7	-24.3	-28.6	67	ESE	17.7	2	+1.1								
	21	863.8	-24.7	-28.9	67	ESE	20.4	2	+1.1	0.1	39	10-	0 1 x	10-As x x			
	24	864.8	-25.1	-29.7	65	ESE	20.9	3	+1.0								
7	3	865.4	-26.0	-30.9	64	ESE	20.4	0	+0.6	10	01	5	6 0 6	1 St x x	5 Cs x x		
	6	865.9	-26.4	-31.4	63	ESE	21.1	2	+0.5								
	9	867.2	-26.6	-32.0	60	ESE	20.7	2	+1.3	40	02	3	0 3 2	2 Ac x x	1 Ci x x		
	12	867.4	-26.2	-31.8	60	ESE	21.2	3	+0.2								
	15	868.3	-25.3	-30.9	60	ESE	19.2	3	+0.9	40	02	3	6 3 2	1 St x x	1 Ac x x	2 Ci x x	
	18	869.4	-25.0	-30.7	59	ESE	17.9	1	+1.1								
	21	870.9	-24.8	-30.5	60	ESE	17.7	2	+1.5	50	02	1	0 3 0	1 Ac x x			
	24	872.2	-25.3	-31.3	57	ESE	18.8	2	+1.3								
8	3	873.6	-25.3	-31.3	57	ESE	19.7	2	+1.4	50	02	0+	0 3 0	0+Ac x x			
	6	874.1	-25.3	-31.2	57	ESE	20.6	1	+0.5								
	9	876.3	-25.2	-31.7	54	ESE	18.7	2	+2.2	50	02	0+	0 0 1	0+Ci x x			
	12	877.9	-24.3	-30.8	55	ESE	17.2	2	+1.6								
	15	879.2	-23.1	-29.7	54	ESE	17.6	3	+1.3	50	02	0+	0 0 1	0+Ci x x			
	18	879.5	-22.2	-28.8	55	ESE	18.7	0	+0.3								
	21	879.9	-21.5	-28.2	55	ESE	18.0	1	+0.4	50	02	0+	0 0 2	0+Ci x x			
	24	879.9	-20.9	-27.8	53	SE	17.4	4	0.0								
9	3	880.2	-20.6	-27.3	55	ESE	18.7	1	+0.3	50	02	0+	0 0 2	0+Ci x x			
	6	880.5	-20.4	-27.4	54	ESE	17.8	2	+0.3								
	9	880.3	-20.7	-27.7	53	ESE	16.9	5	-0.2	50	02	0+	0 3 0	0+Ac x x			
	12	879.0	-20.9	-27.8	53	ESE	16.9	8	-1.3								
	15	878.9	-20.9	-27.7	54	ESE	14.1	5	-0.1	50	02	1	0 3 0	1 Ac x x			
	18	877.7	-21.4	-28.0	55	ESE	14.1	7	-1.2								
	21	877.3	-21.6	-27.8	57	ESE	11.7	5	-0.4	50	02	1	0 3 0	1 Ac x x			
	24	875.7	-21.3	-28.1	55	SE	15.5	8	-1.6								
10	3	874.1	-21.3	-28.4	53	ESE	15.8	7	-1.6	50	02	0+	0 0 2	0+Ci x x			
	6	871.9	-21.2	-28.3	53	SE	17.3	7	-2.2								
	9	870.0	-21.0	-28.1	53	ESE	16.2	8	-1.9	50	02	2	0 3 0	2 Ac x x			
	12	868.7	-21.4	-28.4	53	ESE	16.1	8	-1.3								
	15	867.2	-21.7	-28.8	53	ESE	15.0	8	-1.5	50	02	2	5 3 1	1 Sc x x	1 Ac x x	0+Ci x x	
	18	865.9	-21.8	-28.8	53	ESE	17.3	7	-1.3								
	21	865.6	-22.5	-29.2	54	ESE	18.0	8	-0.3	50	02	1	0 3 0	1 Ac x x			
	24	866.3	-23.4	-28.9	60	ESE	18.8	3	+0.7								

AUGUST

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
11	3	866.9	-23.9	-30.3	55	ESE	19.1	1	+0.6	50	02	2	0 3 0	2 Ac x x			
	6	866.8	-24.1	-30.9	54	ESE	16.4	8	-0.1								
	9	866.4	-23.3	-30.8	50	ESE	16.7	8	-0.4	50	03	2	0 3 2	1 Ac x x	2 Ci x x		
	12	866.2	-23.0	-30.5	51	ESE	17.7	7	-0.2								
	15	866.1	-23.5	-31.0	50	ESE	17.5	8	-0.1	50	02	3	0 3 2	2 Ac x x	1 Ci x x		
	18	866.6	-23.8	-31.3	50	ESE	15.5	1	+0.5								
	21	866.8	-24.3	-32.1	49	ESE	13.5	0	+0.2	50	02	2	0 3 2	2 Ac x x	0+Ci x x		
	24	867.2	-25.9	-33.6	49	ESE	8.5	2	+0.4								
12	3	866.5	-26.4	-34.4	47	ESE	8.7	7	-0.7	50	02	3	0 3 1	1 Ac x x	3 Ci x x		
	6	866.3	-25.5	-33.4	48	ESE	9.6	7	-0.2								
	9	866.0	-26.4	-34.1	48	ESE	9.2	6	-0.3	50	02	4	0 0 5	2 Cs x x	2 Ci x x		
	12	865.9	-25.3	-33.2	47	ESE	13.7	7	-0.1								
	15	866.2	-24.9	-32.9	48	ESE	11.9	0	+0.3	50	02	5	0 0 5	3 Cs x x	2 Ci x x		
	18	866.2	-25.2	-33.4	47	ESE	13.6	4	0.0								
	21	866.5	-25.5	-33.5	47	ESE	14.4	3	+0.3	50	02	4	0 0 6	3 Cs x x	2 Ci x x		
	24	867.1	-25.5	-33.2	48	E	15.2	3	+0.6								
13	3	867.8	-26.2	-33.6	50	E	15.2	1	+0.7	50	02	1	0 0 1	1 Ci x x			
	6	868.7	-26.1	-33.5	49	E	14.4	2	+0.9								
	9	869.6	-26.0	-33.6	49	E	14.2	1	+0.9	50	02	2	0 3 2	1 Ac x x	1 Ci x x		
	12	870.8	-25.9	-33.7	49	ESE	12.2	2	+1.2								
	15	871.4	-26.4	-34.0	49	ESE	10.5	1	+0.6	50	02	0+	0 0 2	0+Ci x x			
	18	872.2	-29.5	-36.5	51	ESE	7.3	2	+0.8								
	21	872.5	-30.7	-37.5	50	SE	7.8	3	+0.3	50	02	1	0 0 2	1 Ci x x			
	24	872.7	-31.3	-38.2	51	SE	7.2	0	+0.2								
14	3	873.0	-29.0	-36.1	50	ESE	10.0	0	+0.3	50	03	3	0 3 1	1 Ac x x	3 Ci x x		
	6	873.6	-25.9	-33.0	51	ESE	13.5	1	+0.6								
	9	874.3	-25.6	-33.0	50	E	12.7	0	+0.7	50	02	5	0 0 2	5 Ci x x			
	12	875.4	-25.5	-32.8	51	E	14.0	2	+1.1								
	15	876.1	-24.9	-32.2	51	ESE	14.7	1	+0.7	50	02	7	0 3 2	2 Ac x x	5 Ci x x		
	18	876.7	-25.1	-32.5	50	E	13.7	1	+0.6								
	21	877.1	-24.6	-31.9	50	E	16.5	1	+0.4	50	02	7	0 0 2	7 Ci x x			
	24	877.5	-23.7	-30.6	53	ESE	17.7	1	+0.4								
15	3	877.6	-23.3	-30.1	53	ESE	15.6	0	+0.1	50	02	8	0 3 6	5 Ac x x	4 Cs x x	4 Ci x x	
	6	876.6	-23.1	-30.1	52	ESE	15.6	7	-1.0								
	9	874.8	-23.2	-30.5	52	ESE	15.1	7	-1.8	50	02	3	0 3 2	2 Ac x x	1 Ci x x		
	12	872.3	-23.3	-30.9	50	ESE	16.5	8	-2.5								
	15	868.6	-22.2	-31.1	44	ESE	17.5	7	-3.7	50	02	3	0 3 1	2 Ac x x	1 Ci x x		
	18	864.6	-21.3	-30.2	45	ESE	17.2	7	-4.0								
	21	861.3	-20.5	-30.3	41	ESE	19.8	7	-3.3	50	02	5	0 3 2	2 Ac x x	5 Ci x x		
	24	857.7	-20.4	-30.8	39	ESE	18.7	7	-3.6								

AUGUST

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
16	3	853.4	-21.8	-31.1	43	ESE	14.0	8	-4.3	50	01	8	0 3 2	3 Ac x x	7 Ci x x		
	6	850.0	-21.1	-29.8	46	ESE	24.8	7	-3.4								
	9	849.8	-22.2	-31.1	44	ESE	22.3	5	-0.2	40	02	3	5 4 2	1 Sc x x	1 Ac x x	1 Ci x x	
	12	849.3	-22.8	-31.5	45	SE	24.6	7	-0.5								
	15	849.8	-22.5	-29.8	51	ESE	22.3	1	+0.5	15	36	7	6 7 2	2 St x x	4 Ac x x	6 Ci x x	
	18	851.9	-22.5	-27.4	64	ESE	20.0	3	+2.1								
	21	853.1	-22.4	-30.3	48	ESE	23.3	1	+1.2	20	02	10-	0 1 x	10-As x x			
	24	855.6	-22.2	-26.0	71	ESE	21.8	2	+2.5								
17	3	858.8	-22.0	-25.4	74	ESE	21.4	2	+3.2	0.02	73	10	0 2 x	10 As x x			
	6	862.9	-22.4	-25.8	74	ESE	20.2	2	+4.1								
	9	865.8	-23.4	-27.1	72	ESE	17.8	1	+2.9	0.01	73	10	0 2 x	10 As x x			
	12	866.6	-25.0	-28.9	69	ESE	15.6	1	+0.8								
	15	866.4	-24.7	-28.7	69	ESE	14.8	8	-0.2	0.2	73	8	6 9 2	2 St x x	4 Ac x x	7 Ci x x	
	18	865.3	-26.0	-30.1	68	SE	8.7	8	-1.1								
	21	863.8	-28.8	-33.3	65	SE	8.5	7	-1.5	50	36	0+	0 3 0	0+Ac x x			
	24	862.6	-27.7	-32.2	65	ESE	12.4	7	-1.2								
18	3	860.7	-26.7	-31.1	67	SE	11.7	6	-1.9	20	36	0+	0 3 0	0+Ac x x			
	6	860.1	-28.7	-33.7	63	SE	9.5	8	-0.6								
	9	859.6	-28.5	-34.1	58	SE	8.1	7	-0.5	50	02	1	0 3 2	1 Ac x x	0+Ci x x		
	12	859.9	-27.9	-32.9	63	SE	9.5	1	+0.3								
	15	860.6	-29.7	-34.8	62	SE	5.2	0	+0.7	50	02	0	0 0 0				
	18	861.5	-30.0	-35.5	59	SE	7.0	3	+0.9								
	21	861.8	-27.3	-31.9	65	ESE	10.3	0	+0.3	50	36	0+	0 3 0	0+Ac x x			
	24	862.5	-27.3	-32.0	65	ESE	7.6	2	+0.7								
19	3	862.3	-23.0	-27.3	68	ESE	12.0	5	-0.2	40	36	1	0 3 0	1 Ac x x			
	6	863.2	-23.2	-27.5	67	ESE	8.3	3	+0.9								
	9	864.3	-22.7	-26.9	69	ESE	8.1	3	+1.1	10	36	3	6 7 2	1 St x x	1 Ac x x	1 Ci x x	
	12	865.0	-22.2	-26.3	69	ESE	11.9	3	+0.7								
	15	866.8	-22.4	-26.8	68	ESE	10.5	3	+1.8	10	36	1	0 3 0	1 Ac x x			
	18	867.3	-23.1	-27.6	67	ESE	12.1	1	+0.5								
	21	867.9	-23.8	-28.5	66	ESE	11.0	1	+0.6	20	36	1	0 3 0	1 Ac x x			
	24	868.5	-24.1	-29.0	64	E	10.8	1	+0.6								
20	3	868.1	-24.1	-29.2	63	ESE	13.1	8	-0.4	40	02	1	0 3 1	1 Ac x x	0+Ci x x		
	6	867.6	-24.2	-29.2	63	E	15.6	8	-0.5								
	9	867.7	-25.5	-30.6	62	E	13.3	3	+0.1	40	02	2	6 4 0	1 St x x	1 Ac x x		
	12	867.9	-24.8	-29.9	62	ESE	16.8	1	+0.2								
	15	867.4	-24.7	-29.8	63	ESE	16.2	8	-0.5	50	02	3	0 7 1	2 Ac x x	1 Ci x x		
	18	866.9	-24.2	-29.1	63	ESE	18.8	6	-0.5								
	21	866.1	-24.4	-29.4	64	ESE	17.5	7	-0.8	50	02	2	0 7 0	2 Ac x x			
	24	865.5	-24.9	-30.2	62	ESE	15.4	8	-0.6								

AUGUST

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
21	3	864.3	-24.5	-29.9	61	ESE	15.2	7	-1.2	50	02	1	0 3 0	1 Ac x x			
	6	862.9	-23.9	-29.4	61	ESE	16.3	7	-1.4								
	9	861.9	-23.2	-28.8	60	ESE	16.8	6	-1.0	50	02	9	0 7 2	2 Ac x x	9 Ci x x		
	12	860.8	-21.9	-26.9	64	ESE	17.7	8	-1.1								
	15	859.6	-21.2	-25.5	68	ESE	20.7	8	-1.2	0.1	73	10-	0 7 2	6 As x x	4 Ac x x	x Ci x x	
	18	859.3	-20.0	-23.5	74	ESE	22.9	7	-0.3								
	21	859.8	-19.3	-22.6	75	ESE	21.1	0	+0.5	0.02	73	10	0 2 x	10 As x x			
	24	860.2	-18.8	-21.9	76	ESE	20.2	2	+0.4								
22	3	861.5	-18.5	-21.9	74	ESE	19.8	2	+1.3	0.02	73	10	0 2 x	10 Ns x x			
	6	863.2	-18.0	-21.4	75	ESE	18.9	2	+1.7								
	9	864.0	-17.9	-21.3	75	ESE	17.6	1	+0.8	0.02	73	10	0 2 x	10 As x x			
	12	864.5	-18.1	-21.6	74	ESE	18.8	1	+0.5								
	15	864.5	-18.3	-22.0	72	ESE	17.6	4	0.0	0.02	73	10-	0 9 x	10-Ac x x			
	18	865.6	-18.3	-22.0	72	ESE	16.4	3	+1.1								
	21	865.6	-18.4	-22.2	72	ESE	16.6	4	0.0	0.1	39	4	0 9 0	4 Ac x x			
	24	865.8	-18.4	-22.2	72	ESE	16.0	0	+0.2								
23	3	865.5	-18.5	-22.4	71	ESE	14.1	8	-0.3	0.4	39	6	0 7 0	5 Ac x x			
	6	864.2	-18.9	-22.8	71	ESE	15.2	5	-1.3								
	9	863.1	-20.5	-24.9	68	SE	11.2	6	-1.1	50	36	1	0 3 1	1 Ac x x	0+Ci x x		
	12	862.4	-19.8	-24.0	69	SE	12.7	8	-0.7								
	15	861.8	-19.4	-23.4	71	ESE	18.5	6	-0.6	0.1	39	0+	0 7 0	0+Ac x x			
	18	862.2	-18.7	-22.7	71	SE	18.3	1	+0.4								
	21	863.0	-18.5	-22.3	72	SE	17.2	0	+0.8	0.1	39	1	0 7 0	1 Ac x x			
	24	864.4	-17.8	-21.6	72	ESE	18.6	1	+1.4								
24	3	865.4	-17.7	-21.5	72	ESE	20.1	2	+1.0	0.05	39	1	0 7 0	1 Ac x x			
	6	866.2	-18.2	-22.1	71	ESE	19.4	0	+0.8								
	9	867.5	-18.0	-22.1	70	ESE	19.1	1	+1.3	0.1	39	10-	0 9 2	7 Ac x x	x Ci x x		
	12	868.3	-19.1	-23.4	69	SE	16.3	0	+0.8								
	15	867.8	-19.3	-23.7	68	SE	18.2	8	-0.5	0.2	39	3	0 7 2	1 Ac x x	2 Ci x x		
	18	867.2	-20.0	-24.3	69	SE	19.8	7	-0.6								
	21	866.8	-20.7	-25.1	68	SE	20.3	8	-0.4	0.1	39	1	0 3 0	1 Ac x x			
	24	866.8	-20.8	-25.4	67	SE	19.8	4	0.0								
25	3	866.7	-20.3	-25.8	62	SE	16.9	5	-0.1	10	36	0+	0 0 2	0+Ci x x			
	6	865.2	-18.8	-24.6	60	ESE	23.3	8	-1.5								
	9	863.0	-18.4	-22.9	67	ESE	25.1	5	-2.2	0.1	39	8	0 7 2	2 Ac x x	8 Ci x x		
	12	863.7	-20.1	-25.5	62	ESE	22.4	0	+0.7								
	15	861.8	-22.4	-26.1	72	SE	27.2	6	-1.9	0.01	39	7	0 7 2	2 Ac x x	7 Ci x x		
	18	860.7	-21.9	-25.8	71	ESE	29.2	7	-1.1								
	21	864.1	-22.1	-28.2	58	ESE	23.5	2	+3.4	20	36	1	0 3 0	1 Ac x x			
	24	864.4	-23.0	-28.9	58	ESE	25.5	0	+0.3								

AUGUST

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
26	3	866.4	-23.3	-29.6	56	ESE	24.6	0	+2.0	40	02	0+	0 3 0	0+Ac x x				
	6	867.2	-23.4	-29.6	57	ESE	25.6	0	+0.8									
	9	867.8	-23.6	-29.7	57	ESE	25.8	1	+0.6	50	02	1	0 7 1	1 Ac x x	0+Ci x x			
	12	869.5	-23.7	-29.8	57	ESE	24.3	2	+1.7									
	15	869.6	-24.5	-30.3	58	ESE	23.8	0	+0.1	40	02	1	0 3 0	1 Ac x x				
	18	869.9	-25.5	-31.0	60	ESE	26.5	3	+0.3									
	21	871.4	-27.4	-33.3	57	ESE	24.9	2	+1.5	30	36	1	0 3 0	1 Ac x x				
	24	872.1	-27.7	-32.6	64	ESE	24.2	0	+0.7									
27	3	873.1	-26.6	-32.4	57	ESE	23.6	0	+1.0	30	36	2	0 3 0	2 Ac x x				
	6	874.3	-25.2	-30.9	60	ESE	20.5	3	+1.2									
	9	875.9	-24.6	-29.6	63	ESE	18.6	2	+1.6	0.8	71	10	0 7 7	5 Ac x x	10 Cs x x			
	12	876.6	-24.6	-29.1	66	ESE	19.0	3	+0.7									
	15	877.7	-24.9	-30.2	62	ESE	17.7	0	+1.1	2.0	38	10	6 1 x	2 St x x	10 As x x			
	18	877.9	-25.7	-31.5	58	ESE	17.3	0	+0.2									
	21	878.6	-26.4	-32.2	58	ESE	16.9	3	+0.7	20	02	2	5 3 2	1 St x x	2 Ac x x	0+Ci x x		
	24	879.2	-26.5	-31.9	60	ESE	18.2	2	+0.6									
28	3	880.2	-26.6	-32.0	60	ESE	18.3	2	+1.0	30	02	1	0 3 0	1 Ac x x				
	6	881.2	-26.6	-31.8	61	ESE	20.7	2	+1.0									
	9	883.0	-27.0	-32.1	63	ESE	17.9	3	+1.8	40	02	2	6 7 1	1 St x x	1 Ac x x	0+Ci x x		
	12	884.6	-26.7	-31.9	61	ESE	19.2	2	+1.6									
	15	886.9	-26.3	-31.5	61	ESE	18.3	2	+2.3	0.8	71	4	6 7 0	2 St x x	2 Ac x x			
	18	888.5	-26.7	-32.0	61	ESE	19.7	2	+1.6									
	21	891.3	-26.9	-32.5	59	ESE	17.4	2	+2.8	40	02	3	0 3 2	2 Ac x x	1 Ci x x			
	24	893.0	-27.2	-32.7	59	ESE	14.8	2	+1.7									
29	3	894.8	-27.7	-33.5	57	ESE	11.9	2	+1.8	40	02	2	0 7 0	2 Ac x x				
	6	895.4	-28.6	-34.2	59	ESE	8.8	2	+0.6									
	9	896.5	-31.0	-37.0	57	SE	6.9	1	+1.1	50	02	3	0 3 2	2 Ac x x	1 Ci x x			
	12	897.5	-30.0	-35.9	57	SE	5.2	2	+1.0									
	15	898.1	-29.7	-35.5	58	SE	3.6	0	+0.6	50	02	1	0 3 1	0+Ac x x	1 Ci x x			
	18	898.5	-32.9	-38.4	56	S	4.4	0	+0.4									
	21	898.3	-34.4	-39.8	58	S	4.5	8	-0.2	50	02	1	0 3 0	1 Ac x x				
	24	897.4	-34.8	-40.2	59	S	5.8	8	-0.9									
30	3	897.1	-35.9	-41.1	59	SE	4.8	5	-0.3	50	02	0+	0 0 1	0+Ci x x				
	6	895.9	-35.1	-40.6	58	SSE	4.8	7	-1.2									
	9	894.5	-34.2	-39.4	59	S	3.9	7	-1.4	50	02	0+	0 0 1	0+Ci x x				
	12	892.8	-32.1	-37.3	60	SSW	5.4	7	-1.7									
	15	890.8	-29.8	-35.6	58	S	5.9	7	-2.0	50	02	0+	0 3 0	0+Ac x x				
	18	889.4	-28.3	-34.1	57	SSW	6.9	7	-1.4									
	21	887.9	-25.3	-30.9	59	SE	7.2	7	-1.5	50	02	0+	0 3 0	0+Ac x x				
	24	887.5	-23.2	-28.4	62	ESE	8.8	6	-0.4									

AUGUST

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
31	3	888.2	-24.2	-29.2	63	ESE	9.3	3	+0.7	50	02	1	0 3 0	1 Ac x x			
	6	889.0	-25.1	-30.2	63	ESE	10.6	2	+0.8								
	9	890.3	-24.0	-28.8	65	ESE	12.2	2	+1.3	40	02	7	5 3 2	1 Sc x x	5 Ac x x	2 Ci x x	
	12	892.4	-20.7	-25.5	65	ESE	11.6	2	+2.1								
	15	892.8	-18.4	-23.0	67	ESE	11.7	1	+0.4	50	02	8	6 3 6	1 St x x	2 Ac x x	8 Cs x x	
	18	892.9	-17.9	-22.3	69	ESE	13.2	2	+0.1								
	21	893.7	-17.6	-21.8	69	ESE	12.4	2	+0.8	50	02	4	0 3 8	1 Ac x x	4 Cs x x		
	24	894.2	-17.4	-21.7	69	ESE	12.2	1	+0.5								

SEPTEMBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
1	3	894.7	-17.1	-21.7	68	ESE	13.2	0	+0.5	50	02	10-	0 0 7	10-Cs x x				
	6	894.8	-17.4	-22.0	67	ESE	11.4	1	+0.1									
	9	895.1	-17.1	-21.9	66	ESE	13.1	2	+0.3	40	02	10-	6 7 8	1 St x x	5 Ac x x	x Cs x x		
	12	895.4	-16.4	-21.4	65	ESE	11.6	0	+0.3									
	15	895.3	-16.1	-21.4	63	E	11.9	5	-0.1	40	02	10-	0 7 x	5 As x x				
	18	895.3	-17.3	-22.4	65	ESE	9.7	4	0.0									
	21	894.8	-19.5	-25.2	60	SE	7.8	8	-0.5	50	02	5	0 7 6	2 Ac x x	3 Cs x x	2 Ci x x		
	24	894.2	-22.8	-28.3	61	SW	3.3	7	-0.6									
2	3	893.0	-27.3	-32.9	60	S	4.3	6	-1.2	50	02	3	0 7 2	2 Ac x x	2 Ci x x			
	6	891.2	-28.3	-33.9	58	SSE	5.2	8	-1.8									
	9	890.1	-30.0	-35.5	59	SSE	4.8	7	-1.1	50	02	1	0 0 1	1 Ci x x				
	12	888.7	-28.7	-34.0	61	S	4.1	7	-1.4									
	15	887.2	-26.6	-32.2	59	SE	4.8	7	-1.5	50	02	7	0 0 1	7 Ci x x				
	18	885.1	-29.1	-34.8	58	SE	4.5	7	-2.1									
	21	883.2	-30.8	-36.2	60	SSE	3.9	7	-1.9	50	02	3	0 0 1	3 Ci x x				
	24	881.7	-30.1	-35.8	58	SSE	4.5	7	-1.5									
3	3	879.8	-31.3	-36.9	58	SSE	5.3	8	-1.9	50	02	2	0 0 1	2 Ci x x				
	6	878.0	-31.9	-37.5	57	SSW	3.8	7	-1.8									
	9	876.9	-33.4	-38.3	62	SSE	4.0	7	-1.1	50	02	2	0 0 2	2 Ci x x				
	12	876.1	-31.8	-37.0	61	S	4.7	7	-0.8									
	15	875.5	-29.4	-35.2	57	SSW	5.3	6	-0.6	50	02	1	0 3 0	1 Ac x x				
	18	874.9	-30.8	-36.6	57	S	5.7	7	-0.6									
	21	875.1	-33.4	-38.8	57	SSE	5.5	0	+0.2	50	02	1	0 3 0	1 Ac x x				
	24	875.1	-31.4	-37.0	58	SE	7.1	4	0.0									
4	3	875.9	-28.8	-35.1	54	SE	6.7	2	+0.8	50	02	1	0 3 0	1 Ac x x				
	6	876.4	-29.0	-35.4	54	SE	5.8	1	+0.5									
	9	877.1	-27.9	-34.0	57	ESE	7.0	1	+0.7	40	02	10-	6 5 x	1 St x x	9 Ac x x			
	12	878.0	-28.0	-34.0	57	ESE	4.3	3	+0.9									
	15	878.1	-25.6	-31.9	55	ESE	9.4	1	+0.1	50	02	0+	5 3 0	0+St x x	0+Ac x x			
	18	878.2	-27.6	-33.9	55	ESE	5.6	3	+0.1									
	21	878.2	-31.7	-38.0	53	SE	6.0	4	0.0	50	02	1	0 3 0	1 Ac x x				
	24	877.6	-33.2	-38.9	57	SE	6.0	8	-0.6									
5	3	876.9	-34.2	-39.9	56	SSE	6.4	7	-0.7	50	02	1	0 3 0	1 Ac x x				
	6	876.0	-34.6	-40.1	58	SSE	6.2	7	-0.9									
	9	875.0	-34.6	-40.7	55	SE	6.9	5	-1.0	50	02	2	0 0 1	2 Ci x x				
	12	873.8	-33.9	-39.4	57	SSE	4.3	8	-1.2									
	15	872.6	-32.4	-37.8	60	S	3.7	7	-1.2	50	02	3	0 0 2	3 Ci x x				
	18	871.4	-33.4	-39.6	54	S	5.1	7	-1.2									
	21	870.7	-36.9	-42.5	58	S	4.4	7	-0.7	50	02	2	0 0 1	2 Ci x x				
	24	870.0	-37.2	-42.5	60	SSE	5.0	7	-0.7									

SEPTEMBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
6	3	869.8	-38.0	-43.0	61	SSE	4.4	5	-0.2	50	02	1	0 3 0	1 Ac x x			
	6	869.6	-38.6	-43.5	59	SE	4.9	8	-0.2								
	9	870.1	-39.5	-44.0	60	SE	4.3	2	+0.5	50	02	0	0 0 0				
	12	870.5	-37.5	-42.2	63	SSE	4.5	2	+0.4								
	15	871.4	-35.7	-40.8	59	SE	1.6	2	+0.9	50	02	0	0 0 0				
	18	872.2	-37.7	-44.0	50	SE	2.4	3	+0.8								
	21	872.7	-39.9	-46.1	53	SSW	1.7	2	+0.5	50	02	0	0 0 0				
	24	873.3	-41.9	-47.4	60	SE	4.3	2	+0.6								
7	3	873.9	-42.0	-47.1	60	SE	4.1	0	+0.6	50	02	0	0 0 0				
	6	874.5	-41.5	-46.4	63	SE	4.5	2	+0.6								
	9	875.0	-38.5	-44.5	55	SE	3.4	0	+0.5	50	02	0+	0 3 0	0+Ac x x			
	12	875.0	-35.5	-40.3	60	SE	4.0	0	0.0								
	15	875.5	-35.2	-41.3	55	S	4.1	0	+0.5	50	02	0+	0 3 0	0+Ac x x			
	18	875.1	-36.4	-42.6	52	ESE	4.3	6	-0.4								
	21	875.0	-38.6	-44.9	50	SE	4.3	8	-0.1	50	02	0+	0 3 0	0+Ac x x			
	24	873.9	-36.7	-44.1	46	SE	5.6	8	-1.1								
8	3	873.3	-35.0	-40.3	58	NE	2.4	8	-0.6	50	02	0+	0 3 0	0+Ac x x			
	6	872.5	-41.2	-47.0	53	S	4.0	8	-0.8								
	9	871.4	-43.1	-49.3	50	SE	3.9	7	-1.1	50	02	0+	0 3 0	0+Ac x x			
	12	870.4	-39.9	-46.1	53	SE	5.5	7	-1.0								
	15	869.2	-36.4	-42.5	56	SE	5.4	7	-1.2	50	02	0+	0 3 0	0+Ac x x			
	18	868.5	-35.0	-41.9	48	SE	7.8	7	-0.7								
	21	867.6	-36.9	-43.8	50	SE	8.5	7	-0.9	50	02	1	0 3 1	0+Ac x x			
	24	867.3	-35.9	-42.4	52	SE	9.0	5	-0.3								
9	3	866.4	-33.9	-41.1	49	SE	11.7	6	-0.9	40	36	5	0 3 1	1 Ac x x	5 Ci x x		
	6	865.5	-34.1	-40.3	53	SE	12.4	7	-0.9								
	9	865.2	-34.7	-42.0	47	SE	9.4	5	-0.3	50	36	1	0 3 0	1 Ac x x			
	12	864.9	-33.6	-40.4	50	SE	7.2	5	-0.3								
	15	864.8	-30.9	-37.9	49	SE	13.6	7	-0.1	20	36	2	0 3 1	1 Ac x x	1 Ci x x		
	18	864.2	-32.3	-39.6	49	SE	9.5	7	-0.6								
	21	864.4	-32.8	-40.3	46	ESE	10.6	0	+0.2	30	02	7	0 7 1	4 Ac x x	5 Ci x x		
	24	864.6	-32.1	-39.8	45	ESE	14.6	1	+0.2								
10	3	865.1	-31.7	-39.4	47	SE	13.6	3	+0.5	40	02	5	0 0 2	5 Ci x x			
	6	866.0	-31.7	-39.4	47	SE	11.6	3	+0.9								
	9	867.1	-36.9	-44.9	42	SSE	4.3	2	+1.1	50	02	5	5 3 0	0+Sc x x	5 Ac x x		
	12	868.3	-31.0	-39.0	46	S	2.8	2	+1.2								
	15	869.5	-32.7	-40.8	44	SW	6.3	2	+1.2	50	02	0+	5 0 0	0+Sc x x			
	18	870.5	-37.2	-44.3	48	S	2.1	2	+1.0								
	21	871.5	-40.6	-47.9	44	SSW	4.0	2	+1.0	50	02	0+	0 3 0	0+Ac x x			
	24	872.3	-42.9	-49.5	50	S	3.4	2	+0.8								

SEPTEMBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
11	3	872.4	-40.0	-46.3	53	SW	6.3	0	+0.1	50	02	1	0 3 0	1 Ac x x				
	6	871.7	-40.2	-47.0	47	SSE	5.6	8	-0.7									
	9	871.7	-41.4	-48.0	50	SE	4.6	4	0.0	50	02	0	0 0 0					
	12	870.2	-40.2	-46.4	53	SSE	3.0	7	-1.5									
	15	868.9	-36.7	-43.9	50	SE	1.9	8	-1.3	50	02	0	0 0 0					
	18	867.7	-35.9	-44.5	41		0.0	7	-1.2									
	21	867.3	-41.6	-47.5	50	SSE	5.9	5	-0.4	50	02	0	0 0 0					
24	866.7	-41.6	-48.2	50	SE	4.4	6	-0.6										
12	3	866.5	-34.7	-42.3	47	SE	6.3	5	-0.2	50	02	0	0 0 0					
	6	866.6	-32.9	-40.1	49	SE	8.7	1	+0.1									
	9	865.8	-31.5	-39.1	48	SE	12.4	8	-0.8	50	02	0	0 0 0					
	12	865.8	-29.5	-36.5	51	SE	9.3	0	0.0									
	15	865.6	-28.5	-35.8	49	SE	7.9	5	-0.2	50	02	0+	0 4 0	0+Ac x x				
	18	865.4	-31.4	-39.8	42	SE	6.5	8	-0.2									
	21	865.0	-33.0	-40.6	47	SE	7.7	5	-0.4	50	02	0	0 0 0					
24	865.1	-39.0	-46.1	48	SSE	6.3	2	+0.1										
13	3	864.7	-40.2	-46.1	53	SE	1.8	8	-0.4	50	03	2	0 4 8	0+Ac x x	2 Cs x x			
	6	864.9	-42.5	-48.9	47	SSE	1.2	3	+0.2									
	9	864.8	-44.1	-50.2	50	SE	2.9	5	-0.1	50	02	0+	0 3 0	0+Ac x x				
	12	865.5	-38.9	-45.4	52	W	0.5	0	+0.7									
	15	867.3	-34.8	-41.8	50	SW	5.5	1	+1.8	50	02	0+	5 4 0	0+Sc x x	0+Ac x x			
	18	868.6	-33.9	-40.6	51	SE	4.1	2	+1.3									
	21	870.0	-34.3	-40.7	53	SE	8.4	2	+1.4	50	02	0+	5 4 0	0+Sc x x	0+Ac x x			
24	871.6	-29.9	-36.6	53	SE	10.3	2	+1.6										
14	3	872.9	-27.2	-34.4	50	SE	16.2	0	+1.3	50	02	0+	0 3 0	0+Ac x x				
	6	876.0	-29.9	-38.2	45	S	3.3	0	+3.1									
	9	876.5	-22.6	-31.3	45	SE	18.0	0	+0.5	50	02	0+	5 0 1	0+Sc x x	0+Ci x x			
	12	876.3	-21.5	-30.2	46	SE	16.6	8	-0.2									
	15	873.7	-19.0	-27.6	47	SE	16.7	5	-2.6	50	02	4	5 0 2	0+Sc x x	4 Ci x x			
	18	876.9	-19.2	-26.7	52	SE	12.6	0	+3.2									
	21	876.8	-18.3	-27.1	46	SE	14.5	8	-0.1	50	02	0+	0 3 0	0+Ac x x				
24	877.2	-19.1	-28.1	45	SE	13.4	1	+0.4										
15	3	876.3	-19.7	-28.7	44	SE	13.7	7	-0.9	50	02	2	0 0 1	2 Ci x x				
	6	876.1	-18.5	-28.9	39	SE	18.9	5	-0.2									
	9	876.8	-18.3	-29.3	37	SE	19.6	0	+0.7	50	02	0	0 0 0					
	12	877.2	-18.1	-26.2	49	SE	11.5	1	+0.4									
	15	875.5	-16.6	-26.3	43	SE	15.9	8	-1.7	50	02	0+	5 0 0	0+Sc x x				
	18	875.9	-19.2	-27.9	46	SE	18.1	0	+0.4									
	21	878.0	-17.3	-26.9	43	SE	24.0	1	+2.1	10	36	2	5 3 1	0+Sc x x	0+Ac x x	2 Ci x x		
24	880.0	-17.0	-26.2	44	ESE	22.0	3	+2.0										

SEPTEMBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
16	3	880.6	-16.4	-26.3	42	SE	19.8	1	+0.6	50	02	3	5 4 1	0+Sc x x	1 Ac x x	2 Ci x x		
	6	880.0	-16.5	-25.6	45	SE	15.4	8	-0.6									
	9	879.1	-15.0	-25.7	40	SE	18.1	6	-0.9	50	02	2	0 0 2	2 Ci x x				
	12	878.1	-15.3	-25.0	44	SE	13.4	8	-1.0									
	15	875.4	-15.1	-25.6	40	SE	15.2	7	-2.7	50	02	1	0 3 1	0+Ac x x	1 Ci x x			
	18	871.6	-18.8	-27.7	45	SE	10.8	8	-3.8									
	21	869.8	-22.5	-30.8	47	SE	9.9	7	-1.8	50	02	0+	0 0 1	0+Ci x x				
	24	868.7	-19.4	-28.7	43	SE	13.3	5	-1.1									
17	3	867.1	-19.1	-28.6	43	ESE	20.7	5	-1.6	50	02	1	0 0 1	1 Ci x x				
	6	866.8	-18.8	-29.2	40	ESE	20.3	8	-0.3									
	9	867.1	-18.8	-29.2	40	ESE	20.4	3	+0.3	50	02	0	0 0 0					
	12	867.7	-18.2	-28.0	42	ESE	20.5	3	+0.6									
	15	869.2	-19.4	-28.3	46	ESE	19.6	2	+1.5	50	02	0	0 0 0					
	18	870.4	-21.4	-30.7	43	ESE	23.6	1	+1.2									
	21	871.4	-23.4	-33.1	41	ESE	26.1	3	+1.0	10	36	0	0 0 0					
	24	871.6	-24.6	-33.5	43	ESE	28.9	3	+0.2									
18	3	873.9	-25.0	-33.9	43	ESE	25.7	2	+2.3	30	02	1	0 0 1	1 Ci x x				
	6	874.8	-25.0	-33.6	44	ESE	22.8	3	+0.9									
	9	875.8	-24.4	-31.3	53	ESE	23.0	3	+1.0	20	02	6	6 7 6	1 St x x	3 Ac x x	4 Cs x x		
	12	876.6	-24.0	-28.3	68	ESE	22.6	2	+0.8									
	15	878.1	-23.6	-27.4	71	ESE	21.2	3	+1.5	0.05	73	10	0 2 x	10 As x x				
	18	879.7	-23.5	-27.0	73	ESE	19.3	2	+1.6									
	21	879.7	-24.2	-28.4	68	ESE	18.4	4	0.0	1.0	36	5	6 7 2	1 St x x	2 Ac x x	3 Ci x x		
	24	880.0	-24.3	-29.2	64	ESE	17.7	0	+0.3									
19	3	879.0	-23.9	-29.3	61	ESE	17.1	7	-1.0	20	02	4	0 7 1	2 Ac x x	3 Ci x x			
	6	878.1	-23.7	-30.2	55	ESE	15.4	8	-0.9									
	9	876.6	-23.7	-30.0	56	ESE	13.3	6	-1.5	50	02	2	0 7 1	1 Ac x x	1 Ci x x			
	12	875.6	-22.0	-29.4	51	ESE	11.5	7	-1.0									
	15	874.6	-20.7	-28.4	50	ESE	10.0	7	-1.0	50	02	1	0 3 0	1 Ac x x				
	18	873.5	-20.8	-27.6	55	SE	9.9	5	-1.1									
	21	873.0	-24.3	-31.3	52	SE	8.0	8	-0.5	50	02	0+	0 4 0	0+Ac x x				
	24	873.0	-23.6	-31.5	48	ESE	8.5	5	0.0									
20	3	873.2	-22.7	-30.8	47	ESE	13.9	1	+0.2	50	02	1	0 4 0	1 Ac x x				
	6	872.9	-23.7	-31.5	48	ESE	13.0	8	-0.3									
	9	872.4	-23.5	-30.7	52	ESE	13.2	5	-0.5	50	02	0	0 0 0					
	12	872.1	-23.1	-30.4	51	SE	8.0	8	-0.3									
	15	871.8	-23.4	-30.6	52	SSE	5.9	5	-0.3	50	02	0	0 0 0					
	18	871.6	-23.6	-30.6	53	SE	8.5	5	-0.2									
	21	872.4	-27.0	-34.4	49	SE	6.0	2	+0.8	50	02	0	0 0 0					
	24	873.5	-27.9	-34.9	52	SE	6.8	2	+1.1									

SEPTEMBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
21	3	875.7	-29.1	-36.0	51	SE	8.9	2	+2.2	50	02	0	0 0 0				
	6	878.6	-28.8	-35.8	51	SE	8.2	2	+2.9								
	9	881.1	-28.5	-35.4	51	ESE	9.2	2	+2.5	50	02	0+	5 7 0	0+Sc x x	0+Ac x x		
	12	884.0	-25.4	-32.6	51	E	9.8	2	+2.9								
	15	885.3	-23.8	-30.9	52	E	11.3	1	+1.3	50	02	0+	0 3 0	0+Ac x x			
	18	885.6	-24.4	-31.2	53	ESE	11.7	1	+0.3								
	21	885.8	-24.6	-31.1	55	ESE	11.4	0	+0.2	50	02	2	0 7 0	2 Ac x x			
	24	884.8	-24.5	-31.5	52	E	9.8	6	-1.0								
22	3	883.4	-28.2	-34.9	53	SE	6.1	8	-1.4	50	03	6	0 7 6	1 Ac x x	6 Cs x x		
	6	881.1	-29.4	-36.1	52	SE	6.7	7	-2.3								
	9	878.1	-27.5	-34.4	52	SE	6.3	7	-3.0	50	03	10-	0 1 4	8 As x x	x Ci x x		
	12	875.1	-21.9	-29.8	49	ESE	12.6	7	-3.0								
	15	872.2	-20.2	-28.3	49	E	12.3	7	-2.9	50	02	9	0 7 6	2 Ac x x	8 Ci x x	4 Cs x x	
	18	869.5	-21.5	-29.2	50	ESE	7.2	7	-2.7								
	21	867.7	-21.8	-30.4	46	ESE	12.4	7	-1.8	50	02	7	0 7 2	3 Ac x x	6 Ci x x		
	24	866.7	-22.6	-31.2	45	ESE	12.0	6	-1.0								
23	3	865.9	-22.5	-31.0	46	ESE	14.1	7	-0.8	50	02	7	0 7 1	3 Ac x x	5 Ci x x		
	6	865.5	-22.5	-30.7	48	ESE	14.7	5	-0.4								
	9	865.4	-22.8	-31.1	47	ESE	13.9	5	-0.1	50	02	3	0 7 2	2 Ac x x	2 Ci x x		
	12	865.5	-21.3	-29.5	47	ESE	14.5	0	+0.1								
	15	865.6	-20.3	-28.6	48	ESE	14.9	2	+0.1	40	03	8	0 0 6	5 Ci x x	4 Cs x x		
	18	865.4	-21.1	-29.5	47	ESE	13.1	6	-0.2								
	21	865.4	-21.3	-28.8	51	ESE	12.2	4	0.0	40	02	6	0 0 6	4 Cs x x	3 Ci x x		
	24	865.7	-21.6	-29.2	51	ESE	14.4	1	+0.3								
24	3	865.7	-22.1	-29.4	52	E	15.7	4	0.0	--	--	--	-- --				
	6	864.9	-21.9	-29.7	49	ESE	19.1	8	-0.8								
	9	865.1	-22.0	-29.6	51	ESE	20.7	3	+0.2	30	02	10	0 1 x	10 As x x			
	12	865.3	-21.4	-27.7	57	ESE	20.0	0	+0.2								
	15	864.5	-20.5	-27.0	56	ESE	18.3	8	-0.8	15	36	10	6 1 x	4 St x x	10 As x x		
	18	863.9	-20.3	-26.3	59	ESE	17.5	8	-0.6								
	21	863.9	-20.3	-25.3	65	ESE	17.8	0	0.0	15	36	10	6 2 x	5 St x x	10 As x x		
	24	863.6	-20.0	-26.2	58	ESE	16.0	5	-0.3								
25	3	863.0	-20.0	-26.4	57	ESE	16.3	7	-0.6	--	--	--	-- --				
	6	862.2	-20.2	-27.1	55	ESE	15.5	7	-0.8								
	9	861.6	-19.7	-26.8	54	ESE	15.9	7	-0.6	40	02	10	6 2 x	3 St x 8	10 As x x		
	12	861.3	-19.4	-26.7	52	ESE	15.3	8	-0.3								
	15	860.8	-18.5	-26.2	50	ESE	15.1	8	-0.5	40	01	5	6 3 2	1 St x 8	2 Ac x x	4 Ci x x	
	18	860.5	-19.4	-27.1	51	ESE	13.8	7	-0.3								
	21	860.3	-20.4	-28.0	50	ESE	15.2	5	-0.2	50	02	3	6 7 2	1 St x x	2 Ac x x	2 Ci x x	
	24	860.2	-20.4	-27.7	52	SE	13.7	8	-0.1								

SEPTEMBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
26	3	859.8	-21.3	-29.0	50	ESE	13.4	7	-0.4	40	02	3	6 7 1	0+St x x	2 Ac x x	2 Ci x x		
	6	859.5	-21.2	-28.9	50	ESE	13.9	7	-0.3									
	9	859.9	-21.7	-29.7	48	ESE	12.3	1	+0.4	50	02	3	0 3 2	1 Ac x x	2 Ci x x			
	12	860.6	-20.0	-28.3	48	ESE	13.5	1	+0.7									
	15	860.5	-20.0	-28.5	47	ESE	15.8	8	-0.1	50	02	1	0 3 2	0+Ac x x	1 Ci x x			
	18	860.7	-20.7	-29.6	45	ESE	14.9	1	+0.2									
	21	861.4	-23.6	-31.3	49	SE	8.7	3	+0.7	50	02	0	0 0 0					
	24	861.5	-24.2	-32.8	45	ESE	9.5	1	+0.1									
27	3	861.1	-24.1	-33.0	44	ESE	11.8	5	-0.4	50	02	0+	0 3 0	0+Ac x x				
	6	861.5	-23.7	-32.6	44	ESE	14.5	2	+0.4									
	9	861.2	-23.6	-32.6	44	ESE	14.6	5	-0.3	50	02	0+	0 3 0	0+Ac x x				
	12	861.3	-22.2	-31.3	43	ESE	18.7	0	+0.1									
	15	861.4	-21.4	-30.7	43	ESE	17.0	0	+0.1	50	02	1	0 3 2	1 Ac x x	0+Ci x x			
	18	861.2	-24.1	-32.4	46	E	14.2	5	-0.2									
	21	861.7	-26.8	-34.6	48	SE	9.4	1	+0.5	50	02	1	0 3 0	1 Ac x x				
	24	861.7	-26.6	-36.1	40	ESE	11.7	0	0.0									
28	3	861.1	-28.5	-36.8	44	SE	8.3	5	-0.6	50	02	0	0 0 0					
	6	859.9	-31.8	-40.6	42	SE	7.6	8	-1.2									
	9	859.3	-32.1	-40.0	45	ESE	3.0	8	-0.6	50	02	3	0 3 1	1 Ac x x	2 Ci x x			
	12	857.7	-27.5	-34.8	50	SE	5.7	7	-1.6									
	15	855.7	-25.6	-33.6	47	SSE	2.6	7	-2.0	50	02	3	0 3 2	1 Ac x x	2 Ci x x			
	18	855.1	-28.1	-36.5	44	SSW	3.2	7	-0.6									
	21	853.3	-32.7	-40.5	46	S	5.7	8	-1.8	50	02	1	0 3 0	1 Ac x x				
	24	852.4	-31.2	-39.0	47	SE	7.0	7	-0.9									
29	3	850.5	-27.3	-36.0	43	ESE	10.9	7	-1.9	50	02	0	0 0 0					
	6	849.9	-25.9	-35.4	41	ESE	15.0	8	-0.6									
	9	849.9	-24.6	-34.0	42	ESE	17.1	4	0.0	50	02	1	0 0 2	1 Ci x x				
	12	849.9	-23.0	-32.4	42	ESE	19.1	4	0.0									
	15	849.8	-22.5	-31.6	44	ESE	17.9	8	-0.1	50	02	1	0 0 2	1 Ci x x				
	18	849.7	-23.0	-32.1	44	ESE	18.9	5	-0.1									
	21	850.1	-24.5	-33.4	44	ESE	17.8	0	+0.4	50	02	1	0 3 0	1 Ac x x				
	24	850.1	-24.3	-33.3	43	ESE	20.2	0	0.0									
30	3	850.2	-24.6	-32.7	46	ESE	18.9	0	+0.1	50	02	0+	0 3 0	0+Ac x x				
	6	850.3	-25.1	-33.3	46	ESE	17.8	3	+0.1									
	9	850.2	-24.6	-32.8	46	ESE	18.4	8	-0.1	50	02	3	5 7 2	0+Sc x x	3 Ac x x	0+Ci x x		
	12	849.7	-23.2	-31.4	47	ESE	18.3	7	-0.5									
	15	849.1	-21.9	-29.9	48	ESE	16.6	8	-0.6	40	36	10-	6 7 6	0+St x x	5 Ac x x	5 Cs x x		
	18	848.0	-21.6	-29.2	51	ESE	16.2	7	-1.1									
	21	847.6	-22.0	-29.5	50	ESE	14.4	7	-0.4	30	02	10-	6 7 6	0+St x x	4 Ac x x	5 Cs x x	5 Ci x x	
	24	847.0	-22.4	-30.2	49	ESE	15.3	6	-0.6									

OCTOBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
1	3	846.9	-23.2	-31.0	48	ESE	13.3	5	-0.1	--	--	--	- - -					
	6	847.1	-23.8	-31.0	51	ESE	12.8	0	+0.2									
	9	847.8	-22.9	-27.5	66	ESE	13.1	2	+0.7	0.8	38	9	0 3 2	3 Ac x x	8 Ci x x			
	12	849.1	-21.7	-25.5	71	ESE	13.1	3	+1.3									
	15	850.4	-21.1	-25.0	71	E	10.8	3	+1.3	0.4	73	10	0 7 7	6 Ac x x	10 Cs x x			
	18	851.8	-22.0	-26.3	69	ESE	8.5	2	+1.4									
	21	853.2	-21.5	-25.4	71	E	9.0	2	+1.4	1.0	36	10	6 0 7	6 St x x	10 Cs x x			
	24	855.1	-21.0	-24.5	73	ESE	10.7	3	+1.9									
2	3	857.2	-21.1	-24.5	74	ESE	12.0	1	+2.1	--	--	--	- - -					
	6	858.8	-21.4	-24.9	73	ESE	12.2	2	+1.6									
	9	859.8	-21.1	-24.5	74	ESE	12.8	3	+1.0	0.1	73	10	0 2 x	10 As x x				
	12	860.3	-20.1	-23.3	76	E	11.6	1	+0.5									
	15	860.3	-18.5	-21.8	75	E	12.2	5	0.0	0.4	39	9	0 3 x	9 Ac x x				
	18	860.7	-18.1	-20.6	80	E	12.5	1	+0.4									
	21	860.5	-17.5	-19.8	83	ESE	15.0	8	-0.2	0.1	73	10-	0 2 7	7 Ns x x	x Cs x x			
	24	861.4	-19.4	-21.8	81	ESE	14.2	3	+0.9									
3	3	861.2	-19.6	-22.4	79	SE	16.8	5	-0.2	--	--	--	- - -					
	6	861.1	-20.5	-23.6	76	ESE	17.9	8	-0.1									
	9	861.7	-19.9	-23.0	76	SE	19.2	1	+0.6	0.05	39	8	0 7 2	6 Ac x x	6 Ci x x			
	12	862.8	-19.5	-22.5	77	ESE	17.7	1	+1.1									
	15	863.6	-18.9	-21.8	78	ESE	14.4	1	+0.8	0.4	39	7	0 7 2	4 Ac x x	3 Ci x x			
	18	863.4	-18.8	-22.4	73	ESE	13.6	7	-0.2									
	21	863.3	-20.3	-24.1	71	ESE	13.3	8	-0.1	0.4	39	8	0 9 1	3 Ac x x	8 Ci x x			
	24	863.8	-20.9	-24.6	72	ESE	13.6	3	+0.5									
4	3	863.8	-21.7	-25.7	70	SE	15.0	0	0.0	--	--	--	- - -					
	6	864.6	-22.3	-27.3	63	ESE	13.0	1	+0.8									
	9	865.9	-22.2	-28.0	59	E	7.5	3	+1.3	50	02	5	0 3 2	0+Ac x x	5 Ci x x			
	12	867.0	-19.6	-24.2	67	ESE	13.0	2	+1.1									
	15	868.4	-19.1	-22.8	73	ESE	15.6	3	+1.4	0.3	39	9	0 3 2	1 Ac x x	9 Ci x x			
	18	870.4	-19.6	-24.0	68	ESE	14.4	2	+2.0									
	21	872.2	-20.9	-25.8	65	ESE	14.3	2	+1.8	20	36	3	0 3 2	0+Ac x x	3 Ci x x			
	24	874.0	-21.0	-26.1	64	ESE	13.9	1	+1.8									
5	3	875.3	-20.3	-25.6	62	ESE	16.0	1	+1.3	--	--	--	- - -					
	6	876.5	-21.0	-26.6	61	ESE	14.7	2	+1.2									
	9	877.6	-19.7	-26.4	55	ESE	14.7	2	+1.1	30	02	0+	0 3 2	0+Ac x x	0+Ci x x			
	12	877.9	-17.7	-22.2	68	ESE	17.9	0	+0.3									
	15	878.3	-16.5	-23.4	55	ESE	13.8	1	+0.4	40	02	0+	0 0 2	0+Ci x x				
	18	878.2	-17.0	-22.8	61	ESE	15.1	8	-0.1									
	21	878.7	-18.0	-25.2	53	ESE	15.0	3	+0.5	40	02	0+	0 3 1	0+Ac x x	0+Ci x x			
	24	879.2	-18.2	-25.6	52	ESE	15.5	2	+0.5									

OCTOBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
6	3	879.4	-18.8	-26.5	50	ESE	14.2	2	+0.2	--	--	--	- - -					
	6	879.1	-18.4	-26.7	48	ESE	14.9	7	-0.3									
	9	880.0	-17.5	-25.2	51	ESE	15.1	2	+0.9	50	02	0+	1 3 0	0+Cu x x	0+Ac x x			
	12	880.1	-16.3	-23.1	56	E	14.3	0	+0.1									
	15	880.3	-16.1	-23.3	54	ESE	13.1	0	+0.2	50	02	0+	0 3 1	0+Ac x x	0+Ci x x			
	18	880.2	-16.7	-25.0	49	ESE	13.5	8	-0.1									
	21	880.6	-18.7	-27.6	46	ESE	11.3	0	+0.4	40	02	0+	0 4 0	0+Ac x x				
	24	880.5	-19.4	-28.4	45	ESE	11.2	5	-0.1									
7	3	880.3	-20.4	-29.2	46	ESE	10.8	8	-0.2	--	--	--	- - -					
	6	879.4	-22.1	-30.8	45	ESE	8.5	7	-0.9									
	9	879.5	-20.5	-28.6	48	SE	6.4	3	+0.1	50	02	0	0 0 0					
	12	879.1	-18.3	-25.6	52	SE	7.3	5	-0.4									
	15	878.8	-16.2	-24.1	50	SE	6.2	8	-0.3	40	02	0	0 0 0					
	18	878.2	-20.6	-27.8	52	SE	2.5	8	-0.6									
	21	878.4	-24.8	-32.7	48	W	0.9	1	+0.2	40	02	0	0 0 0					
	24	878.4	-28.2	-35.7	48		0.2	4	0.0									
8	3	877.8	-25.9	-35.1	42	SW	1.8	7	-0.6	--	--	--	- - -					
	6	877.3	-23.2	-32.6	42	NE	0.5	6	-0.5									
	9	876.5	-27.9	-36.1	45	SSW	0.3	7	-0.8	40	02	0	0 0 0					
	12	876.0	-23.9	-32.1	47	WSW	4.3	7	-0.5									
	15	875.4	-22.2	-29.8	50	SSW	5.0	7	-0.6	50	02	0	0 0 0					
	18	874.4	-23.3	-31.6	47	SE	3.2	7	-1.0									
	21	874.1	-29.4	-36.8	48	SE	5.6	5	-0.3	40	02	0	0 0 0					
	24	873.7	-28.0	-36.7	43	SE	6.4	8	-0.4									
9	3	873.5	-30.3	-38.5	45	S	5.9	8	-0.2	--	--	--	- - -					
	6	873.3	-34.2	-41.0	50	S	2.4	8	-0.2									
	9	873.8	-24.9	-33.4	46	SE	6.8	1	+0.5	50	02	0	0 0 0					
	12	874.6	-23.4	-32.4	43	SE	1.1	2	+0.8									
	15	874.7	-21.2	-31.7	38	WSW	2.6	3	+0.1	40	02	1	0 0 2	1 Ci x x				
	18	875.3	-24.9	-33.1	47	SSW	2.3	2	+0.6									
	21	875.8	-29.6	-38.5	42	SE	2.0	3	+0.5	50	02	0+	0 0 2	0+Ci x x				
	24	876.2	-33.8	-41.8	46	SE	5.4	3	+0.4									
10	3	875.5	-27.7	-35.0	49	SE	8.1	8	-0.7	--	--	--	- - -					
	6	874.4	-25.5	-34.8	42	ESE	14.1	8	-1.1									
	9	873.9	-24.4	-33.5	42	ESE	14.9	8	-0.5	50	02	0+	0 0 2	0+Ci x x				
	12	872.6	-22.9	-29.3	56	ESE	16.3	7	-1.3									
	15	870.8	-21.5	-31.1	42	ESE	15.7	7	-1.8	20	02	0	0 0 0					
	18	868.9	-21.8	-31.4	42	ESE	16.0	7	-1.9									
	21	867.5	-23.4	-33.1	41	ESE	14.8	7	-1.4	30	02	0	0 0 0					
	24	866.0	-24.8	-34.6	40	ESE	13.6	7	-1.5									

OCTOBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
11	3	864.7	-25.8	-35.5	40	ESE	13.1	7	-1.3	--	--	--	- - -					
	6	864.1	-26.5	-35.9	41	ESE	13.2	7	-0.6									
	9	863.8	-25.9	-34.9	43	E	13.8	5	-0.3	40	02	0	0 0 0					
	12	864.9	-24.2	-33.3	43	ESE	14.7	2	+1.1									
	15	865.8	-23.8	-33.2	41	E	13.7	2	+0.9	40	02	0	0 0 0					
	18	867.0	-26.8	-33.4	54	ENE	6.2	0	+1.2									
	21	868.0	-30.6	-36.6	56	E	6.5	2	+1.0	40	02	0	0 0 0					
	24	868.5	-28.7	-36.9	46	E	11.1	1	+0.5									
12	3	868.6	-28.9	-37.1	45	E	10.0	3	+0.1	--	--	--	- - -					
	6	868.8	-27.8	-36.5	44	E	12.5	1	+0.2									
	9	869.4	-25.6	-35.1	41	ESE	16.5	3	+0.6	50	02	0+	0 3 0	0+Ac x x				
	12	870.5	-24.1	-32.9	45	ESE	17.1	3	+1.1									
	15	872.2	-24.7	-30.3	59	E	17.4	3	+1.7	0.8	38	6	0 3 2	0+Ac x x	6 Ci x x			
	18	872.4	-23.1	-31.8	45	ESE	12.1	1	+0.2									
	21	873.7	-23.3	-32.7	41	ESE	11.9	3	+1.3	40	02	7	0 3 2	5 Ac x x				
	24	874.5	-23.6	-32.7	43	ESE	14.1	1	+0.8									
13	3	875.2	-23.1	-30.9	49	ESE	16.4	3	+0.7	--	--	--	- - -					
	6	875.2	-22.6	-31.5	44	ESE	17.4	0	0.0									
	9	876.4	-21.0	-28.8	50	ESE	17.7	2	+1.2	30	02	7	5 3 0	0+Sc x x	7 Ac x x			
	12	877.5	-19.4	-26.5	53	ESE	15.7	1	+1.1									
	15	878.1	-18.0	-26.2	48	ESE	15.1	2	+0.6	30	02	7	5 3 1	0+Sc x x	6 Ac x x	3 Ci x x		
	18	878.0	-18.6	-26.2	51	ESE	13.5	5	-0.1									
	21	878.3	-18.9	-25.4	57	ESE	15.3	3	+0.3	30	02	7	0 3 2	5 Ac x x	3 Ci x x			
	24	879.2	-18.8	-22.9	70	ESE	15.2	2	+0.9									
14	3	879.2	-19.3	-26.7	52	ESE	14.4	0	0.0	--	--	--	- - -					
	6	878.4	-20.0	-28.7	46	ESE	15.5	7	-0.8									
	9	878.1	-19.0	-27.8	45	ESE	17.1	8	-0.3	40	02	5	0 4 2	2 Ac x x	4 Ci x x			
	12	878.8	-17.6	-26.4	46	ESE	16.3	1	+0.7									
	15	878.2	-17.3	-26.5	44	E	19.3	8	-0.6	20	36	3	0 3 2	2 Ac x x	2 Ci x x			
	18	878.1	-18.2	-26.1	50	E	16.3	8	-0.1									
	21	879.3	-20.3	-28.7	47	E	13.3	3	+1.2	30	02	4	0 3 2	2 Ac x x	3 Ci x x			
	24	879.7	-20.8	-30.1	43	ESE	14.4	0	+0.4									
15	3	878.8	-20.2	-30.3	40	ESE	15.8	6	-0.9	--	--	--	- - -					
	6	877.4	-21.6	-30.8	43	SE	12.7	8	-1.4									
	9	876.5	-18.7	-27.5	46	ESE	17.8	5	-0.9	40	02	2	0 7 1	1 Ac x x	2 Ci x x			
	12	875.8	-16.5	-22.7	59	ESE	18.0	8	-0.7									
	15	873.6	-14.8	-22.1	54	ESE	19.6	7	-2.2	25	36	8	0 7 2	7 Ac x x	x Ci x x			
	18	871.5	-14.6	-23.3	48	SE	17.9	7	-2.1									
	21	870.8	-15.1	-23.7	48	ESE	19.3	7	-0.7	25	36	10	5 2 x	0+Sc x x	10 As x x			
	24	869.7	-15.5	-24.3	47	ESE	19.1	8	-1.1									

OCTOBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
16	3	868.0	-15.4	-24.6	45	ESE	19.8	7	-1.7	--	--	--	- - -				
	6	866.3	-15.7	-25.0	45	ESE	20.6	7	-1.7								
	9	866.0	-15.5	-25.0	44	ESE	21.1	7	-0.3	20	02	10	0 7 x	4 Ac x x	10 As x x		
	12	865.3	-14.6	-23.9	45	ESE	22.2	6	-0.7								
	15	865.0	-14.4	-23.1	48	ESE	19.7	8	-0.3	20	02	10	0 7 x	10 Ac x x			
	18	865.2	-15.1	-23.1	51	ESE	18.6	0	+0.2								
	21	866.5	-16.0	-24.7	47	ESE	17.7	3	+1.3	40	02	8	0 7 2	8 Ac x x	x Ci x x		
	24	867.5	-16.7	-26.0	45	ESE	19.7	1	+1.0								
17	3	868.4	-17.7	-27.7	41	SE	18.4	1	+0.9	--	--	--	- - -				
	6	869.0	-19.0	-28.4	43	ESE	18.7	0	+0.6								
	9	869.4	-18.4	-27.3	45	ESE	16.8	1	+0.4	40	01	5	0 7 0	5 Ac x x			
	12	870.0	-17.2	-25.7	48	ESE	15.3	0	+0.6								
	15	869.3	-16.1	-24.8	47	ESE	17.6	8	-0.7	40	02	1	0 3 1	0+Ac x x	1 Ci x x		
	18	869.0	-16.7	-24.9	49	ESE	15.8	7	-0.3								
	21	869.9	-17.6	-27.3	42	ESE	18.0	3	+0.9	50	02	0+	5 3 0	0+Sc x x	0+Ac x x		
	24	870.2	-18.6	-28.7	40	ESE	18.3	3	+0.3								
18	3	870.5	-19.2	-29.1	41	SE	16.8	1	+0.3	--	--	--	- - -				
	6	871.0	-22.7	-30.7	49	SE	7.8	2	+0.5								
	9	870.5	-20.0	-28.6	46	SE	9.1	5	-0.5	50	02	0+	0 3 0	0+Ac x x			
	12	868.1	-17.9	-26.2	48	ESE	10.6	8	-2.4								
	15	866.5	-16.7	-26.1	44	SE	9.2	7	-1.6	50	02	0	0 0 0				
	18	865.3	-18.1	-27.2	45	ESE	7.5	7	-1.2								
	21	864.1	-20.5	-30.1	42	SE	7.5	7	-1.2	40	02	0+	0 0 1	0+Ci x x			
	24	863.2	-23.8	-33.0	42	SSE	7.2	7	-0.9								
19	3	863.2	-23.5	-32.7	42	SE	8.7	5	0.0	--	--	--	- - -				
	6	863.1	-24.1	-33.0	44	SE	9.4	7	-0.1								
	9	863.2	-21.4	-30.1	45	SE	9.9	0	+0.1	50	02	0+	0 3 0	0+Ac x x			
	12	863.4	-17.9	-26.9	45	ESE	13.2	2	+0.2								
	15	864.3	-17.1	-26.1	46	ESE	12.3	2	+0.9	50	02	0	0 0 0				
	18	864.7	-18.0	-26.0	50	ESE	9.1	2	+0.4								
	21	865.4	-21.1	-28.2	53	ESE	9.3	3	+0.7	40	02	0	0 0 0				
	24	865.9	-23.4	-30.4	53	E	9.8	0	+0.5								
20	3	866.0	-25.9	-31.3	61	E	10.0	1	+0.1	--	--	--	- - -				
	6	864.6	-22.6	-30.2	50	ESE	11.8	8	-1.4								
	9	864.1	-20.5	-28.8	48	ESE	18.3	7	-0.5	30	03	6	0 3 6	0+Ac x x	4 Cs x x	3 Ci x x	
	12	863.4	-19.7	-27.0	52	ESE	20.9	6	-0.7								
	15	863.3	-18.9	-26.9	49	ESE	20.1	5	-0.1	25	03	10-	0 3 6	0+Ac x x	7 Cs x x	4 Ci x x	
	18	862.6	-18.6	-26.2	51	ESE	19.7	7	-0.7								
	21	863.3	-19.2	-22.9	72	ESE	18.5	3	+0.7	0.05	39	10	0 2 x	10 As x x			
	24	864.5	-19.2	-22.8	73	ESE	18.1	2	+1.2								

OCTOBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
21	3	866.2	-19.3	-23.7	68	ESE	17.5	2	+1.7	--	--	--	- - -					
	6	867.4	-18.6	-22.9	69	ESE	16.3	2	+1.2									
	9	868.0	-17.7	-22.1	68	ESE	16.3	1	+0.6	7	38	10-	0 7 2	7 Ac x x	x Ci x x			
	12	868.1	-16.5	-22.3	61	ESE	16.8	0	+0.1									
	15	866.7	-15.2	-22.6	53	ESE	14.5	7	-1.4	30	01	8	0 7 2	4 Ac x x	5 Ci x x			
	18	864.5	-14.4	-21.7	54	SE	13.0	7	-2.2									
	21	863.2	-17.4	-25.8	48	ESE	12.8	7	-1.3	40	01	6	0 0 2	6 Ci x x				
	24	861.2	-17.3	-27.4	41	SE	14.3	7	-2.0									
22	3	859.1	-16.0	-26.1	42	SE	18.1	7	-2.1	--	--	--	- - -					
	6	857.9	-15.7	-23.2	53	ESE	21.0	7	-1.2									
	9	858.4	-15.7	-21.1	63	ESE	22.1	3	+0.5	5.0	38	8	0 7 6	5 Ac x x	4 Ci x x	3 Cs x x	0+Cc x x	
	12	858.3	-14.8	-21.5	57	ESE	22.0	8	-0.1									
	15	858.8	-14.4	-17.2	79	ESE	22.0	3	+0.5	0.02	39	8	0 7 6	2 Ac x x	4 Ci x x	3 Cs x x		
	18	858.3	-13.9	-14.5	95	SE	19.6	8	-0.5									
	21	857.7	-13.4	x	x	ESE	19.0	6	-0.6	0.01	73	x	x x x					
	24	855.5	-13.2	x	x	SE	20.6	8	-2.2									
23	3	852.3	-12.6	x	x	ESE	23.2	7	-3.2	--	--	--	- - -					
	6	851.4	-12.4	x	x	SE	23.7	8	-0.9									
	9	850.6	-12.2	-12.9	95	SE	22.5	5	-0.8	0.01	73	x	x x x					
	12	849.1	-11.2	-12.1	93	ESE	20.1	7	-1.5									
	15	848.7	-9.4	-10.1	95	ESE	17.2	5	-0.4	0.01	73	x	x x x					
	18	849.7	-9.0	-9.4	97	E	14.1	2	+1.0									
	21	852.5	-6.8	-7.3	96	ENE	8.6	2	+2.8	0.2	73	x	x x x					
	24	854.9	-7.3	x	x	E	7.7	1	+2.4									
24	3	856.5	-7.9	-8.5	96	ESE	7.8	2	+1.6	--	--	--	- - -					
	6	857.8	-8.3	-9.1	94	ESE	10.4	2	+1.3									
	9	859.2	-8.8	-9.7	93	ESE	12.5	2	+1.4	0.05	73	x	x x x					
	12	860.6	-8.9	-9.9	93	ESE	12.7	1	+1.4									
	15	861.1	-8.3	-9.3	92	ESE	11.5	2	+0.5	0.1	73	x	x x x					
	18	861.4	-7.9	-8.8	94	ESE	13.0	2	+0.3									
	21	862.3	-7.7	-8.4	95	ESE	10.2	2	+0.9	0.2	73	x	x x x					
	24	863.1	-8.2	-9.1	93	ESE	10.3	2	+0.8									
25	3	863.8	-9.8	-11.1	90	ESE	12.0	2	+0.7	--	--	--	- - -					
	6	864.7	-11.3	-12.7	90	ESE	15.1	3	+0.9									
	9	866.2	-11.1	-12.6	89	ESE	13.7	1	+1.5	0.2	73	x	x x x					
	12	867.7	-10.8	-12.2	89	ESE	14.2	2	+1.5									
	15	868.4	-10.3	-11.6	90	ESE	12.4	1	+0.7	0.8	71	x	x x x					
	18	869.0	-9.7	-10.8	92	E	9.6	2	+0.6									
	21	869.6	-9.6	-10.9	90	E	9.7	2	+0.6	5.0	38	10	6 7 x	0+St x x	10 Ac x x			
	24	870.4	-11.3	-12.9	88	ESE	9.7	2	+0.8									

OCTOBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
26	3	870.7	-13.1	-14.8	87	ESE	11.3	1	+0.3	--	--	--	- - -					
	6	870.2	-13.7	-15.5	86	ESE	12.4	8	-0.5									
	9	869.5	-13.5	-15.4	86	ESE	14.2	8	-0.7	0.4	39	7	6 7 2	0+St x x	4 Ac x x	4 Ci x x		
	12	869.0	-13.2	-14.9	87	ESE	12.7	8	-0.5									
	15	867.4	-12.1	-14.0	86	ESE	12.5	6	-1.6	1.5	38	8	0 3 2	5 Ac x x	4 Ci x x			
	18	865.5	-12.0	-13.8	87	ESE	11.0	7	-1.9									
	21	863.5	-13.8	-15.6	86	ESE	13.6	7	-2.0	20	36	2	0 3 2	0+Ac x x	2 Ci x x			
	24	861.6	-15.4	-17.4	84	ESE	13.4	7	-1.9									
27	3	859.2	-16.4	-18.4	85	ESE	14.4	7	-2.4	--	--	--	- - -					
	6	856.4	-17.9	-19.9	84	SE	12.2	7	-2.8									
	9	853.3	-16.7	-18.7	84	SE	11.7	7	-3.1	40	36	0	0 0 0					
	12	849.8	-15.3	-17.2	86	SE	13.4	7	-3.5									
	15	846.8	-15.8	-18.3	81	ESE	14.1	7	-3.0	0.2	39	0	0 0 0					
	18	844.4	-16.2	-18.2	84	SE	14.6	8	-2.4									
	21	842.1	-18.1	-20.1	84	SE	13.6	7	-2.3	2.0	38	0+	5 0 0	0+Sc x x				
	24	841.6	-21.2	-26.5	62	SE	11.1	8	-0.5									
28	3	840.6	-21.7	-26.2	67	SE	12.8	6	-1.0	--	--	--	- - -					
	6	839.3	-20.5	-24.2	73	SE	20.6	6	-1.3									
	9	839.5	-19.2	-22.6	75	SE	21.2	0	+0.2	0.05	73	x	x x x					
	12	840.0	-18.5	-21.3	78	ESE	22.5	3	+0.5									
	15	840.5	-17.6	-20.2	80	ESE	21.7	3	+0.5	0.05	73	x	x x x					
	18	842.0	-17.4	-19.7	83	ESE	18.8	2	+1.5									
	21	843.6	-17.8	-20.2	81	ESE	18.4	2	+1.6	0.01	73	10	0 2 x	10 Ns x x				
	24	844.9	-18.4	-21.5	76	ESE	18.4	2	+1.3									
29	3	845.3	-19.8	-23.2	74	ESE	18.7	1	+0.4	--	--	--	- - -					
	6	846.2	-21.2	-25.1	71	ESE	17.4	2	+0.9									
	9	847.6	-20.6	-24.3	72	ESE	17.8	2	+1.4	0.01	39	10	0 1 x	10 As x x				
	12	848.5	-19.8	-23.5	72	ESE	15.5	2	+0.9									
	15	849.1	-19.0	-22.6	73	ESE	14.7	3	+0.6	0.4	39	6	0 3 2	1 Ac x x	6 Ci x x			
	18	849.9	-18.9	-22.5	73	ESE	12.4	1	+0.8									
	21	850.5	-20.2	-24.3	70	SE	11.3	2	+0.6	40	02	2	0 3 1	1 Ac x x	0+Ci x x			
	24	851.5	-23.5	-28.5	64	SE	7.3	1	+1.0									
30	3	851.6	-26.0	-31.2	61	SE	8.4	2	+0.1	--	--	--	- - -					
	6	852.3	-24.8	-29.8	63	ESE	9.9	3	+0.7									
	9	852.9	-22.1	-26.6	67	SE	13.8	1	+0.6	1.0	38	3	0 3 0	3 Ac x x				
	12	854.0	-19.7	-23.6	71	ESE	10.4	2	+1.1									
	15	854.2	-18.3	-22.2	72	ESE	11.5	2	+0.2	10	03	8	0 5 0	8 Ac x x				
	18	854.3	-18.6	-22.6	71	ESE	10.3	1	+0.1									
	21	854.5	-19.0	-22.7	72	ESE	10.1	3	+0.2	0.5	38	10-	0 9 x	10-Ac x x				
	24	855.0	-19.3	-23.0	72	ESE	10.3	1	+0.5									

OCTOBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
31	3	855.2	-19.8	-23.6	71	ESE	10.7	2	+0.2	--	--	--	- - -				
	6	855.1	-19.4	-23.0	73	ESE	12.7	8	-0.1								
	9	856.2	-18.3	-21.5	76	ESE	15.2	2	+1.1	0.1	39	10	0 1 x	10 As x x			
	12	857.7	-17.2	-20.2	77	SE	15.5	2	+1.5								
	15	858.6	-16.4	-19.8	75	ESE	13.1	1	+0.9	1.0	38	9	0 3 1	8 Ac x x	5 Ci x x		
	18	859.6	-16.7	-20.6	72	ESE	11.6	2	+1.0								
	21	861.1	-18.3	-23.0	66	ESE	10.4	2	+1.5	20	02	0+	0 3 0	0+Ac x x			
	24	862.1	-21.0	-26.3	63	SE	10.1	1	+1.0								

NOVEMBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
1	3	862.7	-25.5	-31.8	56	SE	7.0	1	+0.6	--	--	--	- - -				
	6	862.5	-27.8	-33.4	60	S	4.1	8	-0.2								
	9	862.7	-23.7	-28.8	63	WSW	3.5	0	+0.2	50	02	0	0 0 0				
	12	862.6	-18.0	-21.8	72	W	3.7	7	-0.1								
	15	862.6	-17.9	-22.2	69	WSW	3.5	4	0.0	50	02	1	0 3 0	1 Ac x x			
	18	862.9	-18.2	-23.0	66	SW	2.5	3	+0.3								
	21	863.3	-23.4	-29.4	58	SW	5.4	1	+0.4	50	02	1	0 0 2	1 Ci x x			
	24	864.0	-28.0	-34.1	56	SE	4.1	1	+0.7								
2	3	864.5	-31.1	-37.4	54	SSE	6.0	2	+0.5	--	--	--	- - -				
	6	864.6	-26.0	-32.1	57	SW	2.2	0	+0.1								
	9	865.3	-24.5	-30.8	56	SSW	3.1	1	+0.7	50	02	1	0 0 1	1 Ci x x			
	12	865.9	-18.6	-25.4	55	WNW	2.1	1	+0.6								
	15	866.2	-16.6	-22.4	61		0.0	3	+0.3	40	02	2	0 0 1	2 Ci x x			
	18	866.4	-18.3	-24.2	60	SSW	1.0	0	+0.2								
	21	866.4	-20.3	-26.6	57	ESE	9.1	5	0.0	30	03	8	0 3 4	2 Ac x x	7 Ci x x		
	24	866.3	-19.4	-25.4	59	ESE	16.0	7	-0.1								
3	3	866.4	-19.6	-24.6	65	ESE	14.7	0	+0.1	--	--	--	- - -				
	6	865.6	-18.1	-22.2	70	ESE	16.3	8	-0.8								
	9	864.9	-16.2	-19.5	76	ESE	18.7	7	-0.7	1.0	38	9	0 3 4	4 Ac x x	9 Ci x x		
	12	864.2	-14.8	-17.5	80	ESE	19.6	7	-0.7								
	15	863.4	-14.0	-16.3	83	ESE	20.1	6	-0.8	0.1	39	10-	0 0 7	10-Cs x x			
	18	862.6	-14.0	-15.7	87	ESE	21.2	6	-0.8								
	21	863.7	-14.6	-17.2	80	ESE	19.1	3	+1.1	0.3	39	10-	0 2 x	10-As x x			
	24	863.5	-15.7	-18.8	77	ESE	19.2	8	-0.2								
4	3	863.5	-16.2	-19.5	76	ESE	18.2	4	0.0	--	--	--	- - -				
	6	863.6	-16.2	-19.6	75	ESE	16.9	3	+0.1								
	9	864.5	-15.4	-18.7	76	ESE	16.9	3	+0.9	1.0	38	10-	0 9 x	10 Ac x x			
	12	864.5	-14.2	-17.2	78	ESE	17.3	5	0.0								
	15	864.2	-13.8	-16.7	79	ESE	17.3	8	-0.3	1.0	38	9	0 7 x	9 Ac x x			
	18	864.0	-13.7	-16.8	78	ESE	15.4	5	-0.2								
	21	863.7	-15.2	-18.7	74	ESE	16.4	8	-0.3	1.0	38	8	0 7 6	3 Ac x x	8 Ci x x	4 Cs x x	
	24	864.0	-17.1	-21.5	69	ESE	16.2	2	+0.3								
5	3	864.2	-18.1	-22.9	66	ESE	15.5	0	+0.2	--	--	--	- - -				
	6	863.4	-17.9	-22.5	67	ESE	16.6	6	-0.8								
	9	863.9	-16.5	-20.5	71	ESE	16.9	3	+0.5	1.0	38	2	0 3 2	1 Ac x x	2 Ci x x		
	12	864.2	-14.9	-18.3	75	ESE	18.2	0	+0.3								
	15	864.8	-13.7	-17.2	75	E	15.5	0	+0.6	5.0	38	2	0 7 2	1 Ac x x	1 Ci x x		
	18	865.5	-13.7	-18.9	65	ESE	11.1	2	+0.7								
	21	866.1	-16.0	-21.6	62	ESE	11.4	3	+0.6	50	02	0+	0 3 1	0+Ac x x	0+Ci x x		
	24	867.1	-18.5	-25.4	55	ESE	10.5	2	+1.0								

NOVEMBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
6	3	867.5	-20.4	-27.2	55	SE	9.6	0	+0.4	--	--	--	- - -				
	6	868.0	-19.6	-27.1	52	ESE	10.8	1	+0.5								
	9	868.8	-18.2	-25.7	52	E	8.4	2	+0.8	50	02	8	0 0 2	8 Ci x x			
	12	869.0	-16.2	-22.9	56	E	11.0	1	+0.2								
	15	868.7	-15.1	-21.7	57	E	10.8	8	-0.3	40	02	0+	0 3 0	0+Ac x x			
	18	868.0	-15.1	-21.7	57	ESE	9.0	8	-0.7								
	21	868.2	-18.6	-25.9	52	SE	4.9	2	+0.2	50	02	1	0 0 2	1 Ci x x			
	24	867.8	-19.5	-27.1	51	ESE	10.4	8	-0.4								
7	3	867.2	-20.5	-28.1	51	ESE	12.1	8	-0.6	--	--	--	- - -				
	6	865.8	-19.4	-26.9	52	ESE	14.5	5	-1.4								
	9	865.0	-17.6	-23.1	62	ESE	16.0	7	-0.8	20	02	1	0 3 1	0+Ac x x	1 Ci x x		
	12	864.2	-16.4	-20.8	69	ESE	17.6	8	-0.8								
	15	863.9	-15.3	-19.2	72	ESE	18.2	6	-0.3	1.0	38	0+	0 3 0	0+Ac x x			
	18	863.2	-15.5	-19.8	70	E	17.4	6	-0.7								
	21	863.6	-17.0	-21.7	67	ESE	18.1	2	+0.4	0.5	38	0	0 0 0				
	24	863.9	-18.4	-25.7	53	ESE	18.6	0	+0.3								
8	3	864.3	-18.9	-23.4	67	ESE	19.4	3	+0.4	--	--	--	- - -				
	6	864.6	-18.1	-23.2	64	ESE	17.1	1	+0.3								
	9	865.5	-17.0	-21.6	67	ESE	17.6	2	+0.9	0.5	38	2	0 3 2	0+Ac x x	2 Ci x x		
	12	866.4	-15.5	-19.4	72	ESE	17.1	2	+0.9								
	15	866.6	-13.9	-18.5	68	ESE	15.4	1	+0.2	5.0	38	4	0 3 2	4 Ac x x	2 Ci x x		
	18	866.1	-13.8	-20.9	55	ESE	14.0	7	-0.5								
	21	865.7	-14.7	-20.8	60	SE	14.2	7	-0.4	50	03	10-	0 7 4	4 Ac x x	7 Ci x x		
	24	865.8	-17.0	-23.8	56	SE	10.2	0	+0.1								
9	3	865.0	-16.5	-22.9	57	SE	12.3	6	-0.8	--	--	--	- - -				
	6	865.2	-15.8	-22.8	55	ESE	10.8	3	+0.2								
	9	866.2	-15.3	-21.3	60	ESE	12.0	2	+1.0	40	02	10	6 1 x	1 St x x	10 As x x		
	12	867.0	-14.0	-19.2	64	ESE	13.9	1	+0.8								
	15	867.9	-13.4	-18.3	67	ESE	12.8	3	+0.9	40	02	10-	6 3 6	2 St x x	4 Ac x x	10-Cs x x	
	18	868.2	-12.6	-17.4	67	ESE	11.8	2	+0.3								
	21	868.8	-14.9	-19.9	65	E	7.9	2	+0.6	25	02	8	6 7 6	1 St x x	4 Ac x x	8 Cs x x	
	24	869.3	-18.7	-24.2	62	SE	6.0	1	+0.5								
10	3	869.4	-17.6	-23.5	60	SE	5.2	2	+0.1	--	--	--	- - -				
	6	869.9	-16.2	-22.8	57	ESE	10.0	3	+0.5								
	9	870.6	-15.3	-22.1	56	ESE	12.9	2	+0.7	30	02	10-	6 3 6	1 St x x	4 Ac x x	7 Cs x x	5 Ci x x
	12	871.6	-14.2	-19.9	62	E	13.2	1	+1.0								
	15	871.3	-13.4	-19.2	62	E	12.2	8	-0.3	30	02	10-	6 3 7	1 St x x	3 Ac x x	10-Cs x x	
	18	871.5	-13.7	-18.4	68	ENE	7.8	0	+0.2								
	21	871.8	-15.6	-20.2	68	E	7.3	2	+0.3	40	02	10-	6 1 x	1 St x x	10-As x x		
	24	872.2	-16.5	-21.5	65	ESE	8.6	2	+0.4								

NOVEMBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
11	3	872.6	-17.1	-21.9	66	ESE	9.8	2	+0.4	--	--	--	- - -				
	6	873.0	-17.3	-21.4	70	ESE	10.7	2	+0.4								
	9	873.3	-15.8	-22.7	55	E	12.9	3	+0.3	30	02	10-	6 3 6	2 St x x	4 Ac x x	7 Ci x x	5 Cs x x
	12	873.7	-14.8	-21.1	59	E	13.5	2	+0.4								
	15	873.9	-13.9	-20.3	58	ENE	10.3	3	+0.2	40	02	4	6 3 0	1 St x x	4 Ac x x		
	18	874.2	-15.2	-19.7	69	ENE	6.9	2	+0.3								
	21	875.0	-17.6	-22.9	63	E	7.2	2	+0.8	50	02	5	0 7 1	2 Ac x x	5 Ci x x		
	24	876.2	-21.5	-26.4	65	SE	6.9	2	+1.2								
12	3	876.7	-20.9	-28.1	53	ESE	9.1	1	+0.5	--	--	--	- - -				
	6	877.3	-18.9	-27.6	46	ESE	11.5	2	+0.6								
	9	877.8	-16.9	-25.2	49	ESE	13.4	3	+0.5	50	02	8	0 3 1	4 Ac x x	6 Ci x x		
	12	878.6	-15.2	-21.1	61	ESE	14.6	2	+0.8								
	15	879.2	-14.2	-20.4	59	E	13.3	2	+0.6	30	02	9	0 3 4	5 Ac x x	9 Ci x x		
	18	879.9	-14.4	-20.0	62	E	10.9	2	+0.7								
	21	881.3	-15.2	-21.1	61	ESE	11.1	3	+1.4	40	02	10	6 1 x	1 St x x	10-As x x		
	24	882.7	-16.1	-21.6	62	ESE	10.6	2	+1.4								
13	3	883.2	-16.3	-23.5	54	ESE	14.1	0	+0.5	--	--	--	- - -				
	6	883.4	-16.3	-24.6	49	ESE	13.6	1	+0.2								
	9	883.8	-15.7	-22.8	54	ESE	15.3	3	+0.4	30	02	10	0 7 6	3 Ac x x	7 Cs x x	5 Ci x x	
	12	883.9	-14.0	-19.9	61	ESE	15.8	0	+0.1								
	15	883.6	-13.4	-17.9	69	ESE	16.5	5	-0.3	2.0	38	10-	0 7 6	2 Ac x x	9 Cs x x	6 Ci x x	
	18	883.5	-12.9	-18.3	64	ESE	13.2	5	-0.1								
	21	883.3	-13.4	-19.7	59	ESE	14.9	7	-0.2	20	02	10	0 1 6	9 As x x	x Cs x x	x Ci x x	
	24	883.2	-14.2	-20.4	59	ESE	16.5	8	-0.1								
14	3	882.0	-14.8	-19.3	69	ESE	18.1	8	-1.2	--	--	--	- - -				
	6	880.6	-13.9	-18.9	66	ESE	19.4	7	-1.4								
	9	879.0	-12.9	-15.9	78	ESE	19.5	8	-1.6	0.5	38	8	6 3 1	1 St x x	5 Ac x x	6 Ci x x	
	12	876.8	-11.4	-13.5	84	SE	19.6	7	-2.2								
	15	874.2	-10.3	-12.3	85	ESE	20.0	7	-2.6	0.2	39	10	0 1 x	10 As x x			
	18	871.4	-9.6	-11.1	80	ESE	21.3	7	-2.8								
	21	869.3	-9.4	x	x	SE	22.0	8	-2.1	0.02	73	10	0 2 x	10 As x x			
	24	866.1	-8.9	x	x	ESE	20.6	7	-3.2								
15	3	862.9	-8.9	-9.9	93	SE	19.0	7	-3.2	--	--	--	- - -				
	6	860.8	-8.8	-9.7	93	ESE	18.6	6	-2.1								
	9	861.7	-8.4	x	x	ESE	25.3	3	+0.9	--	73	10	0 2 x	10 Ns x x			
	12	865.3	-8.5	-9.4	93	E	23.1	2	+3.6								
	15	868.8	-8.3	-9.3	92	E	17.5	2	+3.5	0.02	73	10	0 2 x	10 Ns x x			
	18	871.9	-7.6	-8.6	93	ESE	14.3	1	+3.1								
	21	873.7	-7.9	-8.9	93	E	13.6	2	+1.8	0.05	39	10	0 2 x	10 Ns x x			
	24	875.0	-8.1	-9.3	91	ESE	13.4	2	+1.3								

NOVEMBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
16	3	875.3	-10.2	-11.8	88	ESE	13.0	1	+0.3	--	--	--	- - -					
	6	876.2	-12.7	-14.6	86	ESE	15.9	1	+0.9									
	9	877.2	-12.8	-14.5	87	SE	18.9	2	+1.0	0.2	39	4	0 3 1	2 Ac x x	4 Ci x x			
	12	877.4	-12.5	-14.0	89	ESE	21.4	3	+0.2									
	15	876.8	-11.0	-12.5	89	ESE	21.6	8	-0.6	0.05	39	5	0 3 1	4 Ac x x	4 Ci x x			
	18	878.2	-11.0	-12.6	88	ESE	16.5	1	+1.4									
	21	879.1	-12.2	-13.8	88	SE	16.2	2	+0.9	0.4	39	10-	0 9 x	10-Ac x x				
	24	880.3	-12.7	-14.4	87	SE	18.3	2	+1.2									
17	3	881.4	-13.5	-15.3	86	ESE	20.4	2	+1.1	--	--	--	- - -					
	6	882.3	-13.9	-15.6	87	ESE	20.3	2	+0.9									
	9	882.4	-13.6	-15.5	86	SE	19.5	0	+0.1	0.1	39	10-	0 5 x	10-Ac x x				
	12	882.2	-12.5	-14.5	85	SE	19.1	7	-0.2									
	15	881.6	-10.6	-12.4	86	ESE	16.3	6	-0.6	2.0	38	7	0 9 1	5 Ac x x	6 Ci x x			
	18	880.8	-9.8	-11.4	88	ESE	15.4	8	-0.8									
	21	880.8	-10.4	-12.3	86	ESE	15.3	4	0.0	5.0	38	8	0 7 6	3 Ac x x	6 Ci x x	5 Cs x x		
	24	880.6	-12.1	-14.4	83	ESE	16.1	7	-0.2									
18	3	879.3	-13.5	-16.0	82	ESE	17.7	7	-1.3	--	--	--	- - -					
	6	877.6	-13.4	-15.8	82	ESE	19.7	6	-1.7									
	9	875.3	-11.9	-14.0	85	ESE	22.0	7	-2.3	0.05	39	9	0 3 4	6 Ac x x	7 Ci x x			
	12	874.1	-10.8	-12.7	86	ESE	21.0	8	-1.2									
	15	872.7	-9.8	-11.8	85	ESE	20.0	7	-1.4	0.3	39	9	0 0 4	9 Ci x x				
	18	871.3	-9.7	-11.7	85	ESE	18.8	7	-1.4									
	21	870.8	-10.6	-13.8	77	ESE	20.4	8	-0.5	1.0	38	10-	0 7 4	4 Ac x x	9 Ci x x			
	24	871.3	-11.6	-14.9	77	ESE	18.8	1	+0.5									
19	3	870.5	-13.1	-16.3	77	ESE	21.2	6	-0.8	--	--	--	- - -					
	6	870.5	-13.9	-17.2	76	SE	19.7	5	0.0									
	9	869.5	-12.9	-16.4	75	ESE	21.0	7	-1.0	2.0	38	3	0 3 1	1 Ac x x	3 Ci x x			
	12	868.8	-11.3	-14.3	78	ESE	21.0	8	-0.7									
	15	868.8	-9.7	-12.7	79	ESE	18.7	4	0.0	30	02	0+	0 0 1	0+Ci x x				
	18	869.2	-9.9	-14.7	68	ESE	15.3	2	+0.4									
	21	869.8	-11.1	-16.6	64	ESE	14.2	3	+0.6	40	02	0+	0 0 1	0+Ci x x				
	24	870.6	-12.8	-17.5	68	ESE	15.8	3	+0.8									
20	3	871.8	-14.4	-19.4	66	ESE	16.9	3	+1.2	--	--	--	- - -					
	6	873.1	-15.4	-20.6	64	ESE	16.3	1	+1.3									
	9	874.1	-14.8	-20.2	63	ESE	16.8	2	+1.0	40	02	0+	0 3 1	0+Ac x x	0+Ci x x			
	12	873.9	-13.1	-18.3	65	ESE	16.5	8	-0.2									
	15	873.7	-11.4	-16.6	65	E	13.6	7	-0.2	50	02	1	0 3 2	0+Ac x x	1 Ci x x			
	18	873.5	-11.5	-16.1	69	E	10.6	8	-0.2									
	21	873.7	-12.7	-18.0	65	ESE	12.0	3	+0.2	50	03	4	0 0 2	4 Ci x x				
	24	874.0	-15.1	-20.3	64	ESE	10.5	2	+0.3									

NOVEMBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
21	3	874.5	-15.0	-20.7	62	ESE	14.6	1	+0.5	--	--	--	- - -					
	6	874.6	-14.6	-20.5	61	ESE	13.8	2	+0.1									
	9	875.1	-14.3	-19.7	64	ESE	15.6	3	+0.5	40	02	10-	0 3 7	0+Ac x x	10-Cs x x			
	12	875.2	-13.1	-18.6	63	ESE	15.7	2	+0.1									
	15	874.8	-11.3	-17.3	61	ESE	13.1	8	-0.4	50	02	8	0 3 6	0+Ac x x	6 Cs x x	3 Ci x x		
	18	874.1	-11.1	-16.2	66	ESE	9.5	8	-0.7									
	21	873.8	-13.2	-18.2	66	ESE	9.8	5	-0.3	50	02	8	0 7 6	3 Ac x x	6 Cs x x	3 Ci x x		
	24	873.5	-15.3	-21.0	62	SE	9.2	7	-0.3									
22	3	872.9	-15.7	-22.1	58	ESE	12.5	7	-0.6	--	--	--	- - -					
	6	872.5	-15.9	-21.8	61	ESE	13.1	7	-0.4									
	9	872.9	-15.2	-20.0	67	ESE	15.4	3	+0.4	40	02	4	0 3 2	1 Ac x x	4 Ci x x			
	12	873.5	-14.2	-18.9	68	ESE	15.1	1	+0.6									
	15	873.7	-12.2	-17.4	65	ESE	13.2	0	+0.2	50	02	7	0 5 2	6 Ac x x	3 Ci x x			
	18	873.6	-11.3	-16.2	67	E	12.6	7	-0.1									
	21	874.3	-12.8	-17.2	69	ESE	12.1	3	+0.7	50	02	3	0 7 1	2 Ac x x	1 Ci x x			
	24	875.0	-15.2	-20.3	65	ESE	9.3	1	+0.7									
23	3	876.1	-17.4	-22.3	66	ESE	9.0	2	+1.1	--	--	--	- - -					
	6	876.8	-15.4	-21.6	59	ESE	10.9	2	+0.7									
	9	878.3	-14.5	-20.8	59	ESE	12.9	2	+1.5	50	02	7	0 5 1	6 Ac x x	2 Ci x x			
	12	879.7	-12.2	-17.4	65	ESE	12.1	1	+1.4									
	15	880.4	-11.4	-17.1	63	ESE	12.3	2	+0.7	50	02	3	0 3 2	3 Ac x x	1 Ci x x			
	18	880.4	-11.6	-17.2	63	ESE	12.2	4	0.0									
	21	880.8	-12.7	-18.7	61	ESE	10.5	1	+0.4	50	02	0+	5 4 0	0+Sc x x	0+Ac x x			
	24	881.3	-15.0	-20.8	61	ESE	10.2	1	+0.5									
24	3	881.3	-15.8	-20.5	67	ESE	9.9	4	0.0	--	--	--	- - -					
	6	881.0	-14.6	-19.2	68	ESE	11.9	6	-0.3									
	9	880.6	-12.9	-18.3	64	ESE	15.7	5	-0.4	40	02	1	0 3 2	0+Ac x x	1 Ci x x			
	12	879.1	-12.1	-15.7	74	ESE	17.1	7	-1.5									
	15	878.3	-11.2	-14.5	77	ESE	17.5	5	-0.8	2.0	38	4	0 3 2	0+Ac x x	4 Ci x x			
	18	876.8	-11.6	-15.2	75	ESE	18.1	7	-1.5									
	21	875.6	-12.2	-16.6	70	ESE	18.7	7	-1.2	7	38	2	0 0 2	2 Ci x x				
	24	873.8	-12.4	-16.5	72	ESE	20.1	7	-1.8									
25	3	871.3	-12.4	-16.5	72	ESE	19.3	7	-2.5	--	--	--	- - -					
	6	868.7	-12.4	-14.9	82	ESE	22.1	7	-2.6									
	9	867.2	-11.8	-12.3	96	ESE	24.3	7	-1.5	0.01	73	10	0 2 x	10 Ns x x				
	12	868.1	-10.2	-11.0	94	ESE	21.4	3	+0.9									
	15	869.7	-9.3	-10.3	93	ESE	17.1	3	+1.6	0.01	73	10	0 2 x	10 Ns x x				
	18	870.8	-8.6	-9.6	92	ESE	15.1	3	+1.1									
	21	871.9	-8.0	-8.9	93	ESE	16.4	1	+1.1	0.03	73	10	0 2 x	10 Ns x x				
	24	872.8	-7.7	-8.6	93	ESE	18.2	2	+0.9									

NOVEMBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
26	3	874.0	-7.3	-8.2	94	ESE	18.5	2	+1.2	--	--	--	- - -					
	6	875.7	-7.0	-7.7	95	E	17.9	2	+1.7									
	9	877.3	-6.8	-7.6	94	ESE	17.6	2	+1.6	0.05	73	10	0 2 x	10 Ns x x				
	12	878.1	-6.6	-7.4	94	ESE	17.1	1	+0.8									
	15	878.5	-6.2	-7.0	94	ESE	17.1	3	+0.4	0.08	73	10	0 2 x	10 Ns x x				
	18	878.7	-6.1	-6.8	95	ESE	15.1	1	+0.2									
	21	879.6	-6.0	-6.5	96	E	14.1	3	+0.9	0.1	39	10	0 1 x	10 As x x				
	24	881.0	-6.0	-6.5	96	E	12.0	1	+1.4									
27	3	881.8	-5.8	-6.4	96	ESE	14.6	1	+0.8	--	--	--	- - -					
	6	882.7	-5.8	-6.5	95	ESE	15.5	2	+0.9									
	9	883.7	-5.7	-6.5	94	ESE	15.2	2	+1.0	0.1	73	10	0 2 x	10 As x x				
	12	884.3	-6.0	-6.8	94	ESE	15.9	2	+0.6									
	15	884.0	-5.9	-6.7	94	ESE	15.3	5	-0.3	0.1	71	10	0 1 x	10 As x x				
	18	883.5	-5.6	-6.5	93	ESE	12.0	8	-0.5									
	21	883.1	-6.6	-7.7	92	ESE	11.3	5	-0.4	30	01	2	5 3 1	1 Sc x x	1 Ac x x	0+Ci x x		
	24	883.5	-9.2	-10.7	89	SE	14.5	2	+0.4									
28	3	883.5	-10.6	-12.1	89	ESE	15.8	4	0.0	--	--	--	- - -					
	6	882.7	-11.0	-12.4	89	ESE	17.4	8	-0.8									
	9	882.3	-10.4	-11.8	90	ESE	16.2	8	-0.4	1.0	38	0+	0 0 1	0+Ci x x				
	12	881.7	-9.0	-10.4	89	ESE	17.3	8	-0.6									
	15	880.9	-8.1	-9.3	91	ESE	17.5	8	-0.8	1.0	38	0+	0 0 1	0+Ci x x				
	18	880.6	-7.8	-9.0	91	ESE	15.8	8	-0.3									
	21	880.5	-8.9	-10.3	90	ESE	16.3	8	-0.1	5.0	38	0	0 0 0					
	24	880.8	-10.4	-12.2	87	ESE	14.2	0	+0.3									
29	3	880.3	-12.2	-14.0	87	ESE	16.5	6	-0.5	--	--	--	- - -					
	6	878.9	-12.4	-14.3	86	ESE	17.1	8	-1.4									
	9	877.3	-11.5	-13.3	87	ESE	18.0	6	-1.6	1.0	38	0	0 0 0					
	12	876.5	-9.9	-11.6	87	ESE	16.3	8	-0.8									
	15	875.7	-8.8	-10.3	89	ESE	14.7	6	-0.8	2.0	38	0+	0 0 1	0+Ci x x				
	18	875.2	-8.8	-10.6	87	ESE	13.6	7	-0.5									
	21	874.8	-9.8	-11.6	87	ESE	13.0	5	-0.4	40	03	7	0 3 6	3 Ac x x	5 Ci x x	4 Cs x x		
	24	874.9	-12.0	-14.1	84	ESE	13.2	2	+0.1									
30	3	874.8	-13.9	-16.0	84	ESE	16.3	5	-0.1	--	--	--	- - -					
	6	873.8	-14.6	-16.5	85	ESE	19.4	8	-1.0									
	9	874.7	-14.3	-16.1	87	ESE	17.5	1	+0.9	0.4	39	0+	0 0 1	0+Ci x x				
	12	875.1	-12.9	-14.8	86	ESE	16.5	2	+0.4									
	15	875.5	-10.7	-12.4	87	E	12.0	3	+0.4	10	36	1	0 3 0	1 Ac x x				
	18	875.3	-9.5	-11.0	89	ESE	7.3	7	-0.2									
	21	875.6	-10.9	-13.2	83	ESE	4.9	1	+0.3	50	02	2	5 7 1	1 Sc x x	1 Ac x x	0+Ci x x		
	24	875.9	-14.4	-16.8	82	SE	6.5	1	+0.3									

DECEMBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
1	3	876.3	-16.7	-19.2	81	SE	7.5	1	+0.4	--	--	--	-- --				
	6	876.2	-15.0	-17.1	84	ESE	6.8	8	-0.1								
	9	875.7	-11.6	-13.4	87	ESE	8.7	8	-0.5	20	02	7	6 3 4	2 St x x	4 Ac x x	2 Ci x x	
	12	875.7	-9.4	-11.2	87	E	8.8	4	0.0								
	15	874.8	-8.5	-10.4	86	E	10.6	6	-0.9	10	36	9	6 7 x	2 St x x	4 As x x	4 Ac x x	
	18	873.8	-8.1	-9.8	88	E	10.2	6	-1.0								
	21	873.3	-9.9	-12.3	83	ESE	11.2	6	-0.5	40	02	2	5 4 1	1 Sc x x	1 Ac x x	0+Ci x x	
	24	872.7	-12.7	-15.6	79	ESE	8.7	8	-0.6								
2	3	872.4	-12.1	-14.6	82	ESE	10.6	6	-0.3	--	--	--	-- --				
	6	872.2	-12.1	-15.1	79	ESE	12.5	8	-0.2								
	9	872.4	-10.7	-13.0	83	ESE	12.9	1	+0.2	20	36	7	5 3 2	1 Sc x x	3 Ac x x	5 Ci x x	
	12	872.5	-8.0	-9.8	87	E	10.7	0	+0.1								
	15	872.8	-6.7	-9.0	84	E	8.7	1	+0.3	40	36	7	6 3 2	1 St x x	3 Ac x x	5 Ci x x	
	18	873.2	-6.2	-8.5	84	E	5.0	2	+0.4								
	21	873.6	-9.4	-11.8	83	SE	5.3	3	+0.4	50	02	8	5 9 4	1 Sc x x	3 Ac x x	7 Ci x x	
	24	873.4	-12.1	-14.5	82	SE	5.7	8	-0.2								
3	3	872.8	-14.1	-17.3	77	SE	6.9	8	-0.6	--	--	--	-- --				
	6	871.9	-12.8	-16.5	74	SE	7.4	8	-0.9								
	9	871.5	-11.3	-14.2	79	SE	6.1	8	-0.4	50	02	0+	0 0 1	0+Ci x x			
	12	871.1	-9.6	-12.6	79	ESE	13.6	8	-0.4								
	15	870.8	-8.5	-11.5	79	ESE	11.9	5	-0.3	20	36	1	0 0 2	1 Ci x x			
	18	870.3	-7.6	-9.9	84	ESE	7.8	5	-0.5								
	21	869.9	-9.7	-13.1	76	ESE	6.9	8	-0.4	50	02	2	0 0 2	2 Ci x x			
	24	869.9	-10.7	-14.8	72	ESE	10.1	5	0.0								
4	3	871.1	-11.4	-15.0	75	ESE	12.6	1	+1.2	--	--	--	-- --				
	6	872.8	-11.9	-15.4	75	ESE	12.1	3	+1.7								
	9	875.2	-11.1	-13.7	81	E	10.9	2	+2.4	50	02	1	1 3 2	0+Cu x x	0+Ac x x	0+Ci x x	
	12	877.7	-9.8	-12.3	82	E	12.3	2	+2.5								
	15	879.9	-9.1	-11.3	84	E	12.2	2	+2.2	30	36	2	1 3 2	0+Cu x x	1 Ac x x	1 Ci x x	
	18	881.4	-8.5	-10.7	84	E	10.8	2	+1.5								
	21	882.4	-9.4	-11.9	82	E	8.2	1	+1.0	40	02	8	5 3 2	1 Sc x x	4 Ac x x	7 Ci x x	
	24	883.4	-14.7	-17.5	79	SE	4.7	2	+1.0								
5	3	884.0	-15.0	-16.4	89	SE	4.7	1	+0.6	--	--	--	-- --				
	6	883.9	-13.9	-15.8	86	ESE	8.1	8	-0.1								
	9	883.4	-9.7	-11.6	86	E	7.5	8	-0.5	50	02	6	0 3 2	3 Ac x x	3 Ci x x		
	12	882.7	-6.5	-9.1	82	E	11.5	8	-0.7								
	15	882.1	-5.4	-8.2	81	E	8.2	6	-0.6	40	02	9	0 5 2	6 Ac x x	3 Ci x x		
	18	881.2	-5.2	-7.6	83	ENE	7.1	7	-0.9								
	21	880.3	-6.9	-9.4	82	ESE	5.5	6	-0.9	40	02	10-	1 3 6	0+Cu x x	2 Ac x x	6 Cs x x	3 Ci x x
	24	879.0	-8.5	-11.5	79	ESE	7.8	8	-1.3								

DECEMBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
6	3	877.2	-9.6	-13.4	74	ESE	10.2	8	-1.8	--	--	--	- - -					
	6	874.5	-7.3	-11.3	73	SE	9.4	7	-2.7									
	9	872.2	-5.1	-8.6	77	ESE	11.4	6	-2.3	50	02	1	0 3 2	1 Ac x x	0+Ci x x			
	12	872.8	-6.3	-9.2	80	ENE	11.0	3	+0.6									
	15	875.1	-8.9	-11.1	84	ESE	8.6	1	+2.3	1.0	71	10	0 2 x	10 As x x				
	18	875.1	-7.1	-9.1	86	E	9.1	0	0.0									
	21	874.9	-8.4	-10.9	82	ESE	4.1	7	-0.2	30	02	8	6 5 1	1 St x x	3 Ac x x	8 Ci x x		
	24	875.3	-9.9	-11.9	85	E	5.2	3	+0.4									
7	3	877.2	-9.9	-12.0	84	ESE	6.2	2	+1.9	--	--	--	- - -					
	6	878.4	-9.7	-11.5	87	E	8.7	3	+1.2									
	9	880.3	-9.9	-11.9	85	ENE	10.6	2	+1.9	0.4	71	10	0 2 x	10 As x x				
	12	882.4	-8.7	-10.5	87	E	10.8	2	+2.1									
	15	883.6	-7.5	-10.0	82	ESE	9.3	1	+1.2	20	36	9	1 5 1	1 Cu x x	8 Ac x x	3 Ci x x		
	18	882.9	-6.7	-9.4	81	ESE	9.9	8	-0.7									
	21	883.3	-6.3	-8.9	82	ESE	8.1	3	+0.4	40	02	4	0 7 1	2 Ac x x	2 Ci x x			
	24	883.9	-8.5	-11.8	77	ESE	9.1	0	+0.6									
8	3	883.6	-11.6	-15.3	74	SSE	7.1	8	-0.3	--	--	--	- - -					
	6	883.4	-8.4	-10.4	85	ESE	14.4	8	-0.2									
	9	883.4	-7.6	-10.2	82	ESE	14.0	4	0.0	5.0	36	5	0 0 1	5 Ci x x				
	12	882.8	-6.2	-8.7	82	ESE	13.7	7	-0.6									
	15	882.7	-3.9	-6.9	80	E	10.2	7	-0.1	40	36	2	0 3 2	1 Ac x x	1 Ci x x			
	18	882.2	-3.9	-6.6	81	ESE	12.7	5	-0.5									
	21	882.9	-5.3	-8.4	79	ESE	11.4	3	+0.7	40	36	9	1 7 4	0+Cu x x	4 Ac x x	7 Ci x x		
	24	883.3	-7.5	-11.0	76	SE	11.6	3	+0.4									
9	3	883.7	-8.2	-11.6	76	SE	15.6	2	+0.4	--	--	--	- - -					
	6	882.9	-8.7	-11.9	78	ESE	17.4	8	-0.8									
	9	882.2	-7.2	-11.1	74	ESE	14.3	8	-0.7	40	36	0	0 0 0					
	12	881.0	-5.1	-8.7	76	ESE	14.4	7	-1.2									
	15	880.3	-2.8	-6.8	74	ESE	11.7	6	-0.7	50	02	0+	0 0 1	0+Ci x x				
	18	879.2	-2.1	-6.1	74	E	12.5	7	-1.1									
	21	879.5	-3.7	-8.0	72	ESE	11.4	3	+0.3	50	02	1	1 4 1	0+Cu x x	1 Ac x x	0+Ci x x		
	24	879.9	-6.3	-10.7	71	ESE	13.1	1	+0.4									
10	3	878.4	-8.5	-10.6	85	SE	20.0	7	-1.5	--	--	--	- - -					
	6	878.8	-8.6	-10.9	83	SE	19.4	0	+0.4									
	9	879.1	-7.9	-10.7	80	ESE	17.6	2	+0.3	0.8	38	3	0 3 2	2 Ac x x	1 Ci x x			
	12	878.8	-6.4	-9.3	80	ESE	16.9	8	-0.3									
	15	878.9	-4.9	-7.8	80	E	13.4	3	+0.1	20	36	6	6 3 1	0+St x x	2 Ac x x	4 Ci x x		
	18	879.2	-5.0	-8.0	80	E	13.3	3	+0.3									
	21	880.2	-6.2	-8.9	81	E	11.6	3	+1.0	20	36	7	6 5 1	2 St x x	6 Ac x x	2 Ci x x		
	24	881.9	-8.7	-10.6	86	E	9.5	2	+1.7									

DECEMBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
11	3	883.2	-10.3	-11.8	89	ESE	9.5	0	+1.3	--	--	--	-- --					
	6	883.2	-9.3	-11.8	82	ESE	9.9	4	0.0									
	9	883.9	-7.2	-9.3	85	ESE	12.8	3	+0.7	2.0	38	8	6 5 2	1 St x x	7 Ac x x	2 Ci x x		
	12	884.0	-5.1	-6.9	87	E	11.7	0	+0.1									
	15	882.9	-3.6	-7.0	77	E	9.6	7	-1.1	10	36	7	6 3 0	1 St x x	7 Ac x x			
	18	880.6	-3.4	-7.9	71	ESE	9.4	7	-2.3									
	21	879.0	-5.6	-10.3	69	ESE	7.8	7	-1.6	50	02	1	1 0 1	0+Cu x x	1 Ci x x			
	24	877.4	-8.8	-13.9	66	ESE	9.0	7	-1.6									
12	3	876.9	-9.9	-14.7	68	ESE	9.8	7	-0.5	--	--	--	-- --					
	6	876.7	-9.2	-13.0	74	ESE	14.2	5	-0.2									
	9	877.0	-8.9	-12.2	77	ESE	13.9	3	+0.3	5.0	36	2	0 4 0	2 Ac x x				
	12	876.7	-7.2	-10.9	75	ESE	13.7	8	-0.3									
	15	876.1	-5.9	-10.2	72	ESE	10.0	7	-0.6	50	02	1	1 4 2	0+Cu x x	1 Ac x x	1 Ci x x		
	18	875.2	-5.3	-9.7	71	ESE	9.1	8	-0.9									
	21	874.3	-7.2	-11.8	70	ESE	7.7	6	-0.9	50	02	1	1 4 1	0+Cu x x	1 Ac x x	0+Ci x x		
	24	873.9	-11.0	-15.4	70	SE	6.7	7	-0.4									
13	3	873.9	-13.4	-17.6	71	ESE	6.6	4	0.0	--	--	--	-- --					
	6	874.2	-11.0	-15.4	70	ESE	10.5	1	+0.3									
	9	874.4	-8.2	-12.9	69	ESE	13.0	0	+0.2	40	02	9	0 7 4	7 Ac x x	3 Ci x x			
	12	874.5	-6.4	-10.3	74	E	12.1	0	+0.1									
	15	873.8	-5.3	-9.2	74	E	11.9	7	-0.7	40	02	8	1 3 2	0+Cu x x	3 Ac x x	5 Ci x x		
	18	873.3	-5.0	-9.2	72	E	10.2	7	-0.5									
	21	873.0	-7.3	-11.4	73	ESE	8.4	5	-0.3	50	02	3	1 3 2	1 Cu x x	1 Ac x x	3 Ci x x		
	24	872.9	-10.0	-13.9	73	SE	7.5	8	-0.1									
14	3	872.6	-9.6	-14.4	68	SE	10.2	8	-0.3	--	--	--	-- --					
	6	872.9	-8.8	-13.3	70	SE	11.9	0	+0.3									
	9	872.8	-7.1	-11.5	71	ESE	10.5	8	-0.1	50	02	2	0 3 2	2 Ac x x	0+Ci x x			
	12	872.5	-5.3	-9.7	71	ESE	12.2	8	-0.3									
	15	871.6	-4.7	-8.7	74	ESE	12.1	7	-0.9	50	02	5	1 3 2	0+Cu x x	3 Ac x x	3 Ci x x		
	18	872.2	-4.0	-8.9	69	E	10.4	1	+0.6									
	21	873.8	-5.1	-8.9	75	E	6.5	3	+1.6	20	02	7	6 3 4	2 St x x	1 Ac x x	5 Ci x x		
	24	876.0	-9.2	-12.1	79	SE	6.3	1	+2.2									
15	3	877.6	-11.0	-13.2	84	ESE	7.7	2	+1.6	--	--	--	-- --					
	6	879.1	-8.1	-11.5	77	ESE	11.5	2	+1.5									
	9	880.1	-6.8	-10.1	77	ESE	10.8	1	+1.0	30	02	10-	6 1 x	1 St x x	10-As x x			
	12	880.2	-4.5	-9.1	70	ESE	10.0	0	+0.1									
	15	879.3	-2.7	-9.1	61	E	8.8	7	-0.9	50	02	3	1 3 1	0+Cu x x	1 Ac x x	2 Ci x x		
	18	878.1	-0.7	-6.3	66	ESE	2.3	7	-1.2									
	21	877.1	-6.1	-11.1	68	SE	5.6	6	-1.0	50	02	3	1 3 1	0+Cu x x	1 Ac x x	2 Ci x x		
	24	876.8	-9.0	-13.3	71	SE	5.6	7	-0.3									

DECEMBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
16	3	876.6	-11.6	-16.4	68	SE	6.6	8	-0.2	--	--	--	- - -					
	6	876.1	-9.6	-15.1	64	SE	10.7	8	-0.5									
	9	875.6	-8.3	-13.4	67	ESE	10.7	7	-0.5	50	02	2	0 0 2	2 Ci x x				
	12	875.2	-6.3	-11.3	68	ESE	9.4	5	-0.4									
	15	874.8	-4.8	-10.0	67	E	8.9	7	-0.4	50	02	1	1 3 1	0+Cu x x	0+Ac x x	1 Ci x x		
	18	874.8	-5.0	-8.8	75	ENE	5.3	4	0.0									
	21	875.0	-6.2	-10.5	71	ESE	2.8	3	+0.2	50	02	2	1 7 1	0+Cu x x	1 Ac x x	1 Ci x x		
	24	876.0	-11.2	-15.7	69	SE	3.9	2	+1.0									
17	3	877.1	-14.0	-15.2	90	SE	5.3	2	+1.1	--	--	--	- - -					
	6	878.0	-11.7	-13.3	88	SE	5.6	1	+0.9									
	9	878.7	-9.3	-13.3	73	ESE	7.4	2	+0.7	50	02	3	0 3 2	1 Ac x x	2 Ci x x			
	12	879.2	-5.8	-10.4	70	E	6.2	1	+0.5									
	15	878.4	-3.7	-9.5	64	E	5.1	8	-0.8	50	02	7	1 3 2	0+Cu x x	2 Ac x x	5 Ci x x		
	18	877.5	-2.0	-7.8	64	ENE	1.5	7	-0.9									
	21	876.8	-6.9	-11.8	68	SE	4.0	7	-0.7	50	02	1	6 7 1	1 St x x	0+Ac x x	0+Ci x x		
	24	876.4	-11.9	-16.4	69	SE	5.8	7	-0.4									
18	3	875.9	-14.1	-18.9	67	SE	5.8	7	-0.5	--	--	--	- - -					
	6	875.2	-12.3	-16.7	70	SE	8.2	7	-0.7									
	9	875.1	-9.0	-13.6	69	ESE	8.2	8	-0.1	50	02	1	6 3 0	1 St x x	0+Ac x x			
	12	874.7	-6.8	-10.7	74	E	9.7	8	-0.4									
	15	873.5	-5.5	-10.6	67	E	9.1	7	-1.2	40	02	1	1 3 0	1 Cu x x	0+Ac x x			
	18	871.9	-4.5	-10.1	65	E	5.0	8	-1.6									
	21	870.4	-8.4	-13.6	66	SE	5.3	7	-1.5	50	02	0+	0 3 0	0+Ac x x				
	24	869.2	-11.0	-16.5	64	SE	7.2	7	-1.2									
19	3	868.3	-10.9	-16.5	63	SE	11.3	7	-0.9	--	--	--	- - -					
	6	868.8	-10.7	-15.1	70	SE	11.5	2	+0.5									
	9	869.9	-10.2	-13.4	77	SE	14.8	1	+1.1	1.0	38	0+	0 3 0	0+Ac x x				
	12	871.3	-7.5	-11.6	72	ESE	11.2	2	+1.4									
	15	872.0	-5.9	-10.8	68	ESE	10.8	1	+0.7	40	02	1	1 3 2	0+Cu x x	0+Ac x x	0+Ci x x		
	18	871.7	-6.9	-11.6	69	SE	10.2	8	-0.3									
	21	872.0	-7.7	-11.9	72	ESE	6.1	3	+0.3	40	02	1	5 0 1	1 Sc x x	1 Ci x x			
	24	872.5	-10.2	-14.3	72	ESE	8.0	3	+0.5									
20	3	873.1	-11.9	-16.2	70	ESE	7.8	2	+0.6	--	--	--	- - -					
	6	873.2	-10.2	-13.5	77	SE	13.6	0	+0.1									
	9	873.0	-9.2	-13.2	73	ESE	13.7	7	-0.2	40	02	5	6 3 1	0+St x x	0+Ac x x	5 Ci x x		
	12	871.8	-7.8	-12.2	71	SE	11.4	7	-1.2									
	15	870.1	-7.0	-12.0	67	SE	12.0	6	-1.7	50	02	1	1 0 1	0+Cu x x	1 Ci x x			
	18	868.2	-6.5	-11.6	67	SE	7.1	7	-1.9									
	21	866.0	-8.2	-14.0	63	SE	6.8	7	-2.2	50	02	0+	0 3 1	0+Ac x x	0+Ci x x			
	24	865.9	-11.3	-16.2	67	SE	7.3	6	-0.1									

DECEMBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
21	3	865.5	-10.7	-16.0	65	SE	10.0	8	-0.4	--	--	--	- - -				
	6	866.3	-9.4	-14.8	65	ESE	12.0	3	+0.8								
	9	867.6	-8.0	-13.0	67	ESE	11.6	3	+1.3	40	02	8	1 3 1	0+Cu x x	0+Ac x x	8 Ci x x	
	12	869.0	-6.2	-10.7	70	E	11.4	2	+1.4								
	15	870.4	-5.0	-9.6	70	E	8.9	2	+1.4	40	02	3	1 3 2	0+Cu x x	0+Ac x x	3 Ci x x	
	18	871.8	-4.4	-8.6	73	ENE	6.1	2	+1.4								
	21	873.8	-7.3	-9.5	84	E	5.5	2	+2.0	0.5	45	10	x x x	10 Cc x x			
	24	876.4	-9.2	-11.0	87	ENE	4.5	2	+2.6								
22	3	878.9	-10.4	-12.0	88	E	3.1	2	+2.5	--	--	--	- - -				
	6	881.7	-11.0	-12.3	90	NNE	2.7	2	+2.8								
	9	884.2	-9.4	-11.3	86	NNE	1.5	1	+2.5	0.4	45	10	x x x	10 Cc x x			
	12	885.8	-5.8	-9.4	76	E	2.5	2	+1.6								
	15	887.2	-6.3	-10.0	75	ENE	6.5	2	+1.4	35	02	8	6 3 0	3 St x x	6 Ac x x		
	18	888.0	-7.0	-9.6	82	NE	5.5	2	+0.8								
	21	889.0	-7.3	-10.3	79	E	6.1	2	+1.0	30	02	10	1 7 x	0+Cu x x	4 Ac x x	10-As x x	
	24	889.6	-9.0	-11.3	83	E	4.8	1	+0.6								
23	3	889.3	-11.3	-12.1	94	SE	5.7	7	-0.3	--	--	--	- - -				
	6	888.7	-11.6	-14.2	81	SE	6.0	7	-0.6								
	9	888.1	-7.9	-11.6	75	ESE	5.8	7	-0.6	50	02	3	1 3 2	0+Cu x x	0+Ac x x	3 Ci x x	
	12	887.3	-4.7	-9.3	70	E	5.9	5	-0.8								
	15	886.2	-2.2	-8.1	64	ENE	5.8	6	-1.1	50	02	5	0 3 1	0+Ac x x	5 Ci x x		
	18	884.6	0.3	-6.5	60	ESE	2.3	5	-1.6								
	21	883.4	-4.7	-10.8	62	SSE	4.0	7	-1.2	50	02	2	0 0 1	2 Ci x x			
	24	882.2	-10.2	-15.9	63	SSE	5.8	6	-1.2								
24	3	880.7	-11.8	-17.9	61	SSE	7.8	7	-1.5	--	--	--	- - -				
	6	879.3	-10.8	-16.3	64	SE	6.5	7	-1.4								
	9	878.8	-7.8	-12.6	69	SE	5.6	5	-0.5	50	02	1	0 0 1	1 Ci x x			
	12	877.9	-5.8	-11.1	66	ESE	11.7	7	-0.9								
	15	877.2	-4.0	-9.9	64	ESE	10.4	6	-0.7	50	02	1	0 0 1	1 Ci x x			
	18	875.9	-3.9	-9.9	63	ESE	9.9	7	-1.3								
	21	875.5	-5.8	-11.3	65	SE	7.2	6	-0.4	50	02	1	0 3 0	1 Ac x x			
	24	874.6	-9.1	-14.4	66	SE	6.9	7	-0.9								
25	3	873.6	-11.9	-17.3	64	SSE	7.5	6	-1.0	--	--	--	- - -				
	6	872.7	-11.0	-17.6	58	SSE	7.0	6	-0.9								
	9	873.0	-8.5	-14.1	64	SE	4.5	3	+0.3	50	02	0+	0 3 0	0+Ac x x			
	12	874.1	-5.5	-11.5	63	E	10.9	3	+1.1								
	15	876.2	-7.3	-10.8	76	ENE	8.8	2	+2.1	15	03	8	8 0 4	3 Cu x x	0+Sc x x	7 Ci x x	
	18	878.4	-8.6	-10.9	83	E	12.0	1	+2.2								
	21	880.6	-9.4	-11.7	83	ENE	9.6	1	+2.2	7	38	10	6 2 x	5 St x x	10 As x x		
	24	882.4	-11.3	-13.6	83	E	8.8	2	+1.8								

DECEMBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h	
26	3	883.1	-11.5	-13.9	82	ESE	8.6	3	+0.7	--	--	--	- - -					
	6	884.0	-10.8	-13.7	79	E	10.3	2	+0.9									
	9	884.5	-8.8	-10.7	86	ESE	14.5	3	+0.5	2.0	38	9	6 4 2	1 St x x	4 Ac x x	5 Ci x x		
	12	884.9	-6.8	-9.4	82	E	14.0	1	+0.4									
	15	884.6	-4.7	-9.0	72	ESE	11.2	5	-0.3	30	02	8	1 0 9	0+Cu x x	3 Ci x x	5 Cc x x		
	18	883.8	-4.1	-9.0	69	ESE	10.7	6	-0.8									
	21	882.6	-5.8	-11.7	63	SE	9.2	7	-1.2	50	02	0+	1 3 0	0+Cu x x	0+Ac x x			
	24	881.1	-8.2	-13.5	66	SE	11.0	8	-1.5									
27	3	879.3	-8.7	-12.8	72	SE	13.5	8	-1.8	--	--	--	- - -					
	6	877.7	-8.6	-12.2	75	ESE	16.2	6	-1.6									
	9	875.9	-7.2	-11.3	73	ESE	16.3	7	-1.8	1.0	38	1	0 4 0	1 Ac x x				
	12	873.3	-5.9	-8.8	80	ESE	15.9	8	-2.6									
	15	871.2	-4.2	-6.9	82	ESE	16.3	8	-2.1	1.0	38	1	1 3 0	0+Cu x x	0+Ac x x			
	18	869.6	-3.5	-6.2	82	ESE	17.0	7	-1.6									
	21	869.9	-4.0	-5.7	88	ESE	16.1	3	+0.3	0.5	38	10-	0 7 2	3 Ac x x	4 As x x	3 Ci x x		
	24	869.5	-4.3	-5.3	93	ESE	15.0	6	-0.4									
28	3	869.4	-4.7	-5.6	94	ESE	13.8	7	-0.1	--	--	--	- - -					
	6	869.3	-5.2	-6.2	93	ESE	16.0	7	-0.1									
	9	868.7	-5.4	-7.2	87	ESE	14.1	8	-0.6	0.3	39	10	x x x					
	12	868.7	-4.1	-6.1	86	E	13.4	4	+0.0									
	15	868.6	-2.4	-5.1	82	E	12.4	8	-0.1	10	36	9	0 7 2	6 St x x	3 Ci x x	2 Cc x x		
	18	868.6	-4.6	-6.2	89	E	14.4	5	0.0									
	21	869.7	-6.3	-7.2	93	E	18.4	3	+1.1	0.05	73	10	x x x					
	24	872.1	-6.9	-8.0	92	E	16.1	1	+2.4									
29	3	873.4	-7.1	-8.1	93	ESE	14.4	3	+1.3	--	--	--	- - -					
	6	874.8	-7.2	-8.3	92	E	13.7	3	+1.4									
	9	875.8	-6.9	-8.1	91	ESE	10.1	3	+1.0	0.5	38	10-	0 7 7	3 Ac x x	10-Cs x x			
	12	876.1	-5.3	-6.8	89	E	8.4	0	+0.3									
	15	876.7	-4.2	-6.2	86	E	9.1	1	+0.6	30	02	9	1 7 2	0+Cu x x	6 Ac x x	9 Ci x x		
	18	877.6	-4.6	-6.3	88	ENE	9.0	3	+0.9									
	21	878.6	-4.9	-6.6	88	E	5.9	3	+1.0	30	02	10-	8 7 x	0+Cu x x	0+Sc x x	10-Ac x x		
	24	879.2	-5.3	-6.9	89	E	4.2	0	+0.6									
30	3	879.5	-9.3	-11.4	85	SE	5.0	1	+0.3	--	--	--	- - -					
	6	879.3	-7.1	-9.2	85	ESE	4.1	8	-0.2									
	9	879.6	-5.3	-7.7	83	E	8.0	0	+0.3	40	01	3	1 7 1	0+Cu x x	2 Ac x x	1 Ci x x		
	12	879.5	-2.5	-4.5	86	ESE	8.8	5	-0.1									
	15	878.9	-2.7	-4.6	87	ESE	13.2	8	-0.6	10	03	10-	6 7 4	0+St x x	0+Cu x x	3 Ac x x	10-Ci x x	
	18	878.4	-1.8	-4.5	82	ESE	9.2	8	-0.5									
	21	877.4	-5.6	-8.5	80	SE	8.0	6	-1.0	50	02	5	5 4 2	0+Sc x x	2 Ac x x	4 Ci x x		
	24	876.3	-6.3	-9.2	80	ESE	11.9	5	-1.1									

DECEMBER

D	LT	PST (mb)	T (C)	Td (C)	U (%)	WD	V (m/s)	a	pp (mb)	Vis (km)	ww	N	CLCMCH	N1 C d h	N2 C d h	N3 C d h	N4 C d h
31	3	874.7	-6.7	-9.4	81	SE	15.0	6	-1.6	--	--	--	- - -				
	6	874.0	-6.5	-8.8	84	ESE	14.1	8	-0.7								
	9	873.4	-6.5	-9.5	79	ESE	12.7	8	-0.6	25	02	9	5 7 x	0+Sc x x	9 Ac x x		
	12	872.7	-6.1	-9.0	80	ESE	13.1	5	-0.7								
	15	872.8	-4.4	-7.9	76	ESE	12.3	3	+0.1	40	02	3	0 3 2	1 Ac x x	2 Ci x x		
	18	873.3	-3.4	-7.4	74	E	7.7	1	+0.5								
	21	874.0	-5.6	-8.4	81	ESE	9.1	1	+0.7	40	02	9	1 2 9	1 Sc x x	2 Ac x x	9 Ci x x	
	24	874.4	-7.4	-10.8	77	ESE	8.1	0	+0.4								

Table 5. Hourly global solar radiation data in 1989.

JANUARY 1989		(UNIT: MJ/M**2)																							
DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24LT	TOTAL
1	0.13	0.12	0.13	0.18	0.27	0.46	0.66	1.14	1.41	2.02	2.46	2.37	1.83	2.06	2.09	2.06	1.98	1.74	1.55	1.27	1.16	0.72	0.49	0.32	28.62
2	0.20	0.13	0.19	0.25	0.46	0.85	1.17	1.53	1.86	2.16	2.46	2.65	2.80	2.87	2.82	2.68	2.49	2.10	1.83	1.46	1.10	0.91	0.51	0.14	35.62
3	0.17	0.15	0.31	0.42	0.60	0.54	0.83	1.29	1.40	2.14	2.35	2.71	2.86	2.57	2.69	2.40	2.23	1.72	1.37	1.19	0.81	0.57	0.37	0.21	31.90
4	0.15	0.13	0.15	0.23	0.38	0.69	1.13	1.20	1.72	2.16	2.42	2.63	2.75	2.57	2.74	2.71	2.11	1.57	1.69	1.42	1.11	0.79	0.49	0.13	33.07
5	0.08	0.08	0.10	0.29	0.37	0.49	0.69	0.96	1.48	1.96	1.93	2.00	2.23	2.40	2.81	2.74	2.54	2.11	1.80	1.47	1.14	0.81	0.58	0.47	31.53
6	0.36	0.13	0.11	0.12	0.31	0.49	0.76	1.06	1.37	1.67	2.02	2.41	2.20	2.66	2.77	2.66	2.43	2.12	1.72	1.46	1.06	0.52	0.16	0.34	30.91
7	0.25	0.21	0.22	0.23	0.41	0.77	0.59	1.30	1.78	2.09	2.38	2.59	2.73	2.72	2.74	2.59	2.20	1.89	1.46	1.01	0.73	0.54	0.42	0.56	32.41
8	0.41	0.37	0.48	0.77	0.75	0.56	1.07	1.50	1.57	2.15	2.39	2.62	2.62	2.57	2.42	2.62	2.29	1.60	1.45	1.44	1.07	0.72	0.45	0.30	34.19
9	0.22	0.15	0.22	0.34	0.52	0.78	1.10	1.44	1.78	2.11	2.39	2.62	2.74	2.74	2.76	2.55	2.44	2.04	1.65	1.23	0.73	0.49	0.32	0.22	33.58
10	0.14	0.12	0.11	0.18	0.45	0.80	0.78	0.80	1.12	1.34	1.84	1.70	1.88	2.12	1.84	1.89	1.63	x	x	x	x	x	x	x	x
11	x	x	x	x	x	x	x	x	x	x	x	x	2.15	2.39	2.17	2.06	1.65	1.33	0.97	0.71	0.57	0.42	0.28	0.16	x
12	0.14	0.08	0.13	0.16	0.28	0.41	0.87	1.42	1.79	2.09	2.38	2.52	2.74	2.68	2.62	2.44	2.35	1.86	1.40	1.01	0.66	0.42	0.23	0.15	30.83
13	0.08	0.07	0.12	0.14	0.20	0.37	0.69	1.02	1.48	1.45	1.57	1.88	2.16	2.04	2.02	2.57	2.16	2.27	1.82	1.37	1.07	0.41	0.26	0.17	27.39
14	0.13	0.10	0.06	0.11	0.28	0.56	0.71	0.92	1.36	1.66	2.00	2.10	2.22	2.19	2.18	1.93	2.00	1.92	1.68	1.42	0.72	0.40	0.24	0.18	27.07
15	0.10	0.07	0.12	0.15	0.24	0.38	0.65	0.99	1.70	1.47	2.10	2.57	2.38	2.52	2.68	2.49	2.33	2.06	1.75	1.38	1.04	0.72	0.46	0.29	30.64
16	0.18	0.15	0.17	0.28	0.42	0.74	0.94	0.93	1.12	1.79	1.87	2.38	2.48	2.42	2.53	2.38	2.32	1.93	1.52	1.27	0.83	0.34	0.23	0.19	29.41
17	0.07	0.05	0.06	0.09	0.42	0.60	0.87	1.12	1.54	1.73	1.80	2.10	2.16	1.92	2.05	1.93	1.72	1.50	1.26	0.82	0.68	0.51	0.51	0.31	25.82
18	0.16	0.08	0.11	0.17	0.27	0.39	0.50	0.74	1.06	1.53	1.84	1.85	2.08	2.09	2.07	2.03	1.65	1.55	1.25	0.89	0.79	0.37	0.23	0.14	23.84
19	0.14	0.12	0.12	0.13	0.19	0.38	0.50	0.74	1.10	1.67	2.06	2.37	2.30	2.11	2.38	2.53	2.38	1.47	1.04	0.85	0.50	0.36	0.21	0.10	25.75
20	0.04	0.04	0.06	0.13	0.17	0.43	0.96	1.10	1.41	2.02	1.96	2.17	2.35	2.52	2.43	2.74	2.16	2.04	1.67	1.32	0.97	0.64	0.41	0.19	29.93
21	0.10	0.09	0.12	0.18	0.37	0.62	0.85	1.18	1.63	1.94	2.23	2.37	2.40	2.31	2.68	2.46	2.33	2.10	1.71	1.14	0.63	0.35	0.25	0.14	30.18
22	0.08	0.03	0.04	0.09	0.37	0.63	1.23	1.17	1.31	1.52	1.73	1.82	1.94	2.07	1.73	1.81	1.74	1.75	1.62	1.18	1.10	0.93	0.69	0.21	26.79
23	0.13	0.11	0.14	0.23	0.40	0.56	0.73	1.21	1.55	1.88	2.17	2.39	2.56	2.14	2.58	2.45	2.23	1.94	1.63	1.27	0.93	0.52	0.34	0.15	30.24
24	0.09	0.07	0.09	0.19	0.38	0.59	0.84	1.25	1.57	1.89	2.18	2.44	2.58	2.12	2.60	2.47	2.24	1.95	1.63	1.27	0.92	0.50	0.35	0.20	30.41
25	0.09	0.05	0.08	0.15	0.31	0.54	0.85	1.19	1.53	1.87	2.15	2.38	2.55	2.12	2.58	2.43	2.16	1.90	1.60	1.25	0.91	0.47	0.34	0.19	29.69
26	0.08	0.03	0.07	0.14	0.30	0.53	0.83	1.17	1.53	1.85	2.15	2.37	2.53	2.06	2.56	2.43	2.19	1.92	1.60	1.24	0.88	0.46	0.32	0.17	29.41
27	0.06	0.03	0.05	0.12	0.29	0.50	0.80	1.15	1.50	1.82	2.11	2.35	2.51	2.03	2.53	2.40	2.17	1.89	1.57	1.22	0.66	0.34	0.26	0.10	28.46
28	0.02	0.02	0.04	0.07	0.14	0.24	0.44	0.70	1.01	1.33	1.61	1.96	2.08	2.15	2.25	2.06	1.71	1.39	1.05	0.79	0.62	0.54	0.28	0.16	22.66
29	0.06	0.03	0.06	0.15	0.18	0.24	0.46	0.69	1.03	1.29	1.57	1.83	2.05	2.12	2.13	1.98	1.95	1.56	1.32	1.11	0.68	0.40	0.23	0.07	23.19
30	0.00	0.00	0.00	0.04	0.12	0.29	0.49	0.75	1.12	1.20	1.84	2.28	2.22	2.29	2.40	2.34	2.10	1.81	1.48	0.88	0.66	0.21	0.15	0.07	24.74
31	0.02	0.01	0.02	0.07	0.26	0.43	0.73	1.07	1.42	1.75	2.04	2.28	2.42	2.16	2.46	2.34	1.98	1.67	1.49	1.14	0.79	0.46	0.25	0.11	27.37
TOTAL	3.88	2.82	3.68	5.80	10.11	15.86	23.72	32.73	43.25	53.55	62.00	68.71	73.50	71.73	75.31	73.17	65.86	54.70	45.58	35.48	25.52	15.84	10.31	6.14	845.65
NUMBER	30	30	30	30	30	30	30	30	30	30	30	30	31	31	31	31	31	30	30	30	30	30	30	30	
MEAN	0.13	0.09	0.12	0.19	0.34	0.53	0.79	1.09	1.44	1.79	2.07	2.29	2.37	2.31	2.43	2.36	2.12	1.82	1.52	1.18	0.85	0.53	0.34	0.20	

FEBRUARY 1989

(UNIT: MJ/M**2)

DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24LT	TOTAL
1	0.00	0.00	0.00	0.07	0.29	0.26	0.44	0.66	0.96	1.15	1.40	1.77	2.15	2.14	2.17	1.85	1.88	1.10	0.84	0.63	0.40	0.15	0.01	0.00	20.32
2	X	X	X	X	X	X	X	X	X	X	X	X	X	1.49	1.39	1.38	1.25	1.02	0.69	0.58	0.49	0.41	0.53	0.94	X
3	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
4	0.00	0.00	0.00	0.02	0.10	0.18	0.28	0.42	0.78	1.08	1.44	1.59	1.80	1.85	1.65	1.38	1.25	1.32	1.03	0.68	0.52	0.36	0.10	0.00	17.83
5	0.00	0.00	0.00	0.00	0.06	0.15	0.57	1.03	1.59	2.40	2.05	2.23	2.43	2.41	2.39	2.32	2.04	1.69	1.09	0.72	0.38	0.20	0.08	0.01	25.84
6	0.00	0.00	0.00	0.00	0.18	0.44	0.80	1.02	1.16	1.49	1.86	2.06	2.19	2.07	2.32	2.19	1.96	1.66	1.34	1.01	0.66	0.36	0.17	0.02	24.96
7	0.00	0.00	0.00	0.00	0.11	0.31	0.52	0.84	1.20	1.49	1.85	2.12	2.28	2.15	2.34	2.20	1.96	1.68	1.26	0.67	0.43	0.20	0.11	0.01	23.73
8	0.00	0.00	0.00	0.00	0.06	0.24	0.73	0.99	1.26	1.49	1.83	2.07	2.26	2.12	2.31	2.17	1.94	1.65	1.32	0.97	0.62	0.31	0.13	0.00	24.47
9	0.00	0.00	0.00	0.00	0.08	0.27	0.54	0.88	1.29	1.76	1.39	1.58	1.82	2.03	2.30	2.15	1.91	1.62	1.30	0.96	0.57	0.28	0.08	0.01	22.82
10	0.00	0.00	0.00	0.00	0.02	0.16	0.58	0.82	1.18	1.52	1.80	2.04	2.21	2.10	2.25	2.10	1.88	1.61	1.30	0.90	0.59	0.39	0.09	0.00	23.54
11	0.00	0.00	0.00	0.00	0.02	0.17	0.33	0.53	0.96	1.07	1.51	2.24	1.83	1.54	1.78	1.96	1.94	0.91	0.69	0.52	0.27	0.15	0.06	0.00	18.48
12	0.00	0.00	0.00	0.00	0.02	0.13	0.41	0.51	0.89	0.95	1.12	1.48	2.01	2.18	2.05	1.82	1.75	1.39	1.12	0.75	0.46	0.16	0.04	0.00	19.24
13	0.00	0.00	0.00	0.00	0.03	0.20	0.45	0.77	1.10	1.45	1.74	2.00	2.18	2.10	2.19	2.07	1.46	1.54	1.24	0.72	0.16	0.10	0.02	0.00	21.52
14	0.00	0.00	0.00	0.00	0.01	0.17	0.41	0.74	1.12	1.47	1.83	2.02	2.11	2.05	2.22	2.07	1.79	1.50	1.20	0.80	0.32	0.19	0.06	0.00	22.08
15	0.00	0.00	0.00	0.00	0.01	0.19	0.41	0.73	1.08	1.41	1.71	1.95	2.13	2.08	2.13	2.07	1.78	1.54	1.13	0.80	0.46	0.18	0.03	0.00	21.82
16	0.00	0.00	0.00	0.00	0.00	0.17	0.42	0.71	1.07	1.38	1.70	1.66	2.01	1.65	1.64	1.41	1.21	1.01	0.75	0.46	0.27	0.09	0.01	0.00	17.62
17	0.00	0.00	0.00	0.00	0.00	0.05	0.23	0.43	0.64	0.85	1.20	1.63	1.98	1.89	1.79	1.85	1.27	0.88	0.66	0.43	0.22	0.11	0.01	0.00	16.12
18	0.00		0.00	0.00	0.00	0.05	0.15	0.55	1.03	1.04	1.31	1.54	1.53	1.58	1.30	1.22	1.12	0.91	0.64	0.40	0.21	0.07	0.01	0.00	14.66
19	0.00		0.00	0.00	0.00	0.03	0.16	0.33	0.55	0.76	1.09	1.24	1.35	1.51	1.67	1.49	1.28	0.91	0.78	0.46	0.18	0.05	0.00	0.00	13.84
20	0.00			0.00	0.00	0.05	0.23	0.63	0.84	1.16	1.58	1.89	1.89	1.85	2.09	1.63	1.45	1.36	0.99	0.65	0.32	0.11	0.01	0.00	18.73
21				0.00	0.00	0.08	0.28	0.59	0.93	1.24	1.54	1.77	1.93	1.86	1.98	1.84	1.61	1.33	1.00	0.66	0.34	0.09	0.00	0.00	19.07
22				0.00	0.00	0.06	0.28	0.56	0.90	1.23	1.50	1.64	1.75	1.78	1.49	1.52	1.01	0.76	0.54	0.34	0.16	0.03	0.00	0.00	15.55
23				0.00	0.00	0.02	0.15	0.36	0.56	1.00	1.23	1.64	1.55	1.67	1.23	1.26	1.07	0.88	0.62	0.41	0.21	0.02	0.00	0.00	13.88
24				0.00	0.00	0.01	0.15	0.36	0.54	0.74	0.96	1.39	1.33	1.16	1.21	1.14	0.94	0.73	0.48	0.29	0.16	0.03	0.00	0.00	11.62
25				0.00	0.00	0.01	0.13	0.67	1.10	0.91	1.52	2.07	1.50	1.36	1.11	1.09	0.96	0.81	0.55	0.36	0.12	0.01	0.00	0.00	14.28
26					0.00	0.00	0.08	0.22	0.38	0.60	0.74	0.97	1.15	1.21	1.07	1.06	0.90	0.71	0.48	0.29	0.14	0.01	0.00	0.00	10.01
27					0.00	0.00	0.08	0.21	0.65	0.66	1.31	1.51	1.45	1.59	1.67	1.58	1.42	1.03	0.80	0.28	0.09	0.02	0.00		14.35
28					0.00	0.00	0.11	0.34	0.53	0.98	1.61	1.48	1.87	1.82	1.90	1.28	0.90	0.78	0.45	0.18	0.07	0.00	0.00		14.30
TOTAL	0.00	0.00	0.00	0.09	0.99	3.40	8.92	15.90	24.29	31.28	38.82	45.58	48.69	49.24	49.64	46.10	39.93	32.33	24.29	15.92	8.82	4.08	1.55	0.99	480.68
NUMBER	18	15	17	23	26	26	26	26	26	26	26	26	26	27	27	27	27	27	27	27	27	27	25		
MEAN	0.00	0.00	0.00	0.00	0.04	0.13	0.34	0.61	0.93	1.20	1.49	1.75	1.87	1.82	1.84	1.71	1.48	1.20	0.90	0.59	0.33	0.15	0.06	0.04	

MARCH 1989

(UNIT: MJ/M**2)

DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24LT	TOTAL
1					0.00	0.00	0.06	0.31	0.83	0.73	0.91	1.52	1.70	1.69	1.75	1.62	1.39	1.08	0.77	0.43	0.17	0.01	0.00		14.97
2					0.00	0.00	0.14	0.36	0.78	1.03	1.32	1.55	1.70	1.67	1.75	1.61	1.37	1.09	0.74	0.36	0.13	0.00	0.00		15.60
3					0.00	0.00	0.07	0.25	0.39	0.60	0.88	1.18	1.27	1.31	0.99	1.38	1.17	1.09	0.70	0.39	0.13	0.00	0.00		11.80
4					0.00	0.00	0.04	0.21	0.35	0.68	0.77	0.83	0.91	0.97	0.92	1.11	0.70	0.51	0.33	0.15	0.04	0.02	0.00		8.54
5					0.03	0.02	0.04	0.17	0.28	0.47	0.66	0.78	0.82	0.91	0.98	0.78	0.70	0.54	0.41	0.21	0.09	0.05	0.06		8.00
6					0.06	0.03	0.02	0.12	0.28	0.41	0.64	0.84	1.12	0.91	1.42	1.32	1.38	1.14	0.69	0.29	0.04	0.00	0.00		10.71
7					0.07	0.08	0.29	0.61	1.25	1.11	0.90	1.39	1.45	1.44	1.77	0.95	0.95	0.63	0.26	0.04	0.00	0.00	0.00		13.19
8					0.00	0.01	0.19	0.64	0.95	1.27	1.51	1.67	1.62	1.67	1.50	1.24	0.94	0.39	0.27	0.03	0.00				13.90
9					0.00	0.03	0.14	0.32	0.67	1.27	1.22	1.49	1.49	1.56	1.42	1.18	0.90	0.57	0.26	0.05	0.00				12.57
10					0.00	0.03	0.25	0.56	0.92	1.29	1.31	1.25	1.24	1.27	0.69	0.58	0.47	0.34	0.21	0.01	0.00				10.42
11					0.00	0.01	0.14	0.53	0.90	1.16	1.14	1.19	1.42	1.48	1.33	1.11	0.82	0.51	0.21	0.03	0.00				11.98
12					0.00	0.02	0.23	0.46	0.77	1.06	1.29	1.44	1.40	1.45	1.32	1.09	0.80	0.49	0.19	0.01	0.00				12.02
13					0.00	0.01	0.23	0.48	0.73	0.91	1.17	1.47	1.43	1.44	1.25	0.95	0.69	0.42	0.11	0.01	0.00				11.30
14					0.00	0.00	0.20	0.41	0.71	1.00	1.23	1.37	1.35	1.40	1.25	1.02	0.74	0.43	0.13	0.01	0.00				11.25
15					0.00	0.00	0.13	0.37	0.66	0.81	1.15	1.15	0.82	1.28	0.84	0.71	0.37	0.23	0.05	0.00	0.00				8.57
16					0.00	0.00	0.04	0.25	0.65	0.97	1.00	1.21	1.18	1.21	0.85	0.70	0.39	0.23	0.05	0.00	0.00				8.73
17					0.00	0.00	0.01	0.15	0.37	0.63	0.82	0.79	0.89	1.11	0.75	0.64	0.41	0.18	0.06	0.00	0.00				6.81
18					0.00	0.02	0.10	0.32	0.61	0.85	0.97	1.03	1.08	0.84	0.59	0.34	0.17	0.05	0.00						6.97
19					0.00	0.01	0.08	0.20	0.31	0.34	0.55	0.57	0.75	0.59	0.51	0.42	0.23	0.04	0.00						4.60
20					0.00	0.08	0.31	0.50	0.83	1.04	1.19	1.12	1.21	1.00	0.88	0.52	0.20	0.04	0.00						8.92
21					0.00	0.02	0.22	0.52	0.80	1.03	1.19	1.17	0.69	0.90	0.46	0.33	0.12	0.02	0.00						7.47
22					0.00	0.01	0.12	0.30	0.49	0.65	0.73	0.84	0.67	0.55	0.39	0.25	0.11	0.01	0.00						5.12
23					0.00	0.01	0.16	0.41	0.90	1.15	0.80	0.72	0.66	0.62	0.44	0.27	0.11	0.01	0.00						6.26
24					0.00	0.01	0.15	0.46	0.75	0.93	1.07	1.06	1.08	0.95	0.72	0.45	0.19	0.00	0.00						7.82
25					0.00	0.01	0.17	0.44	0.69	0.92	1.07	1.04	1.06	0.70	0.50	0.32	0.16	0.02	0.00						7.10
26					0.00	0.00	0.15	0.40	0.66	0.87	1.00	0.98	0.98	0.86	0.63	0.18	0.06	0.00	0.00						6.77
27					0.00	0.00	0.10	0.38	0.65	0.87	1.02	1.00	0.96	0.71	0.43	0.24	0.07	0.00	0.00						6.43
28					0.00	0.00	0.17	0.39	0.50	0.54	0.75	0.91	1.03	0.87	0.46	0.23	0.08	0.00	0.00						5.93
29					0.00	0.00	0.08	0.18	0.34	0.48	0.62	0.74	0.81	0.49	0.41	0.33	0.07	0.00	0.00						4.55
30					0.00	0.00	0.01	0.14	0.24	0.42	0.68	0.74	0.63	0.57	0.40	0.08	0.02	0.00							3.93
31					0.00	0.06	0.26	0.54	0.74	0.87	0.86	0.88	0.73	0.52	0.28	0.05	0.00								5.79
TOTAL					0.09	0.12	0.56	3.44	9.57	17.40	24.97	30.27	34.45	34.53	35.61	31.17	24.22	17.17	9.70	3.82	0.79	0.08	0.06		278.02
NUMBER	0	0	0	0	6	17	30	31	31	31	31	31	31	31	31	31	31	31	31	29	17	7	0		
MEAN					0.02	0.01	0.02	0.11	0.31	0.56	0.81	0.98	1.11	1.11	1.15	1.01	0.78	0.55	0.31	0.12	0.03	0.00	0.01		

APRIL 1989

(UNIT: MJ/M**2)

DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24LT	TOTAL
1								0.00	0.03	0.19	0.28	0.32	0.43	0.51	0.47	0.42	0.29	0.19	0.03	0.00					3.16
2								0.00	0.04	0.11	0.39	0.67	0.82	0.80	0.80	0.67	0.47	0.22	0.02	0.00					5.01
3								0.00	0.04	0.31	0.51	0.74	0.82	0.77	0.63	0.40	0.25	0.12	0.01	0.00					4.60
4								0.00	0.01	0.20	0.43	0.46	0.53	0.75	0.75	0.61	0.40	0.18	0.01	0.00					4.33
5								0.00	0.00	0.09	0.23	0.64	0.91	0.80	0.71	0.63	0.39	0.15	0.01	0.00					4.56
6								0.00	0.00	0.08	0.27	0.45	0.54	0.44	0.63	0.54	0.36	0.13	0.00	0.00					3.44
7								0.00	0.00	0.13	0.36	0.29	0.43	0.42	0.42	0.36	0.18	0.09	0.01	0.00					2.69
8								0.00	0.00	0.07	0.19	0.30	0.39	0.40	0.38	0.32	0.19	0.04	0.00	0.00					2.28
9								0.00	0.01	0.12	0.32	0.51	0.63	0.62	0.61	0.48	0.29	0.07	0.00	0.00					3.66
10								0.00	0.00	0.03	0.23	0.27	0.41	0.34	0.33	0.23	0.14	0.02	0.00	0.00					2.00
11								0.00	0.05	0.08	0.19	0.24	0.31	0.34	0.31	0.25	0.16	0.03	0.00						1.96
12								0.00	0.00	0.03	0.14	0.21	0.32	0.37	0.34	0.24	0.17	0.04	0.00						1.86
13								0.00	0.00	0.06	0.25	0.45	0.50	0.57	0.56	0.43	0.24	0.03	0.00						3.09
14								0.00	0.05	0.26	0.46	0.56	0.50	0.44	0.29	0.12	0.01	0.00							2.69
15								0.00	0.06	0.27	0.45	0.60	0.57	0.56	0.42	0.19	0.02	0.00							3.14
16								0.00	0.03	0.18	0.38	0.53	0.53	0.50	0.38	0.13	0.01	0.00							2.67
17								0.00	0.00	0.12	0.20	0.21	0.33	0.19	0.17	0.07	0.00	0.00							1.29
18								0.00	0.01	0.10	0.19	0.29	0.30	0.24	0.17	0.05	0.01	0.00							1.36
19								0.00	0.02	0.15	0.30	0.39	0.36	0.37	0.27	0.07	0.00	0.00							1.93
20								0.00	0.01	0.12	0.25	0.37	0.34	0.26	0.17	0.07	0.00	0.00							1.59
21								0.00	0.00	0.09	0.25	0.36	0.29	0.26	0.12	0.03	0.00	0.00							1.40
22								0.00	0.00	0.04	0.12	0.16	0.17	0.14	0.09	0.01	0.00	0.00							0.73
23								0.09	0.17	0.14	0.21	0.31	0.27	0.29	0.11	0.03	0.00	0.00							1.62
24								x	x	x	x	x	x	x	x	x	x	x							x
25								0.00	0.00	0.03	0.10	0.14	0.22	0.19	0.12	0.02	0.00								0.82
26								0.00	0.00	0.01	0.06	0.08	0.09	0.12	0.07	0.00	0.00								0.43
27								0.00	0.00	0.00	0.07	0.15	0.16	0.19	0.08	0.00	0.00								0.65
28								0.00	0.00	0.00	0.08	0.17	0.23	0.15	0.07	0.00	0.00								0.70
29									0.00	0.00	0.07	0.12	0.11	0.09	0.06	0.00	0.00								0.45
30									0.00	0.01	0.09	0.20	0.17	0.17	0.08	0.00	0.00								0.72
TOTAL								0.00	0.27	1.85	5.31	8.83	11.68	11.77	11.10	8.25	4.32	1.36	0.09	0.00					64.83
NUMBER	0	0	0	0	0	0	0	13	27	29	29	29	29	29	29	29	29	29	23	10	0	0	0	0	
MEAN								0.00	0.01	0.06	0.18	0.30	0.40	0.41	0.38	0.28	0.15	0.05	0.00	0.00					

MAY 1989

(UNIT: MJ/M**2)

DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24LT	TOTAL
1										0.00	0.00	0.03	0.07	0.07	0.05	0.03	0.00	0.00							0.25
2										0.00	0.00	0.07	0.10	0.12	0.08	0.02	0.00	0.00							0.39
3										0.00	0.00	0.03	0.10	0.12	0.09	0.02	0.00	0.00							0.36
4										0.00	0.00	0.00	0.00	0.03	0.05	0.01	0.00	0.00							0.09
5										0.00	0.00	0.05	0.10	0.10	0.12	0.02	0.00	0.00							0.39
6										0.00	0.00	0.01	0.06	0.06	0.05	0.00	0.00	0.00							0.18
7										0.00	0.00	0.01	0.08	0.07	0.07	0.01	0.00	0.00							0.24
8										0.00	0.00	0.03	0.08	0.08	0.07	0.01	0.00								0.27
9										0.00	0.00	0.02	0.06	0.07	0.06	0.00	0.00								0.21
10										0.00	0.00	0.01	0.08	0.06	0.06	0.00	0.00								0.21
11										0.00	0.00	0.01	0.08	0.08	0.05	0.00	0.00								0.22
12										0.00	0.00	0.00	0.00	0.04	0.03	0.00	0.00								0.07
13											0.00	0.00	0.04	0.05	0.02	0.00	0.00								0.11
14											0.00	0.00	0.03	0.06	0.01	0.00	0.00								0.10
15											0.00	0.00	0.00	0.01	0.00	0.00	0.00								0.01
16											0.00	0.00	0.00	0.00	0.00	0.00	0.00								0.00
17											0.00	0.00	0.00	0.00	0.00	0.00	0.00								0.00
18											0.00	0.00	0.00	0.00	0.00	0.00	0.00								0.00
19											0.00	0.00	0.00	0.00	0.00	0.00	0.00								0.00
20											0.00	0.00	0.00	0.00	0.00	0.00	0.00								0.00
21											0.00	0.00	0.00	0.00	0.00	0.00	0.00								0.00
22											0.00	0.00	0.00	0.00	0.00	0.00	0.00								0.00
23											0.00	0.00	0.00	0.00	0.00	0.00									0.00
24											0.00	0.00	0.00	0.00	0.00	0.00									0.00
25											0.00	0.00	0.00	0.00	0.00	0.00									0.00
26											0.00	0.00	0.00	0.00	0.00	0.00									0.00
27											0.00	0.00	0.00	0.00	0.00	0.00									0.00
28												0.00	0.00	0.00	0.00	0.00									0.00
29												0.00	0.00	0.00	0.00	0.00									0.00
30												0.00	0.00	0.00	0.00	0.00									0.00
31												0.00	0.00	0.00	0.00	0.00									0.00
TOTAL										0.00	0.00	0.27	0.88	1.02	0.81	0.12	0.00	0.00							3.10
NUMBER	0	0	0	0	0	0	0	0	0	12	27	31	31	31	31	31	22	7	0	0	0	0	0	0	
MEAN										0.00	0.00	0.01	0.03	0.03	0.03	0.00	0.00	0.00							

JUNE 1989

(UNIT: MJ/M**2)

DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24LT	TOTAL
1												0.00	0.00	0.00	0.00	0.00									0.00
2												0.00	0.00	0.00	0.00	0.00									0.00
3												0.00	0.00	0.00	0.00	0.00									0.00
4												0.00	0.00	0.00	0.00	0.00									0.00
5												0.00	0.00	0.00	0.00	0.00									0.00
6												0.00	0.00	0.00	0.00	0.00									0.00
7												0.00	0.00	0.00	0.00	0.00									0.00
8												0.00	0.00	0.00	0.00	0.00									0.00
9												0.00	0.00	0.00	0.00	0.00									0.00
10												0.00	0.00	0.00	0.00										0.00
11												0.00	0.00	0.00	0.00										0.00
12												0.00	0.00	0.00	0.00										0.00
13												0.00	0.00	0.00	0.00										0.00
14												0.00	0.00	0.00	0.00										0.00
15												0.00	0.00	0.00	0.00										0.00
16												0.00	0.00	0.00	0.00										0.00
17													0.00	0.00	0.00										0.00
18													0.00	0.00	0.00										0.00
19												0.00	0.00	0.00	0.00										0.00
20												0.00	0.00	0.00											0.00
21													0.00	0.00	0.00										0.00
22													0.00	0.00	0.00										0.00
23													0.00	0.00	0.00										0.00
24													0.00	0.00	0.00										0.00
25													0.00	0.00	0.00										0.00
26													0.00	0.00	0.00										0.00
27													0.00	0.00	0.00										0.00
28												0.00	0.00	0.00	0.00										0.00
29												0.00	0.00	0.00	0.00										0.00
30												0.00	0.00	0.00	0.00										0.00
TOTAL												0.00	0.00	0.00	0.00	0.00									0.00
NUMBER	0	0	0	0	0	0	0	0	0	0	0	19	30	30	30	9	0	0	0	0	0	0	0	0	
MEAN												0.00	0.00	0.00	0.00	0.00									

JULY 1989

(UNIT: MJ/M**2)

DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24LT	TOTAL	
1											0.00	0.00	0.00	0.00	0.00										0.00	
2											0.00	0.00	0.00	0.00	0.00											0.00
3											0.00	0.00	0.00	0.00	0.00											0.00
4											0.00	0.00	0.00	0.00	0.00											0.00
5											0.00	0.00	0.00	0.00	0.00											0.00
6											0.00	0.00	0.00	0.00	0.00											0.00
7											0.00	0.00	0.00	0.00	0.00											0.00
8											0.00	0.00	0.00	0.00	0.00											0.00
9											0.00	0.00	0.00	0.00	0.00											0.00
10											0.00	0.00	0.00	0.00	0.00											0.00
11												0.00	0.00	0.00	0.00	0.00										0.00
12											0.00	0.00	0.00	0.00	0.00											0.00
13											0.00	0.00	0.00	0.00	0.00											0.00
14											0.00	0.00	0.00	0.00	0.00											0.00
15											0.00	0.00	0.00	0.00	0.00											0.00
16											0.00	0.00	0.00	0.00	0.00											0.00
17											0.00	0.00	0.00	0.00	0.00											0.00
18											0.00	0.00	0.00	0.00	0.00											0.00
19											0.00	0.00	0.00	0.00	0.00	0.00	0.00									0.00
20											0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								0.00
21											0.00	0.00	0.00	0.00	0.00	0.00	0.00									0.00
22											0.00	0.00	0.00	0.00	0.00	0.00	0.00									0.00
23											0.00	0.00	0.00	0.00	0.00	0.00	0.00									0.00
24											0.00	0.00	0.00	0.00	0.00	0.00	0.00									0.00
25											0.00	0.00	0.00	0.00	0.00	0.00	0.00									0.00
26											0.00	0.00	0.00	0.00	0.00	0.00	0.00									0.00
27											0.00	0.00	0.00	0.00	0.00	0.00	0.00									0.00
28											0.00	0.00	0.00	0.00	0.00	0.00	0.00									0.00
29											0.00	0.00	0.00	0.00	0.00	0.00	0.00									0.00
30											0.00	0.00	0.00	0.00	0.00	0.00	0.00									0.00
31											0.00	0.00	0.02	0.04	0.05	0.00	0.00									0.11
TOTAL											0.00	0.00	0.02	0.04	0.05	0.00	0.00									0.11
NUMBER	0	0	0	0	0	0	0	0	0	0	13	31	31	31	31	31	13	0	0	0	0	0	0	0		
MEAN											0.00	0.00	0.00	0.00	0.00	0.00	0.00									

AUGUST 1989

(UNIT: MJ/M**2)

DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24LT	TOTAL	
1										0.00	0.00	0.01	0.04	0.03	0.00	0.00									0.08	
2										0.00	0.00	0.07	0.07	0.04	0.00	0.00										0.18
3										0.00	0.00	0.00	0.06	0.09	0.08	0.01	0.00	0.00								0.24
4										0.00	0.00	0.00	0.03	0.05	0.03	0.00	0.00	0.00								0.11
5										0.00	0.00	0.02	0.06	0.06	0.07	0.00	0.00	0.00								0.21
6										0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00								0.00
7										0.00	0.00	0.02	0.10	0.15	0.08	0.02	0.00	0.00								0.37
8										0.00	0.00	0.04	0.12	0.14	0.11	0.03	0.00	0.00								0.44
9										0.00	0.00	0.04	0.13	0.15	0.12	0.05	0.00	0.00								0.49
10										0.00	0.00	0.05	0.14	0.16	0.14	0.06	0.00	0.00								0.55
11											0.00	0.06	0.15	0.18	0.16	0.08	0.01	0.00								0.64
12										0.00	0.00	0.06	0.12	0.16	0.19	0.13	0.03	0.00								0.69
13										0.00	0.00	0.08	0.21	0.23	0.20	0.09	0.01	0.00								0.82
14										0.00	0.01	0.10	0.21	0.20	0.16	0.12	0.01	0.00								0.81
15											0.00	0.08	0.15	0.13	0.10	0.07	0.01	0.00								0.54
16										0.00	0.01	0.10	0.18	0.26	0.18	0.10	0.05	0.00								0.88
17									0.00	0.00	0.00	0.03	0.11	0.13	0.13	0.05	0.01	0.00	0.00							0.46
18									0.00	0.00	0.03	0.17	0.30	0.30	0.27	0.19	0.04	0.00	0.00							1.30
19									0.00	0.00	0.09	0.27	0.42	0.44	0.39	0.27	0.05	0.00	0.00							1.93
20									0.00	0.00	0.07	0.16	0.25	0.34	0.30	0.21	0.05	0.00	0.00							1.38
21									0.00	0.00	0.04	0.20	0.19	0.21	0.22	0.04	0.01	0.00	0.00							0.91
22									0.00	0.00	0.05	0.15	0.22	0.24	0.21	0.13	0.03	0.00	0.00							1.03
23									0.00	0.00	0.10	0.28	0.39	0.42	0.31	0.11	0.03	0.01	0.00							1.65
24									0.00	0.00	0.10	0.25	0.33	0.39	0.36	0.21	0.08	0.00	0.00							1.72
25									0.00	0.01	0.14	0.30	0.43	0.17	0.01	0.01	0.00	0.00	0.00							1.07
26									0.00	0.01	0.13	0.31	0.45	0.48	0.45	0.35	0.16	0.01	0.00							2.35
27									0.00	0.01	0.10	0.10	0.19	0.32	0.32	0.23	0.12	0.03	0.00							1.42
28									0.00	0.02	0.12	0.19	0.33	0.34	0.41	0.29	0.15	0.02	0.00							1.87
29									0.00	0.02	0.16	0.26	0.45	0.45	0.51	0.40	0.21	0.03	0.00							2.49
30								0.00	0.00	0.04	0.22	0.39	0.53	0.57	0.54	0.42	0.24	0.05	0.00							3.00
31								0.00	0.00	0.05	0.25	0.33	0.38	0.34	0.31	0.26	0.10	0.04	0.00							2.06
TOTAL								0.00	0.00	0.16	1.62	4.04	6.71	7.21	6.43	3.93	1.40	0.19	0.00							31.69
NUMBER	0	0	0	0	0	0	0	2	15	27	31	31	31	31	31	31	31	29	15	0	0	0	0	0		
MEAN								0.00	0.00	0.01	0.05	0.13	0.22	0.23	0.21	0.13	0.05	0.01	0.00							

SEPTEMBER 1989

(UNIT: MJ/M**2)

DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24LT	TOTAL
1								0.00	0.00	0.07	0.18	0.32	0.35	0.46	0.37	0.28	0.15	0.05	0.00	0.00					2.23
2								0.00	0.00	0.08	0.24	0.44	0.51	0.53	0.54	0.49	0.27	0.07	0.00	0.00					3.17
3								0.00	0.00	0.06	0.27	0.49	0.63	0.68	0.65	0.51	0.33	0.11	0.00	0.00					3.73
4								0.00	0.00	0.09	0.17	0.34	0.60	0.70	0.66	0.53	0.34	0.12	0.01	0.00					3.56
5								0.00	0.01	0.14	0.36	0.55	0.70	0.82	0.69	0.52	0.37	0.16	0.00	0.00					4.32
6								0.00	0.01	0.16	0.39	0.58	0.71	0.78	0.73	0.59	0.40	0.17	0.01	0.00					4.53
7								0.00	0.03	0.20	0.45	0.64	0.76	0.80	0.76	0.63	0.42	0.19	0.01	0.00					4.89
8								0.00	0.02	0.20	0.44	0.63	0.78	0.83	0.78	0.65	0.45	0.20	0.02	0.00					5.00
9								0.00	0.03	0.23	0.45	0.67	0.82	0.86	0.82	0.68	0.48	0.23	0.02	0.00					5.29
10								0.00	0.05	0.26	0.49	0.69	0.83	0.89	0.85	0.71	0.50	0.25	0.03	0.00					5.55
11							0.00	0.00	0.06	0.27	0.52	0.73	0.87	0.93	0.88	0.74	0.53	0.27	0.05	0.00					5.85
12							0.00	0.00	0.07	0.29	0.54	0.74	0.89	0.94	0.89	0.76	0.54	0.29	0.06	0.00					6.01
13							0.00	0.00	0.09	0.32	0.57	0.78	0.92	0.97	0.93	0.78	0.57	0.31	0.07	0.00					6.31
14							0.00	0.00	0.11	0.34	0.60	0.82	0.96	1.02	1.00	0.82	0.59	0.33	0.06	0.00					6.65
15							0.00	0.01	0.11	0.37	0.62	0.82	0.98	1.03	0.98	0.83	0.61	0.35	0.10	0.00	0.00				6.81
16							0.00	0.00	0.13	0.39	0.63	0.86	1.00	1.06	1.01	0.87	0.65	0.38	0.11	0.00	0.00				7.09
17							0.00	0.02	0.16	0.43	0.69	0.90	1.04	1.10	1.05	0.90	0.68	0.41	0.14	0.00	0.00				7.52
18							0.00	0.01	0.11	0.32	0.50	0.68	0.73	0.68	0.57	0.48	0.20	0.10	0.02	0.00	0.00				4.40
19							0.00	0.03	0.19	0.46	0.73	0.94	1.08	1.14	1.09	0.94	0.71	0.45	0.17	0.01	0.00				7.94
20							0.00	0.04	0.23	0.49	0.76	0.98	1.12	1.17	1.12	0.98	0.74	0.47	0.19	0.01	0.00				8.30
21							0.00	0.06	0.25	0.52	0.80	1.00	1.15	1.20	1.15	1.00	0.78	0.50	0.14	0.00	0.00				8.55
22							0.00	0.10	0.26	0.40	0.57	0.74	0.92	1.00	1.32	1.12	0.83	0.41	0.11	0.01	0.00				7.79
23						0.00	0.00	0.06	0.30	0.58	0.92	1.05	1.08	0.84	1.21	0.83	0.44	0.24	0.12	0.01	0.00				7.68
24						0.00	0.00	0.05	0.21	0.44	0.67	0.79	0.93	0.89	0.90	0.73	0.51	0.25	0.13	0.01	0.00				6.51
25						0.00	0.00	0.04	0.22	0.44	0.59	0.82	1.18	1.34	1.28	1.13	0.89	0.60	0.30	0.04	0.00				8.87
26						0.00	0.00	0.11	0.31	0.61	0.93	1.16	1.29	1.36	1.30	1.14	0.91	0.62	0.32	0.06	0.00				10.12
27						0.00	0.01	0.17	0.40	0.70	0.98	1.20	1.35	1.40	1.35	1.19	0.96	0.66	0.34	0.05	0.00				10.76
28						0.00	0.02	0.20	0.44	0.74	1.03	1.25	1.39	1.43	1.37	1.23	0.96	0.69	0.37	0.09	0.00				11.21
29						0.00	0.03	0.21	0.46	0.76	1.04	1.26	1.42	1.46	1.41	1.25	1.00	0.72	0.39	0.12	0.00				11.53
30						0.00	0.01	0.17	0.44	0.71	1.02	0.91	0.98	1.00	1.13	0.91	0.62	0.49	0.23	0.06	0.00	0.00			8.68
TOTAL						0.00	0.07	1.28	4.70	11.07	18.15	23.78	27.97	29.31	28.79	24.22	17.43	10.09	3.52	0.47	0.00	0.00			200.85
NUMBER	0	0	0	0	0	8	20	30	30	30	30	30	30	30	30	30	30	30	30	30	16	1	0	0	
MEAN						0.00	0.00	0.04	0.16	0.37	0.61	0.79	0.93	0.98	0.96	0.81	0.58	0.34	0.12	0.02	0.00	0.00			

OCTOBER 1989

(UNIT: MJ/M**2)

DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24LT	TOTAL
1					0.00	0.01	0.16	0.35	0.59	0.75	1.02	1.04	1.11	1.13	1.02	0.80	0.46	0.26	0.07	0.00	0.00				8.77
2					0.00	0.01	0.14	0.31	0.58	0.79	0.94	1.33	1.44	1.45	1.28	0.78	0.43	0.23	0.05	0.00	0.00				9.76
3					0.00	0.03	0.44	0.77	0.93	0.93	1.17	1.45	1.52	1.45	1.58	0.86	0.63	0.36	0.12	0.01	0.00				12.25
4				0.00	0.00	0.04	0.29	0.49	0.84	1.04	1.48	1.41	1.34	1.35	1.21	0.97	0.68	0.28	0.09	0.01	0.00				11.52
5				0.00	0.00	0.08	0.35	0.60	0.93	1.20	1.43	1.57	1.63	1.57	1.41	1.16	0.87	0.54	0.24	0.02	0.00				13.60
6				0.00	0.00	0.09	0.37	0.64	0.95	1.23	1.45	1.60	1.65	1.59	1.42	1.18	0.87	0.55	0.24	0.03	0.00				13.86
7				0.00	0.00	0.14	0.40	0.66	1.00	1.27	1.50	1.65	1.70	1.64	1.46	1.22	0.92	0.59	0.27	0.04	0.00				14.46
8				0.00	0.00	0.17	0.41	0.70	1.03	1.31	1.54	1.68	1.74	1.67	1.49	1.25	0.95	0.61	0.29	0.05	0.00				14.89
9				0.00	0.01	0.18	0.45	0.74	1.06	1.35	1.57	1.72	1.78	1.71	1.53	1.29	0.98	0.64	0.28	0.07	0.00				15.36
10				0.00	0.02	0.20	0.46	0.76	1.09	1.38	1.59	1.75	1.80	1.73	1.56	1.31	1.00	0.67	0.33	0.08	0.00	0.00			15.73
11				0.00	0.02	0.22	0.49	0.79	1.12	1.41	1.63	1.78	1.84	1.76	1.60	1.33	1.03	0.69	0.36	0.09	0.00	0.00			16.16
12				0.00	0.03	0.24	0.50	0.82	1.14	1.44	1.66	1.81	1.84	1.76	1.54	1.27	0.71	0.60	0.25	0.06	0.00	0.00			15.67
13			0.00	0.00	0.03	0.19	0.47	0.60	1.02	1.31	1.35	1.68	1.67	1.52	1.29	1.02	0.78	0.46	0.24	0.05	0.00	0.00			13.68
14			0.00	0.00	0.02	0.34	0.60	0.82	1.01	1.27	1.63	1.83	1.89	1.85	1.66	1.42	1.03	0.55	0.25	0.05	0.00	0.00			16.22
15			0.00	0.00	0.06	0.29	0.55	0.89	1.18	1.20	1.59	1.71	1.63	1.62	1.30	1.07	0.77	0.55	0.25	0.06	0.00	0.00			14.72
16			0.00	0.00	0.02	0.16	0.38	0.67	0.91	1.30	1.41	1.42	1.42	1.23	1.04	0.84	0.71	0.43	0.23	0.07	0.00	0.00			12.24
17			0.00	0.00	0.09	0.33	0.35	0.75	1.05	1.59	1.53	1.52	1.95	1.90	1.73	1.48	1.16	0.83	0.49	0.19	0.01	0.00			16.95
18			0.00	0.00	0.11	0.34	0.63	0.96	1.30	1.59	1.80	1.95	2.01	1.93	1.76	1.51	1.20	0.86	0.51	0.21	0.01	0.00	0.00		18.68
19			0.00	0.00	0.14	0.36	0.66	0.99	1.32	1.60	1.83	1.98	2.02	1.95	1.78	1.52	1.22	0.87	0.53	0.23	0.02	0.00	0.00		19.02
20			0.00	0.01	0.15	0.38	0.69	0.87	1.16	1.52	1.71	1.79	1.77	1.70	1.27	1.01	0.78	0.54	0.30	0.13	0.01	0.00	0.00		15.79
21			0.00	0.00	0.00	0.09	0.24	0.46	0.81	1.24	1.46	1.63	1.86	1.90	1.62	1.51	1.56	0.98	0.79	0.54	0.27	0.06	0.00	0.00	17.02
22			0.00	0.00	0.00	0.11	0.33	0.68	1.11	1.43	1.58	1.42	1.86	2.29	2.03	1.70	1.16	0.93	0.61	0.34	0.20	0.05	0.00	0.00	17.83
23			x	x	x	x	x	x	x	x	x	x	x	x	1.10	1.13	0.96	0.76	0.49	0.31	0.14	0.03	0.00	0.00	x
24			0.00	0.00	0.01	0.10	0.24	0.50	0.78	0.88	1.07	1.26	1.55	1.51	1.45	1.35	1.04	0.84	0.43	0.39	0.14	0.03	0.00	0.00	13.57
25	0.00		0.00	0.00	0.01	0.12	0.26	0.41	0.81	1.13	1.33	1.49	1.63	1.55	1.49	1.41	1.30	1.07	0.67	0.52	0.21	0.06	0.00	0.00	15.47
26	0.00	0.00	0.00	0.00	0.02	0.16	0.42	0.63	1.25	1.33	1.73	1.62	2.00	2.19	1.91	1.83	1.82	1.40	1.02	0.73	0.38	0.13	0.00	0.00	20.57
27	0.00	0.00	0.00	0.00	0.07	0.29	0.54	0.88	1.22	1.55	1.85	2.06	2.21	2.24	2.19	2.01	1.76	1.44	1.09	0.74	0.39	0.14	0.01	0.00	22.68
28	0.00	0.00	0.00	0.00	0.09	0.25	0.45	0.67	0.94	1.14	1.23	1.29	1.29	1.21	1.17	1.01	0.73	0.55	0.32	0.20	0.04	0.00	0.00		12.58
29	0.00	0.00	0.00	0.00	0.02	0.22	0.42	0.76	1.12	1.77	2.07	2.43	2.47	2.54	2.38	2.22	1.52	1.60	1.28	0.86	0.48	0.20	0.02	0.00	24.38
30	0.00	0.00	0.00	0.00	0.13	0.33	0.61	0.96	1.30	1.64	1.91	2.14	2.26	2.32	2.18	1.81	1.29	1.08	1.01	0.49	0.29	0.11	0.00	0.00	21.86
31	0.00	0.00	0.00	0.00	0.07	0.22	0.41	0.74	1.12	1.53	2.01	2.17	2.20	2.30	2.13	1.92	1.64	1.13	1.14	0.66	0.46	0.21	0.04	0.00	22.10
TOTAL	0.00	0.00	0.00	0.00	0.34	2.43	7.52	15.26	24.37	33.65	41.63	47.28	52.00	53.88	52.20	46.99	38.35	29.14	20.19	11.29	4.61	1.11	0.07	0.00	477.39
NUMBER	7	6	10	18	27	30	30	30	30	30	30	30	30	30	31	31	31	31	31	31	31	31	22	14	
MEAN	0.00	0.00	0.00	0.00	0.01	0.08	0.25	0.51	0.81	1.12	1.39	1.58	1.73	1.80	1.68	1.52	1.24	0.94	0.65	0.36	0.15	0.04	0.00	0.00	

NOVEMBER 1989

(UNIT: MJ/M**2)

DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24LT	TOTAL
1	0.00	0.00	0.00	0.01	0.16	0.36	0.64	1.00	1.34	1.67	1.97	2.19	2.34	2.39	2.31	2.14	1.88	1.57	1.22	0.85	0.49	0.23	0.06	0.00	24.82
2	0.00	0.00	0.00	0.02	0.18	0.38	0.68	1.03	1.37	1.72	2.00	2.22	2.36	2.41	2.32	2.12	1.87	1.60	1.22	0.83	0.50	0.19	0.02	0.00	25.04
3	0.00	0.00	0.00	0.03	0.26	0.48	0.65	0.93	1.24	1.72	1.90	2.11	2.16	2.14	1.98	1.64	1.41	1.07	0.74	0.52	0.29	0.14	0.03	0.00	21.44
4	0.00	0.00	0.00	0.03	0.11	0.26	0.49	0.80	1.15	1.61	2.02	2.05	2.33	2.03	1.84	1.56	1.32	1.16	0.98	0.64	0.39	0.16	0.11	0.00	21.04
5	0.00	0.00	0.00	0.08	0.25	0.45	0.74	1.08	1.43	1.74	2.04	2.25	2.39	2.42	2.37	2.19	1.95	1.64	1.30	0.95	0.57	0.31	0.13	0.00	26.28
6	0.00	0.00	0.00	0.06	0.25	0.45	0.77	1.13	1.49	1.86	1.93	2.21	2.38	2.46	2.39	2.24	1.97	1.67	1.32	0.96	0.59	0.31	0.11	0.01	26.56
7	0.00	0.00	0.00	0.08	0.24	0.46	0.78	1.13	1.48	1.81	2.10	2.33	2.46	2.48	2.43	2.25	2.01	1.69	1.34	0.98	0.61	0.35	0.15	0.00	27.16
8	0.00	0.00	0.00	0.08	0.27	0.49	0.80	1.13	1.49	1.82	2.10	2.33	2.47	2.48	2.44	2.30	2.08	1.72	1.32	1.00	0.43	0.18	0.07	0.01	27.01
9	0.00	0.00	0.00	0.06	0.14	0.30	0.50	0.71	0.97	1.30	1.58	1.88	2.02	2.15	2.07	2.19	1.51	1.74	1.50	0.75	0.31	0.11	0.05	0.02	21.86
10	0.00	0.00	0.00	0.07	0.15	0.50	0.54	1.07	1.51	1.82	1.91	2.18	2.35	2.48	2.09	1.83	1.79	1.23	0.96	0.67	0.39	0.19	0.10	0.02	23.85
11	0.00	0.00	0.00	0.06	0.20	0.40	0.70	1.02	1.40	1.72	2.23	2.20	2.56	2.56	2.54	2.50	2.02	1.76	1.23	1.03	0.65	0.38	0.17	0.05	27.38
12	0.00	0.00	0.02	0.13	0.31	0.60	0.98	1.28	1.60	1.43	2.15	2.43	2.41	2.59	2.33	2.46	1.70	1.43	1.04	0.68	0.47	0.25	0.11	0.06	26.46
13	0.03	0.02	0.03	0.11	0.22	0.47	0.75	0.95	1.30	1.60	2.02	2.48	2.58	2.21	2.43	2.19	1.82	1.47	0.92	0.76	0.51	0.31	0.17	0.06	25.41
14	0.01	0.01	0.04	0.11	0.25	0.59	1.00	1.22	1.70	2.07	2.28	1.96	2.49	1.89	1.82	1.68	1.27	1.40	1.05	0.97	0.61	x	x	x	x
15	x	0.02	0.06	0.07	0.16	0.36	0.72	x	x	x	x	1.96	1.71	1.80	1.71	1.46	0.99	0.57	0.36	0.36	0.22	0.08	0.03	x	
16	0.00	0.01	0.04	0.17	0.39	0.64	0.94	1.26	1.61	1.89	2.09	2.27	2.53	2.52	2.38	2.14	2.16	1.64	0.97	0.23	0.17	0.23	0.17	0.01	26.46
17	0.00	0.00	0.00	0.02	0.07	0.22	0.44	0.74	1.34	1.61	1.55	1.84	2.42	2.62	2.51	2.10	1.81	1.78	1.57	1.08	0.67	0.22	0.14	0.10	24.85
18	0.08	0.07	0.07	0.13	0.26	0.54	1.06	1.81	2.37	2.18	2.10	2.51	2.60	2.29	2.27	1.96	1.83	1.37	0.83	0.34	0.44	0.36	0.23	0.23	27.93
19	0.10	0.07	0.14	0.20	0.34	0.55	0.90	1.37	1.66	2.01	2.31	2.51	2.66	2.68	2.62	2.46	2.22	1.92	1.58	1.22	0.80	0.56	0.33	0.19	31.40
20	0.09	0.08	0.12	0.24	0.43	0.68	1.00	1.35	1.70	2.02	2.31	2.53	2.67	2.69	2.64	2.48	2.24	1.93	1.60	1.21	0.84	0.59	0.33	0.15	31.92
21	0.07	0.09	0.15	0.37	0.64	0.85	0.79	1.06	1.52	1.78	1.98	2.34	2.46	2.58	2.54	2.55	2.15	1.95	1.62	1.25	0.72	0.51	0.35	0.21	30.53
22	0.12	0.12	0.15	0.28	0.51	0.73	0.99	1.39	1.74	2.08	2.22	2.11	2.41	2.78	2.44	2.12	2.32	1.96	1.62	1.28	0.90	0.61	0.36	0.21	31.45
23	0.12	0.11	0.17	0.34	0.57	0.92	1.21	1.39	1.62	1.69	2.15	2.28	2.55	2.83	2.67	2.50	2.26	1.96	1.62	1.26	0.91	0.61	0.38	0.22	32.34
24	0.12	0.12	0.15	0.27	0.46	0.71	1.03	1.38	1.72	2.05	2.33	2.53	2.59	2.59	2.64	2.50	2.19	1.94	1.63	1.29	0.90	0.62	0.40	0.32	32.48
25	0.20	0.15	0.17	0.17	0.29	0.41	0.91	1.34	1.00	1.50	1.71	1.57	1.70	1.58	1.52	1.78	1.39	1.11	0.90	0.71	0.47	0.32	0.20	0.11	21.21
26	0.11	0.17	0.20	0.29	0.40	0.44	0.65	0.97	1.17	1.39	1.52	1.72	1.89	1.89	1.74	1.58	1.50	1.21	1.03	0.82	0.57	0.37	0.17	0.12	21.92
27	0.07	0.06	0.09	0.12	0.23	0.49	0.65	0.82	1.13	1.36	1.60	1.72	1.98	2.40	2.34	2.25	2.18	1.93	1.36	1.32	0.95	0.67	0.42	0.18	26.32
28	0.05	0.06	0.09	0.28	0.50	0.76	1.07	1.42	1.76	2.09	2.40	2.61	2.77	2.79	2.73	2.58	2.34	2.04	1.71	1.35	1.00	0.69	0.46	0.28	33.83
29	0.18	0.18	0.21	0.33	0.54	0.79	1.10	1.46	1.81	2.14	2.43	2.65	2.79	2.82	2.76	2.60	2.37	2.07	1.76	1.37	1.03	0.72	0.47	0.30	34.88
30	0.19	0.18	0.23	0.34	0.54	0.78	1.08	1.42	1.79	2.12	2.43	2.64	2.78	2.80	2.75	2.60	2.35	2.06	1.72	1.37	1.02	0.72	0.46	0.26	34.63
TOTAL	1.54	1.52	2.13	4.55	9.32	16.06	24.56	33.66	43.41	51.80	59.36	64.65	72.06	72.26	69.71	65.20	57.37	49.01	38.23	28.05	18.56	11.13	6.23	3.15	766.46
NUMBER	29	30	30	30	30	30	30	29	29	29	29	30	30	30	30	30	30	30	30	30	29	29	29		
MEAN	0.05	0.05	0.07	0.15	0.31	0.54	0.82	1.16	1.50	1.79	2.05	2.23	2.40	2.41	2.32	2.17	1.91	1.63	1.27	0.94	0.62	0.38	0.21	0.11	

DECEMBER 1989

(UNIT: MJ/M**2)

DATE	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24LT	TOTAL
1	0.07	0.07	0.16	0.31	0.46	0.79	1.12	1.19	1.86	1.91	2.00	2.28	2.54	2.11	2.33	2.35	2.34	2.06	1.71	1.38	1.03	0.72	0.45	0.16	31.40
2	0.06	0.10	0.14	0.28	0.50	0.76	1.16	1.49	1.73	2.05	2.49	2.75	2.75	2.46	2.68	2.31	2.24	1.84	1.66	1.14	0.60	0.48	0.26	0.17	32.10
3	0.16	0.11	0.12	0.37	0.57	0.81	1.13	1.48	1.82	2.14	2.42	2.65	2.78	2.82	2.77	2.61	2.39	2.09	1.76	1.40	1.06	0.73	0.43	0.33	34.95
4	0.22	0.20	0.25	0.37	0.55	0.83	1.14	1.49	1.83	2.16	2.44	2.66	2.79	2.82	2.77	2.64	2.43	1.91	1.67	1.13	1.01	0.50	0.24	0.12	34.17
5	0.11	0.11	0.24	0.46	0.62	1.00	1.05	1.43	1.86	2.13	2.36	2.63	2.77	3.09	2.45	2.00	2.28	1.97	1.53	1.06	0.79	0.64	0.39	0.23	33.20
6	0.13	0.12	0.11	0.23	0.55	0.83	1.13	1.44	1.84	2.01	2.02	2.43	2.24	2.46	2.31	2.25	2.33	1.85	1.50	1.40	1.13	0.64	0.26	0.18	31.39
7	0.12	0.12	0.16	0.23	0.33	0.49	0.98	0.94	1.30	1.70	2.03	2.25	2.02	2.31	2.61	2.75	2.46	2.03	1.78	1.43	0.93	0.72	0.53	0.21	30.43
8	0.12	0.13	0.15	0.28	0.53	0.91	1.24	1.46	1.93	2.22	2.45	2.71	2.81	2.84	2.78	2.62	2.44	2.23	1.86	1.08	1.04	0.72	0.36	0.14	35.05
9	0.07	0.16	0.28	0.41	0.59	0.86	1.18	1.53	1.87	2.20	2.50	2.71	2.86	2.89	2.82	2.68	2.45	2.15	1.82	1.46	1.11	0.80	0.56	0.37	36.33
10	0.26	0.23	0.29	0.38	0.59	0.84	1.14	1.50	1.83	2.09	2.45	2.65	2.80	2.86	2.84	2.61	2.53	2.37	1.86	1.08	0.76	0.79	0.42	0.22	35.39
11	0.12	0.11	0.20	0.29	0.42	0.85	1.24	1.56	1.35	2.03	1.88	2.34	2.40	2.83	2.61	2.64	2.42	2.13	1.81	1.47	1.12	0.82	0.57	0.38	33.59
12	0.28	0.22	0.30	0.41	0.59	0.85	1.17	1.51	1.85	2.18	2.47	2.68	2.82	2.88	2.81	2.68	2.46	2.17	1.82	1.47	1.11	0.82	0.57	0.37	36.49
13	0.15	0.08	0.11	0.26	0.34	0.71	1.09	1.80	1.85	2.30	2.66	2.88	2.99	3.17	2.67	2.72	2.67	2.30	1.82	1.54	1.16	0.80	0.59	0.41	37.07
14	0.29	0.19	0.16	0.26	0.55	0.71	1.15	1.46	1.75	1.98	2.47	2.68	2.82	2.90	2.85	2.77	2.44	2.14	1.92	1.46	0.96	0.74	0.62	0.23	35.50
15	0.25	0.16	0.17	0.31	0.42	0.69	0.93	1.08	1.41	1.99	2.39	2.72	2.83	2.87	2.83	2.70	2.49	2.18	1.83	1.53	1.15	0.84	0.50	0.23	34.50
16	0.17	0.25	0.30	0.42	0.62	0.87	1.18	1.52	1.87	2.18	2.51	2.65	2.82	2.86	2.82	2.68	2.47	2.18	1.85	1.51	1.16	0.85	0.59	0.40	36.73
17	0.30	0.24	0.27	0.23	0.37	0.91	1.27	1.53	1.88	2.24	2.61	2.78	3.09	3.02	2.91	2.79	2.58	2.21	1.88	1.53	1.18	0.86	0.61	0.41	37.70
18	0.30	0.25	0.31	0.43	0.51	0.45	1.05	1.54	1.86	2.19	2.47	2.71	2.84	2.89	2.83	2.70	2.48	2.20	1.88	1.53	1.18	0.86	0.61	0.41	36.48
19	0.31	0.24	0.33	0.43	0.61	0.88	1.19	1.53	1.86	2.20	2.48	2.69	2.85	2.88	2.84	2.71	2.50	2.21	1.83	1.42	1.08	0.84	0.60	0.43	36.94
20	0.32	0.26	0.33	0.42	0.62	0.89	1.13	1.52	1.83	2.20	2.49	2.70	2.86	2.91	2.87	2.73	2.51	2.23	1.89	1.55	1.21	0.88	0.61	0.43	37.39
21	0.31	0.25	0.32	0.44	0.64	0.90	1.17	1.53	1.78	2.17	2.46	2.73	2.83	2.91	2.84	2.72	2.51	2.22	1.89	1.22	0.88	0.54	0.35	0.21	35.82
22	0.11	0.08	0.09	0.14	0.18	0.37	0.60	0.92	1.30	1.60	1.93	2.48	2.30	3.05	2.61	2.45	1.94	1.82	1.37	0.95	0.78	0.51	0.36	0.25	28.19
23	0.18	0.22	0.17	0.44	0.76	0.91	1.16	1.46	1.84	2.17	2.46	2.69	2.86	2.90	2.88	2.74	2.52	2.24	1.86	1.55	1.20	0.87	0.62	0.42	37.12
24	0.32	0.24	0.32	0.43	0.62	0.87	1.19	1.53	1.87	2.20	2.49	2.71	2.86	2.91	2.87	2.73	2.52	2.23	1.91	1.55	1.18	0.90	0.62	0.43	37.50
25	0.31	0.25	0.32	0.42	0.61	0.87	1.18	1.53	1.87	2.19	2.48	2.69	2.54	2.85	2.80	2.60	2.50	1.75	1.72	1.00	0.69	0.76	0.35	0.25	34.53
26	0.17	0.19	0.26	0.37	0.54	0.89	1.19	1.40	1.51	2.40	2.39	2.57	2.81	2.91	2.86	2.71	2.53	2.20	1.86	1.61	1.22	0.85	0.63	0.41	36.48
27	0.31	0.25	0.21	0.39	0.41	0.83	1.22	1.46	1.89	2.08	2.43	1.65	2.80	2.87	2.80	2.70	2.49	2.23	1.89	1.61	1.26	0.71	0.39	0.24	35.12
28	0.14	0.12	0.16	0.20	0.36	0.52	0.69	1.34	1.73	1.78	2.01	2.25	2.43	2.72	3.22	2.96	2.03	1.76	1.58	1.51	0.71	0.50	0.30	0.27	31.29
29	0.18	0.17	0.17	0.26	0.37	0.50	0.69	1.11	1.58	1.93	2.19	2.59	2.94	2.76	2.93	2.44	2.13	1.61	1.06	1.10	0.82	0.48	0.35	0.21	30.57
30	0.16	0.11	0.25	0.21	0.40	1.02	1.41	1.60	1.85	1.89	2.28	2.55	2.46	2.82	2.34	2.79	2.50	1.99	1.68	1.14	0.60	0.68	0.49	0.45	33.67
31	0.30	0.19	0.22	0.29	0.51	0.95	0.70	1.10	1.45	1.64	2.18	2.28	2.79	2.95	2.88	2.75	2.61	2.05	1.85	1.55	1.10	0.70	0.55	0.32	33.91
TOTAL	6.30	5.42	6.87	10.37	15.74	24.56	33.87	43.98	54.05	64.15	72.89	79.74	84.30	87.52	85.43	81.53	75.19	64.55	54.35	42.36	31.21	22.55	14.78	9.29	1071.00
NUMBER	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	31	
MEAN	0.20	0.17	0.22	0.33	0.51	0.79	1.09	1.42	1.74	2.07	2.35	2.57	2.72	2.82	2.76	2.63	2.43	2.08	1.75	1.37	1.01	0.73	0.48	0.30	