

4-22-2022

## Debunking Medical Myths: Should I get Vaccinated after COVID-19 Infection?

Priya Sharma

Wayne State University School of Medicine, gi0566@wayne.edu

Taichi Suzuki

Wayne State University School of Medicine, ga9719@wayne.edu

Megan Seyerle

Wayne State University School of Medicine, hi9379@wayne.edu

Jason Liu

Wayne State University School of Medicine, hi2593@wayne.edu

Aliaa Bahzad

Wayne State University School of Medicine, fz3935@wayne.edu

*See next page for additional authors*

Follow this and additional works at: [https://digitalcommons.wayne.edu/pat\\_edu\\_proj](https://digitalcommons.wayne.edu/pat_edu_proj)



Part of the [Curriculum and Instruction Commons](#), [Medical Education Commons](#), and the [Public Health Commons](#)

---

### Recommended Citation

Sharma, Priya; Suzuki, Taichi; Seyerle, Megan; Liu, Jason; Bahzad, Aliaa; and Richards, Jonathan, "Debunking Medical Myths: Should I get Vaccinated after COVID-19 Infection?" (2022). *Patient Education Projects*. 318.

[https://digitalcommons.wayne.edu/pat\\_edu\\_proj/318](https://digitalcommons.wayne.edu/pat_edu_proj/318)

This Infographic is brought to you for free and open access by the Patient Education at DigitalCommons@WayneState. It has been accepted for inclusion in Patient Education Projects by an authorized administrator of DigitalCommons@WayneState.

---


**Authors**

Priya Sharma, Taichi Suzuki, Megan Seyerle, Jason Liu, Aliaa Bahzad, and Jonathan Richards

# COVID-19:

## Should I get vaccinated after infection?

# YES!




The COVID-19 pandemic continues to rampage through our communities. **14%** of COVID-19 patients are hospitalized.



Even with previous infection, unvaccinated people are

# x5 MORE LIKELY

to be infected compared to vaccinated people




## Antibodies decline RAPIDLY just 2 months after infection




Some studies show immunity lasts less than

# 40 DAYS

## Vaccines protect against more variants than natural immunity



### Natural Immunity




### Vaccines


## Reducing Risk Beyond Vaccination



Washing Hands



Social Distancing



Wearing a mask

Vaccinating allows for stronger and more durable immunization, that natural immunity doesn't provide.

Vaccines are an essential solution to the ongoing pandemic!



< Citations >  
Bozio CH, Grannis SJ, Naleway AL, et al. Laboratory-confirmed COVID-19 among adults hospitalized with COVID-19-like illness with infection-induced or mRNA vaccine-induced SARS-CoV-2 immunity - nine States, January-September 2021. MMWR Morb Mortal Wkly Rep 2021;70(44):1539-1544. doi:10.15585/mmwr.mm7044e1

Cavanaugh AM, Spicer KB, Thoroughman D, Connor G, Winter K. Reduced risk of reinfection with SARS-CoV-2 after COVID-19 vaccination - Kentucky, May-June 2021. MMWR Morb Mortal Wkly Rep. 2021;70(32):1081-1083.

Cromer D, Juno JA, Khoury D, et al. Prospects for durable immune control of SARS-CoV-2 and prevention of reinfection. Nat Rev Immunol. 2021; 21(6): 395-404.

SeyedAlinaghi S, Ollaei S, Kianzad S, et al. Reinfection risk of novel coronavirus (COVID-19): a systematic review of current evidence. World J Virol. 2020; 9(5): 79-90. doi:10.5501/wjv.v9.i5.79