

## Virginia Commonwealth University VCU Scholars Compass

Biology and Medicine Through Mathematics Conference

2022

May 20th, 11:00 AM - 11:30 AM

## Epidemiological assessment of Wolbachia-based biocontrol for reduction of dengue morbidity

Olga Vasilieva *Universidad Del Valle*, olga.vasilieva@correounivalle.edu.co

Oscar E. Escobar *Universidad Del Valle*, escobar.oscar@correounivalle.edu.co

Hector J. Martinez *Universidad Del Valle*, hector.martinez@correounivalle.edu.co

See next page for additional authors

Follow this and additional works at: https://scholarscompass.vcu.edu/bamm

Part of the Epidemiology Commons, Ordinary Differential Equations and Applied Dynamics Commons, and the Population Biology Commons

https://scholarscompass.vcu.edu/bamm/2022/fri/6

This Event is brought to you for free and open access by the Dept. of Mathematics and Applied Mathematics at VCU Scholars Compass. It has been accepted for inclusion in Biology and Medicine Through Mathematics Conference by an authorized administrator of VCU Scholars Compass. For more information, please contact libcompass@vcu.edu.

Presenter Information Olga Vasilieva, Oscar E. Escobar, Hector J. Martinez, Pierre-Alexandre Bliman, and Yves Dumont

## Epidemiological assessment of Wolbachia-based biocontrol for reduction of dengue morbidity

Olga Vasilieva<sup>1,\*</sup>, Oscar Escobar<sup>1</sup>, Hector Martinez<sup>1</sup>, Pierre-Alexandre Bliman<sup>2</sup>, Yves Dumont<sup>3,4,5</sup>

olga.vasilieva@correounivalle.edu.co

Wolbachia-based biological control has recently emerged as an ecologically friendly and potentially cost-effective method for prevention and control of dengue and other arboviral infections. When deliberately infected with Wolbachia, major vector species, such as Aedes aegypti females, lose their vectorial competence and become less capable of transmitting the virus to humans. Thus, Wolbachia-based biocontrol aims to replace wild vectors (fully capable of transmitting arboviral infections) by Wolbachia-carrying insects that bear a reduced transmission capacity. The population replacement can be achieved by releasing mosquitoes that were transinfected with Wolbachia during the process of mass-rearing.

In this presentation, we propose a sex-structured model describing the dynamics of two sup-populations of adult mosquitoes: the wild insects (males and females that are *Wolbachia*-free), and those deliberately infected with *Wolbachia*. This model is biologically viable, well-posed, and reflects the two significant features of *Wolbachia*: maternal transmission and cytoplasmic incompatibility. The model also exhibits bistability that agrees with the principle of competitive exclusion.

Using this mosquito population dynamics model, we further construct a dengue transmission system of SEIR-SEI type to perform an epidemiological assessment of *Wolbachia*-based control for prevention of dengue morbidity. As an example, we simulate this type of preventive control applied to Cali, a sizeable Colombian city commonly considered a hyperendemic area regarding dengue morbidity.

<sup>&</sup>lt;sup>1</sup>Department of Mathematics, Universidad del Valle, Cali, Colombia

<sup>&</sup>lt;sup>2</sup>Inria, CNRS, Laboratoire Jacques-Louis Lions, Sorbonne Université, Université Paris-Diderot SPC, Paris, France

<sup>&</sup>lt;sup>3</sup>CIRAD, UMR AMAP, Saint Pierre, Réunion Island

<sup>&</sup>lt;sup>4</sup>AMAP, Université de Montpellier CIRAD, CNRS, INRA, IRD, Montpellier, France

<sup>&</sup>lt;sup>5</sup>Department of Applied Mathematics, University of Pretoria, Pretoria, South Africa

<sup>\*</sup> denotes speaker