

University of Groningen

Development of novel small-size peptides as putative therapeutic drugs

Masman, Marcelo Fabricio

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2010

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Masman, M. F. (2010). *Development of novel small-size peptides as putative therapeutic drugs*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

A

Ablordeppey SY, Fan P, Ablordeppey JH and Mardenborough L (1999) Systemic antifungal agents against AIDS-related opportunistic infections: Current status and emerging drugs in development. *Current Medicinal Chemistry* 6:1151-1195.

Adessi C and Soto C (2002) Converting a peptide into a drug: strategies to improve stability and bioavailability. *Curr Med Chem* 9:963-978.

Aisen PS (2005) The development of anti-amyloid therapy for Alzheimer's disease: From secretase modulators to polymerisation inhibitors. *CNS Drugs* 19:989-996.

Almeida CG, Tampellini D, Takahashi RH, Greengard P, Lin MT, Snyder EM and Gouras GK (2005) Beta-amyloid accumulation in APP mutant neurons reduces PSD-95 and GluR1 in synapses. *Neurobiol Dis* 20:187-198.

Ammassari-Teule M, Middei S, Passino E and Restivo L (2002) Enhanced procedural learning following beta-amyloid protein (1-42) infusion in the rat. *Neuroreport* 13:1679-1682.

Atkinson AB and Robertson JIS (1979) Captopril in the treatment of clinical hypertension and cardiac failure. *Lancet* 2:836-839.

Atwood CS, Huang X, Moir RD, Tanzi RE and Bush AI (1999) Role of free radicals and metal ions in the pathogenesis of Alzheimer's disease. *Met Ions Biol Syst* 36:309-364.

Atwood CS, Perry G, Zeng H, Kato Y, Jones WD, Ling KQ, Huang X, Moir RD, Wang D, Sayre LM, Smith MA, Chen SG and Bush AI (2004) Copper mediates dityrosine cross-linking of Alzheimer's amyloid-beta. *Biochemistry* 43:560-568.

B

Babine RE, Bleckman TM, Kissinger CR, Showalter R, Pelletier LA, Lewis C, Tucker K, Moomaw E, Parge HE and Villafranca JE (1995) Design, synthesis and X-ray crystallographic studies of novel FKBP-12 ligands. *Bioorganic and Medicinal Chemistry Letters* 5:1719-1724.

Bakhle YS, Reynard AM and Vane JR (1969) Metabolism of the angiotensins in isolated perfused tissues. *Nature* 222:956-959.

Balbach JJ, Petkova AT, Oyler NA, Antzutkin ON, Gordon DJ, Meredith SC and Tycko R (2002) Supramolecular structure in full-length Alzheimer's beta-amyloid fibrils: evidence for a parallel beta-sheet organization from solid-state nuclear magnetic resonance. *Biophys J* 83:1205-1216.

Bartroli J, Turmo E, Alguero M, Boncompte E, Vericat ML, Conte L, Ramis J, Merlos M, Garcia-Rafanell J and Forn J (1998a) New azole antifungals. 2. Synthesis and antifungal activity of heterocyclecarboxamide derivatives of 3-amino-2-aryl-1-azoly-2-butanol. *Journal of Medicinal Chemistry* 41:1855-1868.

Bartroli J, Turmo E, Alguero M, Boncompte E, Vericat ML, Conte L, Ramis J, Merlos M, Garcia-

Rafanell J and Forn J (1998b) New azole antifungals. 3. Synthesis and antifungal activity of 3-substituted-4(3H)-quinazolinones. *Journal of Medicinal Chemistry* 41:1869-1882.

Bartus RT (2000) On neurodegenerative diseases, models, and treatment strategies: Lessons learned and lessons forgotten a generation following the cholinergic hypothesis. *Experimental Neurology* 163:495-529.

Bartus RT, Dean III RL, Beer B and Lippa AS (1982) The cholinergic hypothesis of geriatric memory dysfunction. *Science* 217:408-417.

Baumketner A, Bernstein SL, Wyttenbach T, Lazo ND, Teplow DB, Bowers MT and Shea JE (2006) Structure of the 21-30 fragment of amyloid beta-protein. *Protein Sci* 15:1239-1247.

Beke T, Csizmadia IG and Perczel A (2006) Theoretical Study on Tertiary Structural Elements of beta-peptides: Nanotubes Formed from Parallel-Sheet-Derived Assemblies of beta-Peptides. *Journal of the American Chemical Society* 128:5158-5167.

Bentahir M, Nyabi O, Verhamme J, Tolia A, Horre K, Wiltfang J, Esselmann H and De Strooper B (2006) Presenilin clinical mutations can affect beta-secretase activity by different mechanisms. *Journal of Neurochemistry* 96:732-742.

Berendsen HJC, Postma JPM, van Gunsteren WF, DiNola A and Haak JR (1984) Molecular dynamics with coupling to an external bath. *The Journal of Chemical Physics* 81:3684-3690.

Berendsen HJC, Postma JPM, Van Gunsteren WF and Hermans J (1981a) Interaction models for water in relation to protein hydration. *Intermolecular Forces*:331-342.

Berendsen HJC, Postma JPM, von Gunstaren WF and Hermans J in *Intermolecular Forces*, edited by B Pullman (Reidel, Dordrecht, Holland, 1981):331.

Berendsen HJC, Postma JPM, von Gunstaren WF and Hermans J (1981b) in *Intermolecular Forces*, edited by B Pullman (Reidel, Dordrecht, Holland):331.

Berman HM, Battistuz T, Bhat TN, Bluhm WF, Bourne PE, Burkhardt K, Feng Z, Gilliland GL, Iype L, Jain S, Fagan P, Marvin J, Padilla D, Ravichandran V, Schneider B, Thanki N, Weissig H, Westbrook JD and Zardecki C (2002) The Protein Data Bank. *Acta Crystallogr D Biol Crystallogr* 58:899-907.

Bhakdi S, Muhly M and Roth M (1983) Preparation and isolation of specific antibodies to complement components. *Methods in Enzymology* Vol. 93:409-420.

Bhakdi S and Tranum Jensen J (1983) Membrane damage by complement. *Biochimica et Biophysica Acta - Reviews on Biomembranes* 737:343-372.

Billings LM, Oddo S, Green KN, McGaugh JL and LaFerla FM (2005) Intra-neuronal Aβ causes the onset of early Alzheimer's disease-related cognitive deficits in transgenic mice. *Neuron* 45:675-688.

- Bisogno F, Mascoti L, Sanchez C, Garibotto F, Giannini F, Kurina-Sanz M and Enriz R (2007) Structure-antifungal activity relationship of cinnamic acid derivatives. *Journal of Agricultural and Food Chemistry* 55:10635-10640.
- Black SE, Wilcock G and Haworth J (2005) A placebo-controlled, double-blind trial of the selective A β ₄₃-lowering agent, Flurizan in patients with mild to moderate Alzheimer's disease: Efficacy, safety, and follow-up study results.
- Blennow K, de Leon MJ and Zetterberg H (2006) Alzheimer's disease. *Lancet* 368:387-403.
- Boman HG, Agerberth B and Boman A (1993) Mechanisms of action on Escherichia coli of cecropin P1 and PR-39, two antibacterial peptides from pig intestine. *Infection and Immunity* 61:2978-2984.
- Borel JF (1989a) The cyclosporins. *Transplantation Proceedings* 21:810-815.
- Borel JF (1989b) Pharmacology of cyclosporine (sandimmune). IV. Pharmacological properties *in vivo*. *Pharmacological Reviews* 41:259-371.
- Borel JF, Di Padova F, Mason J, Quesniaux V, Ryffel B and Wenger R (1989) Pharmacology of cyclosporine (sandimmune). I. Introduction. *Pharmacological Reviews* 41:239-242.
- Borreguero JM, Urbanc B, Lazo ND, Buldyrev SV, Teplow DB and Stanley HE (2005) Folding events in the 21-30 region of amyloid beta-protein (A β) studied *in silico*. *Proc Natl Acad Sci U S A* 102:6015-6020.
- Bowdish DME and Hancock REW (2005) Antidotoxin properties of cationic host defence peptides and proteins. *Journal of Endotoxin Research* 11:230-236.
- Brattwall CEB, Lincoln P and Norden B (2003) Orientation and Conformation of Cell-Penetrating Peptide Penetratin in Phospholipid Vesicle Membranes Determined by Polarized-Light Spectroscopy. *Journal of the American Chemical Society* 125:14214-14215.
- Brown KL and Hancock REW (2006) Cationic host defense (antimicrobial) peptides. *Current Opinion in Immunology* 18:24-30.
- Brunkan AL and Goate AM (2005) Presenilin function and β -secretase activity. *Journal of Neurochemistry* 93:769-792.
- Buchete NV and Hummer G (2007) Structure and dynamics of parallel beta-sheets, hydrophobic core, and loops in Alzheimer's A beta fibrils. *Biophys J* 92:3032-3039.
- Buchete NV, Tycko R and Hummer G (2005) Molecular dynamics simulations of Alzheimer's beta-amyloid protofilaments. *J Mol Biol* 353:804-821.
- Bulet P and Stöcklin R (2005) Insect antimicrobial peptides: Structures, properties and gene regulation. *Protein and Peptide Letters* 12:3-11.
- Bull HG, Thornberry NA and Cordes MHJ (1985) Inhibition of rabbit lung angiotensin-converting enzyme by N(a)-[(S)-1-carboxy-3-phenylpropyl]L-alanyl-L-proline and N(a)-[(S)-1-carboxy-3-phenylpropyl]L-lysyl-L-proline. *Journal of Biological Chemistry* 260:2952-2962.
- Burdick D, Soreghan B, Kwon M, Kosmoski J, Knauer M, Henschen A, Yates J, Cotman C and Glabe C (1992) Assembly and aggregation properties of synthetic Alzheimer's A4/beta amyloid peptide analogs. *J Biol Chem* 267:546-554.
- Busciglio J, Lorenzo A and Yankner BA (1992) Methodological variables in the assessment of beta amyloid neurotoxicity. *Neurobiology of Aging* 13:609-612.
- Bush AI (2002) Metal complexing agents as therapies for Alzheimer's disease. *Neurobiol Aging* 23:1031-1038.
- C
- Cabiaux V, Agerberth B, Johansson J, Homble F, Goormaghtigh E and Ruysschaert JM (1994) Secondary structure and membrane interaction of PR-39, a Pro+Arg-rich antibacterial peptide. *European Journal of Biochemistry* 224:1019-1027.
- Cai XD, Golde TE and Younkin SG (1993) Release of excess amyloid b protein from a mutant amyloid b protein precursor. *Science* 259:514-516.
- Carotenuto A, Saviello MR, Auriemma L, Campiglia P, Catania A, Novellino E and Grieco P (2007) Structure-function relationships and conformational properties of α -MSH(6-13) analogues with candidacid activity. *Chemical Biology and Drug Design* 69:68-74.
- Carrupt PA, El Tayar N, Karlen A and Tešta B (1991) Molecular electrostatic potentials for characterizing drug-biosystem interactions. *Methods in Enzymology* 203:638-677.
- Chacon MA, Barria MI, Soto C and Inestrosa NC (2004) Beta-sheet breaker peptide prevents A β -induced spatial memory impairments with partial reduction of amyloid deposits. *Mol Psychiatry* 9:953-961.
- Chang EH, Savage MJ, Flood DG, Thomas JM, Levy RB, Mahadomrongkul V, Shirao T, Aoki C and Huerta PT (2006) AMPA receptor downscaling at the onset of Alzheimer's disease pathology in double knockin mice. *Proc Natl Acad Sci U S A* 103:3410-3415.
- Chapman PF, White GL, Jones MW, Cooper-Blacketer D, Marshall VJ, Irizarry M, Younkin L, Good MA, Bliss TV, Hyman BT, Younkin SG and Hsiao KK (1999a) Impaired synaptic plasticity and learning in aged amyloid precursor protein transgenic mice. *Nat Neurosci* 2:271-276.
- Chapman PF, White GL, Jones MW, Cooper-Blacketer D, Marshall VJ, Irizarry M, Younkin L, Good MA, Bliss TVP, Hyman BT, Younkin SG and Hsiao KK (1999b) Impaired synaptic plasticity and learning in aged amyloid precursor protein transgenic mice. *Nature Neuroscience* 2:271-276.
- Chasse GA, Rodriguez AM, Mak ML, Deretey E, Perczel A, Sosa CP, Enriz RD and Csizmadia IG (2001) Peptide and protein folding. *Journal of Molecular Structure: THEOCHEM* 537:319-361.

- Chauhan V and Chauhan A (2006) Oxidative stress in Alzheimer's disease. *Pathophysiology* 13:195-208.
- Chen QS, Kagan BL, Hirakura Y and Xie CW (2000) Impairment of hippocampal long-term potentiation by Alzheimer amyloid beta-peptides. *J Neurosci Res* 60:65-72.
- Chen QS, Wei WZ, Shimahara T and Xie CW (2002) Alzheimer amyloid beta-peptide inhibits the late phase of long-term potentiation through calcineurin-dependent mechanisms in the hippocampal dentate gyrus. *Neurobiol Learn Mem* 77:354-371.
- Chitnumsub P, Fiori WR, Lashuel HA, Diaz H and Kelly JW (1999) The nucleation of monomeric parallel β -sheet-like structures and their self-assembly in aqueous solution. *Bioorganic and Medicinal Chemistry* 7:39-59.
- Chothia C and Janin J (1982) Orthogonal packing of beta-pleated sheets in proteins. *Biochemistry* 21:3955-3965.
- Christensen R, Marcussen AB, Wortwein G, Knudsen GM and Aznar S (2008) Abeta(1-42) injection causes memory impairment, lowered cortical and serum BDNF levels, and decreased hippocampal 5-HT(2A) levels. *Exp Neurol* 210:164-171.
- Christiaens B, Grooten J, Reusens M, Joliot A, Goethals M, Vandekerckhove J, Prochiantz A and Rosseneu M (2004) Membrane interaction and cellular internalization of penetratin peptides. *European Journal of Biochemistry* 271:1187-1197.
- Christiaens B, Symoens S, Vanderheyden S, Engelborghs Y, Joliot A, Prochiantz A, Vandekerckhove J, Rosseneu M and Vanloo B (2002a) Erratum: Tryptophan fluorescence study of the interaction of penetratin peptides with model membranes (*European Journal of Biochemistry* (2002) 269 (2918-2962)). *European Journal of Biochemistry* 269:5101.
- Christiaens B, Symoens S, Vanderheyden S, Engelborghs Y, Joliot A, Prochiantz A, Vandekerckhove J, Rosseneu M and Vanloo B (2002b) Tryptophan fluorescence study of the interaction of penetratin peptides with model membranes. *European Journal of Biochemistry* 269:2918-2926.
- Cirrito JR, Deane R, Fagan AM, Spinner ML, Parsadanian M, Finn MB, Jiang H, Prior JL, Sagare A, Bales KR, Paul SM, Zlokovic BV, Piwnicka-Worrns D and Holtzman DM (2005) P-glycoprotein deficiency at the blood-brain barrier increases amyloid- β deposition in an Alzheimer disease mouse model. *Journal of Clinical Investigation* 115:3285-3290.
- Citron M (2004) Strategies for disease modification in Alzheimer's disease. *Nature Reviews Neuroscience* 5:677-685.
- Citron M, Oltersdorf T, Haass C, McConlogue L, Hung AY, Seubert P, Vigo-Pelfrey C, Lieberburg I and Selkoe DJ (1992) Mutation of the β -amyloid precursor protein in familial Alzheimer's disease increases β -protein production. *Nature* 360:672-674.
- Claessen D, Rink R, De Jong W, Siebring J, De Vreugd P, Boersma FGH, Dijkhuizen L and Wosten HAB (2003) A novel class of secreted hydrophobic proteins is involved in aerial hyphae formation in *Streptomyces coelicolor* by forming amyloid-like fibrils. *Genes and Development* 17:1714-1726.
- Claessen D, Wosten HAB, Van Keulen G, Faber OG, Alves AMCR, Meijer WG and Dijkhuizen L (2002) Two novel homologous proteins of *Streptomyces coelicolor* and *Streptomyces lividans* are involved in the formation of the rodlet layer and mediate attachment to a hydrophobic surface. *Molecular Microbiology* 44:1483-1492.
- Clark TD, Buriak JM, Kobayashi K, Isler MP, McRee DE and Reza Ghadiri M (1998) Cylindrical β -sheet peptide assemblies. *Journal of the American Chemical Society* 120:8949-8962.
- Crescenzi O, Tomaselli S, Guerrini R, Salvadori S, D'Ursi AM, Temussi PA and Picone D (2002) Solution structure of the Alzheimer amyloid beta-peptide (1-42) in an apolar microenvironment. Similarity with a virus fusion domain. *Eur J Biochem* 269:5642-5648.
- Cruz L, Urbanc B, Borreguero JM, Lazo ND, Teplow DB and Stanley HE (2005) Solvent and mutation effects on the nucleation of amyloid beta-protein folding. *Proc Natl Acad Sci U S A* 102:18258-18263.
- Cruz M, Tusell JM, Grillo-Bosch D, Albericio F, Serratos J, Rabanal F and Giral E (2004) Inhibition of β -amyloid toxicity by short peptides containing N-methyl amino acids. *Journal of Peptide Research* 63:324-328.
- Cutuli M, Cristiani S, Lipton JM and Catania A (2000) Antimicrobial effects of α -MSH peptides. *Journal of Leukocyte Biology* 67:233-239.
- Czajlik A, Mesko E, Penke B and Perczel A (2002) Investigation of penetratin peptides. Part 1. The environment dependent conformational properties of penetratin and two of its derivatives. *Journal of Peptide Science* 8:151-171.

D

Dahlgren KN, Manelli AM, Stine WB, Jr., Baker LK, Krafft GA and LaDu MJ (2002) Oligomeric and fibrillar species of amyloid-beta peptides differentially affect neuronal viability. *J Biol Chem* 277:32046-32053.

Darden T, York D and Pedersen L (1993a) Particle mesh Ewald: An $N \cdot \log(N)$ method for Ewald sums in large systems. *The Journal of Chemical Physics* 98:10089-10092.

Darden T, York D and Pedersen L (1993b) Particle mesh Ewald: An $N \cdot \log(N)$ method for Ewald sums in large systems. *The Journal of Chemical Physics* 98:10089-10092.

Datki Z, Juhasz A, Galfi M, Soos K, Papp R, Zadori D and Penke B (2003) Method for measuring neurotoxicity of aggregating polypeptides with the MTT assay on differentiated neuroblastoma cells. *Brain Res Bull* 62:223-229.

Datki Z, Papp R, Zadori D, Soos K, Fulop L, Juhasz A, Laskay G, Hetenyi C, Mihalik E, Zarandi M and Penke B (2004) *In vitro* model of neurotoxicity of Abeta 1-42 and neuroprotection by a pentapeptide: irreversible events during the first hour. *Neurobiol Dis* 17:507-515.

- Demuro A, Mina E, Kaye R, Milton SC, Parker I and Glabe CG (2005) Calcium dysregulation and membrane disruption as a ubiquitous neurotoxic mechanism of soluble amyloid oligomers. *Journal of Biological Chemistry* 280:17294-17300.
- Derossi D, Calvet S, Trembleau A, Brunissen A, Chassaing G and Prochiantz A (1996) Cell internalization of the third helix of the antennapedia homeodomain is receptor-independent. *Journal of Biological Chemistry* 271:18188-18193.
- Derossi D, Joliot AH, Chassaing G and Prochiantz A (1994) The third helix of the Antennapedia homeodomain translocates through biological membranes. *Journal of Biological Chemistry* 269:10444-10450.
- Deshpande A, Mina E, Glabe C and Busciglio J (2006) Different conformations of amyloid β induce neurotoxicity by distinct mechanisms in human cortical neurons. *Journal of Neuroscience* 26:6011-6018.
- Dickson DW, Crystal HA, Bevona C, Honer W, Vincent I and Davies P (1995) Correlations of synaptic and pathological markers with cognition of the elderly. *Neurobiology of Aging* 16:285-298.
- Didomenico B (1999) Novel antifungal drugs. *Current Opinion in Microbiology* 2:509-515.
- Dima RI and Thirumalai D (2004) Proteins associated with diseases show enhanced sequence correlation between charged residues. *Bioinformatics* 20:2345-2354.
- Dineley KT, Xia X, Bui D, David Sweatt J and Zheng H (2002) Accelerated plaque accumulation, associative learning deficits, and up-regulation of $\alpha 7$ nicotinic receptor protein in transgenic mice co-expressing mutant human presenilin 1 and amyloid precursor proteins. *Journal of Biological Chemistry* 277:22768-22780.
- Diot P, Gagnadoux F, Martin C, Ellataoui H, Furet Y, Breteau M, Boissinot E and Lemarie E (1997) Nebulization and anti-Pseudomonas aeruginosa activity of colistin. *Eur Respir J* 10:1995-1998.
- Dodart JC, Bales KR, Gannon KS, Greene SJ, DeMattos RB, Mathis C, DeLong CA, Wu S, Wu X, Holtzman DM and Paul SM (2002) Immunization reverses memory deficits without reducing brain $A\beta$ burden in Alzheimer's disease model. *Nature Neuroscience* 5:452-457.
- Doig AJ (1997) A three stranded β -sheet peptide in aqueous solution containing *N*-methyl amino acids to prevent aggregation. *Chemical Communications*:2153-2154.
- Doig AJ (2007) Peptide inhibitors of beta-amyloid aggregation. *Curr Opin Drug Discov Devel* 10:533-539.
- Dorsey BD, Levin RB, McDaniel SL, Vacca JP, Guare JP, Darke PL, Zugay JA, Emini EA, Schleif WA, Quintero JC, Lin JH, Chen IW, Holloway MK, Fitzgerald PMD, Axel MG, Ostovic D, Anderson PS and Huff JR (1994) L-735,524: The design of a potent and orally bioavailable HIV protease inhibitor. *Journal of Medicinal Chemistry* 37:3443-3451.
- Drin G, Mazel M, Clair P, Mathieu D, Kaczorek M and Tamsamani J (2001) Physico-chemical requirements for cellular uptake of pAntp peptide: Role of lipid-binding affinity. *European Journal of Biochemistry* 268:1304-1314.
- Dupont E, Joliot AH and Prochiantz A (2002) *Cell Penetrating Peptides: Processes and Applications*. CRC Press, Boca Raton, FL:23-51.
- E
- Eanes ED and Glenner GG (1968) X-ray diffraction studies on amyloid filaments. *J Histochem Cytochem* 16:673-677.
- Eberle A, Fauchere JL, Tesser GI and Schwyzler R (1975) Hormone receptor interactions. Syntheses of a melanotropin and of informational sequences thereof with the aid of alkali labile protecting groups. *Helvetica Chimica Acta* 58:2106-2129.
- Eberle A and Schwyzler R (1975) Hormone receptor interactions. Demonstration of two message sequences (active sites) in a melanotropin. *Helvetica Chimica Acta* 58:1528-1535.
- Eberle A and Schwyzler R (1976) Surface Membrane Receptors:291-304.
- Eberle AN (1988) *The Melanotropins: Chemistry, Physiology and Mechanisms of Action*. Karger, Basel: Switzerland:393-394.
- Edwards CM, Cohen MA and Bloom SR (1999) Peptides as drugs. *QJM* 92:1-4.
- Enriz RD (2005) The legacy of the past, the reality of the present and the hopes of the future. *Journal of Molecular Structure: THEOCHEM* 731:163-172.
- Epand RM, Shai Y, Segrest JP and Anantharamaiah GM (1995) Mechanisms for the modulation of membrane bilayer properties by amphipathic helical peptides. *Biopolymers - Peptide Science Section* 37:319-338.
- Epand RM and Vogel HJ (1999) Diversity of antimicrobial peptides and their mechanisms of action. *Biochimica et Biophysica Acta - Biomembranes* 1462:11-28.
- Eriksen JL, Sagi SA, Smith TE, Weggen S, Das P, McLendon DC, Ozols VV, Jessing KW, Zavitz KH, Koo EH and Golde TE (2003) NSAIDs and enantiomers of flurbiprofen target β -secretase and lower $A\beta_{42}$ *in vivo*. *Journal of Clinical Investigation* 112:440-449.
- Ernst EJ, Røling EE, Petzold CR, Keele DJ and Klepser ME (2002) *In vitro* activity of micafungin (FK-463) against *Candida* spp.: Microdilution, time-kill, and postantifungal-effect studies. *Antimicrobial Agents and Chemotherapy* 46:3846-3853.
- Espósito L, Pedone C and Vitagliano L (2006) Molecular dynamics analyses of cross-beta-sheet zipper models: beta-sheet twisting and aggregation. *Proc Natl Acad Sci U S A* 103:11533-11538.
- F
- Feig M, Karanicolas J and Brooks III CL (2001)

MMTSB Tool Set. MMTSB NIH Research Resource, The Scripps Research Institute.

Ferguson N, Becker J, Tidow H, Tremmel S, Sharpe TD, Krause G, Flinders J, Petrovich M, Berriman J, Oschkinat H and Fersht AR (2006) General structural motifs of amyloid protofilaments. *Proc Natl Acad Sci U S A* 103:16248-16253.

Ferreira SH, Bartelt DC and Greene LJ (1970a) Isolation of bradykinin-potentiating peptides from bothrops jararaca venom. *Biochemistry* 9:2583-2593.

Ferreira SH, Greene LJ, Alabašter VA, Bakhle YS and Vane JR (1970b) Activity of Various Fractions of Bradykinin Potentiating Factor against Angiotensin i Converting Enzyme. *Nature* 225:379-380.

Ferreira SH and Rocha e Silva M (1965) Potentiation of bradykinin and eledoisin by BPF (bradykinin potentiating factor) from Bothrops jararaca venom. *Experientia* 21:347-349.

Fischer PM, Zhelev NZ, Wang S, Melville JE, Fahraeus R and Lane DP (2000) Structure-activity relationship of truncated and substituted analogues of the intracellular delivery vector Penetratin. *Journal of Peptide Research* 55:163-172.

Flükiger P, Lüthi HP, Portmann S and Weber J (2000) MOLEKEL 4.0. Swiss Center for Scientific Computing: Manno, Switzerland, 2000

Forman MS, Mufson EJ, Leurgans S, Pratico D, Joyce S, Leight S, Lee VM and Trojanowski JQ (2007) Cortical biochemistry in MCI and Alzheimer disease: lack of correlation with clinical diagnosis. *Neurology* 68:757-763.

Franklin K and Paxinos G (1997) *The Mouse Brain in Stereotaxic Coordinates*. Academic Press, San Diego.

Freile ML, Giannini F, Pucci G, Sturniolo A, Rodero L, Pucci O, Balzaretto V and Enriz RD (2003) Antimicrobial activity of aqueous extracts and of berberine isolated from *Berberis heterophylla*. *Fitoterapia* 74:702-705.

Freixa B, Vila R, Vargas L, Lozano N, Adzet T and Cañigueral S (1998) Screening for antifungal activity of nineteen Latin American plants. *Phytotherapy Research* 12:427-430.

Fricker LD (2005) Neuropeptide-processing enzymes: Applications for drug discovery. *AAPS Journal* 7.

Frisch MJ, Trucks GW, Schlegel HB, Scuseria GE, Robb MA, Cheeseman JR, Montgomery Jr JA, Vreven T, Kudin KN, Burant JC, Millam JM, Iyengar SS, Tomasi J, Barone V, Mennucci B, Cossi M, Scalmani G, Rega N, Petersson GA, Nakatsuji H, Hada M, Ehara M, Toyota K, Fukuda R, Hasegawa J, Ishida M, Nakajima T, Honda Y, Kitao O, Nakai H, Klene M, Li X, Knox JE, Hratchian HP, Cross JB, Adamo C, Jaramillo J, Gomperts R, Stratmann RE, Yazyev O, Austin AJ, Cammi R, Pomelli C, Ochterski JW, Ayala PY, Morokuma K, Voth GA, Salvador P, Dannenberg JJ, Zakrzewski VG, Dapprich S,

Daniels AD, Strain MC, Farkas O, Malick DK, Rabuck AD, Raghavachari K, Foresman JB, Ortiz JV, Cui Q, Baboul AG, Clifford S, Cioslowski J, Stefanov BB, Liu G, Liashenko A, Piskorz P, Komaromi I, Martin RL, Fox DJ, Keith T, Al-Laham MA, Peng CY, Nanayakkara A, Challacombe M, Gill PMW, Johnson B, Chen W, Wong MW, Gonzalez C and Pople JA (2003) Gaussian 03, Revision B.05. Gaussian, Inc, Pittsburgh PA.

Fromtling RA (1999) Progress in antifungal chemotherapy. *Drug News and Perspectives* 12:557-569.

Fulop L, Zarandi M, Datki Z, Soos K and Penke B (2004) Beta-amyloid-derived pentapeptide RIIGLA inhibits Abeta(1-42) aggregation and toxicity. *Biochem Biophys Res Commun* 324:64-69.

G

Ganz T and Lehrer RI (1995) Defensins. *Pharmacology and Therapeutics* 66:191-205.

Garber G (2001) An overview of fungal infections. *Drugs* 61:1-12.

Garcia-Osta A and Alberini CM (2009) Amyloid beta mediates memory formation. *Learn Mem* 16:267-272.

Gebbink MFBG, Claessen D, Bouma B, Dijkhuizen L and Wošten HAB (2005) Amyloids - A functional coat for microorganisms. *Nature Reviews Microbiology* 3:333-341.

Georgopapadakou NH and Tkacz JS (1995) The fungal cell wall as a drug target. *Trends in Microbiology* 3:98-104.

Geula C, Wu CK, Saroff D, Lorenzo A, Yuan M and Yankner BA (1998) Aging renders the brain vulnerable to 26 β -protein neurotoxicity. *Nature Medicine* 4:827-831.

Geysen HM (1985) Antigen-antibody interactions at the molecular level: adventures in peptide synthesis. *Immunology Today* 6:364-369.

Geysen HM, Meloen RH and Barteling SJ (1984) Use of peptide synthesis to probe viral antigens for epitopes to a resolution of a single amino acid. *Proceedings of the National Academy of Sciences of the United States of America* 81:3998-4002.

Geysen HM, Rodda SJ and Mason TJ (1987) Strategies for epitope analysis using peptide synthesis. *Journal of Immunological Methods* 102:259-274.

Ghannoum MA and Rice LB (1999) Antifungal agents: Mode of action, mechanisms of resistance, and correlation of these mechanisms with bacterial resistance. *Clinical Microbiology Reviews* 12:501-517.

Giannini FA, Aymar ML, Sortino M, Gomez R, Sturniolo A, Juarez A, Zacchino S, De Rossi RH and Enriz RD (2004) *In vitro-in vivo* antifungal evaluation and structure-activity relationships of 3H-1,2-dithiole-3-thione derivatives. *Farmacologia* 59:245-254.

Gilman S, Koller M, Black RS, Jenkins L, Griffith SG, Fox NC, Eisner L, Kirby B, Boada Rovira M, Forette F and Orgogozo JM (2005) Clinical effects of

- A β immunization (AN1792) in patients with AD in an interrupted trial. *Neurology* 64:1553-1562.
- Glennner GG (1980a) Amyloid deposits and amyloidosis. The beta-fibrilloses (first of two parts). *N Engl J Med* 302:1283-1292.
- Glennner GG (1980b) Amyloid deposits and amyloidosis: the beta-fibrilloses (second of two parts). *N Engl J Med* 302:1333-1343.
- Glennner GG and Wong CW (1984) Alzheimer's disease: Initial report of the purification and characterization of a novel cerebrovascular amyloid protein. *Biochemical and Biophysical Research Communications* 120:885-890.
- Gnanakaran S, Nussinov R and Garcia AE (2006) Atomic-level description of amyloid beta-dimer formation. *J Am Chem Soc* 128:2158-2159.
- Gordon DJ and Meredith SC (2003) Probing the role of backbone hydrogen bonding in beta-amyloid fibrils with inhibitor peptides containing ester bonds at alternate positions. *Biochemistry* 42:475-485.
- Gordon DJ, Sciarretta KL and Meredith SC (2001) Inhibition of β -amyloid(40) fibrillogenesis and disassembly of β -amyloid(40) fibrils by short β -amyloid congeners containing *N*-methyl amino acids at alternate residues. *Biochemistry* 40:8237-8245.
- Gordon DJ, Tappe R and Meredith SC (2002) Design and characterization of a membrane permeable *N*-methyl amino acid-containing peptide that inhibits A β 1-40 fibrillogenesis. *Journal of Peptide Research* 60:37-55.
- Granic I, Masman MF, Mulder KC, Nijholt IM, Naude PJW, de Haan A, Borbély E, Penke B, Luiten PGM and Eisel ULM (2009) LPYFDa neutralizes A β -induced memory impairment and toxicity. *J Alzheimers Dis In Press*.
- Greeling P, Langenaeker W, De Proft F and Baeten A (1996) *Molecular Electrostatic Potentials: Concepts and Applications*. Theoretical and Computational Chemistry. Elsevier Science BV, Amsterdam 3:587-617.
- Greer J, Erickson JW, Baldwin JJ and Varney MD (1994) Application of the three-dimensional structures of protein target molecules in structure-based drug design. *Journal of Medicinal Chemistry* 37:1035-1054.
- Grieco P, Rossi C, Colombo G, Gatti S, Novellino E, Lipton JM and Catania A (2003) Novel α -melanocyte stimulating hormone peptide analogues with high candidacidal activity. *Journal of Medicinal Chemistry* 46:850-855.
- Grieco P, Rossi C, Gatti S, Colombo G, Carlin A, Novellino E, Lama T, Lipton JM and Catania A (2005) Design and synthesis of melanocortin peptides with candidacidal and anti-TNF- α properties. *Journal of Medicinal Chemistry* 48:1384-1388.
- H**
- Haass C, Schlossmacher MG, Hung AY, Vigo-Pelfrey C, Mellon A, O'Staszewski BL, Lieberburg I, Koo EH, Schenk D, Teplow DB and et al. (1992a) Amyloid beta-peptide is produced by cultured cells during normal metabolism. *Nature* 359:322-325.
- Haass C, Schlossmacher MG, Hung AY, Vigo-Pelfrey C, Mellon A, O'Staszewski BL, Lieberburg I, Koo EH, Schenk D, Teplow DB and Selkoe DJ (1992b) Amyloid β -peptide is produced by cultured cells during normal metabolism. *Nature* 359:322-325.
- Haass C and Selkoe DJ (2007) Soluble protein oligomers in neurodegeneration: lessons from the Alzheimer's amyloid beta-peptide. *Nat Rev Mol Cell Biol* 8:101-112.
- Hancock RE (2001) Cationic peptides: Effectors in innate immunity and novel antimicrobials. *Lancet Infectious Diseases* 1:156-164.
- Hancock RE, Falla T and Brown M (1995) Cationic bactericidal peptides. *Adv Microb Physiol* 37:135-175.
- Hancock REW (1997) Peptide antibiotics. *Lancet* 349:418-422.
- Hancock REW and Lehrer R (1998) Cationic peptides: A new source of antibiotics. *Trends in Biotechnology* 16:82-88.
- Hancock REW and Patrzykat A (2002) Clinical development of cationic antimicrobial peptides: From natural to novel antibiotics. *Current Drug Targets - Infectious Disorders* 2:79-83.
- Hardy J and Allsop D (1991) Amyloid deposition as the central event in the aetiology of Alzheimer's disease. *Trends in Pharmacological Sciences* 12:383-388.
- Hardy J and Selkoe DJ (2002) The amyloid hypothesis of Alzheimer's disease: Progress and problems on the road to therapeutics. *Science* 297:353-356.
- Harkany T, Abraham I, Konya C, Nyakas C, Zarandi M, Penke B and Luiten PG (2000) Mechanisms of beta-amyloid neurotoxicity: perspectives of pharmacotherapy. *Rev Neurosci* 11:329-382.
- Harkany T, O'Mahony S, Keijsers J, Kelly JP, Konya C, Boroštyankoi ZA, Gorcs TJ, Zarandi M, Penke B, Leonard BE and Luiten PG (2001) Beta-amyloid(1-42)-induced cholinergic lesions in rat nucleus basalis bidirectionally modulate serotonergic innervation of the basal forebrain and cerebral cortex. *Neurobiol Dis* 8:667-678.
- Hartley DM, Walsh DM, Ye CP, Diehl T, Vasquez S, Vassilev PM, Teplow DB and Selkoe DJ (1999) Protofibrillar intermediates of amyloid I 2 -protein induce acute electrophysiological changes and progressive neurotoxicity in cortical neurons. *Journal of Neuroscience* 19:8876-8884.
- Hashimoto M, Kazui H, Matsumoto K, Nakano Y, Yasuda M and Mori E (2005) Does donepezil treatment slow the progression of hippocampal atrophy in patients with Alzheimer's disease? *American Journal of Psychiatry* 162:676-682.
- Hess B, Bekker H, Berendsen HJC and Fraaije JGEM (1997) LINCOS: A linear constraint solver

- for molecular simulations. *Journal of Computational Chemistry* 18:1463-1472.
- Hetenyi C, Kortvelyesi T and Penke B (2002a) Mapping of possible binding sequences of two beta-sheet breaker peptides on beta amyloid peptide of Alzheimer's disease. *Bioorg Med Chem* 10:1587-1593.
- Hetenyi C, Szabo Z, Klement E, Datki Z, Kortvelyesi T, Zarandi M and Penke B (2002b) Pentapeptide amides interfere with the aggregation of beta-amyloid peptide of Alzheimer's disease. *Biochem Biophys Res Commun* 292:931-936.
- Hilbich C, Kisters-Woike B, Reed J, Masters CL and Beyreuther K (1992) Substitutions of hydrophobic amino acids reduce the amyloidogenicity of Alzheimer's disease beta A4 peptides. *J Mol Biol* 228:460-473.
- Hiltz ME, Catania A and Lipton JM (1991) Anti-inflammatory activity of α -MSH(11-13) analogs: Influences of alteration in stereochemistry. *Peptides* 12:767-771.
- Hock C, Konietzko U, Streffer JR, Tracy J, Signorell A, Muller-Tillmanns B, Lemke U, Henke K, Moritz E, Garcia E, Wollmer MA, Umbricht D, de Quervain DJ, Hofmann M, Maddalena A, Papassotiropoulos A and Nitsch RM (2003) Antibodies against beta-amyloid slow cognitive decline in Alzheimer's disease. *Neuron* 38:547-554.
- Hoffmann JA, Kafatos FC, Janeway Jr CA and Ezekowitz RAB (1999) Phylogenetic perspectives in innate immunity. *Science* 284:1313-1318.
- Holder JR and Haskell-Luevano C (2004) Melanocortin Ligands: 30 Years of Structure-Activity Relationship (SAR) Studies. *Medicinal Research Reviews* 24:325-356.
- Holtzman DM and Mobley WC (1991) Molecular studies in Alzheimer's disease. *Trends Biochem Sci* 16:140-144.
- Hoshi M, Sato M, Matsumoto S, Noguchi A, Yasutake K, Yoshida N and Sato K (2003) Spherical aggregates of β -amyloid (amylospheroid) show high neurotoxicity and activate tau protein kinase I/glycogen synthase kinase-3 β . *Proceedings of the National Academy of Sciences of the United States of America* 100:6370-6375.
- Houghten RA (1985) General method for the rapid solid-phase synthesis of large numbers of peptides: Specificity of antigen-antibody interaction at the level of individual amino acids. *Proceedings of the National Academy of Sciences of the United States of America* 82:5131-5135.
- Hruby VJ, Wilkes BC, Hadley ME, Al-Obeidi F, Sawyer TK, Staples DJ, De Vaux AE, Dym O, Castrucci AMDL, Hintz MF, Riehm JP and Rao KR (1987) α -Melanotropin: The minimal active sequence in the frog skin bioassay. *Journal of Medicinal Chemistry* 30:2126-2130.
- Hsieh H, Boehm J, Sato C, Iwatsubo T, Tomita T, Sisodia S and Malinow R (2006) AMPAR removal underlies Abeta-induced synaptic depression and dendritic spine loss. *Neuron* 52:831-843.
- Huang HW (2000) Action of antimicrobial peptides: Two-state model. *Biochemistry* 39:8347-8352.
- Huang X, Atwood CS, Moir RD, Hartshorn MA, Tanzi RE and Bush AI (2004) Trace metal contamination initiates the apparent auto-aggregation, amyloidosis, and oligomerization of Alzheimer's Abeta peptides. *J Biol Inorg Chem* 9:954-960.
- Huet A and Derreumaux P (2006) Impact of the mutation A21G (Flemish variant) on Alzheimer's beta-amyloid dimers by molecular dynamics simulations. *Biophys J* 91:3829-3840.
- Hughes E, Burke RM and Doig AJ (2000) Inhibition of toxicity in the β -amyloid peptide fragment β (25-35) using N-methylated derivatives. A general strategy to prevent amyloid formation. *Journal of Biological Chemistry* 275:25109-25115.
- Humphrey W, Dalke A and Schulten K (1996) VMD: visual molecular dynamics. *J Mol Graph* 14:33-38, 27-38.
- Hwang W, Zhang S, Kamm RD and Karplus M (2004) Kinetic control of dimer structure formation in amyloid fibrillogenesis. *Proc Natl Acad Sci U S A* 101:12916-12921.
- I
- Ida N, Hartmann T, Pantel J, Schröder J, Zerfass R, Förstl H, Sandbrink R, Masters CL and Beyreuther K (1996) Analysis of heterogeneous β A4 peptides in human cerebrospinal fluid and blood by a newly developed sensitive western blot assay. *Journal of Biological Chemistry* 271:22908-22914.
- J
- Jacobsen JS, Wu CC, Redwine JM, Comery TA, Arias R, Bowlby M, Martone R, Morrison JH, Pangalos MM, Reinhart PH and Bloom FE (2006) Early-onset behavioral and synaptic deficits in a mouse model of Alzheimer's disease. *Proceedings of the National Academy of Sciences of the United States of America* 103:5161-5166.
- Jarrett JT, Berger EP and Lansbury PT, Jr. (1993a) The C-terminus of the beta protein is critical in amyloidogenesis. *Ann N Y Acad Sci* 695:144-148.
- Jarrett JT, Berger EP and Lansbury PT, Jr. (1993b) The carboxy terminus of the beta amyloid protein is critical for the seeding of amyloid formation: implications for the pathogenesis of Alzheimer's disease. *Biochemistry* 32:4693-4697.
- Joliot A, Pernelle C, Deagoštini-Bazin H and Prochiantz A (1991) Antennapedia homeobox peptide regulates neural morphogenesis. *Proceedings of the National Academy of Sciences of the United States of America* 88:1864-1868.
- Jorgensen WL, Maxwell DS and Tirado-Rives J (1996) Development and Testing of the OPLS All-Atom Force Field on Conformational Energetics and Properties of Organic Liquids. *Journal of the American Chemical Society* 118:11225-11236.
- Juhasz G, Marki A, Vass G, Fulop L, Budai D, Penke B, Falkay G and Szegedi V (2009) An intraperitoneally administered pentapeptide protects

against Abeta (1-42) induced neuronal excitation *in vivo*. *J Alzheimers Dis* 16:189-196.

K

Kabsch W and Sander C (1983) Dictionary of protein secondary structure: pattern recognition of the hydrogen-bonded and geometrical features. *Biopolymers* 22:2577-2637.

Kaiser E, Colescott RL, Bossinger CD and Cook PI (1970) Color test for detection of free terminal amino groups in the solid-phase synthesis of peptides. *Analytical Biochemistry* 34:595-598.

Kamenetz F, Tomita T, Hsieh H, Seabrook G, Borchelt D, Iwatsubo T, Sisodia S and Malinow R (2003) APP processing and synaptic function. *Neuron* 37:925-937.

Kaminski GA, Friesner RA, Tirado-Rives J and Jorgensen WL (2001) Evaluation and Reparametrization of the OPLS-AA Force Field for Proteins via Comparison with Accurate Quantum Chemical Calculations on Peptides. *Journal of Physical Chemistry B* 105:6474-6487.

Karolyhazy L, Freile ML, Anwar M, Beke G, Giannini F, Sortino M, Ribas JC, Zacchino S, Matyus P and Enriz RD (2003) Synthesis, *in vitro/in vivo* antifungal evaluation and structure-activity relationship study of 3(2H)-pyridazinones. *Arzneimittel-Forsch* 53:738-743.

Katzman R (1986) Alzheimer's disease. *New England Journal of Medicine* 314:964-973.

Kim KH and Seong BL (2001) Peptide amidation: Production of peptide hormones *in vivo* and *in vitro*. *Biotechnology and Bioprocess Engineering* 6:244-251.

Kirkitadze MD, Condran MM and Teplow DB (2001) Identification and characterization of key kinetic intermediates in amyloid beta-protein fibrillogenesis. *J Mol Biol* 312:1103-1119.

Kirschner DA, Abraham C and Selkoe DJ (1986) X-ray diffraction from intraneuronal paired helical filaments and extraneuronal amyloid fibers in Alzheimer disease indicates cross-beta conformation. *Proc Natl Acad Sci U S A* 83:503-507.

Kisilevsky R (2000) Review: amyloidogenesis- unquestioned answers and unanswered questions. *J Struct Biol* 130:99-108.

Klepser ME, Ernst EJ, Ernst ME, Messer SA and Pfaller MA (1998) Evaluation of endpoints for antifungal susceptibility determinations with LY303366. *Antimicrobial Agents and Chemotherapy* 42:1387-1391.

Klimov DK and Thirumalai D (2003) Dissecting the assembly of Abeta16-22 amyloid peptides into antiparallel beta sheets. *Structure* 11:295-307.

Kmietowicz Z (2005a) Erratum: NICE proposes to withdraw Alzheimer's drugs from NHS (British Medical Journal (March 5, 2005) 330 (495)). *British Medical Journal* 330:759.

Kmietowicz Z (2005b) NICE proposes to withdraw Alzheimer's drugs from NHS. *BMJ (Clinical*

research ed) 330:495.

Koch HJ, Uyanik G and Fischer-Barnicol D (2005) Memantine: A therapeutic approach in treating Alzheimer's and vascular dementia. *Current Drug Targets: CNS and Neurological Disorders* 4:499-506.

Kontoyiannis DP, Mantadakis E and Samonis G (2003) Systemic mycoses in the immunocompromised host: An update in antifungal therapy. *Journal of Hospital Infection* 53:243-258.

Kornacker MG, Lai Z, Witmer M, Ma J, Hendrick J, Lee VG, Riexinger DJ, Mapelli C, Metzler W and Copeland RA (2005) An inhibitor binding pocket distinct from the catalytic active site on human β -APP cleaving enzyme. *Biochemistry* 44:11567-11573.

Kotelchuck D, Scheraga HA and Walter R (1972) Conformational energy studies of oxytocin and its cyclic moiety. *Proc Natl Acad Sci U S A* 69:3629-3633.

Kouznetsov V, Urbina J, Palma A, Lopez S, Devia C, Enriz R and Zacchino S (2000) Synthesis and *in vitro* antifungal properties of 4-aryl-4-N-arylamino-1-butenes and related compounds. *Molecules* 5:428-430.

Kouznetsov VV, Vargas Mendez LY, Sortino M, Vasquez Y, Gupta MP, Freile M, Enriz RD and Zacchino SA (2008) Antifungal and cytotoxic activities of some N-substituted aniline derivatives bearing a hetaryl fragment. *Bioorganic and Medicinal Chemistry* 16:794-809.

Kumar-Singh S, Theuns J, Van Broeck B, Pirici D, Vennekens K, Corsmit E, Cruts M, Dermaut B, Wang R and Van Broeckhoven C (2006) Mean age-of-onset of familial Alzheimer disease caused by presenilin mutations correlates with both increased A β 42 and decreased A β 40. *Human Mutation* 27:686-695.

Kundrot CE, Ponder JW and Richards FM (1991) Algorithms for calculating excluded volume and its derivatives as a function of molecular conformation and their use in energy minimization. *J Comput Chem* 12:402-409.

Kuo WL, Gehm BD and Rich Rosner M (1990) Cloning and expression of the cDNA for a Drosophila insulin-degrading enzyme. *Molecular Endocrinology* 4:1580-1591.

L

Laczko I, Vass E, Soos K, Fulop L, Zarandi M and Penke B (2008) Aggregation of Abeta(1-42) in the presence of short peptides: conformational studies. *J Pept Sci* 14:731-741.

Lam FC, Liu R, Lu P, Shapiro AB, Renoir JM, Sharom FJ and Reiner PB (2001) β -Amyloid efflux mediated by p-glycoprotein. *Journal of Neurochemistry* 76:1121-1128.

Lambert MP, Barlow AK, Chromy BA, Edwards C, Freed R, Liosatos M, Morgan TE, Rozovsky I, Trommer B, Viola KL, Wals P, Zhang C, Finch CE, Krafft GA and Klein WL (1998) Diffusible, nonfibrillar ligands derived from A β 1-42 are potent central nervous system neurotoxins. *Proceedings of the National Academy of Sciences of the United States of America* 95:6448-6453.

- Langel U (2002) Cell-Penetrating Peptides: Processes and Applications. CRC Press: Boca Raton, FL.
- Lansbury PT, Jr. (1997) Inhibition of amyloid formation: a strategy to delay the onset of Alzheimer's disease. *Curr Opin Chem Biol* 1:260-267.
- Lanz TA, Fici GJ and Merchant KM (2005) Lack of specific amyloid-b(1-42) suppression by nonsteroidal anti-inflammatory drugs in young, plaque-free Tg2576 mice and in guinea pig neuronal cultures. *Journal of Pharmacology and Experimental Therapeutics* 312:399-406.
- Lazo ND, Grant MA, Condrón MC, Rigby AC and Teplow DB (2005) On the nucleation of amyloid beta-protein monomer folding. *Protein Sci* 14:1581-1596.
- Lee DG, Kim HK, Kim SA, Park Y, Park SC, Jang SH and Hahm KS (2003) Fungicidal effect of indolicidin and its interaction with phospholipid membranes. *Biochemical and Biophysical Research Communications* 305:305-310.
- Lee JP, Dunlap B and Rich DH (1990) Synthesis and immunosuppressive activities of conformationally restricted cyclosporin lactam analogues. *International Journal of Peptide and Protein Research* 35:481-494.
- Leissring MA, Farris W, Chang AY, Walsh DM, Wu X, Sun X, Frosch MP and Selkoe DJ (2003) Enhanced proteolysis of β -amyloid in APP transgenic mice prevents plaque formation, secondary pathology, and premature death. *Neuron* 40:1087-1093.
- Lensink MF, Christiaens B, Vandekerckhove J, Prochiantz A and Rosseneu M (2005) Penetratin-membrane association: W48/R52/W56 shield the peptide from the aqueous phase. *Biophysical Journal* 88:939-952.
- Lesne S, Koh MT, Kotilinek L, Kaye R, Glabe CG, Yang A, Gallagher M and Ashe KH (2006) A specific amyloid-beta protein assembly in the brain impairs memory. *Nature* 440:352-357.
- Letoha T, Gaal S, Somlai C, Czajlik A, Perczel A and Penke B (2003) Membrane translocation of penetratin and its derivatives in different cell lines. *Journal of Molecular Recognition* 16:272-279.
- Letoha T, Gaal S, Somlai C, Venkei Z, Glavinas H, Kusz E, Duda E, Czajlik A, Petak F and Penke B (2005) Investigation of penetratin peptides. Part 2. *In vitro* uptake of penetratin and two of its derivatives. *Journal of Peptide Science* 11:805-811.
- Li Z and Scheraga HA (1987) Monte Carlo minimization approach to the multiple-minima problem in protein folding. *Proceedings of the National Academy of Sciences of the United States of America* 84:6611-6615.
- Lichtenthaler SF and Haass C (2004) Amyloid at the cutting edge: Activation of α -secretase prevents amyloidogenesis in an Alzheimer disease mouse model. *Journal of Clinical Investigation* 113:1384-1387.
- Lindahl E, Hess B and van der Spoel D (2001) GROMACS 3.0: a package for molecular simulation and trajectory analysis. *Journal of Molecular Modeling* 7:306-317.
- Lindberg M, Biverstahl H, Graslund A and Maler L (2003) Structure and positioning comparison of two variants of penetratin in two different membrane mimicking systems by NMR. *European Journal of Biochemistry* 270:3055-3063.
- Linder MB (2009) Hydrophobins: Proteins that self assemble at interfaces. *Current Opinion in Colloid and Interface Science* 14:356-363.
- Liwo A, Tempczyk A, Oldziej S, Shenderovich MD, Hruby VJ, Talluri S, Ciarkowski J, Kasprzykowski F, Lankiewicz L and Grzonka Z (1996a) Exploration of the conformational space of oxytocin and arginine-vasopressin using the electrostatically driven Monte Carlo and molecular dynamics methods. *Biopolymers* 38:157-175.
- Liwo A, Tempczyk A, Oldziej S, Shenderovich MD, Hruby VJ, Talluri S, Ciarkowski J, Kasprzykowski F, Lankiewicz L and Grzonka Z (1996b) Exploration of the conformational space of oxytocin and arginine-vasopressin using the electrostatically driven monte carlo and molecular dynamics methods. *Biopolymers* 38:157-175.
- Lopez SN, Castelli MV, Rogerio Correa F, Cechinel Filho V, Yunes RA, Zamora MA, Enriz RD, Ribas JC and Zacchino SA (2005) *In vitro* antifungal properties structure-activity relationships and studies on the mode of action of *N*-phenyl, *N*-aryl, *N*-phenylalkyl maleimides and related compounds. *Arzneimittel-Forsch* 55:123-132.
- Lopez SN, Castelli MV, Zacchino SA, Dominguez JN, Lobo G, Charris-Charris J, Cortes JCG, Ribas JC, Devia C, Rodriguez AM and Enriz RD (2001) *In vitro* antifungal evaluation and structure-activity relationships of a new series of chalcone derivatives and synthetic analogues, with inhibitory properties against polymers of the fungal cell wall. *Bioorganic and Medicinal Chemistry* 9:1999-2013.
- Lue LF, Kuo YM, Roher AE, Brachova L, Shen Y, Sue L, Beach T, Kurth JH, Rydel RE and Rogers J (1999) Soluble amyloid β peptide concentration as a predictor of synaptic change in Alzheimer's disease. *American Journal of Pathology* 155:853-862.
- Luhrs T, Ritter C, Adrian M, Riek-Loher D, Bohrmann B, Dobeli H, Schubert D and Riek R (2005) 3D structure of Alzheimer's amyloid-beta(1-42) fibrils. *Proc Natl Acad Sci U S A* 102:17342-17347.
- Lynn DG and Meredith SC (2000) Review: model peptides and the physicochemical approach to beta-amyloids. *J Struct Biol* 130:153-173.

M

Ma B and Nussinov R (2002) Stabilities and conformations of Alzheimer's beta -amyloid peptide oligomers (Abeta 16-22, Abeta 16-35, and Abeta 10-35): Sequence effects. *Proc Natl Acad Sci U S A* 99:14126-14131.

Ma B and Nussinov R (2006) The stability of monomeric intermediates controls amyloid formation: Abeta25-35 and its N27Q mutant. *Biophys J* 90:3365-3374.

Maiorini AF, Gaunt MJ, Jacobsen TM, McKay AE, Waldman LD and Raffa RB (2002) Potential novel targets for Alzheimer pharmacotherapy: I. Secretases. *Journal of Clinical Pharmacy and Therapeutics* 27:169-183.

- Malin DH, Crothers MK, Lake JR, Goyarzu P, Plotner RE, Garcia SA, Spell SH, Tomsic BJ, Giordano T and Kowall NW (2001) Hippocampal injections of amyloid beta-peptide 1-40 impair subsequent one-trial/day reward learning. *Neurobiol Learn Mem* 76:125-137.
- Maloy WL and Kari UP (1995) Structure-activity studies on magainins and other host defense peptides. *Biopolymers - Peptide Science Section* 37:105-122.
- Marks N and Walter R (1972) MSH-release-inhibiting factor: inactivation by proteolytic enzymes. *Proc Soc Exp Biol Med* 140:673-676.
- Marshall GR (1996) *Burguer's Medicinal Chemistry and Drug Discovery*. 5th ed, Wiley, New York 1:373-659.
- Masman MF, Eisel ULM, Csizmadia IG, Penke B, Enriz RD, Marrink SJ and Luiten PGM (2009a) In silico study of full-length amyloid b 1-42 Tri- and pentamers in solution. *Journal of Physical Chemistry B* 113:11710-11719.
- Masman MF, Rodriguez AM, Raimondi M, Zacchino SA, Luiten PG, Somlai C, Kortvelyesi T, Penke B and Enriz RD (2009b) Penetratin and derivatives acting as antifungal agents. *Eur J Med Chem* 44:212-228.
- Masman MF, Rodríguez AM, Svetaz L, Zacchino SA, Somlai C, Csizmadia IG, Penke B and Enriz RD (2006) Synthesis and conformational analysis of His-Phe-Arg-Trp-NH₂ and analogues with antifungal properties. *Bioorganic and Medicinal Chemistry* 14:7604-7614.
- Masman MF, Somlai C, Garibotto FM, Rodriguez AM, de la Iglesia A, Zacchino SA, Penke B and Enriz RD (2008) Structure-antifungal activity relationship of His-Phe-Arg-Trp-Gly-Lys-Pro-Val-NH₂ and analogues. *Bioorganic and Medicinal Chemistry* 16:4347-4358.
- Mason JM, Kokkoni N, Stott K and Doig AJ (2003) Design strategies for anti-amyloid agents. *Current Opinion in Structural Biology* 13:526-532.
- Massi F, Klimov D, Thirumalai D and Straub JE (2002) Charge states rather than propensity for beta-structure determine enhanced fibrillogenesis in wild-type Alzheimer's beta-amyloid peptide compared to E22Q Dutch mutant. *Protein Sci* 11:1639-1647.
- Massi F, Peng JW, Lee JP and Straub JE (2001) Simulation study of the structure and dynamics of the Alzheimer's amyloid peptide congener in solution. *Biophys J* 80:31-44.
- Mayor S (2006) NICE recommends drugs for moderate Alzheimer's disease. *BMJ (Clinical research ed)* 332:195.
- McDonald NA and Jorgensen WL (1998) Development of an All-Atom Force Field for Heterocycles. Properties of Liquid Pyrrole, Furan, Diazoles, and Oxazoles. *Journal of Physical Chemistry B* 102:8049-8059.
- McLean CA, Cherny RA, Fraser FW, Fuller SJ, Smith MJ, Beyreuther K, Bush AI and Masters CL (1999) Soluble pool of A β amyloid as a determinant of severity of neurodegeneration in Alzheimer's disease. *Annals of Neurology* 46:860-866.
- McNeil MM, Nash SL, Hajjeh RA, Phelan MA, Conn LA, Plikaytis BD and Warnock DW (2001) Trends in mortality due to invasive mycotic diseases in the United States, 1980-1997. *Clinical Infectious Diseases* 33:641-647.
- Meadows RP, Olejniczak ET and Fesik SW (1994a) A computer-based protocol for semiautomated assignments and 3D structure determination of proteins. *J Biomol NMR* 4:79-96.
- Meadows RP, Pořt CB, Luxon BA and Gorenstein DG (1994b) MORASS 2.1.
- Meersman F and Dobson CM (2006) Probing the pressure-temperature stability of amyloid fibrils provides new insights into their molecular properties. *Biochim Biophys Acta* 1764:452-460.
- Melnikova I (2007) Therapies for Alzheimer's disease. *Nature Reviews Drug Discovery* 6:341-342.
- Merrifield B (1986) Solid phase synthesis. *Science* 232:341-347.
- Merrifield RB (1963) Solid phase peptide synthesis. I. The synthesis of a tetrapeptide. *Journal of the American Chemical Society* 85:2149-2154.
- Metropolis N, Rosenbluth AW, Rosenbluth MN, Teller AH and Teller E (1953) Equation of state calculations by fast computing machines. *The Journal of Chemical Physics* 21:1087-1092.
- Miyamoto S and Kollman PA (1992) Settle: An analytical version of the SHAKE and RATTLE algorithm for rigid water models. *Journal of Computational Chemistry* 13:952-962.
- Morris GM, Huey R, Lindstrom W, Sanner MF, Belew RK, Goodsell DS and Olson AJ (2009) AutoDock4 and AutoDockTools4: Automated docking with selective receptor flexibility. *J Comput Chem*.
- Mosmann T (1983) Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. *J Immunol Methods* 65:55-63.
- Muller-Hill B and Beyreuther K (1989) Molecular biology of Alzheimer's disease. *Annual Review of Biochemistry* 58:287-307.
- Murray JS and Politzer P (1998) The molecular electrostatic potential: A tool for understanding and predicting molecular interactions. *Molecular Orbital Calculations for Biological Systems*:49-84.

N

Nagiec MM, Nagiec EE, Baltisberger JA, Wells GB, Lester RL and Dickson RC (1997) Sphingolipid synthesis as a target for antifungal drugs. Complementation of the inositol phosphorylceramide synthase defect in a mutant strain of *Saccharomyces cerevisiae* by the AUR1 gene. *Journal of Biological Chemistry* 272:9809-9817.

Nakamura S, Murayama N, Noshita T, Annoura H and Ohno T (2001) Progressive brain dysfunction following intracerebroventricular infusion of beta(1-42)-amyloid peptide. *Brain Res* 912:128-136.

- Naray-Szabo G and Ferenczy GG (1995) Molecular electrostatics. *Chemical Reviews* 95:829-847.
- Naslund J, Haroutunian V, Mohs R, Davis KL, Davies P, Greengard P and Buxbaum JD (2000) Correlation between elevated levels of amyloid beta-peptide in the brain and cognitive decline. *JAMA* 283:1571-1577.
- Nelson R, Sawaya MR, Balbirnie M, Madsen AO, Riekel C, Grothe R and Eisenberg D (2005) Structure of the cross-beta spine of amyloid-like fibrils. *Nature* 435:773-778.
- Némethy G, Gibson KD, Palmer KA, Yoon CN, Paterlini G, Zagari A, Rumsey S and Scheraga HA (1992) Energy parameters in polypeptides. 10. Improved geometrical parameters and nonbonded interactions for use in the ECAPP/3 algorithm, with application to proline-containing peptides. *Journal of Physical Chemistry* 96:6472-6484.
- Nesloney CL and Kelly JW (1996) A 2,3'-substituted biphenyl-based amino acid facilitates the formation of a monomeric β -hairpin-like structure in aqueous solution at elevated temperature. *Journal of the American Chemical Society* 118:5836-5845.
- Nijholt IM, Oštroveanu A, Scheper WA, Penke B, Luiten PG, Van der Zee EA and Eisel UL (2008) Inhibition of PKA anchoring to A-kinase anchoring proteins impairs consolidation and facilitates extinction of contextual fear memories. *Neurobiol Learn Mem* 90:223-229.
- North ACT (1989) Applications of molecular graphics for the study of recognition. *Journal of Molecular Graphics* 7:67-70.
- O**
- O'Hare E, Weldon DT, Mantyh PW, Ghilardi JR, Finke MP, Kuskowski MA, Maggio JE, Shephard RA and Cleary J (1999) Delayed behavioral effects following intrahippocampal injection of aggregated A beta (1-42). *Brain Res* 815:1-10.
- Ondetti MA, Cushman DW, Sabo EF and Cheung HS (1979) *Drug Action and Design: Mechanism-Based Enzyme Inhibitors*. Elsevier/North-Holland, New York (Kalman, T.I ed):271.
- Ondetti MA, Williams NJ, Sabo EF, Pluščec J, Weaver ER and Kocy O (1971) Angiotensin-converting enzyme inhibitors from the venom of *Bothrops jararaca*. Isolation, elucidation of structure, and synthesis. *Biochemistry* 10:4033-4039.
- Orgogozo JM, Gilman S, Dartigues JF, Laurent B, Puel M, Kirby LC, Jouanny P, Dubois B, Eisner L, Flitman S, Michel BF, Boada M, Frank A and Hock C (2003a) Subacute meningoencephalitis in a subset of patients with AD after A β_{42} immunization. *Neurology* 61:46-54.
- Orgogozo JM, Gilman S, Dartigues JF, Laurent B, Puel M, Kirby LC, Jouanny P, Dubois B, Eisner L, Flitman S, Michel BF, Boada M, Frank A and Hock C (2003b) Subacute meningoencephalitis in a subset of patients with AD after Abeta42 immunization. *Neurology* 61:46-54.
- Otsyka H and Inouye K (1964) The synthesis of an MSH-active tetrapeptide *L*-histidyl-*L*-phenylalanyl-*L*-arginyl-*L*-tryptophan. *Bull Chem Soc Jap* 37:289-290.
- P**
- Paravařtu AK, Petkova AT and Tycko R (2006) Polymorphic fibril formation by residues 10-40 of the Alzheimer's beta-amyloid peptide. *Biophys J* 90:4618-4629.
- Park CB, Kim HS and Kim SC (1998) Mechanism of action of the antimicrobial peptide buforin II: Buforin II kills microorganisms by penetrating the cell membrane and inhibiting cellular functions. *Biochemical and Biophysical Research Communications* 244:253-257.
- Parvathy S, Ehrlich M, Pedrini S, Diaz N, Refolo L, Buxbaum JD, Bogush A, Petanceska S and Gandy S (2004) Atorvastatin-induced activation of Alzheimer's a secretase is resistant to standard inhibitors of protein phosphorylation-regulated ectodomain shedding. *Journal of Neurochemistry* 90:1005-1010.
- Patchett AA, Harris E and Trisstram EW (1980) A new class of angiotensin converting enzyme inhibitors. *Nature* 288:280-283.
- Pearson HA and Peers C (2006) Physiological roles for amyloid beta peptides. *J Physiol* 575:5-10.
- Peng PJ, Sahn UG, Doherty RVM, Kinsman RG, Moss SH and Pouton CW (1997) Binding and biological activity of C-terminally modified melanocortin peptides: A comparison between their actions at rodent MC₁ and MC₃ receptors. *Peptides* 18:1001-1008.
- Perez-Iratxeta C and Andrade-Navarro MA (2008) K2D2: estimation of protein secondary structure from circular dichroism spectra. *BMC Struct Biol* 8:25.
- Periole X, Rampioni A, Vendruscolo M and Mark AE (2009) Factors that affect the degree of twist in beta-sheet structures: a molecular dynamics simulation study of a cross-beta filament of the GNNQQNY peptide. *J Phys Chem B* 113:1728-1737.
- Permanne B, Adessi C, Saborio GP, Fraga S, Frossard MJ, Van Dorpe J, Dewachter I, Banks WA, Van Leuven F and Soto C (2002) Reduction of amyloid load and cerebral damage in a transgenic mouse model of Alzheimer's disease by treatment with a beta-sheet breaker peptide. *FASEB J* 16:860-862.
- Petkova AT, Ishii Y, Balbach JJ, Antzutkin ON, Leapman RD, Delaglio F and Tycko R (2002) A structural model for Alzheimer's beta-amyloid fibrils based on experimental constraints from solid state NMR. *Proc Natl Acad Sci U S A* 99:16742-16747.
- Petkova AT, Leapman RD, Guo Z, Yau WM, Mattson MP and Tycko R (2005) Self-propagating, molecular-level polymorphism in Alzheimer's beta-amyloid fibrils. *Science* 307:262-265.
- Petkova AT, Yau WM and Tycko R (2006) Experimental constraints on quaternary structure in Alzheimer's beta-amyloid fibrils. *Biochemistry* 45:498-512.
- Pettersen EF, Goddard TD, Huang CC, Couch GS, Greenblatt DM, Meng EC and Ferrin TE (2004a) UCSF Chimera—a visualization system for exploratory

research and analysis. *J Comput Chem* 25:1605-1612.

Pettersen EF, Goddard TD, Huang CC, Couch GS, Greenblatt DM, Meng EC and Ferrin TE (2004b) UCSF Chimera - A visualization system for exploratory research and analysis. *Journal of Computational Chemistry* 25:1605-1612.

Pfaller MA (2002a) CLSI/NCCLS M27A2: Reference Method for Broth Dilution Antifungal Susceptibility Testing of Yeasts; Approved Standard, M27-A2, Second Edition. Clinical and Laboratory Standards Institute / National Committee for Clinical and Laboratory Standards Wayne, Ed 22:1-29.

Pfaller MA (2002b) CLSI/NCCLS M38A: Reference Method for Broth Dilution Antifungal Susceptibility Testing of Filamentous Fungi; Approved Standard, M38-A. First Edition. Clinical and Laboratory Standards Institute / National Committee for Clinical and Laboratory Standards Wayne, Ed 22:1-27.

Pfaller MA and Diekema DJ (2004) Rare and emerging opportunistic fungal pathogens: Concern for resistance beyond *Candida albicans* and *Aspergillus fumigatus*. *Journal of Clinical Microbiology* 42:4419-4431.

Pfaller MA and Diekema DJ (2007) Epidemiology of invasive candidiasis: A persistent public health problem. *Clinical Microbiology Reviews* 20:133-163.

Piela L and Scheraga HA (1987) On the multiple-minima problem in the conformational analysis of polypeptides. I. Backbone degrees of freedom for a perturbed alpha-helix. *Biopolymers - Peptide Science Section* 26 Suppl.

Pike CJ, Walencewicz AJ, Glabe CG and Cotman CW (1991) *In vitro* aging of β -amyloid protein causes peptide aggregation and neurotoxicity. *Brain Research* 563:311-314.

Pliska V, Barth T and Rychlik I (1967) Effect of human serum oxytocinase on the antidiuretic action of lysine vasopressin and oxytocin in the rat. *Experientia* 23:196-197.

Pohorille A and Pratt LR (1990) Cavities in molecular liquids and the theory of hydrophobic solubilities. *J Am Chem Soc* 112:5066-5074.

Polak A (1999) The past, present and future of antimycotic combination therapy. *Mycoses* 42:355-370.

Politzer P and Truhlar DG (1981) *Chemical Applications of Atomic and Molecular Electrostatic Potentials*. Plenum Publishing, New York.

Pollack SJ and Lewis H (2005) β -Secretase inhibitors for Alzheimer's disease: Challenges of a promiscuous protease. *Current Opinion in Investigational Drugs* 6:35-47.

Ponder JW (2004) TINKER: Software Tools for Molecular Design. User's Guide for Version 42 Washington University School of Medicine.

Post CB, Meadows RP and Gorenstein DG (1990) On the evaluation of interproton distances for three-dimensional structure determination by NMR using a relaxation rate matrix analysis. *Journal of the American*

Chemical Society 112:6796-6803.

Powers JPS and Hancock REW (2003) The relationship between peptide structure and antibacterial activity. *Peptides* 24:1681-1691.

Pratico D and Delanty N (2000) Oxidative injury in diseases of the central nervous system: Focus on Alzheimer's disease. *American Journal of Medicine* 109:577-585.

Price MLP, Oštrovsky D and Jorgensen WL (2001) Gas-phase and liquid-state properties of esters, nitriles, and nitro compounds with the OPLS-AA force field. *Journal of Computational Chemistry* 22:1340-1352.

Puttagunta AL and Toth EL (1998) Insulin lispro (Humalog), the first marketed insulin analogue: indications, contraindications and need for further study. *CMAJ* 158:506-511.

Puzzo D, Privitera L, Leznik E, Fa M, Staniszewski A, Palmeri A and Arancio O (2008) Picomolar amyloid-beta positively modulates synaptic plasticity and memory in hippocampus. *J Neurosci* 28:14537-14545.

Q

Quišt A, Doudevski I, Lin H, Azimova R, Ng D, Frangione B, Kagan B, Ghiso J and Lal R (2005) Amyloid ion channels: a common structural link for protein-misfolding disease. *Proc Natl Acad Sci U S A* 102:10427-10432.

R

Rajarathnam K, Sykes BD, Kay CM, Dewald B, Geiser T, Baggiolini M and Clark-Lewis I (1994) Neutrophil activation by monomeric interleukin-8. *Science* 264:90-92.

Riek R, Guntert P, Dobeli H, Wipf B and Wuthrich K (2001) NMR studies in aqueous solution fail to identify significant conformational differences between the monomeric forms of two Alzheimer peptides with widely different plaque-competence. A β (1-40)(ox) and A β (1-42)(ox). *Eur J Biochem* 268:5930-5936.

Ripoll DR and Scheraga HA (1988) On the multiple-minima problem in the conformational analysis of polypeptides. II. An electrostatically driven Monte Carlo method--tests on poly(L-alanine). *Biopolymers - Peptide Science Section* 27:1283-1303.

Ripoll DR and Scheraga HA (1990) On the multiple-minima problem in the conformational analysis of polypeptides. IV. Application of the electrostatically driven Monte Carlo method to the 20-residue membrane-bound portion of melittin. *Biopolymers* 30:165-176.

Ritter C, Maddelein ML, Siemer AB, Luhrs T, Ernst M, Meier BH, Saupe SJ and Riek R (2005) Correlation of structural elements and infectivity of the HET-s prion. *Nature* 435:844-848.

Rizzo RC and Jorgensen WL (1999) OPLS All-Atom Model for Amines: Resolution of the Amine Hydration Problem. *Journal of the American Chemical Society* 121:4827-4836.

Rochet JC and Lansbury PT, Jr. (2000) Amyloid

- fibrillogenesis: themes and variations. *Curr Opin Struct Biol* 10:60-68.
- Rohrig UF, Laio A, Tantalo N, Parrinello M and Petronzio R (2006) Stability and structure of oligomers of the Alzheimer peptide Abeta16-22: from the dimer to the 32-mer. *Biophys J* 91:3217-3229.
- Rovelet-Lecrux A, Hannequin D, Raux G, Le Meur N, Laquerrière A, Vital A, Dumanchin C, Feuillet S, Brice A, Vercelletto M, Dubas F, Frebourg T and Campion D (2006) APP locus duplication causes autosomal dominant early-onset Alzheimer disease with cerebral amyloid angiopathy. *Nature Genetics* 38:24-26.
- S**
- Sabesan NM and Harper ET (1983) Are aromatic residues essential at the "active sites" of peptide hormones? *J Theor Biol* 83:457-467.
- Sahm UG (1994) Synthesis and biological evaluation of α -MSH analogues substituted with alanine. *Peptides* 15:1297-1302.
- Sanner MF (1999) Python: a programming language for software integration and development. *J Mol Graph Model* 17:57-61.
- Sarai A (1989) Molecular recognition and information gain. *Journal of Theoretical Biology* 140:137-143.
- Sasahara K, Naiki H and Goto Y (2005) Kinetically controlled thermal response of beta2-microglobulin amyloid fibrils. *J Mol Biol* 352:700-711.
- Sato T, Kienlen-Campard P, Ahmed M, Liu W, Li H, Elliott JL, Aimoto S, Constantinescu SN, Octave JN and Smith SO (2006) Inhibitors of amyloid toxicity based on beta-sheet packing of Abeta40 and Abeta42. *Biochemistry* 45:5503-5516.
- Scarpini E and Cogiamanian F (2003) Alzheimer's disease: From molecular pathogenesis to innovative therapies. *Expert Review of Neurotherapeutics* 3:619-630.
- Scarpini E, Scheltens P and Feldman H (2003) Treatment of Alzheimer's disease: Current status and new perspectives. *Lancet Neurology* 2:539-547.
- Scheibel T, Parthasarathy R, Sawicki G, Lin XM, Jaeger H and Lindquist SL (2003) Conducting nanowires built by controlled self-assembly of amyloid fibers and selective metal deposition. *Proc Natl Acad Sci U S A* 100:4527-4532.
- Schenk D, Barbour R, Dunn W, Gordon G, Grajeda H, Guido T, Hu K, Huang J, Johnson-Wood K, Khan K, Kholodenko D, Lee M, Liao Z, Lieberburg I, Motter R, Mutter L, Soriano F, Shopp G, Vasquez N, Vandeventer C, Walker S, Wogulis M, Yednock T, Games D and Seubert P (1999) Immunization with amyloid-beta attenuates Alzheimer-disease-like pathology in the PDAPP mouse. *Nature* 400:173-177.
- Scheraga HA, Ripoll DR, Liwo A and Czaplewski C (1983) User Guide ECEPPAK and ANALYZE Programs.
- Schiffner M, Chang CH and Stevens FJ (1992) The functions of tryptophan residues in membrane proteins. *Protein Engineering* 5:213-214.
- Sciarretta KL, Boire A, Gordon DJ and Meredith SC (2006a) Spatial separation of beta-sheet domains of beta-amyloid: disruption of each beta-sheet by N-methyl amino acids. *Biochemistry* 45:9485-9495.
- Sciarretta KL, Gordon DJ and Meredith SC (2006b) Peptide-based inhibitors of amyloid assembly. *Methods Enzymol* 413:273-312.
- Selkoe DJ (1999) Translating cell biology into therapeutic advances in Alzheimer's disease. *Nature* 399:A23-31.
- Selkoe DJ (2003) Folding proteins in fatal ways. *Nature* 426:900-904.
- Seubert P, Vigo-Pelfrey C, Esch F, Lee M, Dovey H, Davis D, Sinha S, Schlossmacher M, Whaley J, Swindlehurst C, McCormack R, Wolfert R, Selkoe D, Lieberburg I and Schenk D (1992) Isolation and quantification of soluble Alzheimer's β -peptide from biological fluids. *Nature* 359:325-327.
- Sgourakis NG, Yan Y, McCallum SA, Wang C and Garcia AE (2007) The Alzheimer's peptides Abeta40 and 42 adopt distinct conformations in water: a combined MD / NMR study. *J Mol Biol* 368:1448-1457.
- Shai Y (2002) Mode of action of membrane active antimicrobial peptides. *Biopolymers - Peptide Science Section* 66:236-248.
- Shankar GM, Bloodgood BL, Townsend M, Walsh DM, Selkoe DJ and Sabatini BL (2007a) Natural oligomers of the Alzheimer amyloid-beta protein induce reversible synapse loss by modulating an NMDA-type glutamate receptor-dependent signaling pathway. *J Neurosci* 27:2866-2875.
- Shankar GM, Li S, Mehta TH, Garcia-Munoz A, Shepardson NE, Smith I, Brett FM, Farrell MA, Rowan MJ, Lemere CA, Regan CM, Walsh DM, Sabatini BL and Selkoe DJ (2008) Amyloid-beta protein dimers isolated directly from Alzheimer's brains impair synaptic plasticity and memory. *Nat Med* 14:837-842.
- Shankar GM, Townsend M, Walsh DM, Selkoe DJ and Sabatini BL (2007b) Natural oligomers of the Alzheimer amyloid beta-protein induce hippocampal synapse loss but can be neutralized by antibodies and small molecules. *J Neurosci*.
- Shivaprasad S and Wetzel R (2004) An intersheet packing interaction in A beta fibrils mapped by disulfide cross-linking. *Biochemistry* 43:15310-15317.
- Shoji M, Golde TE, Ghiso J, Cheung TT, Estus S, Shaffer LM, Cai XD, McKay DM, Tintner R, Frangione B and et al. (1992) Production of the Alzheimer amyloid beta protein by normal proteolytic processing. *Science* 258:126-129.
- Sidor M, Wojcik J, Pawlak D and Izdebski J (1999) Conformational analysis of a novel cyclic enkephalin analogue using NMR and EDMC calculations. *Acta Biochimica Polonica* 46:641-650.

- Silvestri R (2009) Boom in the development of non-peptidic β -secretase (BACE1) inhibitors for the treatment of Alzheimer's disease. *Medicinal Research Reviews* 29:295-338.
- Singer O, Marr RA, Rockenstein E, Crews L, Coufal NG, Gage FH, Verma IM and Masliah E (2005) Targeting BACE1 with siRNAs ameliorates Alzheimer disease neuropathology in a transgenic model. *Nature Neuroscience* 8:1343-1349.
- Singh A, Sharma S and Khuller GK (2007) cAMP regulates vegetative growth and cell cycle in *Candida albicans*. *Molecular and Cellular Biochemistry* 304:331-341.
- Singh N (2003) Treatment of opportunistic mycoses: How long is long enough? *Lancet Infectious Diseases* 3:703-708.
- Sortino M, Delgado P, Juarez S, Quiroga J, Abonia R, Insuaşty B, Noguera M, Rodero L, Garibotto FM, Enriz RD and Zacchino SA (2007) Synthesis and antifungal activity of (Z)-5-arylidenerhodanines. *Bioorganic and Medicinal Chemistry* 15:484-494.
- Soto C (1999) Plaque busters: strategies to inhibit amyloid formation in Alzheimer's disease. *Mol Med Today* 5:343-350.
- Soto C, Kindy MS, Baumann M and Frangione B (1996) Inhibition of Alzheimer's amyloidosis by peptides that prevent beta-sheet conformation. *Biochem Biophys Res Commun* 226:672-680.
- Soto C, Sigurdsson EM, Morelli L, Kumar RA, Castaño EM and Frangione B (1998) β -sheet breaker peptides inhibit fibrillogenesis in a rat brain model of amyloidosis: Implications for Alzheimer's therapy. *Nature Medicine* 4:822-826.
- Soto P, Griffin MA and Shea JE (2007) New insights into the mechanism of Alzheimer amyloid-beta fibrillogenesis inhibition by N-methylated peptides. *Biophys J* 93:3015-3025.
- Stewart JM, Ferreira SH and Greene LJ (1971) Bradykinin potentiating peptide PCA-Lys-Trp-Ala-Pro. An inhibitor of the pulmonary inactivation of Bradykinin and conversion of angiotensin I to II. *Biochemical Pharmacology* 20.
- Stine WB, Jr., Dahlgren KN, Krafft GA and LaDu MJ (2003) *In vitro* characterization of conditions for amyloid-beta peptide oligomerization and fibrillogenesis. *J Biol Chem* 278:11612-11622.
- Sugg EE, Cody WL and Abdel-Malek Z (1986) D-isomeric replacements within the 6-9 core sequence of Ac-[Nle4]-a-MSH4-11-NH₂: A topological model for the solution conformation of α -melanotropin. *Biopolymers* 25:2029-2042.
- Suivre FD, Rodriguez AM, Mak ML, Papp JG and Enriz RD (2001) Molecular dynamics studies on the interaction of 4-acetyl-amino-5-hydroxynaphthalene-2,7-disulfonic acid with catalytic domain of avian sarcoma virus integrase dimer. *Journal of Molecular Structure: THEOCHEM* 540:35-46.
- Suivre FD, Sortino M, Kouznetsov VV, Vargas M LY, Zacchino SA, Cruz UM and Enriz RD (2006) Structure-activity relationship study of homoallylamines and related derivatives acting as antifungal agents. *Bioorganic and Medicinal Chemistry* 14:1851-1862.
- Suzuki N, Cheung TT, Cai XD, Odaka A, Otvos Jr L, Eckman C, Golde TE and Younkin SG (1994) An increased percentage of long amyloid b protein secreted by familial amyloid b protein precursor (bAPP717) mutants. *Science* 264:1336-1340.
- Szegedi V, Fulop L, Farkas T, Rozsa E, Robotka H, Kis Z, Penke Z, Horvath S, Molnar Z, Datki Z, Soos K, Toldi J, Budai D, Zarandi M and Penke B (2005) Pentapeptides derived from Abeta 1-42 protect neurons from the modulatory effect of Abeta fibrils--an *in vitro* and *in vivo* electrophysiological study. *Neurobiol Dis* 18:499-508.
- T
- Tanzi RE, Moir RD and Wagner SL (2004) Clearance of Alzheimer's A β peptide: The many roads to perdition. *Neuron* 43:605-608.
- Tarus B, Straub JE and Thirumalai D (2005) Probing the initial stage of aggregation of the Abeta(10-35)-protein: assessing the propensity for peptide dimerization. *J Mol Biol* 345:1141-1156.
- Terry RD, Masliah E, Salmon DP, Butters N, DeTeresa R, Hill R, Hansen LA and Katzman R (1991) Physical basis of cognitive alterations in Alzheimer's disease: Synapse loss is the major correlate of cognitive impairment. *Annals of Neurology* 30:572-580.
- Thirumalai D, Klimov DK and Dima RI (2003) Emerging ideas on the molecular basis of protein and peptide aggregation. *Curr Opin Struct Biol* 13:146-159.
- Thompson LK (2003) Unraveling the secrets of Alzheimer's beta-amyloid fibrils. *Proc Natl Acad Sci U S A* 100:383-385.
- Thoren PEG, Persson D, Isaksson P, Goksor M, Onfelt A and Norden B (2003) Uptake of analogs of penetratin, Tat(48-60) and oligoarginine in live cells. *Biochemical and Biophysical Research Communications* 307:100-107.
- Ting JT, Kelley BG, Lambert TJ, Cook DG and Sullivan JM (2007) Amyloid precursor protein overexpression depresses excitatory transmission through both presynaptic and postsynaptic mechanisms. *Proc Natl Acad Sci U S A* 104:353-358.
- Tjernberg LO, Lilliehook C, Callaway DJE, Naslund J, Hahne S, Thyberg J, Terenius L and Nordstedt C (1997) Controlling amyloid β -peptide fibril formation with protease-stable ligand. *Journal of Biological Chemistry* 272:12601-12605.
- Tjernberg LO, Naslundt J, Lindqvist F, Johansson J, Karlstrom AR, Thyberg J, Terenius L and Nordstedt C (1996) Arrest of β -amyloid fibril formation by a pentapeptide ligand. *Journal of Biological Chemistry* 271:8545-8548.
- Tossi A, Sandri L and Giangaspero A (2000) Amphipathic, α -helical antimicrobial peptides. *Biopolymers* 55:4-30.

- Townsend M, Shankar GM, Mehta T, Walsh DM and Selkoe DJ (2006) Effects of secreted oligomers of amyloid beta-protein on hippocampal synaptic plasticity: a potent role for trimers. *J Physiol* 572:477-492.
- Tycko R (2004) Progress towards a molecular-level structural understanding of amyloid fibrils. *Curr Opin Struct Biol* 14:96-103.
- U**
- Urbanc B, Cruz L, Ding F, Sammond D, Khare S, Buldyrev SV, Stanley HE and Dokholyan NV (2004) Molecular dynamics simulation of amyloid beta dimer formation. *Biophys J* 87:2310-2321.
- Urbina JM, Cortes JC, Palma A, Lopez SN, Zacchino SA, Enriz RD, Ribas JC and Kouznetsov VV (2000) Inhibitors of the fungal cell wall. Synthesis of 4-aryl-4-N-arylamino-1-butenes and related compounds with inhibitory activities on (1-3) glucan and chitin synthases. *Bioorganic and Medicinal Chemistry* 8:691-698.
- Urry DW and Walter R (1971) Proposed conformation of oxytocin in solution. *Proc Natl Acad Sci U S A* 68:956-958.
- V**
- Van Der Spoel D, Lindahl E, Hess B, Groenhof G, Mark AE and Berendsen HJ (2005) GROMACS: fast, flexible, and free. *J Comput Chem* 26:1701-1718.
- van Groen T, Kadish I, Wiesehan K, Funke SA and Willbold D (2009) *In vitro* and *in vivo* staining characteristics of small, fluorescent, A β 42-binding D-enantiomeric peptides in transgenic AD mouse models. *ChemMedChem* 4:276-282.
- Vargas M LY, Castelli MV, Kouznetsov VV, Urbina G JM, Lopez SN, Sortino M, Enriz RD, Ribas JC and Zacchino S (2003) *In vitro* antifungal activity of new series of homoallylamines and related compounds with inhibitory properties of the synthesis of fungal cell wall polymers. *Bioorganic and Medicinal Chemistry* 11:1531-1550.
- Verdon CM, Fossati P, Verny M, Dieudonné B, Teillet L and Nadel J (2007) Social cognition: An early impairment in dementia of the Alzheimer type. *Alzheimer Disease and Associated Disorders* 21:25-30.
- Vestergaard M, Kerman K, Saito M, Nagatani N, Takamura Y and Tamiya E (2005) A rapid label-free electrochemical detection and kinetic study of Alzheimer's amyloid beta aggregation. *J Am Chem Soc* 127:11892-11893.
- Vicente MF, Basilio A, Cabello A and Pelaez F (2003) Microbial natural products as a source of antifungals. *Clinical Microbiology and Infection* 9:15-32.
- Vigo-Pelfrey C, Lee D, Keim P, Lieberburg I and Schenk DB (1993) Characterization of β -amyloid peptide from human cerebrospinal fluid. *Journal of Neurochemistry* 61:1965-1968.
- Vila J, Williams RL, Vasquez M and Scheraga HA (1991) Empirical solvation models can be used to differentiate native from near-native conformations of bovine pancreatic trypsin inhibitor. *Proteins: Structure, Function and Genetics* 10:199-218.
- Vila JA, Ripoll DR, Baldoni HA and Scheraga HA (2002) Unblocked statistical-coil tetrapeptides and pentapeptides in aqueous solution: A theoretical study. *Journal of Biomolecular NMR* 24:245-262.
- Villagra SE, Bernini MC, Rodriguez AM, Zacchino SA, Kouznetsov VV and Enriz RD (2003) Conformational and electronic study of homoallylamines with inhibitory properties against polymers of fungal cell wall. *Journal of Molecular Structure: THEOCHEM* 666-667:587-598.
- Vogelgesang S, Warzok RW, Cascorbi I, Kunert-Keil C, Schroeder E, Kroemer HK, Siegmund W, Walker LC and Pahnke J (2004) The role of P-glycoprotein in cerebral amyloid angiopathy; implications for the early pathogenesis of Alzheimer's disease. *Curr Alzheimer Res* 1:121-125.
- W**
- Walker LC and LeVine Iii H (2002) Proteopathy: The next therapeutic frontier? *Current Opinion in Investigational Drugs* 3:782-787.
- Walsh DM, Klyubin I, Fadeeva JV, Cullen WK, Anwyl R, Wolfe MS, Rowan MJ and Selkoe DJ (2002) Naturally secreted oligomers of amyloid beta protein potently inhibit hippocampal long-term potentiation *in vivo*. *Nature* 416:535-539.
- Walsh DM and Selkoe DJ (2007) A beta oligomers - a decade of discovery. *J Neurochem* 101:1172-1184.
- Walsh DM, Tseng BP, Rydel RE, Podlisny MB and Selkoe DJ (2000) The oligomerization of amyloid β -protein begins intracellularly in cells derived from human brain. *Biochemistry* 39:10831-10839.
- Walsh TJ, Groll A, Hiemenz J, Fleming R, Roilides E and Anaissie E (2004) Infections due to emerging and uncommon medically important fungal pathogens. *Clinical Microbiology and Infection* 10:48-66.
- Walter R, Glickson JD, Schwartz IL, Havran RT, Meienhofer J and Urry DW (1972) Conformation of lysine vasopressin: a comparison with oxytocin. *Proc Natl Acad Sci U S A* 69:1920-1924.
- Walter R, Schwartz IL, Darnell JH and Urry DW (1971) Relation of the conformation of oxytocin to the biology of neurohypophyseal hormones. *Proc Natl Acad Sci U S A* 68:1355-1359.
- Walter R and Shlank H (1971) *In vivo* inactivation of oxytocin. *Endocrinology* 89:990-995.
- Walter R, Yamanaka T and Sakakibara S (1974) A neurohypophyseal hormone analog with selective oxytocin-like activities and resistance to enzymatic inactivation: an approach to the design of peptide drugs. *Proc Natl Acad Sci U S A* 71:1901-1905.
- Wang J, Dickson DW, Trojanowski JQ and Lee VMY (1999) The levels of soluble versus insoluble brain $A\beta$ distinguish Alzheimer's disease from normal and pathologic aging. *Experimental Neurology* 158:328-337.

- Wang Q, Rowan MJ and Anwyl R (2004) Beta-amyloid-mediated inhibition of NMDA receptor-dependent long-term potentiation induction involves activation of microglia and stimulation of inducible nitric oxide synthase and superoxide. *J Neurosci* 24:6049-6056.
- Wasling P, Daborg J, Riebe I, Andersson M, Portelius E, Blennow K, Hanse E and Zetterberg H (2009) Synaptic retrogenesis and amyloid-beta in Alzheimer's disease. *J Alzheimers Dis* 16:1-14.
- Watkins EK and Jorgensen WL (2001) Perfluoroalkanes: Conformational Analysis and Liquid-State Properties from ab Initio and Monte Carlo Calculations. *Journal of Physical Chemistry A* 105:4118-4125.
- Wei G and Shea JE (2006) Effects of solvent on the structure of the Alzheimer amyloid-beta(25-35) peptide. *Biophys J* 91:1638-1647.
- Weinberg A, Krisanaprakornkit S and Dale BA (1998) Epithelial antimicrobial peptides: Review and significance for oral applications. *Critical Reviews in Oral Biology and Medicine* 9:399-414.
- Westermarck P (1997) Classification of amyloid fibril proteins and their precursors: an ongoing discussion. *Amyloid* 4:216-218.
- Westermarck P (2005) Aspects on human amyloid forms and their fibril polypeptides. *Febs J* 272:5942-5949.
- White TC, Marr KA and Bowden RA (1998) Clinical, cellular, and molecular factors that contribute to antifungal drug resistance. *Clinical Microbiology Reviews* 11:382-402.
- WHO-WebSite (2009) Alzheimer's Disease. <http://www.who.int/en/>.
- Williams AD, Portelius E, Kheterpal I, Guo JT, Cook KD, Xu Y and Wetzel R (2004) Mapping abeta amyloid fibril secondary structure using scanning proline mutagenesis. *J Mol Biol* 335:833-842.
- Williams RL, Vila J, Perrot G and Scheraga HA (1992) Empirical solvation models in the context of conformational energy searches: Application to bovine pancreatic trypsin inhibitor. *Proteins: Structure, Function and Genetics* 14:110-119.
- Wisniewski T, Ghiso J and Frangione B (1997) Biology of A beta amyloid in Alzheimer's disease. *Neurobiol Dis* 4:313-328.
- Wolfe MS (2002) Therapeutic strategies for Alzheimer's disease. *Nature Reviews Drug Discovery* 1:859-866.
- Wosten HAB and De Vocht ML (2000) Hydrophobins, the fungal coat unravelled. *Biochimica et Biophysica Acta - Reviews on Biomembranes* 1469:79-86.
- Wright LR, Scott EM and Gorman SP (1983) The sensitivity of mycelium, arthrospores and microconidia of *Trichophyton mentagrophytes* to imidazoles determined by *in vitro* tests. *Journal of Antimicrobial Chemotherapy* 12:317-327.
- Wyvratt MJ and Patchett AA (1985) Recent developments in the design of angiotensin-converting enzyme inhibitors. *Medicinal Research Reviews* 5:483-531.

Z

Zacchino S, Lopez S, Pezzenati G, Furlan R, Santecchia C, Muñoz L, Giannini F, Rodriguez AM and Enriz RD (1999) *In Vitro* Evaluation of Antifungal Properties of Phenylpropanoids and Related Compounds Acting Against Dermatophytes. *J Nat Prod* 62 1353-1357.

Zacchino S, Rodriguez G, Pezzenati G, Orellana G, Enriz RD and Gonzalez-Sierra M (1997) *In vitro* evaluation of antifungal properties of 8.O.4'-neolignans. *J Nat Prod* 60:659-662

Zacchino S, Rodriguez G, Santecchia C, Pezzenati G, Giannini F and Enriz R (1998) *In vitro* studies on mode of action of antifungal 8.O.4'-neolignans occurring in certain species of *Viola* and related genera of Myristicaceae. *Journal of Ethnopharmacology* 62:35-41.

Zacchino S, Yunes R, Cechinel Filho V, Enriz RD, Kouznetsov V and Ribas JC (2003) Plant-Derived Antimycotics. *Current Trends and Future Prospects*. Rai M, and Mares D (Eds), Haworth Press, New York:1-47.

Zamora MA, Masman MF, Bombasaro JA, Freile ML, Filho VC, Lopez SN, Zacchino SA and Enriz RD (2003) Conformational and electronic study of phenylalkyl-3,4-dichloromaleimides: A β initio and DFT study. *International Journal of Quantum Chemistry* 93:32-46.

Zarandi M, Soos K, Fulop L, Bozso Z, Datki Z, Toth GK and Penke B (2007) Synthesis of Abeta[1-42] and its derivatives with improved efficiency. *J Pept Sci* 13:94-99.

Zaslloff M (1992) Antibiotic peptides as mediators of innate immunity. *Current Opinion in Immunology* 4:3-7.

Zaslloff M (2002) Antimicrobial peptides of multicellular organisms. *Nature* 415:389-395.

Zerbinatti CV and Bu G (2005) LRP and Alzheimer's disease. *Reviews in the Neurosciences* 16:123-135.

Zheng J, Jang H, Ma B, Tsai CJ and Nussinov R (2007) Modeling the Alzheimer Abeta17-42 fibril architecture: tight intermolecular sheet-sheet association and intramolecular hydrated cavities. *Biophys J* 93:3046-3057.

Zheng J, Ma B and Nussinov R (2006a) Consensus features in amyloid fibrils: sheet-sheet recognition via a (polar or nonpolar) zipper structure. *Phys Biol* 3:P1-4.

Zheng J, Ma B, Tsai CJ and Nussinov R (2006b) Structural stability and dynamics of an amyloid-forming peptide GNNQQNY from the yeast prion sup-35. *Biophys J* 91:824-833.

