



University of Groningen

Pregnancy and Psychopathology

Verbeek, Tjitte

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version Publisher's PDF, also known as Version of record

Publication date: 2016

Link to publication in University of Groningen/UMCG research database

Citation for published version (APA): Verbeek, T. (2016). Pregnancy and Psychopathology. University of Groningen.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: https://www.rug.nl/library/open-access/self-archiving-pure/taverneamendment.

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): http://www.rug.nl/research/portal. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

REFERENCES



- 189 -

- 1. Bennett HA, Einarson A, Taddio A, Koren G, Einarson TR. Prevalence of depression during pregnancy: systematic review. *Obstet Gynecol.* 2004; 103: 698–709.
- 2. Heron J, O'Connor TG, Evans J, Golding J, Glover V. The course of anxiety and depression through pregnancy and the postpartum in a community sample. *J Affect Disord*. 2004; 80: 65–73.
- 3. Evans DL, Charney DS, Lewis L, Golden RN, Gorman JM, Krishnan KR et al. Mood disorders in the medically ill: scientific review and recommendations. *Biol Psychiatry*. 2005; 58: 175.
- 4. Whooley MA, Wong JM. Depression and cardiovascular disorders. *Ann Rev Clin Psychol.* 2013; 9: 327–54.
- 5. Thurston RC, Rewak M, Kubzansky LD. An anxious heart: anxiety and the onset of cardiovascular diseases. *Prog Cardiovasc Dis.* 2013; 55: 524–37.
- 6. Rotella F, Mannucci E. Depression as a risk factor for diabetes: a meta-analysis of longitudinal studies. *J Clin Psychiatry*. 2013; 74: 31–37.
- 7. Curtis J, Newall HD, Samaras K. The heart of the matter: cardiometabolic care in youth with psychosis. *Early Interv Psychiatry*. 2012; 6: 347–53.
- 8. Lambiase MJ, Kubzansky LD, Thurston RC. Prospective study of anxiety and incident stroke. *Stroke*. 2014; 45: 438–43.
- 9. Mayor S. Persistent depression doubles stroke risk despite treatment, study finds. *BMJ*. 2015; 350: h2611.
- 10 Shen CC, Tsai SJ, Perng CL, Kuo BI, Yang AC. Risk of Parkinson disease after depression: a nationwide population-based study. *Neurology*. 2013; 81: 1538– 44.
- 11. Walker ER, McGee RE, Druss BG. Mortality in mental disorders and global disease burden implications: a systematic review and meta-analysis. *JAMA Psychiatry*. 2015; 72: 334–41.
- 12. Grigoriadis S, VonderPorten EH, Mamisashvili L, Tomlinson G, et al. The impact of maternal depression during pregnancy on perinatal outcomes: a systematic review and meta-analysis. *J Clin Psychiatry* 2013; 74: e321–41.
- 13. Loomans EM, van Dijk AE, Vrijkotte TG, van Eijsden M, Stronks K, Gemke RJ, Van den Bergh BR. Psychosocial stress during pregnancy is related to adverse birth outcomes: results from a large multi-ethnic community-based birth cohort. *Eur J Public Health.* 2013; 23: 485–91.
- 14. Stein A, Pearson RM, Goodman SH, Rapa E, Rahman A, McCallum M, Howard LM, Pariante CM. Effects of perinatal mental disorders on the fetus and child. *Lancet*. 2014; 384: 1800–19.
- 15. O'Connor TG, Heron J, Glover V. Antenatal anxiety predicts child behavioral/emotional problems independently of postnatal depression. *J Am Acad Child Adolesc Psychiatry*. 2002; 41: 1470–77.
- 16. Talge NM, Neal C, Glover V. Antenatal stress and long-term effects on child neurodevelopment: how and why? *J Child Psychol Psychiatry*. 2007; 48: 245–61.

- 190 -

- 17. Glover V. Annual Research Review: prenatal stress and the origins of psychopathology: an evolutionary perspective. *J Child Psychol Psychiatry*. 2011; 52: 356–67.
- 18. Mäki P, Veijola J, Räsänen P, Joukamaa M, Valonen P, Jokelainen J, et al. Criminality in the offspring of antenatally depressed mothers: a 33-year followup of the Northern Finland 1966 Birth Cohort. *J Affect Disord*. 2003; 74: 273– 78.
- 19. Van den Bergh BRH, Mulder EJ, Mennes M, Glover V. Antanatal maternal anxiety and stress and the neurobehavioural development of the fetus and child: links and possible mechanisms. A review. *Neurosci Biobehav Rev.* 2005; 29: 237–58.
- 20. Davis EP, Glynn LM, Schetter CD, Hobel C, Chicz-Demet A, Sandman CA. Prenatal exposure to maternal depression and cortisol influences infant temperament. *J Am Acad Child Adolesc Psychiatry*. 2007; 46: 737–46.
- 21. Barker DJ. In utero programming of chronic disease. *Clin Sci.* 1998; 95: 115–28.
- 22. Reynolds RM. Glucocorticoid excess and the developmental origins of disease: Two decades of testing the hypothesis. *Psychoneuroendocrinology*. 2013; 38: 1– 11.
- 23. Monk C, Spicer J, Champagne FA. Linking prenatal adversity to developmental outcomes in infants: The role of epigenetic pathways. *Dev Psychopathol*. 2012; 24: 1361–76.
- 24. O'Keane V, Marsh MS. Depression during pregnancy. *BMJ*. 2007; 334: 1003–05.
- 25. Stewart DE. Perinatal depression. General Hospital Psychiatry. 2006; 28: 1–2.
- 26. Andres RL, Day MC. Perinatal complications associated with maternal tobacco use. *Seminars in Neonatology*. 2000; 5: 231–41.
- 27. Huizink AC, Mulder EJ. Maternal smoking, drinking or cannabis use during pregnancy and neurobehavioral and cognitive functioning in human offspring. *Neurosci Biobehav Rev.* 2006; 30: 24–41.
- 28. O'Brien M, Buikstra E, Hegney D. The influence of psychological factors on breastfeeding duration. *J Adv Nurs*. 2008; 63: 397–408.
- 29. Murray L, FioriCowley A, Hooper R, Cooper P. The impact of postnatal depression and associated adversity on early mother-infant interactions and later infant outcome. *Child Development*. 1996; 67: 2512–26
- 30. Radke-Yarrow M, Cummings EM, Kuczynski L, Chapman M. Patterns of attachment in two- and three-year-olds in normal families and families with parental depression. *Child Development*. 1985; 56: 884.
- 31. Cummings EM, Davies PT. Maternal depression and child development. *J Child Psychol Psychiatry*. 1994; 35: 73–112.
- 32. Martins C, Caffan EA. Effects of early maternal depression on patterns of infantmother attachment: a meta-analytic investigation. *J Child Psychol Psychiatry*. 2000; 41: 737.
- 33. Murray L, Kempton C, Woolgar M, Hooper R. Depressed mothers' speech to their infants and its relation to infant gender and cognitive development. *J Child Psychol Psychiatry*. 1993; 34: 1083–101.

- 191 -

- 34. Hipwell AE, Goossens FA, Melhuish EC, Kumar R. Severe maternal psychopathology and infant-mother attachment. *Dev Psychopathol.* 2000; 157–75.
- 35. Leckman-Westin E, Cohen PR, Stueve A. Maternal depression and mother–child interaction patterns: association with toddler problems and continuity of effects to late childhood. *J Child Psychol Psychiatry*. 2009; 50: 1176–84.
- 36. Murray L. The impact of postnatal depression on infant development. *J Child Psychol Psychiatry*. 1992; 33: 543–61.
- 37. Grace SL, Evindar A, Stewart DE. The effect of postpartum depression on child cognitive development and behavior: a review and critical analysis of the literature. *Arch Womens Ment Health*. 2003; 6: 263–74.
- 38. Murray L, Sinclair D, Cooper P, Ducournau P, Turner P, Stein A. The socioemotional development of 5-year-old children of postnatally depressed mothers. *J Child Psychol Psychiatry*. 1999; 40: 1259–71.
- 39. Hay DF, Pawlby S, Angold A, Harold GT, Sharp D. Pathways to violence in the children of mothers who were depressed postpartum. *Dev Psychology* 2003; 39: 1083–94.
- 40. Halligan SL, Murray L, Martins C, Cooper PJ. Maternal depression and psychiatric outcomes in adolescent offspring: a 13-year longitudinal study. *J Affect Disord*. 2007; 97: 145–54.
- 41. Hay DF, Pawlby S, Waters CS, Sharp D. Antepartum and postpartum exposure to maternal depression: different effects on different adolescent outcomes. *J Child Psychol Psychiatry*. 2008; 49: 1079–88.
- 42. Brand SR, Brennan PA. Impact of antenatal and postpartum maternal mental illness: how are the children? *Clin Obstet Gynecol*. 2009; 52: 441–55.
- 43. Hammen C, Brennan P. Severity, chronicity, and timing of maternal depression and risk for adolescent offspring diagnoses in a community sample. *Arch Gen Psychiatry*. 2003; 60: 253–60.
- 44. Murray L, Arteche A, Fearon P, Halligan S, Goodyer I, Cooper P. Maternal postnatal depression and the development of depression in offspring up to 16 years of age. *J Am Acad Child Adolesc Psychiatry*. 2011; 50: 460–70.
- 45. Bayrampour H, McDonald S, Tough S. Risk factors of transient and persistent anxiety during pregnancy. *Midwifery*. 2015; 31: 582–89.
- 46. Lancaster CA, Gold KJ, Flynn HA, Yoo H, Marcus SM, Davis MM. Risk factors for depressive symptoms during pregnancy: a systematic review. *Am J Obstet Gynecol.* 2010; 202: 5–14.
- 47. Leigh B, Milgrom J. Risk factors for antenatal depression, postnatal depression and parenting stress. *BMC Psychiatry*. 2008; 8: 24.
- 48. Goodman JH, Chenausky KL, Freeman MP. Anxiety disorders during pregnancy: a systematic review. *J Clin Psychiatry*. 2014; 75: e1153–84
- 49. Surtees PG, Miller PM, Ingham JG, Kreitman NB, Rennie D, Sashidharan SP. Life events and the onset of affective disorder. A longitudinal general population study. *J Affect Disord*. 1986; 10: 37–50.
- 50. Paykel ES Life events and affective disorders. *Acta Psychiatr Scand Suppl.* 2003; 418: 61–66.

- 192 -

- 51. Chapman DP, Whitfield CL, Felitti VJ, Dube SR, Edwards VJ, Anda RF. Adverse childhood experiences and the risk of depressive disorders in adulthood. *J Affect Disord*. 2004; 82: 217–25.
- 52. Carr CP, Martins CM, Stingel AM, Lemgruber VB, Juruena MF. The role of early life stress in adult psychiatric disorders: a systematic review according to childhood trauma subtypes. *J Nerv Ment Dis.* 2013; 201: 1007–20.
- 53. Lemstra M, Neudorf C, D'Arcy C, Kunst A, Warren LM, Bennett NR. A systematic review of depressed mood and anxiety by SES in youth aged 10-15 years. *Can J Public Health.* 2008; 99: 125–29.
- 54. Britton JR. Maternal anxiety: course and antecedents during the early postpartum period. *Depress Anxiety*. 2008; 25: 793–800.
- 55. Robertson E, Grace S, Wallington T, Stewart DE. Antenatal risk factors for postpartum depression: a synthesis of recent literature. *General Hospital Psychiatry*. 2004; 26: 289–95.
- 56. Witt WP, Cheng ER, Wisk LE, Litzelman K, Chatterjee D, Mandell K, Wakeel F. Maternal stressful life events prior to conception and the impact on infant birth weight in the United States. *Am J Public Health*. 2014; 104 Suppl 1: S81–89.
- 57. Snelgrove JW, Murphy KE. Preterm birth and social inequality: Assessing the effects of material and psychosocial disadvantage in a UK birth cohort. *Acta Obstet Gynecol Scand*. 2015; 94: 766–75.
- 58. Weightman AL, Morgan HE, Shepherd MA, Kitcher H, Roberts C, Dunstan FD. Social inequality and infant health in the UK: systematic review and meta-analyses. *BMJ Open*. 2012; 2 pii: e000964.
- 59. World Health Organization. *Maternal mental health and child health and development in low and middle income countries* (Meeting report). Geneva, Switzerland: World Health Organization, 2008.
- 60. World Health Organization. *Mental Health Gap Action Program: scaling up care for mental, neurological, and substance use disorders.* Geneva, Switzerland: World Health Organization, 2008.
- 61. Dias CC, Figueiredo B. Breastfeeding and depression: a systematic review of the literature. *J Affect Disord*. 2015; 171: 142–54.
- 62. Adedinsewo DA, Fleming AS, Steiner M, Meaney MJ, Girard AW. Maternal anxiety and breastfeeding: findings from the MAVAN (Maternal Adversity, Vulnerability and Neurodevelopment) Study. *J Hum Lact.* 2014; 30: 102–09.
- 63. Binns CW, Fraser ML, Lee AH, Scott J. Defining exclusive breastfeeding in Australia. *J Paediatr Child Health*. 2009; 45: 174–80.
- 64. De Jager E, Skouteris H, Broadbent J, Amir L, Mellor K. Psychosocial correlates of exclusive breastfeeding: a systematic review. *Midwifery*. 2013; 29: 506–18.
- 65. Costa Jr PT, McCrae RR. *Revised NEO Personality Inventory (NEO-PI-R)* and NEO Five-Factor Inventory (NEO-FFI) Professional Manual. Psychological Assessment Resources, FL; 1992
- 66. Wagner CL, Wagner MT, Ebeling M, Chatman KG, Cohen M, Hulsey TC. The role of personality and other factors in a mother's decision to initiate breastfeeding. *J Hum Lact.* 2006; 22: 16–26.

- 193 -

- 67. Brown A. Maternal trait personality and breastfeeding duration: the importance of confidence and social support. *J Adv Nurs*. 2014;70:587-98.
- 68. Bick D, Chang YS. Maternal extraversion, emotional stability and conscientiousness are associated with initiation and continuation of breastfeeding. *Evid Based Nurs.* 2015; 18: 37.
- 69. Hakulinen C, Elovainio M, Pulkki-Råback L, Virtanen M, Kivimäki M, Jokela M. Personality and depressive symptoms: individual participant metaanalysis of 10 cohort studies. *Depress Anxiety*. 2015; 32: 461–70.
- 70. Kotov R, Gamez W, Schmidt F, Watson D. Linking "big" personality traits to anxiety, depressive, and substance use disorders: a meta-analysis. *Psychol Bull*. 2010; 136: 768–821.
- 71. Zeng Y, Cui Y, Li J. Prevalence and predictors of antenatal depressive symptoms among Chinese women in their third trimester: a cross-sectional survey. *BMC Psychiatry*. 2015; 15: 66.
- 72. Iliadis SI, Koulouris P, Gingnell M, Sylvén SM, Sundström-Poromaa I, Ekselius L, Papadopoulos FC, Skalkidou A. Personality and risk for postpartum depressive symptoms. *Arch Womens Ment Health.* 2015; 18: 539–46.
- 73. NVOG. *Richtlijn SSRI-gebruik in de zwangerschap en tijdens de lactatie.* Utrecht: Nederlandse Vereniging voor Obstetrie en Gynaecologie; 2012.
- 74. NICE. Antenatal and postnatal mental health: clinical management and service guidance. *CG192*. London: National Institute for Health and Clinical Excellence; 2014.
- 75. Beyondblue. *Clinical practice guidelines for depression and related disordersanxiety, bipolar disorder and puerperal psychosis- in the perinatal period. A guideline for primary care health professionals.* Melbourne: Beyondblue: The National Depression Initative; 2011.
- 76. Yonkers KA, Wisner KL, Stewart DE, et al. The management of depression during pregnancy: a report from the American Psychiatric Association and the American College of Obstetricians and Gynecologists. *Obstet Gynecol.* 2009; 114: 703–13.
- 77. Källén B. Neonate characteristics after maternal use of antidepressants in late pregnancy. *Arch Pediatr Adolesc Med.* 2004; 158: 312–16.
- 78. Taylor D, Paton C, Kapur S. *The Maudsley Prescribing Guidelines in Psychiatry*. *11th Edition*. London: Wiley-Blackwell; 2012
- 79. Gentile S. Early pregnancy exposure to selective serotonin reuptake inhibitors, risks of major structural malformations, and hypothesized teratogenic mechanisms. *Expert Opin Drug Metab Toxicol.* 2015; 11: 1585–97.
- Burns A, Omahen H, Baxter H, Bennert K, Wiles N, et al. A pilot randomised controlled trial of cognitive behavioural therapy for antenatal depression. *BMC Psychiatry* 2013; 13: 33.
- 81. Le H, Perry DF, Stuart EA. Randomized controlled trial of a preventive intervention for perinatal depression in high-risk Latinas. *J Consult Clin Psychol.* 2011; 79; 135–41.
- 82. Austin MP, Frilingos M, Lumley J, Hadzi-Pavlovic D, Roncolato W, Acland S, et al. Brief antenatal cognitive behaviour therapy group intervention for the

- 194 -

prevention of postnatal depression and anxiety: a randomised controlled trial. *J Affect Disord*. 2008; 105: 35–44.

- 83. Goodman JH. Women's attitudes, preferences, and percieved barriers to treatment for perinatal depression. *Birth*. 2009; 35: 60–69.
- 84. Beck JS. *Cognitive behavior therapy: Basics and beyond (2nd Ed.).* New York, NY: The Guilford Press; 2011.
- 85. Otte C. Cognitive behavioral therapy in anxiety disorders: current state of the evidence. *Dialogues in clinical neuroscience*. 2012; 13: 413–21.
- 86. Beck AT. The current state of cognitive therapy a 40-year retrospective. *Arch Gen Psychiatry*. 2005; 62: 953–59.
- 87. Maselko J, Sikander S, Bhalotra S, Bangash O, Ganga N, Mukherjee S, et al., Effect of an early perinatal depression intervention on long-term child development outcomes: follow-up of the Thinking Healthy Programme randomised controlled trial. *Lancet*. 2015; 2: 609–17.
- 88. Cuijpers P, van Straten A, Warmerdam L, Andersson G. Psychotherapy versus the combination of psychotherapy and pharmacotherapy in the treatment of depression: a meta-analysis. *Depress Anxiety*. 2009; 26: 279–88.
- 89. Kelly R, Zatzick D, Anders T. The detection and treatment of psychiatric disorders and substance use among pregnant women cared for in obstetrics. *Am J Psychiatry*. 2001; 158: 213–19.
- 90. Sommer IE, Somers M, Bartel M, Vonk E, van Ojen R, Kromkamp M. Postpartumpsychose. *Dutch Medical Journal*. 2015; 159: A8921.
- 91. Behnke M, Smith VC. Prenatal substance abuse: short- and long-term effects on the exposed fetus. *Pediatrics*. 2013; 131: e1009–24.
- 92. Cox GR, Callahan P, Churchill R, et al. Psychological therapies versus antidepressant medication, alone and in combination for depression in children and adolescents. *Cochrane Database Syst Rev.* 2014; 11: CD008324.
- 93. Evans J, Heron J, Francomb H, Oke S, Golding J. Cohort study of depressed mood during pregnancy and after childbirth. *BMJ*. 2001; 323: 257–60.
- 94. Meijer JL, Beijers C, van Pampus M, Verbeek T, Stolk R, Milgrom J, Bockting C, Burger H. Predictive accuracy of Edinburgh Postnatal Depression Scale assessment during pregnancy for the risk of developing postpartum depressive symptoms: a prospective cohort study. *BJOG*. 2014; 121: 1604–10.
- 95. Marteau TM, Bekker H. The development of a six-item short-form of the state scale of the Spielberger State-Trait Anxiety Inventory (STAI). *Br J Clin Psychol*. 1992; 31: 301–06.
- 96. Cox JL, Holden JM, Sagovsky R. Detection of postnatal depression. Development of the 10-item Edinburgh Postnatal Depression Scale. *Br J Psychiatry*. 1987; 150: 782–86.
- 97. Bunevicius A, Kusminskas L, Pop VJ, Pedersen CA, Bunevicius R. Screening for antenatal depression with the Edinburgh Depression Scale. *J Psychosom Obstet Gynaecol*. 2009; 30: 238–43.
- 98. Saxe LL, Abramson LY. The Negative Life Events Questionnaire: Reliability and validity. Unpublished manuscript. 1987.

- 195 -

- 99. Grobbee DE, Hoes AW, Verheij TJ, Schrijvers AJ, van Ameijden EJ, Numans ME. The Utrecht Health Project: optimization of routine healthcare data for research. *Eur J Epidemiol*. 2005; 20: 285–87.
- 100. White IR, Royston P, Wood AM. Multiple imputation using chained equations: Issues and guidance for practice. *Stat Med.* 2011; 30: 377–99.
- 101. Rubin DB. Multiple imputation for nonresponse in surveys. New York: Wiley, 1987
- Paulson JF, Bazemore SD. Prenatal and postpartum depression in fathers and its association with maternal depression: a meta-analysis. *JAMA*. 2010; 303: 1961–69.
- 103. Rich-Edwards JW, James-Todd T, Mohllajee A, Kleinman K, Burke A, Gillman MW, et al. Lifetime maternal experiences of abuse and risk of pre-natal depression in two demographically distinct populations in Boston. Int J Epidemiol. 2011; 40: 375–84.
- 104. World Health Organization. *Improving maternal mental health*. Geneva, Switzerland: World Health Organization, 2008.
- 105. Grote NK, Bridge JA, Gavin AR, Melville JL, Iyengar S, Katon WJ. A metaanalysis of depression during pregnancy and the risk of preterm birth, low birth weight, and intrauterine growth restriction. *Arch Gen Psychiatry*. 2010; 67: 1012–14.
- 106. World Health Organization. (2011). *Mental health ATLAS 2011*. Geneva, Switzerland: World Health Organization.
- 107. International Monetary Fund (IMF). *World Economic Outlook Database: Nicaragua*. Retrieved 08-19-2015. Available: <u>http://www.imf.org/external/pubs/ft/weo/2013/01/weodata/weorept.aspx?pr.x</u> <u>=72&pr.y=13&sy=2015&ey=2015&scsm=1&ssd=1&sort=country&ds=.&br=1&c=</u> <u>278&s=NGDPDPC%2CLP&grp=0&a=</u>
- 108. United Nations Educational, Scientific and Cultural Organisation (UNESCO):Nicaragua.Retrieved08-19-2015.Available:http://data.uis.unesco.org/?ReportId=210Available:
- 109. Frazier JB. Nicaraguan President Signs Abortion Ban. Washington Post, 11-18-2006.
- 110. Meijer JL, Bockting CL, Stolk RP, Kotov R, Ormel J, Burger H. Associations of life events during pregnancy with longitudinal change in symptoms of antenatal anxiety and depression. *Midwifery*. 2014; 30: 526–31.
- 111. Barnes LL, Harp D, Jung WS. Reliability generalization of scores on the Spielberger State–Trait Anxiety Inventory. *Educational and Psychological Measurement*. 2002; 62: 603–18.
- 112. Pop VJ, Komproe IH, van Son MJ. Characteristics of the Edinburgh Post Natal Depression Scale in The Netherlands. *J Affect Disord*. 1992; 26: 105–10.
- 113. Rochon PA, Mashari A, Cohen A, Misra A, Laxer D, Streiner DL, Binns MA. Relation between randomized controlled trials published in leading general medical journals and the global burden of disease. *CMAJ*. 2004; 170, 1673–77.
- Adewuya AO, Ola BA, Aloba OO, et al. Anxiety disorders among Nigerian women in late pregnancy: a controlled study. *Arch Womens Ment Health*. 2006; 9: 325– 8.

- 196 -

- 115. O'Hara MW, Wisner KL. Perinatal mental illness: definition, description and aetiology. *Best Pract Res Clin Obstet Gynaecol*. 2014; 28: 3–12.
- 116. Faisal-Cury A, Rossi Menezes P. Prevalence of anxiety and depression during pregnancy in a private setting sample. *Arch Womens Ment Health*. 2007; 10: 25–32.
- 117. Gausia K, Fisher C, Ali M, Oosthuizen J. Antenatal depression and suicidal ideation among rural Bangladeshi women: a community-based study. *Arch Womens Ment Health.* 2009; 12: 351–58.
- 118. Imran N, Haider II. Screening of antenatal depression in Pakistan: risk factors and effects on obstetric and neonatal outcomes. *Asia-Pacific Psychiatry* 2010; 2: 26–32.
- 119. World Health Organization. Exclusive *Breastfeeding for Six Months Best for Babies Everywhere*. Geneva, Switzerland: World Health Organization, 2011.
- 120. Kramer M, Kakuma R. The Optimal Duration of Exclusive Breastfeeding: A Systematic Review. *Cochrane Database Syst Rev.* 2012; 8: CD003517.
- 121. Jackson S, Mathews KH, Pulanic D, Falconer R, Rudan I, Campbell H, Nair H. Risk factors for severe acute lower respiratory infections in children: a systematic review and meta-analysis. *Croat Med J*. 2013; 54: 110–21.
- 122. Bener A, Ehlayel MS, Alsowaidi S, Sabbah A. Role of breast feeding in primary prevention of asthma and allergic diseases in a traditional society. *Eur Ann Allergy Clin Immunol.* 2007; 39: 337–43.
- 123. Horta B, Bahl R, Martines J, Victoria, C. *Evidence on the Long-term Effects of Breastfeeding: Systematic Reviews and Meta-analyses.* Geneva, Switzerland: World Health Organization, 2007.
- 124. Ip S, Chung M, Raman G, Trikalinos TA, Lau J. A summary of the Agency for Healthcare Research and Quality's evidence report on breastfeeding in developed countries. *Breastfeed Med.* 2009; 4 Suppl 1: S17–30.
- 125. Salone LR, Vann WF Jr, Dee DL. Breastfeeding: an overview of oral and general health benefits. *J Am Dent Assoc.* 2013; 144: 143–51.
- 126. Anothaisintawee T, Wiratkapun C, Lerdsitthichai P, Kasamesup V, Wongwaisayawan S, Srinakarin J, et al. Risk factors of breast cancer: a systematic review and meta-analysis. *Asia Pac J Public Health*. 2013; 25: 368–87.
- 127. Li DP, Du C, Zhang ZM, Li GX, Yu ZF, Wang X, et al. Breastfeeding and ovarian cancer risk: a systematic review and meta-analysis of 40 epidemiological studies. *Asian Pac J Cancer Prev.* 2014; 15: 4829–37.
- 128. Aune D, Norat T, Romundstad P, Vatten LJ. Breastfeeding and the maternal risk of type 2 diabetes: a systematic review and dose-response meta-analysis of cohort studies. *Nutr Metab Cardiovasc Dis.* 2014; 24: 107–15.
- 129. Andrew N, Harvey K. Infant Feeding Choices: Experience, Self-Identity and Lifestyle. *Matern Child Nutr*. 2011; 7: 48–60.
- 130. Ibanez G, Martin N, Denantes M, Saurel-Cubizolles MJ, Ringa V, Magnier AM. Prevalence of breastfeeding in industrialized countries. *Rev Epidemiol Sante Publique*. 2012; 60: 305–20.
- 131. UNICEF. The State of the World's Children 2015. UNICEF, New York, 2015.

- 197 -

- 132. Thulier D, Mercer J. Variables associated with breastfeeding duration. *J Obstet Gynecol Neonatal Nurs*. 2009; 38: 259–68.
- 133. Hoekstra HA, Ormel J, De Fruyt F. *NEO Personality Questionnaires NEO-PI-R, NEO-FFI, Manual.* Lisse: Swets&Zeitlinger; 1996.
- 134. Soliño M, Farizo BA. Personal traits underlying environmental preferences: a discrete choice experiment. *PLoS One*. 2014; 9: e89603.
- 135. Jradi H, Wewers ME, Pirie PP, Binkley PF, Ferketich AK. Lebanese medical students' intention to deliver smoking cessation advice. *J Epidemiol Glob Health*. 2015; 5: 117–23.
- 136. Renfrew MJ, McCormick FM, Wade A, Quinn B, Dowswell T. Support for healthy breastfeeding mothers with healthy term babies. *Cochrane Database Syst Rev.* 2012; 5: CD001141.
- 137. Moran VH, Morgan H, Rothnie K, MacLennan G, Stewart F, Thomson G, et al. Incentives to promote breastfeeding: a systematic review. *Pediatrics*. 2015; 135: e687–702.
- 138. Roberts BW, Mroczek D. Personality Trait Change in Adulthood. *Curr Dir Psychol Sci.* 2008; 17: 31–35.
- 139. Hedman E, Andersson G, Lindefors N, Gustavsson P, Lekander M, Rück C, et al. Personality change following internet-based cognitive behavior therapy for severe health anxiety. *PLoS One*. 2014; 9: e113871.
- 140. O'Hara MW, Swain AM. Rates and risk of postpartum depression a metaanalysis. *Int Rev Psych.* 1996; 8: 37–54.
- 141. Epperson CN. Postpartum major depression: detection and treatment. *Am Fam Physician*. 1999; 59: 2247–54, 59–60.
- 142. Gavin NI, Gaynes BN, Lohr KN, Meltzer-Brody S, Gartlehner G, Swinson T. Perinatal depression: a systematic review of prevalence and incidence. *Obstet Gynecol.* 2005; 106: 1071–83.
- 143. Halbreich U, Karkun S. Cross-cultural and social diversity of prevalence of postpartum depression and depressive symptoms. *J Affect Disord*. 2006; 91: 97–111.
- 144. Kumar R. Postnatal mental illness: a transcultural perspective. *Soc Psychiatry Psychiatr Epidemiol.* 1994; 29: 250–64.
- 145. Warner R, Appleby L, Whitton A, Faragher B. Demographic and obstetric risk factors for postnatal psychiatric morbidity. *Br J Psychiatry*. 1996; 168: 607–11.
- 146. Carter AS, Garrity-Rokous FE, Chazan-Cohen R, Little C, Briggs-Gowan MJ. Maternal depression and comorbidity: predicting early parenting, attachment security, and toddler social–emotional problems and competencies. *J Am Acad Child Adolesc Psychiatry*. 2001; 40: 18–26.
- 147. Deave T, Heron J, Evans J, Emond A. The impact of maternal depression in pregnancy on early child development. *BJOG*. 2008; 115: 1043–51.
- 148. DiPietro JA, Novak MF, Costigan KA, Atella LD, Reusing SP. Maternal psychological distress during pregnancy in relation to child development at age two. *Child Dev.* 2007; 77: 573–87.

- 198 -

- 149. Field T, Sandberg D, Garcia R, Vega-Lahr N, Goldstein S, Guy L. Pregnancy problems, postpartum depression and early mother–infant interactions. *Dev Psych.* 1985; 21: 1152–56.
- 150. Fihrer I, McMahon CA, Taylor AJ. The impact of postnatal and concurrent maternal depression on child behaviour during the early school years. *J Affect Disord*. 2009; 119: 116–23.
- 151. Josefsson A, Sydsjö G. A follow-up study of postpartum depressed women: recurrent maternal depressive symptoms and child behavior after four years. *Arch Womens Ment Health.* 2007; 10: 141–45.
- 152. Luoma I, Tamminen T, Kaukonen P, Laippala P, Puura K, Salmelin R, Almgvist F. Longitudinal study of maternal depressive symptoms and child well-being. *Am Acad Child Adolesc Psychiatry*. 2001; 40: 1367–74.
- 153. Moehler E, Kagan J, Parzer P, Brunner R, Reck C, Wiebel A, Poustka L, Resch F. Childhood behavioral inhibition and maternal symptoms of depression. *Psychopathology*. 2007; 40: 446–52.
- 154. Oldehinkel AJ, Veenstra R, Ormel J, De Winter AF, Verhulst FC. Temperament, parenting, and depressive symptoms in a population sample of preadolescents. *J Child Psychol Psychiatry*. 2006; 47: 684–95.
- 155. McLennan JD, Offord DR. Should postpartum depression be targeted to improve child mental health? *J Am Acad Child Adolesc Psychiatry*. 2002; 41: 28–35.
- 156. Maes HH, Neale MC, Kendler KS, Hewitt JK, Silberg JL, Foley DL, Meyer JM, Rutter M, Simonoff E, Pickles A, Eaves LJ. Assortative mating for major psychiatric diagnoses in two population-based samples. *Psychol Med.* 1998; 28: 1389–401.
- 157. Van den Bergh BR, Mulder EJ, Mennes M, Glover V. Antenatal maternal anxiety and stress and the neurobehavioural development of the fetus and child: links and possible mechanisms. A review. *Neurosci Biobehav Rev.* 2005; 29: 237–58.
- 158. Huisman M, Oldehinkel AJ, De Winter A, Minderaa RB, De Bildt A, Huizink AC, et al. Cohort profile: the Dutch 'Tracking Adolescents' Individual Lives' Survey'; TRAILS. *Int J Epidemiol.* 2008; 37, 1227–35.
- 159. De Winter AF, Oldehinkel AJ, Veenstra R, Brunnekreef JA, Verhulst FC, Ormel J. Evaluation of non-response bias in mental health determinants and outcomes in a large sample of pre-adolescents. *Eur J Epidemiol*. 2005; 20: 173–81.
- 160. Ormel J, Oldehinkel AJ, Ferdinand RF, Hartman CA, De Winter AF, Veenstra R, et al. Internalizing and externalizing problems in adolescence: general and dimension-specific effects of familial loadings and preadolescent temperament traits. *Psychol Med.* 2005; 35: 1825–35.
- 161. Krueger RF. The structure of common mental disorders. *Arch Gen Psychiatry*. 1999; 56, 921–26.
- 162. Achenbach TM. *Manual for the Child Behavior Checklist/4-18 and 1991 Profile*. Burlington: University of Vermont, Department of Psychiatry, 1991.
- 163. Verhulst FC, Achenbach TM. Empirically based assessment and taxonomy of psychopathology: cross-cultural applications. *Eur Child Adolesc Psychiatry*. 1995; 4, 61–76.
- 164. Achenbach TM. *Manual for the Youth Self-Report and 1991 Profile*. Burlington: University of Vermont, Department of Psychiatry, 1991.

- 199 -

- 165. Achenbach TM, Dumenci L, Rescorla LA. DSM-oriented and empirically based approaches to constructing scales from the same item pools. *J Clin Child Adolesc Psychol.* 2003; 32: 328–40.
- 166. Achenbach TM. *Manual for the Teacher's Report Form and 1991 Profile*. Burlington: University of Vermont, Department of Psychiatry, 1991.
- 167. Verhulst FC, Koot HM, Van der Ende J. Differential predictive value of parents' and teachers' reports of children's problem behaviours: a longitudinal study. *J Abnorm Child Psychol.* 1994; 22: 531–46.
- 168. Maughan B, Taylor C, Taylor A, Butler N, Bynner J. Pregnancy smoking and childhood conduct problems: a causal association? *J Child Psychol Psychiatry*. 2001; 42: 1021–28.
- 169. Ganzeboom HB, Treiman DJ. Internationally comparable measures of occupational status for the 1988 International Standard Classification of Occupations. *Social Science Research*. 1996; 25: 201–39.
- 170. Silberg JL, Maes H, Eaves LJ. Genetic and environmental influences on the transmission of parental depression to children's depression and conduct disturbance: an extended Children of Twins study. *J Child Psychol Psychiatry*. 2010; 51: 734–44.
- 171. Tully EC, Iacono WG, McGue M. An adoption study of parental depression as an environmental liability for adolescent depression and childhood disruptive disorders. *Am J Psychiatry*. 2008; 165: 1148–54.
- 172. Roux G, Anderson C, Roan C. Postpartum depression, marital dysfunction, and infant outcome: a longitudinal study. *J Perinat Educ.* 2002; 11: 25–36.
- 173. Dennis CL, McQueen K. The relationship between infant-feeding outcomes and postpartum depression: a qualitative systematic review. *Pediatrics* 2009; 123: e736–51.
- 174. Hardt J, Rutter M. Validity of adult retrospective reports of adverse childhood experiences: review of the evidence. *J Child Psychol Psychiatry*. 2004; 45, 260–73.
- 175. Clatworthy J. The effectiveness of antenatal interventions to prevent postnatal depression in high-risk women. *J Affect Disord*. 2012; 137: 25-34.
- 176. Dennis CL. Training health visitors to identify and treat depressive symptoms with psychological approaches reduces postnatal depression. *Evid Based Ment Health.* 2009; 12, 83.
- 177. Milgrom J, Mendelsohn J, Gemmill AW. Does postnatal depression screening work? Throwing out the bathwater, keeping the baby. *J Affect Disord*. 2011; 132(3): 301–10.
- 178. Almond P. Postnatal depression: a global public health perspective. *Perspect Public Health*. 2009; 129, 221–27.
- 179. Brent DA, Birmaher B, Kolko D, Baugher M, Bridge J. Subsyndromal depression in adolescents after a brief psychotherapy trial: course and outcome. *J Affect Disord*. 2001; 63: 51–58.
- Seeley JR, Stice E, Rohde P. Screening for depression prevention: identifying adolescent girls at high risk for future depression. *J Abnorm Psychol.* 2009; 118: 161–70.

- 200 -

- Murray CJL, Lopez AD. Alternative visions of the future: projecting mortality and disability, 1990–2020. In: Murray CJL, Lopez AD, editors. *The global burden of disease*. Cambridge (Massachusetts): Harvard University Press; 1996. pp. 325– 397.
- 182. Mathers CD, Loncar D. Projections of global mortality and burden of disease from 2002 to 2030. *PLoS Med.* 2006; 3: e442.
- 183. Smit F, Cuijpers P, Oostenbrink J, Batelaan N, de Graaf R, Beekman A. Costs of nine common mental disorders: implications for curative and preventive psychiatry. *J Ment Health Policy Econ*. 2006; 9: 193–200.
- 184. Marcus SM, Flynn HA, Blow FC, Barry KL. Depressive symptoms among pregnant women screened in obstetrics settings. *J Womens Health (Larchmt)*. 2003; 12: 373–80.
- 185. Gaynes BN, Gavin N, Meltzer-Brody S, Lohr KN, Swinson T, Gartlehner G. Perinatal depression: prevalence, screening accuracy, and screening outcomes. *Evid Rep Technol Assess (Summ)*. 2005; 119: 1–8.
- 186. Van den Bergh BR, Marcoen A. High antenatal maternal anxiety is related to ADHD symptoms, externalizing problems, and anxiety in 8- and 9-year-olds. *Child Dev.* 2004, 75: 1085–97.
- 187. Wampold BE, Minami T, Baskin TW, Tierney SC. A meta-(re)analysis of the effect of cognitive therapy versus 'other therapies' for depression. J Affect Disorders. 2002; 68: 159–65.
- 188. Dobson KS. A meta-analysis of the efficacy of cognitive therapy for depression. J Consult Clin Psych. 1989; 57: 414–19.
- 189. Gloaguen V, Cottraux J, Cucherat M, Blackburn IM. A meta-analysis of the effects of cognitive therapy in depressed patients. *J Affect Disorders*. 1998; 49: 59–72.
- 190. Ross LE, Grigoriadis S, Mamisashvili L, Vonderporten EH, Roerecke M, Rehm J, et al. Selected pregnancy and delivery outcomes after exposure to antidepressant medication: a systematic review and meta-analysis. *JAMA Psychiatry*. 2013; 70: 436–43.
- 191. Dennis CL. Psychosocial and psychological interventions for prevention of postnatal depression: systematic review. *BMJ*. 2005; 331: 15.
- 192. Cuijpers P. Examining the effects of prevention programs on the incidence of new cases of mental disorders: the lack of statistical power. *Am J Psychiatry*. 2003; 160: 1385–91.
- 193. Bowen A, Muhajarine N. Prevalence of antenatal depression in women enrolled in an outreach program in Canada. *J Obstet Gynecol Neonatal Nurs*. 2006; 35: 491–98.
- 194. Garnefski N, Kraaij V, Spinhoven P. Negative Life Events Questionnaire, cognitive emotion regulation and emotional problems. *Pers Individ Dif.* 2001; 30: 1311–27.
- 195. Sarason IG, Levine HM, Basham RB, Sarason BR. Assessing social support: The Social Support Questionnaire. *J Pers Soc Psychol.* 1983; 44: 127–39.
- 196. EuroQol Group. EuroQol A new Facility for the Measurement of Health-Related Quality of Life. *Health Policy*. 1990; 16: 199–208.

- 201 -

- 197. Sheehan DV, Lecrubier Y, Sheehan KH, Amorim P, Janavs J, Weiller E, et al. The Mini-International Neuropsychiatric Interview (M.I.N.I.): the development and validation of a structured diagnostic psychiatric interview for DSM-IV and ICD-10. *J Clin Psychiatry*. 1998; 59(Suppl 20): 22–33.
- 198. Brennan KA, Clark CL, Shaver PR. Self-report measurement of adult attachment: an integrative overview. In: *Attachment theory and close relationships*. Edited by Simpson JA, Rholes WS. New York: The Guilford Press; 1998: 46–76.
- 199. Conradi HJ, Gerlsma C, Van Duijn M, De Jonge P. Internal and external validity of the experiences in close relationships questionnaire in an American and two Dutch samples. *Eur J Psychiatry*. 2006; 20: 258–69.
- 200. Hakkaart- van Roijen L. *Manual Trimbos/iMTA questionnaire for costs associated with psychaitric illness (in Dutch)*. Rotterdam: Institute for Medical Technology Assessment; 2002.
- 201. Van den Brink M, Van den Hout WB, Stiggelbout AM, Putter H, Van de Velde CJH, Kievit J. Self-reports of health-care utilization: diary or questionnaire? *Int J Technol Assess Health Care*. 2005; 21: 298–304.
- 202. Schreurs PGJ, Van de Willige G. *Omgaan met problemen en gebeurtenissen: De Utrechtse Coping Lijst (UCL).* Lisse: Swets & Zeitlinger; 1988.
- 203. Douma M, van de Bosch J, Van Dongen PHM, Jansen AE. Het meten van een trekdepressie. Constructie van een Nederlandstalige bewerking van de Dysfunctional Attitude Scale van Arlene Weissman. (Handleiding). Meerssen: St. Louis Marie Jamin; 1991.
- 204. First MB, Spitzer RL, Gibbon M, Williams JBW. *Structured Clinical Interview for DSM-IV-TR Axis I Disorders, Research Version, Patient Edition. (SCID-I/P).* New York: Biometrics Research, New York State Psychiatric Institute; 2002.
- 205. Bayley N. *Bayley scales of infant and toddler development*. San Antonio, TX: The Psychological Corporation, 2006.
- 206. Skovgaard AM, Houmann T, Landorph SL, Christiansen E. Assessment and classification of psychopathology in epidemiological research of children 0-3 years of age: a review of the literature. *Eur Child Adolesc Psychiatry*. 2004; 13: 337–46.
- 207. Laplante DP, Barr RG, Brunet A, Galbaud du Fort G, Meaney ML, Saucier JF, et al. Stress during pregnancy affects general intellectual and language functioning in human toddlers. *Pediatr Res.* 2004; 56: 400–10.
- 208. Rescorla LA. Assessment of young children using the Achenbach System of Empirically Based Assessment (ASEBA). Ment Retard Dev Disabil Res Rev. 2005; 11: 226–37.
- 209. Carmen-Wiggins R, Carter AS. Introduction--Assessment of infant and toddler mental health: advances and challenges. J Am Acad Child Adolesc Psych. 2001; 40: 8–10.
- 210. Van Zeijl J, Mesman J, Stolk MN, Alink LR, van Ijzendoorn MH, Bakermans-Kranenburg MJ, et al. Terrible ones? Assessment of externalizing behaviors in infancy with the Child Behavior Checklist. *J Child Psychol Psych*. 2006; 47: 801– 10.

- 202 -

- 211. Robinson M, Oddy WH, McLean NJ, Jacoby P, Pennell CE, de Klerk NH, et al. Low-moderate prenatal alcohol exposure and risk to child behavioural development: a prospective cohort study. *BJOG*. 2010; *117*: 1139–50.
- 212. Boers KE, Bijlenga D, Mol BW, LeCessie S, Birnie E, Van Pampus MG, et al. Disproportionate Intrauterine Growth Intervention Trial At Term: DIGITAT. *BMC Pregnancy Childbirth*. 2007; 7: 12.
- 213. Halbreich U. The association between pregnancy processes, preterm delivery, low birth weight, and postpartum depressions-The need for interdisciplinary integration. *Am J Obstet Gynecol*. 2005; 193: 1312–22.
- 214. Ross LE, McLean LM. Anxiety disorders during pregnancy and the postpartum period: A systematic review. *J Clin Psychiatry*. 2006; 67: 1285–98.
- 215. Dunkel Schetter C, Tanner L. Anxiety, depression and stress in pregnancy: implications for mothers, children, research, and practice. *Curr Opin Psychiatry*. 2012; 25: 141–48.
- 216. Milgrom J, Gemmill AW, Bilszta JL, Hayes B, Barnett B, Brooks J, et al. Antenatal risk factors for postnatal depression: A large prospective study. J Affect Disord. 2008; 108: 147–57.
- 217. Bergman K, Sarkar P, O'Connor TG, Modi N, Glover V. Maternal Stress During Pregnancy Predicts Cognitive Ability and Fearfulness in Infancy. *J Am Acad Child Adolesc Psychiatry*. 2007; 46: 1454–63.
- 218. Glover V. Maternal depression, anxiety and stress during pregnancy and child outcome; what needs to be done. *Best Pract Res Clin Obstet Gynaecol*. 2014; 28: 25–35.
- 219. Herbert J, Goodyer IM, Grossman AB, Hastings MH, de Kloet ER, Lightman SL, et al. Do Corticosteroids Damage the Brain? *J Neuroendocrinol*. 2006; 18: 393–411.
- 220. NICE. Depression in Adults. The treatment and management of depression in *adults. CG90.* London: National Institute for Health and Clinical Excellence; 2009.
- 221. Man KK, Tong HH, Wong LY, Chan EW, Simonoff E, Wong IC. Exposure to selective serotonin reuptake inhibitors during pregnancy and risk of autism spectrum disorder in children: a systematic review and meta-analysis of observational studies. *Neurosci Biobehav Rev.* 2015; 49: 82–9.
- 222. Meijer JL, Bockting CL, Beijers C, Verbeek T, Stant AD, Ormel J, et al. PRegnancy Outcomes after a Maternity Intervention for Stressful EmotionS (PROMISES): study protocol for a randomised controlled trial. *Chapter 7 of this thesis*.
- 223. Stichting Perinatale Registratie Nederland. *The Netherlands Perinatal Registry Trends* 1999-2012. Utrecht: Stichting Perinatale Registratie Nederland, 2013.
- 224. Vickers AJ, Altman DG. Analysing controlled trials with baseline and follow up measurements. *BMJ*. 2001; 323: 1123–24.
- 225. Ammerman RT, Peugh JL, Putnam FW, Van Ginkel JB. Predictors of Treatment Response in Depressed Mothers Receiving In-Home Cognitive-Behavioral Therapy and Concurrent Home Visiting. *Behav Modif.* 2012; 36: 462–81.
- 226. Glenn D, Golinelli D, Rose RD, Roy-Byrne P, Stein MB, Sullivan G, et al. Who gets the most out of cognitive behavioral therapy for anxiety disorders? The role

- 203 -

of treatment dose and patient engagement. J Consult Clin Psychol. 2013; 81: 639-49.

- 227. Austin MP. Targeted group antenatal prevention of postnatal depression: a review. *Acta Psychiatr Scand.* 2003; 107: 244–50.
- 228. Zou Y, Fan F, Ma A, Yue Y, Mao W, Ma X. Hormonal changes and somatopsychologic manifestations in the first trimester of pregnancy and post partum. *Int J Gynaecol Obstet*. 2009; 105: 46–49.
- 229. Vergouwen AC, Bakker A, Burger H, Verheij TJ, Koerselman F. A cluster randomized trial comparing two interventions to improve treatment of major depression in primary care. *Psychol Med.* 2005; 35: 25–33.
- 230. Duthie L, Reynolds RM. Changes in the maternal hypothalamic-pituitary-adrenal axis in pregnancy and postpartum: influences on maternal and fetal outcomes. *Neuroendocrinology*. 2013; 98: 106–15.
- 231. Glynn LM, Schetter CD, Wadhwa PD, Sandman CA. Pregnancy affects appraisal of negative life events. *J Psychosom Res.* 2004; 56: 47–52.
- 232. Richter J, Bittner A, Petrowski K, Junge-Hoffmeister J, Bergmann S, Joraschky P, et al. Effects of an early intervention on perceived stress and diurnal cortisol in pregnant women with elevated stress, anxiety, and depressive symptomatology. *J Psychosom Obstet Gynaecol.* 2012; 33: 162–70.
- 233. Harville EW, Savitz DA, Dole N, Herring AH, Thorp JM. Stress questionnaires and stress biomarkers during pregnancy. *J Womens Health (Larchmt)*. 2009; 18: 1425–33.
- 234. Rothenberger SE, Moehler E, Reck C, Resch F. Prenatal Stress: Course and Interrelation of Emotional and Physiological Stress Measures. *Psychopathology*. 2011; 44: 60–67.
- 235. Milgrom J, Schembri C, Ericksen J, Ross J, Gemmill AW. Towards parenthood: an antenatal intervention to reduce depression, anxiety and parenting difficulties. *J Affect Disord.* 2011; 130: 385–94.
- 236. Milgrom J, Gemmill AW. Screening for perinatal depression. *Best Pract Res Clin Obstet Gynaecol.* 2014; 28: 13–23.
- 237. Beijers C, Ormel J, Verbeek T, van Pampus MG, Meijer JL, Burger H, Bockting CL. Cognitive behavioral therapy for treatment of anxiety and depressive symptoms in pregnancy: a randomized controlled trial. *Chapter 8 of this thesis*.
- 238. Kernan WN, Viscoli CM, Makuch RW, Brass LM, Horwitz RI. Stratified randomization for clinical trials. *J Clin Epidemiol*. 1999; 52: 19–26.
- 239. Preacher KJ, Hayes AF. SPSS and SAS Procedures for Estimating Indirect Effects in Simple Mediation Models. Behavior Research Methods. *Behav Res Methods Instrum Comput.* 2004; 36: 717–31.
- 240. Hayes A.F. Beyond Baron and Kenny: Statistical Mediation Analysis in the New Millennium. *Comm Monogr.* 2009; 76: 408–20.
- 241. Nieuwenhuijsen MJ, Dadvand P, Grellier J, Martinez D, Vrijheid M. Environmental risk factors of pregnancy outcomes: a summary of recent metaanalyses of epidemiological studies. *Environ Health.* 2013; 12: 6.
- 242. Linden M, Schermuly-Haupt ML. Definition, assessment and rate of psychotherapy side effects. *World Psychiatry*. 2014; 13: 306–09.

- 204 -

- 243. Arch JJ, Dimidjian S, Chessick C. Are exposure-based cognitive behavioral therapies safe during pregnancy? *Arch Womens Ment Health.* 2012; 15: 445–57.
- 244. Glover V, O'Connor TG. Effects of antenatal stress and anxiety: Implications for development and psychiatry. *Br J Psychiatry*. 2002;180:389-91.
- 245. Consort Statement. Retrieved 08-21-2015. Available: <u>http://www.consort-</u> <u>statement.org</u>
- 246 Verbeek T, Bockting CL, Meijer JL, Beijers C, van Pampus MG, Burger H. Effects of cognitive behavioural therapy during pregnancy on perinatal outcomes: the PROMISES randomised controlled trial. *Chapter 9 of this thesis*.
- 247. Driessen E, Hollon SD, Bockting CL, Cuijpers P, Turner EH. Does Publication Bias Inflate the Apparent Efficacy of Psychological Treatment for Major Depressive Disorder? A Systematic Review and Meta-Analysis of US National Institutes of Health-Funded Trials. *PLoS One.* 2015; 10: e0137864.
- 248. Sockol LE. A systematic review of the efficacy of cognitive behavioral therapy for treating and preventing perinatal depression. *J Affect Disord*. 2015; 177: 7–21.
- 249. Grobbee DE, Hoes AW. *Clinical Epidemiology: principles, methods, and applications for clinical research.* 2nd ed. Sudbury: Jones and Bartlett; 2014.
- 250. McAdams TA, Rijsdijk FV, Neiderhiser JM, Narusyte J, Shaw DS, Natsuaki MN et al. The relationship between parental depressive symptoms and offspring psychopathology: evidence from a children-of-twins study and an adoption study. *Psychol Med.* 2015; 45: 2583–94.
- 251. Burt SA. Research review: the shared environment as a key source of variability in child and adolescent psychopathology. *J Child Psychol Psychiatry*. 2014; 55: 304–12.
- 252. Dijkstra L, Verbeek T, Bockting CL, Van Pampus MG, Burger H. Lessen over grootschalig onderzoek naar psychische klachten tijdens de zwangerschap. *Tijdschrift voor Verloskunde*. 2014; 6:20-23.
- 253. Boyle JD, Boyle EM. Born just a few weeks early: does it matter? *Arch Dis Child Fetal Neonatal Ed.* 2013; 98: F85-8.

- 205 -

- 206 -