

University of Groningen

Energy transport and plasmon dispersion in linear arrays of metal nanoparticles

Compaijen, Paul Jasper

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2016

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Compaijen, P. J. (2016). *Energy transport and plasmon dispersion in linear arrays of metal nanoparticles*. University of Groningen.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Bibliography

- [1] G. E. Moore, “Cramming more components onto integrated circuits,” *Electronics*, vol. 38, no. 8, pp. 114–117, 1965.
- [2] “Intel® 14 nm Technology,” <http://www.intel.com/content/www/us/en/silicon-innovations/intel-14nm-technology.html>.
- [3] R. H. Siddique, S. Diewald, J. Leuthold, and H. Hölscher, “Theoretical and experimental analysis of the structural pattern responsible for the iridescence of Morpho butterflies.,” *Optics express*, vol. 21, pp. 14351–61, June 2013.
- [4] L. Novotny and B. Hecht, *Principles of Nano-Optics*. Cambridge University Press, 2006.
- [5] M. Faraday, “The Bakerian Lecture : Experimental Relations of Gold (and Other Metals) to Light,” *Philosophical Transactions of the Royal Society of London*, no. January, pp. 145–181, 1857.
- [6] G. Mie, “Beiträge zur Optik trüber Medien, speziell kolloidaler Metallösungen,” *Annalen der Physik*, vol. 330, no. 3, pp. 377–445, 1908.
- [7] R. H. Ritchie and A. L. Marusak, “The surface plasmon dispersion relation for an electron gas,” *Surface Science*, vol. 4, no. 3, pp. 234–240, 1966.
- [8] K. Nishikawa, “Parametric excitation of coupled waves. II. Parametric plasmon-photon interaction,” 1968.
- [9] R. H. Ritchie, E. T. Arakawa, J. J. Cowan, and R. N. Hamm, “Surface-plasmon resonance effect in grating diffraction,” *Physical Review Letters*, vol. 21, no. 22, pp. 1530–1533, 1968.

- [10] A. J. Bennett, "Influence of the electron charge distribution on surface-plasmon dispersion," *Physical Review B*, vol. 1, no. 1, pp. 203–207, 1970.
- [11] H. Raether, *Surface Plasmons on Smooth and Rough Surfaces and on Gratings*, vol. 111 of *Springer Tracts in Modern Physics*. Springer Berlin Heidelberg, 1988.
- [12] W. Barnes, A. Dereux, and T. Ebbesen, "Surface plasmon subwavelength optics," *Nature*, vol. 424, no. August, pp. 824–830, 2003.
- [13] M. Quinten, A. Leitner, J. R. Krenn, and F. R. Aussenegg, "Electromagnetic energy transport via linear chains of silver nanoparticles.", *Optics Letters*, vol. 23, pp. 1331–3, Sept. 1998.
- [14] M. L. Brongersma, J. W. Hartman, and H. A. Atwater, "Electromagnetic energy transfer and switching in nanoparticle chain arrays below the diffraction limit," *Physical Review B*, vol. 62, pp. R16356–R16359, Dec. 2000.
- [15] S. A. Maier, "Plasmonics - a route to nanoscale optical devices," *Advanced Materials*, vol. 13, pp. 1501–1505, Sept. 2001.
- [16] S. A. Maier, P. G. Kik, and H. A. Atwater, "Optical pulse propagation in metal nanoparticle chain waveguides," *Physical Review B*, vol. 67, p. 205402, May 2003.
- [17] S. A. Maier, P. G. Kik, H. A. Atwater, S. Meltzer, E. Harel, B. E. Koel, and A. A. G. Requicha, "Local detection of electromagnetic energy transport below the diffraction limit in metal nanoparticle plasmon waveguides.", *Nature Materials*, vol. 2, pp. 229–32, Apr. 2003.
- [18] E. Hutter and J. H. Fendler, "Exploitation of localized surface plasmon resonance," *Advanced Materials*, vol. 16, no. 19, pp. 1685–1706, 2004.
- [19] A. V. Zayats, I. I. Smolyaninov, and A. a. Maradudin, "Nano-optics of surface plasmon polaritons," *Physics Reports*, vol. 408, pp. 131–314, Mar. 2005.
- [20] S. A. Maier and H. A. Atwater, "Plasmonics: Localization and guiding of electromagnetic energy in metal/dielectric structures," *Journal of Applied Physics*, vol. 98, no. 1, pp. 1–11, 2005.

- [21] E. Ozbay, “Plasmonics: merging photonics and electronics at nanoscale dimensions.,” *Science*, vol. 311, pp. 189–93, Jan. 2006.
- [22] R. Zia, J. A. Schuller, A. Chandran, and M. L. Brongersma, “Plasmonics: the next chip-scale technology,” *Materials Today*, vol. 9, pp. 20–27, July 2006.
- [23] S. K. Ghosh and T. Pal, “Interparticle coupling effect on the surface plasmon resonance of gold nanoparticles: From theory to applications,” *Chemical Reviews*, vol. 107, no. 11, pp. 4797–4862, 2007.
- [24] S. Lal, S. Link, and N. J. Halas, “Nano-optics from sensing to waveguiding,” *Nature Photonics*, vol. 1, no. 11, pp. 641–648, 2007.
- [25] D. K. Gramotnev and S. I. Bozhevolnyi, “Plasmonics beyond the diffraction limit,” *Nature Photonics*, vol. 4, pp. 83–91, Jan. 2010.
- [26] N. J. Halas, S. Lal, W.-S. Chang, S. Link, and P. Nordlander, “Plasmons in strongly coupled metallic nanostructures.,” *Chemical Reviews*, vol. 111, pp. 3913–61, June 2011.
- [27] P. Mühlischlegel, H.-J. Eisler, O. J. F. Martin, B. Hecht, and D. W. Pohl, “Resonant optical antennas.,” *Science (New York, N.Y.)*, vol. 308, pp. 1607–9, June 2005.
- [28] P. Bharadwaj, B. Deutsch, and L. Novotny, “Optical Antennas,” *Advances in Optics and Photonics*, vol. 1, p. 438, Aug. 2009.
- [29] A. F. Koenderink, “Plasmon nanoparticle array waveguides for single photon and single plasmon sources.,” *Nano Letters*, vol. 9, pp. 4228–33, Dec. 2009.
- [30] A. G. Curto, G. Volpe, T. H. Taminiau, M. P. Kreuzer, R. Quidant, and N. F. van Hulst, “Unidirectional Emission of a Quantum Dot Coupled to a Nanoantenna,” *Science*, vol. 329, pp. 930–933, Aug. 2010.
- [31] L. Novotny and N. van Hulst, “Antennas for light,” *Nature Photonics*, vol. 5, pp. 83–90, Feb. 2011.

- [32] J. Munárriz, A. V. Malyshev, V. A. Malyshev, and J. Knoester, “Optical Nanoantennas with Tunable Radiation Patterns.,” *Nano Letters*, vol. 13, pp. 444–450, Feb. 2013.
- [33] J. Homola, S. S. Yee, and G. Gauglitz, “Surface plasmon resonance sensors: review,” *Sensors and Actuators B: Chemical*, vol. 54, no. 1-2, pp. 3–15, 1999.
- [34] A. D. McFarland and R. P. Van Duyne, “Single silver nanoparticles as real-time optical sensors with zeptomole sensitivity,” *Nano Letters*, vol. 3, no. 8, pp. 1057–1062, 2003.
- [35] K. H. Su, Q. H. Wei, X. Zhang, J. J. Mock, D. R. Smith, and S. Schultz, “Interparticle coupling effects on plasmon resonances of nanogold particles,” *Nano Letters*, vol. 3, no. 8, pp. 1087–1090, 2003.
- [36] K. A. Willets and R. P. Van Duyne, “Localized surface plasmon resonance spectroscopy and sensing.,” *Annual review of physical chemistry*, vol. 58, pp. 267–297, 2007.
- [37] J. N. Anker, W. P. Hall, O. Lyandres, N. C. Shah, J. Zhao, and R. P. Van Duyne, “Biosensing with plasmonic nanosensors.,” *Nature materials*, vol. 7, no. 6, pp. 442–453, 2008.
- [38] K. R. Catchpole and a. Polman, “Plasmonic solar cells.,” *Optics express*, vol. 16, no. 26, pp. 21793–21800, 2008.
- [39] H. A. Atwater and A. Polman, “Plasmonics for improved photovoltaic devices.,” *Nature Materials*, vol. 9, pp. 205–13, Mar. 2010.
- [40] M. L. Brongersma, Y. Cui, and S. Fan, “Light management for photovoltaics using high-index nanostructures,” *Nature Materials*, vol. 13, pp. 451–460, Apr. 2014.
- [41] R. F. Oulton, V. J. Sorger, T. Zentgraf, R.-M. Ma, C. Gladden, L. Dai, G. Bartal, and X. Zhang, “Plasmon lasers at deep subwavelength scale.,” *Nature*, vol. 461, no. 7264, pp. 629–632, 2009.
- [42] V. J. Sorger and X. Zhang, “Spotlight on Plasmon Lasers,” *Science*, vol. 333, pp. 709–710, Aug. 2011.

- [43] R.-M. Ma, R. F. Oulton, V. J. Sorger, G. Bartal, and X. Zhang, "Room-temperature sub-diffraction-limited plasmon laser by total internal reflection.,," *Nature materials*, vol. 10, no. 2, pp. 110–113, 2011.
- [44] I. H. El-Sayed, X. Huang, and M. A. El-Sayed, "Surface Plasmon Resonance Scattering and Absorption of anti-EGFR Antibody Conjugated Gold Nanoparticles in Cancer Diagnostics: Applications in Oral Cancer," *Nano Letters*, vol. 5, pp. 829–834, May 2005.
- [45] X. H. Huang, I. H. El-Sayed, W. Qian, and M. A. El-Sayed, "Cancer cell imaging and photothermal therapy in the near-infrared region by using gold nanorods," *Journal of the American Chemical Society*, vol. 128, no. 6, pp. 2115–2120, 2006.
- [46] E. Boisselier and D. Astruc, "Gold nanoparticles in nanomedicine: preparations, imaging, diagnostics, therapies and toxicity.,," *Chemical Society reviews*, vol. 38, no. 6, pp. 1759–1782, 2009.
- [47] R. F. Oulton, V. J. Sorger, D. A. Genov, D. F. P. Pile, and X. Zhang, "A hybrid plasmonic waveguide for subwavelength confinement and long-range propagation," *Nature Photonics*, vol. 2, no. August, pp. 496–500, 2008.
- [48] W. H. Weber and G. W. Ford, "Propagation of optical excitations by dipolar interactions in metal nanoparticle chains," *Physical Review B*, vol. 70, p. 125429, Sept. 2004.
- [49] A. F. Koenderink and A. Polman, "Complex response and polariton-like dispersion splitting in periodic metal nanoparticle chains," *Physical Review B*, vol. 74, p. 033402, July 2006.
- [50] A. Alù and N. Engheta, "Theory of linear chains of metamaterial/plasmonic particles as subdiffraction optical nanotransmission lines," *Physical Review B*, vol. 74, p. 205436, Nov. 2006.
- [51] A. V. Malyshev, V. A. Malyshev, and J. Knoester, "Frequency-controlled localization of optical signals in graded plasmonic chains.,," *Nano Letters*, vol. 8, pp. 2369–72, Aug. 2008.
- [52] S. Campione, S. Steshenko, and F. Capolino, "Complex bound and leaky modes in chains of plasmonic nanospheres.,," *Optics Express*, vol. 19, pp. 18345–63, Sept. 2011.

- [53] B. Willingham and S. Link, “Energy transport in metal nanoparticle chains via sub-radiant plasmon modes.” *Optics Express*, vol. 19, pp. 6450–61, Mar. 2011.
- [54] M. I. Stockman, “Nanofocusing of Optical Energy in Tapered Plasmonic Waveguides,” *Physical Review Letters*, vol. 93, p. 137404, Sept. 2004.
- [55] K. Leosson, T. Nikolajsen, A. Boltasseva, and S. I. Bozhevolnyi, “Long-range surface plasmon polariton nanowire waveguides for device applications,” *Optics Express*, vol. 14, no. 1, p. 314, 2006.
- [56] E. Moreno, F. J. Garcia-Vidal, S. G. Rodrigo, L. Martin-Moreno, and S. I. Bozhevolnyi, “Channel plasmon-polaritons: modal shape, dispersion, and losses,” *Optics Letters*, vol. 31, no. 23, pp. 3447–3449, 2006.
- [57] E. Moreno, S. G. Rodrigo, S. I. Bozhevolnyi, L. Martín-Moreno, and F. J. García-Vidal, “Guiding and Focusing of Electromagnetic Fields with Wedge Plasmon Polaritons,” *Physical Review Letters*, vol. 100, p. 23901, Jan. 2008.
- [58] D. F. P. Pile and D. K. Gramotnev, “Channel plasmonpolariton in a triangular groove on a metal surface,” *Optics Letters*, vol. 29, no. 10, pp. 1069–1071, 2004.
- [59] S. I. Bozhevolnyi, V. S. Volkov, E. Devaux, and T. W. Ebbesen, “Channel Plasmon-Polariton Guiding by Subwavelength Metal Grooves,” *Physical Review Letters*, vol. 95, p. 46802, July 2005.
- [60] S. I. Bozhevolnyi, V. S. Volkov, E. Devaux, J.-Y. Laluet, and T. W. Ebbesen, “Channel plasmon subwavelength waveguide components including interferometers and ring resonators.,” *Nature*, vol. 440, no. 7083, pp. 508–511, 2006.
- [61] A. B. Evlyukhin and S. I. Bozhevolnyi, “Surface plasmon polariton guiding by chains of nanoparticles,” *Laser Physics Letters*, vol. 3, pp. 396–400, Aug. 2006.
- [62] F. Bernal Arango, A. Kwadrin, and A. F. Koenderink, “Plasmonic antennas hybridized with dielectric waveguides,” *ACS Nano*, vol. 6, pp. 10156–10167, Oct. 2012.

- [63] J. A. Schuller, E. S. Barnard, W. Cai, Y. C. Jun, J. S. White, and M. L. Brongersma, “Plasmonics for extreme light concentration and manipulation.,” *Nature Materials*, vol. 9, pp. 193–204, Mar. 2010.
- [64] A. Kinkhabwala, Z. Yu, S. Fan, Y. Avlasevich, K. Mullen, and M. E., “Large single-molecule fluorescence enhancements produced by a bowtie nanoantenna,” *Nat Photon*, vol. 3, pp. 654–657, Nov. 2009.
- [65] T. H. Taminiau, F. D. Stefani, and N. F. van Hulst, “Enhanced directional excitation and emission of single emitters by a nano-optical Yagi-Uda antenna,” *Optics Express*, vol. 16, p. 10858, July 2008.
- [66] A. Pors, M. G. Nielsen, T. Bernardin, J.-C. Weeber, and S. I. Bozhevolnyi, “Efficient unidirectional polarization-controlled excitation of surface plasmon polaritons,” *Light: Science & Applications*, vol. 3, no. November 2013, p. e197, 2014.
- [67] J. Lin, J. P. B. Mueller, Q. Wang, G. Yuan, N. Antoniou, X.-C. Yuan, and F. Capasso, “Polarization-controlled tunable directional coupling of surface plasmon polaritons.,” *Science*, vol. 340, pp. 331–4, 2013.
- [68] J. Petersen, J. Volz, and A. Rauschenbeutel, “Chiral nanophotonic waveguide interface based on spin-orbit interaction of light,” *Science*, vol. 346, pp. 67–71, Oct. 2014.
- [69] K. Y. Bliokh, D. Smirnova, and F. Nori, “Quantum spin Hall effect of light,” *Science*, vol. 348, pp. 1448–1451, June 2015.
- [70] J. P. B. Mueller and F. Capasso, “Asymmetric surface plasmon polariton emission by a dipole emitter near a metal surface,” *Physical Review B*, vol. 88, p. 121410(R), 2013.
- [71] F. J. Rodríguez-Fortuño, G. Marino, P. Ginzburg, D. O’Connor, A. Martínez, G. A. Wurtz, and A. V. Zayats, “Near-field interference for the unidirectional excitation of electromagnetic guided modes.,” *Science*, vol. 340, no. April, pp. 328–30, 2013.
- [72] C. F. Bohren and D. R. Huffman, *Absorption and Scattering of Light by Small Particles*. Weinheim, Germany: Wiley-VCH Verlag GmbH, Apr. 1998.

- [73] J. D. Jackson, *Classical Electrodynamics*. New York: John Wiley & Sons, 1998.
- [74] W. C. Chew, *Waves and Fields in Inhomogeneous Media*. New York: IEEE Press, 1999.
- [75] S. A. Maier, *Plasmonics: Fundamentals and Applications*. Boston, MA: Springer US, 2007.
- [76] S. A. Maier, “Plasmonic field enhancement and SERS in the effective mode volume picture,” *Optics Express*, vol. 14, p. 1957, Mar. 2006.
- [77] T. Coenen, E. J. R. Vesseur, A. Polman, and A. F. Koenderink, “Directional emission from plasmonic Yagi-Uda antennas probed by angle-resolved cathodoluminescence spectroscopy.,” *Nano Letters*, vol. 11, pp. 3779–84, Sept. 2011.
- [78] D. S. Citrin, “Coherent Excitation Transport in MetalNanoparticle Chains,” *Nano Letters*, vol. 4, pp. 1561–1565, Sept. 2004.
- [79] D. S. Citrin, “Plasmon polaritons in finite-length metal-nanoparticle chains: the role of chain length unravelled.,” *Nano Letters*, vol. 5, pp. 985–9, May 2005.
- [80] R. de Waele, A. F. Koenderink, and A. Polman, “Tunable Nanoscale Localization of Energy on Plasmon Particle Arrays,” *Nano Letters*, vol. 7, pp. 2004–2008, July 2007.
- [81] V. A. Markel and A. K. Sarychev, “Propagation of surface plasmons in ordered and disordered chains of metal nanospheres,” *Physical Review B*, vol. 75, p. 085426, Feb. 2007.
- [82] A. A. Govyadinov and V. A. Markel, “From slow to superluminal propagation: Dispersive properties of surface plasmon polaritons in linear chains of metallic nanospheroids,” *Physical Review B*, vol. 78, p. 035403, July 2008.
- [83] K. H. Drexhage, “Influence of a dielectric interface on fluorescence decay time,” *Journal of Luminescence*, vol. 2, pp. 693–701, 1970.

- [84] R. R. Chance, A. Prock, and R. Silbey, “Molecular fluorescence and energy transfer near interfaces,” *Advances in Chemical Physics*, vol. 37, pp. 1–65, Jan. 1978.
- [85] C. A. Marocico and J. Knoester, “Effect of surface-plasmon polaritons on spontaneous emission and intermolecular energy-transfer rates in multilayered geometries,” *Physical Review A*, vol. 84, p. 053824, Nov. 2011.
- [86] D. V. Orden, Y. Fainman, and V. Lomakin, “Optical waves on nanoparticle chains coupled with surfaces,” *Optics Letters*, vol. 34, no. 4, pp. 422–424, 2009.
- [87] D. Brunazzo, E. Descrovi, and O. J. F. Martin, “Narrowband optical interactions in a plasmonic nanoparticle chain coupled to a metallic film.,” *Optics Letters*, vol. 34, pp. 1405–7, May 2009.
- [88] S. Y. Park and D. Stroud, “Surface-plasmon dispersion relations in chains of metallic nanoparticles: An exact quasistatic calculation,” *Physical Review B*, vol. 69, p. 125418, Mar. 2004.
- [89] M. Meier and A. Wokaun, “Enhanced fields on large metal particles: dynamic depolarization,” *Optics Letters*, vol. 8, no. 11, pp. 581–583, 1983.
- [90] M. Paulus, P. Gay-Balmaz, and O. Martin, “Accurate and efficient computation of the Greens tensor for stratified media,” *Physical Review E*, vol. 62, pp. 5797–5807, Oct. 2000.
- [91] A. B. Evlyukhin and S. I. Bozhevolnyi, “Point-dipole approximation for surface plasmon polariton scattering: Implications and limitations,” *Physical Review B*, vol. 71, p. 134304, Apr. 2005.
- [92] A. F. Koenderink, R. de Waele, J. C. Prangsma, and A. Polman, “Experimental evidence for large dynamic effects on the plasmon dispersion of subwavelength metal nanoparticle waveguides,” *Physical Review B*, vol. 76, p. 201403, Nov. 2007.
- [93] J. J. Mock, R. T. Hill, A. Degiron, S. Zauscher, A. Chilkoti, and D. R. Smith, “Distance-dependent plasmon resonant coupling between a gold nanoparticle and gold film.,” *Nano Letters*, vol. 8, pp. 2245–52, Aug. 2008.

- [94] J. J. Mock, D. R. Smith, and S. Schultz, “Local Refractive Index Dependence of Plasmon Resonance Spectra from Individual Nanoparticles,” *Nano Letters*, vol. 3, pp. 485–491, Apr. 2003.
- [95] M. E. Stewart, C. R. Anderton, L. B. Thompson, J. Maria, S. K. Gray, J. A. Rogers, and R. G. Nuzzo, “Nanostructured plasmonic sensors.,” *Chemical Reviews*, vol. 108, pp. 494–521, Feb. 2008.
- [96] N. Liu, M. Mesch, T. Weiss, M. Hentschel, and H. Giessen, “Infrared perfect absorber and its application as plasmonic sensor.,” *Nano Letters*, vol. 10, pp. 2342–8, July 2010.
- [97] M. Piliarik, P. Kvasnička, N. Galler, J. R. Krenn, and J. Homola, “Local refractive index sensitivity of plasmonic nanoparticles.,” *Optics Express*, vol. 19, pp. 9213–20, May 2011.
- [98] R. S. Pavlov, A. G. Curto, and N. F. van Hulst, “Log-periodic optical antennas with broadband directivity,” *Optics Communications*, vol. 285, pp. 3334–3340, July 2012.
- [99] E. Prodan, C. Radloff, N. J. Halas, and P. Nordlander, “A hybridization model for the plasmon response of complex nanostructures.,” *Science*, vol. 302, pp. 419–22, Oct. 2003.
- [100] P. Nordlander and E. Prodan, “Plasmon Hybridization in Nanoparticles near Metallic Surfaces,” *Nano Letters*, vol. 4, pp. 2209–2213, Nov. 2004.
- [101] G. Lévéque and O. J. F. Martin, “Optical interactions in a plasmonic particle coupled to a metallic film.,” *Optics Express*, vol. 14, pp. 9971–81, Oct. 2006.
- [102] A. Farhang, N. Bigler, and O. J. F. Martin, “Coupling of multiple LSP and SPP resonances: interactions between an elongated nanoparticle and a thin metallic film,” *Optics Letters*, vol. 38, pp. 4758–4761, Nov. 2013.
- [103] C. Lemke, T. Leissner, A. Evlyukhin, J. W. Radke, A. Klick, J. Fiutowski, J. Kjelstrup-Hansen, H.-G. Rubahn, B. N. Chichkov, C. Reinhardt, and M. Bauer, “The interplay between localized and propagating plasmonic excitations tracked in space and time.,” *Nano Letters*, vol. 14, pp. 2431–5, May 2014.

- [104] A. B. Evlyukhin, S. I. Bozhevolnyi, A. L. Stepanov, R. Kiyan, C. Reinhardt, S. Passinger, and B. N. Chichkov, “Focusing and directing of surface plasmon polaritons by curved chains of nanoparticles.,” *Optics Express*, vol. 15, pp. 16667–80, Dec. 2007.
- [105] I. L. Rasskazov, S. V. Karpov, and V. A. Markel, “Surface plasmon polaritons in curved chains of metal nanoparticles,” *Physical Review B*, vol. 90, p. 075405, Aug. 2014.
- [106] R. Tellez-Limon, M. Fevrier, A. Apuzzo, R. Salas-Montiel, and S. Blaize, “Theoretical analysis of Bloch mode propagation in an integrated chain of gold nanowires,” *Photonics Research*, vol. 2, p. 24, Jan. 2014.
- [107] V. Agranovich, *Excitations in Organic Solids*. International Series of Monographs on Physics, Oxford University Press, Nov. 2008.
- [108] J.-W. Dong and Z.-L. Deng, “Direct eigenmode analysis of plasmonic modes in metal nanoparticle chain with layered medium.,” *Optics Letters*, vol. 38, pp. 2244–6, July 2013.
- [109] A. Farhang, S. A. Ramakrishna, and O. J. F. Martin, “Compound resonance-induced coupling effects in composite plasmonic metamaterials.,” *Optics Express*, vol. 20, pp. 29447–56, Dec. 2012.
- [110] J. Cesario, M. U. Gonzalez, S. Cheylan, W. L. Barnes, S. Enoch, and R. Quidant, “Coupling localized and extended plasmons to improve the light extraction through metal films.,” *Optics Express*, vol. 15, pp. 10533–9, Aug. 2007.
- [111] Y. Chu and K. B. Crozier, “Experimental study of the interaction between localized and propagating surface plasmons.,” *Optics Letters*, vol. 34, pp. 244–6, Feb. 2009.
- [112] P. J. Compaijen, V. A. Malyshev, and J. Knoester, “Surface-mediated light transmission in metal nanoparticle chains,” *Physical Review B*, vol. 87, p. 205437, May 2013.
- [113] J.-Y. Yan, W. Zhang, S. Duan, X.-G. Zhao, and A. Govorov, “Optical properties of coupled metal-semiconductor and metal-molecule nanocrystal complexes: Role of multipole effects,” *Physical Review B*, vol. 77, p. 165301, Apr. 2008.

- [114] K. H. Fung and C. T. Chan, “Plasmonic modes in periodic metal nanoparticle chains: a direct dynamic eigenmode analysis.,” *Optics Letters*, vol. 32, pp. 973–5, Apr. 2007.
- [115] K. B. Crozier, E. Togan, E. Simsek, and T. Yang, “Experimental measurement of the dispersion relations of the surface plasmon modes of metal nanoparticle chains.,” *Optics Express*, vol. 15, pp. 17482–93, Dec. 2007.
- [116] P. J. Compaijen, V. A. Malyshev, and J. Knoester, “Engineering plasmon dispersion relations: hybrid nanoparticle chain -substrate plasmon polaritons,” *Optics Express*, vol. 23, no. 3, p. 2280, 2015.
- [117] V. M. Agranovich and Y. N. Gartstein, “Spatial dispersion and negative refraction of light,” *Physics-Uspekhi*, vol. 49, no. 10, p. 1029, 2006.
- [118] J. A. Dionne, E. Verhagen, A. Polman, and H. A. Atwater, “Are negative index materials achievable with surface plasmon waveguides? A case study of three plasmonic geometries.,” *Optics Express*, vol. 16, pp. 19001–17, Nov. 2008.
- [119] M. A. Ordal, R. J. Bell, R. W. Alexander, L. L. Long, and M. R. Querry, “Optical properties of fourteen metals in the infrared and far infrared: Al, Co, Cu, Au, Fe, Pb, Mo, Ni, Pd, Pt, Ag, Ti, V, and W.,” *Applied optics*, vol. 24, p. 4493, Dec. 1985.
- [120] H. Shin and S. Fan, “All-Angle Negative Refraction for Surface Plasmon Waves Using a Metal-Dielectric-Metal Structure,” *Physical Review Letters*, vol. 96, p. 073907, Feb. 2006.
- [121] H. J. Lezec, J. A. Dionne, and H. A. Atwater, “Negative refraction at visible frequencies.,” *Science (New York, N.Y.)*, vol. 316, pp. 430–2, Apr. 2007.
- [122] T. Yang and K. B. Crozier, “Analysis of surface plasmon waves in metaldielectric- metal structures and the criterion for negative refractive index,” *Optics Express*, vol. 17, p. 1136, Jan. 2009.
- [123] D. E. Chang, A. S. Sorensen, P. R. Hemmer, and M. D. Lukin, “Strong coupling of single emitters to surface plasmons,” *Physical Review B*, vol. 76, no. 3, p. 035420, 2007.

- [124] A. L. Falk, F. H. L. Koppens, C. L. Yu, K. Kang, N. de Leon Snapp, A. V. Akimov, M.-H. Jo, M. D. Lukin, and H. Park, “Near-field electrical detection of optical plasmons and single-plasmon sources,” *Nature Physics*, vol. 5, no. 7, pp. 475–479, 2009.
- [125] N. Hartmann, G. Piredda, J. Berthelot, G. Colas Des Francs, A. Bouhelier, and A. Hartschuh, “Launching propagating surface plasmon polaritons by a single carbon nanotube dipolar emitter,” *Nano Letters*, vol. 12, no. 1, pp. 177–181, 2012.
- [126] M. S. Tame, K. R. McEnergy, . K. Özdemir, J. Lee, S. A. Maier, and M. S. Kim, “Quantum plasmonics,” *Nature Physics*, vol. 9, pp. 329–340, June 2013.
- [127] M. W. Knight, Y. Wu, J. B. Lassiter, P. Nordlander, and N. J. Halas, “Substrates matter: influence of an adjacent dielectric on an individual plasmonic nanoparticle.,” *Nano Letters*, vol. 9, pp. 2188–92, May 2009.
- [128] J. Yang, X. Xiao, C. Hu, W. Zhang, S. Zhou, and J. Zhang, “Broadband surface plasmon polariton directional coupling via asymmetric optical slot nanoantenna pair,” *Nano Letters*, vol. 14, pp. 704–709, 2014.
- [129] D. Zhu, Z. Dong, H.-S. Chu, Y. A. Akimov, and J. K. W. Yang, “Image Dipole Method for the Beaming of Plasmons from Point Sources,” *ACS Photonics*, vol. 1, pp. 1307–1312, Dec. 2014.
- [130] Z. Dong, H.-S. Chu, D. Zhu, W. Du, Y. A. Akimov, W. P. Goh, T. Wang, K. E. J. Goh, C. Troadec, C. A. Nijhuis, and J. K. W. Yang, “Electrically-Excited Surface Plasmon Polaritons with Directionality Control,” *ACS Photonics*, p. 150303083752006, 2015.
- [131] W. Yao, S. Liu, H. Liao, Z. Li, C. Sun, J. Chen, and Q. Gong, “Efficient Directional Excitation of Surface Plasmons by a Single-Element Nanoantenna,” *Nano Letters*, vol. 15, pp. 3115–3121, 2015.
- [132] M. Neugebauer, T. Bauer, P. Banzer, and G. Leuchs, “Polarization tailored light driven directional optical nanobeacon.,” *Nano letters*, vol. 14, pp. 2546–51, May 2014.

- [133] S.-Y. Lee, I.-M. Lee, J. Park, S. Oh, W. Lee, K.-y. Kim, and B. Lee, "Role of magnetic induction currents in nanoslit excitation of surface plasmon polaritons.," *Physical review letters*, vol. 108, p. 213907, May 2012.
- [134] Y. Oi Nakamura, "Spin quantum number of surface plasmon," *Solid State Communications*, vol. 39, pp. 763–765, Aug. 1981.
- [135] K. Y. Bliokh and F. Nori, "Transverse spin of a surface polariton," *Physical Review A*, vol. 85, p. 061801, June 2012.
- [136] S.-Y. Lee, I.-M. Lee, K.-y. Kim, and B. Lee, "Comments on "Near-field interference for the unidirectional excitation of electromagnetic guided modes"," *ArXiv:1306.5068*, 2013.
- [137] F. J. Rodríguez-Fortuño, G. Marino, P. Ginzburg, D. O'Connor, A. Martínez, G. A. Wurtz, and A. V. Zayats, "Regarding the "Comments on 'Near-field interference for the unidirectional excitation of electromagnetic guided modes' " by Lee et al," *ArXiv:1307.0218*, 2013.
- [138] R. Mitsch, C. Sayrin, B. Albrecht, P. Schneeweiss, and A. Rauschenbeutel, "Quantum state-controlled directional spontaneous emission of photons into a nanophotonic waveguide," *Nature Communications*, vol. 5, pp. 1–5, 2014.
- [139] B. Feber, N. Rotenberg, and L. Kuipers, "Nanophotonic control of circular dipole emission," *Nature Communications*, vol. 6, pp. 1–6, 2015.
- [140] K. Y. Bliokh, F. J. Rodríguez-Fortuño, F. Nori, and A. V. Zayats, "Spin-orbit interactions of light," *Nature Photonics*, vol. 9, pp. 796–808, Nov. 2015.
- [141] S. Dutta-Gupta and O. J. F. Martin, "Insight into the eigenmodes of plasmonic nanoclusters based on the Green's tensor method," *Journal of the Optical Society of America B*, vol. 32, no. 2, pp. 194–200, 2015.
- [142] V. A. Markel, "Antisymmetrical optical states," *Journal of the Optical Society of America B*, vol. 12, p. 1783, Oct. 1995.
- [143] T. Brixner and G. Gerber, "Femtosecond polarization pulse shaping," *Optics Letters*, vol. 26, pp. 557–559, Apr. 2001.

- [144] M. Aeschlimann, M. Bauer, D. Bayer, T. Brixner, F. J. G. De Abajo, W. Pfeiffer, M. Rohmer, C. Spindler, and F. Steeb, “Adaptive sub-wavelength control of nanoscopic fields,” *Nature*, vol. 446, no. March, pp. 301–304, 2007.
- [145] G. Lévéque and O. J. F. Martin, “Narrow-Band Multiresonant Plasmon Nanostructure for the Coherent Control of Light : An Optical Analog of the Xylophone,” *Physical Review Letters*, vol. 117402, no. March, pp. 1–4, 2008.
- [146] A. L. Koh, A. I. Fernández-Domínguez, D. W. McComb, S. A. Maier, and J. K. W. Yang, “High-resolution mapping of electron-beam-excited plasmon modes in lithographically defined gold nanostructures,” *Nano Letters*, vol. 11, pp. 1323–1330, 2011.
- [147] T. Coenen, F. Bernal Arango, A. F. Koenderink, and A. Polman, “Directional emission from a single plasmonic scatterer.,” *Nature Communications*, vol. 5, p. 3250, Feb. 2014.
- [148] P. J. Compaijen, V. A. Malyshev, and J. Knoester, “Substrate-mediated sub-diffraction guiding of optical signals through a linear chain of metal nanoparticles: Polarization dependence and the role of the dispersion relation,” in *2013 7th International Congress on Advanced Electromagnetic Materials in Microwaves and Optics*, no. September, pp. 247–249, IEEE, Sept. 2013.
- [149] I. L. Rasskazov, S. V. Karpov, and V. a. Markel, “Waveguiding properties of short linear chains of nonspherical metal nanoparticles,” *Journal of the Optical Society of America B*, vol. 31, p. 2981, Nov. 2014.
- [150] J. B. Khurgin, “How to deal with the loss in plasmonics and metamaterials,” *Nature Nanotechnology*, vol. 10, pp. 2–6, Jan. 2015.
- [151] D. S. Citrin, “Plasmon-polariton transport in metal-nanoparticle chains embedded in a gain medium,” *Optics Letters*, vol. 31, p. 98, Jan. 2006.
- [152] L. Lewin, *Polylogarithms and Associated Functions*. Elsevier North-Holland, New York, 1981.

- [153] V. A. Markel, “Divergence of dipole sums and the nature of non-Lorentzian exponentially narrow resonances in one-dimensional periodic arrays of nanospheres,” *Journal of Physics B: Atomic, Molecular and Optical Physics*, vol. 38, pp. L115–L121, Apr. 2005.
- [154] L. Brillouin, *Wave Propagation and Group Velocity*. Academic Press, 1960.
- [155] Y. Gartstein and V. Agranovich, “Excitons in long molecular chains near the reflecting interface,” *Physical Review B*, vol. 76, pp. 1–10, Sept. 2007.
- [156] D. S. Citrin, “Long intrinsic radiative lifetimes of excitons in quantum wires,” *Physical Review Letters*, vol. 69, pp. 3393–3396, Dec. 1992.