

## University of Groningen

### Sediments and functional traits

Leite Gusmao Junior, Joao Bosco

**IMPORTANT NOTE:** You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*  
2017

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Leite Gusmao Junior, J. B. (2017). *Sediments and functional traits: Applying a functional trait approach to assess marine macrobenthic function*. Rijksuniversiteit Groningen.

**Copyright**

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

**Take-down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*

# REFERENCES

---

## REFERENCES

### A

- Abreu-Mota, M. A., C. A. M. Barboza, M. C. Bícego, and C. C. Martins. 2014. Sedimentary biomarkers along a contamination gradient in a human-impacted sub-estuary in Southern Brazil: A multi-parameter approach based on spatial and seasonal variability. *Chemosphere* 103:156–163.
- Airoldi, L. 1998. Roles of disturbance, sediment stress, and substratum retention on spatial dominance in algal turf. *Ecology* 79:2759–2770.
- Albrecht, A., and K. Reise. 1994. Effects of *Fucus vesiculosus* covering intertidal mussel beds in the Wadden Sea. *Helgoländer Meeresuntersuchungen* 48:243–256.
- Alvarez, M. F., K. S. Esquius, M. Addino, J. Alberti, O. Iribarne, and F. Botto. 2013. Cascading top-down effects on estuarine intertidal meiofaunal and algal assemblages. *Journal of Experimental Marine Biology and Ecology* 440:216–224.
- Ambrose Jr., W. G. 1984. Role of predatory infauna in structuring marine soft-bottom communities. *Marine Ecology Progress Series* 17:109–115.
- Anderson, M. J. 2008. Animal-sediment relationships re-visited: characterising species' distributions along an environmental gradient using canonical analysis and quantile regression splines. *Journal of Experimental Marine Biology and Ecology* 366:16–27.
- Anderson, M. J., and T. J. Willis. 2003. Canonical analysis of principal coordinates: a useful method of constrained ordination for ecology. *Ecology* 84:511–525.
- Armonies, W. 2001. What an introduced species can tell us about the spatial extension of benthic populations. *Marine Ecology Progress Series* 209:289–294.
- Arntz, W. E., and H. Rumohr. 1982. An experimental study of macrobenthic colonization and succession, and the importance of seasonal variation in temperate latitudes. *Journal of Experimental Marine Biology and Ecology* 64:17–45.
- Arruda, E. P., O. Domaneschi, and A. C. Z. Amaral. 2003. Mollusc feeding guilds on sandy beaches in São Paulo State, Brazil. *Marine Biology* 143:691–701.
- Attrill, M., J. A. Strong, and A. Rowden. 2000. Are macroinvertebrate communities influenced by seagrass structural complexity? *Ecography* 23:114–121.
- Austen, M. C., P. J. D. Lamshead, P. A. Hutchings, G. Boucher, P. V. R. Snelgrove, C. Heip, G. King, I. Koike, and C. Smith. 2002. Biodiversity links above and below the marine sediment-water interface that may influence community stability. *Biodiversity and Conservation* 11:113–136.

### B

- Barboza, C. A. M., H. L. Hadlich, L. Sandrini-Neto, C. D. C. Martins, and P. D. C. Lana. 2013. Is the distribution of the lancelet *Branchiostoma caribaeum* affected by sewage discharges? An analysis at multiple scales of variability. *Marine Pollution Bulletin* 69:178–188.
- Berke, S. K. 2012. Biogeographic variability in ecosystem engineering: patterns in the abundance and behavior of the tube-building polychaete *Diopatra cuprea*. *Marine Ecology Progress Series* 447:1–13.

## REFERENCES

- Berke, S. K., D. Jablonski, A. Z. Krug, and J. W. Valentine. 2014. Origination and immigration drive latitudinal gradients in marine functional diversity. *PLoS one* 9:e101494.
- Bertness, M. D., and R. Callaway. 1994. Positive interactions in communities. *Trends in Ecology and Evolution* 9:187–191.
- Beukema, J., and R. Dekker. 2014. Variability in predator abundance links winter temperatures and bivalve recruitment: correlative evidence from long-term data in a tidal flat. *Marine Ecology Progress Series* 513:1–15.
- Beukema, J. J. 1976. Biomass and species richness of the macro-benthic animals living on the tidal flats of the Dutch Wadden Sea. *Netherlands Journal of Sea Research* 10:236–261.
- Beukema, J. J., and G. C. Cadée. 1997. Local differences in macrozoobenthic response to enhanced food supply caused by mild eutrophication in a Wadden Sea area. Food is only locally a limiting factor. *Limnology and Oceanography* 42:1424–1435.
- Beukema, J. J., and R. Dekker. 2007. Variability in annual recruitment success as a determinant of long-term and large-scale variation in annual production of intertidal Wadden Sea mussels (*Mytilus edulis*). *Helgoland Marine Research* 61:71–86.
- Beukema, J. J., and R. Dekker. 2011a. Benthic species diversity and sediment composition: Comment on Compton et al. (2008). *Marine Ecology Progress Series* 440:281–283.
- Beukema, J. J., and R. Dekker. 2011b. Increasing species richness of the macrozoobenthic fauna on tidal flats of the Wadden Sea by local range expansion and invasion of exotic species. *Helgoland Marine Research* 65:155–164.
- Beukema, J. J., R. Dekker, M. R. van Stralen, and J. de Vlas. 2015. Large-scale synchronization of annual recruitment success and stock size in Wadden Sea populations of the mussel *Mytilus edulis* L. *Helgoland Marine Research* 69:327–333.
- Biles, C. L., D. M. Paterson, R. B. Ford, M. Solan, and D. G. Raffaelli. 2002. Bioturbation, ecosystem functioning and community structure. *Hydrology and Earth System Sciences* 6:999–1005.
- Birchenough, S. N. R., R. E. Parker, E. McManus, and J. Barry. 2012. Combining bioturbation and redox metrics: Potential tools for assessing seabed function. *Ecological Indicators* 12:8–16.
- de Boer, W. F. 2007. Seagrass-sediment interactions, positive feedbacks and critical thresholds for occurrence: A review. *Hydrobiologia* 591:5–24.
- Bøhn, T., P. A. Amundsen, and A. Sparrow. 2008. Competitive exclusion after invasion? *Biological Invasions* 10:359–368.
- Bolam, S. G., and J. D. Eggleton. 2014. Macrofaunal production and biological traits: spatial relationships along the UK continental shelf. *Journal of Sea Research* 88:47–58.
- Bonsall, M. B., and M. P. Hassell. 1997. Apparent competition structures ecological assemblages. *Nature* 388:371–373.

## REFERENCES

- Borja, A., J. Franco, and V. Pérez. 2000. A marine biotic index to establish the ecological quality of soft-bottom benthos within european estuarine and coastal environments. *Marine Pollution Bulletin* 40:1100–1114.
- Borja, Á., J. Franco, V. Valencia, J. Bald, I. Muxika, M. J. Belzunce, and O. Solaun. 2004. Implementation of the European water framework directive from the Basque country (northern Spain): a methodological approach. *Marine Pollution Bulletin* 48:209–218.
- Borja, A., I. Muxika, and J. Franco. 2003. The application of a Marine Biotic Index to different impact sources affecting soft-bottom benthic communities along European coasts. *Marine Pollution Bulletin* 46:835–845.
- Borthagaray, A. I., and A. Carranza. 2007. Mussels as ecosystem engineers: Their contribution to species richness in a rocky littoral community. *Acta Oecologica* 31:243–250.
- Bostrom, C., and E. Bonsdorff. 2000. Zoobenthic community establishment and habitat complexity - The importance of seagrass shoot-density, morphology and physical disturbance for faunal recruitment. *Marine Ecology Progress Series* 205:123–138.
- Boström, C., and E. Bonsdorff. 1997. Community structure and spatial variation of benthic invertebrates associated with *Zostera marina* (L.) beds in the northern Baltic Sea. *Journal of Sea Research* 37:153–166.
- Boström, C., K. O. Brien, C. Roos, and J. Ekebom. 2006a. Environmental variables explaining structural and functional diversity of seagrass macrofauna in an archipelago landscape 335:52–73.
- Boström, C., E. L. Jackson, and C. A. Simenstad. 2006b. Seagrass landscapes and their effects on associated fauna: A review. *Estuarine, Coastal and Shelf Science* 68:383–403.
- Boström, C., A. Törnroos, and E. Bonsdorff. 2010. Invertebrate dispersal and habitat heterogeneity: Expression of biological traits in a seagrass landscape. *Journal of Experimental Marine Biology and Ecology* 390:106–117.
- Botta-Dukát, Z. 2005. Rao's quadratic entropy as a measure of functional diversity based on multiple traits. *Journal of Vegetation Science* 16:533–540.
- Bracken, M. E. S., S. E. Friberg, C. A. Gonzalez-Dorantes, and S. L. Williams. 2008. Functional consequences of realistic biodiversity changes in a marine ecosystem. *Proceedings of the National Academy of Sciences of the United States of America* 105:924–928.
- Braeckman, U., P. Provoost, B. Gribsholt, D. Van Gansbeke, J. J. Middelburg, K. Soetaert, M. Vincx, and J. Vanaverbeke. 2010. Role of macrofauna functional traits and density in biogeochemical fluxes and bioturbation. *Marine Ecology Progress Series* 399:173–186.
- Brauko, K. M., F. M. De Souza, P. Muniz, M. G. Camargo, and P. C. Lana. 2015. Spatial variability of three benthic indices for marine quality assessment in a subtropical estuary of Southern Brazil. *Marine Pollution Bulletin* In Press.
- Bremner, J. 2008. Species' traits and ecological functioning in marine conservation and management. *Journal of Experimental Marine Biology and Ecology* 366:37–47.

## REFERENCES

- Bremner, J., S. I. Rogers, and C. L. J. Frid. 2006a. Matching biological traits to environmental conditions in marine benthic ecosystems. *Journal of Marine Systems* 60:302–316.
- Bremner, J., S. I. Rogers, and C. L. J. Frid. 2006b. Methods for describing ecological functioning of marine benthic assemblages using biological traits analysis (BTA). *Ecological Indicators* 6:609–622.
- Brenchley, G. A. 1982. Mechanisms of spatial competition in marine soft-bottom communities. *Journal of Experimental Marine Biology and Ecology* 60:17–33.
- van Broekhoven, W., H. Jansen, M. Verdegem, E. Struyf, K. Troost, H. Lindeboom, and A. Smaal. 2015. Nutrient regeneration from feces and pseudofeces of mussel *Mytilus edulis* spat. *Marine Ecology Progress Series* 534:107–120.
- Brose, U., and H. Hillebrand. 2016. Biodiversity and ecosystem functioning in dynamic landscapes. *Philosophical Transactions of the Royal Society B: Biological Sciences* 371:20150267.
- Brustolin, M. C., M. C. Thomas, L. L. Mafra, and P. C. Lana. 2016. Bioturbation by the sand dollar *Encope emarginata* (Echinoidea, Mellitidae) changes the composition and size structure of microphytobenthic assemblages. *Hydrobiologia* 779:183–192.
- Brustolin, M. C., M. C. Thomas, L. L. Mafra, and P. C. Lana. 2014. Does *Encope emarginata* (Echinodermata: Echinoidea) affect spatial variation patterns of estuarine subtidal meiofauna and microphytobenthos? *Journal of Sea Research* 91:70–78.
- Buschbaum, C., S. Dittmann, J. S. Hong, I. S. Hwang, M. Strasser, M. Thiel, N. Valdivia, S. P. Yoon, and K. Reise. 2009. Mytilid mussels: Global habitat engineers in coastal sediments. *Helgoland Marine Research* 63:47–58.
- Buschbaum, C., D. Lackschewitz, and K. Reise. 2012. Nonnative macrobenthos in the Wadden Sea ecosystem. *Ocean and Coastal Management* 68:89–101.
- C
- CAB. 2015. Águas de Paranaguá. <http://www.cabaguasdeparanagua.com.br/site/esgoto>.
- Cardinale, B. J., J. E. Duffy, A. Gonzalez, D. U. Hooper, C. Perrings, P. Venail, A. Narwani, G. M. Mace, D. Tilman, D. A. Wardle, A. P. Kinzig, G. C. Daily, M. Loreau, J. B. Grace, A. Larigauderie, D. S. Srivastava, and S. Naeem. 2012. Biodiversity loss and its impact on humanity. *Nature* 489:59–67.
- Cardinale, B. J., D. S. Srivastava, J. E. Duffy, J. P. Wright, A. L. Downing, M. Sankaran, and C. Jouseau. 2006. Effects of biodiversity on the functioning of trophic groups and ecosystems. *Nature* 443:989–992.
- Carlson, J. K., T. A. Randall, and M. E. Mroczka. 1997. Feeding habits of winter flounder (*Pleuronectes americanus*) in a habitat exposed to anthropogenic disturbance. *Journal of Northwest Atlantic Fishery Science* 21:65–73.
- Chen, H., S. Hagerty, S. M. Crotty, and M. D. Bertness. 2016. Direct and indirect trophic effects of predator depletion on basal trophic levels. *Ecology* 97:338–346.

## REFERENCES

- Chennu, A., N. Volkenborn, D. De Beer, D. S. Wethey, S. A. Woodin, and L. Polerecky. 2015. Effects of bioadvection by *Arenicola marina* on microphytobenthos in permeable sediments. PLoS ONE 10:1–16.
- Chevenet, F., S. Dolédec, and D. Chessel. 1994. A fuzzy coding approach for the analysis of long-term ecological data. Freshwater Biology 31:295–309.
- Commito, J. A., S. Como, B. M. Grupe, and W. E. Dow. 2008. Species diversity in the soft-bottom intertidal zone: Biogenic structure, sediment, and macrofauna across mussel bed spatial scales. Journal of Experimental Marine Biology and Ecology 366:70–81.
- Connell, J. H. 1978. Diversity in tropical rain forests and coral reefs. Science 199:1302–1310.
- Cusson, M., and E. Bourget. 1997. Influence of topographic heterogeneity and spatial scales on the structure of the neighbouring intertidal endobenthic macrofaunal community. Marine Ecology Progress Series 150:181–193.
- D**
- D'Agata, S., D. Mouillot, M. Kulbicki, S. Andréfouët, D. R. Bellwood, J. E. Cinner, P. F. Cowman, M. Kronen, S. Pinca, and L. Vigliola. 2014. Human-mediated loss of phylogenetic and functional diversity in coral reef fishes. Current Biology 24:555–560.
- Darr, A., M. Gogina, and M. L. Zettler. 2014. Functional changes in benthic communities along a salinity gradient – a western Baltic case study. Journal of Sea Research 85:315–324.
- Decho, A. W. 2000. Microbial biofilms in intertidal systems: An overview. Continental Shelf Research 20:1257–1273.
- de Deckere, E. M. G. T., T. J. Tolhurst, and J. F. C. de Brouwer. 2001. Destabilization of cohesive intertidal sediments by infauna. Estuarine, Coastal and Shelf Science 53:665–669.
- Dekker, R., and J. J. Beukema. 2012. Long-term dynamics and productivity of a successful invader: The first three decades of the bivalve *Ensis directus* in the western Wadden Sea. Journal of Sea Research 71:31–40.
- Dernie, K. M., M. J. Kaiser, E. A. Richardson, and R. M. Warwick. 2003. Recovery of soft sediment communities and habitats following physical disturbance. Journal of Experimental Marine Biology and Ecology 285–286:415–434.
- Diaz, R. J., and R. Rosenberg. 2008. Spreading dead zones and consequences for marine ecosystems. Science 321:926–929.
- Díaz, S., and M. Cabido. 2001. Vive la différence: plant functional diversity matters to ecosystem processes. Trends in Ecology & Evolution 16:646–655.
- Dittmann, S. 1990. Mussel beds—amensalism or amelioration for intertidal fauna? Helgoländer Meeresuntersuchungen 44:335–352.
- Dolédec, S., and D. Chessel. 1994. Co-inertia analysis: an alternative method for studying species–environment relationships. Freshwater Biology 31:277–294.

## REFERENCES

- Donadi, S., B. K. Eriksson, K. A. Lettmann, D. Hodapp, J. O. Wolff, and H. Hillebrand. 2015a. The body-size structure of macrobenthos changes predictably along gradients of hydrodynamic stress and organic enrichment. *Marine Biology* 162:675–685.
- Donadi, S., T. van der Heide, T. Piersma, E. M. van der Zee, E. J. Weerman, J. van de Koppel, H. Olff, C. Devine, U. E. Hernawan, M. Boers, L. Planthof, and B. Klemens Eriksson. 2015b. Multi-scale habitat modification by coexisting ecosystem engineers drives spatial separation of macrobenthic functional groups. *Oikos* 124:1502–1510.
- Donadi, S., T. van der Heide, E. M. van der Zee, J. S. Eklöf, J. van de Koppel, E. J. Weerman, T. Piersma, H. Olff, and B. K. Eriksson. 2013a. Cross-habitat interactions among bivalve species control community structure on intertidal flats. *Ecology* 94:489–498.
- Donadi, S., J. Westra, E. J. Weerman, T. van der Heide, E. M. van der Zee, J. van de Koppel, H. Olff, T. Piersma, H. W. van der Veer, B. K. Eriksson, T. Heide, E. M. Zee, J. Koppel, H. Olff, T. Piersma, H. W. Veer, and B. K. Eriksson. 2013b. Non-trophic interactions control benthic producers on intertidal flats. *Ecosystems* 16:1325–1335.
- Dorenbosch, M., M. G. G. Grol, M. J. A. Christianen, I. Nagelkerken, and G. van der Velde. 2005. Indo-Pacific seagrass beds and mangroves contribute to fish density and diversity on adjacent coral reefs. *Marine Ecology Progress Series* 302:63–76.
- Dray, S., and A. B. Dufour. 2007. The ade4 package: implementing the duality diagram for ecologists. *Journal of Statistical Software* 22:1–20.
- Duarte, C. M., J. J. Middelburg, and N. Caraco. 2005. Major role of marine vegetation on the oceanic carbon cycle. *Biogeosciences* 2:1–8.
- Duffy, J. E., P. L. Reynolds, C. Boström, J. A. Coyer, M. Cusson, S. Donadi, J. G. Douglass, J. S. Eklöf, A. H. Engelen, B. K. Eriksson, S. Fredriksen, L. Gamfeldt, C. Gustafsson, G. Hoarau, M. Hori, K. Hovel, K. Iken, J. S. Lefcheck, P. O. Moksnes, M. Nakaoka, M. I. O'Connor, J. L. Olsen, J. P. Richardson, J. L. Ruesink, E. E. Sotka, J. Thormar, M. A. Whalen, and J. J. Stachowicz. 2015. Biodiversity mediates top-down control in eelgrass ecosystems: A global comparative-experimental approach. *Ecology Letters* 18:696–705.
- Dukes, J. S. 2001. Biodiversity and invasibility in grassland microcosms. *Oecologia* 126:563–568.

## E

- Edgar, G. J., and C. R. Samson. 2004. Catastrophic decline in mollusc diversity in eastern Tasmania and its concurrence with shellfish fisheries. *Conservation Biology* 18:1579–1588.
- Ehrenfeld, J. G. 2010. Ecosystem consequences of biological invasions. *Annual Review of Ecology and Systematics* 41:59–80.
- Elliott, M., and V. Quintino. 2007. The Estuarine Quality Paradox, Environmental Homeostasis and the difficulty of detecting anthropogenic stress in naturally stressed areas. *Marine Pollution Bulletin* 54:640–645.
- Emmett Duffy, J. 2009. Why biodiversity is important to the functioning of real-world ecosystems. *Frontiers in Ecology and the Environment* 7:437–444.

## REFERENCES

Eriksson, B. K., T. van der Heide, J. van de Koppel, T. Piersma, H. W. van der Veer, and H. Olff. 2010. Major Changes in the Ecology of the Wadden Sea: Human Impacts, Ecosystem Engineering and Sediment Dynamics. *Ecosystems* 13:752–764.

### F

Faulwetter, S., V. Markantonatou, C. Pavloudi, N. Papageorgiou, K. Keklikoglou, E. Chatzinikolaou, E. Pafilis, G. Chatzigeorgiou, K. Vasileiadou, T. Dailianis, L. Fanini, P. Koulouri, and C. Arvanitidis. 2014. Polytraits: A database on biological traits of marine polychaetes. *Biodiversity Data Journal* 2:1–41.

Ford, R. B., S. F. Thrush, and P. K. Probert. 1999. Macrobenthic colonisation of disturbances on an intertidal sandflat: the influence of season and buried algae. *Marine Ecology Progress Series* 191:163–174.

François, F., J.-C. Poggiale, J.-P. Durbec, and G. Stora. 1997. A new approach for the modelling of sediment reworking induced by a macrobenthic community.

Fritts, T. H., and G. H. Rodda. 1998. The role of introduced species in the degradation of island ecosystems: A case history of Guam. *Annual Review of Ecology and Systematics* 29:113–140.

### G

Gagic, V., I. Bartomeus, T. Jonsson, A. Taylor, C. Winqvist, C. Fischer, E. M. Slade, I. Steffan-Dewenter, M. Emmerson, S. G. Potts, T. Tscharntke, W. Weisser, and R. Bommarco. 2015. Functional identity and diversity of animals predict ecosystem functioning better than species-based indices. *Proceedings of the Royal Society B* 282:20142620.

Gambi, M. C., A. R. M. Nowell, and P. A. Jumars. 1990. Flume observations on flow dynamics in *Zostera marina* (eelgrass) beds. *Marine Ecology Progress Series* 61:159–169.

Gamfeldt, L., and H. Hillebrand. 2008. Biodiversity effects on aquatic ecosystem functioning - Maturation of a new paradigm. *International Review of Hydrobiology* 93:550–564.

Gee, G. W., and J. W. Bauder. 1986. Particle-size analysis. Pages 383–411 in A. Klute, editor. *Methods of soil analysis: Part 1*. Ninth edition. Soil Science Society of America, Madison, USA.

Gerisch, M., V. Agostinelli, K. Henle, and F. Dzioc. 2012. More species, but all do the same: contrasting effects of flood disturbance on ground beetle functional and species diversity. *Oikos* 121:508–515.

Van Gils, J. A., M. Van Der Geest, E. J. Jansen, L. L. Govers, J. De Fouw, and T. Piersma. 2012. Trophic cascade induced by molluscivore predator alters pore-water biogeochemistry via competitive release of prey. *Ecology* 93:1143–1152.

Granata, T. C., T. Serra, J. Colomer, X. Casamitjana, C. M. Duarte, and E. Gacia. 2001. Flow and particle distributions in a nearshore seagrass meadow before and after a storm. *Marine Ecology Progress Series* 218:95–106.

## REFERENCES

- Grasshoff, K., M. Ehrhardt, and K. Kremling. 1983. Methods of Seawater Analysis. Second edi. Verlag Chemie, Weinheim, Germany.
- De Grave, S., and A. Whitaker. 1999. Benthic community re-adjustment following dredging of a muddy-maerl matrix. *Marine Pollution Bulletin* 38:102–108.
- Gray, J. S., and M. Elliott. 2009. Ecology of Marine Sediments: From Science to Management. Oxford University Press, Oxford, UK.
- Gurevitch, J., and D. K. Padilla. 2004. Are invasive species a major cause of extinctions? *Trends in Ecology and Evolution* 19:470–474.
- Gusmao-Junior, J. B. L., and P. C. Lana. 2015. Spatial variability of the infauna adjacent to intertidal rocky shores in a subtropical estuary. *Hydrobiologia* 743:53–64.
- Gusmao, J. B., K. M. Brauko, B. K. Eriksson, and P. C. Lana. 2016. Functional diversity of macrobenthic assemblages decreases in response to sewage discharges. *Ecological Indicators* 66:65–75.
- Gutiérrez, J. L., C. G. Jones, J. E. Byers, K. K. Arkema, K. Berkenbusch, J. A. Commito, C. M. Duarte, S. D. Hacker, J. G. Lambrinos, I. E. Hendriks, P. J. Hogarth, M. G. Palomo, and C. Wild. 2011. Physical Ecosystem Engineers and the Functioning of Estuaries and Coasts. Pages 53–81 in E. Wolanski and D. McLusky, editors. *Treatise on Estuarine and Coastal Science*. Elsevier Inc., Oxford.
- Gutiérrez, J. L., C. G. Jones, D. L. Strayer, and O. O. Iribarne. 2003. Mollusks as ecosystem engineers: the role of shell production in aquatic habitats. *Oikos* 101:79–90.

## H

- Hagerthey, S. E., E. C. Defew, and D. M. Paterson. 2002. Influence of *Corophium volutator* and *Hydrobia ulvae* on intertidal benthic diatom assemblages under different nutrient and temperature regimes. *Marine Ecology Progress Series* 245:47–59.
- Hairston, N. G., F. E. Smith, and L. B. Slobodkin. 1960. Community structure, population control, and competition. *The American Naturalist* 94:421–425.
- Heck, K. L., T. J. B. Carruthers, C. M. Duarte, A. Randall Hughes, G. Kendrick, R. J. Orth, and S. W. Williams. 2008. Trophic transfers from seagrass meadows subsidize diverse marine and terrestrial consumers. *Ecosystems* 11:1198–1210.
- Heip, C. H. R., N. K. Goossen, P. M. J. Herman, J. Kromkamp, J. J. Middelburg, and K. Soetaert. 1995. Production and consumption of biological particles in temperate tidal estuaries. *Oceanography and Marine Biology Annual Review* 33:1–149.
- Hendriks, I. E., T. Sintes, T. J. Bouma, and C. M. Duarte. 2008. Experimental assessment and modeling evaluation of the effects of the seagrass *Posidonia oceanica* on flow and particle trapping. *Marine Ecology Progress Series* 356:163–173.
- Hewitt, J. E., J. Norkko, L. Kauppi, A. Villnäs, A. Norkko, and D. P. C. Peters. 2016. Species and functional trait turnover in response to broad-scale change and an invasive species. *Ecosphere* 7:1–11.

## REFERENCES

- Hewitt, J. E., S. F. Thrush, and P. D. Dayton. 2008. Habitat variation, species diversity and ecological functioning in a marine system. *Journal of Experimental Marine Biology and Ecology* 366:116–122.
- Hillebrand, H., and B. Matthiessen. 2009. Biodiversity in a complex world: Consolidation and progress in functional biodiversity research. *Ecology Letters* 12:1405–1419.
- Hooper, D. U., E. C. Adair, B. J. Cardinale, J. E. K. Byrnes, B. A. Hungate, K. L. Matulich, A. Gonzalez, J. E. Duffy, L. Gamfeldt, and M. I. O. Connor. 2012. A global synthesis reveals biodiversity loss as a major driver of ecosystem change. *Nature* 486:105–108.
- Hooper, D. U., F. S. Chapin III, J. J. Ewel, P. Inchausti, S. Lavorel, J. H. Lawton, D. M. Lodge, M. Loreau, S. Naeem, B. Schmid, H. Setälä, A. J. Symstad, J. van der Meer, and D. A. Wardle. 2005. Effects of biodiversity on ecosystem functioning: a consensus of current knowledge. *Ecological Monographs* 75:3–35.

## J

- Jackson, J. B. C., M. X. Kirby, W. H. Berger, K. A. Bjoerndal, L. W. Botsford, B. J. Bourque, R. H. Bradbury, R. Cooke, J. Erlandson, J. A. Estes, T. P. Hughes, S. Kidwell, C. B. Lange, H. S. Lenihan, J. M. Pandolfi, C. H. Peterson, R. S. Steneck, M. J. Tegner, R. R. Warner, E. Jon, J. A. Estes, T. P. Hughes, S. Kidwell, C. B. Lange, H. S. Lenihan, J. M. Pandolfi, C. H. Peterson, R. S. Steneck, M. J. Tegner, and R. R. Warner. 2001. Historical overfishing and the recent collapse of coastal ecosystems. *Science* 293:629–638.
- Jeffrey, S. W., and G. F. Humphrey. 1975. New spectrophotometric equations for determining chlorophylls a, b, c1 and c2 in higher plants, algae and natural phytoplankton. *Biochemical Physiology Pflanz* 167: 191–194.
- Jones, C. G., J. H. Lawton, and M. Shachak. 1994. Organisms as ecosystem engineers. *Oikos* 69:373–386.
- Jones, D., and C. L. J. Frid. 2009. Altering intertidal sediment topography: effects on biodiversity and ecosystem functioning. *Marine Ecology* 30:83–96.
- de Jonge, V. N., and J. E. E. van Beusekom. 1995. Wind- and tide-induced resuspension of sediment and microphytobenthos from tidal flats in the Ems estuary. *Limnology and Oceanography* 40:776–778.
- de Jonge, V. N., K. Essink, and R. Boddeke. 1993. The Dutch Wadden Sea: a changed ecosystem. *Hydrobiologia* 265:45–71.
- Jormalainen, V., K. Gagnon, J. Sjöroos, and E. Rothäuster. 2016. The invasive mud crab enforces a major shift in a rocky littoral invertebrate community of the Baltic Sea. *Biological Invasions* 18:1409–1419.
- Jumars, P. a, K. M. Dorgan, and S. M. Lindsay. 2015. Diet of worms emended: an update of polychaete feeding guilds. *Annual Review of Marine Science* 7:497–520.

## K

- Karlson, A. M. L., E. Gorokhova, and R. Elmgren. 2015. Do deposit-feeders compete? Isotopic niche analysis of an invasion in a species-poor system. *Scientific Reports* 5:9715.

## REFERENCES

- Kautsky, N. 1982. Quantitative studies on gonad cycle, fecundity, reproductive output and recruitment in a baltic *Mytilus edulis* population. *Marine Biology* 68:143–160.
- Kawakami, S. K., and R. C. Montone. 2002. An efficient ethanol-based analytical protocol to quantify faecal steroids in marine sediments. *Journal of the Brazilian Chemical Society* 13:226–232.
- Kéfi, S., E. L. Berlow, E. A. Wieters, L. N. Joppa, S. A. Wood, U. Brose, and S. A. Navarrete. 2015. Network structure beyond food webs: Mapping non-trophic and trophic interactions on Chilean rocky shores. *Ecology* 96:291–303.
- Kéfi, S., E. L. Berlow, E. A. Wieters, S. A. Navarrete, O. L. Petchey, S. A. Wood, A. Boit, L. N. Joppa, K. D. Lafferty, R. J. Williams, N. D. Martinez, B. A. Menge, C. A. Blanchette, A. C. Iles, and U. Brose. 2012. More than a meal... integrating non-feeding interactions into food webs. *Ecology Letters* 15:291–300.
- Koenker, R. 2016. quantreg: Quantile Regression. 5.29.
- van de Koppel, J., T. van der Heide, A. H. Altieri, B. K. Eriksson, T. J. Bouma, H. Olff, and B. R. Silliman. 2015. Long-distance interactions regulate the structure and resilience of coastal ecosystems. *Annual Review of Marine Science* 7:139–158.
- Kristensen, E. 2008. Mangrove crabs as ecosystem engineers; with emphasis on sediment processes. *Journal of Sea Research* 59:30–43.
- Kristensen, E., G. Penha-lopes, M. Delefosse, T. Valdemarsen, C. O. Quintana, and G. T. Banta. 2012. What is bioturbation? The need for a precise definition for fauna in aquatic sciences. *Marine Ecology Progress Series* 446:285–302.
- Kristensen, L. D., C. Stenberg, J. G. Støttrup, L. K. Poulsen, H. T. Christensen, P. Dolmer, A. Landes, M. Røjbek, S. W. Thorsen, M. Holmer, M. V. Deurs, and P. Grønkjær. 2015. Establishment of blue mussel beds to enhance fish habitats. *Applied Ecology and Environmental Research* 13:819–831.
- Kromkamp, J. C., J. F. C. de Brouwer, G. F. Blanchard, R. M. Forster, and V. Créach. 2006. Functioning of microphytobenthos in estuaries. Royal Netherlands Academy of Arts and Sciences, Amsterdam, The Netherlands.
- L**
- Laliberté, E., and P. Legendre. 2010. A distance-based framework for measuring functional diversity from multiple traits. *Ecology* 91:299–305.
- Laliberté, E., and B. Shipley. 2011. Measuring functional diversity (FD) from multiple traits, and other tools for functional ecology.
- Lana, P. C., E. Marone, R. M. Lopes, and E. C. Machado. 2001. The subtropical estuarine complex of Paranaguá Bay, Brazil. Pages 131–145 in U. Seeliger and B. Kjerfve, editors. *Coastal Marine Ecosystems of Latin America*. Springer-Verlag, Berlin.
- Lavorel, S. 2013. Plant functional effects on ecosystem services. *Journal of Ecology* 101:4–8.
- Lavorel, S., and E. Garnier. 2002. Predicting changes in community composition and ecosystem functioning from plant traits: revisiting the Holy Grail. *Functional Ecology* 16:545–556.

## REFERENCES

- Lavorel, S., K. Grigulis, P. Lamarque, M. P. Colace, D. Garden, J. Girel, G. Pellet, and R. Douzet. 2011. Using plant functional traits to understand the landscape distribution of multiple ecosystem services. *Journal of Ecology* 99:135–147.
- Lefcheck, J. S., V. A. G. Bastazini, and J. N. Griffin. 2015. Choosing and using multiple traits in functional diversity research. *Environmental Conservation* 42:104–107.
- Linden, van der, A. Marchini, C. J. Smith, M. Dolbeth, L. R. L. Simone, J. C. Marques, J. Molozzi, C. R. Medeiros, and J. Patrício. 2017. Functional changes in polychaete and mollusc communities within two tropical estuaries. *Estuarine, Coastal and Shelf Science* 187:62–73.
- van der Linden, P., A. Borja, J. G. Rodríguez, I. Muxika, I. Galparsoro, J. Patrício, H. Veríssimo, and J. C. Marques. 2016. Spatial and temporal response of multiple trait-based indices to natural- and anthropogenic seafloor disturbance (effluents). *Ecological Indicators* 69:617–628.
- van der Linden, P., J. Patrício, A. Marchini, N. Cid, J. Magalhães, and J. Carlos. 2012. A biological trait approach to assess the functional composition of subtidal benthic communities in an estuarine ecosystem. *Ecological Indicators* 20:121–133.
- Lohrer, A. M., S. F. Thrush, and M. M. Gibbs. 2004. Bioturbators enhance ecosystem function through complex biogeochemical interactions. *Nature* 431:1092–1095.
- Longstaff, B. J., and W. C. Dennison. 1999. Seagrass survival during pulsed turbidity events: The effects of light deprivation on the seagrasses *Halodule pinifolia* and *Halophila ovalis*. *Aquatic Botany* 65:105–121.
- Lotze, H. K., H. S. Lenihan, B. J. Bourque, R. H. Bradbury, R. G. Cooke, M. C. Kay, S. M. Kidwell, M. X. Kirby, C. H. Peterson, and J. B. C. Jackson. 2006. Depletion, degradation, and recovery potential of estuaries and coastal seas. *Science* 312:1806–1809.
- Lotze, H. K., K. Reise, B. Worm, J. van Beusekom, M. Busch, A. Ehlers, D. Heinrich, R. C. Hoffmann, P. Holm, C. Jensen, O. S. Knottnerus, N. Langhanki, W. Prummel, M. Vollmer, and W. J. Wolff. 2005. Human transformations of the Wadden Sea ecosystem through time: A synthesis. *Helgoland Marine Research* 59:84–95.
- Luck, G. W., A. Carter, and L. Smallbone. 2013. Changes in bird functional diversity across multiple land uses: interpretations of functional redundancy depend on functional group identity. *PloS ONE* 8:e63671.
- M**
- Mack, R. N., D. Simberloff, W. M. Lonsdale, H. Evans, M. Clout, and F. A. Bazzaz. 2000. Biotic invasions: Causes, epidemiology, global consequences, and control. *Ecological Applications* 10:689–710.
- Markert, A., W. Esser, D. Frank, A. Wehrmann, and K. M. Exo. 2013. Habitat change by the formation of alien *Crassostrea*-reefs in the Wadden Sea and its role as feeding sites for waterbirds. *Estuarine, Coastal and Shelf Science* 131:41–51.

## REFERENCES

- Markert, A., A. Wehrmann, and I. Kröncke. 2009. Recently established *Crassostrea*-reefs versus native *Mytilus*-beds: Differences in ecosystem engineering affects the macrofaunal communities (Wadden Sea of Lower Saxony, southern German Bight). *Biological Invasions* 12:15–32.
- MarLIN. 2006. BIOTIC - Biological Traits Information Catalogue. Marine Life Information Network. [www.marlin.ac.uk/biotic](http://www.marlin.ac.uk/biotic).
- Marone, E., and D. Jamiyanaa. 1997. Tidal characteristics and a numerical model for the M2 tide at the estuarine complex of the Bay of Paranaguá, Paraná, Brazil. *Nerítica* 11:95–107.
- Martins, C. C., J. A. F. Braun, B. H. Seyffert, E. C. Machado, and G. Fillmann. 2010. Anthropogenic organic matter inputs indicated by sedimentary fecal steroids in a large South American tropical estuary (Paranaguá estuarine system, Brazil). *Marine Pollution Bulletin* 60:2137–2143.
- Mason, N. W. H., D. Mouillot, W. G. Lee, and J. B. Wilson. 2005. Functional richness, functional evenness and functional divergence: the primary components of functional diversity. *Oikos* 111:112–118.
- Massicotte, P., J. J. Frenette, R. Proulx, B. Pinel-Alloul, and A. Bertolo. 2014. Riverscape heterogeneity explains spatial variation in zooplankton functional evenness and biomass in a large river ecosystem. *Landscape Ecology* 29:67–79.
- Maxwell, P. S., J. S. Eklöf, M. M. van Katwijk, K. O'Brien, M. de la Torre-Castro, C. Boström, T. J. Bouma, R. K. F. Unsworth, B. Van Tussenbroek, and T. van der Heide. 2016. The fundamental role of ecological feedback mechanisms for the adaptive management of seagrass ecosystems - a review. *Biological Reviews*.
- McGill, B. J., B. J. Enquist, E. Weiher, and M. Westoby. 2006. Rebuilding community ecology from functional traits. *Trends in ecology & evolution* 21:178–85.
- McGlathery, K. J., K. Sundbäck, and I. C. Anderson. 2007. Eutrophication in shallow coastal bays and lagoons: The role of plants in the coastal filter. *Marine Ecology Progress Series* 348:1–18.
- McKinney, M. L., and J. L. Lockwood. 1999. Biotic homogenization: A few winners replacing many losers in the next mass extinction. *Trends in Ecology and Evolution* 14:450–453.
- McLeod, I. M., D. M. Parsons, M. A. Morrison, A. Le Port, and R. B. Taylor. 2012. Factors affecting the recovery of soft-sediment mussel reefs in the Firth of Thames, New Zealand. *Marine and Freshwater Research* 63:78–83.
- Méléder, V., Y. Rincé, L. Barillé, P. Gaudin, and P. Rosa. 2007. Spatiotemporal changes in microphytobenthos assemblages in a macrotidal flat (Bourgneuf Bay, France). *Journal of Phycology* 43:1177–1190.
- Mermilliod-Blondin, F. 2011. The functional significance of bioturbation and biodeposition on biogeochemical processes at the water-sediment interface in freshwater and marine ecosystems. *Journal of the North American Benthological Society* 30:770–778.

## REFERENCES

- Mermillod-blondin, F., and R. Rosenberg. 2006. Ecosystem engineering: the impact of bioturbation on biogeochemical processes in marine and freshwater benthic habitats. *Aquatic Sciences* 68:434–442.
- Meysman, F. J. R., O. S. Galaktionov, B. Gribsholt, and J. J. Middelburg. 2006a. Bioirrigation in permeable sediments: Advective pore-water transport induced by burrow ventilation. *Limnology and Oceanography* 51:142–156.
- Meysman, F. J. R., J. J. Middelburg, and C. H. R. Heip. 2006b. Bioturbation: a fresh look at Darwin’s last idea. *Trends in Ecology and Evolution* 21:688–695.
- Michaud, E., G. Desrosiers, F. Mermillod-Blondin, B. Sundby, and G. Stora. 2005. The functional group approach to bioturbation: The effects of biodiffusers and gallery-diffusers of the *Macoma balthica* community on sediment oxygen uptake. *Journal of Experimental Marine Biology and Ecology* 326:77–88.
- Mlambo, M. C. 2014. Not all traits are “functional”: insights from taxonomy and biodiversity-ecosystem functioning research. *Biodiversity and Conservation* 23:781–790.
- Mokany, K., J. Ash, and S. Roxburgh. 2008. Functional identity is more important than diversity in influencing ecosystem processes in a temperate native grassland. *Journal of Ecology* 96:884–893.
- Montani, S., P. Magni, and N. Abe. 2003. Seasonal and interannual patterns of intertidal microphytobenthos in combination with laboratory and areal production estimates. *Marine Ecology Progress Series* 249:79–91.
- Mouchet, M. A., S. Villéger, N. W. H. Mason, and D. Mouillot. 2010. Functional diversity measures: an overview of their redundancy and their ability to discriminate community assembly rules. *Functional Ecology* 24:867–876.
- Mouillot, D., N. A. J. Graham, S. Villéger, N. W. H. Mason, and D. R. Bellwood. 2013. A functional approach reveals community responses to disturbances. *Trends in Ecology and Evolution* 28:167–177.
- Muxika, I., Á. Borja, and J. Bald. 2007. Using historical data, expert judgement and multivariate analysis in assessing reference conditions and benthic ecological status, according to the European Water Framework Directive. *Marine Pollution Bulletin* 55:16–29.
- Myint, U. M., and P. A. Tyler. 1982. Effects of temperature, nutritive and metal stressors on the reproductive biology of *Mytilus edulis*. *Marine Biology* 67:209–223.

## N

- Nehls, G., S. Diederich, D. W. Thieltges, and M. Strasser. 2006. Wadden Sea mussel beds invaded by oysters and slipper limpets: Competition or climate control? *Helgoland Marine Research* 60:135–143.
- Nieuwhof, S., P. M. J. Herman, N. Dankers, K. Troost, and D. van der Wal. 2015. Remote sensing of epibenthic shellfish using synthetic aperture radar satellite imagery. *Remote Sensing* 7:3710–3734.

## REFERENCES

- Noernberg, M. A., L. F. C. Lautert, A. D. Araújo, E. Marone, R. Angelotti, J. P. B. Netto Jr, and L. A. Krug. 2006. Remote sensing and GIS integration for modelling the Paranaguá estuarine complex - Brazil. *Journal of Coastal Research* SI:1627–1631.
- Norberg, J. 2004. Biodiversity and ecosystem functioning: A complex adaptive systems approach. *Limnology and Oceanography* 49:1269–1277.
- Norberg, J., D. P. Swaney, J. Dushoff, J. Lin, R. Casagrandi, and S. A. Levin. 2001. Phenotypic diversity and ecosystem functioning in changing environments: A theoretical framework. *Proceedings of the National Academy of Sciences of the United States of America* 98:11376–11381.
- Norling, P., and N. Kautsky. 2007. Structural and functional effects of *Mytilus edulis* on diversity of associated species and ecosystem functioning. *Marine Ecology Progress Series* 351:163–175.

## O

- Oksanen, J., R. Kindt, P. Legendre, B. O'Hara, G. L. Simpson, P. Solymos, M. Henry, H. Stevens, and H. Wagner. 2009. *vegan: Community Ecology Package*.
- Olff, H., D. Alonso, M. P. Berg, B. K. Eriksson, M. Loreau, T. Piersma, P. T. R. S. B, and N. Rooney. 2009. Parallel ecological networks in ecosystems Parallel ecological networks in ecosystems:1755–1779.
- Ondiviela, B., I. J. Losada, J. L. Lara, M. Maza, C. Galván, T. J. Bouma, and J. van Belzen. 2014. The role of seagrasses in coastal protection in a changing climate. *Coastal Engineering* 87:158–168.

Oppenheim, D. R. 1991. Seasonal changes in epipelagic diatoms along an intertidal shore, Berrow Flats, Somerset. *Journal of the Marine Biological Association of the United Kingdom* 71:579–596.

Orth, R. J., K. L. Heck, Jr., and J. van Montfrans. 1984. Faunal communities in seagrass beds: A review of the influence of plant structure and prey characteristics on predator-prey relationships. *Estuaries* 7:339–350.

Otegui, M. B. P., K. M. Brauko, and P. R. Pagliosa. 2016. Matching ecological functioning with polychaete morphology: Consistency patterns along sedimentary habitats. *Journal of Sea Research* 114:13–21.

## P

- Pacheco, A. S., M. T. González, J. Bremner, M. Oliva, O. Heilmayer, J. Laudien, and J. M. Riascos. 2011. Functional diversity of marine macrobenthic communities from sublittoral soft-sediment habitats off northern Chile. *Helgoland Marine Research* 65:413–424.
- Pacheco, A. S., R. A. Uribe, M. Thiel, M. E. Oliva, and J. M. Riascos. 2013. Dispersal of post-larval macrobenthos in subtidal sedimentary habitats: Roles of vertical diel migration, water column, bedload transport and biological traits' expression. *Journal of Sea Research* 77:79–92.

## REFERENCES

- Paganelli, D., A. Marchini, and A. Occhipinti-Ambrogi. 2012. Functional structure of marine benthic assemblages using Biological Traits Analysis (BTA): A study along the Emilia-Romagna coastline (Italy, North-West Adriatic Sea). *Estuarine, Coastal and Shelf Science* 96:245–256.
- Pagliosa, P. R., and F. A. R. Barbosa. 2006. Assessing the environment–benthic fauna coupling in protected and urban areas of southern Brazil. *Biological Conservation* 129:408–417.
- Pagliosa, P. R., M. Cantor, F. Scherner, M. B. P. Otegui, A. L. Lemes-Silva, C. D. L. Martins, G. F. Alves, A. Fonseca, and P. A. Horta Jr. 2012. Influence of piers on functional groups of benthic primary producers and consumers in the channel of a subtropical coastal lagoon. *Brazilian Journal of Oceanography* 60:65–73.
- Paine, R. T. 1966. Food web complexity and species diversity. *The American Naturalist* 100:65–75.
- de Paoli, H., J. van de Koppel, E. van der Zee, A. Kangeri, J. van Belzen, S. Holthuijsen, A. van den Berg, P. Herman, H. Olff, and T. van der Heide. 2015. Processes limiting mussel bed restoration in the Wadden-Sea. *Journal of Sea Research* 103:42–49.
- Passarelli, C., F. Olivier, D. M. Paterson, T. Meziane, and C. Hubas. 2014. Organisms as cooperative ecosystem engineers in intertidal flats. *Journal of Sea Research* 92:92–101.
- Paterson, D. M., and K. S. Black. 1999. Water flow, sediment dynamics and benthic biology. Pages 155–193 *Advances in Ecological Research*. Academic Press.
- Pawar, S., G. Woodward, and A. Dell. 2015. *Trait-Based Ecology - From Structure to Function*. First edition. Academic Press, London, UK.
- Pearson, T. H., and R. Rosenberg. 1978. Macrobenthic succession in relation to organic enrichment and pollution of the marine environment. *Oceanogr. Mar. Biol. Ann. Rev* 16:229–3011.
- Petchey, O. L., and K. J. Gaston. 2006. Functional diversity: back to basics and looking forward. *Ecology letters* 9:741–58.
- Philippart, C. J. M., H. M. van Aken, J. J. Beukema, O. G. Bos, G. C. Cadée, and R. Dekker. 2003. Climate-related changes in recruitment of the bivalve *Macoma balthica*. *Limnology and Oceanography* 48:2171–2185.
- Piersma, T., A. Koolhaas, A. Dekkinga, J. A. N. J. Beukema, R. O. B. Dekker, and K. Essink. 2001. Long-term indirect effects of mechanical cockle-dredging on intertidal bivalve stocks in the Wadden Sea:976–990.
- Pinheiro, J., D. Bates, S. DebRoy, D. Sarkar, and R. C. Team. 2016. *nlme: Linear and Nonlinear Mixed Effects Models*.
- Plante-Cuny, M. R. 1978. Pigments photosynthétiques et production primaire des fonds meubles néritiques d'une région tropicale (Nosy-Bé, Madagascar). Osrtom, Paris, France.
- Poos, M. S., S. C. Walker, and D. A. Jackson. 2009. Functional-diversity indices can be driven by methodological choices and species richness. *Ecology* 90:341–347.

## REFERENCES

- Postma, H. 1982. Hydrography of the Wadden sea: movements and properties of water and particulate matter. Page (A. A. Balkema, Ed.). Report 2. Final report on "Hidrography" of the Wadden Sea Working Group, Rotterdam, The Netherlands.
- Prado, P., J. Romero, and T. Alcoverro. 2009. Welcome mats? The role of seagrass meadow structure in controlling post-settlement survival in a keystone sea-urchin species. *Estuarine, Coastal and Shelf Science* 85:472–478.
- Q**
- Queirós, A. M., S. N. R. Birchenough, J. Bremner, J. A. Godbold, R. E. Parker, A. Romero-Ramirez, H. Reiss, M. Solan, P. J. Somerfield, C. Van Colen, G. Van Hoey, and S. Widdicombe. 2013. A bioturbation classification of European marine infaunal invertebrates. *Ecology and Evolution* 3:3958–3985.
- R**
- R Development Core Team. 2009. R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria.
- Ragnarsson, S. Á., and D. Raffaelli. 1999. Effects of the mussel *Mytilus edulis* L. on the invertebrate fauna of sediments. *Journal of Experimental Marine Biology and Ecology* 241:31–43.
- Reise, K. 2002. Sediment mediated species interactions in coastal waters. *Journal of Sea Research* 48:127–141.
- Rigolet, C., E. Thiébaut, and S. Dubois. 2014. Food web structures of subtidal benthic muddy habitats: evidence of microphytobenthos contribution supported by an engineer species. *Marine Ecology Progress Series* 500:25–41.
- Rios, E. 2009. Compendium of brazilian sea shells. Evangraf, Rio Grande, Brazil.
- Rosenberg, R. 1995. Benthic marine fauna structured by hydrodynamic processes and food availability. *Netherlands Journal of Sea Research* 34:303–317.
- Rosenberg, R. 2001. Marine benthic faunal successional stages and related sedimentary activity. *Scientia Marina* 65:107–119.
- Rossi, F., B. Gribsholt, F. Gazeau, V. Di Santo, and J. J. Middelburg. 2013. Complex effects of ecosystem engineer loss on benthic ecosystem response to detrital macroalgae. *PloS one* 8:e66650.
- S**
- Sala, O. E., F. S. Chapin III, J. J. Armesto, E. Berlow, J. Bloomfield, R. Dirzo, E. Huber-Sanwald, L. F. Huenneke, R. B. Jackson, A. Kinzig, R. Leemans, D. M. Lodge, H. A. Mooney, M. Oesterheld, N. L. Poff, M. T. Skykes, B. H. Walker, M. Walker, and D. H. Wall. 2000. Global biodiversity scenarios for the year 2100. *Science* 287:1770–1774.
- Sandrini-Neto, L., and M. G. Camargo. 2010. GAD: an R package for ANOVA designs from general principles.
- Schirmel, J., and S. Buchholz. 2013. Invasive moss alters patterns in life-history traits and functional diversity of spiders and carabids. *Biological Invasions* 15:1089–1100.

## REFERENCES

- Schleuter, D., M. Daufresne, F. Massol, and C. Argillier. 2010. A user's guide to functional diversity indices. *Ecological Monographs* 80:469–484.
- Schuldt, A., H. Bruelheide, W. Durka, S. G. Michalski, O. Purschke, and T. Assmann. 2014. Tree diversity promotes functional dissimilarity and maintains functional richness despite species loss in predator assemblages. *Oecologia* 174:533–43.
- Schulte, D. M., R. P. Burke, and R. N. Lipcius. 2009. Unprecedented restoration of a native oyster metapopulation. *Science* 325:1124–8.
- Snelgrove, P. V. R. 1998. The biodiversity of macrofaunal organisms in marine sediments. *Biodiversity and Conservation* 7:1123–1132.
- Solan, M., B. J. Cardinale, A. L. Downing, K. A. M. Engelhardt, J. L. Ruesink, and D. S. Srivastava. 2004. Extinction and ecosystem function in the marine benthos. *Science* 306:1177–1180.
- Sommer, U. 2000. Benthic microalgal diversity enhanced by spatial heterogeneity of grazing. *Oecologia* 122:284–287.
- Sousa, R., J. L. Gutiérrez, and D. C. Aldridge. 2009. Non-indigenous invasive bivalves as ecosystem engineers. *Biological Invasions* 11:2367–2385.
- Souza, F. M., K. M. Brauko, P. C. Lana, P. Muniz, and M. G. Camargo. 2013. The effect of urban sewage on benthic macrofauna: a multiple spatial scale approach. *Marine pollution bulletin* 67:234–240.
- Piess, A. N. 2014. qpcR: Modelling and analysis of real-time PCR data.
- Stal, L. J. 2003. Microphytobenthos, their extracellular polymeric substances, and the morphogenesis of intertidal sediments. *Geomicrobiology Journal* 20:463–478.
- Staveley, T. A. B., D. Perry, R. Lindborg, and M. Gullström. 2016. Seascape structure and complexity influence temperate seagrass fish assemblage composition. *Ecography* 39:1–11.
- Stoner, A. W. 1980. The role of seagrass biomass in the organization of benthic macrofaunal assemblages. *Bulletin of Marine Science* 30:537–551.
- Strickland, J. D. H., and T. R. Parsons. 1972. A practical handbook of seawater analysis. Fisheries Research Board of Canada, Ottawa, Canada.
- Suguio, K. 1973. Introdução à Sedimentologia. Edgard Blücher/EDUSP, São Paulo, BR.
- Suykerbuyk, W., T. J. Bouma, T. van der Heide, C. Faust, L. L. Govers, W. B. J. T. Giesen, D. J. de Jong, and M. M. van Katwijk. 2012. Suppressing antagonistic bioengineering feedbacks doubles restoration success. *Ecological Applications* 22:1224–1231.
- T**
- Terrados, J., C. M. Duarte, L. Kamp-Nielsen, N. S. R. Agawin, E. Gacia, D. Lacap, M. D. Fortes, J. Borum, M. Lubanski, and T. Greve. 1999. Are seagrass growth and survival constrained by the reducing conditions of the sediment? *Aquatic Botany* 65:175–197.

## REFERENCES

- Thomsen, M., J. Byers, D. Schiel, J. Bruno, J. Olden, T. Wernberg, and B. Silliman. 2014a. Impacts of marine invaders on biodiversity depend on trophic position and functional similarity. *Marine Ecology Progress Series* 495:39–47.
- Thomsen, M. S., T. Wernberg, J. D. Olden, J. E. Byers, J. F. Bruno, B. R. Silliman, and D. R. Schiel. 2014b. Forty years of experiments on aquatic invasive species: are study biases limiting our understanding of impacts? *NeoBiota* 22:1–22.
- Thrush, S. F., and P. K. Dayton. 2002. Disturbance to marine benthic habitats by trawling and dredging: Implications for marine biodiversity. *Annual Review of Ecology and Systematics* 33:449–473.
- Tilman, D. 2001. Functional diversity. Pages 109–120 in S. A. Levin, editor. *Encyclopaedia of Biodiversity*. Academic Press, San Diego, USA.
- de la Torre-Castro, M., and P. Rönnbäck. 2004. Links between humans and seagrasses - An example from tropical East Africa. *Ocean and Coastal Management* 47:361–387.
- Troost, K. 2010. Causes and effects of a highly successful marine invasion: Case-study of the introduced Pacific oyster *Crassostrea gigas* in continental NW European estuaries. *Journal of Sea Research* 64:145–165.
- Tulp, I., J. Craeymeersch, M. Leopold, C. Van Damme, F. Fey, and H. Verdaat. 2010. The role of the invasive bivalve *Ensis directus* as food source for fish and birds in the Dutch coastal zone. *Estuarine, Coastal and Shelf Science* 90:116–128.

## U

- Underwood, G. J. C., and J. Kromkamp. 1999. Primary production by phytoplankton and microphytobenthos in estuaries. *Advances in Ecological Research* 29:93–153.

## V

- Vaquer-Sunyer, R., and C. M. Duarte. 2010. Sulfide exposure accelerates hypoxia-driven mortality. *Limnology and Oceanography* 55:1075–1082.
- Vilà, M., J. L. Espinar, M. Hejda, P. E. Hulme, V. Jarošík, J. L. Maron, J. Pergl, U. Schaffner, Y. Sun, and P. Pyšek. 2011. Ecological impacts of invasive alien plants: A meta-analysis of their effects on species, communities and ecosystems. *Ecology Letters* 14:702–708.
- Villéger, S., N. W. H. Mason, and D. Mouillot. 2008. New multidimensional functional diversity indices for a multifaceted framework in functional ecology. *Ecology* 89:2290–301.
- Villéger, S., J. R. Miranda, D. F. Hernández, and D. Mouillot. 2010. Contrasting changes in taxonomic vs. functional diversity of tropical fish communities after habitat degradation. *Ecological Applications* 20:1512–1522.
- Villéger, S., P. M. Novack-Gottshall, and D. Mouillot. 2011. The multidimensionality of the niche reveals functional diversity changes in benthic marine biotas across geological time. *Ecology letters* 14:561–568.
- Villnäs, A., J. Perus, and E. Bonsdorff. 2011. Structural and functional shifts in zoobenthos induced by organic enrichment - Implications for community recovery potential. *Journal of Sea Research* 65:8–18.

## REFERENCES

Violle, C., M.-L. Navas, D. Vile, E. Kazakou, C. Fortunel, I. Hummel, and E. Garnier. 2007. Let the concept of trait be functional! *Oikos* 116:882–892.

### W

van der Wal, D., A. Wielemaker-van den Dool, and P. M. J. Herman. 2010. Spatial synchrony in intertidal benthic algal biomass in temperate coastal and estuarine ecosystems. *Ecosystems* 13:338–351.

Wan Hussin, W. M. R., K. M. Cooper, C. R. S. B. Froján, E. C. Defew, and D. M. Paterson. 2012. Impacts of physical disturbance on the recovery of a macrofaunal community: A comparative analysis using traditional and novel approaches. *Ecological Indicators* 12:37–45.

Waycott, M., C. M. Duarte, T. J. B. Carruthers, R. J. Orth, W. C. Dennison, S. Olyarnik, A. Calladine, J. W. Fourqurean, K. L. Heck, Ar. Hughes, G. A. Kendrick, Wj. Kenworthy, F. T. Short, and S. L. Williams. 2009. Accelerating loss of seagrasses across the globe threatens coastal ecosystems. *Proceedings of the National Academy of Sciences, USA* 106:12377–12381.

Widdows, J., and M. Brinsley. 2002. Impact of biotic and abiotic processes on sediment dynamics and the consequences to the structure and functioning of the intertidal zone. *Journal of Sea Research* 48:143–156.

Wolff, W. J. 2000. Causes of extirpations in the Wadden Sea, an estuarine area in the Netherlands. *Conservation Biology* 14:876–885.

### Z

Zajac, R. N., R. B. Whitlatch, and S. F. Thrush. 1998. Recolonization and succession in soft-sediment infaunal communities: the spatial scale of controlling factors. *Hydrobiologia* 375/376:227–240.

van der Zee, E. M., C. Angelini, L. L. Govers, M. Christianen, A. H. Altieri, K. J. van der Reijden, B. R. Silliman, J. van de Koppel, M. Van der Geest, J. a van Gils, H. W. van der Veer, T. Piersma, P. C. de Ruiter, H. Olff, and T. van der Heide. 2016. How habitat-modifying organisms structure the food web of two coastal ecosystems. *Proceedings of the Royal Society B: Biological Sciences* 283:20152326.

van der Zee, E. M., T. van der Heide, S. Donadi, J. S. Eklöf, B. K. Eriksson, H. Olff, H. W. van der Veer, and T. Piersma. 2012. Spatially extended habitat modification by intertidal reef-building bivalves has implications for consumer-resource interactions. *Ecosystems* 15:664–673.

van der Zee, E. M., E. Tielens, S. Holthuijsen, S. Donadi, B. K. Eriksson, H. W. van der Veer, T. Piersma, H. Olff, and T. van der Heide. 2015. Habitat modification drives benthic trophic diversity in an intertidal soft-bottom ecosystem. *Journal of Experimental Marine Biology and Ecology* 465:41–48.



