

University of Groningen

Causes and consequences of glucocorticoid variation in zebra finches

Jimeno Revilla, Blanca

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2018

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Jimeno Revilla, B. (2018). *Causes and consequences of glucocorticoid variation in zebra finches*. University of Groningen.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

References

A

- Akaike, H., 1973. Maximum likelihood identification of Gaussian autoregressive moving average models. *Biometrika* 255–265.
- Angelier, F., Weimerskirch, H., Dano, S., & Chastel, O. (2007). Age, experience and reproductive performance in a long-lived bird: a hormonal perspective. *Behavioural Ecology and Sociobiology*, 61(4), 611-621.
- Angelier, F., Holberton, R. L., & Marra, P. P. (2009). Does stress response predict return rate in a migratory bird species? A study of American redstarts and their non-breeding habitat. *Proceedings of the Royal Society of London B: Biological Sciences*, 276(1672), 3545-3551.
- Armario, A. (2006). The hypothalamic-pituitary-adrenal axis: what can it tell us about stressors?. *CNS & Neurological Disorders-Drug Targets*, 5(5), 485-501.

B

- Bamberger, C. M., Schulte, H. M., & Chrousos, G. P. (1996). Molecular determinants of glucocorticoid receptor function and tissue sensitivity to glucocorticoids. *Endocrine reviews*, 17(3), 245-261.
- Banerjee, S. B., Arterberry, A. S., Fergus, D. J., & Adkins-Regan, E. (2012). Deprivation of maternal care has long-lasting consequences for the hypothalamic–pituitary–adrenal axis of zebra finches. *Proceedings of the Royal Society of London B: Biological Sciences*, 279(1729), 759-766.
- Bartoń, K., 2013. MuMIn: multi-model inference. R package version 1 (5).
- Bates, D., Maechler, M., Bolker, B., & Walker, S. (2014). lme4: Linear mixed-effects models using Eigen and S4. *R package version*, 1(7), 1-23.
- Bates, D., Machler, M., Bolker, B. M., & Walker, S. C. (2015). J. Stat. Softw. *Fitting linear mixed-effects models using lme4*, 67, 1-48.
- Bauch, C., Riechert, J., Verhulst, S., & Becker, P. H. (2016). Telomere length reflects reproductive effort indicated by corticosterone levels in a long-lived seabird. *Molecular ecology*, 25(22), 5785-5794.
- Bauer, C. M., Glassman, L. W., Cyr, N. E., & Romero, L. M. (2011). Effects of predictable and unpredictable food restriction on the stress response in molting and non-molting European starlings (*Sturnus vulgaris*). *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 160(3), 390-399.
- Baugh, A. T., Schaper, S. V., Hau, M., Cockrem, J. F., de Goede, P., & van Oers, K. (2012). Corticosterone responses differ between lines of great tits (*Parus major*) selected for divergent personalities. *General and Comparative Endocrinology*, 175, 488–494.
- Baugh, A. T., van Oers, K., Naguib, M., & Hau, M. (2013). Initial reactivity and magnitude of the acute stress response associated with personality in wild great tits (*Parus major*). *General and Comparative Endocrinology*, 189, 96–104.

References

- Baugh, A. T., van Oers, K., Dingemanse, N. J., & Hau, M. (2014). Baseline and stress-induced glucocorticoid concentrations are not repeatable but covary within individual great tits (*Parus major*). *General and Comparative Endocrinology*, 208, 154-163.
- Beaulieu, M. (2016). A bird in the house: the challenge of being ecologically relevant in captivity. *Frontiers in Ecology and Evolution*, 4, 141.
- Beerling, W., Koolhaas, J. M., Ahnaou, A., Bouwknecht, J. A., de Boer, S. F., Meerlo, P., & Drinkenburg, W. H. I. M. (2011). Physiological and hormonal responses to novelty exposure in rats are mainly related to ongoing behavioural activity. *Physiology & behaviour*, 103(3-4), 412-420.
- Blas, J., Bortolotti, G. R., Tella, J. L., Baos, R., & Marchant, T. A. (2007). Stress response during development predicts fitness in a wild, long lived vertebrate. *Proceedings of the National Academy of Sciences of the United States of America*, 104, 8880–8884.
- Blount, J. D., Metcalfe, N. B., Arnold, K. E., Surai, P. F., Devevey, G. L., & Monaghan, P. (2003). Neonatal nutrition, adult antioxidant defences and sexual attractiveness in the zebra finch. *Proceedings of the Royal Society of London B: Biological Sciences*, 270(1525), 1691-1696.
- Bókony, V., Lendvai, A. Z., Liker, A., Angelier, F., Wingfield, J. C. & Chastel, O. (2009). Stress response and the value of reproduction: are birds prudent parents? *The American naturalist* 173, 589–598.
- Bonier, F., Moore, I. T., Martin, P. R. & Robertson, R. J. (2009a). The relationship between fitness and baseline glucocorticoids in a passerine bird. *General and Comparative Endocrinology* 163, 208–213.
- Bonier, F., Martin, P. R., Moore, I. T. & Wingfield, J. C. (2009b). Do baseline glucocorticoids predict fitness? *Trends in Ecology and Evolution* 24, 634–642.
- Bonier, F., Moore, I. T. & Robertson, R. J. (2011). The stress of parenthood? Increased glucocorticoids in birds with experimentally enlarged broods. *Biology Letters* 7, 944–946.
- Boonekamp, J. J., Dijkstra, R., Dijkstra, C., & Verhulst, S. (2017). Canalization of development reduces the utility of traits as fitness biomarkers: feather fault bars in nestling birds. *Functional Ecology*, 31(3), 719-727.
- Bortolotti, G. R., Marchant, T. A., Blas, J., & German, T. (2008). Corticosterone in feathers is a long-term, integrated measure of avian stress physiology. *Functional Ecology*, 22(3), 494-500.
- Bouwhuis, S., Sheldon, B. C., & Verhulst, S. (2011). Basal metabolic rate and the rate of senescence in the great tit. *Functional ecology*, 25(4), 829-838.
- Braun, E. J., & Sweazey, K. L. (2008). Glucose regulation in birds. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 151(1), 1-9.
- Breuner, C. W., & Hahn, T. P. (2003). Integrating stress physiology, environmental change, and behaviour in free-living sparrows. *Hormones and behaviour*, 43(1), 115-123.
- Breuner, C. W., Patterson, S. H. & Hahn, T. P. (2008). In search of relationships between the acute adrenocortical response and fitness. *General and Comparative Endocrinology* 157, 288–295.

- Briga, M. (2016). *Growing up and growing old: a longitudinal study on aging in zebra finches*. University of Groningen.
- Briga, M., & Verhulst, S. (2017). Individual variation in metabolic reaction norms over ambient temperature causes low correlation between basal and standard metabolic rate. *Journal of Experimental Biology*, 220(18), 3280-3289.
- Briga, M., Koetsier, E., Boonekamp, J. J., Jimeno, B., & Verhulst, S. (2017). Food availability affects adult survival trajectories depending on early developmental conditions. *Proceedings of the Royal Society B*, 284(1846), 20162287.
- de Bruijn, R., & Romero, L. M. (2011). Behavioural and physiological responses of wild-caught European starlings (*Sturnus vulgaris*) to a minor, rapid change in ambient temperature. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 160(2), 260-266.
- de Bruijn, R., & Romero, L. M. (2013). Artificial rain and cold wind act as stressors to captive molting and non-molting European starlings (*Sturnus vulgaris*). *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 164(3), 512-519.
- Buehler, D. M., Vézina, F., Goymann, W., Schwabl, I., Versteegh, M., Tielemans, B. I., & Piersma, T. (2012). Independence among physiological traits suggests flexibility in the face of ecological demands on phenotypes. *Journal of evolutionary biology*, 25(8), 1600-1613.
- Burnham, K. P., & Anderson, D. R. (2003). Model selection and multimodel inference: A practical information-theoretic approach. Springer Science Business Media, <https://doi.org/10.1007/b97636>
- Burnham, K. P., & Anderson, D. R. (2004). Multimodel inference: understanding AIC and BIC in model selection. *Sociological methods & research*, 33(2), 261-304.
- Butler, P. J., Green, J. A., Boyd, I. L., & Speakman, J. R. (2004). Measuring metabolic rate in the field: the pros and cons of the doubly labelled water and heart rate methods. *Functional ecology*, 18(2), 168-183.
- Buttemer, W. A., Astheimer, L. B., & Wingfield, J. C. (1991). The effect of corticosterone on standard metabolic rates of small passerine birds. *Journal of Comparative Physiology B*, 161(4), 427-431.
- Buwalda, B., Scholte, J., de Boer, S. F., Coppens, C. M., & Koolhaas, J. M. (2012). The acute glucocorticoid stress response does not differentiate between rewarding and aversive social stimuli in rats. *Hormones and behaviour*, 61(2), 218-226.

C

- Calder, W. A. (1964). Gaseous metabolism and water relations of the zebra finch, *Taeniopygia castanotis*. *Physiological Zoology*, 37(4), 400-413.
- Cavigelli, S. A., & McClintock, M. K. (2003). Fear of novelty in infant rats predicts adult corticosterone dynamics and an early death. *Proceedings of the National Academy of Sciences of the United States of America*, 100, 16131–16136.
- Cohen, Jacob, 1988. Statistical Power Analysis for the Behavioural Sciences. Routledge (ISBN 1-134-74270-3).

- Cohen A, Hau M & Wikelski M (2008) Stress, Metabolism, and Antioxidants in Two Wild Passerine Bird Species. *Physiological and Biochemical Zoology*, 81(4), 463-472.
- Costantini, D., Monaghan, P., & Metcalfe, N. B. (2014). Prior hormetic priming is costly under environmental mismatch. *Biology letters*, 10(2), 20131010.
- Coward, W. A., & Prentice, A. M. (1985). Isotope method for the measurement of carbon dioxide production rate in man. *The American Journal of Clinical Nutrition*, 41(3), 659-663.
- Creel, S. (2001). Social dominance and stress hormones. *Trends in ecology & evolution*, 16(9), 491-497.
- Creel, S. (2005). Dominance, aggression, and glucocorticoid levels in social carnivores. *Journal of Mammalogy*, 86(2), 255-264.
- Creel, S., Dantzer, B., Goymann, W., & Rubenstein, D. R. (2013). The ecol-ogy of stress: Effects of the social environment. *Functional Ecology*, 27, 66–80.
- Crespi, E. J., Williams, T. D., Jessop, T. S. & Delehanty, B. (2013). Life history and the ecology of stress: How do glucocorticoid hormones influence life-history variation in animals? *Functional Ecology* 27, 93–106.
- Crino, O. L., Driscoll, S. C., & Breuner, C. W. (2014). Corticosterone exposure during development has sustained but not lifelong effects on body size and total and free corticosterone responses in the zebra finch. *General and Comparative Endocrinology*, 196, 123-129.
- Cyr, N. E., Wikelski, M., & Romero, L. M. (2008). Increased energy expenditure but decreased stress responsiveness during molt. *Physiological and Biochemical Zoology*, 81(4), 452-462.

D

- Dallman, M. F. (2007). Modulation of stress responses: how we cope with excess glucocorticoids. *Experimental neurology*, 206(2), 179.
- Danchin, É., Charmantier, A., Champagne, F. A., Mesoudi, A., Pujol, B., & Blanchet, S. (2011). Beyond DNA: integrating inclusive inheritance into an extended theory of evolution. *Nature Reviews Genetics*, 12(7), 475.
- Dantzer, B., Fletcher, Q. E., Boonstra, R., & Sheriff, M. J. (2014). Measures of physiological stress: a transparent or opaque window into the status, management and conservation of species?. *Conservation Physiology*, 2(1).
- Davenport, M. D., Tiefenbacher, S., Lutz, C. K., Novak, M. A., & Meyer, J. S. (2006). Analysis of endogenous cortisol concentrations in the hair of rhesus macaques. *General and comparative endocrinology*, 147(3), 255-261.
- De Kogel, C. H. (1997). Long-term effects of brood size manipulation on morphological development and sex-specific mortality of offspring. *Journal of Animal Ecology*, 167-178.
- Deak, T., Quinn, M., Cidlowski, J. A., Victoria, N. C., Murphy, A. Z., & Sheridan, J. F. (2015). Neuroimmune mechanisms of stress: sex differences, developmental plasticity, and implications for pharmacotherapy of stress-related disease. *Stress*, 18(4), 367-380.
- Deerenberg, C., Arpanius, V., Daan, S., & Bos, N. (1997). Reproductive effort decreases antibody responsiveness. *Proceedings of the Royal Society of London B: Biological Sciences*, 264(1384), 1021-1029.

- Deviche, P., Beouche-Helias, B., Davies, S., Gao, S., Lane, S., & Valle, S. (2014). Regulation of plasma testosterone, corticosterone, and metabolites in response to stress, reproductive stage, and social challenges in a desert male songbird. *General and comparative endocrinology*, 203, 120-131.
- Dickens, M. J., Earle, K. A., & Romero, L. M. (2009). Initial transference of wild birds to captivity alters stress physiology. *General and Comparative Endocrinology*, 160, 76–83.
- Dufry Jr, A. M., Clobert, J., & Møller, A. P. (2002). Hormones, developmental plasticity and adaptation. *Trends in Ecology & Evolution*, 17(4), 190-196.
- Dunlap, K. D., & Wingfield, J. C. (1995). External and internal influences on indices of physiological stress. I. Seasonal and population variation in adrenocortical secretion of free-living lizards, *Sceloporus occidentalis*. *Journal of Experimental Zoology Part A: Ecological Genetics and Physiology*, 271(1), 36-46.

E

F

- Fairhurst, G. D., Vögeli, M., Serrano, D., Delgado, A., Tella, J. L., & Bortolotti, G. R. (2013). Can synchronizing feather-based measures of corticosterone and stable isotopes help us better understand habitat–physiology relationships?. *Oecologia*, 173(3), 731-743.
- Feinberg, A. P., & Tycko, B. (2004). The history of cancer epigenetics. *Nature Reviews Cancer*, 4(2), 143.
- Flatt, T. (2005). The evolutionary genetics of canalization. *The Quarterly review of biology*, 80(3), 287-316.

G

- Gil, D., Heim, C., Bulmer, E., Rocha, M., Puerta, M., & Naguib, M. (2004). Negative effects of early developmental stress on yolk testosterone levels in a passerine bird. *Journal of Experimental Biology*, 207(13), 2215-2220.
- Gluckman, P. D., & Hanson, M. A. (2004). The developmental origins of the metabolic syndrome. *Trends in Endocrinology & Metabolism*, 15(4), 183-187.
- Goymann, W. and Dávila, P. F. (2017). Acute peaks of testosterone suppress paternal care: evidence from individual hormonal reaction norms. *Proceedings of the Royal Society B*, 284, 20170632.
- Goymann, W., Trappschuh, M., & Urasa, F. (2017). Corticosterone concentrations reflect parental expenditure in contrasting mating systems of two coucal species. *Frontiers in Ecology and Evolution*, 5, 15.
- Grace, J. K., & Anderson, D. J. (2014). Corticosterone stress response shows long-term repeatability and links to personality in free-living Nazca boobies. *General and comparative endocrinology*, 208, 39-48.
- Grafen, A. (1988). On the uses of data on lifetime reproductive success. In T. Clutton-Brock, ed., *Reproductive Success* (pp. 454-471). University of Chicago Press, Chicago, IL, USA:

- Griffith, S. C., & Buchanan, K. L. (2010). Maternal effects in the zebra finch: a model mother reviewed. *Emu*, 110(3), 251-267.
- Griffith, S. C., Crino, O. L., Andrew, S. C., Nomano, F. Y., Adkins-Regan, E., Alonso-Alvarez, C., ... & Boogert, N. (2017). Variation in reproductive success across captive populations: methodological differences, potential biases and opportunities. *Ethology*, 123(1), 1-29.

H

- Haase, C. G., Long, A. K. & Gillooly, J. F. (2016). Energetics of stress : linking plasma cortisol levels to metabolic rate in mammals. *Biology letters* 12, 20150867.
- Handa, R. J., & Weiser, M. J. (2014). Gonadal steroid hormones and the hypothalamo-pituitary-adrenal axis. *Frontiers in neuroendocrinology*, 35(2), 197-220.
- Hanson, M. A., & Gluckman, P. D. (2014). Early developmental conditioning of later health and disease: physiology or pathophysiology?. *Physiological reviews*, 94(4), 1027-1076.
- Harlow, H. J., Thorne, E. T., Williams, E. S., Belden, E. L., & Gern, W. A. (1987). Adrenal responsiveness in domestic sheep (*Ovis aries*) to acute and chronic stressors as predicted by remote monitoring of cardiac frequency. *Canadian journal of zoology*, 65(8), 2021-2027.
- Hau, M., & Goymann, W. (2015). Endocrine mechanisms, behavioural phenotypes and plasticity: known relationships and open questions. *Frontiers in zoology*, 12(1), S7.
- Hau, M., Greives, T. J., Haussmann, M. F., Matlack, C., Costantini, D., Quetting, M., ... Partecke, J. (2015). Repeated stressor increase the rate of biological ageing. *Frontiers in Zoology*, 12, 1-10.
- Hau, M., Casagrande, S., Ouyang, J. Q., & Baugh, A. T. (2016). Glucocorticoid-mediated phenotypes in vertebrates: multilevel variation and evolution. *Advances in the Study of Behaviour*, 48, 41-115.
- Heijmans, B. T., Tobi, E. W., Stein, A. D., Putter, H., Blauw, G. J., Susser, E. S., ... & Lumey, L. H. (2008). Persistent epigenetic differences associated with prenatal exposure to famine in humans. *Proceedings of the National Academy of Sciences*, 105(44), 17046-17049.
- Herman, J. P., McKlveen, J. M., Ghosal, S., Kopp, B., Wulsin, A., Makinson, R., ... & Myers, B. (2016). Regulation of the hypothalamic-pituitary-adrenocortical stress response. *Comprehensive Physiology*.
- Hill, R. W. (1972). Determination of oxygen consumption by use of the paramagnetic oxygen analyzer. *Journal of Applied Physiology*, 33(2), 261-263.
- Holtmann, B., Lagisz, M., & Nakagawa, S. (2017). Metabolic rates, and not hormone levels, are a likely mediator of between-individual differences in behaviour: a meta-analysis. *Functional Ecology*, 31(3), 685-696.
- Hompes, T., Izzi, B., Gellens, E., Morreels, M., Fieuws, S., Pexsters, A., ... & Verhaeghe, J. (2013). Investigating the influence of maternal cortisol and emotional state during pregnancy on the DNA methylation status of the glucocorticoid receptor gene (*Nr3c1*) promoter region in cord blood. *Journal of Psychiatric Research*, 47(7), 880-891.

- Honarmand, M., Goymann, W., & Naguib, M. (2010). Stressful dieting: nutritional conditions but not compensatory growth elevate corticosterone levels in zebra finch nestlings and fledglings. *PLoS One*, 5(9), e12930.
- Houtepen, L. C., Vinkers, C. H., Carrillo-Roa, T., Hiemstra, M., Van Lier, P. A., Meeus, W., ... & Schalkwyk, L. C. (2016). Genome-wide DNA methylation levels and altered cortisol stress reactivity following childhood trauma in humans. *Nature communications*, 7, 10967.
- Hunt, K. E., Stimmelmayer, R., George, C., Hanns, C., Suydam, R., Brower, H., & Rolland, R. M. (2014). Baleen hormones: a novel tool for retrospective assessment of stress and reproduction in bowhead whales (*Balaena mysticetus*). *Conservation physiology*, 2(1).
- Ikegami, T., Bundo, M., Murata, Y., Kasai, K., Kato, T., & Iwamoto, K. (2013). DNA methylation of the BDNF gene and its relevance to psychiatric disorders. *Journal of human genetics*, 58(7), 434.
- Jaaatinen, K., Seltmann, M. W., Hollmén, T., Atkinson, S., Mashburn, K., & Öst, M. (2013). Context dependency of baseline glucocorticoids as indicators of individual quality in a capital breeder. *General and comparative endocrinology*, 191, 231-238.
- Jaenisch, R., & Bird, A. (2003). Epigenetic regulation of gene expression: how the genome integrates intrinsic and environmental signals. *Nature genetics*, 33, 245.
- Jenkins, B. R., Vitousek, M. N., Hubbard, J. K., & Safran, R. J. (2014). An experimental analysis of the heritability of variation in glucocorticoid concentrations in a wild avian population. *Proceedings of the Royal Society of London B: Biological Sciences*, 281(1790), 20141302.
- Jenni-Eiermann, S., Glaus, E., Grüebler, M., Schwabl, H., & Jenni, L. (2008). Glucocorticoid response to food availability in breeding barn swallows (*Hirundo rustica*). *General and comparative endocrinology*, 155(3), 558-565.
- Jenni-Eiermann, S., Helfenstein, F., Vallat, A., Glauser, G., & Jenni, L. (2015). Corticosterone: effects on feather quality and deposition into feathers. *Methods in Ecology and Evolution*, 6(2), 237-246.
- Jimeno, B., Briga, M., Verhulst, S., & Hau, M. (2017). Effects of developmental conditions on glucocorticoid concentrations in adulthood depend on sex and foraging conditions. *Hormones and Behaviour*, 93, 175–183.
- Jimeno, B., Hau, M., & Verhulst, S. (2017). Strong association between corticosterone and temperature dependent metabolic rate in individual zebra finches. *Journal of Experimental Biology*, jeb-166124.
- Jimeno, B., Briga, M., Hau, M., & Verhulst, S. (2018). Male but not female zebra finches with high plasma corticosterone have lower survival. *Functional Ecology*, 32(3), 713-721.
- Jones, K. S., Nakagawa, S., & Sheldon, B. C. (2009). Environmental sensitivity in relation to size and sex in birds: meta-regression analysis. *The American Naturalist*, 174(1), 122-133.

Jones, P. A. (2012). Functions of DNA methylation : islands , start sites , gene bodies and beyond. *Nature Reviews Genetics* 13, 484–492.

K

Kilner, R. M. (2001). A growth cost of begging in captive canary chicks. *Proceedings of the National Academy of Sciences*, 98(20), 11394-11398.

Kim, S. Y., Noguera, J. C., Morales, J., & Velando, A. (2011). The evolution of multicomponent begging display in gull chicks: sibling competition and genetic variability. *Animal behaviour*, 82(1), 113-118.

Koetsier, E. & Verhulst, S. (2011). A simple technique to manipulate foraging costs in seed-eating birds. *The Journal of experimental biology* 214, 1225–1229.

Koolhaas, J. M., Bartolomucci, A., Buwalda, B. D., De Boer, S. F., Flügge, G., Korte, S. M., ... & Richter-Levin, G. (2011). Stress revisited: a critical evaluation of the stress concept. *Neuroscience & Biobehavioural Reviews*, 35(5), 1291-1301.

Kriengwatana, B., Wada, H., Schmidt, K. L., Taves, M. D., Soma, K. K. & MacDougall-Shackleton, S. A. (2014). Effects of nutritional stress during different developmental periods on song and the hypothalamic-pituitary-adrenal axis in zebra finches. *Hormones and Behaviour* 65, 285–293.

Kumarathurai, P., Anholm, C., Larsen, B. S., Olsen, R. H., Madsbad, S., Kristiansen, O., ... & Sajadieh, A. (2017). Effects of liraglutide on heart rate and heart rate variability: a randomized, double-blind, placebo-controlled crossover study. *Diabetes Care*, 40(1), 117-124.

Kundakovic, M., Gudsnu, K., Herbstman, J. B., Tang, D., Perera, F. P., & Champagne, F. A. (2015). DNA methylation of BDNF as a biomarker of early-life adversity. *Proceedings of the National Academy of Sciences*, 112(22), 6807-6813.

Kitaysky, A. S., Piatt, J. F., Wingfield, J. C., & Romano, M. (1999). The adrenocortical stress-response of black-legged kittiwake chicks in relation to dietary restrictions. *Journal of Comparative Physiology B*, 169(4-5), 303-310.

Kitaysky, A. S., Wingfield, J. C., & Piatt, J. F. (2001a). Corticosterone facilitates begging and affects resource allocation in the black-legged kittiwake. *Behavioural Ecology*, 12(5), 619-625.

Kitaysky, A. S., Kitaikaia, E. V., Wingfield, J. C., & Piatt, J. F. (2001b). Dietary restriction causes chronic elevation of corticosterone and enhances stress response in red-legged kittiwake chicks. *Journal of Comparative Physiology B*, 171(8), 701-709.

L

Landys, M. M., Ramenofsky, M., Guglielmo, C. G., & Wingfield, J. C. (2004). The low-affinity glucocorticoid receptor regulates feeding and lipid breakdown in the migratory Gambel's white-crowned sparrow *Zonotrichia leucophrys gambelii*. *Journal of Experimental Biology*, 207(1), 143-154.

Landys, M. M., Ramenofsky, M., & Wingfield, J. C. (2006). Actions of glucocorticoids at a seasonal baseline as compared to stress-related levels in the regulation of periodic life processes. *General and comparative endocrinology*, 148(2), 132-149.

- Lendvai, Á. Z., Loiseau, C., Sorci, G., & Chastel, O. (2009). Early developmental conditions affect stress response in juvenile but not in adult house sparrows (*Passer domesticus*). *General and comparative endocrinology*, 160(1), 30-35.
- Lendvai, Á. Z., Ouyang, J. Q., Schoenle, L. A., Fasanello, V., Haussmann, M. F., Bonier, F., & Moore, I. T. (2014). Experimental food restriction reveals individual differences in corticosterone reaction norms with no oxidative costs. *PLoS One*, 9(11).
- Lessells, C. K. (2008). Neuroendocrine control of life histories: what do we need to know to understand the evolution of phenotypic plasticity?. *Philosophical transactions of the Royal Society of London. Series B, Biological sciences*, 363(1497), 1589-1598.
- Liebl, A. L., Schrey, A. W., Richards, C. L. & Martin, L. B. (2013). Integrative and Comparative Biology Patterns of DNA Methylation Throughout a Range Expansion of an Introduced Songbird. *Integrative and Comparative Biology* 53, 351–358.
- Lifson, N., & McClintock, R. (1966). Theory of use of the turnover rates of body water for measuring energy and material balance. *Journal of theoretical biology*, 12(1), 46-74.
- Lindström, J. (1999). Early development and fitness in birds and mammals. *Trends in Ecology & Evolution*, 14(9), 343-348.
- Liu, D., Diorio, J., Tannenbaum, B., Caldji, C., Francis, D., Freedman, A., ... & Meaney, M. J. (1997). Maternal care, hippocampal glucocorticoid receptors, and hypothalamic-pituitary-adrenal responses to stress. *Science*, 277(5332), 1659-1662.
- Love, O. P., Breuner, C. W., Vézina, F. & Williams, T. D. (2004). Mediation of a corticosterone-induced reproductive conflict. *Hormones and Behaviour* 46, 59–65.
- Lummaa, V., & Clutton-Brock, T. (2002). Early development, survival and reproduction in humans. *Trends in Ecology & Evolution*, 17(3), 141-147.
- Lupien, S. J., Maheu, F., Tu, M., Fiocco, A., & Schramek, T. E. (2007). The effects of stress and stress hormones on human cognition: Implications for the field of brain and cognition. *Brain and cognition*, 65(3), 209–237.
- Lynn, S. E., Stimplis, T. B., Barrington, W. T., Weida, N., & Hudak, C. A. (2010). Food, stress, and reproduction: short-term fasting alters endocrine physiology and reproductive behaviour in the zebra finch. *Hormones and behaviour*, 58(2), 214-222.

M

- Macdougall-Shackleton, S., Dindia, L., Newman, E. M., Potvin, D., Stewart, K. & Macdougall-Shackleton, E. (2009). Stress, song and survival in sparrows. *Biology letters* 5, 746–748.
- MacDougall-Shackleton, S. A., Schmidt, K. L., Furlonger, A. A. & MacDougall-Shackleton, E. A. (2013). HPA axis regulation, survival, and reproduction in free-living sparrows: Functional relationships or developmental correlations? *General and Comparative Endocrinology* 190, 188–193.
- Madliger, C. L., & Love, O. P. (2014). The need for a predictive, context-dependent approach to the application of stress hormones in conservation. *Conservation Biology*, 28(1), 283-287.
- Madliger, C. L., & Love, O. P. (2015). The power of physiology in changing landscapes: considerations for the continued integration of conservation and physiology.

- Madliger, C. L., Semeniuk, C. A., Harris, C. M., & Love, O. P. (2015). Assessing baseline stress physiology as an integrator of environmental quality in a wild avian population: implications for use as a conservation biomarker. *Biological Conservation*, 192, 409-417.
- Martínez-Mota, R., Valdespino, C., Sánchez-Ramos, M. A., & Serio-Silva, J. C. (2007). Effects of forest fragmentation on the physiological stress response of black howler monkeys. *Animal Conservation*, 10(3), 374-379.
- Martins, T. L., Roberts, M. L., Giblin, I., Huxham, R., & Evans, M. R. (2007). Speed of exploration and risk-taking behaviour are linked to corticosterone titres in zebra finches. *Hormones and Behaviour*, 52(4), 445-453.
- McEwen, B. S. & Wingfield, J. C. (2003). The concept of allostasis in biology and biomedicine. *Hormones and Behaviour* 43, 2–15.
- McEwen, B. S. (2008). Central effects of stress hormones in health and disease: Understanding the protective and damaging effects of stress and stress mediators. *European journal of pharmacology*, 583(2-3), 174-185.
- McGlothlin, J. W., & Ketterson, E. D. (2008). Hormone-mediated suites as adaptations and evolutionary constraints. *Philosophical Transactions of the Royal Society B: Biological Sciences*, 363(1497), 1611-1620.
- Meaney, M. J. (2001). Maternal care, gene expression, and the transmission of individual differences in stress reactivity across generations. *Annual review of neuroscience*, 24(1), 1161-1192.
- Merkling, T., Blanchard, P., Chastel, O., Glauser, G., Vallat-Michel, A., Hatch, S. A., ... & Helfenstein, F. (2017). Reproductive effort and oxidative stress: effects of offspring sex and number on the physiological state of a long-lived bird. *Functional Ecology*, 31(6), 1201-1209.
- Metcalfe, N. B. & Monaghan, P. (2001). Compensation for a bad start: Grow now, pay later? *Trends in Ecology and Evolution* 16, 254–260.
- Miles, D. B., Calsbeek, R., & Sinervo, B. (2007). Corticosterone, locomotor performance, and metabolism in side-blotched lizards (*Uta stansburiana*). *Hormones and behaviour*, 51(4), 548-554.
- Miller, C. A., Campbell, S. L., & Sweatt, J. D. (2008). DNA methylation and histone acetylation work in concert to regulate memory formation and synaptic plasticity. *Neurobiology of learning and memory*, 89(4), 599-603.
- Miller, D. A., Vleck, C. M., & Otis, D. L. (2009). Individual variation in baseline and stress-induced corticosterone and prolactin levels predicts parental effort by nesting mourning doves. *Hormones and behaviour*, 56(4), 457-464.
- Monaghan, P. (2008). Early growth conditions, phenotypic development and environmental change. *Philosophical transactions of the Royal Society of London. Series B, Biological sciences* 363, 1635–45.
- Monaghan, P. & Spencer, K. A. (2014). Stress and life history. *Current Biology* 24, R408–R412.
- Montoya, B., Briga, M., Jimeno, B., Moonen, S., & Verhulst, S. (2018). Baseline glucose level is an individual trait that is negatively associated with lifespan and increases due to adverse environmental conditions during development and adulthood. *Journal of Comparative Physiology B*, 1-10.

- Moore, S. E., Cole, T. J., Poskitt, E. M., Sonko, B. J., Whitehead, R. G., McGregor, I. A., & Prentice, A. M. (1997). Season of birth predicts mortality in rural Gambia. *Nature*, 388 (6641), 434.
- Moore, I. T. & Jessop, T. S. (2003). Stress, reproduction, and adrenocortical modulation in amphibians and reptiles. *Hormones and Behaviour* 43, 39–47.
- Möstl, E., & Palme, R. (2002). Hormones as indicators of stress. *Domestic animal endocrinology*, 23 (1-2), 67-74.
- Mueller, B. R., & Bale, T. L. (2008). Sex-specific programming of offspring emotionality after stress early in pregnancy. *Journal of Neuroscience*, 28(36), 9055-9065.
- Murgatroyd, C., Patchev, A. V., Wu, Y., Micale, V., Bockmühl, Y., Fischer, D., ... & Spengler, D. (2009). Dynamic DNA methylation programs persistent adverse effects of early-life stress. *Nature neuroscience*, 12(12), 1559.

N

- Neuenschwander, S., Brinkhof, M. W., Kölliker, M., & Richner, H. (2003). Brood size, sibling competition, and the cost of begging in great tits (*Parus major*). *Behavioural Ecology*, 14(4), 457-462.

O

- Oberlander, T. F., Weinberg, J., Papsdorf, M., Grunau, R., Misri, S., & Devlin, A. M. (2008). Prenatal exposure to maternal depression, neonatal methylation of human glucocorticoid receptor gene (NR3C1) and infant cortisol stress responses. *Epigenetics*, 3(2), 97-106.
- Ouyang, J. Q., Sharp, P. J., Dawson, A., Quetting, M. & Hau, M. (2011a). Hormone levels predict individual differences in reproductive success in a passerine bird. *Proceedings of the Royal Society B: Biological Sciences* 278, 2537–2545.
- Ouyang, J. Q., Hau, M., & Bonier, F. (2011b). Within seasons and among years: when are corticosterone levels repeatable?. *Hormones and Behaviour*, 60(5), 559-564.
- Ouyang, J. Q., Sharp, P., Quetting, M., & Hau, M. (2013). Endocrine phe-notype, reproductive success and survival in the great tit, *Parus major*. *Journal of Evolutionary Biology*, 26, 1988–1998.
- Ouyang, J. Q., de Jong, M., Hau, M., Visser, M. E., van Grunsven, R. H., & Spoelstra, K. (2015). Stressful colours: corticosterone concentrations in a free-living songbird vary with the spectral composition of experimental illumination. *Biology letters*, 11(8), 20150517.

P

- Panagiotakopoulos, L., & Neigh, G. N. (2014). Development of the HPA axis: where and when do sex differences manifest?. *Frontiers in neuroendocrinology*, 35(3), 285-302.
- Patterson, S. H., Hahn, T. P., Cornelius, J. M. & Breuner, C. W. (2014). Natural selection and glucocorticoid physiology. *Journal of Evolutionary Biology* 27, 259–274.

- Perroud, N., Paoloni-Giacobino, A., Prada, P., Olié, E., Salzmann, A., Nicastro, R., ... & Huguelet, P. (2011). Increased methylation of glucocorticoid receptor gene (NR3C1) in adults with a history of childhood maltreatment: a link with the severity and type of trauma. *Translational psychiatry*, 1(12), e59.
- Pinheiro, J., Bates, D., DebRoy, S., & Sarkar, D. (2014). R Core Team (2014) nlme: linear and nonlinear mixed effects models. R package version 3.1-117. Available at [h_tt_p://CRAN.R-project.org/package=nlme](http://CRAN.R-project.org/package=nlme).
- Pinheiro, J., Bates, D., DebRoy, S., Sarkar, D., Heisterkamp, S., Van Willigen, B., & Maintainer, R. (2017). Package 'nlme'. *Linear and nonlinear mixed effects models*, 3-1.
- Preest, M. R., & Cree, A. (2008). Corticosterone treatment has subtle effects on thermoregulatory behaviour and raises metabolic rate in the New Zealand common gecko, Hoplodactylus maculatus. *Physiological and Biochemical Zoology*, 81(5), 641-650.

Q

R

- R. Core Team, 2015. R: A language and environment for statistical computing. R Foundation for Statistical Computing, Vienna, Austria URL <http://www.R-project.org/>.
- Reid, J. M., Bignal, E. M., Bignal, S., McCracken, D. I., & Monaghan, P. (2003). Environmental variability, life-history covariation and cohort effects in the red-billed chough Pyrrhocorax pyrrhocorax. *Journal of Animal Ecology*, 72(1), 36-46.
- Remage-Healey, L., & Romero, L. M. (2001). Corticosterone and insulin interact to regulate glucose and triglyceride levels during stress in a bird. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 281(3), R994-R1003.
- Romero, L. M., & Remage-Healey, L. (2000). Daily and seasonal variation in response to stress in captive starlings (*Sturnus vulgaris*): corticosterone. *General and comparative endocrinology*, 119(1), 52-59.
- Rensel, M. A., Wilcoxen, T. E. & Schoech, S. J. (2010). The influence of nest attendance and provisioning on nestling stress physiology in the Florida scrub-jay. *Hormones and Behaviour* 57, 162–168.
- Rich, E. L., & Romero, L. M. (2005). Exposure to chronic stress downregulates corticosterone responses to acute stressors. *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology*, 288, R1628–R1636.
- Riyahi, S., Sánchez-Delgado, M., Calafell, F., Monk, D., & Senar, J. C. (2015). Combined epigenetic and intraspecific variation of the DRD4 and SERT genes influence novelty seeking behavior in great tit *Parus major*. *Epigenetics*, 10(6), 516-525.
- Romero, L. M., & Wingfield, J. C. (1998). Seasonal changes in adrenal sensitivity alter corticosterone levels in Gambel's white-crowned sparrows (*Zonotrichia leucophrys gambelii*). *Comparative Biochemistry and Physiology Part C: Pharmacology, Toxicology and Endocrinology*, 119(1), 31-36.

- Romero, L. M., & Wingfield, J. C. (1999). Alterations in hypothalamic–pituitary–adrenal function associated with captivity in Gambel's white-crowned sparrows (*Zonotrichia leucophrys gambelii*). *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 122(1), 13-20.
- Romero, L. M., Reed, J. M., & Wingfield, J. C. (2000). Effects of weather on corticosterone responses in wild free-living passerine birds. *General and comparative endocrinology*, 118(1), 113-122.
- Romero, L. M. (2002). Seasonal changes in plasma glucocorti-coid concentrations in free--living vertebrates. *General and Comparative Endocrinology*, 128, 1–24.
- Romero, L. M. (2004). Physiological stress in ecology: Lessons from biomedical research. *Trends in Ecology and Evolution* 19, 249–255.
- Romero, L. M., & Reed, J. M. (2008). Repeatability of baseline corticosterone concentrations. *General and comparative endocrinology*, 156(1), 27-33.
- Romero, L. M., Dickens, M. J. & Cyr, N. E. (2009). The reactive scope model - A new model integrating homeostasis, allostasis, and stress. *Hormones and Behaviour* 55, 375–389.
- Romero, L. M., & Wikelski, M. (2010). Stress physiology as a predictor of survival in Galapagos marine iguanas. *Proceedings of the Royal Society B: Biological Sciences*, 277, 3157–3162.
- Romero, L. M., & Wingfield, J. C. (2015). *Tempests, poxes, predators, and people: stress in wild animals and how they cope*. Oxford University Press.
- Romero, L. M., & Fairhurst, G. D. (2016). Measuring corticosterone in feathers: strengths, limitations, and suggestions for the future. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 202, 112-122.
- Rubenstein, D. R. (2007). Stress hormones and sociality: Integrating so-clial and environmental stressors. *Proceedings of the Royal Society of London B: Biological Sciences*, 274, 967–975.
- Rubenstein, D. R., Skolnik, H., Berrio, A., Champagne, F. A., Phelps, S., & Solomon, J. (2016). Sex-specific fitness effects of unpredictable early life conditions are associated with DNA methylation in the avian glucocorticoid receptor. *Molecular ecology*, 25(8), 1714-1728.

S

- Saino, N., Ambrosini, R., Albetti, B., Caprioli, M., De Giorgio, B., Gatti, E., ... & Scandolara, C. (2017). Migration phenology and breeding success are predicted by methylation of a photoperiodic gene in the barn swallow. *Scientific reports*, 7, 45412.
- Sapolsky, R. M., Romero, L. M., & Munck, A. U. (2000). How do glucocorticoids influence stress responses? Integrating permissive, suppressive, stimulatory, and preparative actions. *Endocrine reviews*, 21(1), 55-89.
- Sato, A., Kawashima, T., Fujie, M., Hughes, S., Satoh, N., & Shimeld, S. M. (2015). Molecular basis of canalization in an ascidian species complex adapted to different thermal conditions. *Scientific reports*, 5, 16717.

References

- Schmidt, K. L., MacDougall-Shackleton, E. A., & MacDougall-Shackleton, S. A. (2012). Developmental stress has sex-specific effects on nestling growth and adult metabolic rates but no effect on adult body size or body composition in song sparrows. *Journal of Experimental Biology*, 215(18), 3207-3217.
- Schmidt, K. L., Macdougall-shackleton, E. A., Soma, K. K. & Macdougall-shackleton, S. A. (2014). Developmental programming of the HPA and HPG axes by early-life stress in male and female song sparrows. *General and Comparative Endocrinology* 196, 72–80.
- Schmidt, K. L., Kubli, S. P., MacDougall-Shackleton, E.A. & MacDougall-Shackleton, S.A. (2015). Early-life stress has sex-specific effects on immune function in adult song sparrows. *Physiological and biochemical zoology : PBZ* 88, 183–94.
- Schrey, A. W., Coon, C. A., Grispo, M. T., Awad, M., Imboma, T., McCoy, E. D., ... & Martin, L. B. (2012). Epigenetic variation may compensate for decreased genetic variation with introductions: a case study using house sparrows (*Passer domesticus*) on two continents. *Genetics Research International*, 2012.
- Selye, H. (1950). Stress and the general adaptation syndrome. *British medical journal*, 1(4667), 1383.
- Selye, H. (1976). Stress without distress. *Psychopathology of human adaptation* (pp. 137-146). Springer, Boston, MA.
- Sheriff MJ, Dantzer B, Delehaney B, Palme R & Boonstra R (2011) Measuring stress in wildlife: Techniques for quantifying glucocorticoids. *Oecologia* 166(4):869–887.
- Small, T. W., & Schoech, S. J. (2015). Sex differences in the long-term repeatability of the acute stress response in long-lived, free-living Florida scrub-jays (*Aphelocoma coerulescens*). *Journal of Comparative Physiology B*, 185(1), 119-133.
- Speakman, J. (1997). Doubly labelled water: theory and practice. Springer Science & Business Media.
- Speakman, J. R., & Król, E. (2005). Comparison of different approaches for the calculation of energy expenditure using doubly labeled water in a small mammal. *Physiological and Biochemical Zoology*, 78(4), 650-667.
- Spencer, K. A., & Verhulst, S. (2007). Delayed behavioural effects of postnatal exposure to corticosterone in the zebra finch (*Taeniopygia guttata*). *Hormones and Behaviour*, 51(2), 273-280.
- Spencer, K. A., & Verhulst, S. (2008). Post-natal exposure to corticosterone affects standard metabolic rate in the zebra finch (*Taeniopygia guttata*). *General and comparative endocrinology*, 159(2-3), 250-256.
- Spencer, K. A., Evans, N. P., & Monaghan, P. (2008). Postnatal stress in birds: a novel model of glucocorticoid programming of the hypothalamic-pituitary-adrenal axis. *Endocrinology*, 150(4), 1931-1934.
- Spencer, K. A., & MacDougall-Shackleton, S. A. (2011). Indicators of development as sexually selected traits: the developmental stress hypothesis in context. *Behavioural Ecology*, 22(1), 1-9.
- Stearns, S. C., & Kawecki, T. J. (1994). Fitness sensitivity and the canalization of life-history traits. *Evolution*, 48(5), 1438-1450.

- Stearns, S. C., Kaiser, M., & Kawecki, T. J. (1995). The differential genetic and environmental canalization of fitness components in *Drosophila melanogaster*. *Journal of Evolutionary Biology*, 8(5), 539-557.
- Szyf, M., Weaver, I. C., Champagne, F. A., Diorio, J., & Meaney, M. J. (2005). Maternal programming of steroid receptor expression and phenotype through DNA methylation in the rat. *Frontiers in neuroendocrinology*, 26(3-4), 139-162.
- Szyf, M. (2013). DNA methylation, behaviour and early life adversity. *Journal of Genetics and Genomics*, 40(7), 331-338.

T

Taborsky, B. (2006). The influence of juvenile and adult environments on life-history trajectories. *Proceedings of the Royal Society of London B: Biological Sciences*, 273(1587), 741-750.

Taff, C. C., & Vitousek, M. N. (2016). Endocrine flexibility: optimizing phenotypes in a dynamic world?. *Trends in ecology & evolution*, 31(6), 476-488.

Tagirov, M., & Rutkowska, J. (2014). Sexual dimorphism in the early embryogenesis in zebra finches. *PLoS one*, 9(12), e114625.

Therneau, T. M. (1997). Extending the Cox model. In *Proceedings of the First Seattle symposium in biostatistics*. (pp. 51-84). New York, NY: Springer.

Therneau, T. (2012). coxme: mixed effects Cox models. R package version 2.2-3. Vienna, Austria: R Foundation for Statistical Computing.

Toufexis, D., Rivarola, M. A., Lara, H., & Viau, V. (2014). Stress and the reproductive axis. *Journal of neuroendocrinology*, 26(9), 573-586.

Turecki, G., & Meaney, M. J. (2016). Effects of the social environment and stress on glucocorticoid receptor gene methylation: a systematic review. *Biological psychiatry*, 79(2), 87-96.

Tyrka, A. R., Price, L. H., Marsit, C., Walters, O. C., & Carpenter, L. L. (2012). Childhood adversity and epigenetic modulation of the leukocyte glucocorticoid receptor: preliminary findings in healthy adults. *PLoS one*, 7(1), e30148.

U

Uller, T., Nakagawa, S., & English, S. (2013). Weak evidence for anticipatory parental effects in plants and animals. *Journal of evolutionary biology*, 26(10), 2161-2170.

V

Vaiserman, A. M., & Koliada, A. K. (2017). Early-life adversity and long-term neurobehavioural outcomes: epigenome as a bridge?. *Human genomics*, 11(1), 34.

Van De Pol, M., Bruinzeel, L. W., Heg, D. I. K., Van Der Jeugd, H. P., & Verhulst, S. (2006). A silver spoon for a golden future: long-term effects of natal origin on fitness prospects of oystercatchers (*Haematopus ostralegus*). *Journal of Animal Ecology*, 75(2), 616-626.

- Verhulst, S., Holveck, M. J., & Riebel, K. (2006). Long-term effects of manipulated natal brood size on metabolic rate in zebra finches. *Biology Letters*, 2(3), 478-480.
- Verhulst, E. C., Mateman, A. C., Zwier, M. V., Caro, S. P., Verhoeven, K. J., & Oers, K. (2016). Evidence from pyrosequencing indicates that natural variation in animal personality is associated with DRD4 DNA methylation. *Molecular ecology*, 25(8), 1801-1811.
- Vgontzas, A. N., Mastorakos, G., Bixler, E. O., Kales, A., Gold, P. W., & Chrousos, G. P. (1999). Sleep deprivation effects on the activity of the hypothalamic-pituitary-adrenal and growth axes: potential clinical implications. *Clinical endocrinology*, 51(2), 205-215.
- Vitousek, M. N., Jenkins, B. R., Hubbard, J. K., Kaiser, S. A., & Safran, R. J. (2017). An experimental test of the effect of brood size on glucocorticoid responses, parental investment, and offspring phenotype. *General and comparative endocrinology*, 247, 97-106.

W

- Wack, C. L., DuRant, S. E., Hopkins, W. A., Lovern, M. B., Feldhoff, R. C., & Woodley, S. K. (2012). Elevated plasma corticosterone increases metabolic rate in a terrestrial salamander. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 161(2), 153-158.
- Wada, H., Salvante, K. G., Stables, C., Wagner, E., Williams, T. D., & Breuner, C. W. (2008). Adrenocortical responses in zebra finches (*Taeniopygia guttata*): individual variation, repeatability, and relationship to phenotypic quality. *Hormones and Behaviour*, 53(3), 472-480.
- Waddington, C. H. (1942). Canalization of development and the inheritance of acquired characters. *Nature*, 150(3811), 563.
- Weaver, I. C., Cervoni, N., Champagne, F. A., D'Alessio, A. C., Sharma, S., Seckl, J. R., ... & Meaney, M. J. (2004). Epigenetic programming by maternal behaviour. *Nature neuroscience*, 7(8), 847.
- Weaver, I. C. (2014). Integrating early life experience, gene expression, brain development, and emergent phenotypes: unraveling the thread of nature via nurture. In *Advances in genetics* (Vol. 86, pp. 277-307). Academic Press.
- Weaver, I. C., Korgan, A. C., Lee, K., Wheeler, R. V., Hundert, A. S., & Goguen, D. (2017). Stress and the emerging roles of chromatin remodeling in signal integration and stable transmission of reversible phenotypes. *Frontiers in behavioral neuroscience*, 11, 41.
- Weir, J. D. V. (1949). New methods for calculating metabolic rate with special reference to protein metabolism. *The Journal of physiology*, 109(1-2), 1-9.
- Welcker, J., Harding, A., Kitaysky, A. S., Speakman, J. R., & Gabrielsen, G. W. (2009). Daily energy expenditure increases in response to low nutritional stress in an Arctic-breeding seabird with no effect on mortality. *Functional Ecology*, 23(6), 1081-1090.
- Welcker, J., Moe, B., Bech, C., Fyhn, M., Schultner, J., Speakman, J. R., & Gabrielsen, G. W. (2010). Evidence for an intrinsic energetic ceiling in free-ranging kittiwakes *Rissa tridactyla*. *Journal of animal ecology*, 79(1), 205-213.
- Welcker, J., Speakman, J. R., Elliott, K. H., Hatch, S. A., & Kitaysky, A. S. (2015). Resting and daily energy expenditures during reproduction are adjusted in opposite directions in free-living birds. *Functional Ecology*, 29(2), 250-258.

- West-Eberhard, M. J. (2003). *Developmental plasticity and evolution*. Oxford University Press.
- Wiersma, P., Salomons, H. M., & Verhulst, S. (2005). Metabolic adjustments to increasing foraging costs of starlings in a closed economy. *Journal of Experimental Biology*, 208(21), 4099–4108.
- Wikelski, M., Lynn, S., Breuner, C. & Wingfield, J. C. (1999). Energy metabolism, testosterone and corticosterone in white-crowned sparrows. *Journal of Comparative Physiology A* 185, 463–470.
- Wilkin, T. A. & Sheldon, B. C. (2009). Sex Differences in the Persistence of Natal Environmental Effects on Life Histories. *Current Biology* 19, 1998–2002.
- Williams, C. T., Kitaysky, A. S., Kettle, A. B. & Buck, C. L. (2008). Corticosterone levels of tufted puffins vary with breeding stage, body condition index, and reproductive performance. *General and Comparative Endocrinology* 158, 29–35.
- Wingfield, J. C., Smith, J. P., & Farner, D. S. (1982). Endocrine responses of white-crowned sparrows to environmental stress. *The Condor*, 84, 399–409.
- Wingfield, J. C., Maney, D. L., Breuner, C. W., Jacobs, J. D., Lynn, S., Ramenofsky, M., & Richardson, R. D. (1998). Ecological bases of hormone—behaviour interactions: the “emergency life history stage”. *American Zoologist*, 38(1), 191–206.
- Wingfield, J. C., & Sapolsky, R. M. (2003). Reproduction and resistance to stress: when and how. *Journal of neuroendocrinology*, 15(8), 711–724.

X

Y

- Yehuda, R., Daskalakis, N. P., Lehrner, A., Desarnaud, F., Bader, H. N., Makotkine, I., ... & Meaney, M. J. (2014). Influences of maternal and paternal PTSD on epigenetic regulation of the glucocorticoid receptor gene in Holocaust survivor offspring. *American Journal of Psychiatry*, 171(8), 872–880.

Z

- Zann, R. A. (1996). *The zebra finch: a synthesis of field and laboratory studies* (Vol. 5). Oxford University Press.
- Zhang, T. Y., Labonté, B., Wen, X. L., Turecki, G., & Meaney, M. J. (2013). Epigenetic mechanisms for the early environmental regulation of hippocampal glucocorticoid receptor gene expression in rodents and humans. *Neuropsychopharmacology*, 38(1), 111.

