

University of Groningen

The effects of urea and of pH on protein structure studies by molecular dynamics simulation

Mueller, Daniela Sung-Mi

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2010

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Mueller, D. S-M. (2010). *The effects of urea and of pH on protein structure studies by molecular dynamics simulation*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

List of Tables

2.1	The simulation systems of cytochrome <i>c</i> -550 (cytc) in water and urea . . .	14
2.2	Secondary structure of cytc in water and urea	18
4.1	Sequence alignments of A) influenza hemagglutinin HA, and B) flaviviral envelope protein sE sequences	44
5.1	Hydrogen bonds and salt bridges across the subunit and the domain III interface of the dengue viral sE protein in the pre-fusion form	59
5.2	Predicted pK_a of protonation of the histidine residues in the dengue viral sE protein	61
5.3	Solvent accessible surface areas of the histidine residues in the sE protein .	64
5.4	Predicted pK_a of protonation of the histidines in the prM-E complex	70
5.5	Conservation of the histidine residues in flaviviral sE proteins	73
5.6	Salt bridges and hydrogen bonds in the crystal structures and in the MD simulation of the dengue viral sE protein	76
5.7	Number of contacts and contact atoms at the subunit interface of the sE dimer	78
5.8	Root mean square deviation (RMSD) of the domains of the dengue viral sE protein in the MD simulations	81

List of Figures

2.1	Crystal structure of bacterial cytochrome <i>c</i> -550 (cytc)	10
2.2	Root mean square deviation (RMSD) of the backbone atoms of cytc during MD simulation in water and urea	17
2.3	Cumulative number (CN) of the radial distribution function (RDF), and RDF of the cytc atoms with respect to the heme-iron	19
2.4	Protein environment and solvation of the heme group in cytc	21
2.5	Opening of the cytc heme cavity in 10 M urea	23
2.6	Conformation of cytc in 10 M urea	23
2.7	CN of the RDF, and RDF of solvent species with respect to cytc	24
2.8	Hydrogen bonding between Lys99 and the heme group	25
3.1	Flaviviral membrane fusion	32
3.2	X-ray crystal structures of the dengue viral sE protein	33
3.3	The pre-fusion conformation of the dengue viral sE protein and the positions of the histidines in the dimer	34
4.1	Pre-fusion and post-fusion structures of influenza HA and dengue viral E protein	40
4.2	Schematic diagram of the interactions of a histidine residue in a viral fusion protein in the pre-fusion and the post-fusion state.	41
5.1	Titration curves of histidine protonation and of pH-dependent fusion of cells infected with dengue virus	51
5.2	Model of the flavivirus maturation pathway	52

5.3	Ectodomain and membrane domains of the dengue viral envelope proteins E and M	53
5.4	Titration curves predicted for the histidine residues in the dengue viral sE protein	65
5.5	Model of low-pH-dependent, dengue viral fusion triggered by histidine protonation in the E protein	66
5.6	Histidine interactions in a model of the prM-E heterodimer	69
5.7	Cryo-EM structure of the prM-E heterodimer at pH 6.0	71
5.8	Hydrogen bond His144-Asp42 during MD simulation	75
5.9	Histidine protonation-dependent conformational change of the sE dimer after 70 ns of MD simulation	79
5.10	RMSD of the sE protein during MD simulation	80
5.11	RMSD _x of the C ^α -atoms of the sE dimer after ~ 60 ns of simulation	82
5.12	Dengue viral sE protein after ~ 60 ns of MD simulation	85
5.13	Conformational change of the subunits of the sE dimer after histidine protonation	86
5.14	Contact regions between the subunits in the sE dimer	87
5.15	Histidine residues at the protein surface of the sE dimer after histidine protonation	88
6.1	Models of the mature dimer of the full-length E protein	105
6.2	Model of the transition between the pre-fusion and the post-fusion conformation of the E protein	109
6.3	Conformational hybrid model of the E protein dimer	110
6.4	Membrane-facing surface of the full-length E protein	111
6.5	Sequence similarity among 28 flaviviral E proteins	112
6.6	Surface of the ectodomain and the membrane domain of the pre-fusion E protein	113
6.7	Model of an intermediate from the MD simulation of the sE protein after histidine protonation	114
6.8	Model of flaviviral membrane fusion mediated by dimeric E protein	119

