

University of Groningen

Cell-polymer interactions

Schakenraad, Josephus Maria

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

1987

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Schakenraad, J. M. (1987). *Cell-polymer interactions*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

SUMMARY

The application of artificial materials for the replacement or improvement of diseased or not optimally functioning organs, has increased enormously during the last two decades. We only mention pacemakers, heart valves, blood vessels, bone plates, artificial joints etc. More commonly applied are polymers for the construction of lenses, hearing aids, spectacles, arch supports and of course dental prostheses. The application of polymers on the human body (as e.g. lenses) seems simple, but complications as e.g. allergy often occur. Polymers for implantation purposes are in very close contact with cells of the human body; the selection of these materials has to be performed with great care. The ultimate success of the implantation of a biomaterial in or on the human body depends on many parameters; some can be studied at laboratory scale, others can only be accurately studied under in vivo or in situ circumstances.

The aim of this thesis is to gain insight in the complicated process of cell-polymer interactions by measuring both physico-chemical and biological parameters in order to be able to predict the ultimate success of the implantation of a biomaterial on basis of material characteristics.

In chapter 1, a literature survey of the present "state of the art" in the field of cell-polymer interactions is presented. The influence of substratum surface free energy, zeta potential, the interfacial free energy of adhesion and the adsorption of proteins on cellular adhesion and spreading are discussed.

In chapter 2, the influence of the substratum surface free energy (wettability) of a biomaterial on the spreading and growth of cells is studied. Cell spreading is determined by substratum surface free energy in the presence and absence of serum proteins. Substrata with a high surface free energy (wettable, hydrophilic materials) favour cell spreading, whereas low energy substrata (hydrophobic materials) disfavour cell spreading, both in the presence and in the absence of serum proteins.

In chapter 3, the thermodynamical aspects of cell spreading are discussed. Factors influencing cellular adhesion and spreading, next to substratum surface free energy, are: interfacial free energy of adhesion, cellular surface free energy and zeta potential of cell and polymer. When the interfacial free energy of adhesion is positive (indicating that energy is needed for adhesion) cellular adhesion and spreading are unfavourable and vice versa.

Immediately after implantation of a biomaterial in the body it will be covered by proteins. It is evident that protein adsorption complicates a thorough understanding of cellular adhesion and spreading.

It is shown in chapter 4 that indeed substratum characteristics determine the spreading area of a cell, most likely by influencing the amount of contact sites, whereas the

nature of the protein coating determines the distance between cell and substratum. The substratum surface free energy remains to influence cellular adhesion and spreading, despite the presence of a protein layer.

In chapter 5 the influence of protein adsorption on a biomaterial upon substratum surface free energy, infrared absorption and cell spreading is studied. Adsorbed proteins transfer the original substratum surface free energy to the interface with spreading cells, as demonstrated by shifts in infrared absorption bands and changes in surface free energy; therefore, the original substratum surface free energy, most likely will remain to dominate cell spreading.

In chapter 6 we demonstrated that the results obtained in vitro from the single parameters (chapters 2 and 3) are not only valid under in vitro conditions, but also in a living organism. An in vivo model to study cell-polymer interactions was developed in which it was demonstrated that the pattern of in vivo cell growth was almost identical to the pattern of in vitro cell spreading.

Finally, in chapter 7 a "status praesens" of interfacial thermodynamics, protein adsorption and cellular adhesion is presented. Additionally some suggestions for future investigations and possible applications in the "surgical field" have been described.

The final conclusion of this thesis is that substratum surface free energy can be regarded as a suitable parameter to predict cellular adhesion, spreading and growth on biomaterials, and is therefore a very useful guide to select materials for implantation purposes.

De toepassing van van zieke of niet jaren een steeds pacemakers, hartk. maar ook aan hoorpruiken, kunstgebaan het menselijk complicaties als b. Kunststoffen voor contact met weefselmaterialen zeer crimplantatie is van kunnen op laborato. blijken pas uit K.

Het doel van de gecompliceerde pro meting van fysisch uiteindelijk een v niet slagen van e basis van materiaal

In Hoofdstuk 1 tot de stand van interacties gepres energie, de oppervl adhesie en de adspreading zijn bed

In Hoofdstuk 2 (bevochtigbaarheid spreidingsgedrag v hoge vrije oppervl goede celhechting, biomaterialen met materialen) slecht in aanwezigheid al

In Hoofdstuk 3 w spreading bestudee (naast de vrije op o.a. de vrije gren oppervlakte energi van kunststof en c grensvlakenergie v benodigd is voor h en omgekeerd.

Eiwit adsorptie is een biomateriaal i duidelijk dat eiwi polymeer interacti