

University of Groningen

Thermal Decomposition of Aryldicyclopentadienylmetal Complexes of Niobium and Vanadium

Boekel, C.P.; Teuben, J.H.; Liefde Meijer, H.J. de

Published in:
EPRINTS-BOOK-TITLE

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
1975

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Boekel, C. P., Teuben, J. H., & Liefde Meijer, H. J. D. (1975). Thermal Decomposition of Aryldicyclopentadienylmetal Complexes of Niobium and Vanadium. In *EPRINTS-BOOK-TITLE* University of Groningen, Stratingh Institute for Chemistry.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

THERMAL DECOMPOSITION OF ARYLDICYCLOPENTADIENYLMETAL COMPLEXES OF NIOBIUM
AND VANADIUM

C.P. Boekel, J.H. Teuben and H.J. de Liefde Meijer.

Laboratorium voor Anorganische Chemie,
Rijksuniversiteit, Zernikelaan, Groningen,
The Netherlands.

Analogous aryldicyclopentadienylmetal complexes of titanium, niobium and vanadium show appreciable differences in thermal stability.

Investigations were undertaken to elucidate the mechanisms of the decomposition reactions. The results show that the decomposition routes cannot be covered by one reaction scheme.

The thermal decomposition of Cp_2TiR (1) and Cp_2TiR_2 (2) has already been described in some detail.

We now report on the thermal decomposition of Cp_2VR and Cp_2NbR_2 complexes.

The niobocene diaryls (Cp_2NbR_2) show an appreciable higher thermal stability than the titanium analogues (2).

In the solid state and in aromatic and aliphatic hydrocarbon solvents the compounds decompose with quantitative formation of R-H and a Nb-containing residue which has lost the Cp_2Nb structure.

Experiments with deuterated compounds and solvents showed that decomposition proceeds with an intramolecular abstraction of hydrogen atoms from cyclopentadienylrings, which is in contrast to the corresponding titanium complexes where the main route proceeds via the abstraction of hydrogen from aryl groups with formation of an intermediate benzyntitanium complex (2).


Aryldicyclopentadienylvanadium compounds and Cp_2TiR_2 are of comparable thermal stability.

The stability sequence of the vanadocene aryls (DTA) is

$\text{R} = \text{phenyl} = \text{m-tolyl} = \text{p-tolyl} < \text{o-tolyl} < 2,6\text{-xylyl} < \text{perfluorophenyl}$.

In the solid state and in hydrocarbon solution the compounds (except for $\text{R} = \text{C}_6\text{F}_5$) decompose with formation of R-H , Cp_2V and a vanadocene derivative with R substituted in one of the cyclopentadienyl rings, $\text{Cp}(\text{C}_5\text{H}_4\text{-R})\text{V}$.

This derivative was identified by elemental analysis, IR, MS and by magnetic measurements; reaction with HCl /ether gave the expected vanadocenemonochloride:



The decomposition reaction which was studied by experiments with compounds with deuterated aryl and cyclopentadienyl ligands will also be discussed.

References:

1. J.H. Teuben, J. Organometal. Chem. 69 (1974) 241.
2. C.P. Boekel, J.H. Teuben, H.J. de Liefde Meijer, J. Organometal. Chem. 81 (1974) 371.