

University of Groningen

Phase contrast tomography of the mouse cochlea at microfocus x-ray sources (vol 103, 083703, 2013)

Bartels, Matthias; Hernandez, Victor H.; Krenkel, Martin; Moser, Tobias; Salditt, Tim

Published in:
Applied Physics Letters

DOI:
[10.1063/1.4821922](https://doi.org/10.1063/1.4821922)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2013

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Bartels, M., Hernandez, V. H., Krenkel, M., Moser, T., & Salditt, T. (2013). Phase contrast tomography of the mouse cochlea at microfocus x-ray sources (vol 103, 083703, 2013). *Applied Physics Letters*, 103(15), [159901]. <https://doi.org/10.1063/1.4821922>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Publisher's Note: "Phase contrast tomography of the mouse cochlea at microfocus x-ray sources" [Appl. Phys. Lett. 103, 083703 (2013)]

Matthias Bartels, Victor H. Hernandez, Martin Krenkel, Tobias Moser, and Tim Salditt

Citation: *Appl. Phys. Lett.* **103**, 159901 (2013); doi: 10.1063/1.4821922

View online: <https://doi.org/10.1063/1.4821922>

View Table of Contents: <http://aip.scitation.org/toc/apl/103/15>

Published by the [American Institute of Physics](#)

Articles you may be interested in

[Phase contrast tomography of the mouse cochlea at microfocus x-ray sources](#)

Applied Physics Letters **103**, 083703 (2013); 10.1063/1.4818737

[A 24 keV liquid-metal-jet x-ray source for biomedical applications](#)

Review of Scientific Instruments **82**, 123701 (2011); 10.1063/1.3664870

[Occlusive thrombosis in the rabbit auricular vein in vivo targeted by induction of intraluminal cavitation using HIFU and ultrasound contrast agent](#)

The Journal of the Acoustical Society of America **117**, 2558 (2005); 10.1121/1.4788511

[Propagation-based phase-contrast tomography for high-resolution lung imaging with laboratory sources](#)

AIP Advances **6**, 035007 (2016); 10.1063/1.4943898

[X-ray grating interferometry with a liquid-metal-jet source](#)

Applied Physics Letters **103**, 091105 (2013); 10.1063/1.4819766



WWW.MMR-TECH.COM

**THE WORLD'S RESOURCE FOR
VARIABLE TEMPERATURE
SOLID STATE CHARACTERIZATION**



OPTICAL STUDIES SYSTEMS



SEEBECK STUDIES SYSTEMS



MICROPROBE STATIONS



HALL EFFECT STUDY SYSTEMS AND MAGNETS



Publisher's Note: "Phase contrast tomography of the mouse cochlea at microfocuss x-ray sources" [Appl. Phys. Lett. 103, 083703 (2013)]

Matthias Bartels,^{1,a)} Victor H. Hernandez,^{2,3,b)} Martin Krenkel,¹ Tobias Moser,^{2,3,4}
and Tim Salditt^{1,4,c)}

¹*Institute for X-Ray Physics, University of Göttingen, Göttingen, Germany*

²*InnerEarLab, Department of Otolaryngology, University Medical Center Göttingen, Göttingen, Germany*

³*Bernstein Focus for Neurotechnology, University of Göttingen, Göttingen, Germany*

⁴*Center for Nanoscopy and Molecular Physiology of the Brain, Göttingen, Germany*

(Received 22 August 2013; published online 11 October 2013)

[<http://dx.doi.org/10.1063/1.4821922>]

This article was originally published online on 21 August 2013 with an error in the title. AIP Publishing apologizes for this error. The title is correct as it appears above. All online versions of this article were corrected on 22 August 2013.

^{a)}Author to whom correspondence should be addressed. Electronic mail: mbartel@gwdg.de.

^{b)}Current address: Department of Chemical, Electronic and Biomedical Engineering, Division of Sciences and Engineering, University of Guanajuato, Guanajuato, Mexico.

^{c)}Electronic mail: tsaldit@gwdg.de.