

University of Groningen

## Synthese en reacties van N-tosylmethyliminoverbindingen

Houwing, Hendrik Albertus

**IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.**

*Document Version*

Publisher's PDF, also known as Version of record

*Publication date:*

1978

[Link to publication in University of Groningen/UMCG research database](#)

*Citation for published version (APA):*

Houwing, H. A. (1978). *Synthese en reacties van N-tosylmethyliminoverbindingen*. s.n.

### Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.


### Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

*Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.*

## S U M M A R Y

The aim of the research described in this thesis was to develop a synthetic route to N-tosylmethylimino compounds of type 1, and to study their reactions, especially cycloadditions to electron deficient double bonds.



1a, A = OMe, L = Cl

1b, A = L = OMe

1c, A = L = SMe


1d, A = Me, L = OMe

1e, A = Me, L = SMe


1f, A =  $\emptyset$ , L = SMe

After an introductory chapter (*Chapter I*), the synthesis of six imino derivatives 1a-f is reported in *Chapter II*.

*Chapter III* deals with reactions of the imines 1 with Michael acceptors, which lead to 2,3,4-trisubstituted pyrroles 24. The mechanism of the cycloaddition and some of the factors that effect the stereoselectivity are discussed.




The synthesis of 2,5-disubstituted oxazoles 22 and 1,2,5-tri-substituted imidazoles 23 are described in *Chapter IV*. The conversion of the  $\Delta^2$ -oxazolines (84a, b) to the corresponding oxazoles, is discussed in some detail. It has been demonstrated that  $\Delta^2$ -oxazolines are intermediates in cycloadditions of 1a and 1f with aldehydes.




84a, A =  $\emptyset$

84b, A = H

In *Chapter V* reactions of 1b, 1d, TosMIC (33) and  $\alpha$ -tosyl-ethylisocyanide (116) with 3-formylindoles are applied in efforts to synthesize the mold metabolite pimprinine (94) and derivatives thereof. The alkaloid pimprinine has a number of biological prop-




33




116

erties, such as antiepileptical and MAO-inhibiting actions. The pimprinine derivatives 115a-c and 122a-c could be isolated.



94



115a-c, R<sub>1</sub> = H, OMe, NO<sub>2</sub>,

R<sub>2</sub> = Me,

R<sub>3</sub> = H,

R<sub>4</sub> = OMe;

122a-c, R<sub>1</sub> = H, OMe, NO<sub>2</sub>,

R<sub>2</sub> = H,

R<sub>3</sub> = Me,

R<sub>4</sub> = H

4832  
1970